



# VICTORIA GOVERNMENT GAZETTE

Published by Authority.

[Registered at the General Post Office, Melbourne, for transmission by post as a newspaper.]

---

No. 5.]

THURSDAY, JANUARY 16.

[1908.]

---

## Factories and Shops Acts.

### DETERMINATION OF THE TINSMITHS BOARD.

**I**N accordance with the provisions of the Factories and Shops Acts, the Special Board appointed to determine the lowest prices or rates of payment payable to any person or persons or classes of persons (other than persons employed in making tins or receptacles for preserving or containing jam, fruit, or vegetables, or produce of any kind intended for food for human consumption) employed in the process, trade, or business of preparing or manufacturing articles made of tin plate or other sheet metal, including the japanning of such articles, has made the following Determination, namely :—

That the Determination of the Tinsmiths Board, dated the 30th September, 1905, shall be cancelled and annulled from and after the date upon which this present Determination comes into force and is operative.

#### DIVISION I.—GENERAL SHEET METAL WORK.

That the lowest prices or rates of payment payable to any person or persons or classes of persons employed in the process, trade, or business of preparing or manufacturing articles made of tin plate or other sheet metal shall be :—

- (1) General tinsmiths or sheet metal workers (not otherwise provided for), 48s. per week of 48 hours.
- (2) Persons over the age of 21 years (not otherwise provided for) employed preparing or manufacturing articles made of sheet iron in spouting and ridging works, 48s. per week of 48 hours.
- (3) Persons over the age of 21 years employed on heavy work on power heavy stamping machine or employed on heavy work on lathe (burnishing and spinning), 48s. per week of 48 hours.
- (4) Persons over the age of 21 years employed on light work on power heavy stamping machine or employed on light work on lathe (burnishing and spinning), or soldering down pipes, or attending drop hammer stumper or any other machine, 43s. 6d. per week of 48 hours.

- (5) Persons under 21 years of age, not being apprentices or improvers, using all machines in general tinsmith's factory, or employed soldering down pipes, or repairing leaks in sheet metal ware—

For the 1st year's experience ... 6s. per week of 48 hours.

" 2nd "	"	... 8s.	"	"
" 3rd "	"	... 11s.	"	"
" 4th "	"	... 15s.	"	"
" 5th "	"	... 19s.	"	"
" 6th "	"	... 23s.	"	"
" 7th "	"	... 27s.	"	"

Provided that no such person under 21 years of age employed on heavy lathe work (burnishing and spinning) or on heavy work on power heavy stamping machine, or assisting at rollers for forming down pipes, curving machine, spouting and ridging machine, or guillotine for cutting spouting and ridging, shall be paid at a lower rate than 15s. per week of 48 hours; or employed repairing leaks in sheet metal ware at a lower rate than 19s. per week of 48 hours; or employed soldering down pipes at a lower rate than 23s. per week of 48 hours.

#### DIVISION 2.—CANISTER WORK.

That the lowest prices or rates of payment payable to any person or persons or classes of persons employed in the process, trade, or business of preparing or manufacturing canisters shall be:—

- (1) Persons over the age of 21 years (not otherwise provided for) employed preparing or manufacturing canisters, 46s. per week of 48 hours.
- (2) Persons over the age of 21 years employed on all machines in canister works, 41s. 6d. per week of 48 hours.
- (3) Persons under the age of 21 years, not being apprentices or improvers, employed on all machines in canister works—

For the 1st year's experience ... 6s. per week of 48 hours.

" 2nd "	"	... 8s.	"	"
" 3rd "	"	... 11s.	"	"
" 4th "	"	... 15s.	"	"
" 5th "	"	... 19s.	"	"
" 6th "	"	... 23s.	"	"
" 7th "	"	... 27s.	"	"

Provided that no such person under 21 years of age employed on power stamping presses shall be paid at a lower rate than 15s. per week of 48 hours.

- (4) Persons under the age of 21 years, not being apprentices, improvers, or machinists, employed on canister work soldering other than seams, tops or bottoms.

For the 1st year's experience ... 6s. per week of 48 hours.

" 2nd "	"	... 10s.	"	"
" 3rd "	"	... 15s.	"	"
" 4th "	"	... 20s.	"	"
" 5th "	"	... 25s.	"	"
" 6th "	"	... 30s.	"	"
" 7th "	"	... 35s.	"	"

#### DIVISION 3.—JAPANNING.

That the lowest prices or rates of payment payable to any person or persons or classes of persons employed in the process, trade, or business of japanning shall be:—

- (1) Persons over the age of 21 years employed at coating or brush work of every description, polishing or preparing ground work for finishing, 38s. per week of 48 hours.
- (2) Persons over the age of 21 years employed on graining, lining, writing, or filleting, 44s. per week of 48 hours.
- (3) Ornamental pencil workers, gold workers, designers, and artistic workers, 48s. per week of 48 hours.
- (4) Persons under the age of 21 years, not being apprentices or improvers, doing coating work, assisting polishing, scouring, cleaning, and general rough work:—

For the 1st year's experience ... 6s. per week of 48 hours.

" 2nd "	"	... 8s.	"	"
" 3rd "	"	... 11s.	"	"
" 4th "	"	... 15s.	"	"
" 5th "	"	... 19s.	"	"
" 6th "	"	... 23s.	"	"
" 7th "	"	... 27s.	"	"

**DIVISION 4.—POLISHING AND CLEANING SHEET METAL WARE, AND OTHER WORK  
MENTIONED UNDER THIS DIVISION.**

That the lowest prices or rates of payment payable to any person or persons or classes of persons under 17 years of age, not being apprentices or improvers, employed polishing and cleaning sheet metal ware, testing to detect leaks in sheet metal ware, making spouting tubes, making wire handles, cutting hoop-iron and wire, blackening or tarring furnace frames, shovels, and closet pans, carrying and moving work, cleaning workshop, and lighting and attending fires, shall be :—

For the 1st year's experience ...	6s.	per week of 48 hours.
" 2nd "	8s.	" "
" 3rd "	11s.	" "

**DIVISION 5.—APPRENTICES.**

*Wages.*

That the lowest prices or rates of payment payable to apprentices employed in the process, trade, or business of preparing or manufacturing articles made of tin plate or other sheet metal, including the japanning of such articles, shall be as follows :—

For the 1st year's experience ...	6s.	per week of 48 hours.
" 2nd "	8s.	" "
" 3rd "	10s.	" "
" 4th "	13s.	" "
" 5th "	16s.	" "
" 6th "	20s.	" "
" 7th "	24s.	" "

And thereafter the minimum wage.

**DIVISION 6.—IMPROVERS.**

*Number.*

That the number or proportion of improvers who may be employed within any factory or work-room, or shop, or place, shall be in proportion to the number of persons employed in such factory or workroom, or shop, or place, in the process, trade, or business of preparing or manufacturing articles made of tin plate or other sheet metal, including the japanning of such articles, and receiving not less than 38s. per week, or being over 21 years of age working piece-work at the rates fixed in the schedules to this Determination, as follows :—

One improver to every four such persons or fraction thereof.

*Wages.*

That the lowest prices or rates of payment payable to improvers employed in the process, trade, or business of preparing or manufacturing articles made of tin plate or other sheet metal, including the japanning of such articles, shall be as follows :—

For the 1st year's experience ...	6s.	per week of 48 hours.
" 2nd "	10s.	" "
" 3rd "	14s.	" "
" 4th "	17s.	" "
" 5th "	20s.	" "
" 6th "	23s.	" "
" 7th "	27s.	" "

And thereafter the minimum wage.

**DIVISION 7.—OVERTIME.**

That any male person over the age of sixteen years employed in the process, trade, or business of preparing or manufacturing articles made of tin plate or other sheet metal, including the japanning of such articles, who works for any time in excess of the maximum number of 48 hours per week shall be paid for such extra time his ordinary rate, and in addition thereto one-fourth of his ordinary rate.

**DIVISION 8.—PIECE-WORK RATES.**

That the lowest price or rate of payment payable to any person for wholly or partly preparing or manufacturing any article described in the following Schedule (which Schedule shall form part of this Determination) shall be the prices or rates mentioned in such Schedule.

That wherever the quantity to be given out is stated in the Schedule the prices or rates mentioned apply only when the articles are given out in quantities not less than those mentioned in the Schedule.

That the Schedule of prices applies to new material only, but in the case of articles to be painted or galvanized any previously unused material may be used.

That (except where otherwise provided) where the sizes of articles made under this Schedule do not exactly correspond with the sizes stated then the price or rate fixed for the next nearest size shall apply; but where the size is half-way between two sizes then the next highest price or rate shall apply.

SCHEDULE.—GENERAL SHEET METAL WORK.

Articles.	Material.	Size.	When given out in the under- mentioned Quantities or more.	Prices or Rates.
<b>1. BASINS.</b>				
WASH-HAND BASINS, hand-made (including blocking of bottoms)				
" " "	IC tin plate	13 inches ...	3 dozen ...	3s. 3d. per doz.
" " "		16 "	3 "	3s. 9d. "
" " "		18 "	2 "	5s. "
" " "		13 "	3 "	3s. 9d. "
" " "	IX tin plate	16 "	2 "	4s. 3d. "
" " "		18 "	2 "	5s. 9d. "
" " "		20 "	1½ "	7s. "
All intermediate sizes to be paid for at rate fixed for next highest size.		22 "	1 "	7s. 6d. "
If bottoms supplied for 13 in. basins ...				4d. per doz. deducted
" " 16 and 18 in. basins ...				6d. " "
" " 20 and 22 in. basins ...				1s. " "
If handles 6 gauge wire or under supplied for basins				1s. 6d. per gross handles deducted
If handles over 6 gauge wire supplied for basins				2s. per gross handles deducted
<b>2. BATHS.</b>				
FOOT BATHS, oval, moulded ...		16 inches ...	6 articles	14s. per doz.
" " "		18 "	6 "	15s. 3d. "
" " "		20 "	6 "	16s. 3d. "
" " "		22 "	6 "	17s. 6d. "
" " "	Bodies 26 gauge iron or steel or lighter	24 "	6 "	18s. 6d. "
" " "		26 "	6 "	19s. 6d. "
" " "		28 "	6 "	21s. 9d. "
" " "		30 "	6 "	23s. "
" " wired		16 "	1 dozen	6s. "
" " "		18 "	1 "	7s. "
" " "	Bodies 24 gauge iron or steel or lighter	20 "	1 "	7s. 6d. "
" " "		22 "	1 "	8s. 9d. "
" " "		24 "	1 "	10s. "
" " "		26 "	1 "	11s. "
" " "		28 "	1 "	12s. "
" " "		30 "	1 "	13s. "
FRAME BATHS, galvanized iron, up to 6 feet long, up to 22 inches wide, and up to 22 inches deep. (Assistance to be given for knocking up)	26 gauge iron	... ...	3 articles	3s. 6d. each
" " "	24 "	... ...	3 "	3s. 6d. "
" " "	22 "	... ...	2 "	5s. "
PLUNGE BATHS, moulded ...	Up to 4ft. 6in.	2 "	1 article	14d. per inch
" " "	Over 4ft. 6in.	1 article	2 articles	14d. per inch and 9d. each bath extra
" " "	Up to 4ft. 6in.	1 article	1 article	14d. per inch and 9d. each bath extra
" " with raised backs	Over 4ft. 6in.	1 article	1 article	14d. per inch and 9d. each bath extra
" " "	No. 1	2 articles	3s. 3d. each	
" " "	2	2 "	3s. 9d. "	
" " "	3	2 "	4s. 6d. "	
" " "	4	2 "	5s. "	
HIP BATHS ...	24 gauge iron or lighter	1	2 "	6s. "
" " "	2	2 "	6s. "	
" " "	3	2 "	7s. "	
" " "	4	2 "	8s. "	
" if bottoms and elbow-rests supplied blocked	... ...	... ...	... ...	6d. each bath deducted
CHILD'S BATHS ...	24 gauge iron or lighter	... ...	3 articles	14d. per inch
If galvanized iron used for beads for Plunge, Sitz, Hip, or Child's Baths	..	... ...	... ...	9d. each bath extra
<b>3. BINS.</b>				
FLOUR BINS, with body wired, back-lapped, and swedged; bottom knocked up and hooped or studded (4 studs); lid with a rim not less than $\frac{2}{3}$ inches deep; top blocked and paned on to rim; hasp and hinge on cover; and three wire oval handles ...	IXX tin plate or lighter	25 lbs. ...	6 articles	1s. 4d. each
" " "		50 "	6 "	1s. 8d. "
" " "		75 "	4 "	2s. "
FLOUR BINS, with body wired, back-lapped, and swedged, for galvanized hoop; hoop about 20 gauge and $1\frac{1}{2}$ inches wide; bottom knocked up; lid with a rim not less than $2\frac{1}{2}$ inches deep; top blocked and paned on to rim; hasp and hinge on cover; and three wire oval handles ...	Galy. or lead-coated iron, 24 gauge or lighter	100 lbs. ...	3 articles	3s. 3d. "
" " "		200 "	3 "	3s. 6d. "
" " "		250 "	2 "	4s. "

January 16, 1908

## PRICE-WORK RATES—continued.

Articles	Material.	Size.	When given out in the under- mentioned Quantities or more.	Prices or Rates
<b>4. BOILERS.</b>				
TIN BOILERS, oval, with pitched covers...		3 gallons ...	1 dozen ...	7s. per doz.
" " "		4 " ...	1 " ...	8s. "
" " "		5 " ...	1 " ...	8s. "
" " "		7 " ...	6 articles	10s. 6d. "
" " "		10 " ...	6 " ...	12s. 6d. "
" oval, with blocked covers...		3 " ...	1 dozen ...	9s. "
" " "		4 " ...	1 " ...	10s. "
" " "	IX tin plate or lighter	5 " ...	1 " ...	10s. "
" " "		7 " ...	6 articles	13s. "
" " "		10 " ...	6 " ...	15s. "
" oval, with stamped covers...		3 " ...	1 dozen ...	6s. "
" " "		4 " ...	1 " ...	7s. "
" " "		5 " ...	1 " ...	7s. "
" " "		7 " ...	6 articles	9s. "
" " "		10 " ...	6 " ...	11s. "
If copper bottoms are used—Tinning same		...	...	2s. 6d. per doz. extra
<b>5. BOTTLES.</b>				
Oil. BOTTLES, round with plain necks and knocked up bottoms, paned on breast		1 quart ...	3 dozen ...	3s. per doz.
" " " "		2 quarts ...	3 " ...	3s. 6d. per doz.
" " " "		4 " ...	2 " ...	4s. "
" " " "		8 " ...	2 " ...	5s. 6d. "
" " " with stamped nozzles ...	IX tin plate or lighter	...	...	3d. per doz. deducted
" " " with patent screws (spouts supplied)		1 quart ...	3 " ...	3s. per doz.
" " " "		2 quarts ...	3 " ...	3s. 6d. "
" " " "		4 " ...	2 " ...	4s. "
" " " with slipped on bottoms and breasts		8 " ...	2 " ...	5s. 6d. "
Tea BOTTLES, oval, with slipped on bottoms and breasts		...	...	4d. per doz. deducted
" " " "		1 pint ...	3 dozen ...	3s. 3d. per doz.
" " " "		1½ pints ...	3 " ...	3s. 6d. "
" " " "		2 " ...	3 " ...	4s. "
" " " "		3 " ...	2 " ...	4s. 6d. "
" " " "		4 " ...	2 " ...	4s. 9d. "
" " " with stamped nozzles ...	IC tin plate	6 " ...	2 " ...	5s. 6d. "
" " " "		...	...	3d. per doz. deducted
<b>6. BOXES.</b>				
BONNET BOXES, round or oval, including hasp		13 inches ...	3 dozen ...	6s. per doz.
" " " "		14 " ...	3 " ...	6s. "
" " " "		15 " ...	3 " ...	6s. 6d. "
" " " "		16 " ...	3 " ...	6s. 6d. "
" " " "		17 " ...	3 " ...	7s. 6d. "
" " " hasp supplied	IXX tin plate or lighter	18 " ...	3 " ...	7s. 6d. "
" " " "		13 " ...	3 " ...	7s. "
" " " "		14 " ...	3 " ...	7s. "
" " " "		15 " ...	3 " ...	7s. 6d. "
" " " "	28 gauge steel	16 " ...	3 " ...	7s. 6d. "
" " " "		17 " ...	3 " ...	8s. "
" " " flat top or stamped top (hasp supplied)		18 " ...	3 " ...	8s. "
" " " "		19 " ...	3 " ...	10s. "
" " " "		20 " ...	3 " ...	10s. "
" " " with front handles ...		...	...	6d. per doz. extra
If wire handles and plates supplied for bonnet boxes ...	8 and 10 gauge wire	...	...	1½d. per doz. boxes deducted
If handles and plates supplied for bonnet boxes	½ inch iron rod or under	...	...	2½d. "
CASH BOXES ...		6 inches ...	1 dozen ...	12s. per doz.
" " " "		7 " ...	1 " ...	13s. "
" " " "		8 " ...	1 " ...	14s. 6d. "
" " " "	IXX tin plate or lighter	9 " ...	1 " ...	16s. "
" " " "		10 " ...	1 " ...	18s. "
" " " "		11 " ...	1 " ...	19s. 6d. "
" " " (beadings supplied) ...	IC tin plate	12 " ...	1 " ...	21s. "
" " " "		all sizes ...	...	1s. 6d. per doz. boxes deducted
PEPPER BOXES, common (tops and bottoms supplied)	IC tin plate	...	1 gross ...	11s. per gross
SPICE BOXES, round, with six compartments and loose grater	IX, tin plate or lighter	6 inches ...	6 articles	14s. per doz.
" " " "		7 " ...	6 " ...	15s. "
" " " "		8 " ...	6 " ...	17s. "
SUGAR BOXES, wired inside and swaged ...		No. 1 ...	3 dozen ...	3s. 6d. per dozen
" " " "		2 " ...	3 " ...	3s. 9d. "
" " " "		3 " ...	3 " ...	4s. 3d. "
" " " "	IX tin plate or lighter	4 " ...	3 " ...	4s. 6d. "
" " " "		5 " ...	3 " ...	5s. "

PIECE-WORK RATES—*continued.*

Articles.	Material.	Size.	When given out in the under- mentioned Quantities or more—	Prices or Rates.
<b>BOXES—<i>continued.</i></b>				
SUGAR BOXES, wired inside and swedged ...	IX tin plate or lighter	No. 6 ...	3 dozen ...	5s. 6d. per dozen
" " " "(made in two pieces) ...		... ...	... ...	3d. per doz. extra
TRUNKS, common, moulded (cutting out, edging, moulding, and wiring supplied) ...	26 gauge steel or lighter	20 inches ...	1 " ...	7s. 6d. per dozen
" " " " " ...		22 " ...	1 " ...	7s. 6d. "
" " " " " ...		24 " ...	1 " ...	8s. "
" " " " " ...		26 " ...	1 " ...	9s. "
" " " " " ...		28 " ...	1 " ...	11s. "
" " " " " ...		30 " ...	1 " ...	12s. "
" " " " " ...	24 gauge steel or lighter	33 " ...	6 articles	22s. 6d. "
" moulded, strapped (cutting out, edging, moulding, and wiring supplied) ...	26 gauge steel or lighter	20 " ...	1 dozen ...	17s. "
" " " " " ...		22 " ...	1 " ...	17s. "
" " " " " ...		24 " ...	1 " ...	18s. "
" " " " " ...		26 " ...	1 " ...	19s. "
" " " " " ...		28 " ...	1 " ...	21s. "
" " " " " ...		30 " ...	1 " ...	23s. "
" " " " " ...	24 gauge steel or lighter	33 " ...	6 articles	28s. "
" " " " " ...		36 " ...	6 " ...	34s. "
" common, moulded (moulding and wiring supplied) ... *** ...	26 gauge steel or lighter	20 " ...	1 dozen ...	11s. "
" " " " " ...		22 " ...	1 " ...	11s. "
" " " " " ...		24 " ...	1 " ...	12s. "
" " " " " ...		26 " ...	1 " ...	13s. "
" " " " " ...		28 " ...	1 " ...	15s. 6d. "
" " " " " ...		30 " ...	1 " ...	16s. 6d. "
" " " " " ...	24 gauge steel or lighter	33 " ...	6 articles	28s. "
" moulded, strapped (moulding and wiring supplied) ... *** ...	26 gauge steel or lighter	20 " ...	1 dozen ...	20s. 6d. "
" " " " " ...		22 " ...	1 " ...	20s. 6d. "
" " " " " ...		24 " ...	1 " ...	22s. "
" " " " " ...		26 " ...	1 " ...	23s. "
" " " " " ...		28 " ...	1 " ...	25s. 6d. "
" " " " " ...	24 gauge steel or lighter	33 " ...	6 articles	27s. 6d. "
" " " " " ...		36 " ...	6 " ...	36s. "
" common, wired (cutting out, edging, and top and body wiring supplied) ...	26 gauge steel or lighter	20 " ...	1 dozen ...	11s. 6d. "
" " " " " ...		22 " ...	1 " ...	11s. 6d. "
" " " " " ...		24 " ...	1 " ...	12s. "
" " " " " ...		26 " ...	1 " ...	13s. "
" " " " " ...		28 " ...	1 " ...	15s. "
" " " " " ...		30 " ...	1 " ...	16s. "
" " " " " ...	24 gauge steel or lighter	33 " ...	6 articles	26s. 6d. "
" wired, strapped (cutting out, edging, and top and body wiring supplied) ...	26 gauge steel or lighter	20 " ...	1 dozen ...	21s. "
" " " " " ...		22 " ...	1 " ...	21s. "
" " " " " ...		24 " ...	1 " ...	22s. "
" " " " " ...		26 " ...	1 " ...	23s. "
" " " " " ...		28 " ...	1 " ...	25s. "
" " " " " ...	24 gauge steel or lighter	33 " ...	6 articles	27s. "
" " " " " ...		36 " ...	6 " ...	34s. "
" common (top wiring supplied) ...	26 gauge steel or lighter	20 inches ...	1 dozen ...	15s. 6d. "
" " " " " ...		22 " ...	1 " ...	15s. 6d. "
" " " " " ...	26 gauge steel or lighter	24 " ...	1 " ...	16s. "
" " " " " ...		26 " ...	1 " ...	17s. 6d. "
" " " " " ...		28 " ...	1 " ...	19s. 6d. "
" " " " " ...	24 gauge steel or lighter	33 " ...	6 articles	21s. "
" " " " " ...		36 " ...	6 " ...	32s. 6d. "
" strapped (top wiring supplied) ...	26 gauge steel or lighter	20 " ...	1 dozen ...	24s. "
" " " " " ...		22 " ...	1 " ...	24s. "
" " " " " ...		24 " ...	1 " ...	25s. "
" " " " " ...		26 " ...	1 " ...	27s. "
" " " " " ...		28 " ...	1 " ...	29s. "
" " " " " ...	24 gauge steel or lighter	33 " ...	6 articles	32s. "
" " " " " ...		36 " ...	6 " ...	51s. "
" wired, strapped, complete ...	26 gauge steel or lighter	20 " ...	1 dozen ...	24s. "
" " " " " ...		22 " ...	1 " ...	24s. "
" " " " " ...		24 " ...	1 " ...	26s. "
" " " " " ...		26 " ...	1 " ...	28s. "
" " " " " ...		28 " ...	1 " ...	30s. "
" " " " " ...		30 " ...	1 " ...	33s. "
" " " " " ...	24 gauge steel or lighter	33 " ...	6 articles	42s. "
" " " " " ...		36 " ...	6 " ...	52s. "
" cabin, common, moulded (cutting out, edging, moulding, and wiring supplied) ...	26 gauge steel or lighter	24 " ...	1 dozen ...	8s. "
" " " " " ...		26 " ...	1 " ...	9s. "
" " " " " ...		28 " ...	1 " ...	11s. "
" " " " " ...		30 " ...	1 " ...	12s. "
" " " " " ...	24 gauge steel or lighter	33 " ...	1 " ...	18s. 6d. "

PIECE-WORK RATES—*continued.*

Articles.	Material.	Size.	When given out in the under- mentioned Quantities or more.	Prices or Rates.
<b>BOXES—<i>continued.</i></b>				
TRUNKS, cabin, moulded, strapped (cutting out, edging, moulding, and wiring supplied)	26 gauge steel or lighter	24 inches ... 26 " ... 28 " ... 30 " ... 33 " ... 36 " ...	1 dozen ... 1 " ... 1 " ... 1 " ... 6 articles... 6 " ...	18s. per dozen 19s. " 20s. " 21s. " 23s. " 26s. "
" " " " "	26 gauge steel or lighter	24 " ... 26 " ... 28 " ... 30 " ... 33 " ...	1 dozen ... 1 " ... 1 " ... 1 " ... 6 articles...	12s. " 13s. " 15s. 6d. " 16s. 6d. " 23s. 6d. "
" cabin, moulded (moulding and wiring supplied)	24 gauge steel or lighter	36 " ...	6 " ...	"
" " " " "	26 gauge steel or lighter	24 " ... 26 " ... 28 " ... 30 " ... 33 " ...	1 dozen ... 1 " ... 1 " ... 1 " ... 6 articles...	12s. " 13s. " 15s. 6d. " 16s. 6d. " 23s. 6d. "
" cabin, strapped (moulding and wiring supplied)	26 gauge steel or lighter	24 " ... 26 " ... 28 " ... 30 " ... 33 " ... 36 " ...	1 dozen ... 1 " ... 1 " ... 1 " ... 6 articles... 6 " ...	22s. " 23s. " 24s. 6d. " 25s. 6d. " 28s. " 33s. "
" " " " "	26 gauge steel or lighter	24 " ... 26 " ... 28 " ... 30 " ... 33 " ... 36 " ...	1 dozen ... 1 " ... 1 " ... 1 " ... 6 articles... 6 " ...	12s. " 13s. " 15s. " 16s. " 20s. " 24s. "
" cabin, common, wired (cutting out, edging, and top and body wiring supplied) ...	26 gauge steel or lighter	24 " ... 26 " ... 28 " ... 30 " ... 33 " ... 36 " ...	1 dozen ... 1 " ... 1 " ... 1 " ... 6 articles... 6 " ...	12s. " 13s. " 15s. " 16s. " 20s. " 24s. "
" " " " "	24 gauge steel or lighter	24 " ... 26 " ... 28 " ... 30 " ... 33 " ... 36 " ...	1 dozen ... 1 " ... 1 " ... 1 " ... 6 " ... 6 " ...	12s. " 13s. " 15s. " 16s. " 20s. " 24s. "
" cabin, strapped (cutting out, edging, and top and body wiring supplied)	26 gauge steel or lighter	24 " ... 26 " ... 28 " ... 30 " ... 33 " ... 36 " ...	1 dozen ... 1 " ... 1 " ... 1 " ... 6 " ... 6 " ...	22s. " 23s. " 24s. " 25s. " 27s. " 31s. "
" " " " "	24 gauge steel or lighter	24 " ... 26 " ... 28 " ... 30 " ... 33 " ... 36 " ...	1 dozen ... 1 " ... 1 " ... 1 " ... 6 " ... 6 " ...	12s. " 13s. " 15s. " 16s. " 20s. 6d. " 24s. "
" cabin, common (top wiring supplied) ...	26 gauge steel or lighter	24 " ... 26 " ... 28 " ... 30 " ... 33 " ... 36 " ...	1 dozen ... 1 " ... 1 " ... 1 " ... 6 articles... 6 " ...	12s. " 13s. " 15s. " 16s. " 20s. 6d. " 24s. "
" " " " "	24 gauge steel or lighter	24 " ... 26 " ... 28 " ... 30 " ... 33 " ... 36 " ...	1 dozen ... 1 " ... 1 " ... 1 " ... 6 " ... 6 " ...	12s. " 13s. " 15s. " 16s. " 20s. 6d. " 24s. "
" cabin, strapped (top wiring supplied) ...	26 gauge steel or lighter	24 " ... 26 " ... 28 " ... 30 " ... 33 " ... 36 " ...	1 dozen ... 1 " ... 1 " ... 1 " ... 6 " ... 6 " ...	22s. " 23s. " 24s. " 25s. " 27s. " 31s. "
" " " " "	24 gauge steel or lighter	24 " ... 26 " ... 28 " ... 30 " ... 33 " ... 36 " ...	1 dozen ... 1 " ... 1 " ... 1 " ... 6 " ... 6 " ...	12s. " 13s. " 15s. " 16s. " 20s. 6d. " 24s. "
" cabin, strapped (wired, complete) ...	26 gauge steel or lighter	24 " ... 26 " ... 28 " ... 30 " ... 33 " ... 36 " ...	1 dozen ... 1 " ... 1 " ... 1 " ... 6 " ... 6 " ...	26s. " 27s. " 29s. " 32s. " 35s. " 38s. "
" " " " "	24 gauge steel or lighter	24 " ... 26 " ... 28 " ... 30 " ... 33 " ... 36 " ...	1 dozen ... 1 " ... 1 " ... 1 " ... 6 " ... 6 " ...	26s. " 27s. " 29s. " 32s. " 35s. " 38s. "
" cabin, strapped, wired, complete ...	26 gauge steel or lighter	24 " ... 26 " ... 28 " ... 30 " ... 33 " ... 36 " ...	1 dozen ... 1 " ... 1 " ... 1 " ... 6 " ... 6 " ...	26s. " 27s. " 28s. " 30s. " 33s. " 36s. "
If corners fitted on lids for 20-inch to 30-inch trunks ...		...	...	6d. per dozen trunks extra
Swivels, handles and corners of all trunks supplied.				
Wires for all moulded trunks supplied.				
Wires for tops of wired trunks supplied.				
TRUNKS, machine work, cutting out, edging, moulding, and wiring (wire supplied)	26 gauge steel or lighter	20 " ... 22 " ... 24 " ... 26 " ... 28 " ... 30 " ... 33 " ... 36 " ...	3 dozen ... 3 " ... 3 " ... 3 " ... 3 " ... 3 " ... 2 " ... 1 " ...	2s. 6d. per dozen
" " " " "	24 gauge steel or lighter	20 " ... 22 " ... 24 " ... 26 " ... 28 " ... 30 " ... 33 " ... 36 " ...	3 " ... 3 " ... 3 " ... 3 " ... 3 " ... 3 " ... 2 " ... 1 " ...	2s. 6d. " 2s. 8d. " 2s. 10d. " 3s. 1d. " 3s. 5d. " 4s. 3d. " 5s. 6d. "
<b>7. BUCKETS.</b>				
BLACK IRON BUCKETS, common, stamped or forged ears, two rivet holes ...	28 gauge iron or lighter	11 inches ... 12 " ... 13 " ... 14 " ...	6 dozen ... 6 " ... 6 " ... 6 " ...	2s. 6d. per dozen
" " " " "	28 gauge iron or lighter	11 " ... 12 " ... 13 " ... 14 " ...	3 dozen ... 3 " ... 3 " ... 3 " ...	2s. 9d. " 2s. 9d. " 3s. " 3s. 6d. "
BLACK IRON BUCKETS, common, stamped or forged ears, three rivet holes ...	28 gauge iron or lighter	11 " ... 12 " ... 13 " ... 14 " ...	3 dozen ... 3 " ... 3 " ... 3 " ...	2s. 9d. " 2s. 9d. " 3s. " 3s. 6d. "

### PIECE-WORK RATES—*continued.*

Articles.	Material.	Size.	When given out in the under- mentioned Quantities or more.	Prices or Rates.
<b>BUCKETS—continued.</b>				
BLACK IRON BUCKETS, strapped, sides and bottoms ...		11 " ...	2 dozen ...	3s. 9d. per dozen
" " " "		12 " ...	2 " ...	3s. 9d. "
" " " "		13 " ...	2 " ...	4s. "
" " " "		14 " ...	2 " ...	4s. 6d. "
BLACK IRON BUCKETS, strapped, wrought ears, two rivet holes ...	26 gauge iron or lighter	11 " ...	2 dozen ...	3s. 6d. "
" " " "		12 " ...	2 " ...	3s. 6d. "
" " " "		13 " ...	2 " ...	3s. 9d. "
" " " "		14 " ...	2 " ...	4s. 3d. "
BLACK IRON BUCKETS, strapped, wrought ears, three rivet holes ...		11 " ...	2 dozen ...	3s. 9d. "
" " " "		12 " ...	2 " ...	3s. 9d. "
" " " "		13 " ...	2 " ...	4s. "
" " " "		14 " ...	2 " ...	4s. 6d. "
MILK BUCKETS, tin, with bails, hollow bottoms, and tin hoops, (bails supplied) ...		No. 1 ...	4 dozen ...	3s. 3d. "
MILK BUCKETS, tin, with hollow bottoms, and tinned or galvanized hoops and bails (bails supplied) ...		No. 2 ...	4 " ...	3s. 6d. "
" " " "	IX tin plate or lighter	No. 3 ...	4 " ...	3s. 3d. "
" " " "		No. 4 ...	4 " ...	3s. 6d. "
" " " "		No. 1 deep	3 " ...	3s. 9d. "
" " " "		No. 2 deep	3 " ...	4s. 6d. "
" " " "		No. 1 extra deep	1 " ...	4s. 6d. "
" " " "		No. 2 "	1 " ...	4s. 9d. "
STRAINER MILK Buckets, tin, part-covered, with lips and brass wire strainers, hollow bottoms, and tinned or galvanized hoops and bails, (bails supplied) ...		No. 3 ...	1 " ...	7s. "
" " " "		No. 4 ...	1 " ...	7s. 6d. "
STRAINED MILK BUCKETS, as above, with back shell handles ...		... ...	... ...	1s. per doz. extra
MILK BUCKETS, tin—Making bails for ...		All sizes ...	... ...	3d. per doz. extra
" " " tin (if stamped bottom supplied)		All sizes ...	... ...	4d. per doz. deducted
TIN BUCKETS, with flat bottoms and stamped ears	IC tin plate ...	11 inches dia- meter x 9 inches deep	6 dozen ...	2s. 9d. per doz.
" with tin hoop and stamped ears ...	IC tin plate ...	13 inches dia- meter x 9 inches deep	6 dozen ...	2s. 9d. per doz.
" with 1½-in. or 1¾-in. hoop and strap	IC tin plate ...	6 " ...	3s. 3d. "	
" with 1½-in. hoop and strap	IX tin plate ...	2 " ...	4s. 3d. "	
" with 1½-in. hoop and strap	IXX tin plate ...	2 " ...	4s. 9d. "	
If bails supplied for strapped tin buckets	... ...	2 " ...	5s. 6d. "	
		... ...	... ...	3d. per doz. deducted
<b>8. CAGE BOTTOMS.</b>				
OCTAGON CAGE BOTTOMS ...	26 gauge iron or lighter, or IX tin plate or lighter	12 inches ...	1 dozen ...	7s. 6d. per doz.
" " " "		14 " ...	1 " ...	8s. 3d. "
" " " "		16 " ...	1 " ...	9s. "
" " " "		18 " ...	1 " ...	9s. 9d. "
ROUND CAGE BOTTOMS ...		20 " ...	1 " ...	10s. 9d. "
" " " "		9 " ...	6 " ...	1s. 6d. "
" " " "		12 " ...	4 " ...	2s. 3d. "
" " " "	IC tin plate	14 " ...	4 " ...	2s. 6d. "
" " " "		16 " ...	4 " ...	2s. 9d. "
" " " "		18 " ...	4 " ...	3s. "
" " " "		20 " ...	2 " ...	4s. "
<b>9. CANISTERS.</b>				
ROUND CANISTERS, with slipped on bottle neck...	IC tin plate	½ lb. ...	4 dozen ...	2s. 3d. per doz.
" " " "		1 " ...	4 " ...	2s. 6d. "
" " " "		2 lbs. ...	4 " ...	1s. 9d. "
" " " "		3 " ...	3 " ...	3s. "
" " " "		4 " ...	3 " ...	3s. 6d. "
<b>10. CANS.</b>				
CREAM CANS, grooved, three hoops, double rim cover	20 gauge tinned steel or lighter, or DXXXX tin plate or lighter	20 quarts ...	1 dozen ...	3s. 9d. each
" " " " "		30 " ...	1 " ...	4s. "
" " " " "		40 " ...	1 " ...	4s. 6d. "
" four hoops, double rim cover		40 " ...	1 " ...	4s. 9d. "
" three hoops, single rim cover		20 " ...	1 " ...	3s. 3d. "
" " " " "		30 " ...	1 " ...	3s. 6d. "
" " " " "		40 " ...	1 " ...	3s. 9d. "
" four " " " "		40 " ...	1 " ...	4s. "
" If not cleaned and tested by maker		All sizes ...	... ...	3d. per can deducted
" If hoops supplied for		All sizes ...	... ...	6d. per doz. hoops de- ducted
" If cover stamping or blocking sup- plied for		40 quarts ...	... ...	1s. 6d. per doz. deducted
" If bottoms supplied for		40 " ...	... ...	1s. per doz. deducted
DINNER CANS, oval—Without division ...	IX tin plate or lighter	... ...	1 dozen ...	7s. " per doz.
" " " with " "		... ...	1 " ...	8s. "

PIECE-WORK RATES—*continued.*

Articles	Material.	Size.	When given out in the under- mentioned Quantities or more,	Prices or Rates.
<b>CANS—continued.</b>				
HARVEST CANS, with pannikin supplied . . .			2 quarts ... 1½ dozen	5s. per doz.
" " "			3 " ... 1½ " ...	5s. 6d. "
" " "			.4 " ... 1½ " ...	6s. "
" " "			6 " ... 1 " ...	6s. 3d. "
" " "			8 " ... 1 " ...	6s. 6d. "
" " "			10 " ... 1 " ...	7s. 6d. "
" " "			12 " ... 1 " ...	8s. 6d. "
" " " if with spouts . . .		All sizes . . .	1s. 6d. per doz. extra	
HOT WATER CANS, knocked up bottoms . . .		3 pints ... 1 dozen ...	9s. 3d. per doz.	
" " "		2 quarts ... 1 " ...	9s. 3d. "	
" " "		3 " ... 1 " ...	11s. "	
" wired, bottom let in ...	IX tin plate or lighter	4 " ... 1 " ...	11s. "	
" " "		3 pints ... 1 " ...	10s. 3d. "	
" " "		2 quarts ... 1 " ...	10s. 3d. "	
" " "		3 " ... 1 " ...	12s. "	
JACK SHAY CANS, straight body " . . .	IC tin plate	4 " ... 1 quart ...	4s. "	
" tapered body . . .		1 " ... 2 " ...	5s. 6d. "	
MINERS' CANS . . . . .	IC tin plate	1½ pints ... 2 " ...	4s. "	
" . . . . .		2 " ... 2 " ...	4s. "	
" . . . . .		3 " ... 2 " ...	4s. 3d. "	
" . . . . .		4 " ... 2 " ...	5s. "	
" . . . . .		6 " ... 1½ " ...	5s. 6d. "	
RAILWAY MILK CANS, grooved, two hoops (including cleaning and testing) . . . . .	20 gauge tinned steel	20 quarts ... 1 dozen ...	3s. each	
" " " three hoops " " "		30 " ... 1 " ...	3s. 2d. each	
" " " four hoops " " "	or lighter, or DXXXX	30 " ... 1 " ...	3s. 4d. "	
" " " three hoops " " "		40 " ... 1 " ...	3s. 5d. "	
" " " four hoops " " "	tin plate	40 " ... 1 " ...	3s. 7d. "	
" " " four hoops or less " "	or lighter	50 " ... 6 articles ...	5s. "	
" " If hoops supplied . . . . .		All sizes . . . . .	6d. per doz. hoops deducted	
" " If bottoms supplied . . . . .	20 gauge tinned steel	40 quarts ... . . . . .	1s. per doz. deducted	
TOILET CANS, with knocked up bottoms (studs supplied) . . . . .		6 quarts ... 1 dozen ...	12s. per doz.	
" " " " "		8 " ... 1 " ...	14s. "	
" " " " "		10 " ... 1 " ...	15s. 3d. "	
" " " " "	IX tin plate or lighter	12 " ... 1 " ...	16s. 3d. "	
" body wired, and bottom let in . . . . .		16 " ... 1 " ...	18s. 6d. "	
" " " " "		6 " ... 1 " ...	13s. 6d. "	
" " " " "		8 " ... 1 " ...	15s. 9d. "	
" " " " "		10 " ... 1 " ...	16s. 9d. "	
" " " " "		12 " ... 1 " ...	18s. "	
" " " " "		16 " ... 1 " ...	20s. "	
" " " " "	26 gauge galv. iron or lighter	All sizes . . . . .	3s. per doz. extra	
<b>11. COLANDERS.</b>				
HAND-MADE COLANDERS, machine-punched, with side handles . . . . .	IX tin plate or lighter	9 inches ... 4 dozen ...	3s. 6d. per doz.	
" " " " "		11 " ... 4 " ...	4s. "	
" " " " "		13 " ... 3 " ...	5s. "	
" " " " If punched with hand punch . . . . .		15 " ... 1½ " ...	6s. "	
		All sizes . . . . .	1s. 6d. per doz. extra	
<b>12. COVERS.</b>				
MEAT COVERS, with perforated zinc bodies (straight sides) and pitched top . . . . .		12 inches ... 3 dozen ...	3s. 6d. per dozen	
" " " " "		14 " ... 3 " ...	3s. 9d. "	
" " " " "		16 " ... 3 " ...	4s. "	
" " " " "		18 " ... 3 " ...	4s. 6d. "	
" " " " "	IX tin plate or lighter	20 " ... 2 " ...	5s. "	
" with perforated zinc bodies (taper sides) and pitched top . . . . .		22 " ... 1½ " ...	6s. "	
" " " " "		24 " ... 1 " ...	7s. "	
" " " " "		12 " ... 3 " ...	4s. "	
" " " " "		14 " ... 3 " ...	4s. 6d. "	
" " " " "		16 " ... 3 " ...	4s. 9d. "	
" " " " "		18 " ... 3 " ...	5s. 3d. "	
" " " " "		20 " ... 2 " ...	5s. 9d. "	
" " " " "		22 " ... 1½ " ...	7s. "	
" " " " "		24 " ... 1 " ...	8s. "	
" with perforated zinc bodies (taper sides) single rim, and blocked tops (wheeling found) . . . . .		14 inches ... 3 dozen ...	5s. 6d. per doz.	
" " " " "		15 " ... 3 " ...	5s. 6d. "	
" " " " "	IXX tin plate or lighter	16 " ... 3 " ...	6s. "	
" " " " "		17 " ... 3 " ...	6s. "	
" " " " "		18 " ... 3 " ...	7s. "	
" " " " "		20 " ... 1 " ...	8s. "	
" " " " "		22 " ... 1 " ...	9s. "	
" " " " "		24 " ... 1 " ...	11s. "	
" with double rims . . . . .		All sizes . . . . .	1s. 6d. per doz. extra	

PIECE-WORK RATES—*continued.*

Articles,	Material,	Size.	When given out in the under- mentioned Quantities or more—	Prices or Rates.
<b>COVERS—<i>continued.</i></b>				
MEAT COVERS, if stamped or blocked tops supplied for		14 inches ...	... 6d. per dozen deducted	
" " "		15 " ...	... 6d. "	
" " "		16 " ...	... 9d. "	
" " "		17 " ...	... 9d. "	
" " "		18 " ...	... 9d. "	
" " "		20 " ...	... 1s. "	
" " "		22 " ...	... 1s. "	
" " "		24 " ...	... 1s. "	
<b>13. DIPPERS.</b>				
COMMON DIPPERS ...		2 quarts ...	6 dozen ... 1s. 6d. per doz.	
" " "		3 " ...	6 " ... 1s. 6d. "	
BEST DIPPERS, bossed ...	IX tin plate or lighter	2 " ...	4 " ... 2s. 6d. "	
" " "		3 " ...	4 " ... 2s. 6d. "	
" " "		4 " ...	2 " ... 3s. 3d. "	
DIPPERS—Soldering studs on ...		... ...	... ... 3d per doz. dippers extra	
<b>14. DISHES.</b>				
BAKING DISHES, round ...		6 inches ...	6 dozen as sorted, not less than 1	1s. 8d. per doz.
" " "		7 " ...	dozen of any one size	1s. 8d. "
" " "		8 " ...		2s. "
" " "		9 " ...		2s. "
" " "		10 " ...		2s. "
" " "		11 " ...		2s. 9d. "
" " "		12 " ...	3 dozen assorted,	2s. 9d. "
" " "		13 " ...	not less than 1	3s. 3d. "
" " "		14 " ...	dozen of	3s. 3d. "
" " "		15 " ...	any one size	3s. 9d. "
" " "		16 " ...		5s. "
" " "		17 " ...		5s. "
" " "		18 " ...		5s. 6d. "
" " "		20 " ...		6s. "
" " oval ...		10 " ...		5s. "
" " "		11 " ...		2s. 9d. "
" " "		12 " ...	3 dozen assorted,	3s. "
" " "		14 " ...	not less	3s. 3d. "
" " "		15 " ...	than 1	3s. 3d. "
" " "		16 " ...	dozen of	3s. 9d. "
" " "		17 " ...	any one size	3s. 9d. "
" " "		20 " ...		5s. 6d. "
DEVON DISHES, about 9 inches deep, flat bottoms ...		22 " ...		6s. 6d. "
" " "		14 " ...	3 dozen ...	3s. 3d. "
" " "		16 " ...	3 " ...	3s. 9d. "
" " "		18 " ...	2 " ...	4s. 6d. "
" " "		20 " ...	1 " ...	5s. "
" " "		22 " ...	1 " ...	6s. "
" " " with hoops ...		All sizes ...	... 1s. per doz. extra	
MILK DISHES ...		17 inches ...	2 dozen ... 3s. 6d. per doz.	
" " "		18½ " ...	2 " ... 4s. "	
" " "		20 " ...	2 " ... 4s. 6d. "	
SCALDING DISHES, about 6 inches deep, flat bottoms ...		22 " ...	2 " ... 5s. "	
" " "		14 " ...	2 " ... 3s. 3d. "	
" " "		16 " ...	2 " ... 3s. 9d. "	
" " "		18 " ...	2 " ... 4s. 9d. "	
ROUND DISHES, flat bottoms, made ready for gal- vanizing ...	IX tin plate or lighter	15 " ...	3 " ... 2s. 9d. "	
" " " making wire handles for "		17 " ...	3 " ... 3s. 6d. "	
SQUARE DISHES, tin ...		... ...	... 3d. per doz. dishes extra	
" " "		12 x 8 inches	3 " ... 2s. 9d. per doz.	
" " "		13 x 9 "	3 " ... 3s. 3d. "	
" " "		14 x 10 "	3 " ... 3s. 6d. "	
" " "		16 x 11 "	3 " ... 3s. 9d. "	
" " "		16 x 12 "	2 " ... 3s. 9d. "	
" " "		17 x 12 "	2 " ... 4s. 3d. "	
" " "		18 x 12 "	2 " ... 4s. 3d. "	
" " "		18 x 14 "	2 " ... 4s. 9d. "	
" " "		20 x 14 "	2 " ... 5s. "	
SQUARE DISHES, sizes 16 x 11 inches to 20 x 14 inches, both inclusive, if formed in angle-bender		... ...	... 3d. per doz. deducted	
<b>15. DREDGERS.</b>				
FLOUR DREDGERS (tops and feet supplied) ...	IC tin plate	No. 1 ...	6 dozen ... 1s. 6d. per doz.	
" " "		No. 2 ...	6 " ... 1s. 9d. "	
<b>16. FEEDERS.</b>				
CARPENTERS' FEEDERS ...		... ...	4 dozen ... 2s. per doz.	
OIL FEEDERS, funnel shape ...		½ pint ...	2 " ... 3s. 9d. per doz.	
" " "		1 " ...	2 " ... 4s. 3d. "	
OIL FEEDERS, for drays—McCormick's pattern ...	IX tin plate or lighter	2 pints ...	2 " ... 4s. 6d. "	
REAPING MACHINE OIL FEEDERS ...		... ...	2 dozen ... 3s. 9d. per doz.	
If spouts supplied for Feeders (except Carpen- ters' Feeders) ...		... ...	2 " ... 5s. "	
		... ...	... 9d. per doz. deducted	

January 16, 1908

## PIECE-WORK RATES—continued.

Articles.	Material.	Size.	When given out in the under- mentioned Quantities or more.	Prices or Rates.
<b>17. FRAMES.</b>				
Sponge Cake Frames ... ... ...	IC tin plate ...	All sizes ...	1 dozen ...	10s. per doz.
<b>18. FUNNELS.</b>				
FUNNELS, without rims, not wired ... ... ...	IC tin plate ...	½ pint ...	8 dozen ...	1s. per doz.
" " " wired ... ... ...		½ " ...	6 " ...	1s. 6d. "
" " " " ... ... ...		½ " ...	6 " ...	1s. 6d. "
" " " " ... ... ...		1 " ...	4 " ...	1s. 9d. "
" " " " ... ... ...		1½ pints ...	4 " ...	1s. 9d. "
" " " " ... ... ...		2 " ...	4 " ...	2s. 3d. "
" " " " ... ... ...		2½ " ...	4 " ...	2s. 3d. "
" with rims " " ... ... ...		2 " ...	3 " ...	2s. 9d. "
" " " " ... ... ...		4 " ...	3 " ...	3s. 3d. "
" " " " ... ... ...		6 " ...	2 " ...	3s. 6d. "
" " " " ... ... ...	IX tin plate or lighter	8 " ...	2 " ...	4s. 6d. "
" " " " ... ... ...		10 " ...	1½ " ...	5s. "
" " " " ... ... ...		12 " ...	1½ " ...	5s. 6d. "
<b>19. GRATERS:</b>				
BREAD GRATERS, half round (punched plates supplied) ...	IC tin plate ...	No. 1 ...	6 dozen ...	1s. 4d. per doz.
" " " punched by hand ...		2 " ...	6 " ...	1s. 9d. "
" " " " ...		1 " ...	3 " ...	2s. 3d. "
" round (punched plates supplied) ...	IC tin plate	2 " ...	3 " ...	2s. 9d. "
" " " " ...		1 " ...	3 " ...	2s. "
" round (graters on sides supplied) ...		2 " ...	3 " ...	2s. 3d. "
" " " " ...		No. 1 ...	3 " ...	2s. 6d. "
" round punched by hand ...		2 " ...	3 " ...	3s. 3d. "
" " " " ...		1 " ...	3 " ...	3s. 6d. "
NUTMEG GRATERS (punched plates supplied) ...	IC tin plate ...	All sizes ...	12 " ...	1s. "
<b>20. HODS.</b>				
COAL HODS, with stamped feet ... ... ...	24-gauge iron ...	No. 1 ...	1 dozen ...	7s. 3d. per doz.
" " " with feet hand-made and riveted on ...	or lighter	2 " ...	1 " ...	7s. 6d. "
" " " " " ...		1 " ...	1 " ...	8s. 6d. "
" with knocked-up feet ... ... ...		2 " ...	1 " ...	8s. 9d. "
" " " " " ...		1 " ...	1 " ...	10s. "
" with stamped feet ... ... ...		2 " ...	1 " ...	10s. 3d. "
" " " " " ...		No. 1 ...	1 " ...	6s. 6d. "
" with feet hand-made and riveted on ...	26-gauge iron ...	2 " ...	1 " ...	6s. 9d. "
" " " " " ...	or lighter	1 " ...	1 " ...	7s. 6d. "
" with knocked-up feet ... ... ...		2 " ...	1 " ...	7s. 9d. "
" " " " " ...		1 " ...	1 " ...	9s. 3d. "
" with feet hand-made and riveted on ...	28-gauge iron ...	2 " ...	1 " ...	9s. 6d. "
" " " " " ...	or lighter	No. 1 ...	1 " ...	7s. "
" hooped ... ... ...		2 " ...	1 " ...	7s. 3d. "
" when half-covered ... ... ...	All gauges ...	1 " ...	1 " ...	6s. 9d. "
		All sizes ...	... ...	4s. " extra
<b>21. KETTLES.</b>				
CAMP KETTLES, with stamped covers supplied ...	IX tin plate or lighter	1 quart ...	6 dozen ...	1s. 6d. per doz.
" " " " " ...		1½ quarts ...	6 " ...	1s. 8d. "
" " " " " ...		2 " ...	6 " ...	1s. 10d. "
" " " " " ...		3 " ...	4 " ...	2s. "
" " " " " ...		4 " ...	4 " ...	2s. 3d. "
" " " " " ...		6 " ...	4 " ...	2s. 6d. "
" " " " " ...		8 " ...	3 " ...	3s. "
		(3 dozen) assorted, not less than 1		
" " " " " ...		10 " ...	3s. 6d. "	
" " " " " ...		12 " ...	4s. 3d. "	
		dozen either size		
" with stamped covers, finished lid handles, rims ready for tacking, and circular blanks for bottoms supplied ...	IX tin plate or lighter	1 quart ...	6 dozen ...	1s. 3d. "
" " " " " ...		1½ quarts ...	6 " ...	1s. 5d. "
" " " " " ...		2 " ...	6 " ...	1s. 6d. "
" " " " " ...		3 " ...	4 " ...	1s. 8d. "
" " " " " ...		4 " ...	4 " ...	1s. 11d. "
" " " " " ...		6 " ...	4 " ...	2s. 2d. "
" " " " " ...		8 " ...	3 " ...	2s. 8d. "
		(3 dozen) assorted, not less than 1		
" " " " " ...		10 " ...	3s. 2d. "	
" " " " " ...		12 " ...	3s. 11d. "	
		dozen either size		

PIECE-WORK RATES—*continued.*

Articles.	Material.	Size.	When given out in the under- mentioned Quantities or more.	Prices or Rates.
<b>KETTLES—<i>continued.</i></b>				
CAMP KETTLES, with stamped covers, finished lid handles, finished rims, and circular blanks for bottoms supplied		1 quart ... $\frac{1}{2}$ quarts ... 2 " ... 3 " ... 4 " ... 6 " ... 8 "	6 dozen ... 6 " ... 6 " ... 4 " ... 4 " ... 4 " ... 3 " ... (3 dozen assorted not less than 1 dozen either size)	1s. 2d. per doz. 1s. 4d. " 1s. 5d. " 1s. 7d. " 1s. 10d. " 2s. 1d. " 2s. 7d. "
" " " "	IX tin plate or lighter	10 "	10 "	3s. 1d. " 3s. 10d. "
" " " "		12 "	12 "	
wiring rim of covers for blocking covers of		All sizes ...	... ...	10d. per doz. extra
" " "		1 quart ...	... ...	6d. "
" " "		$\frac{1}{2}$ quarts ...	... ...	6d. "
" " "		2 "	... ...	6d. "
" " "		3 "	... ...	9d. "
" " "		4 "	... ...	9d. "
" " "		6 "	... ...	9d. "
" " "		8 "	... ...	1s. "
" " "		10 "	10 "	1s. "
" " "		12 "	12 "	1s. "
COPPER KETTLES (planishing and tinning supplied)	1lb. copper or lighter	4 pints ... 5 " ... 6 " ... 7 " ... All sizes ...	6 articles... 6 " ... 6 " ... 6 " ... ... ...	15s. per doz. 16s. " 17s. " 19s. " 1s. per doz. extra
FISH KETTLES (body handles supplied and covers wheeled) ...	D XXX tin plate or lighter	14 inches ... 16 " ... 18 " ... 20 " ... 22 " ... 24 " ... 14 " ... 16 " ... 18 " ... 20 " ... 22 " ... 24 " ...	6 articles... 3 " ... 3 " ... 3 " ... 3 " ... 3 " ... ... ... ... ... ... ... ... ... ... ... ... ...	24s. per doz. 30s. " 36s. " 42s. " 48s. " 60s. " 1s. 6d. per doz. extra 2s. " 2s. 6d. " 3s. " 3s. 6d. " 4s. "
TEA KETTLES, oval, with tin bottoms ...		3 pints ...	1 $\frac{1}{2}$ dozen ...	5s. 6d. per doz.
" " "		4 " ...	1 $\frac{1}{2}$ " ...	6s. "
" " "		5 " ...	1 $\frac{1}{2}$ " ...	6s. 6d. "
" " "		6 " ...	1 " ...	7s. "
" " " with 28 gauge galvanized iron bottoms		8 " ...	1 " ...	8s. "
" " "		3 " ...	1 $\frac{1}{2}$ " ...	6s. "
" " "		4 " ...	1 $\frac{1}{2}$ " ...	6s. 6d. "
" " "		5 " ...	1 $\frac{1}{2}$ " ...	7s. "
" " "		6 " ...	1 " ...	7s. 6d. "
" " " with tinned-copper bottoms...		8 " ...	1 " ...	8s. 6d. "
" " "		3 " ...	1 $\frac{1}{2}$ " ...	6s. 3d. "
" " "		4 " ...	1 $\frac{1}{2}$ " ...	6s. 9d. "
" " "		5 " ...	1 $\frac{1}{2}$ " ...	7s. 3d. "
" " "		6 " ...	1 " ...	7s. 9d. "
" " " with copper bottoms tinned by maker	IX tin plate or lighter	8 " ...	1 " ...	8s. 9d. "
" round, straight, with tin bottoms...		All sizes ...	... ...	1s. per doz. extra
" round, tapered, with 28-gauge gal- vanized-iron bottoms		1 pint ...	3 dozen ...	2s. 6d. per doz.
" " "		2 pints ...	3 " ...	3s. 3d. "
" " "		3 " ...	2 " ...	4s. "
" " "		4 " ...	2 " ...	4s. 6d. "
" " "		5 " ...	2 " ...	5s. 3d. "
" " "		6 " ...	2 " ...	5s. 9d. "
" " " straight, with tinned-copper bottoms		8 " ...	1 " ...	6s. 9d. "
" " tapered		1 pint ...	3 " ...	2s. 9d. "
" " "		2 pints ...	3 " ...	3s. 6d. "
" " "		3 " ...	2 " ...	4s. 3d. "
" " "		4 " ...	2 " ...	4s. 9d. "
" " "		5 " ...	2 " ...	5s. 6d. "
" " " straight or tapered, with bot- toms tinned by maker		6 " ...	2 " ...	6s. "
		8 " ...	1 " ...	7s. "
		All sizes ...	3 " ...	1s. per doz. extra

PIECE-WORK RATES—*continued.*

Articles.	Material.	Size.	When given out in the under- mentioned Quantities or more.	Prices or Rates.
<b>KETTLES—<i>continued.</i></b>				
TEA KETTLES, blocking covers and blocking and swedging breasts of	IXX tin plate or lighter	1 pint ... 2 pints ... 3 " ... 4 " ... 5 " ... 6 " ... 8 " ...	... ... ... ... ... ... ... ... ... ... ... ... ... ...	1s. per doz. extra 1s. " 1s. " 1s. 6d. " 1s. 6d. " 1s. 6d. " 2s. "
" " "				
" " "				
" " "				
" " "				
" " "				
" " "				
<b>22. LAMPS.</b>				
WALL LAMPS, with fonts ...	IXX tin plate or lighter Tops, 1-lb. copper, or IXX tinplate or lighter	No. 1 ... " 2 ... " 3 ...	3 articles... 3 " ... 3 " ...	25s. per dozen 27s. " 29s. "
" " "				
" " "				
<b>23. MEASURES.</b>				
MILK MEASURES ...	1C tin plate	½ pint ... 1 " ... 2 pints ... ½ pint ... 1 " ... 1 quart ... 2 quarts ... ½ pint ... 1 " ... 2 pints ... 4 " ... 1 gallon ... 2 gallons ...	6 dozen ... 4 " ... 3 " ... 3 " ... 3 " ... 2 " ... 2 " ... 1 " ... 1 " ... 1 " ... 1 " ... 6 articles...	2s. per dozen 2s. 6d. " 2s. 9d. " 2s. 9d. " 3s. 3d. " 3s. 9d. " 5s. " 6s. " 7s. 6d. " 10s. " 11s. " 13s. " 14s. 6d. "
" " "				
OIL MEASURES, straight sides ...	IXX tin plate or lighter			
" " "				
SPIRIT MEASURES ...	IXX tin plate or lighter			
" " "				
" " "				
" " "				
CANDLE MOULDS ...	IXX tin plate or lighter	6 holes ... 12 " ...	6 articles... 6 " ...	15s. 6d. per dozen 24s. " deducted
" " if tips supplied ...				
<b>24. MOULDS.</b>				
SLOP PAILS, with stamped tops, bottoms, and breasts supplied	IXX tin plate or lighter	No. 1 ... " 2 ... " 3 ... " 4 ...	2 dozen ... 2 " ... 2 " ... 2 " ...	5s. 6d. per doz.
" " "				
" " stamped tops and bottoms supplied, hand-made breasts	IXX tin plate or lighter	" 1 ... " 2 ... " 3 ... " 4 ...	2 " ... 2 " ... 2 " ... 2 " ...	7s. " 7s. 9d. " 9s. 6d. " 11s. "
" " "				
" " hand-made ...	IXX tin plate or lighter	" 1 ... " 2 ... " 3 ... " 4 ...	2 " ... 2 " ... 2 " ... 2 " ...	8s. 3d. " 9s. 6d. " 11s. 6d. " 12s. 9d. "
" " "				
TOILET PAILS ...	IXX tin plate or lighter, or 26-gauge iron or lighter	" 1 ... " 2 ... " 3 ...	1 " ... 1 " ... 1 " ...	7s. 6d. " 8s. 3d. " 9s. "
" " "				
" If feet and funnels supplied ...		All sizes ...	... ...	1s. 6d. per doz. deducted
<b>25. PAILS.</b>				
SLOP PAILS, with stamped tops, bottoms, and breasts supplied	IXX tin plate or lighter	No. 1 ... " 2 ... " 3 ... " 4 ...	2 dozen ... 2 " ... 2 " ... 2 " ...	5s. 6d. per doz.
" " "				
" stamped tops and bottoms supplied, hand-made breasts	IXX tin plate or lighter	" 1 ... " 2 ... " 3 ... " 4 ...	2 " ... 2 " ... 2 " ... 2 " ...	7s. 9d. " 9s. 6d. " 11s. "
" " "				
" hand-made ...	IXX tin plate or lighter	" 1 ... " 2 ... " 3 ... " 4 ...	2 " ... 2 " ... 2 " ... 2 " ...	8s. 3d. " 9s. 6d. " 11s. 6d. " 12s. 9d. "
" " "				
TOILET PAILS ...	IXX tin plate or lighter, or 26-gauge iron or lighter	" 1 ... " 2 ... " 3 ...	1 " ... 1 " ... 1 " ...	7s. 6d. " 8s. 3d. " 9s. "
" " "				
" If feet and funnels supplied ...		All sizes ...	... ...	1s. 6d. per doz. deducted
<b>26. PANS.</b>				
ASHPANS, common ...	28-gauge iron or lighter	No. 1 ... " 2 ... " 3 ...	3 dozen ... 3 " ... 3 " ...	3s. per doz. 3s. 3d. " 3s. 6d. "
" " "				
" " "				
" " "				
" " "				
Blinds for Ashpans ...	26-gauge iron or lighter	" 1 ... " 2 ... " 3 ...	2 " ... 2 " ... 2 " ...	3s. 6d. " 3s. 9d. " 4s. "
" " "				
CLOSETPANS, tapered to nest ...	26-gauge iron or lighter	17½ x 15 x 13 inches	2 dozen ...	4s. 6d. per doz.
" straight sides ...	26-gauge iron or lighter	17 x 13 x 13 inches	2 " ...	4s. "
" " "				
" " "				
" " "				
" " "				
" if made with single strap one rivet in bottom ...	26-gauge iron or lighter	18 x 14 x 14 inches	2 " ...	4s. 6d. "
" " "				
" " "				
" " "				
" " " double ...	24 gauge iron ...	All sizes ...	1½ dozen of any one size	1s. per doz. extra
" " " if made of galvanized iron ...				
" " " if made of galvanized iron ...				

PIECE-WORK RATES—*continued.*

Articles.	Material.	Size.	When given out in the under- mentioned Quantities or more.	Prices or Rates.
<b>PANS—<i>continued.</i></b>				
DOUGHPANS ... ... ... ... ..	IXX tin plate or lighter	14 inches ... 16 " ... 18 " ... 20 " ... 22 " ...	2 dozen ... 2 " ... 2 " ... 1 " ... 1 " ...	5s. per doz. 5s. 6d. " 6s. 9d. " 7s. 6d. " 9s. 6d. "
" ... ... ... ... ..		No. 1 ... " 2 ... " 3 ... " 1 ... " 2 ... " 3 ...	2½ " ... 2½ " ... 2½ " ... 2 " ... 2 " ... 2 " ...	3s. 6d. " 4s. " 4s. 3d. " 4s. 6d. " 5s. " 5s. 6d. "
DUSTPANS ... ... ... ... ..	IX tin plate or lighter	2 inches ... 13 " ... 14 " ... 15 " ... 16 " ... 17 " ... 18 " ...	4 " ... 4 " ... 4 " ... 4 " ... 3 " ... 3 " ... 3 " ...	2s. 6d. " 2s. 6d. " 2s. 9d. " 3s. 3d. " 3s. 9d. " 3s. 9d. " 4s. 6d. "
<b>YANKEE, CORNISH, OR FLAT BOTTOM PANS</b>				
" " " " ..	IC tin plate	2 pints ... 1 ½ " ... All sizes ...	2 gross ... 1 ½ " ... ... ...	5s. per gross 6s. " 3d. per gross deducted
<b>27. PANNIKINS.</b>				
PANNIKINS, with bottoms supplied ... ... ..	IX tin plate or lighter	½ pint ...	2 dozen ...	3s. 9d. per doz.
" " if handle blanks supplied ... ... ..		3 " ... 4 " ... 5 " ... 6 " ... 7 " ... 8 " ...	2 " ... 1 ½ " ... 1 ½ " ... 1 ½ " ... 1 ½ " ... 1 " ...	4s. " 5s. " 5s. 6d. " 6s. " 6s. 9d. " 7s. 9d. "
<b>28. POTS.</b>				
COFFEE-POTS, common ... ... ..	IXX tin plate or lighter	2 pints ... 3 " ... 4 " ... 5 " ... 6 " ... 7 " ... 8 " ... All sizes ...	2 dozen ... 2 " ... 1 ½ " ... 1 ½ " ... 1 ½ " ... 1 ½ " ... 1 " ... ... ...	3s. 9d. per doz. 4s. " 5s. " 5s. 6d. " 6s. " 6s. 9d. " 7s. 9d. " 2s. per doz. extra
TEA-POTS, oval, loose covers, (stamping for tops and covers supplied)	IXX tin plate or lighter	2 pints ... 3 ½ " ... 4 ½ " ... 5 ½ " ... 6 ½ " ... 7 ½ " ... 8 ½ " ... 10 " ... 12 " ... 16 " ...	1 ½ dozen ... 1 ½ " ... 1 " ... 1 " ... 6 articles ... 6 " ...	6s. per doz. 6s. 6d. " 7s. " 7s. 9d. " 8s. 9d. " 9s. 9d. " 11s. " 14s. " 16s. " 16s. 6d. "
" oval, loose covers, blocked tops and covers	IXX tin plate or lighter	2 " ... 3 " ... 4 " ... 5 " ... 6 " ... 7 " ... 8 " ... 10 " ... 12 " ... 16 " ...	1 ½ dozen ... 1 ½ " ... 1 ½ " ... 1 ½ " ... 1 " ... 1 " ... 1 " ... 1 " ... 6 articles ... 6 " ...	7s. " 7s. 9d. " 8s. 9d. " 9s. 6d. " 10s. 6d. " 11s. " 12s. " 15s. 3d. " 18s. " 21s. "
<b>29. PUMPS.</b>				
KEROSENE PUMPS (funnel top or plain barrel) ...	IC tin plate ...	... ...	4 dozen ...	2s. 9d. per doz.
<b>30. SAFES.</b>				
MEAT SAFES, round ... ... ..	Zinc or IX tin plate or lighter. Trays, 26-gauge iron or lighter	12 inches ... 14 " ... 16 " ... 18 " ... 20 " ... 22 " ... All sizes ...	1 dozen ... 1 " ... 1 " ... 1 " ... 6 articles ... 6 " ... ... ...	18s. per doz. 19s. " 21s. " 24s. " 27s. " 30s. " 2s. per doz. deducted
" " if trays supplied ... ... ..		12 inches ... 14 " ... 16 " ... 18 " ...	1 dozen ... 1 " ... 1 " ... 1 " ...	19s. per doz. 21s. " 23s. " 25s. "
" square, with half-round, D shape, or basin shape top and zinc fronts (trays supplied) ...	Zinc or IX tin plate or lighter	12 " ... 14 " ... 16 " ... 18 " ...	1 " ... 1 " ... 1 " ... 1 " ...	20s. 6d. " 22s. 6d. " 24s. 6d. " 26s. 6d. "
" " " " ...		12 " ... 14 " ... 16 " ... 18 " ...	1 " ... 1 " ... 1 " ... 1 " ...	22s. " 24s. " 26s. " 28s. "
" square, with flat tops (with cup) having tapered sides and zinc fronts (trays supplied) ...	Zinc or IX tin plate or lighter	12 " ... 14 " ... 16 " ... 18 " ...	1 " ... 1 " ... 1 " ... 1 " ...	22s. 6d. " 22s. 6d. " 24s. 6d. " 26s. 6d. "
" " " " ...		12 " ... 14 " ... 16 " ... 18 " ...	1 " ... 1 " ... 1 " ... 1 " ...	22s. " 24s. " 26s. " 28s. "
" square, with flat tops (with cup) having concave sides and zinc fronts (trays supplied) ...	Zinc or IX tin plate or lighter	12 " ... 14 " ... 16 " ... 18 " ...	1 " ... 1 " ... 1 " ... 1 " ...	22s. " 24s. " 26s. " 28s. "
" " " " ...		12 " ... 14 " ... 16 " ... 18 " ...	1 " ... 1 " ... 1 " ... 1 " ...	22s. " 24s. " 26s. " 28s. "
" if fittings supplied ... ... ..		All sizes ...	... ...	1s. 6d. " safes deducted.

January 16, 1908

PIECE-WORK RATES—*continued.*

Articles.	Material	Size.	When given out in the under- mentioned Quantities or more.	Prices or Rates.
<b>31. SAUCEPANS.</b>				
TIN SAUCEPANS, with tin bottoms (iron handles supplied)				
" "	IX tin plate or lighter	1 pint ...	6 dozen ...	1s. 6d. per doz.
" "		2 pints ...	4 " ...	1s. 9d. "
" "		3 " ...	4 " ...	2s. "
" "		4 " ...	4 " ...	2s. 3d. "
" "		6 " ...	3 " ...	2s. 6d. "
" "		8 " ...	3 " ...	2s. 9d. "
" "		10 " ...	2 " ...	3s. "
" with galvanized-iron bottoms (iron handles supplied)	Bodies	1 pint ...	6 " ...	1s. 9d. "
" "	IX tin plate or lighter;	2 pints ...	4 " ...	2s. "
" "		3 " ...	4 " ...	2s. 3d. "
" "		4 " ...	4 " ...	2s. 6d. "
" "	Bottoms	28-gauge galv. iron	6 " ...	2s. 9d. "
" "			8 " ...	3s. "
" "			10 " ...	3s. 3d. "
" with tinned-copper bottoms (iron handles supplied)	Bodies	1 pint ...	3 " ...	2s. 3d. "
" "	IX tin plate or lighter	2 pints ...	3 " ...	2s. 6d. "
" "		3 " ...	3 " ...	2s. 9d. "
" "		4 " ...	2 " ...	3s. "
" "		6 " ...	2 " ...	3s. 3d. "
" "		8 " ...	2 " ...	3s. 6d. "
" "		10 " ...	2 " ...	3s. 9d. "
" tinning copper bottoms	All sizes ...			1s. per doz. extra
" making flat tin handles for	All sizes ...			9d. "
" cover stamping supplied	All sizes ...			3d. per doz. deducted
<b>32. SCONCES.</b>				
CANDLE SCONCES ...	IC tin plate	No. 1 (small)	4 dozen ...	2s. per doz.
" if sockets supplied ...		No. 2 (large)	4 " ...	2s. 6d. "
		...	...	2d. per doz. deducted
<b>33. SCOOPS.</b>				
GROCERS' SCOOPS—Drawer, without handles ...			4 dozen as-sorted, not less than 1 dozen of any one size	2s. per doz.
" " front wired or pieced, with handles		5 inches ...	3 dozen ...	4s. "
" " "	IX tin plate or lighter	6 " ...	3 " ...	4s. 6d. "
" " "		7 " ...	2 " ...	5s. 6d. "
" " "		8 " ...	2 " ...	6s. "
" " "		10 " ...	1½ " ...	7s. "
" " "		12 " ...	1 " ...	8s. "
" " front not wired or pieced, with handles		5 " ...	3 " ...	3s. 3d. "
" " "		6 " ...	3 " ...	3s. 9d. "
" " "		7 " ...	2 " ...	4s. 6d. "
" " "		8 " ...	2 " ...	5s. 6d. "
" " "		10 " ...	1½ " ...	6s. 3d. "
" " "		12 " ...	1 " ...	7s. 3d. "
" " galvanized iron, front wired or pieced, with handles		5 " ...	1 " ...	5s. 9d. "
" " "	24-gauge galv. iron or lighter	6 " ...	1 " ...	6s. 3d. "
" " "		7 " ...	1 " ...	7s. "
" " "		8 " ...	1 " ...	8s. "
" " "		10 " ...	1 " ...	9s. 6d. "
" " "		12 " ...	1 " ...	10s. 6d. "
<b>34. SKIMMERS.</b>				
COOKS' SKIMMERS (handles supplied) ...	IXX tin plate or lighter	...	3 dozen ...	3s. per doz.
MILK SKIMMERS, with ring handles ...	DXXXX	6½ inches...	4 " ...	1s. 9d. "
" "	tin plate or lighter	8 " ...	4 " ...	2s. "
" "		9 " ...	4 " ...	2s. 3d. "
" "		10 " ...	4 " ...	2s. 6d. "
<b>35. SLICES.</b>				
FISH SLICES, D shape (handles supplied) ...	DXXXX	No. 1 ...	6 dozen ...	1s. 9d. per doz.
" " D shape made with use of guillotine and circular cutter (handles supplied) ...	tin plate or lighter	" 2 ...	6 " ...	1s. 9d. "
" " —making round tin handles for ...	IC tin plate ...	" 1 ...	6 " ...	1s. 3d. "
		" 2 ...	6 " ...	1s. 3d. "
		...	...	1s. "

PIECE-WORK RATES—*continued.*

Articles.	Material.	Size.	When given out in the under- mentioned Quantities or more.	Prices or Rates
<b>36. STANDS.</b>				
COCKATOO STANDS ... ... ... ...	IXX tin plate or lighter	17 inches ...	6 articles...	17s. 6d. per doz.
" ... ... ... ...		20 " ...	6 " ...	19s. "
" ... ... ... ...	26-gauge galv. iron or lighter, or zinc	17 " ...	3 " ...	23s. "
" ... ... ... ...		20 " ...	3 " ...	27s. 6d. "
<b>37. STEAMERS.</b>				
STEAMERS ... ... ... ...		No. 4 ...	2 dozen ...	4s. per doz.
" ... ... ... ...		" 5 ...	2 " ...	4s. "
" ... ... ... ...		" 6 ...	1½ " ...	4s. 6d. "
" ... ... ... ...	IXX tin plate or lighter	" 7 ...	1½ " ...	5s. "
" ... ... ... ...		" 8 ...	1½ " ...	5s. 6d. "
" ... ... ... ...		" 9 ...	1 " ...	6s. "
" ... ... ... ...		" 10 ...	1 " ...	7s. "
" ... ... ... ...		" 11 ...	1 " ...	8s. "
" ... ... ... ...		" 12 ...	1 " ...	8s. 6d. "
" if handles supplied for ... ... ... ...			... ...	3d. per doz. steamers deducted
<b>38. STRAINERS.</b>				
GRAVY STRAINERS, hand made ... ...	IIC tin plate	Small ...	3 dozen ...	2s. 9d. per doz.
" " If perforated tin bottoms supplied		Large ...	3 " ...	3s. 3d. "
GRUEL STRAINERS ... ... ... ...	IC tin plate	All sizes ...	... ...	6d. " deducted
MILK STRAINERS, wired ... ... ... ...		8½ inches ...	3 dozen ...	3s. 3d. per doz.
" " ... ... ... ...		10 " ...	3 " ...	3s. "
" " ... ... ... ...		11 " ...	3 " ...	3s. 9d. "
" with rim ... ... ... ...	IXX tin plate or lighter	12 " ...	3 " ...	4s. "
" " ... ... ... ...		14 " ...	2 " ...	4s. 6d. "
" " ... ... ... ...		8½ " ...	2 " ...	4s. "
" " ... ... ... ...		10 " ...	2 " ...	4s. 6d. "
" " ... ... ... ...		11 " ...	2 " ...	5s. "
" " ... ... ... ...		12 " ...	2 " ...	5s. 3d. "
" " ... ... ... ...		14 " ...	2 " ...	5s. 9d. "
MILK CAN STRAINERS, knocked up rims ...	IIC tin plate ...	... ...	1 " ...	7s. per doz.
" " " " "	IXX tin plate ...	... ...	1 " ...	9s. "
<b>39. TINS.</b>				
BREAD TINS (made in five pieces) ... ...	IIC tin plate	1 lb. ...	3 dozen ...	2s. 9d. per doz.
" " " " "		2 " ...	3 " ...	2s. 9d. "
" " " " "		4 " ...	2 " ...	3s. 6d. "
" " " " "		6 " ...	2 " ...	4s. 6d. "
COBURG BREAD TINS ... ... ...	IIC tin plate ...	... ...	3 " ...	2s. 9d. "
EXHIBITION BREAD TINS, single ... ...	IXXXX tin plate or lighter, or 24-gauge iron or lighter	2 lb. ...	6 articles...	14s. "
" " " " double ... ...		4 " ...	6 " ...	18s. "
" " " " "		4 " ...	3 " ...	36s. "
" " " " "		4 " ...	3 " ...	42s. "
CAKE TINS, AND CAKE RINGS, with use of knocking-up machine		4 inches ...	1 gross ;	10s. 6d. per gross
" " " " "		5 " ...	not less ;	11s. "
" " " " "		6 " ...	than 3	12s. "
" " " " "		7 " ...	dozen of	14s. "
" " " " "		8 " ...	any one	15s. "
" " " " "		9 " ...	size	16s. "
" " " " "		10 " ...		18s. "
" " " " "		11 " ...		21s. "
" " " " "		12 " ...		24s. "
" " " " loose bottoms ...	IIC tin plate	4 " ...		13s. 6d. "
" " " " "		5 " ...		14s. "
" " " " "		6 " ...	1 gross ;	15s. "
" " " " "		7 " ...	not less	18s. "
" " " " "		8 " ...	than 3	19s. "
" " " " "		9 " ...	dozen of	20s. "
" " " " "		10 " ...	any one	22s. "
" " " " "		11 " ...	size	27s. "
" " " " "		12 " ...		30s. "
All sizes ...		... ...	4 dozen ...	9s. " extra
QUEEN CAKE TINS, hearts ... ... ...	IIC tin plate	... ...	6 " ...	2s. per doz.
" " diamonds ... ... ...		6 " ...	6 " ...	1s. 3d. "
SANDWICH TINS, with use of knocking-up machine		6 inches ...	1 gross ;	12s. per gross
" " " " "		7 " ...	not less	14s. "
" " " " "		8 " ...	than 3	15s. "
" " " " "		9 " ...	dozen of	16s. "
" " " " "		10 " ...	any one	18s. "
" " " " "		11 " ...	size	21s. "
" " " " "		12 " ...		24s. "
knocked up by hand ... ...	IIC tin plate	6 inches ...	1 gross ;	16s. "
" " " " "		7 " ...	not less	18s. "
" " " " "		8 " ...	than 3	19s. "
" " " " "		9 " ...	doz. of	20s. "
" " " " "		10 " ...	any one	22s. "
" " " " "		11 " ...	size	27s. "
" " " " "		12 " ...		30s. "

## PIECE-WORK RATES—continued.

Articles.	Material.	Size.	When given out in the under- mentioned Quantities or more.	Prices or Rates.
<b>TINS—continued.</b>				
SWISS ROLL TINS, wired, with use of angle bender		12 x 8 inches	4 dozen ...	2s. 2d. per doz.
" " "		13 x 9 "	4 " ...	2s. 3d. "
" " "		14 x 10 "	4 " ...	2s. 4d. "
" " "		15 x 11 "	4 " ...	2s. 6d. "
" " "		16 x 12 "	4 " ...	2s. 9d. "
" " not wired, with use of angle bender	1C tin plate	12 x 8 "	4 " ...	1s. 10d. "
" " "		13 x 9 "	4 " ...	1s. 11d. "
" " "		14 x 10 "	4 " ...	2s. "
" " "		15 x 11 "	4 " ...	2s. "
" " "		16 x 12 "	4 " ...	2s. 3d. "
" " without use of angle bender		All sizes ...	... ...	6d. " extra
<b>40. TUBS.</b>				
BLACK IRON TUBS, round or oval, without hoop or strap		16 inches ...	2 dozen ...	3s. 9d. per dozen
" " "		18 " ...	2 " ...	4s. 3d. "
" " "		20 " ...	2 " ...	4s. 6d. "
" " "		22 " ...	2 " ...	5s. "
" " "		24 " ...	1½ " ...	5s. 6d. "
" " "		26 " ...	1½ " ...	6s. 3d. "
" " "		28 " ...	1½ " ...	7s. 3d. "
" " "		30 " ...	1 " ...	8s. 3d. "
" " with hoop	26 gauge iron or lighter	16 " ...	2 " ...	4s. 3d. "
" " "		18 " ...	2 " ...	4s. 9d. "
" " "		20 " ...	2 " ...	5s. "
" " "		22 " ...	2 " ...	5s. 6d. "
" " "		24 " ...	1½ " ...	6s. "
" " "		26 " ...	1½ " ...	7s. "
" " "		28 " ...	1½ " ...	7s. 9d. "
" " "		30 " ...	1 " ...	8s. 9d. "
" " "	{ 24 gauge iron or lighter	33 " ...	6 articles ...	1s. "
" " "		36 " ...	6 " ...	14s. 9d. "
" " hooped and strapped		16 " ...	2 dozen ...	5s. 3d. "
" " "		18 " ...	2 " ...	5s. 9d. "
" " "	26 gauge iron or lighter	20 " ...	2 " ...	6s. "
" " "		22 " ...	2 " ...	6s. 6d. "
" " "		24 " ...	1½ " ...	7s. "
" " "		26 " ...	1½ " ...	8s. "
" " "		28 " ...	1½ " ...	9s. "
" " "		30 " ...	1 " ...	10s. "
" " "	{ 24 gauge iron or lighter	33 " ...	6 articles ...	12s. 9d. "
" " "		36 " ...	6 " ...	16s. 6d. "
TIN TUBS, round, without hoop		15 " ...	2 dozen ...	4s. "
" " "	IX tin plate or lighter	16 " ...	2 " ...	4s. "
" " "		18 " ...	1½ " ...	5s. "
" " "		20 " ...	1½ " ...	5s. 6d. "
" " "		22 " ...	1½ " ...	6s. "
" " "	IXX tin plate or lighter	24 " ...	1 " ...	7s. "
" " with tinned or galvanized iron or black iron hoop		15 " ...	2 " ...	5s. "
" " "	IX tin plate or lighter	16 " ...	2 " ...	5s. "
" " "		18 " ...	1½ " ...	6s. "
" " "		20 " ...	1½ " ...	6s. 6d. "
" " "		22 " ...	1½ " ...	7s. "
" " "	IXX tin plate or lighter	24 " ...	1 " ...	8s. "
" " oval, without hoop		16 " ...	2 " ...	5s. 6d. "
" " "	IX tin plate or lighter	18 " ...	1½ " ...	6s. "
" " "		20 " ...	1½ " ...	6s. 6d. "
" " "		22 " ...	1½ " ...	7s. 6d. "
" " "	IXX tin plate or lighter	24 " ...	1 " ...	8s. 6d. "
" " with tinned or galvanized iron or black iron hoop...		16 " ...	2 " ...	6s. 6d. "
" " "	IX tin plate or lighter	18 " ...	1½ " ...	7s. "
" " "		20 " ...	1½ " ...	7s. 6d. "
" " "		22 " ...	1½ " ...	8s. 6d. "
" " "	IXX tin plate or lighter	24 " ...	1 " ...	9s. 6d. "
<b>41. WARMERS.</b>				
FOOT WARMERS ... ... ...	DXXX tin plate	... ...	6 articles ...	16s. 6d. per doz.
" " ... ...	Copper	... ...	6 " ...	22s. "
STEMACH WARMERS ... ... ...	DXXX tin plate	... ...	6 " ...	16s. 6d. "
" " ... ...	Copper	... ...	6 " ...	22s. "
CARRIAGE WARMERS ... ... ...	DXXX tin plate	... ...	6 " ...	23s. "
" " ... ...	Copper	... ...	6 " ...	27s. 6d. "
BOTTLE WARMERS ... ... ...	DXXX tin plate	... ...	6 " ...	12s. 9d. "
" " ... ...	Copper	... ...	6 " ...	16s. 6d. "

That this Determination shall come into force on and after the 1st day of February, 1908.

F. W. MISCAMBLE,  
Chairman.

Dated at Melbourne, the 30th day of December, 1907.

By Authority: J. KEMP, Acting Government Printer, Melbourne.

