



VICTORIA
GOVERNMENT GAZETTE

Published by Authority.

[Registered at the General Post Office, Melbourne, for transmission by post as a newspaper.]

No. 109.]

MONDAY, JULY 21.

[1913.

Factories and Shops Acts.

DETERMINATION OF THE TINSMITHS BOARD.

IN accordance with the provisions of the Factories and Shops Acts, the Special Board appointed to determine the lowest prices or rates of payment payable to any person or persons or classes of persons employed in the process, trade, or business of preparing or manufacturing articles made of tin plate or other sheet metal, including the japanning of such articles, has made the following Determination, namely :—

1. That previous Determinations of this Board are hereby amended, and such amendments shall come into force and be operative on and after the 8th day of August, 1913. The Determination and amendments are printed hereunder.

2. That the lowest rates of wages to be paid to the following persons shall be :—

Tinsmiths	} 57s. per week of 48 hours.
Sheet metal workers or repairers	
Artistic japanners	
Gold workers	
Ornamental pencil workers	} 54s. " " "
Canister makers or repairers	
Cap solderers	
Canister vent closers	} 53s. " " "
Machinists on general sheet metal work	
Solderers of down pipes	} 52s. " " "
Filleters	
Grainers	
Liners	
Writers	} 51s. " " "
Attendants on power capping machines	
Persons attending to the metal pot on any power automatic body-forming and seam soldering machine	
Persons attending to the metal pot on any power automatic end soldering machine	} 48s. " " "
All others	

Juvenile workers (other than apprentices or improvers)—

	1st Year. Per Week of 48 Hours.		2nd Year. Per Week of 48 Hours.		3rd Year. Per Week of 48 Hours.					
	s.	d.	s.	d.	s.	d.				
<i>Under 17 years of age.</i>										
(a) Putting wire handles in camp kettles, wiring handles for kettles and dippers, folding flat tin handles, folding spouts and barrels for kerosene pumps, forming handles for pannikins and dippers, forming rims for lids, notching, using guillotine for above work, holding general sheet metal work for journeymen or soldering canisters other than seams, tops, or bottoms	10	0	15	0	20	0				
(b) Polishing, cleaning, testing to detect leaks, making spouting tubes, cutting and making wire handles, cutting hoop iron and wire for general sheet metal work, blackening or tarring shovels or closet pans, packing, carrying or moving goods, lighting or attending fires or engaged on canister work at topping tins or trimming scrap	10	0	12	0	15	0				
<i>Under 21 years of age.</i>										
(a) Soldering down pipes	30	0	36	0	44	0				
(b) Repairing leaks in general sheet metal work or assisting at rollers for forming down pipes, or engaged at general sheet metal work on the following machines, viz.:—Burnishing and spinning lathes, curving machines, guillotines for cutting spouting and ridging, stamping machines or presses, or spouting and ridging machines	20	0	27	6	35	0	4th Year. Per Week of 48 Hours.			
							s.	d.		
							42	6		
(c) Engaged at general sheet metal work on any other power machine or at canister work on machines for beading, bending (other than by angle bender), body forming (other than by angle bender), clenching, crimping, curling, double seaming, flanging, hinge hooking, hinge seating, lock seaming, notching, rolling, squeezing, trimming, or wire forming, or employed in connexion with japanning at scouring, cleaning, assisting to polish or general rough work	10	0	15	0	20	0	27	6	5th Year. Per Week of 48 Hours.	
									s.	d.
							35	0	42	6
(d) Engaged at canister work on the following presses:—Crank, monkey, pendulum, screw, or treadle, or feeding or taking off in connexion with any power soldering machine or engaged at canister work on any other power machine	15	0	20	0	25	0	30	0	6th Year. Per Week of 48 Hours.	
									s.	d.
							35	0	42	6

APPRENTICES.

“Apprentice” means any person under 21 years of age bound by indentures of apprenticeship, or any person over 21 years of age who, with the sanction of the Minister, is bound by indentures of apprenticeship. (Act 2386, Section 5.)

NUMBER.

3. That the number of apprentices who may be employed within any factory or place shall be one apprentice to every three or fraction of three workers receiving at wages rates or piece-work prices not less than 48s. per week.

WAGES.

4. That the lowest rates of payment payable to apprentices shall be—

For the 1st year's experience	10s. per week of 48 hours.
“ 2nd “ “	14s. “ “ “
“ 3rd “ “	18s. “ “ “
“ 4th “ “	25s. “ “ “
“ 5th “ “	32s. 6d. “ “ “

IMPROVERS.

"Improver" means any person (other than an apprentice) who does not receive a piece-work price or a wages rate fixed by any Special Board for persons other than apprentices or improvers and who is not over 21 years of age or who being over 21 years of age holds a licence from the Minister to be paid as an improver. (Act 2386, Section 5.)

NUMBER.

5. That the number of improvers who may be employed within any factory or place shall be one improver to every four or fraction of four persons receiving at wages rates or piece-work prices not less than 48s. per week.

WAGES.

6. That the lowest rates of payment payable to improvers shall be—

For the 1st year's experience	10s. per week of 48 hours.
" 2nd "	"	"	15s. " " "
" 3rd "	"	"	21s. " " "
" 4th "	"	"	30s. " " "
" 5th "	"	"	40s. " " "

TIME OF BEGINNING AND ENDING WORK.

7. That the time of beginning and ending work shall be—

Time of Beginning.	Time of Ending.
7.30 a.m. 1 p.m. on the day on which the half-holiday is observed.
7.30 a.m. 5.45 p.m. on the other working days of the week.

OVERTIME.

8. That wherever overtime is worked it shall be paid for at the rates as hereunder:—

Within the hours fixed in clause 7 in excess of 48 hours in any week—

First two hours	Time and a quarter.
Thereafter	Time and a half.
Between 1 p.m. and 3 p.m. on the day on which the half-holiday is observed	Time and a quarter.
Between 3 p.m. and midnight on the day on which the half-holiday is observed	Time and a half.
Between 5.45 p.m. and 7.45 p.m. on the other working days	Time and a quarter.
Between 7.45 p.m. and midnight on the other working days	Time and a half.
Between midnight and 7.45 a.m.	Time and a half.

SUNDAYS AND PUBLIC HOLIDAYS.

9. That the special rate of payment payable to any person for all work done on—

Sundays,
Good Friday,
Easter Monday,
New Year's Day,
Foundation Day (26th January)
Eight Hours Day (21st April)
Christmas Day,
Boxing Day,

shall be at the rate of double time, but if any other day be by Act of Parliament or Proclamation substituted for any of the above-named holidays the special rate shall only be payable for work done on the day so substituted.

PIECE-WORK.

10. (a) That the lowest piece-work price payable to any person for wholly or partly preparing or manufacturing any article described in the following Schedules (which Schedules shall form part of this Determination) shall be the price mentioned in such Schedules.

(b) That wherever the quantity to be given out is stated in the Schedules the prices apply only when the articles are given out in quantities not less than those mentioned in the Schedule.

(c) That the Schedules of prices apply to new material only.

(d) That (except where otherwise provided) where the sizes of articles to be made under these Schedules do not exactly correspond with the sizes stated in these Schedules then the price or rate fixed for the next nearest size shall apply; but where the size is half-way between two sizes then the next higher price or rate shall apply.

PIECE-WORK—continued.

Articles.	Material.	Size.	When given out in the under-mentioned Quantities or more.	Prices.	
5. BOTTLES.					
OIL BOTTLES, round with plain necks and knocked up bottoms, paned on breast	IX tin plate or lighter	1 quart ...	3 dozen ...	3s. 6d. per doz.	
" " " " " " " "		2 quarts ...	3 " ...	4s. " "	
" " " " " " " "		4 " ...	2 " ...	5s. " "	
" " " with stamped nozzles		3d. per doz. deducted	
" " " with patent screws (spouts supplied)		1 quart ...	3 " ...	3s. 6d. per doz.	
" " " " " " " "		2 quarts ...	3 " ...	4s. " "	
" " " " " " " "		4 " ...	2 " ...	5s. " "	
" " " with slipped on bottoms and breasts		4d. per doz. deducted	
TEA BOTTLES, oval, with slipped on bottoms and breasts		IC tin plate	1 pint ...	3 dozen ...	3s. 9d. per doz.
" " " " " " " "			1½ pints ...	3 " ...	4s. " "
" " " " " " " "	2 " ...		3 " ...	5s. " "	
" " " " " " " "	3 " ...		2 " ...	5s. 6d. " "	
" " " " " " " "	4 " ...		2 " ...	5s. 9d. " "	
" " " with stamped nozzles	6 " ...		2 " ...	6s. 6d. " "	
" " " " " " " "	3d. per doz. deducted		
6. BOXES.					
BONNET BOXES, round or oval, including hasp	LXX tin plate or lighter 28-gauge steel 26-gauge steel all gauges	13 inches ...	3 dozen ...	7s. 9d. per doz.	
" " " " " " " "		14 " ...	3 " ...	7s. 9d. " "	
" " " " " " " "		15 " ...	3 " ...	8s. 3d. " "	
" " " " " " " "		16 " ...	3 " ...	8s. 3d. " "	
" " " " " " " "		17 " ...	3 " ...	8s. 9d. " "	
" " " " " " " "		18 " ...	3 " ...	8s. 9d. " "	
" " " " " " " " hasp supplied		13 " ...	3 " ...	8s. 3d. " "	
" " " " " " " "		14 " ...	3 " ...	8s. 3d. " "	
" " " " " " " "		15 " ...	3 " ...	8s. 9d. " "	
" " " " " " " "		16 " ...	3 " ...	8s. 9d. " "	
" " " " " " " "		17 " ...	3 " ...	10s. " "	
" " " " " " " "		18 " ...	3 " ...	10s. " "	
" " " " " " " "		20 " ...	3 " ...	11s. 6d. " "	
" " " " " " " "		22 " ...	2 " ...	15s. 6d. " "	
" " " " " " " " flat top or stamped top (hasp supplied)		13 " ...	3 " ...	9s. 3d. " "	
" " " " " " " "		14 " ...	3 " ...	9s. 3d. " "	
" " " " " " " "		15 " ...	3 " ...	10s. " "	
" " " " " " " "		16 " ...	3 " ...	10s. " "	
" " " " " " " "	17 " ...	3 " ...	10s. 6d. " "		
" " " " " " " "	18 " ...	3 " ...	10s. 6d. " "		
" " " " " " " "	20 " ...	3 " ...	12s. 6d. " "		
" " " " " " " " with front handles	all gauges	all sizes	...	7d. per doz. extra	
If wire handles and plates supplied for bonnet boxes	8 and 10-gauge wire	1½d. per doz. boxes deducted	
SPICE BOXES, round, with six compartments and loose grater	IX tin plate or lighter	6 inches ...	6 articles	16s. 9d. per doz.	
" " " " " " " "		7 " ...	6 " ...	17s. 9d. " "	
" " " " " " " "		8 " ...	6 " ...	20s. " "	
SUGAR BOXES, wired inside and swedged	IX tin plate or lighter	No. 1 ...	3 dozen ...	3s. 6d. " "	
" " " " " " " "		" 2 ...	3 " ...	3s. 9d. " "	
" " " " " " " "		" 3 ...	3 " ...	4s. 3d. " "	
" " " " " " " "		" 4 ...	3 " ...	4s. 6d. " "	
" " " " " " " "		" 5 ...	3 " ...	5s. " "	
" " " " " " " " (made in two pieces)		" 6 ...	3 " ...	5s. 6d. " "	
" " " " " " " "	3d. per doz. extra	
TRUNKS, common, moulded (cutting out, top and body edging, moulding, and wiring supplied)	26-gauge steel or lighter 24-gauge steel or lighter	20 inches ...	1 dozen ...	8s. 9d. per doz.	
" " " " " " " " 2 swedges		22 " ...	1 " ...	8s. 9d. " "	
" " " " " " " " 2 swedges		24 " ...	1 " ...	9s. 6d. per doz.	
" " " " " " " " 3 swedges		26 " ...	1 " ...	10s. 9d. " "	
" " " " " " " " 3 swedges		28 " ...	1 " ...	13s. 3d. " "	
" " " " " " " " 4 swedges		30 " ...	1 " ...	14s. 3d. " "	
" " " " " " " " 4 swedges		33 " ...	6 articles	24s. 9d. " "	

PIECE-WORK—continued.

Articles.	Material.	Size.	When given out in the under-mentioned Quantities or more.	Prices.
BOXES—continued.				
TRUNKS, cabin, moulded, strapped (cutting out, top and body edging, moulding, and wiring supplied)	26-gauge steel or lighter	24 inches ...	1 dozen ...	19s. 9d. per doz.
" " " " " 3 swedges		26 " ...	1 " ...	21s. "
" " " " " " ...	24-gauge steel or lighter	28 " ...	1 " ...	22s. "
" " " " " 4 swedges		30 " ...	1 " ...	23s. "
" " " " " " ...	26-gauge steel or lighter	33 " ...	6 articles...	25s. 3d. "
" " " " " " ...		36 " ...	6 " ...	28s. 6d. "
" cabin, moulded (moulding and wiring supplied)	26-gauge steel or lighter	24 " ...	1 dozen ...	14s. 3d. "
" " " " " 3 swedges		26 " ...	1 " ...	15s. 6d. "
" " " " " " ...	24-gauge steel or lighter	28 " ...	1 " ...	17s. "
" " " " " 4 swedges		30 " ...	1 " ...	18s. "
" " " " " " ...	26-gauge steel or lighter	33 " ...	6 articles...	26s. "
" " " " " 2 swedges		24 " ...	1 dozen ...	24s. "
" " " " " 3 swedges	24-gauge steel or lighter	26 " ...	1 " ...	25s. 3d. "
" " " " " " ...		28 " ...	1 " ...	27s. "
" " " " " " ...	26-gauge steel or lighter	30 " ...	1 " ...	28s. "
" " " " " 4 swedges		33 " ...	6 articles...	30s. 6d. "
" " " " " " ...	24-gauge steel or lighter	36 " ...	6 " ...	38s. 3d. "
" cabin, common, wired (cutting out, top and body edging, and top and body wiring supplied)		26-gauge steel or lighter	24 " ...	1 dozen ...
" " " " " 2 swedges	26 " ...		1 " ...	15s. 6d. "
" " " " " " ...	24-gauge steel or lighter	28 " ...	1 " ...	18s. "
" " " " " 3 swedges		30 " ...	1 " ...	19s. "
" " " " " " ...	26-gauge steel or lighter	33 " ...	6 articles...	24s. "
" " " " " 4 swedges		36 " ...	6 " ...	28s. 6d. "
" " " " " " ...	24-gauge steel or lighter	24 " ...	1 dozen ...	25s. 3d. "
" " " " " 2 swedges		26 " ...	1 " ...	26s. 3d. "
" " " " " " ...	26-gauge steel or lighter	28 " ...	1 " ...	27s. 6d. "
" " " " " 3 swedges		30 " ...	1 " ...	28s. 6d. "
" " " " " " ...	24-gauge steel or lighter	33 " ...	6 articles...	30s. 6d. "
" " " " " 4 swedges		36 " ...	6 " ...	35s. "
" " " " " " ...	26-gauge steel or lighter	24 " ...	1 dozen ...	19s. 3d. "
" " " " " 2 swedges		26 " ...	1 " ...	20s. 6d. "
" " " " " " ...	24-gauge steel or lighter	28 " ...	1 " ...	23s. "
" " " " " 3 swedges		30 " ...	1 " ...	24s. "
" " " " " " ...	26-gauge steel or lighter	33 " ...	6 articles...	29s. 6d. "
" " " " " 4 swedges		36 " ...	6 " ...	34s. 6d. "
" " " " " " ...	24-gauge steel or lighter	24 " ...	1 dozen ...	28s. 6d. "
" " " " " 2 swedges		26 " ...	1 " ...	29s. 6d. "
" " " " " " ...	26-gauge steel or lighter	28 " ...	1 " ...	30s. 6d. "
" " " " " 3 swedges		30 " ...	1 " ...	34s. "
" " " " " " ...	24-gauge steel or lighter	30 " ...	1 " ...	35s. "
" " " " " 4 swedges		33 " ...	6 articles...	38s. 6d. "
" " " " " " ...	26-gauge steel or lighter	36 " ...	6 " ...	41s. 6d. "
" " " " " 2 swedges		24 " ...	1 dozen ...	30s. 6d. "
" " " " " 3 swedges	24-gauge steel or lighter	26 " ...	1 " ...	32s. "
" " " " " " ...		28 " ...	1 " ...	33s. 6d. "
" " " " " " ...	26-gauge steel or lighter	30 " ...	1 " ...	35s. 6d. "
" " " " " 4 swedges		30 " ...	1 " ...	37s. "
" " " " " " ...	24-gauge steel or lighter	33 " ...	6 articles...	39s. 6d. "
" " " " " 4 swedges		36 " ...	6 " ...	43s. "
If corners fitted on lids for 20-inch to 30-inch common trunks	6d. per doz. trunks extra
Swivels, end-handles and corners of all trunks supplied.				
Wires for all moulded trunks supplied.				
Wires for tops of wired trunks supplied.				
TRUNKS (machine work), cutting out, top and body edging, moulding, and wiring (wires supplied) ...	26-gauge steel or lighter	20 inches ...	3 dozen ...	3s. per doz.
" " " " " " ...		22 " ...	3 " ...	3s. "
" " " " " " ...	24-gauge steel or lighter	24 " ...	3 " ...	3s. 3d. "
" " " " " " ...		26 " ...	3 " ...	3s. 6d. "
" " " " " " ...	26-gauge steel or lighter	28 " ...	3 " ...	3s. 9d. "
" " " " " " ...		30 " ...	3 " ...	4s. 3d. "
" " " " " " ...	24-gauge steel or lighter	33 " ...	2 " ...	5s. "
" " " " " " ...		36 " ...	1 " ...	6s. 6d. "

PIECE-WORK--continued.

Articles.	Material.	Size.	When given out in the under-mentioned Quantities or more.	Prices.	
8. CANISTERS.					
ROUND CANISTERS, with slipped on bottle neck (top blanks supplied)	IC tin plate	½ lb. ...	4 dozen ...	2s. 9d. per doz.	
" " " "		1 " ...	4 " ...	3s. " "	
" " " "		2 lbs. ...	4 " ...	3s. 3d. "	
" " " "		3 " ...	3 " ...	3s. 6d. "	
" " " "		4 " ...	3 " ...	4s. " "	
9. CANS.					
CREAM CANS, grooved, three hoops, double rim cover (including use of guillotine)	20-gauge tinned steel or lighter, or DXXXX tin plate or lighter	20 quarts ...	1 dozen ...	4s. 9d. each	
" " " " " "		30 " ...	1 " ...	4s. 9d. "	
" " " " " "		40 " ...	1 " ...	5s. 3d. "	
" four hoops, double rim cover (including use of guillotine)		40 " ...	1 " ...	5s. 6d. "	
" three hoops, single rim cover (including use of guillotine)		20 " ...	1 " ...	3s. 9d. "	
" " " " " "		30 " ...	1 " ...	3s. 9d. "	
" " " " " "		40 " ...	1 " ...	4s. 3d. "	
" four " " " " " "		40 " ...	1 " ...	4s. 6d. "	
" If not cleaned and tested by maker		All sizes	3d. per can deducted	
" If hoops supplied for ...		"	6d. per doz. hoops deducted	
" If cover stamping or blocking supplied for ...	40 quarts	1s. 6d. per doz. deducted		
" If bottoms supplied for ...	40 "	1s. per doz. deducted		
HARVEST CANS, with pannikin supplied	IX tin plate or lighter	2 quarts ...	1½ dozen ...	6s. per doz.	
" " " " " "		3 " ...	1½ " ...	6s. 6d. "	
" " " " " "		4 " ...	1½ " ...	7s. " "	
" " " " " "		6 " ...	1 " ...	7s. 6d. "	
" " " " " "		8 " ...	1 " ...	7s. 9d. "	
" " " " " "		10 " ...	1 " ...	8s. 9d. "	
" " " " " " if with spouts		12 " ...	1 " ...	9s. 9d. "	
" " " " " " if with spouts	All sizes	1s. 8d. per doz. extra		
HOT WATER CANS, knocked up bottoms	IX tin plate or lighter	3 pints ...	1 dozen ...	11s. per doz.	
" " " " " "		2 quarts ...	1 " ...	11s. " "	
" " " " " "		3 " ...	1 " ...	13s. 3d. "	
" " " " " "		4 " ...	1 " ...	13s. 3d. "	
" wired, bottom let in...		3 pints ...	1 " ...	12s. " "	
" " " " " "		2 quarts ...	1 " ...	12s. " "	
" " " " " "		3 " ...	1 " ...	14s. 3d. "	
" " " " " "	4 " ...	1 " ...	14s. 3d. "		
HOT WATER CANS ...	26-gauge galv. iron or lighter	All sizes	2s. 6d. per doz. extra	
JACK SHAY CANS, straight body	IC tin plate	1 quart ...	2 dozen ...	4s. 9d. per doz.	
" tapered body		1 " ...	2 " ...	6s. 3d. "	
MINERS' CANS	IC tin plate	1½ pints ...	2 " ...	5s. " "	
" " " " " "		2 " ...	2 " ...	5s. " "	
" " " " " "		3 " ...	2 " ...	5s. 3d. "	
" " " " " "		4 " ...	2 " ...	6s. " "	
" " " " " "		6 " ...	1½ " ...	6s. 6d. "	
RAILWAY MILK CANS, grooved, two hoops (including use of guillotine, cleaning and testing)	20-gauge tinned steel or lighter, or DXXXX tin plate or lighter	20 quarts ...	1 " ...	3s. 6d. each	
" " " three hoops " "		30 " ...	1 " ...	3s. 6d. "	
" " " four hoops " "		30 " ...	1 " ...	3s. 9d. "	
" " " three hoops " "		40 " ...	1 " ...	3s. 9d. "	
" " " four hoops " "		40 " ...	1 " ...	4s. " "	
" " " four hoops or less		50 " ...	6 articles ...	5s. 6d. "	
" " " If hoops supplied	All sizes	6d. per doz. hoops deducted		
RAILWAY MILK CANS, if bottoms supplied		All sizes	1s. per doz. deducted	
TOILET CANS, with knocked up bottoms (studs supplied)	IX tin plate or lighter	6 quarts ...	1 dozen ...	15s. 6d. per doz.	
" " " " " "		8 " ...	1 " ...	17s. 3d. "	
" " " " " "		10 " ...	1 " ...	18s. 9d. "	
" " " " " "		12 " ...	1 " ...	20s. 6d. "	
" " " " " "		16 " ...	1 " ...	23s. " "	
" body wired, and bottom let in		6 " ...	1 " ...	17s. 3d. "	
" " " " " "		8 " ...	1 " ...	19s. 9d. "	
" " " " " "		10 " ...	1 " ...	21s. " "	
" " " " " "		12 " ...	1 " ...	22s. 6d. "	
" " " " " "		16 " ...	1 " ...	25s. 3d. "	
" " " " " "		26-gauge galv. iron or lighter	All sizes	3s. 3d. per doz. extra

PRICE-WORK—continued.

Articles.	Material.	Size.	When given out in the under-mentioned Quantities or more.	Prices.	
10. COLANDERS.					
HAND-MADE COLANDERS, machine-punched, with side handles	IX tin plate or lighter	9 inches ...	4 dozen ...	3s. 9d. per doz.	
" " " " " "		11 " ...	4 " ...	4s. 6d. "	
" " " " " "		13 " ...	3 " ...	5s. 6d. "	
" " " " " "		15 " ...	1 1/2 " ...	6s. 6d. "	
COLANDERS—If punched with hand punch ...		All sizes	1s. 8d. per doz. extra	
11. COVERS.					
MEAT COVERS, with perforated zinc bodies (straight sides) and pitched top ...	IX tin plate or lighter	12 inches ...	3 dozen ...	3s. 6d. per doz.	
" " " " " "		14 " ...	3 " ...	3s. 9d. "	
" " " " " "		16 " ...	3 " ...	4s. "	
" " " " " "		18 " ...	3 " ...	4s. 6d. "	
" " " " " "		20 " ...	2 " ...	5s. "	
" " " " " "		22 " ...	1 1/2 " ...	6s. "	
" " " " " "		24 " ...	1 " ...	7s. "	
with perforated zinc bodies (taper sides) and pitched top ...		IX tin plate or lighter	12 " ...	3 " ...	4s. "
" " " " " "			14 " ...	3 " ...	4s. 6d. "
" " " " " "			16 " ...	3 " ...	4s. 9d. "
" " " " " "	18 " ...		3 " ...	5s. 3d. "	
" " " " " "	20 " ...		2 " ...	5s. 9d. "	
" " " " " "	22 " ...		1 1/2 " ...	7s. "	
with perforated zinc bodies (taper sides) single rim, and blocked tops (wheeling found) ...	IX tin plate or lighter	14 inches ...	3 dozen ...	5s. 6d. per doz.	
" " " " " "		15 " ...	3 " ...	5s. 9d. "	
" " " " " "		16 " ...	3 " ...	6s. "	
" " " " " "		17 " ...	3 " ...	6s. 6d. "	
" " " " " "		18 " ...	3 " ...	7s. "	
" " " " " "		20 " ...	1 " ...	8s. "	
" " " " " "		22 " ...	1 " ...	9s. "	
" " " " " "		24 " ...	1 " ...	11s. "	
with double rims if stamped or blocked tops supplied for ...	All sizes	1s. 6d. per doz. extra		
" " " " " "	14 inches	6d. per dozen deducted		
" " " " " "	15 "	6d. "		
" " " " " "	16 "	9d. "		
" " " " " "	17 "	9d. "		
" " " " " "	18 "	9d. "		
" " " " " "	20 "	1s. "		
" " " " " "	22 "	1s. "		
" " " " " "	24 "	1s. "		
12. DIPPERS.					
COMMON DIPPERS ...	IX tin plate or lighter	2 quarts ...	6 dozen ...	1s. 10d. per doz.	
" " " " " "		3 " ...	6 " ...	1s. 10d. "	
BEST DIPPERS, bossed ...		2 " ...	4 " ...	3s. "	
" " " " " "		3 " ...	4 " ...	3s. "	
" " " " " "		4 " ...	2 " ...	3s. 9d. "	
DIPPERS—Soldering studs on	3d. per doz. dipper extra		
13. DISHES.					
BAKING DISHES, oval ...	IX tin plate or lighter	10 inches ...	3 dozen assorted, not less than 1 dozen of any one size	3s. 3d. per doz.	
" " " " " "		11 " ...		3s. 6d. "	
" " " " " "		12 " ...		3s. 9d. "	
" " " " " "		14 " ...		4s. 6d. "	
" " " " " "		15 " ...		5s. 6d. "	
" " " " " "		16 " ...		6s. "	
" " " " " "		17 " ...		6s. 6d. "	
" " " " " "		18 " ...		6s. 6d. "	
" " " " " "		20 " ...		7s. "	
" " " " " "		22 " ...		7s. 9d. "	

PIECE-WORK—continued.

Articles.	Material.	Size.	When given out in the under-mentioned Quantities or more	Prices.
DISHES—continued.				
DEVON DISHES, about 9 inches deep, flat bottoms	IX tin plate or lighter	14 inches ...	3 dozen ...	3s. 9d. per doz.
" " " " " ...		16 " ...	3 " ...	4s. 6d. "
" " " " " ...		18 " ...	2 " ...	5s. 3d. "
" " " " " ...		20 " ...	1 " ...	6s. "
" " " " " with hoops ...		22 " ...	1 " ...	7s. "
MILK DISHES	IX tin plate or lighter	All sizes	1s. 1d. per doz. extra
" " " " " ...		17 inches ...	2 dozen ...	4s. per doz.
" " " " " ...		18½ " ...	2 " ...	4s. 9d. "
" " " " " ...		20 " ...	2 " ...	5s. 6d. "
SCALDING DISHES, about 6 inches deep, flat bottoms	IX tin plate or lighter	14 " ...	2 " ...	6s. "
" " " " " ...		16 " ...	2 " ...	3s. 6d. "
" " " " " ...		18 " ...	2 " ...	4s. "
ROUND DISHES, flat bottoms, made ready for galvanizing ...	IX tin plate or lighter	14 inches ...	3 dozen ...	3s. per doz.
" " " " " ...		15 " ...	3 " ...	3s. 3d. "
" " " " " ...		17 " ...	3 " ...	4s. "
" " " " " making wire handles for	IX tin plate or lighter	3d. per doz. dishes extra
SQUARE DISHES, tin		12 x 8 inches	3 " ...	3s. per doz.
" " " " " ...		13 x 9 " "	3 " ...	3s. 6d. "
" " " " " ...		14 x 10 " "	3 " ...	3s. 9d. "
" " " " " ...		16 x 11 " "	3 " ...	4s. "
" " " " " ...		16 x 12 " "	2 " ...	4s. "
" " " " " ...		17 x 12 " "	2 " ...	4s. 9d. "
" " " " " ...		18 x 12 " "	2 " ...	4s. 9d. "
" " " " " ...		18 x 14 " "	2 " ...	5s. 3d. "
" " " " " if formed in angle-bender		20 x 14 " "	2 " ...	5s. 6d. "
...	3d. per doz. deducted
14. DREDGERS.				
FLOUR DREDGERS (tops and feet supplied)	IC tin plate	No. 1 ...	6 dozen ...	1s. 10d. per doz.
" " " " " ...		No. 2 ...	6 " ...	2s. 3d. "
15. FEEDERS.				
CARPENTERS' FEEDERS	IX tin plate or lighter	...	4 dozen ...	2s. 6d. per doz.
OIL FEEDERS, funnel shape		½ pint ...	2 " ...	4s. 6d. "
" " " " " ...		1 " ...	2 " ...	5s. "
" " " " " for drays—McCormick's pattern		2 pints ...	2 " ...	5s. 3d. "
REAPING MACHINE OIL FEEDERS		...	2 " ...	4s. 6d. "
If spouts supplied for Feeders (except Carpenters' Feeders)		...	2 " ...	6s. "
...		9d. per doz. deducted
16. FRAMES.				
SPONGE CAKE FRAMES	IC tin plate	All sizes	1 dozen	12s. per doz.
17. FUNNELS.				
FUNNELS, without rims, not wired	IX tin plate	½ pint ...	8 dozen ...	1s. 2d. per doz.
" " " " " wired		¾ " ...	6 " ...	1s. 10d. "
" " " " " ...		1 " ...	6 " ...	1s. 10d. "
" " " " " ...		1 ½ pints ...	4 " ...	2s. "
" " " " " ...		2 " ...	4 " ...	2s. "
" " " " " ...		2 ½ " ...	4 " ...	2s. 6d. "
" " " " " with rims		2 " ...	3 " ...	2s. 6d. "
" " " " " ...		4 " ...	3 " ...	3s. 3d. "
" " " " " ...		6 " ...	3 " ...	3s. 9d. "
" " " " " ...		8 " ...	2 " ...	4s. "
" " " " " ...	IX tin plate or lighter	10 " ...	2 " ...	5s. 3d. "
" " " " " ...		12 " ...	1 ½ " ...	6s. "
...	6s. 6d. "
18. GRATERS.				
BREAD GRATERS, half round (punched plates supplied)	IC tin plate	No. 1 ...	6 dozen ...	1s. 8d. per doz.
" " " " " punched by hand...		" 2 ...	6 " ...	2s. "
" " " " " " " " ...		" 1 ...	3 " ...	2s. 9d. "
" " " " " round (punched plates supplied)		" 2 ...	3 " ...	3s. 3d. "
" " " " " " " " ...		" 1 ...	3 " ...	2s. 6d. "
" " " " " round (punched plates and graters on sides supplied)		" 2 ...	3 " ...	2s. 9d. "
" " " " " " " " ...		" 1 ...	3 " ...	2s. 9d. "
" " " " " round punched by hand		" 2 ...	3 " ...	3s. "
" " " " " " " " ...		" 1 ...	3 " ...	3s. 9d. "
" " " " " " " " ...		" 2 ...	2 " ...	4s. "
NUTMEG GRATERS (punched plates supplied)	IC tin plate	All sizes	12 " ...	1s. 2d. "

PIECE-WORK—continued.

Articles.	Material.	Size.	When given out in the under-mentioned quantities or more.	Prices.	
32. SCOOPS.					
GROCERS' SCOOPS—Drawer, without handles			4 dozen assorted, not less than 1 dozen of any one size	1s. 8d. per doz.	
" " front wired or pieced, with handles	IX tin plate or lighter	5 inches ...	3 dozen ...	4s. 6d. "	
" " " " " "		6 " ...	3 " ...	5s. "	
" " " " " "		7 " ...	2 " ...	6s. "	
" " " " " "		8 " ...	2 " ...	6s. 6d. "	
" " " " " "		10 " ...	1½ " ...	7s. 9d. "	
" " " " " "		12 " ...	1 " ...	8s. 9d. "	
" " front not wired or pieced, with handles	IX tin plate or lighter	5 " ...	3 " ...	3s. 6d. "	
" " " " " "		6 " ...	3 " ...	4s. "	
" " " " " "		7 " ...	2 " ...	5s. "	
" " " " " "		8 " ...	2 " ...	6s. "	
" " " " " "		10 " ...	1½ " ...	6s. 9d. "	
" " " " " "		12 " ...	1 " ...	8s. "	
" " galvanized iron, front wired or pieced, with handles	24-gauge galv. iron or lighter	5 " ...	1 " ...	6s. 9d. "	
" " " " " "		6 " ...	1 " ...	7s. 6d. "	
" " " " " "		7 " ...	1 " ...	8s. 3d. "	
" " " " " "		8 " ...	1 " ...	9s. 6d. "	
" " " " " "		10 " ...	1 " ...	11s. 3d. "	
" " " " " "		12 " ...	1 " ...	12s. 6d. "	
33. SKIMMERS.					
COOKS' SKIMMERS (handles supplied)	IXX tin plate or lighter		3 dozen ...	3s. 6d. per doz.	
MILK SKIMMERS, with ring handles	DXXXX tin plate or lighter	6½ inches...	4 " ...	2s. "	
" " " " " "		8 " ...	4 " ...	2s. 6d. "	
" " " " " "		9 " ...	4 " ...	2s. 9d. "	
" " " " " "		10 " ...	4 " ...	3s. "	
34. STANDS.					
COCKATOO STANDS	IX tin plate or lighter 26-gauge galv. iron or lighter, or zinc	17 inches ...	6 articles...	21s. per doz.	
" " " " " "		20 " ...	6 " ...	22s. 6d. "	
" " " " " "		17 " ...	3 " ...	27s. 6d. "	
" " " " " "		20 " ...	3 " ...	33s. "	
35. STEAMERS.					
STEAMERS	IXX tin plate or lighter	No. 4 ...	2 dozen ...	4s. 9d. per doz.	
" " " " " "		" 5 ...	2 " ...	4s. 9d. "	
" " " " " "		" 6 ...	1½ " ...	5s. 3d. "	
" " " " " "		" 7 ...	1½ " ...	6s. "	
" " " " " "		" 8 ...	1½ " ...	6s. 6d. "	
" " " " " "		" 9 ...	1 " ...	7s. "	
" " " " " "		" 10 ...	1 " ...	8s. 3d. "	
" " " " " "		" 11 ...	1 " ...	9s. 6d. "	
" " " " " "		" 12 ...	1 " ...	10s. "	
" " if handles supplied for					3d. per doz. steamers deducted
36. STRAINERS.					
GRAVY STRAINERS, hand made		IC tin plate	Small ...	3 dozen ...	3s. 3d. per doz.
" " " " " "	Large ...		3 " ...	3s. 9d. "	
" " " " " " if perforated bottoms supplied		All sizes ...		6d. " deducted	
GRUEL STRAINERS	IX tin plate or lighter		3 dozen ...	3s. 9d. per doz.	
MILK STRAINERS, wired		8½ inches	3 " ...	3s. "	
" " " " " "		10 " ...	3 " ...	3s. 6d. "	
" " " " " "		11 " ...	3 " ...	3s. 9d. "	
" " " " " "		12 " ...	3 " ...	4s. "	
" " " " " "		14 " ...	2 " ...	4s. 6d. "	
" " " " " " with rim		8½ " ...	2 " ...	4s. "	
" " " " " "		10 " ...	2 " ...	4s. 6d. "	
" " " " " "		11 " ...	2 " ...	5s. "	
" " " " " "		12 " ...	2 " ...	5s. 3d. "	
" " " " " "	14 " ...	2 " ...	5s. 9d. "		
MILK CAN STRAINERS, knocked up rims	IX tin plate ...		1 " ...	8s. 3d. "	
" " " " " "	IXX tin plate		1 " ...	10s. 9d. "	
37. TINS.					
BREAD TINS (made in five pieces)	IX tin plate or lighter	1 lb. ...	3 dozen ...	3s. 6d. per doz.	
" " " " " "		2 " ...	3 " ...	3s. 6d. "	
" " " " " "		4 " ...	2 " ...	3s. 9d. "	
" " " " " "		6 " ...	2 " ...	5s. "	
COBURG BREAD TINS	IX tin plate ...		3 " ...	3s. 3d. "	
EXHIBITION BREAD TINS, single		IXXXX tin plate or lighter, or 24-gauge iron or lighter	2 lb. ...	6 articles...	17s. "
" " " " " " double		4 " ...	6 " ...	21s. 6d. "	
" " " " " "		2 " ...	3 " ...	43s. "	
" " " " " "		4 " ...	3 " ...	50s. "	

PIECE-WORK—continued.

SCHEDULE B.—CANISTER WORK.

	Price per gross.		
	Lap seam.	Lock seam, without assistance.	Lock seam, with two assistants.
SOLDERING SEAMS—all work rolled—up to and including 2½ inches in diameter—			
Up to and including 2 inches deep ...	0 6	0 5½	0 3½
Over 2 inches deep and up to and including 3½ inches deep ...	0 6½	0 6	0 4
" 3½ " " " 4½ " " ...	0 7	0 6	0 4
" 4½ " " " 5½ " " ...	0 8	0 7	0 5
" 5½ " " " 7 " " ...	0 11½	0 8	0 6
Over 2½ inches and up to and including 3½ inches in diameter—			
Up to and including 2 inches deep ...	0 6	0 5	0 3½
Over 2 inches deep and up to and including 3½ inches deep ...	0 6½	0 6	0 4
" 3½ " " " 5 " " ...	0 7	0 6	0 4
" 5 " " " 6 " " ...	0 8	0 7	0 5
" 6 " " " 7 " " ...	0 10½	0 8½	0 6½
" 7 " " " 8 " " ...	1 3	1 0	0 10
Over 3½ inches and up to and including 4½ inches in diameter—			
Up to and including 2 inches deep ...	0 7	0 5½	0 3½
Over 2 inches deep and up to and including 3½ inches deep ...	0 7½	0 6	0 4
" 3½ " " " 5 " " ...	0 8½	0 7	0 5
" 5 " " " 6 " " ...	0 10	0 7½	0 5½
" 6 " " " 7 " " ...	0 11½	0 9	0 7
" 7 " " " 8 " " ...	1 3	1 0	0 10
Over 4½ inches, and up to and including 5½ inches in diameter—			
Up to and including 2½ inches deep ...	0 8	0 6	0 4
Over 2½ inches deep, and up to and including 4½ inches deep ...	0 10½	0 8	0 5½
" 4½ " " " 6 " " ...	1 2	0 10	0 7½
" 6 " " " 7 " " ...	1 4	1 0	0 10
" 7 " " " 8 " " ...	1 5	1 1	0 11
Over 5½ inches, and up to and including 6½ inches in diameter—			
Up to and including 3 inches deep ...	0 11	0 7½	0 5½
Over 3 inches deep, and up to and including 4½ inches deep ...	1 1	0 8½	0 6½
" 4½ " " " 6 " " ...	1 3	0 10	0 7½
" 6 " " " 8 " " ...	1 5	1 1	0 11
SEAMING MEAT TIN BODIES (square)—			
1 lb. ...			1 3 per 100-
2 lbs. ...			1 3 " "
6 " ...			2 0 " "
SEAMING AND ROLLING MEAT TIN BODIES (round)—			
1 lb. ...			0 10 per 100-
2 lbs. ...			0 10 " "
SOLDERING TOPS OR BOTTOMS OF EMPTY TINS—(spiriting provided)—			
	Price per gross:		
	Not crimped or rolled on.	Crimped.	Rolled on.
	s. d.	s. d.	s. d.
Up to and including 3 inches in diameter ...	0 8½	0 7½	0 6½
Over 3 inches diameter, and up to and including 3½ inches in diameter ...	0 9½	0 8½	0 8½
" 3½ " " " 4½ " " ...	1 3	1 1½	0 11½
" 4½ " " " 5 " " ...	1 5	1 3	1 1½
" 5 " " " 6 " " ...	1 10	1 7½	1 5½
ROUND WORK (SOLDERING).			
Price per gross.			
s. d.			
JAM TINS—Closing, 1 lb., topped, and crimped ...			0 10
" " " 2 lb. " " ...			1 0
CAKE TINS—			
2 lbs., soldering ...			9 6
4 " " ...			10 9
6 " " ...			12 0
6 " cutting ...			1 3
CAPPING—Soldering on caps, all work cleaned, caps put on—			
Cap up to and including 1½ inches in diameter in 6-lb. tin or less ...			0 11
" over 1½ and up to and including 2½ inches in diameter in 6-lb. tin or less ...			1 0
" " 2½ " " 2½ " " " " " " ...			1 1
" " 2½ " " 3½ " " " " " " ...			1 2
" " 3½ " " 3½ " " " " " " ...			1 6
Capping pulp tins, up to 40-lbs., work cleaned and caps put on—			
Round cap ...			3 0
Square cap, 3½ to 5 inches square ...			3 9
SQUARE WORK.			
Jam tins—6 lbs., soldering only, with use of spring ...			9 6
" 6 " notching, bending, and folding ...			4 9
" 14 " soldering only, without use of spring ...			11 6
" 14 " " with use of spring ...			12 6
" 20 " " without use of spring ...			12 0
" 20 " " with use of spring ...			13 3
" 28 " " without use of spring ...			12 0
" 28 " " with use of spring ...			13 3
" 14, 20, and 28 lbs., notching, bending, and folding ...			6 0 extra.
Pulp tin 40 lbs., soldering only, without use of spring ...			17 6
" 40 " " with use of spring ...			17 6
" 40 " " lock seam ...			17 6
Cutting out above sizes ...			1 5 extra.
Notching, bending, and folding so that spring is not necessary, all above sizes, except 6 lbs. ...			8 3
Notching, bending, and folding, so that spring is necessary at one end ...			7 3

PIECE-WORK—continued.

SQUARE WORK—continued.

	Per gross. s. d.
Biscuit TINS—	
1 lb., soldering	3 8
2 lbs. "	4 6
4 " "	7 3
6 " "	7 3
6 " " two seams	8 3
6 lbs., glass, soldering	10 9
14 " plain, "	11 3
14 " glass, "	14 3
25 " plain, "	12 6
30 " " "	12 6
40 " " "	12 6
50 " " "	14 3
Unoeda "	22 6
½-lb. packet "	11 3
9 lbs. Cabin "	10 3
Wafer, Ice and Cup, soldering	10 3
" Cream, Henley and Variety, soldering	4 6
Afternoon Tea, soldering	4 6
1 lb., cutting bodies	0 4
2 lbs. "	0 4
6 " "	1 3
1 lb., cutting ends	0 1½
2 lbs. "	0 1½
4 " cutting at guillotine	1 0
9 " " "	1 6½
30 " " "	2 3
40 " " "	2 3
50 " " "	2 3
Plain and Packet, cutting at guillotine	1 11
Small Wafer " "	0 7½
30 lbs., closing, soldering	4 9
40 " " "	6 0
50 " " "	6 9
FLOUR TINS—	
40 lbs., soldering	11 3
50 " "	14 3
HONEY TINS—	
56 lbs., soldering	19 0
OIL OR VARNISH TINS—	
½ gallon, soldering ends and lock seam	10 0
1 " " "	12 0
2 " " "	16 6
OBLONG TINS—(reputed or imperial measure)—	
1 pint, plain, soldering, lock seam (with two assistants)... ..	0 5
1 " " " " (without assistance)	0 7
1 quart " " " (with two assistants)... ..	0 5
1 " " " " (without assistance)	0 7
Soldering, all above tins, if made of decorated or varnished tin plate	0 1½ extra each end
1 pint, rolled on ends, soldering	1 10 each end
1 " crimped, soldering	1 10½ "
1 " not crimped or rolled on, soldering	2 0½ "
1 quart, rolled on ends, soldering	1 10½ "
1 " crimped, soldering	2 0½ "
1 " not crimped, soldering	2 6

OVAL WORK.

	Per gross. s. d.
OIL TINS—	
½ pint, lock seams, soldering (with two assistants)	0 3½
½ " " " (without assistance)	0 7
½ " lap " " (" ")	0 7
½ " rolled on ends	1 8 each end
½ " crimped on ends	1 5 "
½ " slipped on ends	1 11 "

STAMPING WORK ON POWER MACHINES OR PRESSES (NOT USING SCRAP).

	Per gross. s. d.
Up to and including 3¼ inches in diameter of cutting die	0 0½
Over 3¼ and up to and including 4 inches in diameter of cutting die	0 1½
" 4 " " 4½ " " "	0 1½
" 4½ " " 5½ " " "	0 1½
" 5½ " " 6½ " " "	0 2½

DEFINITION.

11. That for the purposes of this Determination, "sheet metal" shall mean sheet metal 10-gauge or lighter.

F. H. BOLTON, J.P.,
Chairman.

Dated at Melbourne the 9th day of July, 1913.

STATE OF CALIFORNIA

OFFICE OF THE ATTORNEY GENERAL

TO ALL WHOM THESE PRESENTS SHALL COME, I, the Attorney General of the State of California, do hereby certify that the following is a true and correct copy of the original as the same appears in the files of the Department of the Attorney General:

IN WITNESS WHEREOF, I have hereunto set my hand and the seal of the Department of the Attorney General at the City of San Francisco, this 10th day of January, 1913.

JOHN W. WELLS, Attorney General