

[3829]



VICTORIA GOVERNMENT GAZETTE

Published by Authority.

[Registered at the General Post Office, Melbourne, for transmission by post as a newspaper.]

No. 135]

WEDNESDAY, OCTOBER 13.

[1915.

VICTORIAN RAILWAYS.

CONTRACT ACCEPTED.—(Series 1915-16.)

Series No.	Purpose, No. of Tenders, and Particulars of Contract.	Amount.	Name of Contractor.	Charged against Vote or Fund.	Authorized according to Regulations on the date stated.
1117	Schedule of Rates Contracts for supply and delivery of Stores to the Victorian Railways (State Coal Mine), as ordered, from 1st July, 1914, to 30th June, 1916	Rates ...	As per Schedule attached	State Coal Mine Stores Suspense Account	G. H. Sutton, Acting Secretary, by order of the Victorian Railways Commissioners.

Melbourne, 4th October, 1915.

Annex to Contract No. 1117.

SCHEDULE OF RATES CONTRACTS FOR THE SUPPLY OF STORES

TO THE

VICTORIAN RAILWAYS (STATE COAL MINE)

DURING THE PERIOD FROM 1st JULY, 1914, TO 30th JUNE, 1916.

(SEE FOLLOWING SCHEDULES.)

G. H. SUTTON, Acting Secretary.
By order of the Victorian Railways Commissioners.



Item No. and Description.	Country of Manufacture	Estimated Requirements for 2 Years.	Rate per--	Rate.	Name of Contractor.
				£ s. d.	
COTTON WASTE.					
<i>A portion representative of the average of the sample of Cotton Waste submitted under Item 5001 will be burned in oxygen, and the percentage of ash or loading thereby determined will become the standard for Cotton Waste delivered under Item No. 5001. In addition to this test the Cotton Waste under Item No. 5001 will be judged by the texture, feel, and general quality, and shall be in every respect to the satisfaction of the General Manager.</i>					
Waste, Cotton—					
†5001. Grey, in 5-cwt. bales	Gt. Brit.	4 tons	ton	24 0 0	} Alexander & Pater son
†5002. White	,,	1 ton	do.	45 0 0	
SUNDRY IRONMONGERY.					
<i>The samples exhibited by the Corporation for Items 5003 to 5006, 5031, 5033, 5036, 5047, 5057, 5065 and 5068 to 5073, are samples as regards shape and quality only.</i>					
5003. Nil.					
5004. Nil.					
5005. Nil.					
5006. Nil.					
5007. Nil.					
5008. Nil.					
5009. Nil.					
5010. Nil.					
5011. Nil.					
5012. Nil.					
5013. Nil.					
5014. Nil.					
5015. Compound, Pipe Joint Dixon's "Graphite" in 5 lb. tins	U.S.A.	200 lbs.	lb.	0 0 11	} John Danks & Son Pty. Ltd.
5016. Compound, Smooth on for castings	,,	100 "	do.	0 1 6	
5017. Nil.					
5018. Nil.					
5019. Nil.					
5020. Nil.					
5021. Nil.					
Dusters, Feather—					
5022. Nil.					
5023. Nil.					
*5024. Ejectors, No. 6, Penberthy	U.S.A.	3	each	1 17 6	} John Danks & Son Pty. Ltd.
Fasteners, Belt, Jackson's Patent—					
5025. No. 1, small	Gt. Brit.	24 doz.	dozen	0 1 10	} McPherson's Pty. Ltd.
5026. No. 2, small	,,	24 "	do.	0 2 6	
Fasteners, Belt, Blake's—					
5027. No. 0	U.S.A.	48 "	do.	0 0 7	} McPherson's Pty. Ltd.
5028. No. 1	,,	48 "	do.	0 0 6	
5029. No. 2	,,	48 "	do.	0 0 4½	
5030. No. 3	,,	48 "	do.	0 0 3	
5031. Nil.					
5032. Nil.					
5033. Nil.					
5034. Nil.					
5035. Gauges, Pressure, iron back, 5" face up to 200 lbs. "Ashcroft"	,,	6	each	0 7 0	} McPherson's Pty. Ltd.

Item No. and Description.	Country of Manufacture.	Estimated Requirements for 2 Years.	Rate per—	Rate.	Name of Contractor.
				£ s. d.	
SUNDRY IRONMONGERY— <i>continued.</i>					
*5036. Guards, Wire, for Gauge Glasses, any sizes ordered	Australia	12 sets	set of 2	1 0 0	John Danks & Son Pty. Ltd.
5037. Nil.					
5038. Nil.					
5039. Nil.					
5040. Nil.					
5041. Nil.					
5042. Lacing, Steel Belt, Baxter's, No. 2	Gt. Brit.	3,000 ins.	inch	0 0 0 $\frac{3}{8}$	McPherson's Pty. Ltd.
5043. Lacing, Steel Belt, Baxter's, No. 3	„	3,000 „	do.	0 0 0 $\frac{1}{2}$	
5044. Nil.					
5045. Nil.					
5046. Nil.					
5047. Nil.					
5048. Lubricators, sight-feed, $\frac{1}{2}$ pint, "Peerless"	U.S.A.	12	each	1 2 6	John Danks & Son Pty. Ltd.
5049. Nil.					
5050. Nil.					
5051. Metal, White, "Velocite"	Australia	560 lbs.	lb.	0 0 6	John Danks & Son Pty. Ltd.
5052. Mountings, Gauge Glass, brass, $\frac{3}{4}$ " Scavenger	„	6 sets	set of 2	2 0 0	
†5053. Paste, Belt, "Cling Surface"	U.S.A.	200 lbs.	lb.	0 1 10	
5054. Nil.					
5055. Nil.					
5056. Nil.					
5057. Nil.					
5058. Nil.					
5059. Nil.					
5060. Nil.					
5061. Nil.					
5062. Nil.					
5063. Nil.					
5064. Nil.					
5065. Nil.					
5066. Nil.					
5067. Nil.					
Valves, Iron, Retaining, Foot—					
5068. 1 $\frac{1}{2}$ " "Screwed"	U.S.A.	24	each	0 1 9	John Danks & Son Pty. Ltd.
5069. 2" "Screwed"	„	24	do.	0 2 6	
5070. 2 $\frac{3}{4}$ " black, "Screwed"	„	24	do.	0 4 0	
5071. 3" black, "Screwed"	„	24	do.	0 4 9	
5072. 4" black, "Screwed"	„	12	do.	0 8 0	
5073. 5" black, "Flanged"	„	6	do.	0 15 0	
5074. Nil.					
5075. Nil.					
5076. Nil.					
5077. Nil.					
SUNDRY IRONMONGERY (TOOLS, ETC.).					
<i>The samples exhibited by the Corporation for Items 5084, 5107 to 5110, 5144, 5165 to 5168 are samples as regards shape and quality only.</i>					
5078. Nil.					
5079. Bellows, Blacksmiths' Double Blast, galvanized nailed, 24"	Australia	12	each	1 15 0	Geo. Russell Pty. Ltd.
5079A. Bellows, Blacksmiths' Double Blast, galvanized nailed, 26"	„		do.	2 2 0	
5079B. Bellows, Blacksmiths' Double Blast, galvanized nailed, 28"	„		do.	2 8 0	
5079C. Bellows, Blacksmiths' Double Blast, galvanized nailed, 30"	„		do.	2 17 0	

Item No. and Description.	Country of Manufacture.	As far as Requirements for 2 Years.	Rate per—	Rate.	Name of Contractor.
				£ s. d.	
SUNDRY IRONMONGERY (TOOLS, ETC.)— <i>continued.</i>					
5080. Nil.					
5081. Nil.					
5082. Bits, Expansion, any sizes ordered, "Clarke's"	U.S.A.	100 ins.	inch	0 1 2½	McPherson's Pty. Ltd.
5083. Nil.					
5084. Nil.					
5085. Nil.					
5086. Nil.					
5087. Nil.					
5088. Braces, Engineer's Ratchet, 14" Blocks, Pulley, iron sheaved—	Gt. Brit.	12	each	0 9 5	John Danks & Son Pty. Ltd.
5089. Nil.					
5090. Nil.					
5091. Nil.					
5092. Single, 8", "Mid. British Coy." ..	"	12	do.	0 8 3	Geo. Russell Pty. Ltd.
5093. Nil.					
5094. Nil.					
5095. Nil.					
5096. Nil.					
5097. Nil.					
5098. Nil.					
5099. Nil.					
5100. Nil.					
5101. Nil.					
5102. Nil.					
5103. Nil.					
5104. Nil.					
5105. Nil.					
5106. Nil.					
5107. Nil.					
5108. Nil.					
5109. Nil.					
5110. Nil.					
5111. Nil.					
Buckets, Leather, Pump—					
5112. 3"	Australia	50	each	0 0 7½	Hopkins Bros. & Odium Pty. Ltd.
5113. 4"	"	50	do.	0 1 0	
5114. 5"	"	500	do.	0 1 4½	
5115. 5¼"	"	100	do.	0 1 7	
Chisels, Socket (handled)—					
5116. Nil.					
5117. ¾" or 1", as ordered, "W. Marples & Sons"	Gt. Brit.	1 doz.	doz.	0 14 6	John Danks & Son Pty. Ltd.
5118. 1¼", "Ward and Payne"	"	1 "	do.	0 17 6	Paul & Gray Ltd.
5119. 1½", as ordered, "W. Marples and Sons"	"	1 "	do.	1 0 6	John Danks & Son Pty. Ltd.
5120. Nil.					
5121. 2", as ordered, "W. Marples and Sons"	"	1 "	do.	1 6 6	John Danks & Son Pty. Ltd.
5122. Nil.					
5123. Nil.					
5124. Nil.					
5125. Nil.					
5126. Nil.					
5127. Nil.					
5128. Nil.					
5129. Nil.					
5130. Nil.					
*5131. Cutters, Gauge, Glass	Gt. Brit.	12	each	0 3 3	McPherson's Pty. Ltd.
*5132. Eyelets, Brass, any sizes ordered ..	"	100 doz.	dozen	0 0 3½	Paul & Gray Ltd.

Item No. and Description.	Country of Manufacture.	Estimated Requirements for 2 Years.	Rate per —	Rate.	Name of Contractor.
				£ s. d.	
SUNDRY IRONMONGERY (TOOLS, ETC.)— <i>continued.</i>					
5133. Frames, Hack-saw, any sizes ordered, "H. Disston and Sons"	U.S.A.	24	each	0 1 2	} McPherson's Pty. Ltd.
5134. Gimlets, any sizes ordered, "Mathieson and Sons"	Gt. Brit.	24	do.	0 0 2½	
5135. Nil.					
5136. Iron, Soldering, 1½ lbs.	Australia	3	do.	0 1 10	John Danks & Son Pty. Ltd.
Jacks, Lifting—					
5137. Bottle, 1 ton, "Holt and Willetts"	Gt. Brit.	3	do.	0 5 8	McPherson's Pty. Ltd.
5138. Nil.					
5139. Nil.					
5140. Nil.					
5141. Nil.					
Levels, Spirit—					
† 5142. 24", "No. 0"	U.S.A.	12	do.	0 2 5	} Geo. Russell Pty. Ltd.
5143. 30", "No. 30"	"	12	do.	0 5 0	
5144. Nil.					
5145. Nil.					
5145A. Nil.					
5145B. Nil.					
5146. Nil.					
5147. Nil.					
5148. Nil.					
5149. Nil.					
Reamers, Fluted, Parallel or Taper, as ordered, Mathieson's—					
5150. ¼"	Gt. Brit.	12	do.	0 1 6	} John Danks & Son Pty. Ltd.
5151. 5/16"	"	12	do.	0 1 6	
5152. 3/8"	"	12	do.	0 1 7½	
5153. 7/16"	"	12	do.	0 2 1	
5154. 1/2"	"	12	do.	0 2 2	
5155. 5/8"	"	12	do.	0 2 10	} McPherson's Pty. Ltd.
5156. 3/4"	"	12	do.	0 2 11	
5157. 7/8"	"	12	do.	0 3 4	
5158. 1"	"	12	do.	0 3 11	
5159. 1 1/8"	"	12	do.	0 3 11	
5160. 1 1/4"	"	12	do.	0 4 6	John Danks & Son Pty. Ltd.
5161. 1 1/2"	"	12	do.	0 5 5	McPherson's Pty. Ltd.
5162. Nil.					
Shears or Snips, steel, straight—					
5163. 8", "Cousins and Co"	"	12	each	0 0 11½	McPherson's Pty. Ltd.
5164. Nil.					
5165. Nil.					
5166. Nil.					
5167. Nil.					
5168. Nil.					
5169. Nil.					
5170. Nil.					
5171. Nil.					
Tapes—					
5172. Metallic, with flush folding handles, 66', in links and feet, "Rabone and Son"	"	60	do.	0 5 10	John Danks & Son Pty. Ltd.
5173. Steel, 66', in links and feet x ½" wide, "Rabone and Son"	"	24	do.	0 16 11	McPherson's Pty. Ltd.

Item No. and Description.	Country of Manufacture.	Estimated Requirements for 2 Years.	Rate per—	Rate.	Name of Contractor.
				£ s. d.	
SUNDRY IRONMONGERY (TOOLS, ETC.)— <i>continued.</i>					
Taps, Taper, and Plug and Bottoming Whitworth Thread—"Smart" or "Wiley and Russell"—					
5174. 3/16"	U.S.A.	36	each	0 0 4½	John Danks & Son Pty. Ltd.
5175. 1/4"	"	36	do.	0 0 6	
5176. 5/16"	"	36	do.	0 0 8½	
5177. 3/8"	"	36	do.	0 0 9	
5178. 7/16"	"	36	do.	0 0 10½	
5179. 1/2"	"	36	do.	0 0 11½	
5180. 5/8"	"	36	do.	0 1 3	
5181. 3/4"	"	36	do.	0 1 8	
5182. 7/8"	"	36	do.	0 2 2	
5183. 1"	"	36	do.	0 2 6½	
5184. 1 1/8"	"	36	do.	0 3 0	
5185. 1 1/4"	"	36	do.	0 3 8	
5186. 1 3/8"	"	36	do.	0 5 11	
5187. 1 1/2"	"	36	do.	0 7 0	
Taps, Taper and Plug Gas Thread—"A. J. Smart"—					
5188. Nil.					McPherson's Pty. Ltd.
5189. 1/4"	"	36	do.	0 0 9½	
5190. Nil.					
5191. 3/8"	"	36	do.	0 0 11	
5192. Nil.					
5193. 1/2"	"	36	do.	0 1 1	
5194. Nil.					
5195. 3/4"	"	36	do.	0 1 6	
5196. Nil.					
5197. 1"	"	36	do.	0 1 10½	
5198. Nil.					
5199. 1 1/4"	"	36	do.	0 2 4	
5200. Nil.					
5201. 1 1/2"	"	36	do.	0 2 10	
5202. 2"	"	36	do.	0 3 10	
5203. 2 1/2"	"	36	do.	0 13 8	
5204. 3"	"	36	do.	0 17 5	
Tongs, Chain—"Vulcan"—					
5205. Nil.					John Danks & Son Pty. Ltd.
5206. Nil.					
5207. Nil.					
5208. Bi-jaw No. 32	"	12	do.	0 7 9½	John Danks & Son Pty. Ltd.
5209. Bi-jaw No. 33	"	12	do.	0 10 9½	
Tubes, Spirit Level—					
5210. Nil.					John Danks & Son Pty. Ltd.
5211. Nil.					
Wheels—					
5212. Pipe Cutting, No. 1	Gt. Brit.	36	do.	0 0 6	John Danks & Son Pty. Ltd.
5213. Pipe Cutting, No. 2	"	36	do.	0 0 9	
5214. Pipe Cutting, No. 3	"	36	do.	0 0 10	
5215. Pipe Cutting, No. 4	"	36	do.	0 1 2	
5216. Carborundum, 12" x 1 1/2" x 1 1/2" Arbor hole	U.S.A.	12	do.	0 15 5	McPherson's Pty. Ltd.
5217. Carborundum, 12" x 1 1/2" x 1 1/2" Arbor hole	"	6	do.	0 5 11	
5218. Nil.					
ADZES, AXES, ETC.					
Adzes, plain or pin-rolled, as ordered—					
5219. No. 2, "W. Hunt and Son"	Gt. Brit.	36	each	0 2 5½	McPherson's Pty. Ltd.
5220. Nil.	"				

Item No. and Description.	Country of Manufacture	Estimated Requirements for 2 Years.	Rate per —	Rate.	Name of Contractor.
				£ s. d.	
ADZES, AXES, ETC.—continued.					
Axes, American, handled—					
5221. 4½ lbs., "Welland Vale" Mfg. Co. ..	U.S.A.	72	each	0 3 5	} S. Cohen Sons & Co. Pty. Ltd.
5222. 5 lbs., "Welland Vale" Mfg. Co. ..	"	48	do.	0 3 5	
5223. Nil.					
5224. 3½ lbs., "Welland Vale" Mfg. Co. ..	"	48	do.	0 3 5	} S. Cohen Sons & Co. Pty. Ltd.
5225. Nil.					
5226. Nil.					
5227. Slashers, straight-handled, "Hunt and Son"	Gt. Brit.	24	do.	0 3 2	} McPherson's Pty. Ltd.
AUGERS.					
5228. Nil.					
5229. Nil.					
5230. Nil.					
5231. Nil.					
5232. Nil.					
5233. Nil.					
5234. Nil.					
5235. Nil.					
5236. Nil.					
5237. Nil.					
5238. Nil.					
5239. Nil.					
5240. Nil.					
FILES AND RASPS.					
<i>The Files and Rasps for Items 5241 and 5241A and 5242 shall be of any description, shape, length, or edge ordered.</i>				Percentage off Sheffield lists current from time to time during the period of this Contract.	
<i>The estimated requirements are based on the full Price List.</i>					
Files or Rasps, as ordered—					
5241. English	Gt. Brit.	£200	..	65%	} The Eagle & Globe Steel Co. Ltd. } McPherson's Pty. Ltd.
5241A. "High Speed Special" R. 62S. ..	"	..	e.	42½%	
5242. Files, Saw, "Jonas and Colver" ..	"	£30	..	68½%	
HAMMERS.					
<i>The samples submitted by the Tenderer are samples as regards shape and quality only.</i>					
5243. Nil.					
5244. Nil.					
†5245. Hammers, Cast, Steel, Engineers' hand, any sizes ordered	Gt. Brit.	112 lbs.	lb.	0 0 5½	} The Eagle & Globe Steel Co. Ltd.
†5246. Hammers, Cast, Steel, Flogging, single-faced, any sizes ordered	"	112 "	do.	0 0 3	
†5247. Hammers, Farriers', "Cheney's" ..	U.S.A.	12	each	0 2 4	} Geo. Russell Pty. Ltd.

Item No. and Description.	Country of Manufacture	Estimated Requirements for 2 Years.	Rate per—	Rate.	Name of Contractor.
				£ s. d.	
SAWS AND BLADES.					
5248. Nil.					
5249. Nil.					
5250. Nil.					
5251. Nil.					
5252. Circular, any gauge ordered up to 30" diameter, as ordered "Spear and Jackson"	Gt. Brit.	48 ins.	in. dia.	0 0 10	McPherson's Pty. Ltd.
Blades—					
†5253. Hack-saw, 10", high speed, "Milford"	U.S.A.	96 doz.	dozen	0 2 0	} L. C. Search
†5254. Hack-saw, 12", high speed	"	96 "	do.	0 2 6	
†5255. Band-saw, 1" wide	Gt. Brit.	500 ft.	foot	0 0 5	The Eagle & Globe Steel Co. Ltd.
SHOVELS, PICKS, ETC.					
<i>The samples exhibited by the Corporation for Items Nos. 5263 and 5264 are samples as regards shape and quality only.</i>					
Shovels, Steel, American, round or square-mouthed, as ordered, any Nos. ordered—					
5255A. Nil.					
†5256. Short handled, "W. and P. Smooth"	Gt. Brit.	144	each	0 3 2	} McPherson's Pty. Ltd.
†5257. Steel, navy, round-mouthed, No. 4	"	48	do.	0 2 5 ³ / ₄	
†5258. Steel, navy, square-mouthed, No. 3	"	30	do.	0 2 9	
†5259. Coal, D.H., round or square-mouthed, as ordered, No. 6	"	48	do.	0 2 11	
†5260. Coal, D.H., round or square-mouthed, as ordered, No. 8	"	144	do.	0 3 8	
5261. Nil.					
Picks—					
5262. Nil.					
*†5263. Miner's, 4½ lbs.	"	100	do.	0 1 8	} McPherson's Pty. Ltd.
†5264. Miner's, 5 lbs.	"	100	do.	0 1 8	
Forks—					
5265. Coal, 12", ¾" openings, "W. Hunt and Sons"	"	72	do.	0 7 2	} McPherson's Pty. Ltd.
5266. Nil.					
5267. Manure, 4-prong, "Wallingford" ..	U.S.A.	12	do.	0 1 11	McPherson's Pty. Ltd.
SPANNERS AND WRENCHES.					
<i>The samples exhibited by the Corporation for Items 5268 to 5271 inclusive are samples as regards shape and quality only.</i>					
Spanners—					
5268. Nil.					
5269. Nil.					
5270. Nil.					
5271. Nil.					
5272. Nil.					
Wrenches—					
5273. Screw, "Coe's," 6"	U.S.A.	48	each	0 1 5	} McPherson's Pty. Ltd.
5274. Screw, "Coe's," 8"	"	36	do.	0 1 8	
5275. Screw, "Coe's," 10"	"	36	do.	0 1 11	
5276. Screw, "Coe's," 12"	"	36	do.	0 2 3	

Item No. and Description.	Country of Manufacture.	Estimated Requirements for 2 Years.	Rate per —	Rate.	Name of Contractor.
				£ s. d.	
SPANNERS AND WRENCHES— <i>continued.</i>					
Wrenches— <i>continued.</i>					
5277. "Stillson's," 14"	U.S.A.	36	each	0 2 10	} John Danks & Son } Pty. Ltd. } McPherson's Pty. } Ltd.
5278. "Stillson's," 18"	"	24	do.	0 3 10	
5279. "Stillson's," 24"	"	12	do.	0 5 11	
5280. Pipe, "Footprint," any sizes as ordered	Gt. Brit.	300 ins.	inch	0 0 1½	
VICES.					
Vices—					
5281. Pipe, "Vulcan," 2" or 2½", as ordered ..	U.S.A.	8	each	0 7 8	McPherson's Pty. Ltd.
5282. Nil.					
5283. Nil.					
5284. Carpenters' Bench, 7½" jaw, "Parkinson's"	Gt. Brit.	12	each	0 9 6	John Danks & Son Pty Ltd.
5285. Engineers' Parallel, 5" jaw, "C. and J. Hampton"	"	12	do.	1 1 5	McPherson's Pty. Ltd.
EMERY, ETC.					
5286. Nil.					
5287. Nil.					
5288. Nil.					
5289. Nil.					
HINGES, LOCKS, ETC.					
<i>The samples exhibited by the Corporation for Items 5294 and 5300 are samples as regards shape and quality only.</i>					
Hinges, of any width, thickness, and strength ordered—					
5290. Nil.					
5291. Nil.					
5292. Nil.					
5293. Nil.					
5294. Nil.					
5295. Nil.					
5296. Nil.					
5296A. Nil.					
Locks—					
5297. Nil.					
5298. Nil.					
5299. Nil.					
*5300. Brass, drawer, "Yale"	U.S.A.	36	each	0 2 0	S. Cohen Sons & Co. Pty. Ltd.
5301. Nil.					
5302. Nil.					
5303. Nil.					
5304. Nil.					
5305. Nil.					
5306. Nil.					
5307. Nil.					
5308. Nil.					
5309. Nil.					
5310. Nil.					
5311. Nil.					

Item No. and Description.	Country of Manu- facture.	Estimated Requirements for 2 Years.	Rate per —	Rate. £ s. d.	Name of Contractor.
NAILS, SPIKES, ETC.					
<i>The samples exhibited by the Corporation for Items 5314, 5315, 5321 to 5323, and 5325 to 5327 are samples as regards shape and quality only.</i>					
Nails—					
5312.					
5313.					
5314.					
5315.					
5316.					
5317.					
5318.					
5319.					
5320.					
5321.					
5322.					
5323.					
5324.					
5325.					
5326.					
5327.					
SCREWS AND SPLIT PINS.					
<i>The estimated requirements are based on the full price lists.</i>					
Screws—Nettlefold's Ltd., any sizes ordered—					
5328.					
5329.					
5330.					
5331.					
5332.					
5333.					
5334.					
5335.	Gt. Brit.	6 gross	gross	0 11 0	McPherson's Pty. Ltd.
5336.					
5337.	"	6 "	do.	0 13 0	McPherson's Pty. Ltd.
5338.					
5339.	"	6 "	do.	0 14 0	McPherson's Pty. Ltd.
5340.					
5341.					
RIVETS (VARIOUS).					
5342.					
5343.					
5344.					
GAUGE GLASSES.					
Glasses, Gauge—					
5345.	Gt. Brit.	24 doz.	dozen	0 1 6	} McPherson's Pty. Ltd.
5346.	"	24 "	do.	0 2 3	
5347.	"	36 "	do.	0 3 0	
5348.					
5349.	"	} 24 "	do.	0 3 4	McPherson's Pty. Ltd.
5349A.	"		do.	0 10 5	Bell's Asbestos. Aust. Agency. Ltd.
5350.	"	24 "	do.	0 7 0	} McPherson's Pty. Ltd.
5351.	"	12 "	do.	0 9 0	


Item No. and Description.	Country of Manufacture.	Estimated Requirements for 2 Years.	Rate per —	Rate.	Name of Contractor.	
				£ s. d.		
WOODEN HANDLES.						
<i>The sample exhibited by the Corporation for Item 5355 is a sample as regards shape and quality only.</i>						
Handles, Wooden—						
†5352. Adze, Hickory	U.S.A.	4 doz.	dozen	0 11 5	McPherson's Pty. Ltd.	
†5353. Axe, Hickory	"	12 "	"	0 9 11		
5354. Nil.						
5355. Nil.						
5356. Nil.						
5357. Nil.						
5358. Nil.						
5359. Nil.						
†5360. Hammer, Hickory, 14"	U.S.A.	36 "	do.	0 2 11	McPherson's Pty. Ltd.	
5361. Nil.						
†5362. Hammer, Hickory, 30"	"	36 "	do.	0 5 8	McPherson's Pty. Ltd.	
†5363. Hammer, Hickory, 36"	"	36 "	do.	0 6 5		
*5364. Pick, Coal, 85A, Bluegum	Australia	24 "	do.	0 6 11		
5365. Nil.						
5366. Nil.						
†5367. Pick, Miner's, Ballarat, Hickory	U.S.A.	36 "	do.	0 10 11	McPherson's Pty. Ltd.	
5368. Nil.						
BRASS WORK, ETC.						
<i>The samples exhibited by the Corporation for Items 5369 to 5371, 5372 to 5374, 5375 to 5378, 5381 to 5383, 5384 to 5389, 5390, 5391, 5392 to 5400, are samples as regards shape and quality only.</i>						
Cocks, Brass—						
{ 5369. Drain, ¼"	Australia	36	each	0 2 3	John Danks & Son Pty. Ltd.	
* 5370. Drain, ¾"	"	36	do.	0 3 3		
5371. Drain, ½"	"	24	do.	0 4 0		
{ 5372. Pet, Straight, ¼"	"	24	do.	0 1 9		
* 5373. Pet, Straight, ¾"	"	72	do.	0 2 8		
5374. Pet, Straight, ½"	"	24	do.	0 3 0		
{ 5375. Plug, ¾"	"	24	do.	0 2 6		
5376. Plug, 1"	"	24	do.	0 3 10		
* 5377. Plug, 1½"	"	24	do.	0 7 0		
5378. Plug, 2"	"	24	do.	0 11 6		
* 5379. Range, ¼"	"	72	do.	0 2 0		
Cocks, Water, H.P., bib or stop and for Lead or Iron, as ordered—						
5380. Nil.						
{ 5381. ½"	"	24	do.	0 1 7		
* 5382. ¾"	"	96	do.	0 2 5		
5383. 1"	"	24	do.	0 4 0		
Cocks, Fullway, H.P.—						
{ 5384. ¾"	U.S.A.	12	do.	0 3 3		
5385. 1"	"	12	do.	0 4 6		
5386. 1½"	"	12	do.	0 6 3		
* 5387. 1¾"	"	24	do.	0 8 9		
5388. 2"	"	12	do.	0 13 0		
5389. 3"	"	12	do.	1 13 6		
*5390. Couplings or Unions, Brass, any sizes and threads ordered	Australia	50 lbs.	lb.	0 3 6		
*5391. Directors, Water, Fire Brigade pattern, any sizes and threads ordered	"	56 "	do.	0 4 3		
Unions, Brass, ground joints for Iron or Brass Pipe Ends, as required—						
{ 5392. ½" and under	"	12	each	0 0 8		
5393. ¾"	"	12	do.	0 0 8		
5394. 1"	"	24	do.	0 1 1		
* 5395. 1½"	"	24	do.	0 1 3		
{ 5396. 1¾"	"	12	do.	0 2 3		
5397. 1½"	"	24	do.	0 2 9		
5398. 1¾"	"	12	do.	0 5 0		
5399. 2"	"	12	do.	0 5 6		
*5400. Valves, Brass, Steam, any sizes ordered	"	1,000 lbs.	lb.	0 2 4		

Item No. and Description.	Country of Manufacture	Estimated Requirements for 2 Years.	Rate per—	Rate.	Name of Contractor.
				£ s. d.	
PLUMBERS' GOODS.					
5401. Nil.					
5402. Ridging, Galvanized, up to 18", as ordered, 26 gauge	Australia	3,000 feet	foot	0 0 2½	} Currie & Richards
Spouting, Galvanized Iron—					
5403. 24 gauge, O.G. 5"	"	3,000 "	do.	0 0 2¾	
5404. Down pipe, 24 gauge, 3"	"	2,000 "	do.	0 0 2½	
5405. Nil.					
GALVANIZED BUCKETS AND TINWARE.					
5406. Nil.					
5407. Nil.					
*5408. Cans, Oil, Tin, Miners'	Australia	288	each	0 0 6½	S. Cohen Sons & Co. Pty. Ltd.
Feeders, Oil, Tin—					
5409. Nil.					
5410. Nil.					
*5411. Lamp, Tin, Miners' Pit	"	24 doz.	dozen	0 7 0	S. Cohen Sons & Co. Pty. Ltd.
TUBES AND FITTINGS.					
<p><i>The samples exhibited by the tenderer for Items 5412, 5413 to 5416, 5417, 5418, and 5421, are samples as regards quality only.</i></p>					
<p><i>The estimated requirements are based on the full List Price.</i></p>					
<p><i>All Tubes and Fittings to be of standard weight and of Whitworth's gauge of Gas Threads.</i></p>					
<p>Tubes, Pieces, Long Screws, Bends and Springs—</p>					
5412. Nil.					
5413. Nil.					
5414. Nil.					
5415. Nil.					
5416. Nil.					
5417. Nil.					
5418. Nil.					
5419. Nil.					
5420. Nil.					
†5421. Tube, Malleable, Black (for Gas or steam), "G.F."	Switzerland	£200		75%	Wm. Adams & Co. Ltd.

Percentage of price list furnished by tenderer with his tender.

Item No. and Description.	Country of Manu- facture.	Estimated Requirements for 2 Years.	Rate per—	Rate. £ s. d.	Name of Contractor.
BOLTS AND NUTS.					
<i>The samples exhibited by the Corporation for Items 5422 to 5469 are samples as regards shape and quality only.</i>					
<i>All the Bolts and Nuts are to be made from the very best Staffordshire iron, or iron of equal quality, with full, true and clean threads, of Whitworth's gauge and diameter.</i>					
<i>All Hexagon Nuts are to be made to Victorian Railways' gauge on the outside.</i>					
Bolts, Iron, Carriage, Bevel Head, Square Nut—					
5422.					
5423.					
Bolts, Iron, with Cup Head, Square Neck, Square or Hexagon Nut, as ordered—					
5424.					
5425.					
5426.	U.S.A.	2,000 gross	gross	0 4 3	McPherson's Pty. Ltd.
5427.	Australia	30 cwt.	cwt.	1 8 0	
5428.	"	5 "	do.	1 5 0	
5429.	"	20 "	do.	1 6 6	
5430.	"	80 "	do.	1 0 6	
5431.	"	40 "	do.	0 17 9	
5432.	"	10 "	do.	1 1 0	
5433.	"	40 "	do.	0 17 6	
5434.	"	80 "	do.	0 16 6	
5435.	"	20 "	do.	0 16 0	
5436.	"	10 "	do.	1 3 0	
5437.	"	40 "	do.	0 16 0	
5438.	"	80 "	do.	0 16 0	
5439.	"	40 "	do.	0 16 0	
Bolts, Iron, with Hexagon Head, Round Neck, Square or Hexagon Nut, as ordered—					
5440.					
5441.					
5442.					
5443.	Gt. Brit.	5 cwt.	cwt.	1 16 0	McPherson's Pty. Ltd.
5444.	Australia	5 "	do.	1 10 0	
5445.	"	20 "	do.	1 10 0	
5446.	"	40 "	do.	1 3 3	
5447.	"	60 "	do.	1 0 0	
5448.	"	20 "	do.	1 4 0	
5449.	"	60 "	do.	0 19 6	
5450.	"	89 "	do.	0 18 0	
5451.	"	40 "	cwt.	1 0 0	
5452.	"	80 "	do.	0 17 6	
5453.	"	40 "	do.	0 15 6	
Bolts, Iron, with Countersunk Head, Square Neck, Square or Hexagon Nut, as ordered—					
5454.	U.S.A.	12 gross	gross	0 5 3	McPherson's Pty. Ltd.
5455.	"	12 "	do.	0 7 6	
5456.	"	12 "	do.	0 6 3	
5457.					

Item No. and Description.	Country of Manufacture.	Estimated Requirements for 2 Years.	Rate per	Rate.	Name of Contractor.
				£ s. d.	
BOLTS AND NUTS—continued.					
<i>Bolts, Iron, &c.—continued.</i>					
5458. $\frac{3}{8}$ " diameter x 3" in length and under ..	U.S.A.	12 gross	gross	0 8 6	McPherson's Pty. Ltd.
5459. $\frac{3}{8}$ " diameter x $3\frac{1}{2}$ " to 6" in length ..	Gt. Brit.	1 cwt.	cwt.	1 16 0	
5460. $\frac{3}{8}$ " diameter x over 6" in length ..	Australia	1 "	do.	1 16 0	
5461. $\frac{1}{2}$ " diameter x 3" in length and under ..	"	5 "	do.	1 12 0	
5462. $\frac{1}{2}$ " diameter x $3\frac{1}{2}$ " to 6" in length ..	"	4 "	do.	1 5 0	
5463. $\frac{1}{2}$ " diameter x over 6" in length ..	"	4 "	do.	1 3 0	
* 5464. $\frac{1}{2}$ " diameter x 3" in length and under ..	"	3 "	do.	1 6 0	
5465. $\frac{5}{8}$ " diameter x $3\frac{1}{2}$ " to 6" in length ..	"	3 "	do.	1 4 0	
5466. $\frac{5}{8}$ " diameter x over 6" in length ..	"	3 "	do.	1 2 0	
5467. $\frac{3}{4}$, $\frac{7}{8}$, 1" diameter x 3" in length and under ..	"	5 "	do.	1 8 0	
5468. $\frac{3}{4}$, $\frac{7}{8}$, 1" diameter x $3\frac{1}{2}$ " to 6" in length ..	"	5 "	do.	1 8 0	
5469. $\frac{3}{4}$, $\frac{7}{8}$, 1" diameter x over 6" in length ..	"	5 "	do.	1 8 0	
5470. Nil.					
NUTS AND WASHERS.					
<i>All nuts to be tapped to Whitworth's thread and pitch, and must fit Bolts, samples of which will be supplied to the Contractor by the Corporation.</i>					
<i>All hexagon Nuts are to be to the Victorian Railways (Whitworth's) gauge on the outside.</i>					
Nuts, Black, Mild Steel, Pressed—					
5471. $\frac{1}{4}$, $\frac{5}{16}$, or $\frac{3}{8}$ " thick, as ordered ..	Gt. Brit.	20 gross	gross	0 2 10	McPherson's Pty. Ltd.
5472. $\frac{7}{16}$, $\frac{1}{2}$, or $\frac{5}{8}$ " thick, as ordered ..	Australia	40 cwt.	cwt.	1 10 0	
* 5473. $\frac{3}{4}$, $\frac{7}{8}$, or 1" thick, as ordered ..	"	40 "	do.	1 6 0	
5474. $1\frac{1}{8}$, $1\frac{1}{4}$, $1\frac{3}{8}$, or $1\frac{1}{2}$ " thick, as ordered ..	"	20 "	do.	1 6 0	
Nuts, Bright, Mild Steel, Pressed and Finished—					
5475. Nil.					
* 5476. $\frac{7}{16}$, $\frac{1}{2}$, or $\frac{5}{8}$ " thick, as ordered ..	Gt. Brit.	1 cwt.	cwt.	5 15 0	McPherson's Pty. Ltd.
5477. Nil.					
5478. Washers, Iron, Round, any sizes, and up to $\frac{1}{2}$ " in thickness, and round, oblong, or square hole, as ordered ..	Australia	80 "	do.	1 4 0	McPherson's Pty. Ltd.
BRASS, COPPER AND LEAD.					
<i>Names of Manufacturers—</i>					
<i>Items Nos. 5479 and 5485—"Société de Liège."</i>					
<i>Items Nos. 5480 and 5482—Jas. Booth & Co.</i>					
<i>Item No. 5481—</i>					
<i>Items Nos. 5483, 5484, and 5486—Elliott's Metal Co. & Société Anonyme des Usines, &c.</i>					
<i>Item No. 5487—Thomas Bolton & Sons.</i>					
<i>Item No. 5488—Broken Hill Pty. Co.</i>					
<i>Item No. 5489—Danks & Son Pty. Ltd.</i>					
Brass—					
5479. Band, $\frac{3}{8}$ " to $1\frac{1}{2}$ ", as ordered, 16 to 20 gauge, as ordered ..	Belgium	28 lbs.	lb.	0 1 0	Geo. White & Co.
5480. Sheet, best hard rolled, any gauges ordered, any sizes ordered other than trade sizes ..	Gt. Brit.	10 cwt.	do.	0 0 10 $\frac{1}{2}$	
5481. Nil.					
5482. Tubing (except boiler tubes), solid drawn, any diameters, gauges, and lengths ordered other than trade diameters, gauges, and lengths ..	Gt. Brit.	56 lbs.	lb.	0 1 2	Geo. White & Co.
5483. Tubing (except boiler tubes), solid drawn, any trade diameters, gauges, and lengths ordered ..	Gt. Brit. or Belgium		lb.	0 1 0 $\frac{1}{2}$	John Danks & Son Pty. Ltd.
5484. Bar, round or square, as ordered, any sizes ordered ..	"	5 cwt.	cwt.	4 6 4	

Item No. and Description.	Country of Manufacture	Estimated Requirements for 2 Years.	Rate per—	Rate.	Name of Contractor.
				£ s. d.	
BRASS, COPPER, AND LEAD—continued.					
Copper—					
5485. Sheet, best rolled, Nos. 16 to 28 gauge, as ordered, any sizes ordered ..	Belgium	5 cwt.	lb.	0 0 10½	Geo. White & Co.
5486. Bar, round or square, as ordered, any sizes ordered	Gt. Brit. or Belgium	560 lbs.	,,	0 0 11½	John Danks & Son Pty. Ltd.
5487. Tubing, any sizes ordered	Gt. Brit.	560 ,,	do.	0 1 1	McPherson's Pty. Ltd.
Lead—					
5488. Pig	Australia	5 tons	ton	21 0 0	John Danks & Son Pty. Ltd.
5489. Sheet, best rolled, any thickness ordered, and cut to any sizes ordered ..	,,	60 cwt.	cwt.	1 5 0	
IRON.					
<p><i>In the case of all Angle and T Iron referred to in this Schedule, the word "side" shall mean side as indicated for Angles and Tees respectively, thus:—</i></p>					
					
<p><i>The Yorkshire Iron to be supplied under Items 5496 to 5500 inclusive shall be subject to the following Specification, viz. :—</i></p>					
<p>(a) <i>Quality of Materials.—To be of best Yorkshire Iron.</i></p> <p>(b) <i>Freedom from Defects.—The round, square, and flat bars must be well and cleanly rolled to the dimensions and sections specified, and must be sound and free from flaws, cracks, crop ends, and defects of any description. Any of the round, square, or flat bars which do not hold up their full dimensions from end to end, or which have rough, jagged, or imperfect edges or ends will be rejected.</i></p> <p>(c) <i>Mechanical Tests.—The tensile strength and ductility shall be determined from standard test pieces cut from the bars and tested with the grain. Any straightening of test pieces which may be required shall be done when cold.</i></p> <p>(d) <i>Tensile Tests.—Flat Bars.—Flat Bars must be tested where possible as shaped in accordance with Diagram "A," Print No. 6797/10/13, but where the dimensions of the Bars as rolled do not permit of Test Bars of the shape shown being cut therefrom, they may be tested as per Sketch "B," Print 6797/10/13. All Flat Bars so tested must be capable of withstanding a tensile test of from 21 to 24 tons per square inch, with an elongation of not less than 24 per cent.</i></p> <p><i>Rounds and Squares.—Where the diameters or sides of Bars do not exceed 1 inch, they are to be tested as rolled in accordance with Diagram "B," Print No. 6797/10/13, and must be capable of withstanding a tensile test of from 21 to 24 tons per square inch, with an elongation of not less than 28 per cent.</i></p>					

Item No. and Description.	Country of Manufacture	Estimated Requirements for 2 Years.	Rate per—	Rate.	Name of Contractor.
				£ s. d.	
IRON—continued.					
<p>Where the diameter or sides of Bars are larger than 1 inch, they are to be turned down and tested in accordance with Diagram "B," Print No. 6797/10/13, and must be capable of withstanding a tensile test of from 21 to 24 tons per square inch, with an elongation of not less than 24 per cent.</p>					
<p>(e) <i>Bend Tests.</i>—Test pieces under 2 inches in diameter or thickness must withstand being bent cold flat on themselves without sign of fracture. Test pieces 2 inches diameter or thickness and over must withstand being bent cold through any angle of 180 degrees by pressure, or by succession of light blows over a round bar equal in diameter to the thickness of the test piece without showing signs of fracture on the outside of the bent portion.</p>					
<p>(f) <i>Nicked Bend Tests.</i>—Nicked bend tests shall be made on test pieces cut from the bars as rolled. Bars up to 1½ inches diameter shall be lightly and evenly nicked on one side with a sharp cutting tool, and bent back at this point through an angle of 180 degrees by pressure in a press, or by a succession of light blows, when they shall show a fibrous fracture free from slag or dirt. The same bars when nicked all round and broken off short shall show a fine uniform crystalline fracture.</p>					
<p>(g) <i>Rejection.</i>—Should the material fail to comply in every particular with the above conditions, the lot from which the test pieces were selected will be rejected.</p>					
<p><i>Name of Manufacturer—</i> Item No. 5490—<i>Robt. Heath.</i> Items Nos. 5491-5493—<i>Lion Rolling Mills.</i> Item No. 5494— Item No. 5495— Items Nos. 5496 to 5500—<i>Lowmoor Iron Co.</i></p>					
<p><i>Iron—</i> 5490. <i>Nil.</i></p>					
5491. Round or Square, as ordered, over ½" to 3" in thickness or diameter, as ordered, advancing by 1/16" ..	Australia	60 tons	ton	9 15 0	The Lion Rolling Mills Pty. Ltd.
5492. Flat, in the following trade sizes and lengths, as ordered— ½", ¾", 1", 1¼", 1½", 1¾", 2", and 2½" x 1" up to 6" wide .. ¾", 1", and 1¼" x 1½" up to 6" wide .. 1" x 2" up to 6" wide ..					
5493. Flat, any size and length ordered other than trade sizes and lengths, up to 6" wide, as ordered ..					
5494. <i>Nil.</i> 5495. <i>Nil.</i> 8270.—B.					

Item No. and Description.	Country of Manufacture.	Estimated Requirements for 2 Years.	Rate per —	Rate.	Name of Contractor.
<i>IRON—continued.</i>					
<i>Iron, Best Yorkshire, Lowmoor—</i>					
5496. <i>Nil.</i>					
5497. <i>Nil.</i>					
5498. <i>Nil.</i>					
5499. <i>Nil.</i>					
5500. <i>Nil.</i>					
IRON (GALVANIZED).					
<i>Names of Manufacturers :—</i>					
<i>Item No. 5501—Lysaght's "Fleur De Lis."</i>					
<i>Items Nos. 5502 to 5507—Lysaght's "Redcliffe."</i>					
<i>Sheet—</i>					
5501. <i>Nil.</i>					
5502. <i>Nil.</i>					
5503. <i>Nil.</i>					
5504. <i>Nil.</i>					
5505. <i>Nil.</i>					
5506. <i>Nil.</i>					
5507. <i>Nil.</i>					
BLISTER, CAST, TOOL, DOUBLE SHEAR STEEL AND SHAFTING.					
<i>The Steel shall bear the proper trade marks or brands and be of any sizes or sections ordered.</i>					
<i>Names of Manufacturers :—</i>					
<i>Item No. 5508—Oxley & Mahood Bros.</i>					
<i>Item No. 5509—Oxley & Mahood Bros.</i>					
<i>Item No. 5510—The Eagle & Globe Steel Coy. Ltd.</i>					
<i>Item No. 5511—The Eagle & Globe Steel Coy. Ltd.</i>					
<i>Item No. 5512—B. K. Morton & Coy.</i>					
<i>Item No. 5513—John Henry Andrew & Co.</i>					
<i>Items Nos. 5514 to 5521—</i>					
<i>Items Nos. 5522 and 5525—The Eagle & Globe Steel Coy. Ltd.</i>					
5508. <i>Nil.</i>					
<i>Steel, Cast, Blacksmith's Quality—</i>					
5509. <i>Nil.</i>					
5510. Flat, Octagon, Miner's Drill	Gt. Brit.	40 cwt.	cwt.	1 5 6	} The Eagle & Globe Steel Coy. Ltd.
5511. Double Shear, Flat, Round, or Square, as ordered.	"	40 "	do.	1 12 0	
†5512. Non-tempering Tool, Round or Square, Octagon or Oval, as ordered, any sizes ordered	"	560 lbs.	lb.	0 0 8½	} B. K. Morton Pty. Ltd.
†5513. High-speed Tool, Square or Rectangular, as ordered, any sizes ordered, "Toreador"	"	224 "	do.	0 2 1	
<i>Shafting, Steel, Mild—</i>					
5514. <i>Nil.</i>					
5515. <i>Nil.</i>					
5516. <i>Nil.</i>					
5517. <i>Nil.</i>					
5518. <i>Nil.</i>					
5519. <i>Nil.</i>					
5520. <i>Nil.</i>					
5521. <i>Nil.</i>					
5522. 4½"	Gt. Brit.	200 ft.	foot	0 8 3	} The Eagle & Globe Steel Coy. Ltd.
5523. 5"	"	200 "	do.	0 10 5	

Item No. and Description.	Country of Manufacture.	Estimated Requirements for 2 Years.	Rate per —	Rate.	Name of Contractor.
<p>£ s. d.</p>					
<p>MILD STEEL.</p>					
<p>(a) <i>Quality of Material.</i>—The Mild Steel must be manufactured from acid or basic open hearth steel, made from selected material, and must not show, on analysis, more than .06 per cent. of sulphur or of phosphorus. The Contractor shall supply an analysis whenever required to do so, from time to time.</p>					
<p>(b) <i>Freedom from Defects.</i>—The Mild Steel must be free from cracks, surface flaws, laminations, and all other defects, cut square, and finished in a workmanlike manner. No plate, section, or bar must be more than 2½ per cent. over or 2½ per cent. under the calculated weight.</p>					
<p>(c) <i>Branding.</i>—Each plate, section, or bar shall bear the proper trade marks or brands, and shall be of any size of section ordered.</p>					
<p>(d) <i>Mechanical Tests.</i>—The tensile strength and ductility shall be determined from standard test pieces, cut lengthwise or crosswise from the rolled material. When material is annealed or otherwise treated before despatch the test pieces shall be similarly and simultaneously treated with the material before testing. Any straightening of the test pieces which may be required shall be done cold.</p>					
<p>(e) <i>Tensile Tests.—Plates and Sectional Material.</i>—Plates and Sectional material must be tested as shaped in accordance with diagram "A" annexed, but where the dimensions of the bars as rolled do not permit of test bars of the shapes shown being cut therefrom, they may be tested as per sketch "B" annexed. All flat bars so tested must be capable of withstanding a tensile test of from 28 to 32 tons per square inch with an elongation of not less than 20 per cent.</p>					
<p><i>Rounds and Squares.</i>—Where the diameters or sides of bars do not exceed 1 in. they are to be tested as rolled in accordance with diagram "B" annexed and must be capable of withstanding a tensile test of 28 to 32 tons per square inch with an elongation of not less than 20 per cent.</p>					
<p><i>Rivet Bars.</i>—All Rivet Bars must be tested in accordance with diagram "B" annexed and must be capable of withstanding a tensile test of from 24 to 28 tons per square inch with an elongation of not less than 27 per cent.</p>					
<p>(f) <i>Bend Tests—Cold Bends.</i>—Test pieces shall be sheared or cut lengthwise from Plates, Sections, or Bars, and shall not be less than 1½ inches wide, but for small Plates, Sections, or Bars the whole Section may be used.</p>					
<p>(g) <i>Temper Bends.</i>—The test pieces shall be similar to those used for cold bend tests. For temper bend tests the test pieces shall be heated to a blood red and quenched in water at a temperature not exceeding 80 degrees Fahr. The colour shall be judged indoor in the shade. In all cold or temper bend tests the sheared edges may be removed by milling, planing, grinding, or other method. The test pieces shall not be annealed unless the material from which they are cut is similarly annealed, in which cases the test pieces shall be similarly and simultaneously treated with the material before testing.</p>					

Item No. and Description.	Country of Manu- facture.	Estimated Requirements for 2 Years.	Rate per —	Rate. £ s. d.	Name of Contractor.
MILD STEEL—continued.					
<p><i>For both cold and temper bends the test piece must withstand, without fracture, being doubled over until the internal radius is not greater than 1½ times the thickness of the test piece, and the sides are parallel.</i></p> <p><i>For small sectional material these bend tests may be made from the flattened bar.</i></p> <p><i>(h) Rejection.—Should the material fail to comply in every particular with the above conditions, the lot from which the test pieces were selected will be rejected.</i></p>					
<p><i>Name of Manufacturer—</i> <i>Items Nos. 5524 and 5525—"Carnegie."</i> <i>Item No. 5526—"Carnegie."</i> <i>Items Nos. 5525A, 5526A, 5527, and 5528—</i> <i>The Lion Rolling Mills Pty. Ltd.</i> <i>Items Nos. 5529 and 5530—Stewarts & Lloyds Ltd.</i></p>					
<p><i>Steel, Mild—</i></p>					
<p>5524. Nil.</p>					
<p>5525. Nil.</p>					
<p>5525A. Flat, $\frac{3}{16}$" thickness or over, as ordered, from $\frac{3}{8}$" to 9" wide, in the following trade sizes and lengths ordered:— $\frac{1}{16}$", $\frac{1}{8}$", $\frac{3}{16}$", $\frac{1}{4}$", $\frac{5}{16}$", and $\frac{3}{8}$" x $\frac{5}{8}$" up to 9" wide, advancing by $\frac{1}{2}$", 16' to 18' long; $\frac{5}{8}$" x 1" up to 9" wide, advancing by $\frac{1}{2}$", 16' to 18' long</p>	Australia	80 tons	per ton	10 0 0	The Lion Rolling Mills Pty. Ltd.
<p>5526. Nil.</p>					
<p>5526A. Round or square, as ordered, $\frac{1}{2}$" in thickness or diameter</p>	Australia	100 tons	do.	10 0 0	The Lion Rolling Mills Pty. Ltd.
<p>5527. Round or Square, as ordered, over $\frac{1}{2}$" to 3" in thickness or diameter, as ordered, advancing by $\frac{1}{16}$"</p>	"	100 "	do.	10 0 0	The Lion Rolling Mills Pty. Ltd.
<p>5528. Angle, of equal and unequal sides, the added inches of both sides not to exceed a total of 8" and up to $\frac{3}{4}$" thick Plate from $\frac{1}{8}$" to 1", as ordered, advancing by $\frac{1}{16}$" over 9" in width, and of any length, as ordered</p>	"	50 "	do.	10 0 0	
<p>5529. Nil.</p>					
<p>5530. Nil.</p>					
<p>5530A. Nil.</p>					
SPRING STEEL.					
<p><i>(a) Quality of Material.—The bars shall be manufactured from the highest quality of Acid Open Hearth Steel made from the best selected material and must not show on analysis more than .8 per cent. nor less than .5 per cent. of carbon, nor more than .035 per cent. of sulphur or of phosphorus. The Contractor shall supply an analysis whenever required to do so.</i></p>					
<p><i>(b) Freedom from Defects.—The bars must be perfectly smooth on their surfaces, and free from defects of any kind.</i></p>					

Item No. and Description.	Country of Manufacture.	Estimated Requirements for 2 Years.	Rate per—	Rate.	Name of Contractor.
				£ s. d.	
SPRING STEEL—continued.					
(c) Branding.—Each bar shall be stamped with the Manufacturer's name and date of manufacture.					
(d) Mechanical Tests.—Test pieces taken from the bars must comply with the following tests without reheating or any other manipulation whatever :—					
Cambering Tests for Flat Bars.—Pieces of the flat bars, 30 inches long, shall be cambered to a radius of 80 times their thickness, hardened and tempered, and, after being pressed straight once and the camber carefully noted, must stand being pressed straight again six times in quick succession without showing any permanent set.					
(e) Round Bars.—The round bars must be capable of being hardened in oil.					
(f) Rejection.—Should the material fail to comply in every particular with the above conditions, the lot from which the test pieces were selected will be rejected.					
5531. Steel, Spring, in Bars, of any sizes and shapes ordered, " Toledo "	Gt. Brit.	20 tons	ton	13 15 6	McMicking & Co.
HIGH SPEED TWIST DRILLS.					
Drills, Twist, High Speed, Round Taper or Round Parallel Shanks, as ordered—					
5532. $\frac{3}{16}$ " " New Capital "	Gt. Brit.	24	each	0 1 4 $\frac{1}{2}$	The Eagle & Globe Steel Coy. Ltd.
5533. $\frac{9}{32}$ " " Chas. Churchill & Coy. Ltd." ..	"	48	do.	0 1 6 $\frac{1}{2}$	L. C. Search
5534. $\frac{1}{4}$ " " B.S.A."	"	24	do.	0 1 5 $\frac{1}{2}$	Bevan & Edwards Pty. Ltd.
5535. $\frac{7}{32}$ " " New Capital "	"	24	do.	0 1 '6	The Eagle & Globe Steel Coy. Ltd.
5536. $\frac{1}{8}$ " " B.S.A."	"	24	do.	0 1- 6 $\frac{1}{2}$	Bevan & Edwards Pty. Ltd.
5537. $\frac{1}{4}$ " " Chas. Churchill & Coy. Ltd." ..	"	48	do.	0 1 4 $\frac{1}{2}$	L. C. Search
5538. $\frac{1}{4}$ " " Chas. Churchill & Coy. Ltd." ..	"	24	do.	0 1 6 $\frac{1}{2}$	
5539. $\frac{7}{16}$ " " Chas. Churchill & Coy. Ltd." ..	"	48	do.	0 1 7	L. C. Search
5540. $\frac{1}{2}$ " " Chas. Churchill & Coy. Ltd." ..	"	24	do.	0 1 9	
5541. $\frac{1}{2}$ " " Chas. Churchill & Coy. Ltd." ..	"	24	do.	0 1 9	L. C. Search
5542. $\frac{1}{2}$ " " Chas. Churchill & Coy. Ltd." ..	"	48	do.	0 1 10	
5542A. $\frac{3}{8}$ " " Toreador "	"	24	do.	0 2 4	McMicking & Co.
5543. $\frac{3}{8}$ " " Chas. Churchill & Coy. Ltd." ..	"	24	do.	0 2 0	L. C. Search
5544. $\frac{1}{2}$ " " Chas. Churchill & Coy. Ltd." ..	"	24	do.	0 2 0	
5545. $\frac{7}{16}$ " " Chas. Churchill & Coy. Ltd." ..	"	48	do.	0 2 1	McMicking & Co.
5545A. $\frac{7}{16}$ " " Toreador "	"	24	do.	0 2 8	
5546. $\frac{1}{2}$ " " Chas. Churchill & Coy. Ltd." ..	"	24	do.	0 2 2	L. C. Search
5547. $\frac{1}{2}$ " " Chas. Churchill & Coy. Ltd." ..	"	24	do.	0 2 4	
5548. $\frac{1}{2}$ " " Chas. Churchill & Coy. Ltd." ..	"	48	do.	0 2 5 $\frac{1}{2}$	McMicking & Co.
5548A. $\frac{1}{2}$ " " Toreador "	"	24	do.	0 2 11	
5549. $\frac{3}{4}$ " " Chas. Churchill & Coy. Ltd." ..	"	24	do.	0 2 8 $\frac{1}{2}$	L. C. Search
5550. $\frac{3}{4}$ " " Chas. Churchill & Coy. Ltd." ..	"	24	do.	0 2 8 $\frac{1}{2}$	
5551. $\frac{1}{2}$ " " Chas. Churchill & Coy. Ltd." ..	"	48	do.	0 2 11	McMicking & Co.
5551A. $\frac{1}{2}$ " " Toreador "	"	24	do.	0 3 6	
5552. $\frac{3}{8}$ " " Chas. Churchill & Coy. Ltd." ..	"	24	do.	0 3 5	L. C. Search
5553. $\frac{3}{8}$ " " Chas. Churchill & Coy. Ltd." ..	"	48	do.	0 3 7	
5554. $\frac{1}{2}$ " " Chas. Churchill & Coy. Ltd." ..	"	24	do.	0 3 10	McMicking & Co.
5554A. $\frac{1}{2}$ " " Toreador "	"	24	do.	0 4 5	
5555. $\frac{3}{8}$ " " Chas. Churchill & Coy. Ltd." ..	"	24	do.	0 3 10	L. C. Search
5556. $\frac{3}{8}$ " " Chas. Churchill & Coy. Ltd." ..	"	24	do.	0 4 2	
5557. $\frac{1}{2}$ " " Chas. Churchill & Coy. Ltd." ..	"	48	do.	0 4 2	L. C. Search
5558. $\frac{1}{2}$ " " Chas. Churchill & Coy. Ltd." ..	"	24	do.	0 4 9	
5559. $\frac{1}{2}$ " " New Capital "	"	48	do.	0 4 11 $\frac{1}{2}$	The Eagle & Globe Steel Coy. Ltd.
5559A. $\frac{1}{2}$ " " Toreador "	"	24	do.	0 5 5	McMicking & Co.

Item No. and Description.	Country of Manufacture.	Estimated Requirements for 2 Years.	Rate per—	Rate.	Name of Contractor.
				£ s. d.	
HIGH SPEED TWIST DRILLS—continued.					
Drills, Twist, &c.—continued.					
5560. $\frac{3}{8}$ " "New Capital"	Gt. Brit.	24	each	0 5 11 $\frac{1}{2}$	The Eagle & Globe Steel Coy. Ltd. McMicking & Co. The Eagle & Globe Steel Coy. Ltd.
5561. $\frac{3}{8}$ " "New Capital"	"	24	do.	0 5 4	
5562. $\frac{3}{8}$ " "New Capital"	"	48	do.	0 7 4	
5562A. $\frac{3}{8}$ " "Toreador"	"		do.	0 8 1	
5563. $\frac{3}{8}$ " "New Capital"	"	48	do.	0 7 10	
5564. $\frac{3}{8}$ " "New Capital"	"	24	do.	0 8 1	
5565. 1" "New Capital"	"	48	do.	0 8 3	
5566. 1 $\frac{1}{4}$ " "New Capital"	"	24	do.	0 8 6	
5567. 1 $\frac{3}{8}$ " "New Capital"	"	24	do.	0 8 9	
5568. 1 $\frac{1}{8}$ " "New Capital"	"	24	do.	0 9 4	
5569. 1 $\frac{3}{8}$ " "New Capital"	"	24	do.	0 9 9	The Eagle & Globe Steel Coy. Ltd.
5570. 1 $\frac{3}{8}$ " "New Capital"	"	24	do.	0 10 4	
5571. 1 $\frac{1}{4}$ " "Chas. Churchill & Coy. Ltd."	"	24	do.	0 12 10	L. C. Search
5572. 1 $\frac{3}{8}$ " "New Capital"	"	24	do.	0 16 2	The Eagle & Globe Steel Coy. Ltd.
5573. 1 $\frac{1}{8}$ " "New Capital"	"	24	do.	0 19 11	
5574. 1 $\frac{3}{8}$ " "New Capital"	"	24	do.	1 4 9	
5575. 1 $\frac{1}{4}$ " "New Capital"	"	24	do.	1 10 0	
Drills, Ratchet, Morse Twist, Square Shank—					
5576. $\frac{1}{8}$ " "Union Twist Drill Coy."	U.S.A.	12	do.	0 1 5 $\frac{1}{2}$	Bevan & Edwards Pty. Ltd.
5577. $\frac{1}{8}$ " "Union Twist Drill Coy."	"	12	do.	0 1 5 $\frac{1}{2}$	
5578. $\frac{3}{16}$ " "Union Twist Drill Coy."	"	12	do.	0 1 6 $\frac{1}{2}$	
5579. $\frac{1}{4}$ " "S. Clifton & Co."	Gt. Brit.	12	do.	0 1 1 $\frac{1}{2}$	McPherson's Pty. Ltd.
5580. $\frac{1}{8}$ " "S. Clifton & Co."	"	12	do.	0 1 2	
5581. $\frac{3}{8}$ " "S. Clifton & Co."	"	12	do.	0 1 3	
5582. $\frac{1}{10}$ " "S. Clifton & Co."	"	12	do.	0 1 4	
5583. $\frac{1}{8}$ " "S. Clifton & Co."	"	24	do.	0 1 5	
5584. $\frac{3}{8}$ " "S. Clifton & Co."	"	24	do.	0 1 6	
5585. $\frac{1}{4}$ " "S. Clifton & Co."	"	24	do.	0 1 8	
5586. $\frac{7}{8}$ " "S. Clifton & Co."	"	24	do.	0 2 2	
5587. 1" "S. Clifton & Co."	"	24	do.	0 2 8	
CRANE CHAIN AND IRON CHAIN.					
<i>The Chain to be supplied under Item 5587A must be what is known as "close link." The links must be of uniform shape and size, neatly and perfectly welded, so that the correct form is preserved throughout. The samples submitted by the Tenderer will be samples as regards shape and quality only. The Chain must be in lengths up to 200 feet as ordered, and accompanied by a proof certificate from a public testing machine, licensed by the Board of Trade. The proof load of the Chains must be at least equal to that required by the British Admiralty, and the certificate to be furnished must be in accordance with the same.</i>					
<i>Name of Maker or Brand of Iron—</i>					
<i>Item No. 5587A.—"Beacon."</i>					
<i>Items Nos. 5588 to 5592.—"Staffordshire Crown Iron."</i>					
<i>Name of Manufacturer of Chain—</i>					
<i>Item No. 5587A.—Wm. Griffin, Cradley, England.</i>					
<i>Items No. 5588 to 5592.—Barmister and Coy.</i>					
<i>The Chain to be supplied under Item No. 5587A will be 15 per cent. over the Admiralty Test.</i>					
<i>Chain Iron, Wrought—</i>					
†5587A. "Best Best" Short Link Crane, self-coloured, $\frac{3}{16}$ " to 1", as ordered	Gt. Brit.	20 cwt.	cwt.	1 4 0	Inglis, Smith & Co.
5588. Nil.					
5589. Nil.					
5590. Nil.					
5591. Nil.					
5592. Nil.					

Item No. and Description.	Country of Manufacture.	Estimated Requirements for 2 Years.	Rate per —	Rate.	Name of Contractor.								
				£ s. d.									
SUNDRY WIRE (NOT INCLUDING ELECTRIC WIRE).													
<i>The samples exhibited by the Corporation for Items 5593 and 5594 are samples as regards quality only.</i>													
<i>Name of Manufacturer—</i>													
<i>Item No. 5595—Waller Coop.</i>													
<i>Item No. 5596.—</i>													
<i>Item No. 5597—W. Oxley.</i>													
<i>Item No. 5598—Southern Star Nail Coy.</i>													
Wire—													
5593. Nil.													
5594. Nil.													
5595. Nil.													
5596. Nil.													
5597. Nil.													
5598. Nil.													
WIRE ROPE.													
Rope—													
Steel Wire, special flexible galvanized—													
5599. Nil.													
5600.	Gt. Brit.	10 cwt.	cwt.	3 8 0	} McMicking & Co.								
½" diameter, 6 strands, 24 wires; breaking strength, 4 tons, "F. W. Scott."													
5601.						5 "	do.	3 5 0.	} Inglis, Smith & Co.				
¾" diameter, 6 strands, 24 wires; breaking strength, 5 tons, "F. W. Scott"													
5602.						5 "	do.	2 9 0	} McMicking & Co.				
½" diameter, 6 strands, 24 wires; breaking strength, 6 tons, "John Shaw Ltd."													
5602A.										5 "	do.	2 16 0	} McMicking & Co.
½" diameter, 6-strands, 24 wires; breaking strength 7.25 tons, "F. W. Scott"													
5603.						5 "	do.	2 12 0	} McMicking & Co.				
⅝" diameter, 6 strands, 24 wires; breaking strength, 12 tons, "F. W. Scott"													
5603A.	5 "	do.	2 2 0	} Paul & Gray Ltd.									
⅝" diameter, 6 strands, 24 wires, breaking strength, 10½ tons, "Whitecross & Co."													
Wire, 6 strands, 7 wires, with hemp core, Langslay, best patent plough steel, of breaking strain of 100' tons per square inch—"Thos. and Wm. Smith Ltd."—													
†5604.	"	400 "	do.	1 17 6	} B. K. Morton Pty. Ltd.								
†5605.	"	200 "	do.	1 16 6									
†5606.	"	200 "	do.	1 16 6									
†5607.	"	400 "	do.	1 17 0									
Wire, 6 strands, 7 wires, with hemp core, Langslay, to be of crucible steel of breaking strain of 85 to 90 tons per square inch. Centre wire of strand not to be counted—													
†5608.	"	200 "	do.	2 1 6	} B. K. Morton Pty. Ltd.								
½" diameter, "Thos. & Wm. Smith Ltd."													
†5609.	"	200 "	do.	2 0 0	} Welch, Perrin & Co.								
⅝" diameter, "Thos. & Wm. Smith Ltd."													
†5610.	"	200 "	do.	1 14 0	} B. K. Morton Pty. Ltd.								
⅝" diameter, "John Shaw Ltd."													
†5611.	"	400 "	do.	1 16 0	} Welch, Perrin & Co.								
¾" diameter, "Thos. & Wm. Smith Ltd."													
†5612.	"	200 "	do.	1 12 3	} Welch, Perrin & Co.								
†5613.	"	200 "	do.	1 12 3									
†5614.	"	400 "	do.	1 12 3									

Item No. and Description.	Country of Manufacture.	Estimated Requirements for 2 Years.	Rate per —	Rate.	Name of Contractor.	
				£ s. d.		
BASKETWARE.						
Baskets—						
*5615. Document, wire, large	Australia	24	each	0 2 3	Morris & Bone The Royal Victorian Institute for the Blind	
†5616. Document, cane, 18" x 12"	"	36	do.	0 4 3		
*5617. Document, fibre, waste paper	"	24	do.	0 2 6		
SUNDRY BRUSHWARE.						
<i>The samples exhibited by the Corporation for Items 5618 and 5619 are samples as regards shape and quality only.</i>						
Brooms—						
*5618. Bass and Cane, 12"	Australia	200	each	0 1 3	John Zevenboom & Co.	
*5619. Bass and Cane, 16"	"	100	do.	0 2 1		
*5620. Hair	"	36	do.	0 2 6		
*5621. Millett	"	80	do.	0 2 0		
Brushes—						
*5622. Clothes	"	6	do.	0 2 6		
*5623. Dandy	"	36	do.	0 0 9		
*5624. Hand, Bannister	"	24	do.	0 1 6		
*5625. Hair	"	6	do.	0 3 0		
*5626. Nail	"	6	do.	0 0 4		
*5627. Scrubbing, Deck, coir	"	12	do.	0 1 0		
*5628. Scrubbing, hand	"	72	do.	0 0 9		
*5629. Tar, handled	"	48	do.	0 0 7		
*5630. Whitewash	"	24	do.	0 0 6		
5631. Painters, 8/o	"	60	do.	0 5 4		
*5632. Painters, 4/o	"	48	do.	0 4 0		
5633. Painters, 6/o	"	48	do.	0 4 8		
*5634. Varnish, Black Bristle, bevelled edge, 3/4" thick x 1 1/2" wide	"	12	do.	0 0 9		
5635. Tools, Sash, No. 6	"	72	do.	0 0 7		
*5636. Tools, Sash, No. 4	"	24	do.	0 0 3 1/2		
5637. Tools, Sash, No. 5	"	24	do.	0 0 5		
5638. Tools, Sash, No. 7	"	24	do.	0 0 9		
DRAPERY, BRATTICE CLOTH, ETC.						
<i>The samples exhibited by the Corporation for Items Nos. 5640, 5645, 5646, are samples as regards quality only.</i>						
<i>The samples submitted by the Tenderer for Items Nos. 5639, 5641, 5642, 5643, and 5644, are samples as regards quality only.</i>						
†5639. Baize, Green, any widths ordered	Gt. Brit.	200 sq. yds.	sq. yd.	0 1 7	Hicks, Atkinson, & Sons Pty. Ltd.	
*5640. Blinds, Holland (made) of any sizes and colors ordered	Australia	100 ,, ,,	do.	0 0 11		
†5641. Calico, Unbleached, 72" wide	Gt. Brit.	500 lin. ,,	lin. yd.	0 0 10	Geo. Cradock & Co. Ltd.	
†5642. Cloth, Brattice, 5' or 6' wide, as ordered	"	100,000 sq. yds.	sq. yd.	0 0 6 1/2		
†5643. Holland, any colours and widths ordered	"	50 sq. yds.	do.	0 0 10	Hicks, Atkinson, & Sons Pty. Ltd.	
†5644. Laces, Tubular Stay	"	100 doz.	doz.	0 0 9		
*5645. Linoleum, plain, brown, any widths ordered	"	300 sq. yds.	sq. yd.	0 2 9 1/2		
*5646. Skins, Chamois, large size	"	24	each	0 1 6 1/2		

Item No. and Description.	Country of Manufacture	Estimated Requirements for 2 Years.	Rate per—	Rate. £ s. d.	Name of Contractor.
FURNITURE.					
<p>SPECIAL CONDITIONS, APPLICABLE TO ITEMS 5647 AND 5648 INCLUSIVE, FOR STORES OF AUSTRALIAN MANUFACTURE.</p> <p>(a) <i>Sub-letting will not be allowed, and all work in fulfilment of any order for the Stores shall be carried out in the factory of the Contractor, and shall be open for inspection at any time by such Officer as the Commissioners may direct. No Chinese labour shall be employed in the manufacture of the articles.</i></p> <p>(b) <i>The hours of duty of any person engaged in the fulfilment of any order for the Stores shall not exceed 48 per week.</i></p> <p>(c) <i>Every person engaged in the fulfilment of any order for the Stores shall be paid not less than the wage prescribed in respect of the avocation of such employé in any Determination issued by the Furniture Board under the Factories and Shops Act in operation for the time being, and shall be employed under such other conditions as may be prescribed in any such Determination.</i></p> <p>(d) <i>A copy of these Conditions shall be kept conspicuously posted in legible Roman characters in the factory (and in each part of the factory where several rooms are in use) in which any person is engaged in the fulfilment of any order for the Stores set out in the annexed Schedule.</i></p> <p>(e) <i>Any infringement of these Conditions will render the Contractor for the supply of the Stores subject to such mulct, not exceeding £50, as the General Manager may determine, and the amount will be deducted from the Contractor's account or from the security money (if any) lodged for the due and proper performance of the Contract, and, in addition, any article manufactured or partially manufactured under Conditions contrary to those prescribed herein will be rejected, and the Contractor shall not have any claim for compensation or damages in respect thereof. The General Manager shall be the sole judge as to the infringement of any of these conditions and the decision of the General Manager will be binding, final and conclusive as to the fact of the infringement and in all other respects.</i></p>					
<p style="text-align: center;">Chairs—</p>					
*5647. Office	Australia	36	each	0 13 6	} Chas. Johnston & Co.
*5648. Revolving	,,	12	do.	1 7 6	
LAMP GLASSES, LAMPS AND WICK.					
<p><i>The sample exhibited by the Corporation for Item 5652 is a sample as regards quality only.</i></p> <p><i>The sample submitted by the Tenderer for Item 5651 is a sample as regards quality only.</i></p>					
5649. Nil.					
5650. Nil.					
†5651. Lamps, Hurricane, "No. 75 Rayo H.B."	U.S.A.	12 doz.	doz.	1 2 0	Vacuum Oil Co. Pty. Ltd.
5652. Nil.					

Item No. and Description.	Country of Manufacture.	Estimated Requirements for 2 Years.	Rate per —	Rate.	Name of Contractor.	
CANVAS, CANVAS HOSE AND WATER BOTTLES.						
<i>The Canvas shall be free from dressing and every foreign substance, and each bolt of Canvas shall be branded clearly so as to show the Contract weight in ounces per square yard, and shall be of the full weight specified when delivered. Each delivery of the Canvas may, at the option of the Corporation, be subjected to the following tensile tests, viz. :—</i>						
Item Nos. and Description.		Average on each of 12 strips 12 x 1.				
		On Warp.	On Weft.			
5653	.. 20 oz. Canvas	200 lbs.	390 lbs.			
<i>The Canvas shall be supplied in bolts, each consisting of one piece approximately 50 yards in length, and branded with the exact length.</i>						
†5653.	Canvas, 36" wide, 20 oz., per square yard	Gt. Brit.	200 yds.	lin. yd.	0 1. 6½	John Edmondson & Co.
†5654.	Hose Canvas, 1½" "Tocsin"	"	2,000 feet	foot	0 0 5	John Danks & Son Pty. Ltd.
5655. Nil.						
CORDAGE AND COIR MATS.						
<i>The samples exhibited by the Corporation for Items 5660 is a sample as regards quality only.</i>						
5656. Nil.						
5657. Nil.						
5658. Nil.						
5659. Nil.						
*5660.	Mats, Coir, Door, any sizes as ordered, with "S.C.M." woven in coloured fibre ..	Australia	200 sq. ft.	sq. ft.	0 2 0	The Royal Victorian Institute for the Blind
ROPE.						
5661. Nil.						
5662. Nil.						
5663. Nil.						
SHIP CHANDLERY.						
<i>The sample exhibited by the Corporation for Item 5674 is a sample as regards shape and quality only.</i>						
5664.	Chalk, White, Lump	Gt. Brit.	20 cwt.	cwt.	0 5 3	W. & G. Dean
Grease—						
†5665.	Antifriktion, "Vacme," Dark	Australia	20 "	do.	0 12 0	Vacuum Oil Co. Pty. Ltd.
†5666.	Skip, Light	"	"	do.	0 10 6	
†5666A.	Skip, Medium	"	2,000 "	do.	0 10 6	
†5666B.	Skip, Heavy	"	"	do.	0 10 6	
†5666c.	Oil, Lubricating, Black, No. 5690 ..	U.S.A.	"	gallon	0 1 4	
5667. Nil.						
5668. Nil.						
5669. Nil.						
5670.	Pitch	Gt. Brit.	224 lb.	lb.	0 0 1½	Paul & Gray Ltd.
5671. Nil.						
5672. Nil.						
5673. Nil.						
*5674.	Thimbles, iron galvanized, 2" to 4" long, as ordered	"	5 doz.	dozen	0 3 6	Paul & Gray Ltd.
5675.	Whiting	"	5 cwt.	cwt.	0 4 2	W. & G. Dean

Item No. and Description.	Country of Manufacture.	Estimated Requirements for 2 Years.	Rate per —	Rate.	Name of Contractor.	
				£ s. d.		
CANDLES AND SOAP.						
†5676. Candles, Special, Miner's, 15/16, loose, "Dragon"	Australia	2,000 lbs.	lb.	0 0 5 $\frac{3}{8}$	McMicking & Co.	
Soap—						
5677. Nil.						
5678. Nil.						
5679. Nil.						
BELTING AND LEATHER.						
<i>The samples exhibited by the Tenderer are samples as regards quality only.</i>						
Belting—						
Leather, Double Thong, Sewn—						
†5680. Up to 4" wide, as ordered	Australia	500 sq. ft.	sq. ft.	0 5 0	Hopkins Bros. & Odium Pty. Ltd.	
†5681. 4 $\frac{1}{2}$ " to 6" wide, as ordered	"	300 "	do.	0 5 2		
†5682. Balata "Lincona"	Gt. Brit.	£300		40%	B. K. Morton Pty. Ltd.	
					<small>Percentage of Price list furnished by tenderer with his tender.</small>	
†5683. Condensed Hide, any size ordered	"	224 lbs.	lb.	0 7 0	Hopkins Bros. & Odium Pty. Ltd.	
†5684. Twisted Raw Hide, any size ordered	Australia	336 "	do.	0 7 0		
Camel Hair—"F. Reddaway & Co."—						
5685. 2" "G" quality	Gt. Brit.	200 feet	foot	0 0 5	Cameron & Sutherland	
5686. 3" "	"	200 "	do.	0 0 9		
5687. 4" "	"	500 "	do.	0 1 3		
†5688. 5" "	"	300 "	do.	0 1 7 $\frac{1}{2}$		
5689. 6" "	"	300 "	do.	0 2 0		
5690. 7" "	"	300 "	do.	0 2 6		
5691. 8" "	"	500 "	do.	0 3 0		
Leather—						
†5692. Pump Butt, Bristol Tanned	"	200 lbs.	lb.	0 2 10	Hopkins Bros. & Odium Pty. Ltd.	
†5693. Chrome, in Butts	Australia	336 "	do.	0 3 3		
INDIA-RUBBER AND INDIA-RUBBER GOODS.						
<i>The samples exhibited by the Corporation for Items 5694 and 5700 are samples as regards shape and quality only.</i>						
<i>The samples submitted by the Tenderer for Items 5695 and 5696 are samples as regards quality only.</i>						
*5694. Gloves, I.R., sizes 7, 8, 9, or 10, as ordered	Australia	50 pairs	pair	0 5 3	Barnet Glass Rubber Co. Ltd.	
India-rubber, Sheet—						
†5695. Vulcanized, with canvas insertion, any sizes and thickness ordered	"	200 lbs.	lb.	0 0 7 $\frac{1}{2}$	Dunlop Rubber Co. Co. of Aust. Ltd.	
†5696. Red, any sizes and thickness ordered	"	100 "	do.	0 2 11		
5697. Nil.						
5698. Nil.						
*5699. Tips, Finger, I. R.	"	12 doz.	dozen	0 0 8	Barnet Glass Rubber Co. Ltd.	
*5700. Washers for Gauge Glasses, flat or round, as ordered, any sizes ordered	"	24 gross	gross	0 5 0		
I. R. HOSE.						
Hose, India-rubber, vulcanized—						
†5701. 3-ply, $\frac{3}{8}$ " diameter, ordinary quality	Australia	1,000 feet	ft.	0 0 5 $\frac{1}{2}$	The Dunlop Rubber Co. of Aust. Ltd.	
†5702. 3-ply, 1 $\frac{1}{2}$ " diameter, ordinary quality	"	240 "	do.	0 1 1		
†5703. 4-ply, 2" diameter, ordinary quality	"	120 "	do.	0 1 10		
Hose, 4-ply, Suction, Armoured, inside—						
†5704. 1 $\frac{1}{2}$ " diameter	"	500 "	do.	0 1 7		
†5705. 2" diameter	"	500 "	do.	0 2 3		
†5706. 3" diameter	"	120 "	do.	0 3 7		
†5707. 3 $\frac{1}{2}$ " diameter	"	60 "	do.	0 4 1		

Item No. and Description.	Country of Manufacture.	Estimated Requirements for 2 Years.	Rate per—	Rate.	Name of Contractor.
				£ s. d.	
PACKING, ETC.					
<i>The samples exhibited by the Corporation for Items 5711, 5712, 5713, and 5723, are samples as regards quality only.</i>					
<i>The samples submitted by the Tenderer for Items 5708, 5709, 5710, 5714, to 5717 and 5719, are samples as regards quality only.</i>					
†5708. Asbestos, for boiler covering, dry Packing—	Gt. Brit.	40 cwt.	cwt.	0 12 0	Barnet Glass Rubber Co. Ltd.
†5709. Square, any sizes ordered	Australia	4 "	do.	6 2 6	
†5710. Round, any sizes ordered	"	4 "	do.	5 10 0	
*5711. Asbestos, any sizes ordered	Gt. Brit.	100 lbs.	lb.	0 0 11½	The India Rubber, Gutta Percha, & Telegraph Works Co. Ltd.
*5712. Asbestos, Cord	"	100 "	do.	0 0 10¼	Bell's Asbestos Aust. Agency Ltd.
*5713. Asbestos, Millboard, any thickness ordered	"	500 "	do.	0 0 2	Dunlop Rubber Co. of Aust. Ltd.
†5714. Asbestos, Insertion, any sizes and thickness ordered	Australia	200 "	do.	0 1 3	
†5715. Asbestos, Insertion, Wire Gauze, "Saturn" any sizes and thickness ordered ..	Gt. Brit.	100 "	do.	0 2 0	Bell's Asbestos Aust. Agency Ltd.
†5716. Asbestos, Tape, any sizes ordered ..	Australia	112 "	do.	0 1 6	Barnet Glass Rubber Co. Ltd.
†5717. Hydraulic Pump	"	112 "	do.	0 1 11	Dunlop Rubber Co. of Aust. Ltd.
5718. Insertion, "Jenkins' " Patent, B.G. equivalent, any sizes and thickness ordered	"	224 "	do.	0 2 0	Barnet Glass Rubber Co. Ltd.
†5719. Usdurian, Sheet, any sizes and thickness ordered	U.S.A.	112 "	do.	0 4 0	Wm. Adams & Co. Ltd.
5720. "Garluks" for H.P. Steam, round or square as ordered, any sizes ordered ..	"	224 "	do.	0 4 3	The India Rubber, Gutta Percha, & Telegraph Works Co. Ltd.
5721. Nil.					
5722. "Tauril," ¾" or ⅝" or ⅜" thick, as ordered, any sizes ordered	Gt. Brit.	224 "	do.	0 4 1¼	A. Adams & Co.
*5723. Greasy, round or square as ordered, any sizes ordered	"	560 "	do.	0 0 8½	Barnet Glass Rubber Co. Ltd.
5724. Nil.					
5725. Graphite, Pure Flake, in 5 lb. tins ..	"	50 "	do.	0 0 11½	Wm. Adams & Co. Ltd.
OILS (VARIOUS.)					
Oil—					
5726. Nil.					
5727. Kerosene, Burning, 150° test, in cases	Australia	200 gal.	imp. gal.	0 0 10¼	The British Aust. Oil Co. Ltd.
5727A. Kerosene, Power, 150° test, in cases, "Silverlight"	Sumatra	3,000 "	do.	0 0 10¼	The British Imperial Oil Co. Ltd.
5727B. Kerosene, Cleaning, 150° test, in cases	Australia	500 "	do.	0 0 9	The British Aust. Oil Co. Ltd.
5728. Lard, Neptune Lardine, Winter strained ..	"	100 "	do.	0 4 8	Neptune Oil Co. Ltd.
†5729. Neatsfoot, in cases, compound "A" ..	"	120 "	gallon of 9 lbs. avoird.	0 1 7	Vacuum Oil Co. Pty. Ltd.

Item No. and Description.	Country of Manufacture.	Estimated Requirements for 2 Years.	Rate per	Rate.	Name of Contractor.
				£ s. d.	
OILS (VARIOUS)—continued.					
<i>Oil—continued.</i>					
5730. Nil.					
†5731. Cylinder, 600W "Gargoyle"	Australia	2,500 gal.	imperial gallon	0 3 6	Vacuum Oil Co. Pty. Ltd.
†5731A. Cylinder, "Triumph," XL.	"	"	do.	0 3 3	Ramsay & Treganowan
†5732. Engine, light, Kalif No. 1	U.S.A.	400 "	do.	0 1 7	Vacuum Oil Co. Pty. Ltd.
†5733. Engine, heavy, red, in barrels	Australia	2,400 "	do.	0 1 8	Neptune Oil Co. Ltd.
†5734. Machinery, Coal Cutter, in casks, No. 97 CC	U.S.A.	3,000 "	do.	0 1 6	Vacuum Oil Co. Pty. Ltd.
†5735. Pit, for Miners' Lamps, in casks	Australia	2,000 "	do.	0 2 6	The British Aust. Oil Co. Ltd.
†5736. Rope, wire, P.T.	U.S.A.	"	do.	0 2 0	Vacuum Oil Co. Pty. Ltd.
†5736A. Rope, M.T.	"	1,000 "	do.	0 1 7	Vacuum Oil Co. Pty. Ltd.
†5737. Compound lubricating, in barrels, Climax No. 3	"	2,000 lbs.	lb.	0 0 3	F. A. McCarty & Co. Pty. Ltd.
†5738. Transformer, Gargoyle "A"	"	500 gals.	imp. gal.	0 1 11	Vacuum Oil Co. Pty. Ltd.
†5739. For Coal Cutter Cutting Chains "Vacuum"	Australia	2,000 "	do.	0 0 11½	
†5740. Turbine, circulating, Gargoyle D.T.E.	U.S.A.	"	do.	0 2 1	Ramsay & Treganowan
†5740A. Turbine, circulating, "XL."	"	2,000 "	do.	0 2 1	
†5741. High Speed Engine, circulating, Gargoyle D.T.E. heavy	"	2,000 "	do.	0 2 3	Vacuum Oil Co. Pty. Ltd.
†5741A. High Speed Engine, circulating "L. & W."	"	"	do.	0 1 8	Mining Supplies Co.
†5742. Cylinder for Oil Engine, Gargoyle "B"	Australia	2,000 "	do.	0 3 3	Vacuum Oil Co. Pty. Ltd.
†5742A. Cylinder for Oil Engines, pale	U.S.A.	"	do.	0 2 0	
COLOURS, GLASS, OILS, ETC.					
<i>The samples submitted by the Tenderer are samples as regards quality only.</i>					
5743. Nil.					
<i>Black—</i>					
†5744. Lamp, dry	Gt. Brit.	460 lbs.	do.	0 0 2	E. L. Yencken & Co. Pty. Ltd.
5745. Nil.					
†5746. Drop, in oil	Australia	28 "	do.	0 0 10	Chas. Atkins & Sons Pty. Ltd.
5747. Nil.					
5748. Nil.					
†5749. Brown Purple, dry	Australia	112 "	do.	0 0 1	Maltese Cross Dry Color & Paint Co.
†5750. Brown Vandyke	Gt. Brit.	56 "	do.	0 0 5	The Vict. Varnish Co. Pty. Ltd.
5751. Benzine, "Pratt's" Red Label, Spirit	U.S.A.	2,000 gals.	gal.	0 1 8	W. & G. Dean
5752. Petrol, "Yellow Label, Spirit.. .. .	"	2,000 "	do.	0 1 8½	
†5753. Crimson, Lake, dry	Gt. Brit.	14 lbs.	lb.	0 1 9	Chas. Atkins & Sons Pty. Ltd.
†5754. Chrome, Yellow	Australia	28 "	do.	0 0 6½	Maltese Cross Dry Color & Paint Coy.
†5755. Calcimo	Gt. Brit.	224 "	do.	0 0 2½	E. L. Yencken & Co. Pty. Ltd.
5756. Nil.					
†5757. Green, Brunswick, dry, any shade ordered, in 14-lb. packages	Australia	56 "	do.	0 0 1½	The Vict. Varnish Co. Pty. Ltd.

Item No. and Description.	Country of Manufacture.	Estimated Requirements for 2 Years.	Rate per —	Rate.	Name of Contractor.
				£ s. d.	
COLOURS, GLASS, OILS.— <i>continued.</i>					
Lead—					
5758. Nil.					
5759. Nil.					
†5760. Sienna, Burnt, dry	Australia	112 lbs.	lb.	0 0 2	Maltese Cross Dry Color & Paint Co.
Oil, Linseed—					
5761. Raw, in drums, B. S. & Co.	Gt. Brit.	300 gals.	gal.	0 3 6½	} W. & G. Dean
5762. Boiled, in drums	"	300 "	do.	0 3 8½	
5763. Size, Gold, S. Smith & Co.	Australia	5 "	do.	0 7 6	
5764. Shellac, Orange	India	56 lbs.	lb.	0 0 11	
5765. Plasticine, any colours ordered "Harbudd's"	Gt. Brit.	224 "	do.	0 0 10	
Glass—					
Sheet, 21 oz., united inches—					
5766. Over 40 to 50	"	1,000 sq. ft.	sq. ft.	0 0 3½	} W. & G. Dean
5767. " 50 to 70	"	2,000 "	do.	0 0 3½	
Plate, polished, level, clear and free from blemish—					
5768. ½"	"	100 "	do.	0 1 8	} W. & G. Dean
5769. ⅜"	"	100 "	do.	0 1 4	
5770. ¼"	Belgium	100 "	do.	0 1 4	E. L. Yencken & Co. Pty. Ltd.
5771. Nil.					
†5772. Glue, Russian	Gt. Brit.	112 lbs.	lb.	0 0 7½	} E. L. Yencken & Co. Pty. Ltd.
5773. Pumice, Dust, superfine	"	56 "	do.	0 0 2	
5774. Putty, in 14-lb. tins	Australia	3 cwt.	cwt.	0 17 3	W. & G. Dean
Paint—					
†5775. Red Oxide in Oil	Gt. Brit.	20 "	do.	1 2 0	E. L. Yencken & Co. Pty. Ltd.
5776. Nil.					
†5777. Enamel, Black, Red, or White, as ordered	Australia	50 gals.	gal.	0 15 0	Chas. Atkins & Sons Pty. Ltd.
5778. Nil.					
5779. Litharge	Gt. Brit.	56 lbs.	lb.	0 0 4	Chas. Atkins & Sons Pty. Ltd.
†5780. Resin, common	U.S.A.	224 "	do.	0 0 2	Vict. Varnish Co. Pty. Ltd.
5781. Nil.					
Vermilion—					
†5782. Dry	Gt. Brit.	20 lbs.	lb.	0 2 0	Chas. Atkins & Sons Pty. Ltd.
5783. In tubes, W. & N.	"	72 tubes	tube	0 0 3½	E. L. Yencken & Co. Pty. Ltd.
VARNISH.					
<i>The Varnishes shall be as clear as, and not darker than, and equal in every respect to (including body, covering properties, gloss, finish, and durability), the samples furnished by the Tenderer and accepted by the Corporation.</i>					
Varnish, in ½-gallon or 1-gallon tins, as ordered—					
†5784. Carriage, Best	Australia	10 gals.	gallon	0 10 6	} The Victoria Varnish Co. Pty. Ltd.
†5785. Copal, fine pale	"	6 "	do.	0 8 9	
†5786. Oak	"	6 "	do.	0 7 0	
†5787. Terebene	"	50 "	do.	0 6 0	

Item No. and Description.	Country of Manufacture	Estimated Requirements for 2 Years.	Rate per—	Rate.	Name of Contractor.	
				£ s. d.		
TIMBER, MOULDINGS, ETC.						
<i>The Timber must be supplied in such sections and shapes as may be ordered, and must be of the first quality, thoroughly seasoned, free from knots, heart, shake, sap, and all other imperfections, thoroughly sound and close grained and free, as may be required, and must be 12 feet long and over in Items 5788, 5789, 5790, 5791, 5792. No allowance will be made for waste in sawing the Timber to taper or other peculiar sections or shapes.</i>						
Deal, Red Baltic—						
5788. T. and G., 6" x 3/4"	Norway and Sweden	200,000 ft. run.	100 ft. r.	0 9 7 1/2	Jas. Moore & Sons Pty. Ltd.	
5789. T. and G., 6" x 1 1/8"	"	50,000 "	do.	0 12 3		
5790. T. and G. 6" x 1 1/2", beaded	"	50,000 "	do.	0 6 3		
5791. Weatherboards, 7" x 3/4"	"	40,000 "	do.	0 6 9		
5792. Jarrah Weatherboards, 7" x 1" x 1/4"	Australia	5,000 "	do.	0 11 3	John Sharp & Sons Ltd.	
Oregon, up to 36' in length—						
5793. 1/2" to 5 1/2"	U.S.A.	30,000 sup. ft.	100 ft. sup. 1 in. thick.	0 13 10	Jas. Moore & Sons Pty. Ltd.	
5794. 6" thick and over	"	100,000 "	do.	0 13 8 1/2		
5795. Oregon, over 36' in length, 6" thick and over	"	50,000 "	do.	0 15 10	John Sharp & Sons Ltd.	
5796. Shelving, American, 7/8", "Crown"	"	1,500 "	100 ft. sup. on face.	1 14 10 1/2	Jas. Moore & Sons Pty. Ltd.	
Californian Pine—						
5797. 3/8"	"	1,000 "	do.	0 11 11		
5798. 1/2"	"	1,000 "	do.	0 14 10		
5799. 1" and upwards	"	2,000 sup. ft.	100 ft. sup. of 1" thick	1 1 11		
Clear Pine—						
5800. 3/8"	"	1,000 "	do.	1 10 0		
5801. 1/2"	"	1,000 "	do.	1 15 6		
5802. 1" and upwards	"	1,000 "	do.	2 16 2		
Cedar, Red—						
5803. 3/8"	Australia	300 "	do.	1 18 5	Jas. Moore & Sons Pty. Ltd.	
5804. 1/2"	"	300 "	do.	2 6 10 1/2		
5805. 3/4"	"	300 "	do.	2 17 8		
5806. 1"	"	300 "	do.	3 3 10		
Maple—						
5807. 3/8"	"	200 "	do.	0 17 6		
5808. 1/2"	"	200 "	do.	1 1 6		
5809. 3/4"	"	200 "	do.	1 6 4		
5810. 1"	"	200 "	do.	1 8 11		
Hoop Pine—						
5811. 1/2" thick and up to 12" wide	"	1,000 "	100 ft. sup. on face.	0 19 0	John Sharp & Sons Ltd.	
5812. 1" and over in thickness and up to 12" wide	"	1,500 "	100 ft. sup. of 1" thick	1 8 0		
Kauri Pine—						
5813. 1" thick and upwards up to 12" wide	New Zealand	1,500 "	do.	1 15 11	Jas. Moore & Sons Pty. Ltd.	
5814. over 12", and up to 18" wide	"	1,500 "	do.	1 17 11		
5815. Hickory, any sizes ordered, up to 12" wide Legs, Table, Turned, seasoned Kauri—	Australia	1,000 "	Foot sup. of 1" thick	0 0 8 7/8		
* 5816. 3" x 3"	"	24	each	0 0 6	John Sharp & Sons Ltd.	
5817. 4" x 4"	"		do.	0 0 10		
5818. Doors, Framed, double moulded, 6' 8" x 2' 8" x 1 1/4"	"	36	do.	0 16 9	Jas. Moore & Sons Pty. Ltd.	
Mouldings—						
5819. Architrave, 1 1/4" thick, 4" to 6" wide, as ordered	"	1,000 ft. run.	100 ft. run.	0 13 6		

Item No. and Description.	Country of Manufacture.	Estimated Requirements for 2 Years.	Rate per—	Rates.	Name of Contractor.	
				£ s. d.		
TIMBER, MOULDINGS, ETC.—continued.						
<i>Mouldings—continued.</i>						
5820. Scotia, 1½" to 1½" wide, as ordered ..	Australia	2,000 ft. run.	100 ft. run.	0 5 2	Jas. Moore & Sons Pty. Ltd.	
5821. Insertion, 1½" wide	"	500 "	do.	0 3 9		
5822. Skirting, 9" x ¾", single face	"	500 "	do.	0 19 11		
5823. Frames, Window, 2 light, with glass, pulleys, cords, and weights complete, 5' 10" x 2' 10" x 1½"	"	24	each	1 7 0	John Sharp & Sons Ltd.	
5824. Sashes, Window, with glass, 1 light, 2' 11" x 2' 10" x 1½"	"	36 pairs	pair	0 10 3		
LIME AND PLASTER OF PARIS.						
<i>The Lime must be fresh and properly burnt, and of approved quality, and delivered in ordinary trade bags of 2½ bushels of 1.28 cubic feet per bushel.</i>						
5825. Lime, Lilydale, delivered in trucks Lilydale Railway Station	Australia	500 bags	bag	0 3 4	The Melb. Builders Lime and Cement Co.	
5826. Nil.						
INKS.						
<i>The sample submitted by the Tenderer for Item 5832 is a sample as regards quality only.</i>						
<i>Ink—</i>						
†5827. Blue Black, in bottles, Imperial quarts	Australia	100 quarts	quart	0 0 10	Wm. Detmold Ltd.	
5828. Nil.						
5829. Nil.						
†5830. Green, 12 oz. bottles	"	12 bottles	bottle	0 0 8	Wm. Detmold Ltd.	
†5831. Red, 6 oz. bottles	"	48 "	do.	0 0 6		
†5832. India-rubber Stamp, any colours ordered, 1 oz. bottles with brush tops	U.S.A.	72 "	do.	0 0 4½	Excelsior Supply Co. Ltd.	
†5833. Metal Stamp, Blue, 1 oz bottle with brush tops	"	10 "	do.	0 1 0		
5834. Swan Fountain Pen	Gt. Brit.	72 "	do.	0 0 7	Wm. Detmold Ltd.	
PEN, PENCILS, ETC.						
<i>The samples exhibited by the Corporation for Items 5843, 5853, 5854 are samples as regards shape and quality only.</i>						
<i>Bands, Elastic, extra strong, ½ gross boxes—</i>						
*5835. No. 5	Gt. Brit.	24 boxes	box	0 4 2	Wm. Detmold Ltd.	
5836. No. 6	"	24 "	do.	0 5 4		
5837. Extra Large	U.S.A.	6 doz.	doz.	0 6 0		
5838. Bodkins or Piercers, as ordered	Gt. Brit.	6	each	0 0 6½		
5839. Bowls, Glass, 4" at top, with Sponge	U.S.A.	12	do.	0 1 0		
5840. Sponges for 4" Bowls	Greece	48	do.	0 0 7		
*5841. Cases, Date, 4½"	Gt. Brit.	12	do.	0 2 0		
†5842. Adhesive Paste, "Griptite"	Australia	12 doz. bot.	doz. bot.	0 8 6		
<i>Clips—</i>						
*5843. Bulldog, any sizes ordered	Gt. Brit.	500	each	0 0 3		
5844. Gem, Paper, No. 1	"	24 doz. bxs.	doz. bxs.	0 4 0		
5845. Paper, "Meyer & Sons," 2½"	"	24 doz.	doz.	0 6 0		
5846. "Vise," Paper, No. 2	"	200 boxes	box	0 1 0		
5847. Colours, Liquid, "Higgins," any colours ordered	"	72 botts.	bottle	0 0 9½		
*5848. Dampers, Envelope	"	6	each	0 2 9		
<i>Erasers—</i>						
5849. Nil.						
5850. Nil.						
5851. Nil.						

Item No. and Description.	Country of Manufacture.	Estimated Requirements for 2 Years.	Rate per—	Rate.	Name of Contractor.
				£ s. d.	
PEN, PENCILS, ETC.— <i>continued.</i>					
*5852. Eyelets, in boxes of 1,000	France	300 boxes	box	0 1 8	Wm. Detmold Ltd.
Fasteners—					
{ 5853. Paper, ordinary, up to 1" in length, any sizes ordered	Gt. Brit.	300 "	do.	0 0 8	
* 5854. Paper, ordinary, over 1" in length, any sizes ordered	"	144 "	do.	0 3 6	
Files—					
*5855. Foolscap, Clip	Australia	50	each	0 2 6	
*5856. Foolscap, Apron	"	48	do.	0 1 2	
*5857. Spike, Steel, 9", 3 lbs.	"	24	do.	0 2 0	
Holdings—					
*5858. Pen, Cedar, Small	U.S.A.	6 gross	gross	0 3 4	
*5859. Pen, Cedar, Large	"	6 "	do.	0 3 11	
*5860. Files, Gazette Pattern, foolscap	Australia	48	each	0 3 0	
†5861. Inkstands, Glass, round 4"	Gt. Brit.	72	do.	0 1 6	
Knives—					
*5862. Desk	Gt. Brit.	6	do.	0 1 7	
*5863. Ivory Paper	"	12	do.	0 3 11	
Labels—					
*5864. Linen, Address	Australia	2,000	100	0 1 9	
*5865. Paper, Gummed	"	5,000	100	0 1 0	
5866. Machines, Stapling, "Hotchkiss"	U.S.A.	12	each	0 6 6	
*5867. Opencrs, Letter	Gt. Brit.	12	do.	0 1 0	
*5868. Pads, Blotting, Frame, Russian Leather Corners	Australia	6	do.	0 6 6	
Pencils—					
†5869. Office	U.S.A.	200 doz.	doz.	0 0 5	
†5870. Coloured	Gt. Brit.	24 "	do.	0 1 5	
†5871. Red and Blue Combined	"	24 "	do.	0 1 5	
†5872. Drawing, any letter or No. ordered	U.S.A.	100 "	do.	0 3 3	
†5873. Indelible, any colours ordered, "Copygraph"	Gt. Brit.	100 "	do.	0 1 7	
5873A. Nil.					
Pens—					
5874. Barrel, J. Mitchell's "M" or "N," "O.257" and "O.261" Brandauer and Co.'s Pacific	Gt. Brit.	50 boxes	box	0 0 6	
5875. W. Mitchell's "S"	"		"	0 0 8	
5876. J. Gillot's "227"	"		"	0 2 3	
5877. J. Gillot's "813"	"		"	0 2 3	
5878. J. Gillot's "292"	"		"	0 1 9	
5879. J. Gillot's "294"	"		"	0 1 9	
5880. Mapping, "Brandauer's," on card of 12	"		6 cards	card	0 0 6
5881. Mitchell's, red ink	"		20 boxes	box	0 1 0
5882. "Review," Brandauer's	"		50 "	do.	0 2 7
5883. Nibs, in boxes of 1 gross, Melbourne School	"			do.	0 1 2
5884. Dawson's "No. 9"; Brandauer & Co.'s "Oriental," "Herald," or "Echo"	"		do.	0 1 5	
5885. Brandauer & Co.'s "Artic," "Scrib- bler," "Magazine," "Lancet," "Globe," "International," "Gazette," W. Mitchell's "O 505," and "J"	"		do.	0 1 11	
5886. Gillot's "404" and "293"	"		do.	0 1 9	
5887. Heath's "Black J," "Ordinary," or "Elongated"	"	600 "	do.	0 2 1	
5888. McNiven & Cameron's "Pickwick," "Waverley," and "Flying J"	"		do.	0 2 8	
5889. Brandauer's "Mail" and "Times"	"		do.	0 2 7	
5890. Leonardt's "516F" and "526F," "Grey"	"		do.	0 2 9	
5891. Easterbrook's "Probate" and "Black- stone"; Johnson Bros. "401," "Script Writer"	U.S.A.			do.	0 3 0
5892. J. Gillot's "1," "5," "179C," "303," and "170"	Gt. Brit.			do.	0 4 3

Item No. and Description.	Country of Manufacture	Estimated Requirements for 2 Years.	Rate per—	Rate.	Name of Contractor.	
				£ s. d.		
PEN, PENCILS, ETC.— <i>continued.</i>						
Nibs, Gilt—						
5893. Walker & Co.'s "Anchor, Nos. 1, 2, 3, and 4"; Easterbrook's "Relief"; Frohlick's "Reservoir"	Gt. Brit. and U.S.A.		box	0 3 0	Wm. Detmold Ltd.	
5894. Heath's Ordinary and Elongated "J"	Gt. Brit.	50 boxes	do.	0 3 7		
5895. Leonardt's "516EF," "516F," and "526F"	"		do.	0 3 10		
5896. Witherby & Co.'s "Crown"	"		do.	0 4 3		
Pins—						
5897. Best London, Mixed, in packets	"	20 lbs.	lb.	0 1 11		
5897A. Best London, $\frac{3}{4}$ " long	"	10 "	do.	0 2 9		
5898. Lil's	"	6 "	do.	0 4 4		
5899. Nil.						
*5900. Drawing, small	Gt. Brit.	12 gross	gross	0 3 0		
5901. Scissors, 7" long	"	12	each	0 2 9		
5902. Sanitary, Rolls	Australia	200	do.	0 0 4		
*5903. Spring Back Sheet Holders, foolscap	Gt. Brit.	48	do.	0 2 8		
*5904. Seals, Red Enclosure	"	12 boxes of 250	box	0 1 0		
Tags—						
*5905. Index, Leather, Plain, in boxes of 25	U.S.A.	24 boxes	box	0 12 6		
*5906. Index, Leather, Alphabetical, in boxes of 25	"	24 "	do.	0 12 6		
*5907. Racks, Pen	Gt. Brit.	12 "	each	0 1 2		
*5908. Ribbon, Green Silk, $\frac{3}{8}$ ", 36 yds. per piece	"	50 pieces	piece	0 3 9		
Rulers—						
5909. Flat, 15"	U.S.A.	24	each	0 0 10		
5910. Round, Blackwood, 12" x 1"	Gt. Brit.	24	do.	0 0 11		
5911. Round, Blackwood, 18" x 1"	"	24	do.	0 1 6		
5912. Staples, Star or Hotchkiss, as ordered	U.S.A.	60,000	1,000	0 3 3		
Tape—						
*5913. Red Linen, No. 16, 9 yds. per piece	Gt. Brit.	48 doz.	dozen	0 1 6		
*5914. Red Linen, No. 24, 9 yds. per piece	"	48 "	do.	0 2 1		
*5915. Wax, Sealing, Red	"	5 lbs.	lb.	0 3 0		
5916. Nil.						
STAMPS, ETC.						
<i>The samples exhibited by the Corporation for Items 5919, 5920, 5923, to 5925 are samples as regards shape and quality only.</i>						
<i>The Measurement of all Stamps shall be the "Die" measurement, and the maximum length of any letter shall not exceed $\frac{1}{4}$".</i>						
Re-facing Rubber Stamps, all types—						
5917. Oblong, up to 2", as ordered	Australia	36 lines	line	0 0 3	Excelsior Supply Co. Ltd.	
5918. Oblong, over 2"	"	36 $\frac{1}{2}$ ins. of line.	inch of line.	0 0 1		
*5919. Dating	U.S.A.	6	each	0 0 5		
*5920. Dating, Rubber, Nickel, Self-inking	"	24	do.	0 3 0		
Stamps, Rubber, Oblong, wooden handles, with brass backs, all types—						
5921. Up to 2", as ordered	Australia	50 lines	line	0 0 5	Quirk & Morton	
5922. Over 2"	"	100 $\frac{1}{2}$ ins. of line.	inch of line.	0 0 3 $\frac{1}{2}$		
Stamps, Rubber, Self-inking, Nickel—						
5923. Oblong, up to 2", as ordered	U.S.A.	36	each	0 3 0	Excelsior Supply Co. Ltd.	
*5924. Oblong, over 2" to 3", as ordered	"	24	do.	0 4 6		
*5925. Oblong, over 3" to 4", as ordered	"	12	do.	0 6 0		
Pads, Self-inking—						
5926. No. 1	"	24	do.	0 0 6 $\frac{1}{2}$		
5927. No. 2	"	24	do.	0 0 9 $\frac{1}{2}$		

Item No. and Description.	Country of Manufacture	Estimated Requirements for 2 Years.	Rate per—	Rate.	Name of Contractor.
				£ s. d.	
TELEGRAPH AND TELEPHONE SUNDRIES.					
<i>The sample submitted by the Tenderer for Item 5930 is a sample as regards quality only.</i>					
<i>In respect of Items Nos 5930 and 5940 delivery will be made within five months from the date of the service upon the Contractor of each particular order.</i>					
*5928. Bells, Extension, Electric, 3"	Gt. Brit.	24	each	0 4 0	The Lawrence & Hanson Elect. Co. Ltd.
5929. Carbon, granulated	"	2 lbs.	lb.	0 17 0	British General Elect. Co. Ltd.
†5930. Cords, Jack, for "Ericsson" Switchboard, double-ended, coloured, as ordered	Sweden	36	each	0 5 6	J. Bartram & Son Pty. Ltd.
5931. Diaphragms, Carbon, Transmitter	Gt. Brit.	60	do.	0 0 4 ³ / ₄	Warburton Franki (Melb.) Ltd.
*5932. Gongs, Signal, Brass, Electric	"	36	do.	0 17 9	J. Bartram & Son Pty. Ltd.
5933. Handles, Telephone	Sweden	6	do.	0 1 0	
Pieces—					
*5934. Ear, Metal protected	Gt. Brit.	24	do.	0 1 0	Warburton Franki (Melb.) Ltd.
5935. Nil.					
*5936. Pots, Porous, No. 2	Gt. Brit.	500	do.	0 0 4 ³ / ₄	Warburton Franki (Melb.) Ltd.
5937. Shutters, Drop, Bell, Mounted, "Ericsson's"	Sweden	12	do.	0 12 6	J. Bartram & Son Pty. Ltd.
5938. Switches, two-way, L.4640	Gt. Brit.	12	do.	0 0 6	British General Elect. Co. Ltd.
Telephones—					
†5939. Wall, with cells, "Ericsson" No. 318	Sweden	36	do.	3 10 0	J. Bartram & Son Pty. Ltd.
†5940. Ironclad, Mining, "A.B. 2530, 4 magnets	"	24	do.	8 2 9	
†5941. Table, "A.C. 500	"	12	do.	3 18 0	The Lawrence & Hanson Elect. Co. Ltd.
*5942. Zincs, "Leclanche," $\frac{7}{16}$ " diameter x 6" long	Australia	1,000	do.	0 0 1 ³ / ₄	
*5943. Cells, "Leclanche," L.4841	Gt. Brit.	500	do.	0 0 4	British General Elect. Co. Ltd.
ELECTRICAL MATERIAL.					
<i>The samples submitted by the Tenderer for Items 6055, 6056 to 6069, and 6167, are samples as regards shape and quality only.</i>					
<i>The samples exhibited by the Corporation for Items 6037, 6038, 6041 to 6050, and 6134, are samples as regards shape only.</i>					
<i>In respect of Items Nos. 5978 to 5981, inclusive, delivery will be made within three months from the date of the service upon the Contractor of each particular order.</i>					
Adaptors—					
*5944. Bayonet Socket, hardwood, "S 721"	Gt. Brit.	100	each	0 0 4 ¹ / ₂	British General Elect. Co. Ltd.
†5945. Edison Screw Socket, composition, "GE 105"	U.S.A.	500	do.	0 0 8 ¹ / ₂	Australian General Elect. Co.
Blocks—					
*5946. Base, 3" x 1" round	Gt. Brit.	100 doz.	dozen	0 1 0 ³ / ₄	The Lawrence & Hanson Elect. Co. Ltd.
5947. Nil.					

Item No. and Description.	Country of Manufacture	Estimated Requirements for 2 Years.	Rate per—	Rate.	Name of Contractor.
				£ s. d.	
ELECTRICAL MATERIAL—continued.					
<i>Blocks—continued.</i>					
† 5948. Fuse, circular, with ventilated covers, 5 amp.	Gt. Brit.	300	each	0 0 4 $\frac{7}{8}$	The Lawrence & Hanson Elect Co. Ltd.
† 5949. Fuse, circular, with ventilated covers, chamber 8 amp.	"	300	do.	0 0 6 $\frac{1}{2}$	Warburton Franki (Melb.) Ltd.
5950. Nil.					
<i>Boxes, $\frac{5}{8}$"—</i>					
† 5951. Horizontal, 2-way, angle opening	"	36	do.	0 1 2	The Lawrence & Hanson Elect. Co. Ltd.
† 5952. Horizontal, 3-way, bottom opening	"	36	do.	0 1 3	
† 5953. Horizontal, through bottom opening	"	36	do.	0 1 3	
† 5954. Terminal, bottom opening	"	36	do.	0 2 0	
† 5955. Through, bottom entry, drop cord	"	24	do.	0 2 5	
<i>Bushes—</i>					
† 5956. $\frac{5}{8}$ ", round	"	24 doz.	dozen	0 0 4 $\frac{1}{4}$	The India Rubber, Gutta Percha & Telegraph Works Co. Ltd.
† 5957. $\frac{1}{2}$ ", round	"	24 "	do.	0 0 3 $\frac{1}{2}$	
5958. Nil.					
5959. Nil.					
<i>Carriers, Fuse—</i>					
† 5960. 3 amperes, D. and S. pattern	"	300	each	0 0 7 $\frac{3}{4}$	Noyes Bros. (Melb.) Pty. Ltd.
5960A. 3 amperes, D. and S. pattern, complete, with back wiring clips for direct mounting	"		do.	0 0 7	The Lawrence & Hanson Elect. Co. Ltd.
5961. 6 amperes, D. and S. pattern	"	300	do.	0 1 0 $\frac{1}{4}$	Noyes Bros. (Melb.) Pty. Ltd.
† 5961A. 6 amperes, D. and S. pattern, complete, with back wiring clips for direct mounting	"		do.	0 0 11	The Lawrence & Hanson Electric Co. Ltd.
5962. 15 amperes, D. and S. pattern	"	300	do.	0 1 1 $\frac{1}{2}$	Noyes Bros. (Melb.) Pty. Ltd.
† 5962A. 15 amperes, D. and S. pattern, complete, with back wiring clips for direct mounting	"		do.	0 1 1	The Lawrence & Hanson Electric Co. Ltd.
<i>Carriers—</i>					
*5963. Shade, "O"	U.S.A.	500	do.	0 0 5	Australian General Elect. Co.
*5964. Shade, "H"	"	500	do.	0 0 5	
<i>Cable, Insulated, Electric Light, rubber covered, taped and braided, up to 450 volts, 600 meg.—</i>					
† 5965. 1/14	Gt. Brit.	20,000 yds.	110 yds.	0 16 10	W. T. Henley's Telegraph Works Co. Ltd.
5966. 1/16	"	20,000 "	do.	0 13 0	
5967. 1/18	"	20,000 "	do.	0 9 10	
5968. 7/21 $\frac{1}{2}$ =19 amps.	"	5,000 "	do.	0 19 3	
5969. 3/20	"	5,000 "	do.	0 15 7	
† 5970. 7/14	"	20,000 "	do.	3 17 11	
† 5971. 7/16	"	20,000 "	do.	3 2 2	
5972. 7/18	"	20,000 "	do.	1 15 2	Welsbach Light Co. of Aust. Ltd.
5973. 7/20	"	10,000 "	do.	1 3 11	W. T. Henley's Telegraph Works Co. Ltd.
5974. Nil.					
5975. Nil.					
5976. Nil.					
5977. Nil.					

Item No. and Description.	Country of Manufacture.	Estimated Requirements for 2 Years.	Rate per—	Rate.	Name of Contractor.
				£ s. d.	
ELECTRICAL MATERIAL—continued.					
Cable, Insulated, Vulcanized, Bitumen, coir covered, single—					
† 5978. 7/14	Gt. Brit.	20,000 yds.	110 yds.	4 13 0	} W. T. Henley's Telegraph Works Co. Ltd.
† 5979. 7/16	"	20,000 "	do.	3 11 0	
† 5980. 7/18	"	20,000 "	do.	2 12 1	
† 5981. 19/13	"	10,000 "	do.	12 15 0	
5982. Nil.					
5983. Nil.					
5984. Nil.					
5985. Nil.					
5986. Nil.					
5987. Nil.					
5988. Nil.					
5989. Nil.					
5990. Nil.					
5991. Nil.					
5992. Nil.					
5993. Nil.					
5994. Nil.					
5995. Nil.					
5996. Nil.					
5997. Nil.					
5998. Nil.					
Clips, Fuse, Studs and Terminals for back connexion for 600-volt circuits—					
† 5999. 30 ampere, " No. 39435 "	U.S.A.	100	each	0 1 4½	} Australian General Elect. Co.
* 6000. 60 ampere, " No. 39436 "	"	100	do.	0 1 6	
† 6001. 200 ampere, " No. 39438 "	"	100	do.	0 3 11	
* 6002. Cloth, Butter	Gt. Brit.	8,000 yds.	yard	0 0 5	} The Lawrence & Hanson Elect. Co. Ltd.
† 6003. Cloths, Sweat	"	1,000	each	0 0 2½	
6004. Nil.					
† 6005. Compound Bitumen Box, for electrical work	"	560 lbs.	lb.	0 0 2¾	W. T. Henley's Telegraph Works Co. Ltd.
† 6006. Cut-outs, Film, for use in 6·6 ampere series circuits	U.S.A.	200	each	0 0 1	Australian General Elect. Co.
† 6007. Fibre, Red, Insulating, any thicknesses and any sizes, as ordered	Gt. Brit.	1,000 lbs.	lb.	0 0 11	Barnet Glass Rub- ber Co. Ltd.
6008. Nil.					
6009. Nil.					
† 6010. Fibre, Rod, red round, up to 1½" in diameter, as ordered, any sizes ordered	U.S.A.	} 224 "	do.	0 3 11	Warburton Franki (Melb.) Ltd.
6010A. Fibre, Rod, round, 1½" up to 1½" in diameter, as ordered, any sizes ordered	"		do.	0 5 0	A. L. Campbell & Co. Pty. Ltd.
6010B. Nil.					
* 6011. Fingers, Copper, Drop Forged, Controllers T.42	"	400	each	0 1 0	Australian General Elect. Co.
6012. Nil.					
Fuses, Enclosed Cartridge, suitable for pressures up to 600 volts—					
6013. 10 ampere, " No. 34995 "	"	300	do.	0 0 6	} Australian General Elect. Co.
6014. 15 ampere, " No. 34997 "	"	300	do.	0 0 6	
6015. 20 ampere, " No. 34998 "	"	300	do.	0 0 6	
6016. 25 ampere, " No. 34999 "	"	100	do.	0 0 8	
* 6017. 30 ampere, " No. 35100 "	"	100	do.	0 0 8	
6018. 40 ampere, " No. 35103 "	"	100	do.	0 0 9	
6019. 60 ampere, " No. 35107 "	"	100	do.	0 0 9	
6020. 100 ampere, " No. 35113 "	"	100	do.	0 1 5½	
6021. 150 ampere, " No. 35119 "	"	100	do.	0 2 9	
6022. 200 ampere, " No. 35124 "	"	100	do.	0 2 9	

Item No. and Description.	Country of Manufacture.	Estimated Requirements for 2 Years.	Rate per—	Rate.	Name of Contractor.
				£ s. d.	
ELECTRICAL MATERIAL—continued.					
Fuses, House Service—					
6023. 3 ampere	Gt. Brit.	200	each	0 1 3	W. T. Henley's Telegraph Works Co. Ltd. Noyes Bros. (Melb.) Pty. Ltd. Morris & Bone
6024. 5 ampere	"	200	do.	0 1 3	
6025. 10 ampere	"	200	do.	0 1 7½	
6026. 15 ampere, "Ironclad"	"	200	do.	0 1 9	
*6027. Guards, Wire, for lamps	Australia	500	do.	0 0 7	
*6028. Nil.					
Insulators—					
Porcelain—					
*6029. Cleat, for 1/14, 2-way, "W.7459" ..	Gt. Brit.	200 doz.	dozen	0 0 6½	British General Elect. Co. Ltd.
6030. Nil.					
6031. Nil.					
*6032. Cleat, for 1/14, 3-way, "No. 9172" ..	U.S.A.	400 "	do.	0 1 9	Australian General Electric Co. British General Electric Co. Ltd.
*6033. Cleat, for 7/14, 3-way, "W.7456" ..	Gt. Brit.	400 "	do.	0 1 9½	
*6034. Button, 1½" x 1¼"	Japan	1,000 "	do.	0 0 7½	Noyes Bros. (Melb.) Pty. Ltd.
6035. Nil.					
6036. Nil.					
6037. Nil.					
6038. Nil.					
6039. Nil.					
6040. Nil.					
6041. Nil.					
6042. Nil.					
Porcelain, Clamp, with Cast-iron seat, steel strap, and split porcelain bushing—					
6043. ¾" hole, "No. 9222 and No. 9498" ..	U.S.A.	200	each	0 0 11	Australian General Elect. Co.
6044. ¾" hole, "No. 9216 and No. 9499" ..	"	200	do.	0 0 8	
6045. ¾" hole, "No. 9221 and No. 9498" ..	"	200	do.	0 0 10	
*6046. ¾" hole, "No. 9222 and No. 9498" ..	"	200	do.	0 0 11	
6047. 1" hole, "No. 9229 and No. 9361" ..	"	200	do.	0 1 3½	
6048. 1¼" hole, "No. 9236 and No. 9360" ..	"	200	do.	0 1 11½	
6049. 1½" hole, "No. 9238 and No. 9360" ..	"	100	do.	0 1 11½	
6050. 2" hole, "No. 9244 and No. 22753" ..	"	100	do.	0 4 5	
†6051. Toggle, for feeders, up to 1½", with wood pin	Gt. Brit.	600	do.	0 4 8	British Insulated & Helsby Cables Ltd.
Lamps—					
Incandescent, Bayonet Cap—					
6052. Carbon Filament, 8/230 to 250, as ordered, "Robertson"	"	500	do.	0 0 6½	British General Elect. Co. Ltd.
6053. Carbon Filament, 16/230 to 250, as ordered, "Robertson"	"	500	do.	0 0 6½	
6054. Nil.					
6055. Nil.					
6056. Nil.					
†6057. 100W/230V to 240, as ordered, "Mazda"	Gt. Brit.	72	do.	0 3 0.	Australian General Elect. Co.
Edison Screw, Drawn Wire Filament, tip or bowl frosted—					
6058. 10 watts, 230 to 240 volts, "Osram" ..	"	500	do.	0 1 6½	British General Elect. Co.
6059. 25 watts, 230 to 240 volts, " " ..	"	1,000	do.	0 1 6½	
6060. 40 watts, 230 to 240 volts, " " ..	"	1,000	do.	0 1 6½	
†6061. 60 watts, 230 to 240 volts, " " ..	"	500	do.	0 1 6½	
6062. 100 watts, 230 to 240 volts, "Mazda" ..	"	200	do.	0 3 0	
6063. 150 watts, 230 to 240 volts, " " ..	"	200	do.	0 4 5½	
Edison Screw, Drawn Wire Filament, Clear—					
6064. 150 watts, 230 to 240 volts, "Mazda" ..	"	200	do.	0 4 3	Australian General Elect. Co.
†6065. 250 watts, 230 to 240 volts, " " ..	"	100	do.	0 6 6	

Item No. and Description.	Country of Manufacture.	Estimated Requirements for 2 Years.	Rate per—	Rate.	Name of Contractor.
				£ s. d.	
ELECTRICAL MATERIAL—continued.					
Edison Screw, Drawn Wire Filament, for 6.6 ampere series circuit—					
† 6065.	U.S.A.	100	each	0 8 3	Australian General Elect. Co.
† 6067.	"	100	do.	0 4 9	
6068.	"	200	do.	0 3 6	
Edison Screw, Carbon Filament—					
† 6069.	Gt. Brit.	500	do.	0 0 6½	British General Elect. Co. Ltd.
† 6070.	"	500	do.	0 0 6½	
† 6071.	"	500	do.	0 0 8¼	Australian General Elect. Coy.
† 6072.	"	200	do.	0 2 3	British General Elect. Co. Ltd.
† 6073.	"	100	do.	0 2 3	
6074.	Nil.				
Meters—					
Watt-hour, House Service, Alternating Current, suitable for use on 50 cycle, 240 volt single phase circuits—					
6075.	Nil.				
6076.	Nil.				
6077.	"	20	do.	1 3 0	British Insulated & Helsby Cable Ltd.
6078.	"	100	do.	1 3 0	
Polyphase, Watt-hour, for three phase, 50 cycle, 415 volt supply, without boards for balance loads—					
6079.	Nil.				
6080.	Nil.				
6081.	Nil.				
Pipe Conduit—					
6082.	"	5,000 ft.	100 ft.	0 3 6	Warburton Franki (Melb.) Ltd.
6083.	"	10,000 "	do.	0 3 10	
6084.	"	1,000 "	do.	0 5 4	
6085.	"	1,000 "	do.	0 8 0	Welsbach Light Co. of Aust. Ltd.
Piping, Conduit, Screwed—					
6086.	"	5,000 "	do.	0 8 8	The India Rubber, Gutta Percha, & Telegraph Works Co. Ltd.
6087.	"	5,000 "	do.	0 9 6	Warburton Franki (Melb.) Ltd.
6088.	"	5,000 "	do.	0 18 0	The India Rubber, Gutta Percha, & Telegraph Works Co. Ltd.
Fittings—Conduit Pipe—					
* 6089.	"	48	each	0 0 2½	Welsbach Light Co. of Aust. Ltd.
* 6090.	"	500	do.	0 0 2	Noyes Bros. (Melb.) Pty. Ltd.
* 6091.	"	50	do.	0 0 2¾	The Lawrence & Hanson Elect. Co. Ltd.
* 6092.	"	50	do.	0 0 4½	
* 6093.	"	1,000	do.	0 0 0½	
6094.	"	36	do.	0 0 1½	
* 6095.	"	36	do.	0 0 2½	
6096.	"	36	do.	0 0 3¾	
* 6097.	"	1,000	do.	0 0 2	
Tees—					
6098.	"	36	do.	0 0 2¾	Siemens Bros. Dynamo Works Ltd.
6099.	"	36	do.	0 0 4	
† 6100.	"	500	do.	0 0 2	The Lawrence & Hanson Elect. Co. Ltd.

Item No. and Description.	Country of Manu- facture.	Estimated Requirements for 2 Years.	Rate per —	Rate.	Name of Contractor.
				£ s. d.	
ELECTRICAL MATERIAL—continued.					
Sleeves—					
*6101. ½", round	Gt. Brit.	48	each	0 0 1½	The Lawrence & Hanson Elect. Co. Ltd.
*6102. 1", round	"	48	do.	0 0 2	Siemens Bros. Dy- namo Works Ltd.
Saddles—					
* 6103. ½" or ⅝", round as ordered	"	1,000	do.	0 0 0½	The Lawrence &
* 6104. ¾", round	"	250	do.	0 0 0½	Hanson Elect.
* 6105. 1", round	"	250	do.	0 0 0½	Co. Ltd.
Couplings—					
* 6106. ½", screwed	"	200	do.	0 0 1	The India Rubber, Gutta Percha, & Telegraph Works Co. Ltd.
* 6107. ⅝", screwed	"	200	do.	0 0 1	The Lawrence & Hanson Elect. Co. Ltd.
* 6108. 1", screwed	"	200	do.	0 0 2½	The India Rubber, Gutta Percha, & Telegraph Works Co. Ltd.
Bends—					
* 6109. ½", screwed	"	100	do.	0 0 2	The India Rubber, Gutta Percha, & Telegraph Works Co. Ltd.
* 6110. ⅝", screwed	"	100	do.	0 0 2½	Co. Ltd.
* 6111. 1", screwed	"	100	do.	0 0 6½	Welsbach Light
Tees—					
* 6112. ½", screwed	"	100	do.	0 0 2	Co. of Aust. Ltd. The India Rubber, Gutta Percha, & Telegraph Works Co. Ltd.
* 6113. ⅝", screwed	"	100	do.	0 0 2	The Lawrence & Hanson Elect. Co. Ltd.
* 6114. 1", screwed	"	100	do.	0 0 4½	Grant & Vincent
6115. Nil.					
6116. Nil.					
6117. Nil.					
Bushes—					
* 6118. ½", screwed (external conduit)	"	50	doz.	0 0 8	Warburton Franki
* 6119. ⅝", screwed " "	"	50	do.	0 0 8	(Melb.) Ltd.
* 6120. 1", screwed " "	"	50	do.	0 0 8	
†6121. Paint, Insulating	U.S.A.	300 gals.	American gallon	0 7 11	The Lawrence & Hanson Elect. Co. Ltd.
†6122. Paste, Soldering	Gt. Brit.	224 lbs.	lb.	0 2 8	British Insulated & Helsby Cables Ltd.
Plugs, Wall—					
6123. Nil.					
6124. Nil.					
6125. Nil.					
*6126. Receptacles, Edison Screw Socket, with porcelain base	U.S.A.	200	do.	0 0 8½	Australian General Elect. Co.
*6127. Receptacles, Edison Screw Socket, with porcelain base	"	200	do.	0 1 0	
Roses—					
*6128. Ceiling "S. 740"	Gt. Brit.	500	do.	0 0 2½	British General
*6129. Ceiling, 3-way "S. 761"	"	300	do.	0 0 8½	Elect. Co. Ltd.
*6130. Screws, Mild Steel, for Wipers for Controllers.. .. .	U.S.A.	300	do.	0 0 2	Australian General Elect. Co.
6131. Nil.					
6132. Nil.					
6133. Nil.					
6134. Nil.					
6135. Nil.					

Item No. and Description.	Country of Manufacture	Estimated Requirements for 2 Years.	Rate per—	Rate.	Name of Contractor.
				£ s. d.	
ELECTRICAL MATERIAL— <i>continued.</i>					
*6136. Slabs, Marble, best quality, for Switch Boards, polished on one face and edges, and any sizes and thickness ordered up to 60" x 24" x 1½"	Australia	2,000 s. ft.	sq. ft.	0 3 9	The Lawrence & Hanson Elect. Co. Ltd.
Sockets—					
*6137. Locking, Keyless, with moulded bushing, for pendant use, with Edison Screw Lamps, No. 58957	U.S.A.	1,000	each	0 1 0½	Australian General Elect. Co.
*6138. Weatherproof, of moulded material, for Edison Screw Lamps, No. 9366	"	1,000	do.	0 0 7	
*6139. Keyless, Edison Screw, for bracket use, Brass	"	200	do.	0 0 9¾	
*6139A. Keyless, Edison Screw, for bracket use, Antique	"		do.	0 1 0¾	
*6140. Keyless, Edison Screw, for pendant use, Brass, No. 59954	"	200	do.	0 0 5¾	
*6140A. Keyless, Edison Screw, for pendant use, Antique, No. 59954	"		do.	0 0 8¾	
*6141. Key, Edison Screw, for bracket use, Brass	"	200	do.	0 0 6¾	
*6141A. Key, Edison Screw, for bracket use, Antique	"		do.	0 0 9¾	
*6142. Key, Edison Screw, for pendant use, Brass, No. 59952	"	200	do.	0 0 6¾	
*6142A. Key, Edison Screw, for pendant use, Antique, No. 59952	"		do.	0 0 9¾	
6143. Solution, Rubber	Australia	56 lbs.	lb.	0 1 6	Barnet Glass Rubber Co. Ltd.
Switches—					
6144. Single pole, Tumbler, 5 amperes "S. 385"	Gt. Brit.	300	each	0 0 6¾	British General Elect. Co. Ltd.
* 6145. Single pole, Tumbler, 10 amperes	"	300	do.	0 0 10¾	Warburton Franki (Melb.) Ltd.
6146. Single pole, Tumbler, 15 amperes	"	100	do.	0 1 6	The India Rubber, Gutta Percha, & Telegraph Works Co. Ltd.
6147. Single pole, Tumbler, 25 amperes "S. 424"	"	50	do.	0 2 9	British General Elect. Co. Ltd.
6148. Nil.					
6149. Nil.					
6150. Double pole, Tumbler, 10 amperes	"	200	do.	0 2 3	Warburton Franki (Melb.) Ltd.
* 6151. Double pole, Tumbler, 12 amperes	"	100	do.	0 4 0	Noyes Bros. (Melb.) Pty. Ltd.
6152. Double pole, Tumbler, 25 amperes "S.462"	"	100	do.	0 9 5	British General Elect. Co. Ltd.
6153. Nil.					
6154. Nil.					
*6155. Pendant, 3 amperes, 1-way	U.S.A.	200	do.	0 1 2½	Warburton Franki (Melb.) Ltd.
6156. Nil.					
† 6157. 2-pole, knife, quick break, 20 amperes	"	24	do.	0 18 6	Australian General Elect. Co.
6158. 2-pole, knife, quick break, 40 amperes	"	24	do.	0 18 6	
6159. 3-pole, knife, quick break, 20 amperes	"	24	do.	1 11 6	
6160. 3-pole, knife, quick break, 40 amperes	"	24	do.	1 11 6	
Tape, Insulating—					
†6161. "Henley No. 504," ¾"	Gt. Brit.	560 lbs.	lb.	0 1 7	W. T. Henley's Telegraph Works Co. Ltd.
†6162. Rubber, ½"	U.S.A.	112	do.	0 5 6	Australian General Elect. Co.
Terminals—					
*6163. Copper, with stud holes, any sizes ordered from 7/18 to 61/11 cable	Australia	144	each	0 1 9	The Lawrence & Hanson Elect. Co. Ltd.
*6164. Coupling, for jointing cables, any sizes ordered	"	144	do.	0 5 0	
†6165. Varnish, Insulating	U.S.A.	200 gals.	American gallon	0 12 9	A. L. Campbell & Co. Pty. Ltd.

Item No. and Description.	Country of Manufacture.	Estimated Requirements for 2 Years.	Rate per —	Rate.	Name of Contractor.	
				£ s. d.		
ELECTRICAL MATERIAL—continued.						
Wire—						
†6166. Office, flexible, 23/36	Gt. Brit.	500 gross yds.	gross yds.	1 11 0	W. T. Henley's Telegraph Works Co. Ltd.	
†6167. Workshop, flexible, 40/36	"	500 "	do.	1 15 10		
†6168. Fuse, 3 amperes	"	100 reels	¼ lb. reel	0 0 3½		
†6169. Tinned Copper, binding, Nos. 22 to 16 S.W.G., as ordered	"	1,000 lbs.	lb.	0 1 2		
†6170. Span, galvanized steel, 7/14 wires ..	"	5 cwt.	cwt.	1 8 0	British Insulated & Helsby Cables Ltd.	
†6171. Bell, any assorted colours ordered, 1/20	"	1,760 yds.	110 yds.	0 2 10		
†6172. Bell, any assorted colours ordered, 1/18	"	1,760 "	do.	0 4 0		
†6173. Double cotton covered, S.W.G., 8 to 12 gauge	"	224 lbs.	lb.	0 1 2	The Lawrence & Hanson Elect. Co. Ltd.	
†6173A. Double cotton covered S.W.G., 13 to 18 gauge	"		do.	0 1 2½		
†6173B. Double cotton covered, S.W.G., 34 to 36 gauge	"		do.	0 4 6		
†6173C. Double cotton covered S.W.G., 38 gauge	"		do.	0 5 3		
†6173D. Double cotton covered S.W.G., 14 gauge and larger, as ordered	"		do.	0 1 0½	W. T. Henley's Telegraph Works Co. Ltd.	
†6173E. Double cotton covered S.W.G., 15 to 22 gauge, as ordered	"		do.	0 1 3		
†6173F. Double cotton covered S.W.G., 23 to 26 gauge, as ordered	"		do.	0 1 9		
†6173G. Double cotton covered S.W.G., 27 to 32 gauge, as ordered	"		do.	0 2 5½		
6174. Nil.						
6174A. Nil.						
6174B. Nil.						
†6175. Bare copper, hard drawn, 1/14	Gt. Brit.	8,000 yds.	110 yds.	0 5 8	W. T. Henley's Telegraph Works Co. Ltd.	
†6176. Bare copper, hard drawn, 1/12	"	5,000 "	do.	0 9 3		
Wood, ebony asbestos, Sindany—						
6177. ¾" thick, any sizes ordered	"	50 s. ft.	sq. ft.	0 6 0	A. L. Campbell & Co. Pty. Ltd.	
6178. ¾" thick, any sizes ordered	"	50 "	do.	0 6 9		
DRYSALTERIES, CHEMICALS, ETC.						
Acid—						
6179. Boracic	"	56 lbs.	lb.	0 0 5	W. & G. Dean	
6180. Muriatic, Hydrochloric, or Spirits of Salts, as ordered, in Winchester quarts	Australia	112 "	do.	0 0 4½		
6181. Sulphuric, in Winchester quarts	"	28 "	do.	0 0 2½		
6182. Oxalic	"	10 "	do.	0 0 5	W. & G. Dean	
6183. Nitric	"	10 "	do.	0 0 7½		
Ammonia—						
6184. Liquid, °880 sp. g., in Winchester quarts	"	10 "	do.	0 0 8	Rocke, Tomsitt & Co.	
6185. Nil.						
6186. Nil.						
6187. Balsam, Friar's	"	8 pints	pint	0 4 6	Rocke, Tomsitt & Co.	
6188. Borax, Lump	Gt. Brit.	28 lbs.	lb.	0 0 2½	W. & G. Dean	
6189. Brandy, Hennessy's, Three Star, or equal brand	France	36 botts.	bottle	0 7 3.	Rocke, Tomsitt & Co.	

Item No. and Description.	Country of Manufacture.	Estimated Requirements for 2 Years.	Rate per —	Rate.	Name of Contractor.	
				£ s. d.		
DRYSALTERIES, CHEMICALS, ETC.—continued.						
Calcium—						
6190. Carbide, Lump, in 2-cwt. drums ..	Sweden	40 cwt.	cwt.	0 14 3	J. Bartram & Sons Pty. Ltd.	
6191. Carbide, Fine Wheat, in 2-cwt. drums ..	"	40 "	do.	0 15 0		
6192. Camphor	Japan	10 lbs.	lb.	0 1 11	Rocke, Tomsitt & Co.	
†6193. Eucalyptus	Australia	12 pints	pint	0 1 1		
6194. Iodoform, Gauze	Gt. Brit.	6 lbs.	lb.	0 9 0		
6195. Lime, Chloride of, chlorinated, in 7-lb. tins	"	560 "	do.	0 0 3		
6196. Lint, Surgeons'	"	56 "	do.	0 1 7		
6197. Magnesia, Sulphate of	"	5 cwt.	cwt.	0 8 0		
6198. Needles, Surgeons' curved or straight, as ordered	"	24	each	0 0 2½		
Oil—						
6199. Carbolic	Australia	12 lbs.	lb.	0 1 2		
6200. Carron	"	6 "	do.	0 1 6		
Potash—						
6201. Prussiate of	Sweden	28 "	do.	0 0 9	W. & G. Dean Rocke, Tomsitt & Co.	
6202. Caustic, 20 per cent. solution	Australia	5 gals.	gal.	0 5 0		
6203. Salt, Rock	Sweden	40 cwt.	cwt.	0 3 6	W. & G. Dean	
Soda—						
6204. Washing	Australia	10 "	do.	0 5 9		
6205. Caustic, 70 per cent., in 14-lb. tins	Gt. Brit.	5 "	do.	0 15 6		
Spirits—						
6206. Nitre	Australia	5 lbs.	lb.	0 4 6	Rocke, Tomsitt & Co.	
6207. Wine	"	5 gals.	gal.	1 6 6		
6208. Methylated	"	12 "	do.	0 1 10	W. & G. Dean	
6209. Sulphur	Sicily	28 lbs.	lb.	0 0 1¼		
Tincture—						
6210. Opii	Australia	3 "	do.	0 6 0	Rocke, Tomsitt & Co.	
6211. Belladonna	"	4 "	do.	0 3 0		
6212. Vaseline, "No. 0" Petrolatum 4-lb. tins ..	U.S.A.	112 "	do.	0 0 4½	Vacuum Oil Co. Pty. Ltd.	
AMBULANCE MATERIAL.						
Bandages—						
*6212A. Open weave, antiseptic, 6 yds. x 2¼" wide	Gt. Brit.	50 doz.	dozen	0 1 6	Duerdin & Sains- bury	
*6213. Calico, assorted	"	100 "	do.	0 2 0		
†6214. Pins, safety, plated	"	24 "	do.	0 0 3½		
6215. Plaster, Mead's, adhesive, 1" x 10 yds. ..	U.S.A.	24 reels	reel	0 1 9		
6216. Sal Volatile, 2-oz. bottles	Australia	24 botts.	bottle	0 0 8		
*6217. Wool, Surgeons', antiseptic, 1-lb. packet	Gt. Brit.	20 pkts.	packet	0 1 0		
DISINFECTANT AND ARABIAN CREAM.						
6218. Nil.						
6218A. Nil.						
6219. Nil.						
†6220. Cream, Arabian	Australia	20 gals.	gal.	0 3 0	Wm. Adams & Co. Ltd.	
EXPLOSIVES, ETC.						
Name of Manufacturer—						
Items Nos. 6224, 6225, 6227, 6228B—"Kynoch."						
Items Nos. 6224A, 6225A, 6226, 6227A, 6228— "Curtis & Harvey Ltd."						
Items Nos. 6224B, 6225B, 6226A, 6227B, 6228A, 6229—"Nobels."						

Item No. and Description.	Country of Manufacture	Estimated Requirements for 2 Years.	Rate per—	Rate.	Name of Contractor.
				£ s. d.	
EXPLOSIVES, ETC.—continued.					
Cartridges—					
6221. Nil.					
6222. Nil.					
6223. Fuse, Patent double-tape, Bickford's, Bendigo Blue, or other approved brand, in coils of 8 yards	Australia	100,000 coils	coil	0 0 6½	McMicking & Co.
6224. Gelignite	Gt. Brit.	500 cases	case of 50 lbs. net.	2 6 6	Kynoch Ltd.
6224A. do.	"		do.	2 6 6	McMicking & Co.
6224B. do.	"		do.	2 6 6	Dalgety & Co. Ltd.
Detonators—					
6225. No. 6, in boxes of 100	"	7,000 boxes	box	0 3 3¾	Kynoch Ltd.
6225A. No. 6, in boxes of 100	"		do.	0 3 3¾	McMicking & Co.
6225B. No. 6, in boxes of 100	"		do.	0 3 3¾	Dalgety & Co. Ltd.
6226. Electric, No. 6	"	3,000	100	0 15 2	McMicking & Co.
6226A. Electric, No. 6	"		do.	0 15 2	Dalgety & Co. Ltd.
6227. Gelatine, Blasting	"		50 cases	case of 50 lbs. net.	3 0 6
6227A. Gelatine, Blasting	"	do.		3 0 6	McMicking & Co.
6227B. Gelatine, Blasting	"	do.		3 0 6	Dalgety & Co. Ltd.
Powder, Permitted—					
6228. "Excellite" or "Super Excellite" or other approved brands	"	6,000 cases	do.	2 3 0	McMicking & Co.
6228A. "Monabel," "Dynobel," or "Monabel No. 1"	"		do.	2 3 0	Dalgety & Co. Ltd.
6228B. "Abbcite" or "Kynarkite" or other approved brands	"		do.	2 3 0	Kynoch Ltd.
6229. Wire, Connecting, for shot firing	"	12 reels	reel	0 8 4	Dalgety & Co. Ltd.
TRACING CLOTH, ETC.					
†6230. Cloth, Tracing, 43" wide, Ritchie and Eason "Standard"	Gt. Brit.	500 yds.	lin. yd.	0 0 11½	Paterson & Co.
6231. Paper, Ferro Prussiate, 31" wide x 22 yards long, "Max Wurcker"	Australia	100 rolls	roll	0 6 10	
6232. Paper, Heliographic, Water Bath, 31" wide x 22 yards long, "Max Wurcker"	"	36 "	do.	0 15 0	
BOOKS, ETC.					
Books, &c.—					
*6233. Memo., Foolscap 8vo, 8 sheet, American cloth	Australia	50 doz.	doz.	0 1 9	Wm. Detmold Ltd.
6234. Metallic, Smith's, 195, or other approved brand	Gt. Brit.	24	each	0 3 6	
6235. Pocket, Penny's, No. 136, or other approved maker	"	48	do.	0 5 0	
6236. Refills for Penny's Pocketbooks, No. 136, or other approved maker	Australia	144	do.	0 0 6	
6237. Indices, Foolscap, marble cover, one leaf to a letter	"	72	do.	0 0 5	
6238. Indices, Foolscap, hand-made, full basil, 2 to 4 leaves to a letter, as ordered	"	72	do.	0 8 0	
6239. Diaries, Australian	"	£5	10% off Publishers Price List.		
*6240. Manifolded, Demy 8vo, ¼ cloth	"	72	each	0 1 3	
*6241. Exercise, Crown 4to, 18 sheet, American cloth, round corners	"	24 doz.	doz.	0 5 0	
*6242. Exercise, Crown 4to, 6 sheets, American cloth, round corners	"	24 "	do.	0 3 0	
*6243. Balance, 4 quires, ½ basil	"	72	each	0 5 0	
*6244. Field	"	48	do.	0 3 6	
*6245. Level	"	48	do.	0 3 6	
6246. Manifolded, 4to, ¼ cloth	"	48	do.	0 2 6	
*6247. Cash or Journal, paper covers	"	50	do.	0 0 6	
*6248. Minute, ¼ basil	"	24	do.	0 2 0	
*6249. Minute, paper covers	"	24	do.	0 0 6	

Item No. and Description.	Country of Manufacture	Estimated Requirements for 2 Years.	Rate per—	Rate.	Name of Contractor.	
				£ s. d.		
WRITING AND DRAWING PAPERS, ETC.						
<i>All writing papers must be folded and have the edges cut.</i>						
Paper—						
*6250. Foolscap, azure, ruled to sample ..	Australia	2 reams	ream	0 15 0	Wm. Detmold Ltd.	
*6251. Foolscap, folio, cream wove, ruled faint, 7 lbs. ..	"	24 "	do.	0 7 6		
*6252. Foolscap, cream wove, ruled faint, 14 lbs. ..	"	24 "	do.	0 12 0		
*6253. Foolscap, folio, cream wove, plain, 7 lbs. ..	"	12 "	do.	0 6 6		
*6254. Foolscap, cream wove, plain, 14 lbs. ..	"	12 "	do.	0 11 0		
*6255. Foolscap, folio, cream wove, 7 lbs., ruled double money ..	"	20 "	do.	0 8 0		
*6256. Foolscap, cream wove, 14 lbs., ruled double money ..	"	16 "	do.	0 16 0		
*6257. Foolscap, folio, cream wove, plain, 7 lbs. ..	"	80 "	do.	0 5 6		
*6258. Foolscap, folio, Manila cartridge, cloth lined ..	"	4 "	do.	2 0 0		
*6259. Foolscap, folio, cream wove ..	"	20 "	do.	0 8 0		
*6260. Foolscap, folio, for manifolding, 3 to 5 copies ..	Gt. Brit.	20 "	do.	0 3 0	Stott & Hoare	
*6261. Foolscap, folio, for manifolding, up to 7 copies ..	Australia	20 "	do.	0 5 0	Wm. Detmold Ltd.	
*6262. Nil						
*6263. Foolscap, folio, green, for manifolding, up to 7 copies ..	"	40 "	do.	0 2 6		
*6264. 9¼" x 8¼", green, for manifolding, up to 7 copies ..	"	40 "	do.	0 2 6		
*6265. Demy, azure laid, ruled faint, 24 lbs. ..	"	2 "	do.	0 16 0		
*6266. Demy, azure laid, plain ..	"	2 "	do.	0 15 0		
†6267. Blotting, best, white, 46 lbs., 23" x 18", flat ..	Gt. Brit.	12 "	do.	1 10 0		
†6268. Blotting, best, white, 46 lbs., 23" x 18", folded ..	"	12 "	do.	1 10 0		
6269. Drawing, Antiquarian, hand-made, J. Whatman ..	"	6 quires	quire	2 4 0		W. & G. Dean.
6270. Drawing, Double Elephant, hand-made, J. Whatman ..	"	20 "	do.	0 12 10		Paterson & Co.
6271. Nil.						
TYPEWRITING MATERIALS.						
<i>The samples submitted by the Tenderer for Items 6285 to 6288 are samples as regards quality only.</i>						
*6272. Cans, Oil, Typewriter ..	U.S.A.	24	each	0 1 0	Chartres Pty. Ltd.	
†6273. Erasers, Circular ..	"	144	"	0 0 2½	} Wm. Detmold Ltd.	
†6274. " Polygon ..	"	100	"	0 0 2½		
†6275. Oil, in bottles ..	"	50 botts.	bottle	0 0 6	Stott & Hoare	
Paper—						
Carbon, Typewriting—						
†6276. Foolscap folio, 13½" x 8½", to duplicate up to 6 copies, " Featherweight "	"	3,000 sheets	100 sheets	0 8 0	Chartres Pty. Ltd.	
†6277. Foolscap folio, 13½" x 8½", to duplicate up to 6 copies ..	"	1,000 "	do.	0 6 0	} G. B. Fry & Co.	
†6278. Foolscap, 17½" x 13½", to duplicate up to 6 copies, " Featherweight "	"	1,000 "	do.	0 10 0		
†6279. Foolscap, 17½" x 13½", to duplicate up to 6 copies ..	"	1,000 "	do.	0 14 0	Chartres Pty. Ltd.	
†6280. Foolscap folio, 13" x 16", " Stephens," or other approved brand ..	"	500 "	do.	0 10 0	} G. B. Fry & Co.	
†6281. Carbon, 17" x 14", Manifolding, to duplicate up to 7 copies ..	"	1,000 "	do.	0 13 0		

Item No. and Description.	Country of Manufacture	Estimated Requirements for 2 Years.	Rate per—	Rate.	Name of Contractor.
				£ s. d.	
TYPEWRITING MATERIALS—continued.					
Paper—continued.					
Carbon, Pencil—					
†6282. Foolscap folio	U.S.A.	8,000 sheets	100 sheets	0 4 3	} Chartres Pty. Ltd. G. B. Fry & Co.
†6283. 11" x 5½"	"	8,000 "	do.	0 2 6	
†6284. Carbon, Pen, Foolscap folio, 8" x 13" x 95	"	3,000 "	do.	0 3 0	
Ribbons, Copying, any colours, and suitable for any Machines, as ordered—					
†6285. Narrow, Plain "Remtico" ..	"	} 50 reels {	reel	0 1 5	} Chartres Pty. Ltd.
†6286. Narrow, Bi-coloured	"		do.	0 1 6	
†6287. Broad, Plain	"		do.	0 1 5	
†6288. Broad, Bi-coloured	"		do.	0 1 6	

Items marked * to be supplied (subject to the Conditions of Contract) to sample or samples exhibited by the Corporation.

Items marked † to be supplied to sample or samples furnished by the Tenderer.