

VICTORIA  
GOVERNMENT GAZETTE.

Published by Authority.

[Registered at the General Post Office, Melbourne, for transmission by post as a newspaper.]

No. 37.]

FRIDAY, FEBRUARY 23.

[1917.

**Mining Notices.**

**GREAT EXTENDED HUSTLERS REEF QUARTZ MINING COMPANY NO LIABILITY.**

**NOTICE.**—All shares, from 1 to 34,000, on which the 90th call of Sixpence per share (or any previous call) remains unpaid, will be sold by public auction, at the Beehive Exchange, Bendigo, on Tuesday, 6th March, 1917, at half-past Four p.m., unless the call, with expenses, be previously paid to me.

J. G. STANFIELD  
3746 (Edward Dyason Pty. Ltd.), Manager.

**WINDMILL HILL GOLD MINING COMPANY NO LIABILITY.**

**NOTICE.**—All shares, from 1 to 34,042, on which the 54th call of Threepence per share (or any previous call) remains unpaid, will be sold by public auction, at the Beehive Exchange, Bendigo, on Tuesday, 6th March, 1917, at half-past Four p.m., unless the call, with expenses, be previously paid to me.

J. G. STANFIELD  
3747 (Edward Dyason Pty. Ltd.), Manager.

**LANGI LOGAN SOUTH GOLD MINING COMPANY NO LIABILITY.**

**ALL** shares forfeited for non-payment of the November call (71st) of Sixpence, and December (72nd) of Fourpence, will be sold by public auction, at Stock Exchange Hall, 332 Collins-street, Melbourne, on Tuesday, 6th March, 1917, at Three o'clock p.m., unless calls and expenses be previously paid.

A. J. PEACOCK, Manager.  
3748

**NEW NORMANBY QUARTZ MINING COMPANY NO LIABILITY, BALLARAT EAST.**

**ALL** shares on which the 96th call of Threepence per share remains unpaid on Saturday, 3rd March, 1917, will be sold by public auction, at half-past Twelve p.m., at the Exchange, Ballarat, on that date.

W. D. THOMPSON, Manager.  
A.M.P. Buildings, Ballarat. 3749

**MALVERN TIN MINING COMPANY NO LIABILITY.**

**NOTICE** is hereby given that all shares forfeited for non-payment of the 11th (January) and previous calls of Threepence per share, will be sold by public auction, at the Stock Exchange Hall, Collins-street, Melbourne, on Saturday, 3rd March, 1917, at a quarter past Eleven o'clock a.m., unless previously redeemed.


F. L. SMYTH  
(W. Grant Meudell and Smyth), Manager.  
413 Collins-street, Melbourne. 3750

**BELGIUM AND PERSEVERANCE GOLD MINING COMPANY NO LIABILITY.**

**NOTICE** is hereby given that all shares forfeited for non-payment of the 28th (January) and previous calls of Threepence per share, will be sold by public auction, at the registered office, 413 Collins-street, Melbourne, on Saturday, 3rd March, 1917, at half-past Eleven o'clock a.m., unless previously redeemed.

F. L. SMYTH  
3751 (W. Grant Meudell and Smyth), Manager.





VICTORIA  
GOVERNMENT GAZETTE.

Published by Authority.

[Registered at the General Post Office, Melbourne, for transmission by post as a newspaper.]

No. 38.]

MONDAY, FEBRUARY 26.

[1917.

VICTORIAN RAILWAYS.

CONTRACTS ACCEPTED.—(Series 1916-17.)

Serial No.	Particulars of Contracts.	Amount.	Name of Contractor.	Charge against Vote or Fund.	Authorized according to Regulations on the date stated.
1489	Supply and delivery of Stores (estimated requirements), as ordered from 1st July, 1916, to 30th June, 1918, and from 1st July, 1916, to 30th June, 1917, and supply and delivery of Stores (fixed contract quantity), as ordered from 1st July, 1916, to 30th June, 1917, for State Coal Mines	Rates ...	As per Schedule attached	State Coal Mines Stores Suspense Account	Geo. H. Sutton, by order of the Victorian Railways Commissioners. 19.2.1917.

Melbourne 19th February, 1917.

ANNEX TO CONTRACT No. 1489.

SCHEDULE OF RATES CONTRACTS

FOR THE

SUPPLY OF STORES

TO THE

VICTORIAN RAILWAYS.

(STATE COAL MINE.)

1916-1917 AND 1916-1918.

(SEE FOLLOWING SCHEDULES.)

G. H. SUTTON,

By order of The Victorian Railways Commissioners.

**SUPPLY AND DELIVERY OF STORES.**

---

Items marked \* to be supplied (subject to the Conditions of Contract) to sample or samples exhibited by the Corporation.

Items marked † to be supplied to sample or samples furnished by the Tenderer.

Items for which the Country of Manufacture is shown as Australia are to be wholly or partly manufactured in Australia.

## STATE COAL MINE SCHEDULE.

## INDEX TO CONTRACTORS.

Name of Contractor.	Address.	Contract No.	Contract Security.	Item Numbers.
Adams, W., and Co. Ltd...	612-616 Collins-street, Melbourne	314	£ 1	6259
Australian General Electric Co.	Corner of Queen and Little Collins streets, Melbourne	366*	15	5975, 5994, 6029, 6030, 6031, 6036, 6039, 6041 to 6048, 6050, 6060, 6071 to 6077, 6091 to 6096, 6111, 6112, 6113, 6160, 6161, 6170 to 6175, 6196
Australian Stainers and Colour Manufacturing Co. Pty. Ltd.	31 Queen-street, Melbourne ..	315	1	5775, 5776, 5800
Barnet Glass Rubber Co. Ltd.	289 Swanston-street, Melbourne	319	2	5718, 5721, 5727, 5735
Benson Bros. Ltd. ..	60 Queen-street, Melbourne ..	316	23	5246, 5248, 5254, 5255, 5257, 5257A, 5261, 5512 to 5514, 5538, 5540, 5541, 5542, 5544 to 5547, 5549 to 5562, 5564, 5566, 5574 to 5576, 5578
Bell's Asbestos Australian Agency Ltd.	30 Yarra Bank-road, South Melbourne	317	15	5035, 5064, 5065, 5290, 5349 to 5354, 5499 to 5503, 5723, 5725, 5726, 5734
Beecham, H., and Co. Pty. Ltd.	624 Lonsdale-street, Melbourne	320	8	5818, 5819, 5826, 5827, 5833 to 5835, 5840 to 5843
Briscoe and Co. Ltd. ..	391 Little Collins-street, Melbourne	318	2	5686, 5687, 5688
British General Electric Ltd.	590 Bourke-street, Melbourne	357*	4	5966, 5974, 5979, 6034, 6040, 6080, 6081, 6082, 6157, 6162
British Insulated and Helsby Cables Ltd.	493 Collins-street, Melbourne	365*	26	5998, 6004 to 6008, 6012 to 6015, 6106, 6107, 6155, 6200, 6204, 6204A, 6204B, 6204C, 6207, 6208
Cameron and Sutherland	20-26 Queen's-bridge, South Melbourne	322	4	5693 to 5695
Cohen, S., Sons, and Co. Pty. Ltd.	262 Queen-street, Melbourne	321	1	6260
Cradock, G., and Co. Ltd.	68½ Pitt-street, Sydney ..	358*	63	5643
Danks, J., and Son Pty. Ltd.	391 Bourke-street, Melbourne	323	10	5371 to 5381, 5383 to 5385, 5392 to 5399, 5401, 5402
Detmold, W., Ltd. ..	126 Flinders-lane, Melbourne	359*	1	5848, 5849, 5851, 5852, 5854, 5856
		324	11	6278, 6280 to 6291, 6292 to 6310, 6313
Dunlop Rubber Co. of Australasia Ltd.	108 Flinders-street, Melbourne	363*	..	5703
		352	12	5704, 5706, 5708, 5710 to 5717, 5719, 5720, 5722, 5724, 5733, 5959, 5960, 5965
Eagle and Globe Steel Co. Ltd.	264 Latrobe-street, Melbourne	351	2	5269 to 5271
Edison and Swan United Electric Light Co. Ltd.	368 Little Collins-street, Melbourne	364*	15	6083 to 6090, 6097 to 6103, 6109, 6114, 6115, 6120, 6126, 6159, 6163
Evans, Evan .. ..	Elizabeth-street, Melbourne	356	1	5658, 5660
Felton, Grimwade, and Co.	342 Flinders-lane, Melbourne	325	1	6258
Fiske Bros. .. ..	241 Queen-street, Melbourne	327	..	5671, 5684
Firth, T., and Sons (Australasia) Proprietary Ltd.	Queen's-bridge square, South Melbourne	326	12	5537, 5539, 5543, 5548, 5563, 5565, 5567 to 5573, 5577, 5579, 5580
Foster, C. R. .. ..	46 Elizabeth - street, Melbourne	377*	2	5958, 5967, 5969
Guthridge, P. F. ..	369 Collins-street, Melbourne	328	1	6318, 6323A, 6324 to 6327
Hardie, J., and Co. ..	581 Little Collins-street, Melbourne	330	82	5001, 5002, 5610 to 5615, 5690
		360*	12	5606 to 5609
Hicks, Atkinson, and Sons, Pty. Ltd.	Collins-street, Melbourne ..	331	12	5640 to 5642, 5644 to 5647, 5649 to 5652
		362*	2	5918 to 5920, 5930, 5931, 5936, 5937, 6032, 6033
Henley's Telegraph Works Co. Ltd., W. T. ..	546 Collins-street, Melbourne	361*	85	5995 to 5997, 6000 to 6003, 6009 to 6011, 6035, 6201 to 6203, 6209, 6209A, 6209B, 6209C, 6211

\* Denotes Fixed Quantities.

## INDEX TO CONTRACTORS—continued.

Name of Contractor.	Address.	Contract No.	Contract Security.	Item Numbers.
Hopkins Bros. and Odlum Ppy. Ltd.	Leicester-street, Carlton ..	329	£ 10	5117 to 5121, 5696 to 5699, 5702
India Rubber, Gutta Percha, and Telegraph Works Co.	21 Elizabeth-street, Melbourne	376*	3	6117 to 6119, 6125, 6134, 6135, 6135A, 6138, 6138A, 6140, 6142, 6143, 6144, 6146, 6147, 6149, 6150, 6178, 6179, 6184
Johnston, C., and Co. ..	166-168 Gertrude - street, Fitzroy	332	1	5653, 5654
Kinnear, G., and Sons Ppy. Ltd.	359 Lonsdale-street, Melbourne	333	12	5667 to 5669
Lion Rolling Mills Ppy. Ltd.	Grant-street, South Melbourne	348	152	5494 to 5496, 5529, 5531, 5533
Lawrence and Hansen Electrical Co. Ltd.	405 Lonsdale-street, Melbourne	375*	15	5953 to 5955, 5964, 5972, 5976 to 5978, 5986, 5987, 5990 to 5993, 6028, 6051 to 6059, 6062 to 6068, 6122, 6124, 6127, 6129 to 6131, 6133, 6137, 6141, 6145, 6148, 6151 to 6153, 6156, 6164, 6166 to 6169, 6177, 6180 to 6183, 6185, 6186, 6195, 6197, 6198
McMicking and Co. ..	362 Little Collins-street, Melbourne	336	3	5685
Mining Supplies Co. ..	450 Flinders-lane, Melbourne	371*	15	6263
McPherson's Ppy. Ltd. ..	582 Collins-street, Melbourne	367*	12	5743, 5752, 5753
		337	42	5226, 5227, 5231, 5232, 5233 to 5245, 5249, 5256, 5258, 5427 to 5431, 5434, 5443 to 5448, 5451, 5452, 5473, 5474 to 5477
Miller, J., and Co. Ppy. Ltd.	357 Little Collins-street, Melbourne	335	4	5661, 5663, 5664, 5666
Morris and Meeks ..	370 Little Collins-street, Melbourne	368	169	6264, 6268, 6269
Moore, J., and Sons Ppy. Ltd.	City-road, South Melbourne	334	12	5809, 5811, 5812, 5824, 5829, 5830, 5837, 5838, 5844, 5845
Melbourne Builders' Lime and Cement Co. Ltd.	3 Flinders-court, Melbourne	349	4	5846
Neptune Oil Co. Ltd. ..	10 Queen-street, Melbourne ..	338	5	5720A
		369*	2	5740, 5747
Paterson and Co. ..	396 Flinders-lane, Melbourne	340	6	6271, 6272, 6273, 6311, 6312
		372*	1	5853, 5921, 5922
Perdriau Rubber Co. Ltd.	105 Elizabeth-street, Melbourne	339	3	5707, 5709
		370*	1	5659
Ramsay and Treganowan	66-68 Jeffcott-street, West Melbourne	341	3	5730
Stott and Hoare ..	Collins-street, Melbourne ..	..	..	6316, 6329 to 6332
Sands and McDougall Ppy. Ltd. .	365 Collins-street, Melbourne	374*	3	5859 to 5864, 5870 to 5872, 5874 to 5876, 5877, 5879, 5883, 5885 to 5887, 5889 to 5892, 5897 to 5900, 5904 to 5913, 5923 to 5929, 5932 to 5935, 5940
		344	1	6274 to 6277, 6279, 6314
Sharp, J., and Sons Ltd.	City-road, South Melbourne	347	13	5810, 5816, 5820, 5825, 5828, 5831, 5832, 5836, 5839
Sewell, G. F. ..	Cross-street, Footscray ..	342	34	5432, 5433, 5435 to 5442, 5449, 5450, 5453 to 5456
Stack, Sidney H. and Co. .	Warburton-lane, 369 Little Bourke-street, Melbourne	346	6	5795
		373*	2	6154
Search, L. C. ..	183 Queen-street, Melbourne	343	1	5259, 5260, 5260A
Vacuum Oil Co. Ppy. Ltd.	90-92 William-street, Melbourne	353	5	5672, 6257
		379*	39	5673, 5737 to 5739, 5741, 5744, 5745, 5746, 5747A, 5748, 5748A, 5749 to 5751, 5754
Victorian Hardwood, Milling and Seasoning Co. Ppy. Ltd.	Collins-street, Melbourne ..	354	20	6333 to 6335
Victoria Varnish Co. Ppy. Ltd.	Queen's Bridge-square, South Melbourne	350	4	5762, 5763, 5767, 5768, 5770, 5771, 5779, 5781, 5783, 5784, 5793, 5794, 5801, 5805 to 5808
Warburton, Franki (Melbourne) Ltd.	380 Bourke-street, Melbourne	378*	..	6069
Zevenboom, J., and Co. ..	333-335 Elizabeth - street, Melbourne	355	5	5619 to 5639

\* Denotes Fixed Quantities.

Item No. and Description.	Country of Manufacture.	Estimated Requirements for Two Years.	Contract Quantity.	Rate per--	Rate.	Name of Contractor.
					£ s d.	

**COTTON WASTE.**

A portion representative of the average of the sample of Cotton Waste submitted under Item 5001 will be burned in oxygen, and the percentage of ash or loading thereby determined will become the standard for Cotton Waste delivered under Item No. 5001. In addition to this test the Cotton Waste under Item No. 5001 will be judged by the texture, feel, and general quality, and shall be in every respect to the satisfaction of the General Manager.

Waste, Cotton—						
†5001.	Grey, in 5-cwt. bales, "1120"	India	4 tons	..	ton	38 10 0
†5002.	White .. "340"	Japan	1 ton	..	do.	44 10 0

Jas. Hardie & Co.

**SUNDRY IRONMONGERY.**

Name of Manufacturer—

Item No. 5035—Sidney Smith, England.

The samples exhibited by the Corporation for Items 5003 to 5006, 5031, 5033, 5036, 5049, 5060, 5069, 5072 to 5077, are samples as regards shape and quality only.

*5003.	Basins, Enamelled, Washhand, 12" to 16", as ordered	..	50	..	each	
*5004.	Bolts, Iron, Tower, 3" to 12", as ordered	..	500 inches	..	inch	
{5005.	Bolts, Iron, Tower, 13" to 18", as ordered	..	500 "	..	do.	
*5006.	Bolts, Brass, Flush, 3" to 6", as ordered	..	100 "	..	do.	
*5007.	Boxes, Cash, 12", extra strong, Hobb's locks	..	6	..	each	
*5008.	Bricks, Bath	..	6 dozen	..	dozen	
*5009.	Burners, Acetylene, Triple Horseshoe	..	12 "	..	do.	
*5010.	Burners, Primus	..	12 "	..	do.	
5011.	Calipers, Steel, any sizes ordered	..	60 inches	..	inch	
†5012.	Chain, Trace, $\frac{1}{8}$ "	..	20 cwt.	..	cwt.	
5013.	Cleanser, Dutch, Old, or other approved brand	..	50 tins	..	tin	
†5014.	Combs, Curry	..	48	..	each	
†5015.	Compound, Pipe Joint, in 5-lb. tins	..	200 lbs.	..	lb.	
†5016.	Compound, Smooth on	..	100 "	..	do.	

Compound, Brake, "Ferodo," or other approved brand—

†5017.	3" x $\frac{3}{4}$ "	..	200 feet	..	foot	
5018.	3 $\frac{1}{2}$ " x $\frac{3}{4}$ "	..	200 "	..	do.	
†5019.	4" x $\frac{3}{4}$ "	..	200 "	..	do.	
5020.	4 $\frac{1}{2}$ " x $\frac{3}{4}$ "	..	200 "	..	do.	
5021.	5" x $\frac{3}{4}$ "	..	200 "	..	do.	

Nil

Dusters, Feather—

*5022.	No. 46	..	6	..	each	
*5023.	No. 60	..	6	..	do.	
*5024.	Ejectors, No. 6, Penberthy	..	3	..	do.	
Fasteners, Belt, Jackson's Patent—						
5025.	No. 1, small	..	24 dozen	..	dozen	
5026.	No. 2, small	..	24 "	..	do.	

Fasteners, Belt, Blake's—

5027.	No. 0	..	48 "	..	do.	
5028.	No. 1	..	48 "	..	do.	
5029.	No. 2	..	48 "	..	do.	
5030.	No. 3	..	48 "	..	do.	
*5031.	Fasteners, Sash, 2 $\frac{1}{2}$ " to 3", as ordered	..	6 "	..	do.	
5032.	Fat, Currier's, Black	..	28 lbs.	..	lb.	
*5033.	Fittings for Grindstones, complete, any sizes ordered	..	6 sets	..	set	

Item No. and Description.	Country of Manufacture.	Estimated Requirements for Two Years.	Contract Quantity.	Rate per—	Rate.			Name of Contractor.			
					£	s.	d.				
<b>SUNDRY IRONMONGERY—continued.</b>											
*5034. Gads, Steel, Coal, 15" long .. ..	..	224 lbs.	..	lb.	..	..	..	Nil			
5035. Gauges, Pressure, iron back, 5" face up to 200 lbs., Sidney Smith's or other approved make .. ..	England	6	..	each	0	18	0	Bell's Asbestos Australian Agency Ltd.			
*5036. Guards, Wiro, for Gauge Glasses, any sizes ordered .. ..	..	12 sets	..	set of 2	}	..	..	Nil			
*5037. Hooks and Eyes, Brass, 2" .. ..	..	36 dozen	..	dozen							
*5038. Hooks, Hat and Coat, bronze .. ..	..	12 "	..	do.							
*5039. Hooks, Spring .. ..	..	36 "	..	do.							
5040. Irons, Tue, Blacksmiths' .. ..	..	3 cwt.	..	cwt.							
5041. Knives, Farriers', Mathieson's .. ..	..	12	..	each							
*5042. Knobs, Brass, Shutter, 1½" .. ..	..	6 dozen	..	dozen							
Lacing, Steel Belt, Baxter's or other approved brand—											
5043. No. 2 .. ..	..	1,000 ins.	..	inch							
5044. No. 3 .. ..	..	1,000 "	..	do.							
5045. Lacing, Steel Belt, Baxter's, No. 19 .. ..	..	1,000 "	..	do.							
*5046. Lacing, Belt, "Alligator," or other approved brand .. ..	..	1,000 "	..	do.							
5047. Lead, Black, powdered, in ¼-lb. packages .. ..	..	50 lbs.	..	lb.							
*5048. Lifts, Sash, Hook .. ..	..	24	..	each							
*5049. Links, Split, ⅝", ¾", or 7/8", as ordered .. ..	..	56 lbs.	..	lb.							
†5050. Lubricators, sight-feed, ½ pint .. ..	..	12	..	each							
Machines, Weighing—											
5051. 5 cwt., No. 112 .. ..	..	3	..	do.							
5052. 10 cwt. .. ..	..	2	..	do.							
5053. Metal, White, "Magnolia," or other approved brand .. ..	..	560 lbs.	..	lb.							
5054. Mountings, Gauge Glass, brass, ¾", Scavenger .. ..	..	6 sets	..	set of 2							
*5055. Mops, with handles .. ..	..	24	..	each							
†5056. Paste, Belt, "Camel," or other approved brand .. ..	..	200 lbs.	..	lb.							
†5057. Pincers, Farriers' .. ..	..	6 pairs	..	pair							
†5058. Polish, Metal .. ..	..	24 dozen	..	doz. tins							
5059. Prickers, Primus .. ..	..	36 "	..	dozen							
*5060. Pulleys, Sash, Iron, any sizes ordered .. ..	..	24	..	each							
5061. Pumps, Kerosene, tin .. ..	..	50	..	do.							
5062. Pumps, Lowdown, Hand .. ..	..	20	..	do.							
5063. Rollers, Spring Blind, complete .. ..	..	2,000 ins.	..	inch							
Rings, Gauge Glass, Bell's Fibrite—											
†5064. ½" .. ..	England	50 dozen	..	dozen	0	4	6	Bell's Asbestos Australian Agency Ltd.			
†5065. ¾" .. ..	"	50 "	..	do.	0	5	3				
5066. Shoes, Horse, "Lion" brand, any sizes ordered .. ..	..	40 cwt.	..	cwt.	}	..	..	Nil			
5067. Shot, Chilled Steel, any sizes ordered .. ..	..	336 lbs.	..	lb.							
†5068. Solder, Best, in sticks, 50 per cent. .. ..	..	10 cwt.	..	cwt.							
*5069. Staples, Wire, ¾" to 2", as ordered .. ..	..	224 lbs.	..	lb.							
5070. Squares, Carpenters', 12" .. ..	..	12	..	each							
*5071. Turns, Cupboard, Brass .. ..	..	6 dozen	..	dozen							
Valves, Iron, Retaining, Foot—											
5072. 1½" .. ..	..	24	..	each							
5073. 2" .. ..	..	24	..	do.							
*5074. 2½", black .. ..	..	24	..	do.							
5075. 3", black .. ..	..	24	..	do.							
5076. 4", black .. ..	..	12	..	do.							
5077. 5" .. ..	..	6	..	do.							
Valves, H.P. Sluice, Iron, 300 lbs., pressure—											
†5078. 2½" .. ..	..	6	..	do.							
†5079. 3" .. ..	..	6	..	do.							
†5080. 4" .. ..	..	6	..	do.							
†5081. 5" .. ..	..	6	..	do.							



Item No. and Description.	Country of Manufacture.	Estimated Requirements for Two Years.	Contract Quantity.	Rate per—	Rate.	Name of Contractor.
					£ s. d.	
<b>SUNDRY IRONMONGERY (TOOLS, ETC.).</b>						
<i>The samples exhibited by the Corporation for Items 5088 and 5089, 5112 to 5115, 5150, 5172 to 5175 are samples as regards shape and quality only.</i>						
5082. Anvils, 1½ cwt. to 4½ cwt., as ordered ..	..	20 cwt.	..	owt.		
5083. Bellows, Blacksmiths' Double Blast, galvanized nailed, 24" to 20", as ordered .. .. .	..	200 ins.	..	inch		
Bits—						
5084. Brace, Screw, any sizes ordered ..	..	1,600 ¼ths	..	¼-in.		
5085. Centre, ¾" .. .. .	..	24	..	each		
5086. Expansion, any sizes ordered ..	..	100 ins.	..	inch		
5087. German, any sizes ordered, up to ¾" ..	..	200	..	each		
Blocks, Brake, Kauri—						
* 5088. 12" x 6" x 4" .. .. .	..	300	..	do.		
5089. 12" x 3½" x 2½" .. .. .	..	300	..	do.		
5090. Braces, Side Ratchet, Ball-bearing, Miller's Falls Co.'s, No. 32 .. .. .	..	12	..	do.		
Braces, Stoford's—						
5091. 10" .. .. .	..	12	..	do.		
5092. 12" .. .. .	..	12	..	do.		
5093. Braces, Engineer's, Ratchet, 14" ..	..	12	..	do.		
Blocks, Pulley, Iron, Sheaved—						
Single—						
5094. 4" .. .. .	..	12	..	do.		
5095. 5" .. .. .	..	12	..	do.		
5096. 6" .. .. .	..	12	..	do.		
5097. 8" .. .. .	..	12	..	do.		
Double—						
5098. 4" .. .. .	..	12	..	do.		Nil
5099. 5" .. .. .	..	12	..	do.		
5100. 6" .. .. .	..	12	..	do.		
5101. 8" .. .. .	..	12	..	do.		
Treble—						
5102. 4" .. .. .	..	12	..	do.		
5103. 5" .. .. .	..	12	..	do.		
5104. 6" .. .. .	..	12	..	do.		
5105. 8" .. .. .	..	12	..	do.		
Blocks, Hyper Acme, Chain, with 40' of Chain—						
5106. 20 cwt. .. .. .	..	4	..	do.		
5107. 40 cwt. .. .. .	..	3	..	do.		
Blocks, Snatch, Iron, Sheaved—						
5108. 4" .. .. .	..	6	..	do.		
5109. 5" .. .. .	..	6	..	do.		
5110. 6" .. .. .	..	6	..	do.		
5111. 8" .. .. .	..	6	..	do.		
Brushes, Tube—						
* 5112. 1½", or 2", as ordered .. .. .	..	12	..	do.		
5113. 2½", or 2½", as ordered .. .. .	..	12	..	do.		
5114. 3", or 3½", as ordered .. .. .	..	12	..	do.		
5115. 3½", or 4", as ordered .. .. .	..	12	..	do.		
* 5116. Brushes, File Cleaner .. .. .	..	48	..	do.		
Buckets, Leather, Pump—						
5117. 3½" .. .. .	Victoria	100	..	do.	0 0 10½	Hopkins Bros. and Odum Pty. Ltd.
5118. 3½" .. .. .	"	100	..	do.	0 0 11¼	
* 5119. 3½" .. .. .	"	100	..	do.	0 1 0½	
5120. 5" .. .. .	"	50	..	do.	0 1 7½	
5121. 6" .. .. .	"	50	..	do.	0 2 3¼	
Chisels, Socket (handled)—						
5122. ½" to ¾", as ordered .. .. .	..	1 dozen	..	dozen		Nil
5123. ¾" or 1", as ordered .. .. .	..	1	..	do.		
5124. 1½" .. .. .	..	1	..	do.		
5125. 1½" .. .. .	..	1	..	do.		
5126. 1½" .. .. .	..	1	..	do.		
5127. 2" .. .. .	..	1	..	do.		

Item No. and Description.	Country of Manufacture.	Estimated Requirements for Two Years.	Contract Quantity.	Rate per—	Rate.	Name of Contractor.
					£ s. d.	
<b>SUNDRY IRONMONGERY, (TOOLS ETC.)—</b>						
<i>continued</i>						
Cups, Grease, Stauffer pattern—						
5128. No. 2 .. .. .	..	24	..	each		
5129. No. 3 .. .. .	..	24	..	do.		
5130. No. 4 .. .. .	..	24	..	do.		
5131. No. 5 .. .. .	..	24	..	do.		
Cups, Compression Grease, Spring Plunger—						
5132. No. 2 .. .. .	..	24	..	do.		
5133. No. 3 .. .. .	..	24	..	do.		
* 5134. No. 4 .. .. .	..	24	..	do.		
5135. No. 5 .. .. .	..	24	..	do.		
5136. No. 6 .. .. .	..	24	..	do.		
*5137. Cutters, Gauge, Glass .. .. .	..	12	..	do.		
*5138. Eyelets, Brass, any sizes ordered .. .. .	..	100 dozen	..	dozen		
5139. Frames, Hack-saw, any sizes ordered .. .. .	..	24	..	each		
5140. Gimlets, any sizes ordered .. .. .	..	24	..	do.		
5141. Grindstones, of approved grit, 4" thick x 30" diameter .. .. .	..	12	..	do.		
Iron, Soldering—						
5142. 1½ lbs. .. .. .	..	3	..	do.		
5143. 2 lbs. .. .. .	..	3	..	do.		
Jacks, Lifting, Bottle—						
5144. 1 ton .. .. .	..	3	..	do.		
5145. 5 tons .. .. .	..	6	..	do.		
Jacks, Lifting—						
5146. German, 5 tons .. .. .	..	6	..	do.		
5147. Wooden, German double action, 7½ tons .. .. .	..	6	..	do.		
Levels, Spirit—						
† 5148. 24" .. .. .	..	12	..	do.		
5149. 30" .. .. .	..	12	..	do.		
*5150. Needles, Sail or Roping, as ordered, any sizes ordered .. .. .	..	6 dozen	..	dozen		
5151. Plyers, 6" to 8", round, square-nozed, or cutting, as ordered .. .. .	..	8 pairs	..	pair		Nil
Punchers, Belt—						
5152. No. 7 .. .. .	..	12	..	each		
* 5153. No. 8 .. .. .	..	12	..	do.		
5154. No. 9 .. .. .	..	12	..	do.		
5155. No. 10 .. .. .	..	12	..	do.		
*5156. Rules, Box, 2', four-fold .. .. .	..	24	..	do.		
Reamers, Fluted, Parallel or Taper, as ordered, Mathieson's or other approved brand—						
5157. ½" .. .. .	..	12	..	do.		
5158. ⅝" .. .. .	..	12	..	do.		
5159. ⅜" .. .. .	..	12	..	do.		
5160. ⅞" .. .. .	..	12	..	do.		
5161. 1" .. .. .	..	12	..	do.		
5162. 1 ⅛" .. .. .	..	12	..	do.		
5163. 1 ¼" .. .. .	..	12	..	do.		
5164. 1 ⅝" .. .. .	..	12	..	do.		
5165. 1 ¾" .. .. .	..	12	..	do.		
5166. 2" .. .. .	..	12	..	do.		
5167. 1" .. .. .	..	12	..	do.		
5168. 1 ½" .. .. .	..	12	..	do.		
5169. Screwdrivers, any sizes ordered .. .. .	..	72 inches	..	in. of blade		
Shears or Snips, steel, straight—						
5170. 8" .. .. .	..	12	..	each		
5171. 10" .. .. .	..	12	..	do.		
Sheaves, Pulley, wire rope—						
5172. 2" .. .. .	..	24	..	do.		
* 5173. 3" .. .. .	..	24	..	do.		
5174. 4" .. .. .	..	48	..	do.		
5175. 6" .. .. .	..	36	..	do.		

Item No. and Description.	Country of Manufacture.	Estimated Requirements for Two Years.	Contract Quantity.	Rate per—	Rate.	Name of Contractor.
					£ s. d.	
<b>SUNDRY IRONMONGERY (TOOLS, ETC.)—</b>						
<i>continued.</i>						
Sheaves, Pulley, Manila Rope—						
5176.	4"	24	..	each		
5177.	6"	24	..	do.		
5178.	8"	24	..	do.		
5179.	Tapes, Metallic, with flush folding handles, 66', $\frac{5}{8}$ " wide, in links and feet	60	..	do.		
5180.	Tapes, Steel, 66" in links and feet x $\frac{1}{2}$ " wide	24	..	do.		
Taps, Taper, and Plug and Bottoming Whitworth Thread—						
5181.	$\frac{3}{16}$ "	36	..	do.		
5182.	$\frac{1}{4}$ "	36	..	do.		
5183.	$\frac{5}{16}$ "	36	..	do.		
5184.	$\frac{3}{8}$ "	36	..	do.		
5185.	$\frac{7}{16}$ "	36	..	do.		
5186.	$\frac{1}{2}$ "	36	..	do.		
5187.	$\frac{5}{8}$ "	36	..	do.		
5188.	$\frac{3}{4}$ "	36	..	do.		
5189.	$\frac{7}{8}$ "	36	..	do.		
5190.	1"	36	..	do.		
5191.	$1\frac{1}{8}$ "	36	..	do.		
5192.	$1\frac{1}{4}$ "	36	..	do.		
5193.	$1\frac{3}{8}$ "	36	..	do.		
5194.	$1\frac{1}{2}$ "	36	..	do.		
Taps, Taper and Plug Gas Thread—						
5195.	$\frac{3}{16}$ "	36	..	do.		
5196.	$\frac{1}{4}$ "	36	..	do.		
5197.	$\frac{5}{16}$ "	36	..	do.		
5198.	$\frac{3}{8}$ "	36	..	do.		
5199.	$\frac{7}{16}$ "	36	..	do.		
5200.	$\frac{1}{2}$ "	36	..	do.		
5201.	$\frac{5}{8}$ "	36	..	do.		
5202.	$\frac{3}{4}$ "	36	..	do.		
5203.	$\frac{7}{8}$ "	36	..	do.		
5204.	1"	36	..	do.		
5205.	$1\frac{1}{8}$ "	36	..	do.		
5206.	$1\frac{1}{4}$ "	36	..	do.		
5207.	$1\frac{3}{8}$ "	36	..	do.		
5208.	$1\frac{1}{2}$ "	36	..	do.		
5209.	2"	36	..	do.		
5210.	$2\frac{1}{2}$ "	36	..	do.		
5211.	3"	36	..	do.		
Tongs, Chain, "Vulcan"—						
5212.	No. 10	24	..	do.		
5213.	No. 12	24	..	do.		
5214.	No. 13	24	..	do.		
5215.	Bi-jaw No. 32	12	..	do.		
5216.	Bi-jaw No. 33	12	..	do.		
Tubes, Spirit Level—						
5217.	$1\frac{1}{2}$ " x $\frac{3}{8}$ "	1 dozen	..	dozen		
5218.	$2\frac{1}{2}$ " x $\frac{3}{8}$ "	1 "	..	do.		
Wheels, Pipe Cutting—						
5219.	No. 1	36	..	each		
5220.	No. 2	36	..	do.		
5221.	No. 3	36	..	do.		
5222.	No. 4	36	..	do.		
Wheels, Carborundum—						
5223.	$12\frac{7}{8}$ " x $1\frac{1}{2}$ " x $1\frac{1}{2}$ " Arbor hole	12	..	do.		
5224.	$12\frac{1}{2}$ " x $1\frac{1}{2}$ " x $1\frac{1}{2}$ " Arbor hole	6	..	do.		
5225.	Jacks, Trehella, and parts, as ordered	£10	..			

Nil

Item No. and Description.	Country of Manufacture.	Estimated Requirements for Two Years.	Contract Quantity.	Rate per--	Rate.	Name of Contractor.	
					£ s. d.		
<b>ADZES, AXES, ETC.</b>							
<i>Names of Manufacturers—</i>							
<i>Items 5526, 5527—Wm. Hunt and Sons; The Brades Ltd.</i>							
<i>Item 5231—F. R. Plumb. I. N. C.</i>							
<i>Item 5232—Wm. Hunt and Sons; The Brades Ltd.</i>							
<i>Adzes, plain or pin-rolled, as ordered—</i>							
5226. No. 2 .. .. .	Britain	36	{	each	0 3 9	} McPherson's Pty. Ltd.	
5227. No. 3 .. .. .	"			do.	0 4 0		
<i>Axes, American, handled—</i>							
5228. 3½ lbs. .. .. .	"	48		do.	}	Nil	
5229. 4½ lbs. .. .. .	"	60		do.			
5230. 5 lbs. .. .. .	"	60		do.			
5231. Hatchets, Lathing, No. 2 .. .. .	U.S.A.	144		do.	0 2 6	} McPherson's Pty. Ltd.	
5232. Mattocks .. .. .	Britain	24		do.	0 3 9		
<b>AUGERS.</b>							
<i>Names of Manufacturers—</i>							
<i>Items Nos. 5233-44—A. Mathieson and Son.</i>							
<i>Item No. 5245—Snell Mfg. Co.</i>							
<i>Augers—</i>							
5233. Screw, ¾", 7/8" or 1" diameter, as ordered .. .. .	Britain	4 dozen		dozen	1 1 9	} McPherson's Pty. Ltd.	
5234. Screw, ¾", 7/8" or 1" diameter, as ordered .. .. .	"	4 "		do.	1 6 3		
5235. Screw, 11/8" or ¾" diameter, as ordered .. .. .	"	4 "		do.	1 8 6		
5236. Screw, 11/8" or ¾" diameter, as ordered .. .. .	"	4 "		do.	1 11 3		
5237. Screw, 11/8" or 1" diameter, as ordered .. .. .	"	4 "		do.	1 14 3		
5238. Screw, 1½" diameter .. .. .	"	2 "		do.	2 0 0		
5239. Screw, 1½" diameter .. .. .	"	2 "		do.	2 3 6		
5240. Screw, 1½" diameter .. .. .	"	2 "		do.	2 6 3		
5241. Screw, 1½" diameter .. .. .	"	2 "		do.	2 11 3		
5242. Screw, 1½" diameter .. .. .	"	2 "		do.	3 1 0		
5243. Screw, 2" diameter .. .. .	"	2 "		do.	3 12 0		
5244. Screw, 2½" diameter .. .. .	"	2 "		do.	7 16 0		
5245. Bullnosed, any sizes ordered .. .. .	U.S.A.	1,000 8ths		1/8 of in.	0 0 8½		
<b>FILES AND RASPS</b>							
<i>Name of Manufacturer—Items Nos. 5246 and 5248—Sanderson Bros. and Newbould Ltd.</i>							
<i>The Files and Rasps for Items 5246 and 5247 and 5248 shall be of any description, shape, length, or edge ordered.</i>							
<i>The estimated requirements are based on the full Price List.</i>							
<i>Files or Rasps, as ordered—</i>							
5246. English .. .. .	Britain	£200			40%	Benson Bros. Ltd.	
5247. American .. .. .	"					Nil	
5248. Files, Saw .. .. .	Britain	£30			40%	Benson Bros. Ltd.	
<b>HAMMERS.</b>							
<i>Name of Manufacturer—Item No. 5249—F. R. Plumb.</i>							
<i>The samples submitted by the Tenderer are samples as regards shape and quality only.</i>							
<i>Hammers, Cast, Steel—</i>							
†5249. Claw, Nos. 5 to 7, as ordered .. .. .	U.S.A.	36		each	0 2 9	McPherson's Pty. Ltd.	
†5250. Sledge, double-faced, 4 to 16 lbs., as ordered .. .. .	"	300 lbs.		lb.	}	Nil	
†5251. Engineers' hand, any sizes ordered .. .. .	"	112 "		do.			
†5252. Flogging, single-faced, any sizes ordered .. .. .	"	112 "		do.			
†5253. Hammers, Farriers' .. .. .	"	12		each			

Item No. and Description.	Country of Manufacture.	Estimated Requirements for Two Years.	Contract Quantity.	Rate per—	Rate.	Name of Contractor.	
					£ s. d.		
<b>SAWS AND BLADES.</b>							
<i>Names of Manufacturers—</i>							
<i>Items Nos. 5254, 5255, 5257, 5257A, 5261—Sanderson Bros. and Newbould Ltd.</i>							
<i>Item No. 5256—H. Disstons and Sons, No. 7.</i>							
<i>Item No. 5258—Spear and Jacksons.</i>							
<i>Items Nos. 5259, 5260, 5260A—H. G. Thompson and Son.</i>							
<i>Saws—</i>							
5254. Crosscut, peg tooth, any length, as ordered .. .. .	Britain	100 feet	..	lin. ft.	0 1 9	} Benson Bros. Ltd.	
5255. Crosscut, Lightning, any length, as ordered .. .. .	"	100 "	..	do.	0 1 9		
5256. Hand, 26", any tooth, as ordered .. .. .	U.S.A.	144	..	each	0 6 6½	McPherson's Pty. Ltd.	
5257. Tenon, 10" .. .. .	Britain	} 12	{	..	each	0 3 6	
5257A. Tenon, 12" .. .. .	"			..	do.	0 4 0	} Benson Bros. Ltd.
5258. Circular, any gauge ordered, up to 30" diameter, as ordered .. .. .	"	180 in.	..	in. dia.	0 1 5	McPherson's Pty. Ltd.	
<i>Blades—</i>							
5259. Hack-saw, 10", high speed .. .. .	U.S.A.	96 dozen	..	dozen	0 2 6	} L. C. Search	
†5260. Hack-saw, 12" x ½", high speed .. .. .	"	} 96 "	{	..	do.		0 2 10
†5260A. Hack-saw, 12" x ¾", high speed .. .. .	"			..	do.		0 3 6
†5261. Band-saw, 1" wide, any gauge ordered .. .. .	Britain	300 feet	..	foot.	0 0 8	Benson Bros. Ltd.	
<b>SHOVELS, PICKS, ETC.</b>							
<i>The samples exhibited by the Corporation for Items Nos. 5270 and 5271 are samples as regards shape and quality only.</i>							
<i>Shovels, Steel, American, round or square-mouthed, as ordered, any Nos. ordered—</i>							
†5262. Long handled .. .. .	..	144	..	each	} ..	Nil	
†5263. Short handled .. .. .	..	144	..	do.			
†5264. Steel, navy, round mouthed, No. 4 .. .. .	..	30	..	do.			
†5265. Steel, navy, square mouthed, No. 3 .. .. .	..	30	..	do.			
†5266. Coal, D.H., round or square mouthed, as ordered, No. 6 .. .. .	..	30	..	do.			
†5267. Coal, D.H., round or square mouthed, as ordered, No. 8 .. .. .	..	48	..	do.			
5268. Spades, steel, short or long handles, as ordered .. .. .	..	12	..	do.			
<i>Picks—</i>							
*5269. Chisel and diamond points, 7 lbs. .. .. .	Britain	48	..	do.	0 4 6	} Eagle and Globe Steel Co. Ltd.	
*5270. Miners', 4½ lbs. .. .. .	"	100	..	do.	0 3 0		
*5271. Miners', 5 lbs. .. .. .	"	100	..	do.	0 3 2		
<i>Forks—</i>							
5272. Hay, 3-prong .. .. .	..	12	..	do.	} ..	Nil	
5273. Manure, 4-prong .. .. .	..	12	..	do.			
<b>SPANNERS AND WRENCHES.</b>							
<i>The samples exhibited by the Corporation for Items 5274 to 5277 inclusive are samples as regards shape and quality only.</i>							
<i>Spanners, Steel, "Clyburn's"—</i>							
5274. 6" to 8", as ordered .. .. .	..	200 in.	..	inch	} ..	Nil	
5275. 9" to 14", as ordered .. .. .	..	400 "	..	do.			
*5276. 15" .. .. .	..	24	..	each			
5277. 18" .. .. .	..	12	..	do.			
<i>Wrenches—</i>							
5278. Screw, "Coe's," 6" .. .. .	..	48	..	do.	} ..	Nil	
5279. "Coe's," 8" .. .. .	..	36	..	do.			
5280. "Coe's," 10" .. .. .	..	36	..	do.			
5281. 12" .. .. .	..	36	..	do.			
5282. "Stillson's," 12" .. .. .	..	36	..	do.			
5283. "Stillson's," 18" .. .. .	..	24	..	do.			
5284. "Stillson's," 24" .. .. .	..	12	..	do.			
5285. Pipe, "Footprint," any sizes ordered .. .. .	..	300 in.	..	inch			

Item No. and Description.	Country of Manufacture.	Estimated Requirements for Two Years.	Contract Quantity.	Rate per—	Rate.	Name of Contractor.		
					£ s. d.			
<b>VICES.</b>								
Vices, Pipe—								
5286. "Vulcan," 2" or 2½", as ordered	..	8	..	each	}	Nil		
5287. "Vulcan," 4", as ordered	..	4	..	do.				
5288. Smiths' or Fitters', as ordered, 20 lbs. and upwards, as ordered, with solid wrought-iron boxes and screws and cast-steel jaws	..	6 cwt.	..	cwt.				
5289. Carpenters' Bench, 7½" jaw	..	6	..	each	} 3 8 0	Bell's Asbestos Australian Agency Ltd.		
5290. Engineers' Parallel, 5" jaw, "Swindon's" Universal	Britain	12	..	do.				
<b>EMERY, ETC.</b>								
5291. Emery, any Nos. ordered	..	28 lbs.	..	lb.	}	Nil		
5292. Emery, Flour of	..	14 "	..	do.				
5293. Cloth, Emery, Nos. 0 to 3, as ordered	..	200 quires	..	quire				
5294. Paper, Glass, any Nos. ordered	..	10 reams	..	ream				
<b>HINGES, LOCKS, ETC.</b>								
<i>The samples exhibited by the Corporation for Items 5299 and 5305 are samples as regards shape and quality only.</i>								
Hinges of any width, thickness, and strength ordered—								
5295. Butt steel, 1" to 2", as ordered	..	72 pairs	..	pair	}	Nil		
5296. Butt steel, over 2" to 3", as ordered	..	72 "	..	do.				
5297. Butt steel, 3½"	..	72 "	..	do.				
5298. Butt steel, 4"	..	72 "	..	do.				
*5299. T, iron, any lengths ordered	..	10,000 in.	..	inch				
5300. Strap, bent or straight, as ordered, any lengths ordered	..	2,000 "	..	do.				
5301. Latches, night, triplicate keys, Yale, plated fronts	..	96	..	each				
Locks—								
5302. Iron, cupboard or box, as ordered, tumbler, 3"	..	24	..	do.				
5303. Iron, cupboard or box, as ordered, tumbler, 4"	..	24	..	do.				
5304. Brass, drawer, Hobbs' patent, 3"	..	48	..	do.				
*5305. Brass, drawer	..	36	..	do.				
5306. Rim, iron, Carpenter's patent, with furniture complete, 3 bolts, 6"	..	72	..	do.				
5307. Pad, brass, Yale pattern, 1"	..	48	..	do.				
5308. Pad, brass, Yale pattern, 1½"	..	96	..	do.				
5309. Pad, brass, Yale pattern, 2"	..	96	..	do.				
† 5310. Pad, brass, Yale pattern, 3", triplicate keys	..	12	..	do.				
5311. Pad, Brass, Yale pattern, 3½", triplicate keys	..	12	..	do.				
5312. Pad, iron, 2"	..	48	..	do.				
† 5313. Pad, iron, 2½"	..	48	..	do.				
5314. Pad, iron, 3"	..	48	..	do.				
† 5315. Mortise, 4"	..	48	..	do.				
5316. Mortise, 5"	..	48	..	do.				

Item No. and Description.	Country of Manufacture.	Estimated Requirements for Two Years.	Contract Quantity.	Rate per—	Rate.	Name of Contractor.		
					£ s. d.			
<b>NAILS, SPIKES, ETC.</b>								
<i>The samples exhibited by the Corporation for Items 5319, 5325 to 5327, and 5329 to 5331 are samples as regards shape and quality only.</i>								
Nails—								
5317.	..	28 lbs.	..	lb.	} ..	Nil		
5318.	..	28 "	..	do.				
*5319.	..	1,000 "	..	lb.				
5320.	..	10 cwt.	..	cwt.				
5321.	..	300 "	..	do.				
5322.	..	50 "	..	do.				
5323.	..	25 "	..	do.				
†5324.	..	200,000 "	..	1,000				
5325.	..	40 cwt.	..	cwt.				
*5326.	..	40 "	..	do.				
5327.	..	40 "	..	do.				
5328.	..	56 lbs.	..	lb.				
Spikes, Dog—								
5329.	..	60 tons	..	ton	} ..	Nil		
5330.	..	4 "	..	do.				
5331.	..	4 "	..	do.				
<b>SCREWS AND SPLIT PINS.</b>								
<i>The estimated requirements are based on the full price lists.</i>								
Screws—Nettlefolds Ltd., any sizes ordered—								
5332.	..	£50	..	..	} ..	Nil		
5333.	..	£5	..	..				
Screws—								
5334.	..	£5	..	..				
5335.	..	£5	..	..				
*5336.	..	60 cwt.	..	cwt.				
5337.	..	12 gross	..	gross				
5338.	..	6 "	..	do.				
5339.	..	6 "	..	do.				
5340.	..	6 "	..	do.				
5341.	..	6 "	..	do.				
5342.	..	6 "	..	do.				
5343.	..	6 "	..	do.				
5344.	..	56 lbs.	..	lb.				
5345.	..	£10	..	..				
<b>RIVETS (VARIOUS).</b>								
Rivets—								
5346.	..	56 lbs.	..	lb.	} ..	Nil		
5347.	..	6,000 "	..	do.				
5348.	..	112 "	..	do.				

Item No. and Description.	Country of Manufacture.	Estimated Requirements for Two Years.	Contract Quantity.	Rate per—	Rate.	Name of Contractor.
					£ s. d.	
<b>GAUGE GLASSES.</b>						
<i>Name of Manufacturer—Items Nos. 5349 to 5354—Bishop and Co.</i>						
Glasses, Gauge—						
5349. 1", 12" to 18" Adamant, as ordered ..	Britain	24 dozen	..	dozen	0 4 9	} Bell's Asbestos Australian Agency Ltd.
5350. 1", 12" to 18" " as ordered ..	"	24 "	..	do.	0 6 6	
5351. 1", 12" to 18" " as ordered ..	"	36 "	..	do.	0 9 6	
5352. 1", 12" to 18" " as ordered ..	"	24 "	..	do.	0 13 0	
5353. 1", 18" to 20" " as ordered ..	"	24 "	..	do.	0 11 0	
5354. 1", 18" to 20" " as ordered ..	"	24 "	..	do.	0 19 0	
5355. 1 1/2", 18" to 20" " as ordered ..	"	12 "	..	do.	..	Nil
<b>WOODEN HANDLES.</b>						
<i>The sample exhibited by the Corporation for Item 5359 is a sample as regards shape and quality only.</i>						
Handles, Wooden—						
†5356. Adze, Hickory .. .. .	..	4 dozen	..	dozen	} ..	Nil
†5357. Axe, Hickory .. .. .	..	6 "	..	do.		
†5358. Broom, Softwood .. .. .	..	12 "	..	do.		
*5359. File, Ferruled, any sizes ordered ..	..	12 "	..	do.		
5360. Hammer, Bluegum, 14" .. .. .	..	24 "	..	do.		
†5361. Hammer, Bluegum, 22" .. .. .	..	12 "	..	do.		
5362. Hammer, Bluegum, 30" .. .. .	..	36 "	..	do.		
5363. Hammer, Bluegum, 36" .. .. .	..	24 "	..	do.		
5364. Hammer, Hickory, 14" .. .. .	..	36 "	..	do.		
†5365. Hammer, Hickory, 22" .. .. .	..	36 "	..	do.		
5366. Hammer, Hickory, 30" .. .. .	..	36 "	..	do.		
5367. Hammer, Hickory, 36" .. .. .	..	36 "	..	do.		
†5368. Pick, Miner's, Ballarat, Bluegum ..	..	24 "	..	do.		
†5369. Pick, Miner's, Ballarat, Hickory ..	..	36 "	..	do.		
†5370. Hammer, Navy .. .. .	..	12 "	..	do.		
<b>BRASS WORK, ETC.</b>						
<i>The samples exhibited by the Corporation for Items 5371 to 5373, 5374 to 5376, 5377 to 5380, 5382 to 5385, 5386 to 5391, 5392, 5393, 5394 to 5402, are samples as regards shape and quality only.</i>						
Cocks, Brass—						
*5371. Drain, 1/2" .. .. .	Victoria	36	..	each	0 2 4	} John Danks and Son Pty. Ltd.
*5372. Drain, 3/8" .. .. .	"	36	..	do.	0 3 6	
5373. Drain, 1/2" .. .. .	"	24	..	do.	0 4 6	
5374. Pet, Straight, 1/4" .. .. .	"	24	..	do.	0 2 0	
*5375. Pet, Straight, 3/8" .. .. .	"	72	..	do.	0 3 0	
5376. Pet, Straight, 1/2" .. .. .	"	24	..	do.	0 3 9	
5377. Plug, 3/4" .. .. .	"	24	..	do.	0 2 9	
5378. Plug, 1" .. .. .	"	24	..	do.	0 4 6	
5379. Plug, 1 1/2" .. .. .	"	24	..	do.	0 8 6	
5380. Plug, 2" .. .. .	"	24	..	do.	0 14 0	
*5381. Range, 3/4" .. .. .	"	72	..	do.	0 2 6	
Cocks, Water, H.P., bib or stop and for Lead or Iron, as ordered—						
5382. 3/8" .. .. .	..	24	..	each	..	Nil
*5383. 1/2" .. .. .	Victoria	24	..	do.	0 1 9	} John Danks and Son Pty. Ltd.
5384. 3/4" .. .. .	"	96	..	do.	0 2 6	
5385. 1" .. .. .	"	24	..	do.	0 4 6	
Cocks, Fullway, H.P.—						
5386. 3/4" .. .. .	..	12	..	do.	} ..	Nil
5387. 1" .. .. .	..	12	..	do.		
*5388. 1 1/4" .. .. .	..	12	..	do.		
5389. 1 1/2" .. .. .	..	24	..	do.		
5390. 2" .. .. .	..	12	..	do.		
5391. 3" .. .. .	..	12	..	do.		



Item No. and Description.	Country of Manufacture.	Estimated Requirements for Two Years.	Contract Quantity.	Rate per—	Rate.	Name of Contractor.
					£ s. d.	
<b>BRASS WORK, ETC.—continued.</b>						
*5392. Couplings or Unions, Brass, any sizes and threads ordered .. .. .	Victoria	50 lbs.	..	lb.	0 3 0	} John Danks and Son Pty. Ltd.
*5393. Directors, Water, Fire Brigade pattern, any sizes and threads ordered .. .. .	"	56 "	..	do.	0 4 6	
Unions, Brass, ground joints for Iron or Brass Pipe Ends, as required—						
{ 5394. 1/2" and under .. .. .	"	12	..	each	0 0 10	
{ 5395. 3/8" .. .. .	"	12	..	do.	0 1 0	
{ 5396. 1/2" .. .. .	"	24	..	do.	0 1 2	
* 5397. 1" .. .. .	"	24	..	do.	0 1 8	
{ 5398. 1 1/4" .. .. .	"	12	..	do.	0 3 0	
{ 5399. 1 1/2" .. .. .	"	24	..	do.	0 4 6	
{ 5400. 1 3/4" .. .. .	"	12	..	do.	.. ..	
{ 5401. 2" .. .. .	Victoria	12	..	do.	0 5 6	Nil
*5402. Valves, Brass, Steam, any sizes ordered .. .. .	"	1,000 lbs.	..	lb.	0 2 6	} John Danks and Son Pty. Ltd.
<b>PLUMBERS' GOODS.</b>						
5403. Nails and Tubes, Galvanized for Spouting, any sizes ordered .. .. .	..	72 dozen	..	dozen	..	} Nil
5404. Ridging, Galvanized, up to 18", as ordered, 26 gauge .. .. .	..	3,000 feet	..	foot	..	
Spouting, Galvanized Iron—						
5405. 24 gauge, O.G. 5" .. .. .	..	3,000 "	..	do.	..	
5406. Down pipe, 24 gauge, 3" .. .. .	..	2,000 "	..	do.	..	
5407. Washers, Cut Iron, Galvanized, any sizes ordered .. .. .	..	56 lbs.	..	lb.	..	
<b>GALVANIZED BUCKETS AND TINWARE.</b>						
Buckets, Galvanized, strapped sides and bottoms—						
*{ 5408. 12" .. .. .	..	36	..	each	..	} Nil
{ 5409. 14" .. .. .	..	24	..	do.	..	
*5410. Cans, Oil, Tin, Miners' Feeders, Oil, Tin—	..	288	..	do.	..	
*{ 5411. 1/2 pint .. .. .	..	36	..	do.	..	
{ 5412. 1 pint .. .. .	..	36	..	do.	..	
*5413. Lamp, Tin, Miners' Pit .. .. .	..	24 dozen	..	dozen	..	

**TUBES AND FITTINGS.**

The samples exhibited by the Tenderers for Items Nos. 5414, 5415 to 5419, 5420, 5421, 5422, 5423, and 5424, are samples as regards quality only.

The estimated requirements are based on the full List Price.

All Tubes and Fittings to be of standard weight and of Whitworth's gauge of Gas Threads.

Item No. and Description.	Country of Manufacture.	Estimated Requirements for Two Years.	Contract Quantity.	Rate per—	Rate.	Name of Contractor.
Tubes, Pieces, Long Screws, Bends, and Springs—						
†5414. Black, Wrought Iron, of approved thickness .. .. .	..	£2,000	..	..	..	} Nil
{ 5415. Tubing, Hydraulic, 2" .. .. .	..	300 feet	..	foot	..	
{ 5416. Tubing, Hydraulic, 2 1/2" .. .. .	..	300 "	..	do.	..	
† 5417. Tubing, Hydraulic, 3" .. .. .	..	300 "	..	do.	..	
{ 5418. Tubing, Hydraulic, 4" .. .. .	..	300 "	..	do.	..	
{ 5419. Tubing, Galvanized Iron .. .. .	..	£200	..	..	..	
Tubing to 300-lb. pressure, Mild Steel—						
†{ 5420. 3" .. .. .	..	500 feet	..	foot	..	
{ 5421. 4" .. .. .	..	500 "	..	do.	..	
Fittings—						
5422. Black, Wrought Iron, of approved thickness .. .. .	..	£500	..	..	..	
5423. Galvanized Wrought Iron, of approved thickness .. .. .	..	£10	..	..	..	
†5424. Tube, Malleable, Black, (for Gas or Steam) .. .. .	..	£300	..	..	..	

Item No. and Description.	Country of Manufacture.	Estimated Requirements for Two Years.	Contract Quantity.	Rate per—	Rate.	Name of Contractor.
					£ s. d.	

**BOLTS AND NUTS.**

The samples exhibited by the Corporation for Items 5425 to 5472 are samples as regards shape and quality only. All Bolts and Nuts are to be made from the very best Staffordshire iron, or iron of equal quality, with full, true, and clean threads of Whitworth's gauge and diameter. All Hexagon Nuts are to be made to Victorian Railways gauge on the outside. In respect of Items Nos. 5432, 5433, 5435 to 5442, 5449, 5450, and 5453 to 5456 the price shown in the Schedule is for delivery at West Footscray Railway Station.


Bolts, Iron, carriage, bevel head, square nut—						
5425.	$\frac{1}{8}$ " diameter x any length up to 4", as ordered ..	..	36 gross	..	gross	Nil
5426.	$\frac{3}{8}$ " diameter x any length up to 4", as ordered ..	..	500 "	..	do.	
Bolts, Iron, with cup head, square neck, square or hexagon nut, as ordered—						
5427.	$\frac{1}{2}$ " diameter x 2" in length and under ..	U.S.A.	50 "	..	do.	McPherson's Pty. Ltd.
5428.	$\frac{1}{2}$ " diameter x over 2" in length ..	"	50 "	..	do.	
5429.	$\frac{3}{8}$ " diameter x 3" in length and under ..	"	2,000 "	..	do.	G. F. Sewell
5430.	$\frac{3}{8}$ " diameter x 3 $\frac{1}{2}$ " to 6" in length ..	Vict.	30 cwt.	..	cwt.	
5431.	$\frac{3}{8}$ " diameter x over 6" in length ..	"	5 "	..	do.	McPherson's Pty. Ltd.
5432.	$\frac{1}{2}$ " diameter x 3" in length and under ..	"	20 "	..	do.	
5433.	$\frac{1}{2}$ " diameter x 3 $\frac{1}{2}$ " to 6" in length ..	"	80 "	..	do.	G. F. Sewell
5434.	$\frac{1}{2}$ " diameter x over 6" in length ..	"	40 "	..	do.	
5435.	$\frac{3}{8}$ " diameter x 3" in length and under ..	"	10 "	..	do.	G. F. Sewell
5436.	$\frac{3}{8}$ " diameter x 3 $\frac{1}{2}$ " to 6" in length ..	"	40 "	..	do.	
5437.	diameter x 6 $\frac{1}{2}$ " to 12" in length ..	"	80 "	..	do.	G. F. Sewell
5438.	$\frac{3}{8}$ " diameter x over 12" in length ..	"	20 "	..	do.	
5439.	$\frac{3}{8}$ , $\frac{7}{8}$ , 1" diameter x 3" in length and under ..	"	10 "	..	do.	G. F. Sewell
5440.	$\frac{3}{8}$ , $\frac{7}{8}$ , 1" diameter x 3 $\frac{1}{2}$ " to 6" in length ..	"	60 "	..	do.	
5441.	$\frac{3}{8}$ , $\frac{7}{8}$ , 1" diameter x 6 $\frac{1}{2}$ " to 12" in length ..	"	100 "	..	do.	G. F. Sewell
5442.	$\frac{3}{8}$ , $\frac{7}{8}$ , 1" diameter x over 12" in length ..	"	40 "	..	do.	
Bolts, Iron, with hexagon head, round neck, square or hexagon nut, as ordered—						
5443.	$\frac{1}{2}$ " diameter x 2" in length and under ..	U.S.A.	24 gross	..	gross	McPherson's Pty. Ltd.
5444.	$\frac{1}{2}$ " diameter x over 2" in length ..	"	24 "	..	do.	
5445.	diameter x 3" in length and under ..	"	48 "	..	do.	G. F. Sewell
5446.	diameter x 3 $\frac{1}{8}$ " to 6" in length ..	Victoria	5 cwt.	..	cwt.	
5447.	diameter x over 6" in length ..	"	5 "	..	do.	G. F. Sewell
5448.	diameter x 3" in length and under ..	"	20 "	..	do.	
5449.	diameter x 3 $\frac{1}{2}$ " to 6" in length ..	"	40 "	..	do.	McPherson's Pty. Ltd.
5450.	diameter x over 6" in length ..	"	60 "	..	do.	
5451.	diameter x 3" in length and under ..	"	20 "	..	do.	G. F. Sewell
5452.	diameter x 3 $\frac{1}{2}$ " to 6" in length ..	"	60 "	..	do.	
5453.	diameter x over 6" in length ..	"	80 "	..	do.	G. F. Sewell
5454.	$\frac{3}{8}$ , $\frac{7}{8}$ , 1" diameter x 3" in length and under ..	"	60 "	..	do.	
5455.	$\frac{3}{8}$ , $\frac{7}{8}$ , 1" diameter x 3 $\frac{1}{2}$ " to 6" in length ..	"	100 "	..	do.	G. F. Sewell
5456.	$\frac{3}{8}$ , $\frac{7}{8}$ , 1" diameter x over 6" in length ..	"	60 "	..	do.	
Bolts, Iron, with esk. head, square neck, square or hexagon nut, as ordered						
5457.	$\frac{1}{4}$ " diameter x 2" in length and under ..	..	12 gross	..	gross	Nil
5458.	$\frac{1}{4}$ " diameter x over 2" in length ..	..	12 "	..	do.	
5459.	$\frac{5}{16}$ " diameter x 2" in length and under ..	..	12 "	..	do.	Nil
5460.	$\frac{5}{16}$ " diameter x over 2" in length ..	..	12 "	..	do.	
5461.	diameter x 3" in length and under ..	..	12 "	..	do.	Nil
5462.	diameter x 3 $\frac{1}{2}$ " to 6" in length ..	..	1 cwt.	..	cwt.	
5463.	diameter x over 6" in length ..	..	1 "	..	do.	Nil
5464.	diameter x 3" in length and under ..	..	5 "	..	do.	
5465.	diameter x 3 $\frac{1}{2}$ " to 6" in length ..	..	4 "	..	do.	Nil
5466.	diameter x over 6" in length ..	..	4 "	..	do.	
5467.	diameter x 3" in length and under ..	..	3 "	..	do.	Nil
5468.	diameter x 3 $\frac{1}{2}$ " to 6" in length ..	..	3 "	..	do.	
5469.	diameter x over 6" in length ..	..	3 "	..	do.	

Item No. and Description.	Country of Manufacture.	Estimated Requirements for Two Years.	Contract Quantity.	Rate per—	Rate.	Name of Contractor.		
					£ s. d.			
<b>BOLTS AND NUTS—continued.</b>								
Bolts, Iron, with csk. head, square neck, square or hexagon nut, as ordered—cont.								
5470.	..	5 cwt.	..	cwt.	} ..	Nil		
5471.	..	5 "	..	do.				
5472.	..	5 "	..	do.				
5473.	Victoria	40 "	..	do.			1 5 0	McPherson's Pty. Ltd.
<b>NUTS AND WASHERS.</b>								
<i>All Nuts to be tapped to Whitworth's thread and pitch, and must fit Bolts, samples of which will be supplied to the Contractor by the Corporation.</i>								
<i>All hexagon Nuts are to be to the Victorian Railways (Whitworth's) gauge on the outside.</i>								
Nuts, Black, Mild Steel, Pressed—								
5474.	Britain	20 gross	..	gross	0 4 6	} McPherson's Pty. Ltd.		
5475.	Australia	40 cwt.	..	cwt.	2 4 0			
5476.	..	40 "	..	do.	2 0 0			
5477.	..	20 "	..	do.	2 0 0			
Nuts, Bright, Mild Steel, Pressed and Finished—								
5478.	..	6 gross	..	gross	} ..	Nil		
5479.	..	1 cwt.	..	cwt.				
5480.	..	1 "	..	do.				
5481.	..	80 "	..	do.				
<b>BRASS, COPPER AND LEAD.</b>								
Brass—								
5482.	..	28 lbs.	..	lb.	} ..	Nil		
5483.	..	10 cwt.	..	cwt.				
5484.	..	3 "	..	do.				
5485.	..	56 lbs.	..	lb.				
5486.	..	56 "	..	do.	} ..	Nil		
5487.	..	5 cwt.	..	cwt.				
Copper—								
5488.	..	5 "	..	do.			} ..	Nil
5489.	..	560 lbs.	..	lb.				
5490.	..	60 "	..	do.				
Lead—								
5491.	..	5 tons	..	ton	} ..	Nil		
5492.	..	60 cwt.	..	cwt.				

Item No. and Description.	Country of Manufacture.	Estimated Requirements for Two Years.	Contract Quantity.	Rate per—	Rate.			Name of Contractor.
					£	s.	d.	

**IRON.**

In the case of all Angle and T Iron referred to in this Schedule, the word "side" shall mean side as indicated for Angles and Tees respectively, thus:—



The Yorkshire Iron to be supplied under Items 5499 to 5503 inclusive shall be subject to the following Specification, viz:—

- (a) **Quality of Materials.**—To be of best Yorkshire Iron.
- (b) **Freedom from Defects.**—The round, square, and flat bars must be well and cleanly rolled to the dimensions and sections specified, and must be sound and free from flaws, cracks, crop ends, and defects of any description. Any of the round, square, or flat bars which do not hold up their full dimensions from end to end, or which have rough, jagged, or imperfect edges or ends, will be rejected.
- (c) **Mechanical Tests.**—The tensile strength and ductility shall be determined from standard test pieces cut from the bars and tested with the grain. Any straightening of test pieces which may be required shall be done when cold.
- (d) **Tensile Tests.—Flat Bars.**—Flat Bars must be tested where possible as shaped in accordance with Diagram "A," Print No. 8983/12/15, but where the dimensions of the Bars as rolled do not permit of Test Bars of the shape shown being cut therefrom, they may be tested as per Sketch "B," Print 8983/12/15. All Flat Bars so tested must be capable of withstanding a tensile test of from 21 to 24 tons per square inch, with an elongation of not less than 24 per cent.

**Rounds and Squares.**—Where the diameters or sides of Bars do not exceed 1 inch, they are to be tested as rolled in accordance with Diagram "B," Print No. 8983/12/15, and must be capable of withstanding a tensile test of from 21 to 24 tons per square inch, with an elongation of not less than 28 per cent.

Where the diameter or sides of Bars are larger than 1 inch, they are to be turned down and tested in accordance with Diagram "B," Print No. 8983/12/15, and must be capable of withstanding a tensile test of from 21 to 24 tons per square inch, with an elongation of not less than 24 per cent.

- (e) **Bend Tests.**—Test pieces under 2 inches in diameter or thickness must withstand being bent cold flat on themselves without sign of fracture. Test pieces 2 inches diameter or thickness and over must withstand being bent cold through any angle of 180 degrees by pressure, or by succession of light blows over a round bar equal in diameter to the thickness of the test piece without showing signs of fracture on the outside of the bent portion.
- (f) **Nicked Bend Tests.**—Nicked Bend Tests shall be made on test pieces cut from the bars as rolled. Bars up to 1½ inches diameter shall be lightly and evenly nicked on one side with a sharp cutting tool, and bent back at this point through an angle of 180 degrees by pressure in a press, or by a succession of light blows, when they shall show a fibrous fracture free from slag or dirt. The same bars when nicked all round and broken off short shall show a fine uniform crystalline fracture.
- (g) **Rejection.**—Should the material fail to comply in every particular with the above conditions, the lot from which the test pieces were selected will be rejected.

**Names of Manufacturers—**

5494 to 5496—The Lion Rolling Mills Pty. Ltd.

5499 to 5503—Farnely Iron Co. Ltd., Leeds, England.

**Iron—**

5493.	Round or Square, as ordered, from ½" to 1½" in thickness or diameter, as ordered, advancing by ¼"	..	20 tons	..	ton	..	Nil
5494.	Round or Square, as ordered, over 1½" to 3" in thickness or diameter, as ordered, advancing by ¼"	Aust.	60 "	..	do.	14 10 0	The Lion Rolling Mills Pty. Ltd.

Item No. and Description.	Country of Manufacture.	Estimated Requirements for Two Years.	Contract Quantity.	Rate per—	Rate.	Name of Contractor.
					£ s. d.	
IRON—continued.						
5495. Flat, in the following trade sizes and lengths, as ordered— 1", 1 1/8", 1 1/4", 1 1/2", and 1 3/4" x 1" up to 6" wide 3/8", 1/2", and 3/4" x 1 1/4" up to 6" wide 1" x 2" up to 6" wide						
5496. Flat, any size and length ordered other than trade sizes and lengths, up to 6" wide, as ordered:— 3/4" x 3/8" to 5/8", advancing by 1/16" 7/8" x 3/8" to 5/8", advancing by 1/16" 1" x 1/2" to 3/4", advancing by 1/16" 1 1/8" x 1/2" to 3/4", advancing by 1/16" 1 1/4" x 1/2" to 3/4", advancing by 1/16" 1 1/2" x 1/2" to 1", advancing by 1/16" 1 3/4" x 1/2" to 1", advancing by 1/16" 1 7/8" x 1/2" to 1", advancing by 1/16" 2" x 1/2" to 1 1/4", advancing by 1/16" 2 1/4" x 1/2" to 1 1/4", advancing by 1/16" 2 1/2" x 1/2" to 1 1/4", advancing by 1/16" 2 3/4" x 1/2" to 1 1/4", advancing by 1/16" 3" x 1/2" to 2", advancing by 1/16" 3 1/4" x 1/2" to 2", advancing by 1/16" 3 1/2" x 1/2" to 2", advancing by 1/16" 4" x 1/2" to 2", advancing by 1/16" 4 1/4" x 1/2" to 2", advancing by 1/16" 5" x 1/2" to 2 1/2", advancing by 1/16" 5 1/4" x 1/2" to 2 1/2", advancing by 1/16" 6" x 1/2" to 2", advancing by 1/16"	Australia	100 tons	ton	14 10 0		The Lion Rolling Mills Pty. Ltd.
5497. Hoop, Black, any sizes ordered ..	..	10 "	..	do.	..	Nil
5498. Hoop, Galvanized, any sizes ordered ..	..	5 "	..	do.	..	Nil
Iron, Best Yorkshire, Farnley—						
5499. Round or Square, as ordered, from 1/4" to 7/8" inclusive in thickness or diameter, as ordered, advancing by 1/16" ..						
5500. Round or square, as ordered, from 1/4" to 1 1/4" inclusive in thickness or diameter, as ordered, advancing by 1/16" ..						
5501. Round or Square, as ordered, 1 1/8" to 3" inclusive in thickness or diameter as ordered, advancing by 1/16" ..	Britain	10 "	..	do.	31 17 6	Bell's Asbestos Australian Agency Ltd.
5502. Round or Square, as ordered, over 3" to 4" inclusive in thickness or diameter, as ordered, advancing by 1/16" ..						
5503. Flat, any thickness ordered, and up to 6" wide, as ordered ..						
IRON (GALVANIZED).						
Sheet—						
5504. Plain, 28 to 16 gauge, as ordered ..	..	10 tons	..	ton		
5505. Corrugated, 26 gauge, 5', 6', 7', 8', as ordered ..	..	20 "	..	do.		
5506. Corrugated, 26 gauge, 9' ..	..	10 "	..	do.		
5507. Corrugated, 26 gauge, 10' ..	..	10 "	..	do.		
5508. Corrugated, 24 gauge, as ordered, 5', 6', 7', 8' ..	..	2 "	..	do.	..	Nil
5509. Corrugated, 24 gauge, 9' ..	..	2 "	..	do.		
5510. Corrugated, 24 gauge, 10' ..	..	2 "	..	do.		

Item No. and Description.	Country of Manufacture.	Estimated Requirements for Two Years.	Contract Quantity.	Rate per—	Rate.			Name of Contractor.
					£	s.	d.	
<b>BLISTER, CAST, TOOL, DOUBLE SHEAR STEEL AND SHAFTING.</b>								
<i>The Steel shall bear the proper trade marks or brands and be of any sizes or sections ordered.</i>								
<i>Name of Manufacturer—Items Nos. 5512 to 5514—Sanderson Bros and Newbould Ltd.</i>								
Steel—								
5511.		2 cwt.	..	cwt.	..	..	..	Nil
Steel, Cast, Blacksmiths' quality—								
5512.	Britain	80 "	..	do.	1	13	9	} Benson Bros. Ltd.
5513.		40 "	..	do.	1	10	0	
5514.		40 "	..	do.	2	10	0	
†5515.		560 lbs.	..	lb.	..	..	..	Nil
†5516.		224 "	..	do.	..	..	..	Nil
Shafting, Steel, Mild—								
5517.		200 feet	..	foot	..	..	..	} Nil
5518.		200 "	..	do.	..	..	..	
5519.		200 "	..	do.	..	..	..	
5520.		200 "	..	do.	..	..	..	
5521.		200 "	..	do.	..	..	..	
5522.		200 "	..	do.	..	..	..	
5523.		200 "	..	do.	..	..	..	
5524.		200 "	..	do.	..	..	..	
5525.		200 "	..	do.	..	..	..	
5526.		200 "	..	do.	..	..	..	

**MILD STEEL.**

- (a) *Quality of Material.*—The Mild Steel must be manufactured from Acid or Basic Open Hearth Steel, made from selected material, and must not show on analysis more than .06 per cent. of sulphur or of phosphorus. The Contractor shall supply an analysis whenever required to do so, from time to time.
- (b) *Freedom from Defects.*—The Mild Steel must be free from cracks, surface flaws, laminations, and all other defects, cut square, and finished in a workmanlike manner. No plate, section, or bar must be more than 2½ per cent. over or 2½ per cent. under the calculated weight.
- (c) *Branding.*—Each plate, section, or bar shall bear the proper trade mark or brands, and shall be of any size of section ordered.
- (d) *Mechanical Tests.*—The tensile strength and ductility shall be determined from standard test pieces, cut lengthwise or crosswise from the rolled material. When material is annealed or otherwise treated before despatch the test pieces shall be similarly and simultaneously treated with the material before testing.  
Any straightening of the test pieces which may be required shall be done cold.
- (e) *Tensile Tests.—Plates and Sectional Material.*—Plates and Sectional material must be tested as shaped in accordance with Diagram "A" annexed, but where the dimensions of the Bars as rolled do not permit of test bars of the shape shown being cut therefrom, they may be tested as per Sketch "B" annexed. All flat bars so tested must be capable of withstanding a tensile test of from 28 to 32 tons per square inch with an elongation of not less than 20 per cent.  
*Rounds and Squares.*—Where the diameters or sides of Bars do not exceed 1 inch they are to be tested as rolled in accordance with Diagram "B" annexed, and must be capable of withstanding a tensile test of from 28 to 32 tons per square inch with an elongation of not less than 20 per cent.  
*Rivet Bars.*—All Rivet Bars must be tested in accordance with Diagram "B" annexed, and must be capable of withstanding a tensile test of from 24 to 28 tons per square inch with an elongation of not less than 27 per cent.
- (f) *Bend Tests.—Cold Bends.*—Test pieces shall be sheared or cut lengthwise from plates, sections, or bars, and shall not be less than 1½ inches wide, but for small plates, sections, or bars the whole section may be used.
- (g) *Temper Bends.*—The test pieces shall be similar to those used for cold bend tests. For temper bend tests the test pieces shall be heated to a blood red and quenched in water at a temperature not exceeding 80 degrees Fahr. The colour shall be judged indoor in the shade. In all cold or temper bend tests the sheared edges may be removed by milling, planing, grinding, or other method. The test pieces shall not be annealed unless the material from which they are cut is similarly annealed, in which cases the test pieces shall be similarly and simultaneously treated with the material before testing.  
For both cold and temper bends the test piece must withstand, without fracture, being doubled over until the internal radius is not greater than 1½ times the thickness of the test piece, and the sides parallel.  
For small sectional material these bend tests may be made from the flattened bar.
- (h) *Rejection.*—Should the material fail to comply in every particular with the above conditions, the lot from which the test pieces were selected will be rejected.

Item No. and Description.	Country of Manufacture.	Estimated Requirements for Two Years.	Contract Quantity.	Rate per—	Rate.	Name of Contractor.
					£ s. d.	

MILD STEEL—continued.

As regards Items 5529, 5531, and 5533, the rates tendered are on the basis of the price for Blooms and Billets of £10 per ton c.i.f. Melbourne, and in the event of the price actually paid by the Contractor for Blooms and Billets used in the manufacture of mild steel differing from £10 per ton c.i.f. Melbourne, the contract rates will be adjusted accordingly, an allowance of 12½ per cent. to be made for waste in making such adjustments.

Item No. and Description.	Country of Manufacture.	Estimated Requirements for Two Years.	Contract Quantity.	Rate per—	Rate.	Name of Contractor.
					£ s. d.	
Steel, Mild—						
5527. Channel, any sizes ordered .. ..	..	10 tons	..	ton	..	Nil
5528. Flat, ⅜" thickness or over, as ordered, from ⅝" to 9" wide, any sizes and lengths ordered other than trade sizes and lengths .. ..	..	5 "	..	do.		
5529. Flat, ⅜" thickness or over, as ordered, from ⅝" to 9" wide, in lengths as ordered and in the following thicknesses and sizes, viz. :— ¾" x ¾" to ⅝", advancing by ⅛" 7⁄8" x ¾" to ⅝", advancing by ⅛" 1" x ¾" to ⅝", advancing by ⅛" 1 1⁄8" x ¾" to ⅝", advancing by ⅛" 1 1⁄4" x ¾" to ⅝", advancing by ⅛" 1 3⁄8" x ¾" to 1", advancing by ⅛" 1 1⁄2" x ¾" to 1", advancing by ⅛" 1 3⁄4" x ¾" to 1", advancing by ⅛" 2" x ¾" to 1 1⁄4", advancing by ⅛" 2 1⁄4" x ¾" to 1 1⁄2", advancing by ⅛" 2 1⁄2" x ¾" to 1 3⁄4", advancing by ⅛" 2 3⁄4" x ¾" to 1 3⁄4", advancing by ⅛" 3" x ¾" to 2", advancing by ⅛" 3 1⁄4" x ¾" to 2", advancing by ⅛" 3 1⁄2" x ¾" to 2", advancing by ⅛" 4" x ¾" to 2", advancing by ⅛" 4 1⁄2" x ¾" to 2", advancing by ⅛" 5" x ¾" to 2 1⁄4", advancing by ⅛" 5 1⁄2" x ¾" to 2 1⁄2", advancing by ⅛" 6" x ¾" to 2", advancing by ⅛" 7" x 1" to 2", advancing by ⅛" 8" x 1" to 1", advancing by ⅛" 9" x 1" to 1", advancing by ⅛"	Australia	80 "	..	do.	16 6 0	The Lion Rolling Mills Pty. Ltd.
5530. Round or Square, as ordered, from ⅝" to 1" in thickness or diameter, as ordered, advancing by ⅛" .. ..	..	100 "	..	do.	..	Nil
5531. Round or Square, as ordered, over 1" to 3" in thickness or diameter, as ordered, advancing by ⅛" .. ..	Australia	100 "	..	do.	16 6 0	The Lion Rolling Mills Pty. Ltd.
5532. Half Round, any sizes ordered .. ..	..	10 "	..	do.	..	Nil
5533. Angle, of equal and unequal sides, the added inches of both sides not to exceed a total of 8" and up to ⅝" thick, in the following thicknesses, sizes, and lengths, viz. :— Equal. 1" x 1" x ⅜" to ¼", advancing by ⅛" up to 35' long 1 1⁄8" x 1 1⁄8" x ⅜" to ¼", advancing by ⅛" up to 35' long 1 1⁄4" x 1 1⁄4" x ⅜" to ¼", advancing by ⅛" up to 40' long 1 1⁄2" x 1 1⁄2" x ⅜" to ⅜", advancing by ⅛" up to 40' long 1 3⁄4" x 1 3⁄4" x ¼" to ⅜", advancing by ⅛" up to 40' long 2" x 2" x ¼" to ½", advancing by ⅛" up to 43' long 2 1⁄4" x 2 1⁄4" x ¼" to ½", advancing by ⅛" up to 30' long 2 1⁄2" x 2 1⁄2" x ¼" to ½", advancing by ⅛" up to 40' long	Australia	50 "	..	do.	16 6 0	The Lion Rolling Mills Pty. Ltd.

Item No. and Description.	Country of Manufacture.	Estimated Requirements for Two Years.	Contract Quantity.	Rate per--	Rate.	Name of Contractor.
					£ s. d.	
<b>MILD STEEL—continued.</b>						
5533. Angle, of equal and unequal sides, the (continued) added inches of both sides not to exceed a total of 8" and up to $\frac{3}{8}$ " thick, in the following thicknesses, sizes, and lengths, viz. :—						
<i>Equal—continued.</i>						
3" x 3" x $\frac{1}{4}$ " to $\frac{3}{8}$ ", advancing by $\frac{1}{16}$ " up to 38' long						
3 $\frac{1}{2}$ " x 3 $\frac{1}{2}$ " x $\frac{3}{8}$ " to $\frac{3}{4}$ ", advancing by $\frac{1}{16}$ " up to 35' long						
4" x 4" x $\frac{1}{2}$ " to $\frac{3}{4}$ ", advancing by $\frac{1}{16}$ " up to 30' long						
<i>Unequal.</i>						
3" x 2" x $\frac{1}{4}$ " to $\frac{1}{2}$ ", advancing by $\frac{1}{16}$ " up to 35' long						
3" x 2 $\frac{1}{2}$ " x $\frac{1}{4}$ " to $\frac{3}{8}$ ", advancing by $\frac{1}{16}$ " up to 35' long						
3 $\frac{1}{2}$ " x 3" x $\frac{3}{8}$ " to $\frac{3}{4}$ ", advancing by $\frac{1}{16}$ " up to 35' long						
4" x 3" x $\frac{3}{8}$ " to $\frac{3}{4}$ ", advancing by $\frac{1}{16}$ " up to 35' long						
5" x 2 $\frac{1}{2}$ " x $\frac{3}{8}$ " to $\frac{1}{2}$ ", advancing by $\frac{1}{16}$ " up to 25' long						
5534. Any sizes ordered other than trade sizes						
5535. In the following trade sizes, as ordered, viz.:—		150 tons		ton		Nil
$\frac{1}{8}$ " thickness—6' x 23", 30", 36", 42", 48"; 7' x 24", 30", 36", 42", 48"; 8' x 24", 30", 36", 42", 48", 54", 60"; 9' x 24", 30", 36", 42", 48"; 10' x 24", 30", 36", 42", 48", 54", 60"; 12' x 36", 48", 54", 60"						
$\frac{1}{16}$ " thickness—6' x 24", 30", 36", 42", and 48"; 7' x 24", 30", 36", 42", and 48"; 8' x 24", 30", 36", 42", 48", 54", and 60"; 9' x 24", 30", 36", 42", and 48"; 10' x 24", 30", 36", 42", 48", 54", and 60"; 12' x 36", 48", 54", and 60"						
$\frac{1}{4}$ " thickness—6' x 24", 30", 36", 42", and 48"; 7' x 24", 30", 36", 42", and 48"						
$\frac{1}{2}$ " thickness—8' x 24", 30", 36", 42", 48", 54", and 60"; 9' x 24", 30", 36", 42", and 48"; 10' x 24", 30", 36", 42", 48", 54", and 60"; 12' x 36", 42", 48", 54", 60", and 72"; 25' x 30", 42", 54", and 72"						
$\frac{3}{16}$ " thickness—6' x 24", 30", 36", 42", 48", and 60"; 7' x 24", 30", 36", 42", 48", and 60"; 8' x 24", 30", 36", 42", 48", and 60"; 9' x 24", 30", 36", 42", 48", and 60"; 9' x 24", 30", 36", 42", 48", and 54"; 10' x 30", 36", 42", and 48"; 12' x 24", 36", and 54"; 16' x 54", and 60"						
$\frac{3}{8}$ " thickness—6' x 24", 30", 36", 42", and 48"; 7' x 30", 42", and 48"; 8' x 24", 30", 36", 42", and 48"; 9' x 24", 30", 36", 42", and 48"; 10' x 24", 36", 42", 48", 54", and 60"; 11' x 36" and 48"; 12' x 30", 36", 42", 48", 54", 60", 72", 84", and 96"; 16' x 60", 18' x 48", 54", and 60"						



Item No. and Description.	Country of Manufacture.	Estimated Requirements for Two Years.	Contract Quantity.	Rate per—	Rate.	Name of Contractor.
					£ s. d.	
<b>MILD STEEL—continued.</b>						
5535. In the following trade sizes, as ordered, (continued) viz. :—						
$\frac{7}{16}$ " thickness—6' x 24", 30", 42", and 48"; 7' x 24", 30", 42", and 48"; 8' x 24", 30", 36", 42", 48", and 54"; 9' x 30", 36", 42", 48", 54", and 60"; 10' x 30", 36", 42", 48", 54", 60", and 66"; 11' x 36", 42", 48", 54", and 60"; 12' x 30", 48", 54", and 60"; 16' x 48" and 60"; 18' x 48", 54", 60", and 66"						
$\frac{1}{2}$ " thickness—6' x 24", 36", 42", 48", and 54"; 7' x 24", 30", 36", 42", and 54"; 8' x 24", 30", 36", and 48"; 9' x 30", 36", and 66"; 10' x 36", 42", 48", 54", and 60"; 11' x 42", 48", 54", and 60"; 12' x 36", 42", 48", 54", 60", 72", 84", and 96"; 16' x 48", 54", and 60"; 18' x 48", 54", 60", and 72"; 21' x 48", 54", 60", 66", 72", and 96"; 24½' x 48", 54", 60", and 84"; 30' x 30" and 36"						
$\frac{5}{16}$ " thickness—24½' x 48", 54", and 60"						
$\frac{3}{8}$ " thickness—6' x 24", 30", and 48", 7' x 24", 30", 42", and 48"; 8' x 24", 30", 36", 42", and 48"; 9' x 48"; 10' x 42", 48", 54", and 60"; 11' x 24" and 48"; 12' x 36", 42", 48", 54", 60", 66", and 72"; 13' x 42" and 48"; 14' x 48", 54", and 60"; 24½' x 48", 54", 60", 66", and 84"; 26' x 54", 60", and 66"						
$\frac{1}{2}$ " thickness—6' x 24", 30", 36", 42", and 48"; 7' x 24", 30", 36", 42", and 48"; 8' x 24", 30", 36", 42", and 48"; 9' x 24", 30", 36", 42", and 48"; 10' x 24", 30", 36", 42", and 48"; 11' x 60"; 12' x 30", 36", 42", 54", 60", and 72"; 14' x 60" and 72"; 18' x 60"						
$\frac{3}{4}$ " thickness—12' x 24" and 48"; 19' x 48"; 25' x 72"						
1" thickness—14' x 60" and 72"; 18' x 72"						

**SPRING STEEL.**

- (a) *Quality of Material.*—The bars shall be manufactured from the highest quality of Acid Open Hearth Steel made from the best selected material, and must not show on analysis more than .8 per cent. nor less than .5 per cent. of carbon, nor more than .035 per cent. of sulphur or of phosphorus. The Contractor shall supply an analysis whenever required to do so.
- (b) *Freedom from Defects.*—The bars must be perfectly smooth on their surfaces, and free from defects of any kind.
- (c) *Branding.*—Each bar shall be stamped with the Manufacturer's name and date of manufacture.
- (d) *Mechanical Tests.*—Test pieces taken from the bars must comply with the following tests without reheating or any other manipulation whatever  
*Cambering Tests for Flat Bars.*—Pieces of the flat bars, 30 inches long, shall be cambered to a radius of 80 times their thickness, hardened tempered, and after being pressed straight once and the camber carefully noted, must stand being pressed straight again six times in quick succession without showing any permanent set.
- (e) *Round Bars.*—The round bars must be capable of being hardened in oil.
- (f) *Rejection.*—Should the material fail to comply in every particular with the above conditions, the lot from which the test pieces were selected will be rejected.

5536. Steel, Spring, in bars, of any sizes and shapes ordered .. .. . 10 tons .. ton .. Nil

Item No. and Description.	Country of Manufacture.	Estimated Requirements for Two Years.	Contract Quantity.	Rate per—	Rate.	Name of Contractor.
					£ s. d.	
<b>HIGH SPEED TWIST DRILLS.</b>						
<i>Names of Manufacturers—</i>						
<i>Items Nos. 5538, 5540 to 5542, 5544 to 5547, 5549 to 5562, 5564, 5566, 5574 to 5576, 5578—Sanderson Bros. and Newbould Ltd.</i>						
<i>Items Nos. 5537, 5539, 5543, 5548, 5563, 5565, 5567 to 5573, 5577, 5579 to 5580—Thos. Firth and Sons Ltd.</i>						
Drills, Twist, High Speed, Round Taper or Round Parallel Shanks, as ordered—						
5537. $\frac{3}{16}$ " .. .. .	Britain	24	..	each	0 2 9	Thos. Firth & Sons (Australasia) Pty. Ltd.
5538. $\frac{9}{32}$ " .. .. .	"	48	..	do.	0 3 3	Benson Bros. Ltd.
5539. $\frac{1}{4}$ " .. .. .	"	24	..	do.	0 2 11	Thos. Firth & Sons (Australasia) Pty. Ltd.
5540. $\frac{7}{32}$ " .. .. .	"	24	..	do.	0 3 0	Benson Bros. Ltd.
5541. $\frac{1}{4}$ " .. .. .	"	24	..	do.	0 3 0	
5542. $\frac{1}{4}$ " .. .. .	"	48	..	do.	0 3 0	
5543. $\frac{1}{4}$ " .. .. .	"	24	..	do.	0 3 2	Thos. Firth & Sons (Australasia) Pty. Ltd.
5544. $\frac{5}{16}$ " .. .. .	"	48	..	do.	0 3 6	Benson Bros. Ltd.
5545. $\frac{3}{8}$ " .. .. .	"	24	..	do.	0 3 9	
5546. $\frac{3}{8}$ " .. .. .	"	24	..	do.	0 3 9	
5547. $\frac{3}{8}$ " .. .. .	"	48	..	dp.	0 4 0	Thos. Firth & Sons (Australasia) Pty. Ltd.
5548. $\frac{3}{8}$ " .. .. .	"	24	..	do.	0 4 2	
5549. $\frac{1}{2}$ " .. .. .	"	24	..	do.	0 4 3	Benson Bros. Ltd.
5550. $\frac{1}{2}$ " .. .. .	"	48	..	do.	0 4 6	
5551. $\frac{3}{8}$ " .. .. .	"	24	..	do.	0 4 9	
5552. $\frac{3}{8}$ " .. .. .	"	24	..	do.	0 5 0	
5553. $\frac{1}{2}$ " .. .. .	"	48	..	do.	0 5 0	
5554. $\frac{3}{8}$ " .. .. .	"	24	..	do.	0 5 5	
5555. $\frac{3}{8}$ " .. .. .	"	24	..	do.	0 5 5	
5556. $\frac{3}{8}$ " .. .. .	"	48	..	do.	0 6 0	
5557. $\frac{3}{8}$ " .. .. .	"	24	..	do.	0 7 2	
5558. $\frac{3}{8}$ " .. .. .	"	48	..	do.	0 7 2	
5559. $\frac{1}{2}$ " .. .. .	"	24	..	do.	0 7 9	
5560. $\frac{1}{2}$ " .. .. .	"	24	..	do.	0 7 9	
5561. $\frac{1}{2}$ " .. .. .	"	24	..	do.	0 8 3	
5562. $\frac{1}{2}$ " .. .. .	"	48	..	do.	0 8 3	
5563. $\frac{1}{2}$ " .. .. .	"	24	..	do.	0 9 7	
5564. $\frac{3}{4}$ " .. .. .	"	48	..	do.	0 9 9	Benson Bros. Ltd.
5565. $\frac{3}{4}$ " .. .. .	"	24	..	do.	0 10 0	Thos. Firth & Sons (Australasia) Pty. Ltd.
5566. $\frac{3}{4}$ " .. .. .	"	24	..	do.	0 10 6	Benson Bros. Ltd.
5567. $\frac{1}{2}$ " .. .. .	"	48	..	do.	0 14 2	Thos. Firth and Sons (Australasia) Pty. Ltd.
5568. $\frac{3}{4}$ " .. .. .	"	48	..	do.	0 15 2	
5569. $\frac{3}{4}$ " .. .. .	"	24	..	do.	0 15 10	
5570. $1$ " .. .. .	"	48	..	do.	0 16 2	
5571. $1\frac{1}{8}$ " .. .. .	"	24	..	do.	0 16 6	
5572. $1\frac{1}{8}$ " .. .. .	"	24	..	do.	0 17 2	Benson Bros. Ltd.
5573. $1\frac{1}{8}$ " .. .. .	"	24	..	do.	0 17 10	
5574. $1\frac{1}{8}$ " .. .. .	"	24	..	do.	0 19 3	
5575. $1\frac{1}{8}$ " .. .. .	"	24	..	do.	1 0 3	Thos. Firth & Sons (Australasia) Pty. Ltd.
5576. $1\frac{1}{8}$ " .. .. .	"	24	..	do.	1 5 2	
5577. $1\frac{1}{8}$ " .. .. .	"	24	..	do.	1 12 1	

Item No. and Description.	Country of Manufacture.	Estimated Requirements for Two Years.	Contract Quantity.	Rate per--	Rate.	Name of Contractor.
					£ s. d.	
<b>HIGH SPEED TWIST DRILLS--continued.</b>						
Drills, Twist, High Speed, Round Taper or Round Parallel Shanks, as ordered--continued.						
5578. 1½"	..	24	..	each	1 19 9	Benson Bros. Ltd. Thos. Firth and Sons (Australia) Pty. Ltd.
5579. 1½"	..	24	..	do.	2 8 6	
5580. 1½"	..	24	..	do.	2 19 4	
Drills, Ratchet, Morse Twist, Square Shank--						
5581. 1½"	..	12	..	each	}	Nil
5582. 1½"	..	12	..	do.		
5583. 1½"	..	12	..	do.		
5584. 1½"	..	12	..	do.		
5585. 1½"	..	12	..	do.		
5586. 1½"	..	12	..	do.		
5587. 1½"	..	12	..	do.		
5588. 1½"	..	24	..	do.		
5589. 1½"	..	24	..	do.		
5590. 1½"	..	24	..	do.		
5591. 1"	..	24	..	do.		
5592. 1"	..	24	..	do.		
<b>CRANE CHAIN AND IRON CHAIN.</b>						
<i>The Chain tendered for under Item 5593 must be what is known as "close link." The links must be of uniform shape and size, neatly and perfectly welded, so that the correct form is preserved throughout. The samples submitted by the Tenderer must be at least 2 feet in length, and will be samples as regards shape and quality only. The Chain must be in lengths up to 200 feet, as ordered, and accompanied by a proof certificate from a public testing machine, licensed by the Board of Trade. The proof load of the Chains which the Tenderer tenders to supply must be at least equal to that required by the British Admiralty, and the certificate to be furnished must be in accordance with the same.</i>						
†5593. Chain Iron, wrought, "Best Best" Short Link Crane, self-coloured, ½" to 1", as ordered .. .. .	..	20 cwt.	..	cwt.	}	Nil
Chain, Iron, wrought, Short Link Coil, Staffordshire, self-coloured--						
5594. ½"	..	5 "	..	do.		
5595. ½"	..	5 "	..	do.		
† 5596. ½" or ¾", as ordered .. .. .	..	25 "	..	do.		
5597. ½" or ¾" .. .. .	..	20 "	..	do.		
5598. ½" to 1" .. .. .	..	20 "	..	do.		
<b>SUNDRY WIRE (NOT INCLUDING ELECTRIC WIRE).</b>						
<i>The samples exhibited by the Corporation for Items 5599 and 5601 are samples as regards quality only.</i>						
Wire--						
5599. Brass--6 to 14 gauge, as ordered .. .. .	..	56 lbs.	..	lb.	}	Nil
5600. Brass Spring, any gauges ordered .. .. .	..	112 "	..	do.		
5601. Copper--14 to 21 gauge, as ordered .. .. .	..	200 "	..	do.		
5602. Lead, any gauges ordered .. .. .	..	12 "	..	do.		
5603. Steel, galvanized, fencing, any gauges ordered .. .. .	..	6 tons	..	ton		
5604. Spring Steel, black, any gauges ordered .. .. .	..	224 lbs.	..	lb.		
5605. Steel, galvanized barbed, any sizes ordered .. .. .	..	20 cwt.	..	cwt.		

Item No. and Description.	Country of Manufacture.	Estimated Requirements for Two Years.	Contract Quantity.	Rate per--	Rate.	Name of Contractor.	
					£ s. d.		
<b>WIRE ROPE.</b>							
<i>Name of Manufacturer—Items Nos. 5606 to 5615—</i>							
<i>W. N. Brunton and Son, Musselburgh, Scotland.</i>							
Rope, Steel, Wire, special flexible, galvanized (Best quality Patent)—							
†5606. $\frac{1}{8}$ " diameter, 1" circumference, 6 strands, 25 wires; breaking strength, 3.53 tons aggregate, 85-90 tons per square inch	Britain	..	3 cwt.	cwt.	4 1 9	Jas. Hardie and Coy.	
†5607. $\frac{1}{8}$ " diameter, $2\frac{1}{2}$ " circumference, 6 strands, 25 wires; breaking strength, 18.43 tons aggregate, 85-90 tons per square inch	"	..	10 "	do.	2 8 9		
†5608. $\frac{1}{8}$ " diameter, $1\frac{1}{2}$ " circumference, 6 strands, 25 wires; breaking strength, 8.10 tons aggregate, 85-90 tons per square inch	"	..	50 "	do.	2 17 9		
†5609. $\frac{5}{8}$ " diameter, 2" circumference, 6 strands, 25 wires; breaking strength, 14.54 tons aggregate, 85-90 tons per square inch	"	..	45 "	do.	2 12 3		
Rope, Wire, 6 strands, 7 wires, with hemp core, Langslay, best patent plough steel, of breaking strain of 100 tons per square inch—	"	..	..	..	..		
†5610. $\frac{7}{8}$ " diameter .. .. .	"	200 cwt.	..	do.	1 16 10		
†5611. $1\frac{1}{8}$ " diameter .. .. .	"	400 "	..	do.	1 13 6		
†5612. $1\frac{1}{4}$ " diameter .. .. .	"	200 "	..	do.	1 11 3		
Rope, Wire, 6 strands, 7 wires, with hemp core, Langslay, to be of crucible steel of breaking strain of 90 tons per square inch. Centre wire of strand not to be counted—	"	..	..	..	..		
†5613. $\frac{1}{2}$ " diameter .. .. .	"	400 "	..	do.	1 11 10		
†5614. $\frac{3}{8}$ " diameter .. .. .	"	200 "	..	do.	1 9 0		
†5615. $1\frac{1}{8}$ " diameter .. .. .	"	400 "	..	do.	1 5 8		
<b>BASKETWARE.</b>							
Baskets—							
*5616. Document, wire, large .. .. .	..	2	..	each	} ..	Nil	
*5617. Document, cane, 18" x 12" .. .. .	..	36	..	do.			
*5618. Document, fibre, waste paper .. .. .	..	24	..	do.			
<b>SUNDRY BRUSHWARE.</b>							
<i>The samples exhibited by the Corporation for Items 5619 and 5620 are samples as regards shape and quality only.</i>							
Brooms—							
*5619. Bass and Cane, 12" .. .. .	Australia	200	..	each	0 1 7	John Zevenboom and Coy.	
†5620. Bass and Cane, 16" .. .. .	"	200	..	do.	0 2 11		
*5621. Hair .. .. .	"	36	..	do.	0 3 3		
*5622. Millett .. .. .	"	80	..	do.	0 2 0		
Brushes—							
*5623. Clothes .. .. .	"	6	..	do.	0 2 9		
*5624. Dandy .. .. .	"	36	..	do.	0 1 0		
*5625. Hand, Banister .. .. .	"	24	..	do.	0 1 9		
*5626. Hair .. .. .	"	6	..	do.	0 3 6		
*5627. Nail .. .. .	"	24	..	do.	0 0 6		
*5628. Scrubbing, Deck, coir .. .. .	"	12	..	do.	0 1 3		
*5629. Scrubbing, hand .. .. .	"	72	..	do.	0 1 0		
*5630. Tar, handled .. .. .	"	48	..	do.	0 0 10		
*5631. Whitewash .. .. .	"	24	..	do.	0 0 9		

Item No. and Description.	Country of Manufacture.	Estimated Requirements for Two Years.	Contract Quantity.	Rate per—	Rate.	Name of Contractor.
					£ s. d.	
<b>SUNDRY BRUSHWARE,—continued.</b>						
Brushes—continued—						
*5632. Painters, 8/0 .. .. .	Australia	48	..	each	0 6 3	John Zevenboom and Coy.
*5633. Painters, 4/0 .. .. .	"	48	..	do.	0 4 2	
5634. Painters, 6/0 .. .. .	"	48	..	do.	0 5 0	
*5635. Varnish, Black Bristle, bevelled edge, 3/4" thick x 1 1/4" wide .. .. .	"	36	..	do.	0 0 11	
5636. Tools, Sash, No. 6 .. .. .	"	72	..	do.	0 0 8	
*5637. Tools, Sash, No. 4 .. .. .	"	24	..	do.	0 0 5	
5638. Tools, Sash, No. 5 .. .. .	"	24	..	do.	0 0 7	
5639. Tools, Sash, No. 7 .. .. .	"	24	..	do.	0 0 11	
<b>DRAPERY, BRATTICE CLOTH, ETC.</b>						
<i>The samples submitted by the Corporation for Items Nos. 5641, 5646, 5647, 5648, 5649, 5650, 5651, and 5652 are samples as regards quality only.</i>						
<i>The samples submitted by the Tenderer for Items Nos. 5640, 5642, 5643, 5644, and 5645 are samples as regards quality only.</i>						
†5640. Baize, Green, any widths ordered .. .. .	Britain	200 s. ys.	..	sq. yd.	0 2 6	Hicks, Atkinson, and Sons Pty. Ltd.
*5641. Blinds, Holland (made) of any sizes and colours ordered .. .. .	Victoria	100 "	..	do.	0 1 3	
†5642. Calico, Unbleached, 72" wide .. .. .	Britain	500 l. yds.	..	lin. yd.	0 1 0	
†5643. Cloth, Brattice, 5' or 6' wide, as ordered .. .. .	"	..	60,000 sq. yds.	sq. yd.	0 0 10	Geo. Craddock and Coy. Ltd.
†5644. Holland, any colours and widths ordered .. .. .	"	50 sq. yds.	..	do.	0 1 2	Hicks, Atkinson, and Sons Pty. Ltd.
†5645. Laces, Tubular Stay .. .. .	"	100 doz.	..	dozen	0 1 6	
*5646. Linoleum, plain, brown, any widths ordered .. .. .	"	300 sq. ys.	..	sq. yd.	0 4 0	
*5647. Skins, Chamois, large size .. .. .	"	24	..	each	0 2 3	Nil
*5648. Tape, Silk, Blue, 3/4" wide .. .. .	"	200 knots	..	knot	..	
Towels—						
*5649. Turkish .. .. .	Britain	100	..	each	0 1 6	Hicks, Atkinson, and Sons Pty. Ltd.
*5650. Huckaback .. .. .	"	100	..	do.	0 1 0	
Tape, Linen, White—						
*5651. No. 39 .. .. .	"	24 doz. pcs.	..	piece	0 7 9	Ltd.
5652. No. 43 .. .. .	"	24 "	..	do.	0 8 9	

**FURNITURE.**

SPECIAL CONDITIONS, APPLICABLE TO ITEMS 5653 AND 5654 INCLUSIVE, FOR STORES OF AUSTRALIAN MANUFACTURE.

- (a) Sub-letting will not be allowed, and all work in fulfilment of any order for the Stores shall be carried out in the factory of the Contractor, and shall be open for inspection at any time by such Officer as the Commissioners may direct. No Chinese labour shall be employed in the manufacture of the articles.
- (b) The hours of duty of any person engaged in the fulfilment of any order for the Stores shall not exceed 48 per week.
- (c) Every person engaged in the fulfilment of any order for the Stores shall be paid not less than the wage prescribed in respect of the avocation of such employee in any Determination issued by the Furniture Board under the Factories and Shops Act in operation for the time being, and shall be employed under such other conditions as may be prescribed in any such Determination.
- (d) A copy of these Conditions shall be kept conspicuously posted in legible Roman characters in the factory (and in each part of the factory where several rooms are in use) in which any person is engaged in the fulfilment of any order for the Stores set out in the annexed Schedule.
- (e) Any infringement of these Conditions will render the Contractor for the supply of the Stores subject to such mulct not exceeding £50, as the General Manager may determine, and the amount will be deducted from the Contractor's account or from the security money (if any) lodged for the due and proper performance of the Contract, and, in addition, any article manufactured or partially manufactured under Conditions contrary to those prescribed herein will be rejected, and the Contractor shall not have any claim for compensation or damages in respect thereof. The General Manager shall be the sole judge as to the infringement of any of these Conditions, and the decision of the General Manager will be binding, final, and conclusive as to the fact of the infringement and in all other respects.

Chairs—						
*5653. Office .. .. .	Australia	24	..	each	0 13 6	Chas. Johnston & Coy.
*5654. Revolving .. .. .	"	6	..	do.	1 7 6	

Item No. and Description.	Country of Manufacture.	Estimated Requirements for Two Years.	Contract Quantity.	Rate per—	Rate.	Name of Contractor.
					£ s. d.	
<b>LAMP GLASSES, LAMPS AND WICK.</b>						
<i>The sample exhibited by the Corporation for Item 5657 is a sample as regards quality only.</i>						
<i>The sample submitted by the Tenderer for Item 5656 is a sample as regards quality only.</i>						
*5655. Glasses, Hurricane Lamp .. ..	..	24 dozen	..	dozen	}	Nil
†5656. Lamps, Hurricane .. ..	..	12 "	..	do.		
*5657. Wick, Cotton, Lamp .. ..	..	112 lbs.	..	lb.		
<b>CANVAS, CANVAS HOSE AND WATER BOTTLES.</b>						
<i>The Canvas shall be free from dressing and every foreign substance, and each bolt of Canvas shall be branded clearly so as to show the Contract weight in ounces per square yard, and shall be of the full weight specified when delivered.</i>						
<i>Each delivery of the canvas may, at the option of the Corporation, be subjected to the following tensile tests, viz. :—</i>						
Item Nos. and Description.	Average on each of 12 strips 12 x 1.					
	On Warp.	On Weft.				
5658 .. 20 oz. Canvas	200 lbs.	390 lbs.				
<i>The Canvas shall be supplied in bolts, each consisting of one piece approximately 50 yards in length, and branded with the exact length.</i>						
†5658. Canvas, 36" wide, 20 oz. per square yard	Britain	..	200 yards	lin. yd.	0 2 11	Evan Evans
†5659. Hose Canvas, 1½"	"	..	500 feet.	foot	0 0 10½	Perdriau Rubber Coy. Ltd.
*5660. Bottles, Water, Canvas .. ..	Australia	..	6	each	0 2 '0	Evan Evans
<b>CORDAGE AND COIR. MATS.,</b>						
<i>The samples exhibited by the Corporation for Items 5661, 5662, 5663, 5664, 5665, and 5666 are samples as regards quality only.</i>						
Cord—						
*5661. Nicking Line, any sizes ordered ..	Australia	112 lbs.	..	lb.	0 2 6	Jas. Miller and Coy. Pty. Ltd.
*5662. Fishing Line, any sizes ordered ..	..	56 "	..	do.	..	Nil
*5663. Packing, Flax, pure .. ..	"	5 cwt.	..	cwt.	6 10 '0	Jas. Miller and Coy. Pty. Ltd.
*5664. Twine—						
*5664. Fine, Medium or Coarse, as ordered ..	"	112 lbs.	..	lb.	0 1 3	} Nil
*5665. Sewing .. ..	..	224 "	..	do.	..	
*5666. Mats, Coir, Door, any sizes as ordered, with "S.C.M." woven in coloured fibre	"	200 sq. ft.	..	sq. ft.	0 2 3	Jas. Miller and Coy. Pty. Ltd.
<b>ROPE.</b>						
<i>The samples exhibited by the Tenderer are samples as regards quality only.</i>						
Rope, Manilla, fine and long fibre—						
†5667. ½" up to 2½", as ordered .. ..	Australia	50 cwt.	..	cwt.	3 16 6	} Geo. Kinnear and Sons Pty. Ltd.
†5668. Over 2½" up to 12", as ordered ..	"	50 "	..	do.	3 16 6	
†5669. Rope, Hemp, clothes line .. ..	"	4 "	..	do.	2 16 0	

Item No. and Description.	Country of Manufacture.	Estimated Requirements for Two Years.	Contract Quantity.	Rate per—	Rate.			Name of Contractor.				
					£	s.	d.					
<b>SHIP CHANDLERY.</b>												
<i>The samples exhibited by the Corporation for Items 5675, 5676, and 5681, are samples as regards shape and quality only.</i>												
5670. Corks, Beer .. .. .	.. .. .	100 doz.	..	dozen	..	..	..	Nil				
5671. Chalk, White, Lump .. .. .	Australia	20 cwt.	..	cwt.	0	9	0	Fiske Bros.				
Grease—												
†5672. Antifriction "Vacme Dark" .. .. .	"	40 "	..	do.	0	14	0	} Vacuum Oil Co. Pty. Ltd.				
†5673. Skip, Light, Medium or Heavy, as ordered, in barrels .. .. .	"	..	..	cwt. 1,400	0	12	9					
†5674. Axle, in 2-lb. tins .. .. .	.. .. .	48 tins	..	tin	}	..	}	Nil				
*5675. Marline .. .. .	.. .. .	500 lbs.	..	lb.								
*5676. Spun yarn, tarred .. .. .	.. .. .	560 "	..	do.								
5677. Pitch .. .. .	.. .. .	224 "	..	do.								
†5678. Tallow, best hard beef .. .. .	.. .. .	20 cwt.	..	cwt.								
Tar—												
5679. Coal .. .. .	.. .. .	500 gals.	..	gallon	}	..	}	Nil				
5680. Stockholm .. .. .	.. .. .	500 "	..	do.								
*5681. Thimbles, iron galvanized, 2" to 4" long, as ordered .. .. .	.. .. .	5 doz.	..	dozen	}	..	}	Fiske Bros.				
Wax—												
5682. Cobbler's .. .. .	.. .. .	56 lbs.	..	lb.								
5683. Paraffin .. .. .	.. .. .	112 "	..	do.								
5684. Whiting .. .. .	Australia	5 cwt.	..	cwt.	0	8	0					
<b>CANDLES AND SOAP.</b>												
†5685. Candles, Special, Miner's, 15/16, loose .. .. .	Australia	2,000 lbs.	..	lb.	0	0	6½	McMicking and Co.				
Soap—												
†5686. Soft .. .. .	"	20 cwt.	..	cwt.	1	14	0	} Briscoe and Co. Ltd.				
†5687. Toilet, small cakes .. .. .	"	224 lbs.	..	lb.	0	0	9					
†5688. Household, "Nut Brown" .. .. .	"	224 "	..	do.	0	0	2½					
†5689. Antiseptic .. .. .	.. .. .	48 cakes	..	cake	..	..	..	Nil				
<b>BELTING AND LEATHER.</b>												
<i>The samples exhibited by the Tenderer are samples as regards quality only.</i>												
Belting—												
†5690. Belting, Balata, "R. and J. Dick" .. .. .	Britain	£300	..	..	} 27½ per cent. of List Price furnished by tenderer with his tender	}	}	Jas. Hardie and Coy.				
†5691. Belting, Condensed Hide, any size ordered .. .. .	.. .. .	224 lbs.	..	lb.					..	..	Nil	
†5692. Belting, Twisted Raw Hide, any size ordered .. .. .	.. .. .	336 "	..	do.					..	..	Nil	
Belting, Hair—												
5693. 2", "Camel" brand .. .. .	Britain	200 feet	..	foot	0	0	10½	} Cameron and Sutherland				
5694. 3" .. .. .	"	200 "	..	do.	0	1	4					
5695. 4" .. .. .	"	500 "	..	do.	0	1	11					
†5696. 5", "Chonata" .. .. .	"	300 "	..	do.	0	2	0½					
5697. 6" .. .. .	"	300 "	..	do.	0	2	8					
5698. 7" .. .. .	"	300 "	..	do.	0	3	2	} Hopkins Bros. and Odlum Pty. Ltd.				
5699. 8" .. .. .	"	500 "	..	do.	0	3	9					
Leather—												
†5700. Pump Butt, Bristol Tanned .. .. .	.. .. .	200 lbs.	..	lb.	..	..	..	Nil				
†5701. Chrome .. .. .	.. .. .	336 "	..	do.	..	..	..	Nil				
*5702. Laces, Belt Raw Hide, ¼" wide x 6' long	Victoria	112 "	..	do.	0	3	6	Hopkins Bros. and Odlum Pty. Ltd.				

Item No. and Description.	Country of Manufacture.	Estimated Requirements for Two Years.	Contract Quantity.	Rate per--	Rate.	Name of Contractor.
					£ s. d.	
<b>INDIA-RUBBER AND INDIA-RUBBER GOODS.</b>						
<i>The samples exhibited by the Corporation for Items 5703, 5708, and 5709 are samples as regards shape and quality only.</i>						
<i>The samples submitted by the Tenderer for Items 5704, 5705, 5706, and 5707 will be samples as regards quality only.</i>						
*5703. Gloves, I.R., sizes 8 and 9, as ordered India Rubber, Sheet—	Australia	..	80 pairs	pair	0 7 6	The Dunlop Rubber Coy. of Aust. Ltd.
†5704. Vulcanised, with canvas insertion, any sizes and thickness ordered ..	"	200 lbs.	..	lb.	0 0 6½	
†5705. Nil	"	700 "	..	do.	0 2 9	The Dunlop Rubber Coy. of Aust. Ltd.
†5706. Red, and sizes and thickness ordered ..	"	700 "	..	do.	0 1 7	Perdriau Rubber Coy. Ltd.
†5707. Red, "Perdriau" Brand, any sizes and thickness ordered ..	"	12 doz.	..	dozen	0 0 7	The Dunlop Rubber Coy. of Aust. Ltd.
*5708. Tips, Finger, I.R. ..	"	24 gross	..	lbs.	0 2 9	Perdriau Rubber Coy. Ltd.
*5709. Washers, for Gauge Glasses, flat or round, as ordered, any sizes ordered ..	"					
<b>I.R. HOSE.</b>						
Hose, Indiarubber, vulcanized—						
†5710. 3-ply, ½" diameter, ordinary quality ..	Australia	300 feet	..	foot	0 0 4½	The Dunlop Rubber Coy. of Aust. Ltd.
†5711. 3-ply, ¾" diameter, ordinary quality ..	"	1,000 "	..	do.	0 0 5½	
†5712. 3-ply, 1½" diameter, ordinary quality ..	"	240 "	..	do.	0 1 0	
†5713. 4-ply, 2" diameter, ordinary quality ..	"	120 "	..	do.	0 1 9	
Hose, 4-ply, Suction, Armoured inside—						
†5714. 1½" diameter ..	"	500 "	..	do.	0 1 7	
†5715. 2" diameter ..	"	500 "	..	do.	0 2 1	
†5716. 3" diameter ..	"	120 "	..	do.	0 3 6	
†5717. 3½" diameter ..	"	60 "	..	do.	0 4 0	
<b>PACKING, ETC.</b>						
<i>The samples exhibited by the Corporation for Items 5721, 5722, 5723, and 5733, are samples as regards quality only.</i>						
<i>The samples submitted by the Tenderer for Items 5718, 5719, 5720, 5724 to 5727, and 5729 are samples as regards quality only.</i>						
†5718. Asbestos for boiler covering, dry Packing—	Australia	40 cwt.	..	cwt.	0 12 0	Barnet Glass Rubber Coy. Ltd.
†5719. Square, any sizes ordered ..	"	5 "	..	do.	5 12 0	The Dunlop Rubber Coy. of Aust. Ltd.
†5720. Round, any sizes ordered ..	"	5 "	..	do.	5 10 0	
†5720A. Round, "Dick's," universal size ..	Britain		..	lb.	0 4 6	Neptune Oil Coy. Ltd.
*5721. Asbestos, any sizes ordered ..	Australia	100 lbs.	..	lb.	0 1 2	Barnet Glass Rubber Coy. Ltd.
*5722. Asbestos cord ..	"	100 "	..	do.	0 1 3	The Dunlop Rubber Coy. of Aust. Ltd.
*5723. Asbestos Millboard, any thickness ordered ..	Britain	500 "	..	do.	0 0 2½	Bell's Asbestos Australian Agency Ltd.
†5724. Asbestos Insertion, any sizes and thickness ordered ..	"	200 "	..	do.	0 1 6	The Dunlop Rubber Coy. of Aust. Ltd.



Item No. and Description.	Country of Manufacture.	Estimated Requirements for Two Years.	Contract Quantity.	Rate per—	Rate.			Name of Contractor.
					£	s.	d.	
<i>PACKING, ETC.—continued.</i>								
†5725. Asbestos Insertion, "Saturn" wire gauze, any sizes and thickness ordered	Britain	100 lbs.	..	lb.	0	2	3	} Bell's Asbestos Australian Agency Ltd. Barnet Glass Rubber Coy. Ltd.
†5726. Asbestos Tape, any sizes ordered ..	"	112 "	..	do.	0	1	9	
†5727. Hydraulic Pump .. .. .	Australia	112 "	..	do.	0	1	11	
5728. Insetion, "Jenkins" patent, any sizes and thickness ordered .. .. .	..	224 "	..	do.	}	..		Nil
†5729. Usdurian, Sheet, any sizes and thickness ordered .. .. .	..	112 "	..	do.				
5730. "Garlocks," style 15, for H.P. Steam, round, or square, as ordered, any sizes ordered .. .. .	U.S.A.	224 "	..	do.	0	4	9	Ramsay and Treganowan
5731. Klinger's, round or square, as ordered, any sizes ordered .. .. .	..	224 "	..	do.	}	..		Nil
5732. "Tauril," $\frac{1}{8}$ " or $\frac{1}{16}$ " or $\frac{1}{32}$ " thick, as ordered, any sizes ordered .. .. .	..	224 "	..	do.				
*5733. Greasy, round or square, as ordered, any sizes ordered .. .. .	Australia	560 "	..	do.	0	0	9 $\frac{1}{2}$	The Dunlop Rubber Coy. of Aust. Ltd.
5734. Bellite, up to $\frac{1}{8}$ " thick, as ordered .. .	Britain	224 "	..	do.	0	3	0	Bell's Asbestos Australian Agency Ltd.
5735. Graphite, pure flake, in 5-lb. tins ..	"	50 "	..	do.	0	1	8	Barnet Glass Rubber Coy. Ltd.

OILS (VARIOUS).

*Names of Manufacturers—Items Nos. 5737 to 5739—Standard Oil Co.; Item No. 5741—Vacuum Oil Co. Pty. Ltd.; Item No. 5743—Valvoline Oil Co.; Item No. 5744—Standard Oil Co.; Item No. 5745—Vacuum Oil Co. Pty. Ltd.; Item No. 5746—Standard Oil Co.; Item No. 5747—Neptune Oil Co. Ltd.; Item No. 5748 and 5748A—Vacuum Oil Co. Pty. Ltd.; Item No. 5749—Standard Oil Co.; Item No. 5750—Vacuum Oil Co. Pty. Ltd., Rochester, New York; Item No. 5751—Vacuum Oil Co. Pty. Ltd.; Item No. 5752 and 5753—Valvoline Oil Co.; Item No. 5754—Vacuum Oil Co. Pty. Ltd.*

*Items Nos. 5737 to 5739 are for supplies in cases containing 2 x 4 $\frac{1}{2}$  Imperial gallon tins; items Nos. 5747A and 5750 are for supplies in cases each containing 2 x 4 gallon tins; item No. 5749 is for supply in barrels or 36-lb. tins as ordered; Items Nos. 5741, 5744, 5745, 5746, 5748, 5748A, 5751, 5754, are for supplies in barrels or cases of 2 x 4 gallon tins.*

Oil—									
Item No.	Description	Country	Quantity	Unit	Rate	£	s.	d.	Contractor
†5736.	Castor, in half cases .. .. .	..	300 gls.	Gal. of 9 lb. 9 ozs. avoird.	..	..			Nil
5737.	Kerosene, Burning, 150 deg. test, in cases, "Laurel" .. .. .	U.S.A.	100 "	imp. gal.	0	1	3	} Vacuum Oil Co. Pty. Ltd.	
5738.	Kerosene, Power, 150 deg. test, in cases, "Voco. No. 1" .. .. .	"	3,000 "	do.	0	1	2 $\frac{1}{2}$		
5739.	Kerosene, Cleaning, 150 deg. test, in cases, "Voco Power No. 1" .. .. .	"	100 "	do.	0	1	2 $\frac{1}{2}$		
5740.	Lardine, in cases of two 4-gallon tins ..	Victoria	50 "	do.	0	5	6	Neptune Oil Co. Ltd.	
†5741.	Neatsfoot, Compound "A" in cases ..	"	50 "	Gal. of 9 lb. avoird.	0	2	4	Vacuum Oil Co. Pty. Ltd.	
†5742.	Crank, Etna, or equal brand .. .. .	..	100 "	imp. gal.	..	..			Nil
†5743.	Cylinder, "Valvoline Brand," or equal quality 600 W.	U.S.A.	1,000 "	do.	0	3	9	Mining Supplies Co.	
†5744.	Engine, light, P 973 .. .. .	..	600 "	do.	0	2	1	} Vacuum Oil Co. Pty. Ltd.	
†5745.	Engine, heavy, "Kalif G.G." .. .. .	Aust.	400 "	do.	0	2	10		
†5746.	Machinery, Coal Cutter, "P 910" in casks	U.S.A.	1,500 "	do.	0	2	1		
†5747.	Pit, for Miners' Lamps, in casks .. .. .	Aust.	200 "	do.	0	3	0	Neptune Oil Co. Ltd.	
†5747A.	Peanut, Denaturated, "A" quality .. .. .	"	50 "	do.	0	3	6	} Vacuum Oil Co. Pty. Ltd.	
†5748.	Rope, "P.T." .. .. .	"	..	do.	0	2	2		
†5748A.	Rope, "T.O." .. .. .	"	300 "	do.	0	1	9		
†5749.	Compound Lubricating, "Special No. 3" ..	U.S.A.	600 lbs.	lb.	0	0	4 $\frac{1}{2}$	Vacuum Oil Co. Pty. Ltd.	
†5750.	Transformer, "Gargoyle A" .. .. .	..	300 gls.	imp. gal.	0	3	6	} Mining Supplies Co.	
†5751.	Skip Grease, light, for Coal Cutter Cutting Chains	Aust.	1,000 "	cwt.	0	12	9		
†5752.	Turbine, circulating, "Valvoline" brand	U.S.A.	300 "	imp. gal.	0	4	0		
†5753.	High-speed Engine, circulating, "Valvoline" Brand .. .. .	"	300 "	do.	0	4	0	} Vacuum Oil Co. Pty. Ltd.	
†5754.	Cylinder, for Oil Engines, "B" .. .. .	Aust.	300 "	do.	0	3	3		

Item No. and Description.	Country of Manufacture.	Estimated Requirements for Two Years.	Contract Quantity.	Rate per—	Rate.	Name of Contractor.	
					£ s. d.		
<b>COLOURS, GLASS, OILS, ETC.</b>							
<i>The samples submitted by the Tenderer are samples as regards quality only.</i>							
†5755. Beeswax .. .. .	..	112 lbs.	..	lb.	} ..	Nil	
Black—							
†5756. Lamp, dry .. .. .	..	460 "	..	do.			
†5757. Vegetable .. .. .	..	112 "	..	do.			
†5758. Drop, in oil .. .. .	..	28 "	..	do.			
†5759. Brunswick .. .. .	..	24 bottles	..	bottle			
Blue—							
†5760. Indigo, dry .. .. .	..	28 lbs.	..	lb.			
†5761. Ultramarine, dry .. .. .	..	56 "	..	do.			
†5762. Prussian, dry .. .. .	Victoria	28 "	..	do.			0 3 6
Brown—					} ..	The Victoria Varnish Co. Pty. Ltd.	
†5763. Purple, dry .. .. .	..	112 "	..	do.			0 0 3½
†5764. Vandyke .. .. .	..	56 "	..	do.	} ..	Nil	
5765. Benzine .. .. .	..	2,000 gals.	..	gal.			
5766. Petrol .. .. .	..	2,000 "	..	do.			
†5767. Crimson, Lake, in oil .. .. .	Victoria	14 lbs.	..	lb.			0 7 6
†5768. Chrome, Yellow, in oil .. .. .	..	28 "	..	do.	0 1 6	} The Victoria Varnish Co. Pty. Ltd.	
†5769. Calcimo .. .. .	..	224 "	..	do.	0 0 3		
†5770. Dryers, Patent, in 14-lb. packages .. .. .	Victoria	56 "	..	do.	0 0 3	} The Victoria Varnish Co. Pty. Ltd.	
Green—							
†5771. Brunswick, dry, any shades ordered, in 14-lb. packages .. .. .	..	56 "	..	do.	0 0 6		
5772. Emerald, in oil, 2-lb. tins .. .. .	..	24 tins	..	tin	} ..	Nil	
Lead—							
†5773. White, in oil, in 28-lb. tins .. .. .	..	60 cwt.	..	cwt.			
†5774. Red, dry .. .. .	..	20 "	..	do.	} ..	Nil	
Sienna—							
†5775. Burnt, in oil .. .. .	Victoria	112 lbs.	..	lb.	0 0 5½	} Australian Stainers and Color Manufacturing Co. Pty. Ltd.	
†5776. Raw, in oil .. .. .	..	112 "	..	do.	0 0 5½		
Oil, Linseed—					} ..	Nil	
5777. Raw, in drums .. .. .	..	300 gals.	..	gal.			
5778. Boiled, in drums .. .. .	..	300 "	..	do.	} ..	The Victoria Varnish Co. Pty. Ltd.	
Ochre—							
†5779. Yellow, in oil .. .. .	Victoria	28 lbs.	..	lb.			0 0 6
†5780. Oxford, in oil .. .. .	..	28 "	..	do.			0 0 6
5781. Size, Gold .. .. .	..	5 "	..	gal.			0 9 0
5782. Shellac .. .. .	..	56 "	..	lb.	..	Nil	
Turkey—					} ..	The Victoria Varnish Co. Pty. Ltd.	
†5783. Burnt Umber, in oil .. .. .	Victoria	20 gals.	..	do.			0 0 5
†5784. Raw Umber, in oil .. .. .	..	20 "	..	do.	0 0 5		
5785. Plasticine, any colours ordered .. .. .	..	224 lbs.	..	do.	} ..	Nil	
Glass, Sheet—							
5786. 21 oz., united inches over 40 to 50 .. .. .	..	1,000 sq. ft.	..	sq. ft.			
5787. 21 oz., united inches over 50 to 70 .. .. .	..	2,000 "	..	do.			
Glass, Plate, polished, level, clear and free from blemish—							
5788. ½" .. .. .	..	100 "	..	do.			
5789. ¾" .. .. .	..	100 "	..	do.			
5790. 1" .. .. .	..	100 "	..	do.			
†5791. Glue, Russian .. .. .	..	112 lbs.	..	lb.	} ..	The Victoria Varnish Co. Pty. Ltd.	
5792. Pumice, Dust, Superfine .. .. .	..	56 "	..	do.			
5793. Putty, in 14-lb. tins .. .. .	Victoria	3 cwt.	..	cwt.			1 5 0
Paint—					} ..	The Victoria Varnish Co. Pty. Ltd.	
†5794. Red Oxide, in oil .. .. .	..	20 "	..	do.			1 8 0
†5795. Anticorrosive, Siderosthen, Red, White, or Grey .. .. .	Britain	40 "	..	do.	3 15 0	Sidney H. Stack and Co.	

Item No. and Description.	Country of Manufacture.	Estimated Requirements for Two Years.	Contract Quantity.	Rate per—	Rate.	Name of Contractor.
					£ s. d.	
<b>COLOURS, GLASS, OILS, ETC.—continued.</b>						
<i>Paint—continued.</i>						
†5796. Enamel, Black, Red, or White, as ordered .. .. .	..	50 gals.	..	gal.	}	Nil
5797. Fitches, Hog Hair, flat or round, as ordered, red polished handles, Nos. 4 to 6, as ordered .. .. .	..	36	..	each		
5798. Litharge .. .. .	..	56 lbs.	..	lb.		
†5799. Resin, common .. .. .	..	224 "	..	do.		
†5800. Indian, in oil .. .. .	Victoria	28 "	..	do.	0 0 4½	Australian Stainers and Color Manufacturing Co. Pty. Ltd.
†5801. Chinese, in oil .. .. .	"	28 "	..	do.	0 1 6	The Victoria Varnish Co. Pty. Ltd.
5802. Turpentine, pure, white, and clear Vermilion—	..	30 gals.	..	imp. gal.	}	Nil
†5803. In oil .. .. .	..	20 lbs.	..	lb.		
5804. In tubes .. .. .	..	72 tubes	..	tube		
<b>VARNISH.</b>						
<i>Name of Manufacturer—Items Nos. 5805 to 5808—The Victoria Varnish Co. Pty. Ltd.</i>						
<i>The Varnishes shall be as clear as, and not darker than, and equal in every respect to (including body, covering properties, gloss, finish, and durability), the samples furnished by the Tenderer and accepted by the Corporation.</i>						
<i>Varnish, in ½-gallon or 1-gallon tins, as ordered—</i>						
†5805. Carriage, best .. .. .	Victoria	10 gals.	..	gal.	0 11 6	} The Victoria Varnish Co. Pty. Ltd.
†5806. Copal, fine pale .. .. .	"	6 "	..	do.	0 9 6	
†5807. Oak .. .. .	"	6 "	..	do.	0 7 6	
†5808. Terebene .. .. .	"	50 "	..	do.	0 7 3	
<b>TIMBER, MOULDINGS, ETC.</b>						
<i>The Timber must be supplied in such sections and shapes as may be ordered, and must be of the first quality, thoroughly seasoned, free from knots, heart, shake, sap, and all other imperfections, thoroughly sound and close grained and free, as may be required, and must be 12 feet long and over in Items 5809, 5810, 5811, 5812, 5813. No allowance will be made for waste in sawing the Timber to taper or other peculiar sections or shapes.</i>						
<i>Deal, Red, Baltic—</i>						
5809. T. and G., 6" x 7½" .. .. .	Norway & Sweden	20,000 ft. run.	..	100 feet run.	0 17 6	Jas. Moore and Sons Pty. Ltd.
5810. T. and G., 6" x 1½" .. .. .	Norway	5,000 "	..	do.	1 1 0	John Sharp and Sons Ltd.
5811. T. and G., 6" x ½", beaded .. .. .	"	5,000 "	..	do.	0 10 6	} Jas. Moore and Sons Pty. Ltd.
5812. Weatherboards, 7" x ¾" .. .. .	"	5,000 "	..	do.	0 11 3	
5813. Jarrah Weatherboards, 7" x 1" x ¼" Oregon, up to 36' in length—	..	5,000 "	..	do.	}	Nil
5814. ½" to 5½" thick .. .. .	..	30,000 sup. ft.	..	100 ft. super. of 1 in. thick		
5815. 6" thick and over .. .. .	..	100,000 "	..	do.		
5816. Oregon, over 36' in length, 6" thick and over .. .. .	U.S.A.	10,000 "	..	do.	1 15 0	John Sharp and Sons Ltd.
5817. Shelving, American, ¾", "Crown" .. .. .	..	1,500 "	..	100 ft. super. on face	..	Nil

Item No. and Description.	Country of Manufacture.	Estimated Requirements for Two Years.	Contract Quantity.	Rate per—	Rate.	Name of Contractor.
					£ s. d.	
<b>TIMBER, MOULDINGS, ETC.—continued.</b>						
<b>Californian Pine—</b>						
5818. $\frac{3}{8}$ " .. .. .	U.S.A.	1,000 sup. ft.	..	100 ft. super. on face.	1 2 6	} H. Beecham and Co. Pty. Ltd.
5819. $\frac{1}{2}$ " .. .. .	"	1,000 "	..	do.	1 7 6	
5820. 1" and upwards .. .. .	"	2,000 "	..	100 ft. super. of 1 in. thick	1 19 0	John Sharp and Sons Ltd.
<b>Clear Pine—</b>						
5821. $\frac{3}{8}$ " .. .. .	..	1,000 "	..	100 ft. super. on face.	}	Nil
5822. $\frac{1}{2}$ " .. .. .	..	1,000 "	..	do.		
5823. 1" and upwards .. .. .	..	1,000 "	..	100 ft. super. of 1 in. thick		
<b>Cedar, Red—</b>						
5824. $\frac{3}{8}$ " .. .. .	Australia	300 "	..	100 ft. super. on face	2 18 4	Jas. Moore and Sons Pty. Ltd.
5825. $\frac{1}{2}$ " .. .. .	"	300 "	..	do.	3 2 6	John Sharp and Sons Ltd.
5826. $\frac{5}{8}$ " .. .. .	"	300 "	..	do.	3 11 0	} H. Beecham and Co. Pty. Ltd.
5827. $\frac{3}{4}$ " .. .. .	"	300 "	..	do.	4 2 0	
<b>Maple—</b>						
5828. $\frac{3}{8}$ " .. .. .	"	200 "	..	do.	1 9 2	John Sharp and Sons Ltd.
5829. $\frac{1}{2}$ " .. .. .	"	200 "	..	do.	1 13 4	} Jas. Moore and Sons Pty. Ltd.
5830. $\frac{3}{4}$ " .. .. .	"	200 "	..	do.	1 17 6	
5831. $\frac{3}{4}$ " .. .. .	"	200 "	..	do.	2 1 8	} John Sharp and Sons Ltd.
<b>Hoop Pine—</b>						
5832. $\frac{1}{2}$ " thick and up to 12" wide .. .. .	"	2,500 "	..	do.	1 7 0	
5833. 1" and over in thickness and up to 12" wide .. .. .	"	2,500 "	..	100 ft. super. of 1 in. thick	2 0 0	} H. Beecham and Co. Pty. Ltd.
<b>Kauri Pine—</b>						
5834. 1" thick and upwards up to 12" wide .. .. .	N.Z.	1,500 "	..	do.	2 4 0	} Co. Pty. Ltd.
5835. 1" thick over 12", and up to 18" wide .. .. .	"	1,500 "	..	do.	2 10 0	
5836. Hickory, any sizes ordered, up to 12" wide Legs, Table, Turned, seasoned Kauri—	U.S.A.	1,000 "	..	Foot super. of 1 in. thick	0 1 6	} John Sharp and Sons Ltd.
5837. 3" x 3" .. .. .	New Zealand	24	..	each	0 1 4	
5838. 4" x 4" .. .. .						
5839. Doors, Framed, double moulded, 6' 8" x 2' 8" x 1 $\frac{1}{4}$ " .. .. .	Australia	36	..	do.	0 19 4	John Sharp and Sons Ltd.
<b>Mouldings—</b>						
5840. Architrave, 1 $\frac{1}{4}$ " thick, 4" to 6" wide, as ordered .. .. .	"	1,000 ft. run	..	100 ft. run	1 5 0	} H. Beecham and Co. Pty. Ltd.
5841. Scotia, 1 $\frac{1}{4}$ " to 1 $\frac{1}{2}$ " wide, as ordered .. .. .	"	2,000 "	..	do.	0 8 6	
5842. Insertion, 1 $\frac{1}{2}$ " wide .. .. .	"	500 "	..	do.	0 6 6	
5843. Skirting, 9" x $\frac{7}{8}$ ", single face .. .. .	"	500 "	..	do.	1 13 0	
5844. Frames, Window, 2-light, with glass, pulleys, cords, and weights complete, 5' 10" x 2' 10" x 1 $\frac{1}{2}$ " .. .. .	U.S.A.	24	..	each	1 12 0	} Jas. Moore and Sons Pty. Ltd.
5845. Sashes, Window, with glass, 1 light, 2' 11" x 2' 10" x 1 $\frac{1}{4}$ " .. .. .	"	36 pairs	..	pair	0 16 6	
<b>LIME AND PLASTER OF PARIS.</b>						
<i>The Lime must be fresh and properly burnt, and of approved quality, and delivered in ordinary trade bags of 3<math>\frac{1}{2}</math> bushels of 1.28 cubic feet per bushel.</i>						
<i>Name of Manufacturer of Lime, Item 5846—David Mitchell (Estate).</i>						
<i>The price for Item 5846 includes Ad. for the bag, which will be credited on all bags returned to the Contractor at Spencer-street.</i>						
5846. Lime, delivered in trucks, Cave Hill Siding	Victoria	500 bags	..	bag	0 3 4	The Melbourne Builders Lime and Cement Co. Ltd.
5847. Plaster of Paris .. .. .	..	28 lbs.	..	lb.	..	Nil

Item No. and Description.	Country of Manufacture.	Estimated Requirements for Two Years.	Contract Quantity.	Rate per—	Rate.	Name of Contractor.
					£ s. d.	
<b>INKS.</b>						
<i>The samples submitted by the Tenderer for Items 5848, 5849, 5850, 5851, 5852, 5854, and 5855 will be samples as regards quality only.</i>						
Ink—						
†5848. Blue Black, in bottles, Imperial quarts	Victoria	..	20 qts.	quart	0 1 2	} Wm. Detmold Ltd.
†5849. Blue Black, Copying, Imperial quarts ..	"	..	6 "	do.	0 1 6	
†5850. Violet Black, Copying, Imperial quarts	"	..	6 "	do.	..	Nil
†5851. Green, 12-oz. bottles .. ..	Victoria	..	4 btls.	bottle	0 0 9	} Wm. Detmold Ltd.
†5852. Red, 6-oz. bottles .. ..	"	..	12 "	do.	0 0 8	
5853. Liquid "Higgins" or other approved brands, any colours ordered ..	U.S.A.	..	24 "	do.	0 0 10½	Paterson and Co.
†5854. Indiarubber Stamp, any colours ordered, 2-oz. bottles .. ..	Victoria	..	12 "	do.	0 0 6	Wm. Detmold Ltd.
†5855. Metal Stamp, Blue, in glass jars with screw cap tops .. ..	"	..	10 jars	jar	..	Nil
5856. Swan Fountain Pen .. ..	Gt. Brit.	..	36 btls.	bottle	0 0 10	Wm. Detmold Ltd.
<b>PEN, PENCILS, ETC.</b>						
<i>The samples exhibited by the Corporation for Items 5865, 5872, 5873 are samples as regards shape and quality only.</i>						
Bands, Elastic, extra strong, ½-gross boxes—						
*5857. No. 5 .. ..	..	..	24 bxs.	box	..	} Nil
5858. No. 6 .. ..	..	..	24 "	do.	..	
*5859. Extra large .. ..	Australia	..	3 doz.	dozen	0 2 0	} Sands and McDougall Pty. Ltd.
*5860. Bodkins or Piercers, as ordered ..	Britain	..	3	each	0 1 1	
*5861. Bowls, Glass, 4" at top, with sponge ..	U.S.A.	..	2	do.	0 1 7	
*5862. Sponges, for 4" bowls .. ..	Britain	..	12	do.	0 0 9	
*5863. Cases, Date, 4½" .. ..	Australia	..	3	do.	0 2 6	
†5864. Clag, Adhesive Paste .. ..	"	..	6 doz.	doz. bot.	0 8 0	
Clips—						
*5865. Bulldog, any sizes ordered .. ..	..	..	300	each	..	} Nil
5866. Paper, "Meyer and Sons," 2½" .. ..	..	..	24 doz.	dozen	..	
*5867. Dampers, Envelope .. ..	..	..	6	each	..	Nil
Erasers—						
*5868. Ink and Pencil, small .. ..	..	..	2 doz.	dozen	..	} Sands and McDougall Pty. Ltd.
*5869. Ink and Pencil, large .. ..	..	..	2 "	do.	..	
*5870. Pencils, Soft Red .. ..	Britain	..	10 "	do.	0 5 6	
*5871. Eyelets, in boxes of 1,000 .. ..	"	..	100 bxs.	box	0 2 0	
*5872. Up to 1" in length, any sizes ordered ..	"	..	30 "	do.	0 1 6	
†5873. Over 1" in length, any sizes ordered ..	..	..	50 "	do.	..	Nil
Files—						
*5874. Foolscap, clip .. ..	Australia	..	3	each	0 1 6	} Sands and McDougall Pty. Ltd.
*5875. Foolscap, apron .. ..	"	..	3	do.	0 1 3	
*5876. Spike, Steel, 9", 3 lbs. .. ..	"	..	3	do.	0 1 6	
Holders, Pen, Cedar—						
*5877. Small .. ..	U.S.A.	..	3 gross	gross	0 9 0	Sands and McDougall Pty. Ltd.
*5878. Large .. ..	..	..	6 gross	do.	..	Nil
*5879. Files, Gazette Pattern, foolscap ..	Australia	..	48	each	0 1 6	Sands and McDougall Pty. Ltd.
*5880. Inkstands, Glass, round 4" .. ..	..	36	..	do.	..	} Nil
5881. Inkpots, Porcelain, school .. ..	..	36	..	do.	..	
Knives—						
*5882. Desk .. ..	..	6	..	do.	..	} Sands and McDougall Pty. Ltd.
*5883. Ivory Paper .. ..	Britain	..	3	do.	0 4 6	
Labels—						
*5884. Linen, address .. ..	..	2,000	..	100	..	Nil
*5885. Paper, gummed .. ..	Australia	..	5,000	1,000	0 2 0	} Sands and McDougall Pty. Ltd.
5886. Machines, Stapling, "Hotchkiss" ..	Britain	..	3	each	0 8 6	
*5887. Openers, Letter .. ..	"	..	3	do.	0 1 3	
*5888. Pads, Blotting, Frame, Russian leather corners .. ..	..	6	..	do.	..	

Item No. and Description.	Country of Manufacture.	Estimated Requirements for Two Years.	Contract Quantity.	Rate per--	Rate.	Name of Contractor.
					£ s. d.	
<b>PEN, PENCILS, ETC.—continued.</b>						
<b>Pencils—</b>						
†5889. Office .. .. .	U.S.A.	..	100 doz.	dozen	0 0 6½	Sands and McDougall Pty. Ltd.
†5890. Coloured .. .. .	Britain	..	6 "	do.	0 2 3	
†5891. Red and Blue combined .. .. .	"	..	6 "	do.	0 2 3	
†5892. Drawing, any letter or No. ordered .. .. .	"	..	10 "	do.	0 3 8	
†5893. Indelible, hard, any colours ordered .. .. .	..	..	..	..	..	
<b>Pens—</b>						
5894. Barrel, J. Mitchell's "M" or "N," "O.257," and "O.261," Brandauer Co.'s Pacific .. .. .	..	..	..	..	..	Nil
5895. W. Mitchell's "S" .. .. .	..	..	..	..	..	
5896. J. Gillot's "227" .. .. .	..	..	..	..	..	
5897. J. Gillot's "813" .. .. .	Britain	..	..	..	..	Sands and McDougall Pty. Ltd.
5898. J. Gillot's "292" .. .. .	"	..	12 bxs.	do.	0 1 9	
5899. J. Gillot's "293" .. .. .	"	..	..	do.	0 1 9	
5900. J. Gillot's "294" .. .. .	"	..	..	do.	0 1 9	
5901. Mapping, "Brandauer's," on card of 12 .. .. .	..	6 cards	..	card	..	Nil
5902. Mitchell's, red ink .. .. .	..	10 boxes	..	box	..	
5903. "Review," Brandauer's .. .. .	..	15 "	..	do.	..	
5904. Nibs, in boxes of 1 gross, Melbourne School .. .. .	..	..	..	..	..	
5905. Dawson's "No. 9"; Brandauer & Co.'s "Oriental," "Herald," or Echo .. .. .	..	..	..	..	..	
5906. Brandauer & Co.'s "Arctic," "Scribbler," "Magazine," "Lancet," "Globe," "International," "Gazette"; W. Mitchell's "O 505," and "J" and Review .. .. .	..	..	..	..	..	
5907. Gillot's "404" and "293" .. .. .	..	..	..	..	..	
5908. Heath's "Black J," "Ordinary," or "Elongated" .. .. .	Britain	..	60 bxs.	do.	0 3 0	Sands and McDougall Pty. Ltd.
5909. McNiven & Cameron's "Pickwick," "Waverley," and "Flying J" .. .. .	..	..	..	..	..	
5910. Brandauer's "Mail" and "Times" .. .. .	..	..	..	..	..	
5911. Leonardt's "516F" and "526F," "Grey" .. .. .	..	..	..	..	..	
5912. Easterbrook's "Probate" and "Blackstone"; Johnson Bros.' "401," "Script Writer" .. .. .	..	..	..	..	..	
5913. J. Gillot's "1," "5," "179C," "303," and "170" .. .. .	..	..	..	..	..	
<b>Nibs, Gilt—</b>						
5914. Walker and Co.'s "Anchor, Nos. 1, 2, 3, and 4"; Easterbrook's "Relief"; Frohlick's "Reservoir" .. .. .	..	..	..	..	..	Nil
5915. Heath's Ordinary and Elongated "J" .. .. .	..	50 boxes	..	do.	..	
5916. Leonardt's "516EF," "516F," and "526F" .. .. .	..	..	..	..	..	
5917. Witherby & Co.'s "Crown" .. .. .	..	..	..	..	..	
<b>Pins—</b>						
5918. Best London, mixed, in packets .. .. .	Britain	..	6 lbs.	lb.	0 3 7	Hicks, Atkinson, and Sons Pty. Ltd.
5919. Best London, ½" long .. .. .	"	..	10 "	do.	0 3 9	
5920. Lil's .. .. .	"	..	3 "	do.	0 3 9	Paterson and Co.
*5921. Best Drawing, extra large (1½") .. .. .	"	..	6 doz.	dozen	0 1 6	
*5922. Drawing, small .. .. .	"	..	6 gross	gross	0 2 0	
5923. Scissors, 7" long .. .. .	..	..	4	each	0 3 0	
5924. Sanitary Rolls .. .. .	Australia	..	100	do.	0 0 4	
*5925. Spring Back Sheet Holders, foolscap .. .. .	Britain	..	12	do.	0 3 0	Sands and McDougall Pty. Ltd.
*5926. Seals, Red enclosure .. .. .	Australia	..	3 gross	gross	0 0 9	
<b>Tags, Index, leather—</b>						
*5927. Plain, in boxes of 25 .. .. .	U.S.A.	..	6 bxs.	box	0 12 0	
*5928. Alphabetical, in boxes of 25 .. .. .	"	..	3 "	do.	0 12 6	
*5929. Racks, Pen .. .. .	Britain	..	3	each	0 1 9	
<b>Ribbon—</b>						
*5930. Green Silk, ¾", 36 yards per piece .. .. .	"	..	20 pcs.	piece	0 3 9	Hicks, Atkinson, and Sons Pty. Ltd.
*5931. Red Silk, ¾", 36 yards per piece .. .. .	"	..	20 "	do.	0 3 9	

Item No. and Description.	Country of Manufacture.	Estimated Requirements for Two Years.	Contract Quantity.	Rate per—	Rate.	Name of Contractor.
					£ s. d.	
<b>PEN, PENCILS, ETC.—continued.</b>						
Rulers—						
5932. Flat, 15" .. .. .	U.S.A.	..	2	each	0 0 6	Sands and McDougall Pty. Ltd.
5933. Round, Blackwood, 12" x 1" .. .. .	Britain	..	6	do.	0 2 0	
5934. Round, Blackwood, 18" x 1" .. .. .	"	..	3	do.	0 3 0	
5935. Staples, Hotchkiss .. .. .	"	..	20,000	1,000	0 4 0	
Tape—						
*5936. Red Linen, No. 16, 9 yards per piece .. .. .	"	..	20 doz.	dozen	0 1 11	Hicks, Atkinson, and Sons Pty. Ltd.
*5937. Red Linen, No. 24, 9 yards per piece .. .. .	"	..	20 "	do.	0 2 6	
*5938. Transparent adhesive paper, $\frac{1}{2}$ " to 1" wide, as ordered .. .. .	..	24 reels	..	reel	..	Nil
*5939. Thread, Linen, white, any Nos. ordered .. .. .	..	12 "	..	do.	..	..
†5940. Wax, Sealing, red .. .. .	Australia	..	2 lbs.	lb.	0 3 0	Sands and McDougall Pty. Ltd.
*5941. Weights, Paper, Glass .. .. .	..	24	..	each	..	Nil
<b>STAMPS, ETC.</b>						
<i>The samples exhibited by the Corporation for Items 5944, 5945, 5948 to 5950 are samples as regards shape and quality only.</i>						
<i>The measurement of all Stamps shall be the "Die" measurement, and the maximum length of any letter shall not exceed <math>\frac{1}{4}</math> inch.</i>						
Re-facing Rubber Stamps, all types—						
5942. Oblong, up to 2", as ordered .. .. .	..	36 lines	..	line	..	Nil
5943. Oblong, over 2" .. .. .	..	36 ins. of line	..	inch of line		
Stamps—						
*5944. Dating .. .. .	..	6	..	each	..	Nil
*5945. Dating, Rubber, Nickel, Self-inking .. .. .	..	24	..	do.		
Stamps, Rubber, Oblong, wooden handles, with brass backs, all types—						
5946. Up to 2", as ordered .. .. .	..	50 lines	..	line	..	Nil
5947. Over 2" .. .. .	..	100 ins. of line	..	inch of line		
Stamps, Rubber, Self-inking, Nickel—						
5948. Oblong, up to 2", as ordered .. .. .	..	36	..	each	..	Nil
*5949. Oblong, over 2" to 3", as ordered .. .. .	..	24	..	do.		
*5950. Oblong, over 3" to 4", as ordered .. .. .	..	12	..	do.		
5951. Pads, Self-inking, No. 1 .. .. .	..	24	..	do.		
5952. Pads, Self-inking, No. 2 .. .. .	..	24	..	do.		

**TELEGRAPH AND TELEPHONE SUNDRIES.**

*As regards Item No. 5966, the price is based on sea freight £3 15s. per ton and war risk insurance £1 1s. per cent. Pending the importation of the materials covered by this item, any item or items ordered, which may be in stock, will be supplied, but will be charged for as regards extra freight and war risk insurance, at the rates which are applicable to the materials specially imported for the purposes of this contract. In the event of the sea freight and/or war risk insurance actually paid being less than that contained in the tender price, reduction will be made accordingly. The Contractor to arrange for the importation of the materials covered by the above item in one lot, so that the same may be identified (so far as documents are concerned) when adjustment is being made in respect of sea freight and/or war risk insurance.*

Bells, Extension, Electric—						
*5953. 2" .. .. .	Britain	..	12	each	0 6 0	The Lawrence and Hanson Elec. Co. Ltd.
5954. 3" .. .. .	"	..	12	do.	0 6 0	
5955. Carbon, granulated .. .. .	France	..	2 lbs.	lb.	0 18 0	
†5956. Cords, Jack, for "Ericsson" Switchboard, double-ended, coloured, as ordered .. .. .	..	36	..	each	..	Nil
5957. Combination Transmitters and Receivers, "Ericsson" .. .. .	..	12	..	do.	..	Nil
5958. Diaphragms, carbon, transmitter .. .. .	Britain	..	60	do.	0 0 5	C. R. Foster
Ebonite—						
*5959. Sheet, $\frac{1}{2}$ " to 1" thick, as ordered .. .. .	Australia	56 lbs.	..	lb.	0 4 6	The Dunlop Rubber Co. of Aust. Ltd.
*5960. Rod, $\frac{1}{2}$ " to 1" diameter, as ordered .. .. .	"	28 "	..	do.	0 4 6	
*5961. Gongs, Signal, Brass, Electric .. .. .	..	36	..	each	..	Nil
*5962. Gauze, Nickel .. .. .	..	10 lbs.	..	lb.	..	Nil
5963. Handles, Telephone .. .. .	..	6	..	each	..	..

Item No. and Description.	Country of Manufacture.	Estimated Requirements for Two Years.	Contract Quantity.	Rate per—	Rate.			Name of Contractor.
					£	s.	d.	
<b>TELEGRAPH AND TELEPHONE SUNDRIES—</b> <i>continued.</i>								
Pieces—								
*5964. Ear, metal protected .. .. .	Britain	..	24	each	0	0	11½	The Lawrence and Hanson Elec. Co. Ltd.
*5965. Mouth, ebonite .. .. .	Australia	6	..	do.	0	1	0	The Dunlop Rubber Co. of Aust. Ltd.
*5966. Pots, porous, No. 2 .. .. .	Britain	..	300	do.	0	0	9½	British General Electric Co. Ltd.
5967. Shutters, drop, bell, mounted, "Ericsson's"	..	..	12	do.	0	8	6	C. R. Foster
5968. Switches, 2-way, "Ericsson's"	..	12	..	do.	..	..	..	Nil
Telephones—								
†5969. Wall, with cells .. .. .	Britain	..	6	do.	4	15	0	C. R. Foster
†5970. Ironclad, mining .. .. .	..	24	..	do.	..	..	..	Nil
†5971. Table .. .. .	..	12	..	do.	..	..	..	Nil
*5972. Zincs, "Leclanche," 7/8" diameter x 6" long	Britain	..	500	do.	0	0	5	The Lawrence and Hanson Elec. Co. Ltd.
*5973. Cells, "Leclanche" .. .. .	..	500	..	do.	..	..	..	Nil.

**ELECTRICAL MATERIAL.**

The samples submitted by the Tenderer for Items 6083, 6084 to 6099, and 6202 are samples as regards shape and quality only. The samples exhibited by the Corporation for Items 6065, 6066, 6069 to 6078, and 6164 to 6167 are samples as regards shape only.

Names of Manufacturers—Items Nos. 6106 to 6107—British Insulated and Helsby Cables Ltd., England; Items Nos. 6112 to 6113—General Electric Co., U.S.A.; Item No. 6159—Micanite Co., England; Item No. 6109—Chamberlain and Hookham, Birmingham.

As regards Items Nos. 5974, 5975, 5979, 5994, 5996, 5997, 6000 to 6003, 6009, 6010, 6011, 6029 to 6031, 6034 to 6036, 6039 to 6048, 6050, 6060, 6069, 6071 to 6077, 6080 to 6103, 6109, 6111 to 6115, 6117 to 6120, 6125 to 6126, 6134, 6135, 6135A, 6142 to 6144, 6146 to 6147, 6149 to 6150, 6157, 6159 to 6163, 6170 to 6175, 6178, 6179, 6184, 6196, and 6201 to 6203, the tendered prices are based on sea freight and war risk insurance current at the time of tendering, and as regards Items Nos. 5998, 6004 to 6008, 6012 to 6015, 6106 to 6107, 6155, 6200, 6204, 6204A, 6204B, 6204C, 6207, and 6208, the tendered prices are based on sea freight and war risk insurance current at 30th June, 1914. Pending the importation of the materials covered by these items, any item or items ordered which may be in stock will be supplied, but will be charged for as regards extra freight and war risk insurance, at the rates which are applicable to the materials specially imported for the purposes of this contract. In the event of the sea freight and/or war risk insurance actually paid being less than that contained in tender prices, reduction will be made accordingly. The Contractors to arrange for the importation of the materials covered by the above items in one lot, so that the same may be identified (so far as documents are concerned), which adjustment is being made in respect to sea freight and/or war risk insurance.

See original contracts for rates actually included in contract rates for sea freight and war risk insurance.

Adaptors—								
*5974. Bayonet Socket, hardwood .. .. .	Britain	..	50	each	0	0	8	British General Electric Co. Ltd.
*5975. Edison Screw Socket, composition .. .. .	U.S.A.	..	200	do.	0	1	1	Aust. General Elec. Co.
Blocks—								
*5976. Base, 3" x 1" round .. .. .	Australia	..	100 doz.	dozen	0	1	0	The Lawrence and Hanson Elec. Co. Ltd.
†5977. Fuse, Circular, with ventilated covers, 3 amp. .. .. .	Britain	..	100	each	0	0	9	
†5978. Fuse, Circular, with ventilated covers, 5 amp. .. .. .	..	..	100	do.	0	0	9	
†5979. Fuse, Circular, with ventilated covers, 8 amp. .. .. .	..	..	100	do.	0	0	11½	
*5980. Boards, Base, 10" x 9" .. .. .	..	200	..	do.	..	..	..	British General Electric Co. Ltd.
Boxes—								
†5981. 5/8" horizontal, 2-way, angle opening .. .. .	..	100	..	do.	..	..	..	Nil
†5982. 5/8" horizontal, 3-way, bottom opening .. .. .	..	100	..	do.	..	..	..	
†5983. 5/8" horizontal, through bottom opening .. .. .	..	100	..	do.	..	..	..	
†5984. 5/8" terminal, bottom opening .. .. .	..	200	..	do.	..	..	..	
†5985. 5/8" through, bottom entry, drop cord .. .. .	..	50	..	do.	..	..	..	



Item No. and Description.	Country of Manufacture.	Estimated Requirements for Two Years.	Contract Quantity.	Rate per—	Rate.	Name of Contractor.
					£ s. d.	
<b>ELECTRICAL MATERIAL—continued.</b>						
<b>Bushes—</b>						
†5986. 5/8" round, as ordered .. ..	Britain	..	12 doz.	dozen	0 0 8	} The Lawrence and Hanson Elec. Co. Ltd. Nil
†5987. 1/2" round, as ordered .. ..	"	..	12 "	do.	0 0 7	
*5988. Porcelain, Screwed, with Porcelain Nut .. ..	"	200	..	each	..	
*5989. Buckles, Turn, Galvanized, 5/8" .. ..	"	200	..	do.	..	
<b>Carriers, Fuse—</b>						
†5990. 3 amperes, D. and S. pattern .. ..	Britain	..	150	do.	0 1 3	} The Lawrence and Hanson Elec. Co. Ltd. Aust. General Elec. Co.
†5991. 6 amperes, D. and S. pattern .. ..	"	..	100	do.	0 1 11	
†5992. 15 amperes, D. and S. pattern .. ..	"	..	150	do.	0 2 3	
*5993. Carriers, Shade .. ..	U.S.A.	..	200	do.	0 0 4 1/2	
*5994. Carriers, Shade, type O. .. ..	"	..	500	do.	0 0 7 1/2	
<b>Cable, Insulated, Electric Light, rubber covered, taped and braided, up to 450 volts, 600 meg.—</b>						
†5995. 1/14 .. ..	Britain	..	2,000 yds.	110 yds.	1 4 4 1/2	} W. T. Henley's Telegraph Works Co. Ltd. British Insulated and Helsby Cables Ltd. Nil
†5996. 1/16 .. ..	"	..	4,000	do.	0 19 3	
†5997. 1/18 .. ..	"	..	4,000	do.	0 13 7 1/2	
†5998. 3/18 (up to 250 volts.) .. ..	{ Britain Aust. copper	..	1,000	do.	1 11 6	
†5999. 3/20 .. ..	"	5,000 yds.	..	do.	..	
†6000. 7/14 .. ..	Britain	..	2,000 yds.	do.	5 3 6	} W. T. Henley's Telegraph Works Co. Ltd.
†6001. 7/16 .. ..	"	..	4,000	do.	4 1 10 1/2	
†6002. 7/18 .. ..	"	..	4,000	do.	2 13 3	
†6003. 7/20 .. ..	"	..	2,000	do.	1 16 10 1/2	
<b>Cable, Insulated, Vulcanized, Bitumen, coir covered, single—</b>						
†6004. 1/14 .. ..	{ Britain Aust. copper	..	2,000	do.	4 1 0	} British Insulated and Helsby Cables Ltd. W. T. Henley's Telegraph Works Co. Ltd.
†6005. 1/16 .. ..	"	..	2,000	do.	2 12 6	
†6006. 1/18 .. ..	"	..	1,000	do.	2 10 0	
†6007. 3/20 .. ..	"	..	1,000	do.	2 15 0	
†6008. 7/14 .. ..	"	..	2,000	do.	6 1 0	
†6009. 7/16 .. ..	Britain	..	2,000	do.	5 19 4 1/2	
†6010. 7/18 .. ..	"	..	2,000	do.	4 3 0	
†6011. 19/13 .. ..	"	..	10,000	do.	23 16 6	
<b>Cable, Bare Copper, Hard Drawn—</b>						
†6012. 7/20 .. ..	{ Britain Aust. copper	..	1,000	do.	0 16 6	} British Insulated and Helsby Cables Ltd.
†6013. 7/18 .. ..	"	..	6,000	do.	1 8 9	
†6014. 7/16 .. ..	"	..	6,000	do.	2 11 0	
†6015. 7/14 .. ..	"	..	4,000	do.	4 0 0	
†6016. 7/12 .. ..	"	..	8,000 "	do.	..	
†6017. 19/14 .. ..	"	..	5,000 "	do.	..	
†6018. 19/13 .. ..	"	..	8,000 "	do.	..	
†6019. 19/12 .. ..	"	..	3,000 "	do.	..	
†6020. 19/11 .. ..	"	..	3,000 "	do.	..	
†6021. 19/10 .. ..	"	..	3,000 "	do.	..	
†6022. 37/14 .. ..	"	..	2,000 "	do.	..	
†6023. 37/12 .. ..	"	..	1,000 "	do.	..	
†6024. 37/10 .. ..	"	..	1,000 "	do.	..	
†6025. 61/14 .. ..	"	..	1,000 "	do.	..	
†6026. 61/13 .. ..	"	..	1,000 "	do.	..	
†6027. 61/11 .. ..	"	..	5,000 "	do.	..	
†6028. Chalk, French .. ..	Britain	..	6 lbs.	lb.	0 0 9	The Lawrence and Hansen Elec. Co. Ltd.
<b>Clips, Fuse, Studs and Terminals for back connexion for 600-volt circuits—</b>						
†6029. 30 amp., No. 39435 .. ..	U.S.A.	..	40	each	0 2 2	} Aust. General Elec. Co. Hicks, Atkinson, and Sons Pty. Ltd.
*6030. 60 amp., No. 39436 .. ..	"	..	40	do.	0 2 5	
†6031. 200 amp., No. 39438 .. ..	"	..	40	do.	0 4 11	
*6032. Cloth, Butter .. ..	Britain	..	2,000 yds	yard	0 0 1 1/2	
†6033. Cloths, Sweat .. ..	"	..	300	dozen	0 1 3	

Item No. and Description.	Country of Manufacture.	Estimated Requirements for Two Years.	Contract Quantity.	Rate per—	Rate.	Name of Contractor.
					£ s. d.	
<b>ELECTRICAL MATERIAL—continued.</b>						
<b>Compound—</b>						
6034. Chatterton's, or approved brand ..	Britain	..	30 lbs.	lb.	0 2 3	British General Elec. Co. Ltd.
†6035. Bitumen Box, for electrical work ..	"	..	100 "	do.	0 0 9½	
†6036. Cutouts, Film, for use in 6·6 ampere series circuits ..	U.S.A.	..	200	each	0 0 2	Aust. General Elec. Co.
†6037. Fibre, Red, Insulating, any thicknesses and any sizes ordered ..	..	500 lbs.	..	lb.	}	Nil
†6038. Fibre, Red, Round, up to 2" in diameter, as ordered, any sizes ordered ..	..	22½ "	..	do.		
*6039. Fingers, Copper, Drop Forged, Controllers ..	U.S.A.	..	200	each	0 1 7	Aust. General Elec. Co.
*6040. Fittings, Counterweight, Porcelain, with ceiling roses complete ..	Britain	..	48	do.	0 1 9½	British General Elec. Co. Ltd.
<b>Fuses, Enclosed Cartridge, suitable for pressures up to 600 volts—</b>						
6041. 10 ampere, No. 34995 ..	U.S.A.	..	50	do.	0 0 8½	Aust. General Elec. Co.
6042. 15 ampere, No. 34997 ..	"	..	50	do.	0 0 8½	
6043. 20 ampere, No. 34998 ..	"	..	100	do.	0 0 8½	
6044. 25 ampere, No. 34999 ..	"	..	50	do.	0 0 8½	
*6045. 30 ampere, No. 35100 ..	"	..	50	do.	0 0 8½	
6046. 40 ampere, No. 35103 ..	"	..	50	do.	0 1 3	
6047. 60 ampere, No. 35107 ..	"	..	50	do.	0 1 3	
6048. 100 ampere, No. 35113 ..	"	..	20	do.	0 2 9	
6049. 150 ampere ..	..	100	..	do.	..	Nil
6050. 200 ampere, No. 35124 ..	U.S.A.	..	50	do.	0 4 7	Aust. General Elec. Co.
<b>Fuses, House Service—</b>						
6051. 3 ampere ..	Britain	..	200	do.	0 2 7	The Lawrence and Hanson Elec. Co. Ltd.
*6052. 5 ampere ..	"	..	200	do.	0 2 7	
6053. 10 ampere ..	"	..	100	do.	0 2 7	
6054. 15 ampere ..	"	..	100	do.	0 2 7	
*6055. Guards, Wire, for lamps ..	Australia	..	50	do.	0 1 5	The Lawrence and Hanson Elec. Co. Ltd.
*6056. Guards, Wire, for lamps ..	"	..	50	do.	0 2 9	
<b>Insulators, Porcelain—</b>						
*6057. Cleat, for 1/14, 2-way ..	Japan	..	100 doz.	dozen	0 0 6	Aust. General Elec. Co.
*6058. Cleat, for 1/18, 2-way ..	"	..	100 "	do.	0 0 4½	
*6059. Cleat, for 7/16, 2-way ..	"	..	100 "	do.	0 0 6	
*6060. Cleat, for 1/14, 3-way, No. 9172 ..	U.S.A.	..	200 "	do.	0 2 3	
*6061. Cleat, 7/14, 3-way ..	..	400 doz.	..	do.	..	Nil
*6062. Button, 1½" x 1¼" ..	Japan	..	200 "	do.	0 0 8	The Lawrence and Hanson Elec. Co. Ltd.
*6063. No. 6, 3½" x 3", with galvanized straight pin ..	Japan and Australia	..	60 "	do.	0 10 9	
*6064. No. 6, with galvanized swan neck ..	"	..	100 "	do.	0 10 11	
<b>Insulators, Porcelain—</b>						
*6065. Drip Tube, 6" x ¾" ..	Japan	..	10 doz.	dozen	0 3 0	Warburton, Franki (Melb.) Ltd.
*6066. Straight Tube, 6" x ¾" ..	"	..	6 "	do.	0 3 0	
†6067. Shackle, 2" x 2½" ..	"	..	12 "	do.	0 2 0	
†6068. Shackle, 3" x 3½" ..	"	..	15 "	do.	0 3 4	
*6069. Shackle, 4" x 3½" ..	"	..	50 "	do.	0 5 6	
*6070. With grooved top ..	..	600	..	each	..	Nil
<b>Insulators, Porcelain, Clamp, with cast-iron seat, steel strap, and split porcelain bushing—</b>						
6071. ¾" hole, No. 9222 and 9498 ..	U.S.A.	..	100	do.	0 1 0	Aust. General Elec. Co.
6072. ½" hole, No. 9216 and 9499 ..	"	..	100	do.	0 0 9½	
6073. ¾" hole, No. 9221 and 9498 ..	"	..	50	do.	0 0 11	
6074. ¾" hole, No. 9222 and 9498 ..	"	..	100	do.	0 0 11½	
*6075. 1" hole, No. 9229 and 9361 ..	"	..	100	do.	0 1 6	
6076. 1½" hole, No. 9236 and 9360 ..	"	..	50	do.	0 2 3	
6077. 1½" hole, No. 9238 and 9360 ..	"	..	50	do.	0 2 3	
6078. 2" hole ..	..	100	..	do.	..	
†6079. Insulators, Toggle, for feeders, up to 1½" ..	..	100	..	do.	..	Nil

Item No. and Description.	Country of Manufacture.	Estimated Requirements for Two Years.	Contract Quantity.	Rate per—	Rate.	Name of Contractor.
					£ s. d.	
<b>ELECTRICAL MATERIAL—continued.</b>						
<b>Lamps, Incandescent, Bayonet Cap—</b>						
6080. Carbon Filament, 8/230 to 250, as ordered .. .. .	Britain	..	30	each	0 0 8½	British General Elec. Co. Ltd.
† 6081. Carbon Filament, 16/230 to 250, as ordered .. .. .	"	..	500	do.	0 0 8½	
6082. Carbon Filament, 32/230 to 250 as ordered .. .. .	"	..	800	do.	0 0 8½	
6083. Drawn Wire, Tungsten Filament, bowl frosted, 40W/230V to 240, as ordered .. .. .	Britain	..	500	do.	0 1 7	The Edison and Swan United Electric Light Co. Ltd.
† 6084. Drawn Wire, 60W/230V to 240, as ordered .. .. .	"	..	500	do.	0 1 7	
6085. Drawn Wire, 100W/230V to 240, as ordered .. .. .	"	..	100	do.	0 3 0	
<b>Lamps, Edison Screw, Drawn Wire Filament, tip or bowl frosted—</b>						
6086. 10 watts, 230 to 240 volts .. .. .	"	..	100	do.	0 1 7	Aust. General Elec. Co.
6087. 25 watts, 230 to 240 volts .. .. .	"	..	1,000	do.	0 1 7	
† 6088. 40 watts, 230 to 240 volts .. .. .	"	..	1,000	do.	0 1 7	
6089. 60 watts, 230 to 240 volts .. .. .	"	..	1,000	do.	0 1 7	
6090. 100 watts, 230 to 240 volts .. .. .	"	..	200	do.	0 3 0	
6091. 150 watts, 230 to 240 volts .. .. .	"	..	200	do.	0 4 7	
<b>Lamps, Edison Screw, Drawn Wire Filament, Clear—</b>						
† 6092. 150 watts, 230 to 240 volts .. .. .	"	..	200	each	0 4 6	Aust. General Elec. Co.
6093. 250 watts, 230 to 240 volts .. .. .	"	..	100	do.	0 6 9	
<b>Lamps, Edison Screw, Drawn Wire Filament, for 6-ampere series circuit—</b>						
6094. 200 c.p. .. .. .	U.S.A.	..	50	each	0 8 3	The Edison and Swan United Electric Light Co. Ltd.
† 6095. 100 c.p. .. .. .	"	..	100	do.	0 4 9	
6096. 32 c.p. .. .. .	"	..	100	do.	0 3 6	
<b>Lamps, Edison Screw, Carbon, Filament—</b>						
6097. 8 c.p. .. .. .	Britain	..	50	do.	0 0 8	The Edison and Swan United Electric Light Co. Ltd.
† 6098. 16 c.p. .. .. .	"	..	1,000	do.	0 0 8	
6099. 32 c.p. .. .. .	"	..	1,000	do.	0 0 8½	
<b>Lamps, Radiator—</b>						
† 6100. 120 volts, Bayonet Cap .. .. .	"	..	50	do.	0 3 0	The Edison and Swan United Electric Light Co. Ltd.
† 6101. 240 volts, Bayonet Cap .. .. .	"	..	50	do.	0 3 0	
† 6102. 120 volts, Edison Screw .. .. .	"	..	50	do.	0 3 0	
† 6103. 240 volts, Edison Screw .. .. .	"	..	50	do.	0 3 0	Nil
* 6104. Leatheroid, any thicknesses ordered .. .. .	..	300 lbs.	..	lb.	..	
6105. Mica, Sheet, any sizes ordered .. .. .	..	56 "	..	do.	..	
<b>Meters, Watthour, House Service, Alternating Current, suitable for use on 50 cycle, 240 volt single phase circuits, complete with boards—</b>						
6106. 3 ampere .. .. .	Britain	..	30	each	1 5 0	British Insulated and Helsby Cables Ltd.
6107. 5 ampere .. .. .	"	..	20	do.	1 5 0	
6108. 10 ampere .. .. .	..	..	10	do.	..	The Edison and Swan United Electric Light Co. Ltd.
6109. 15 ampere .. .. .	Britain	..	5	do.	1 11 0	
<b>Meters, Polyphase, Watthour, for three phase, 50 cycle, 415 volt supply, complete with boards—</b>						
6110. 10 ampere .. .. .	..	10	..	do.	..	Aust. General Elec. Co.
6111. 15 ampere .. .. .	U.S.A.	..	5	do.	4 6 0	
6112. 20 ampere .. .. .	"	..	5	do.	4 6 0	
6113. 25 ampere .. .. .	"	..	5	do.	4 6 0	

Item No. and Description.	Country of Manufacture.	Estimated Requirements for Two Years.	Contract Quantity.	Rate per—	Rate.	Name of Contractor.
					£ s. d.	
<b>ELECTRICAL MATERIAL—continued.</b>						
<b>Pipe Conduit—</b>						
6114. ½", round or oval .. ..	Britain	..	500 ft.	foot	0 0 1	The Edison and Swan United Electric Light Co. Ltd.
* 6115. ¾", round .. ..	"	..	2,000,,	do.	0 0 1½	
6116. ¾", round .. ..	"	1,000 feet	..	do.	..	
6117. 1", round .. ..	Britain	..	200,,	Per 100 feet	0 14 6	The India Rubber, Gutta Percha, and Telegraph Works Co. Ltd.
<b>Piping, Conduit, Screwed—</b>						
* 6118. ½" .. ..	"	..	300,,	do.	0 17 6	The Edison and Swan United Electric Light Co. Ltd.
* 6119. ¾" .. ..	"	..	500,,	do.	1 2 6	
6120. 1" .. ..	"	..	200,,	foot	0 0 3	
<b>Fittings—Conduit Pipe—</b>						
* 6121. Bends, ½" or ¾", split, as ordered .. ..	..	48	..	each	..	Nil
6122. Bends, ½" or ¾", round, as ordered .. ..	Britain	..	300	do.	0 0 3	The Lawrence and Hanson Elec. Co. Ltd.
* 6123. Bends, ¾", round or oval, as ordered .. ..	..	..	50	do.	..	Nil
6124. Bends, 1", round, as ordered .. ..	Britain	..	25	do.	0 0 2½	The Lawrence and Hanson Elec. Co. Ltd.
* 6125. Bends, Grip, ¾", round, "Eureka," .. ..	"	..	100	do.	0 0 4½	The India Rubber, Gutta Percha, and Telegraph Works Co. Ltd.
* 6126. Crampets, ¾" .. ..	"	..	400	do.	0 0 0½	The Edison and Swan United Electric Light Co. Ltd.
6127. Elbows, ½" or ¾", round, as ordered .. ..	"	..	36	do.	0 0 4	The Lawrence and Hanson Elec. Co. Ltd.
* 6128. Elbows, ¾", round or oval, as ordered .. ..	..	36	..	do.	..	Nil
6129. Elbows, 1", round, as ordered .. ..	Britain	..	36	do.	0 0 8	The Lawrence and Hanson Elec. Co. Ltd.
* 6130. Elbows, Grip, ¾", round, as ordered .. ..	"	..	300	do.	0 0 4	
6131. Tees, ½" or ¾", round, as ordered .. ..	"	..	500	do.	0 0 2	Nil
* 6132. Tees, ¾", round or oval, as ordered .. ..	..	36	..	do.	..	
6133. Tees, 1", round, as ordered .. ..	Britain	..	36	do.	0 0 4	The Lawrence and Hanson Elec. Co. Ltd.
* 6134. Tees, Grip, ¾", round, "Eureka" .. ..	"	..	400	do.	0 0 5½	The India Rubber, Gutta Percha, and Telegraph Works Co. Ltd.
* 6135. Grip Sleeves, ½", round, "Eureka" .. ..	"	..	300	do.	0 0 2½	
* 6135A. Grip Sleeves, ¾", round, "Eureka" .. ..	"	..		do.	0 0 3	
<b>Sleeves—</b>						
* 6136. ¾", round or oval, as ordered .. ..	..	48	..	do.	..	Nil
6137. 1", round, as ordered .. ..	Britain	..	48	do.	0 0 3	The Lawrence and Hanson Elec. Co. Ltd.
<b>Saddles—</b>						
6138. ½" round .. ..	Australia	..	500	gross	0 2 9	The India Rubber, Gutta Percha, and Telegraph Works Co. Ltd.
* 6138A. ¾", round .. ..	"	..		do.	0 3 6	
6139. ¾", round or oval, as ordered .. ..	..	250	..	do.	..	Nil
6140. 1", round .. ..	Australia	..	100	do.	0 6 0	The India Rubber, Gutta Percha, and Telegraph Works Co. Ltd.
<b>Couplings—</b>						
6141. ½", screwed .. ..	Britain	..	100	each	0 0 1	The Lawrence and Hanson Elec. Co. Ltd.
* 6142. ¾", screwed .. ..	"	..	100	do.	0 0 1½	The India Rubber, Gutta Percha, and Telegraph Works Co. Ltd.
6143. 1", screwed .. ..	"	..	100	do.	0 0 2½	
* 6144. Grip, ¾", round .. ..	"	..	300	do.	0 0 3	Works Co. Ltd

Item No. and Description.	Country of Manufacture.	Estimated Requirements for Two Years.	Contract Quantity.	Rate per--	Rate.	Name of Contractor.
					£ s. d.	
<b>ELECTRICAL MATERIAL—continued.</b>						
<b>Bends—</b>						
6145. ½", screwed .. .. .	Britain	..	50	each	0 0 1½	The Lawrence and Hanson Elec. Co. Ltd.
* 6146. ⅝", screwed .. .. .	"	..	100	do.	0 0 2½	The India Rubber, Gutta Percha, and Telegraph Works Co. Ltd.
6147. 1", screwed .. .. .	"	..	50	do.	0 0 4½	
<b>Tees—</b>						
6148. ½", screwed .. .. .	"	..	50	do.	0 0 1½	The Lawrence and Hanson Elec. Co. Ltd.
* 6149. ⅝", screwed .. .. .	"	..	50	do.	0 0 2½	The India Rubber, Gutta Percha, and Telegraph Works Co. Ltd.
6150. 1", screwed .. .. .	"	..	50	do.	0 0 6½	
<b>Bushes—</b>						
6151. ½", screwed .. .. .	"	..	25	do.	0 0 1	The Lawrence and Hanson Elec. Co. Ltd.
* 6152. ⅝", screwed .. .. .	"	..	25	do.	0 0 2½	
6153. 1", screwed .. .. .	"	..	25	do.	0 0 2½	
†6154. Paint, Insulating, "Black Siderosthen" ..	"	..	100	gals.	0 8 9	Sidney H. Stack and Co.
†6155. Paste, Soldering, "Coralline" .. .. .	"	..	112	lbs.	0 1 6	British Insulated and Helsby Cables Ltd.
<b>Plugs, Wall—</b>						
6156. 5 amperes .. .. .	"	..	100	each	0 1 11	The Lawrence and Hanson Elec. Co. Ltd.
* 6157. 15 amperes, "S. 637" .. .. .	"	..	25	do.	0 2 10	British General Elec. Co. Ltd.
6158. 30 amperes .. .. .	"	50	..	do.	..	Nil
6159. Press, Pahn, any thickness ordered ..	Britain	..	50	sheet	0 0 4½	The Edison and Swan United Electric Light Co. Ltd.
*6160. Receptacles, Edison Screw Socket, with porcelain base, No. 9185 .. .. .	U.S.A.	..	100	each	0 1 0	Aust. General Elec. Co.
*6161. Receptacles, Edison Screw Socket, with porcelain base, No. 50755 .. .. .	"	..	100	do.	0 1 5	
*6162. Roses, Ceiling, "S. 740" .. .. .	Britain	..	300	do.	0 0 6½	British General Electric Co. Ltd.
*6163. Roses, Ceiling, 3-way .. .. .	Japan	..	150	do.	0 0 7	The Edison and Swan United Electric Light Co. Ltd.
<b>Shades—</b>						
*6164. Iron, Enamelled, 10" x 1½" .. .. .	Japan	..	200	do.	0 0 6	The Lawrence and Hanson Elec. Co. Ltd.
*6165. Iron, Enamelled .. .. .	"	..	200	do.	..	Nil
*6166. Porcelain, 10" x 1½" .. .. .	"	..	100	do.	0 0 6	
*6167. Porcelain .. .. .	"	..	100	do.	0 0 10	
6168. Shot, Lead, any sizes ordered .. .. .	Australia	..	112	lb.	0 0 6½	The Lawrence and Hanson Elec. Co. Ltd.
*6169. Slabs, Marble, best quality, for Switch Boards, polished on one face and edges, and any sizes and thickness ordered up to 60" x 24" x 1½" .. .. .	"	..	400	sq. ft.	0 5 3	
<b>Sockets—</b>						
*6170. Locking, Keyless, with moulded bushing, for pendant use, with Edison Screw Lamps, No. 58957 .. .. .	U.S.A.	..	200	each	0 1 7	
*6171. Weatherproof, of moulded material, for Edison Screw Lamps, No. 9366 .. .. .	"	..	500	do.	0 1 2	
*6172. Keyless, Edison Screw, for bracket use, Brass or Antique, No. 59957 .. .. .	"	..	50	do.	0 1 6	
*6173. Keyless, Edison Screw, for pendant use, Brass or Antique, No. 59954 .. .. .	"	..	50	do.	0 0 11½	Aust. General Elec. Co.
*6174. Key, Edison Screw, for bracket use, Brass or Antique, No. 59956 .. .. .	"	..	50	do.	0 1 3	
*6175. Key, Edison Screw, for pendant use, Brass or Antique, No. 59952 .. .. .	"	..	50	do.	0 1 1	

Item No. and Description.	Country of Manufacture.	Estimated Requirements for Two Years.	Contract Quantity.	Rate per—	Rate.	Name of Contractor.
					£ s. d.	
<b>ELECTRICAL MATERIAL—continued.</b>						
6176. Solution, rubber .. .. .	..	56 lbs.	..	lb.	..	Nil
<b>Switches—</b>						
6177. Single pole, Tumbler, 3 amperes ..	Britain	..	300	each	0 1 4	The Lawrence and Hanson Elec. Co. Ltd.
6178. Single pole, Tumbler, 5 amperes ..	"	..	200	do.	0 1 3	The India Rubber, Gutta Percha, and Telegraph Works Co. Ltd.
6179. Single pole, Tumbler, 10 amperes ..	"	..	100	do.	0 1 8	The Lawrence and Hanson Elec. Co. Ltd.
6180. Single pole, Tumbler, 15 amperes ..	"	..	20	do.	0 4 0	
6181. Single pole, Tumbler, 25 amperes ..	"	..	20	do.	0 5 9	
*6182. Single pole, Tumbler, 5 amperes, 2-way ..	"	..	100	do.	0 3 0	
6183. Double pole, Tumbler, 5 amperes ..	"	..	150	do.	0 3 0	
6184. Double pole, Tumbler, 10 amperes ..	"	..	50	do.	0 2 10	The India Rubber, Gutta Percha, and Telegraph Works Co. Ltd.
6185. Double pole, Tumbler, 15 amperes ..	"	..	20	do.	0 6 10	The Lawrence and Hanson Elec. Co. Ltd.
6186. Double pole, Tumbler, 25 amperes ..	"	..	20	do.	1 0 0	
<b>Switches—</b>						
6187. Pendant, 5 amperes, 1-way .. .. .	..	200	..	do.	..	Nil
*6188. Pendant, 5 amperes, 2-way .. .. .	..	100	..	do.	..	
6189. Pendant, 3 amperes, 1-way .. .. .	..	200	..	do.	..	
6190. Pendant, 3 amperes, 2-way .. .. .	..	200	..	do.	..	
6191. 2-pole, knife quick break, 20 amperes ..	..	24	..	do.	..	
6192. 2-pole, knife quick break, 40 amperes ..	..	24	..	do.	..	
6193. 3-pole, knife quick break, 20 amperes ..	..	24	..	do.	..	
6194. 3-pole, knife quick break, 40 amperes ..	..	24	..	do.	..	
<b>Tape, Insulating—</b>						
†6195. "Acme," or equal, brand, $\frac{3}{8}$ " ..	U.S.A.	..	300 lbs.	lb.	0 1 6	The Lawrence and Hanson Elec. Co. Ltd.
†6196. Rubber, $\frac{3}{8}$ ", splicing gum .. .. .	"	..	112 lbs.	do.	0 7 0	Aust. General Elec. Co.
<b>Terminals—</b>						
*6197. Copper, with stud holes, any sizes ordered from 7/18 to 61/11 cable ..	Australia	..	20	each	0 2 6	The Lawrence and Hanson Elec. Co. Ltd.
*6198. Coupling, for jointing cables, any sizes ordered .. .. .	"	..	20	do.	0 6 9	Nil
†6199. Varnish, insulating .. .. .	..	200 gals.	..	gallon	..	
<b>Wire—</b>						
†6200. Office, flexible, 23/36 .. .. .	Britain	..	200	g. yds.	1 9 0	British Insulated and Helsby Cables Ltd.
†6201. Office, flexible, 23/36, 3 core .. ..	"	..	24 doz.	do.	3 6 9	W. T. Henley's Telegraph Works Co. Ltd.
†6202. Workshop flexible, 40/36 .. .. .	"	..	100	do.	2 8 5 $\frac{1}{2}$	
†6203. Fuse, 3 amperes .. .. .	"	..	20 reels	† lb. reel	0 1 3	
†6204. Tinned Copper Binding, No. 22 S.W.G. ..	"	..	..	lb.	0 2 3	
†6204A. Tinned Copper Binding, No. 20 .. ..	"	..	..	do.	0 2 2	British Insulated and Helsby Cables Ltd.
†6204B. Tinned Copper Binding, No. 18 .. ..	"	..	..	do.	0 2 1	
†6204C. Tinned Copper Binding, No. 16 .. ..	"	..	..	do.	0 2 0	
†6205. Tinned steel binding, Nos. 22 to 16 S.W.G., as ordered .. .. .	..	224 lbs.	..	do.	..	Nil
†6206. Span, galvanized steel, 7/14 wires ..	..	224 "	..	do.	..	
†6207. Bell, any assorted colours ordered, 1/20 ..	Britain	..	880 yds.	110 yds.	0 4 0	British Insulated and Helsby Cables Ltd.
6208. Bell, any assorted colours ordered, 1/18 ..	"	..	880 "	do.	0 6 0	
6209. Double Cotton-covered S.W.G., No. 8 to No. 16 .. .. .	"	..	..	lb.	0 1 11	W. T. Henley's Telegraph Works Co. Ltd.
6209A. Double Cotton-covered S.W.G., No. 17 to No. 24 .. .. .	"	..	..	do.	0 2 4	
6209B. Double Cotton-covered S.W.G., No. 26 to No. 32 .. .. .	"	..	600 lbs.	do.	0 3 3	
6209C. Double Cotton-covered S.W.G., No. 34 to No. 40 .. .. .	"	..	..	do.	0 5 9	

Item No. and Description.	Country of Manufacture.	Estimated Requirements for Two Years.	Contract Quantity.	Rate per—	Rate.			Name of Contractor.			
					£	s.	d.				
<b>ELECTRICAL MATERIAL—continued.</b>											
Wire—continued.											
†6210.		Resistance, any gauges ordered ..	336 lbs.	..	lb.	..	..	Nil			
†6211.	Britain	Enamelled, S.W.G., any gauges ordered ..	..	150 lbs.	do.	0	4 3	W. T. Henley's Telegraph Works Co. Ltd.			
†6212.	..	Bare copper, hard drawn, 1/14 ..	1,000 yds.	..	110 yds.	}	..	Nil			
†6213.	..	Bare copper, hard drawn, 1/12 ..	1,000 yds.	..	do.						
		Wood, ebony asbestos, Sindany—									
6214.	..	1/4" thick, any sizes ordered ..	50 sq. ft.	..	sq. ft.						
6215.	..	1/4" thick, any sizes ordered ..	50 "	..	do.						
<b>DRYSALTERIES, CHEMICALS, ETC.</b>											
Acid—											
6216.	..	Boracic ..	56 lbs.	..	lb.	}	..	Nil			
6217.	..	Muriatic, Hydrochloric, or Spirits of Salts, as ordered, in Winchester quarts ..	112 "	..	do.						
6218.	..	Sulphuric, in Winchester quarts ..	28 "	..	do.						
6219.	..	Oxalic ..	10 "	..	do.						
6220.	..	Nitric ..	10 "	..	do.						
Ammonia—											
6221.	..	Liquid, 880 sp. g., in Winchester quarts ..	10 "	..	do.	}	..	Nil			
6222.	..	Chloride ..	5 "	..	do.						
6223.	..	Ammoniac, Sal. granulated ..	560 "	..	do.						
6224.	..	Balsam, Friar's ..	8 pints	..	pint						
6225.	..	Borax, Lump ..	28 lbs.	..	lb.						
6226.	..	Brandy, Hennessy's, 3 Star or equal brand ..	36 bottles	..	bottle						
Calcium—											
6227.	..	Carbide, Lump ..	20 cwt.	..	cwt.						
6228.	..	Carbide, Fine Wheat ..	100 "	..	do.						
6229.	..	Camphor ..	10 lbs.	..	lb.						
†6230.	..	Eucalyptus ..	12 pints	..	pint						
6231.	..	Iodoform, Gauze ..	6 lbs.	..	lb.						
6232.	..	Lime, Chloride of, chlorinated, in 7-lb. tins ..	560 "	..	do.						
6233.	..	Lint, Surgeons' ..	56 "	..	do.						
6234.	..	Magnesia, Sulphate of ..	5 cwt.	..	cwt.						
6235.	..	Needles, Surgeons', curved or straight, as ordered ..	24	..	each						
Oil—											
6236.	..	Carbolic ..	12 lbs.	..	lb.	}	..	Nil			
6237.	..	Carron ..	6 "	..	do.						
6238.	..	Ointment, Chase's ..	12 bottles	..	bottle						
Potash—											
6239.	..	Prussiate of ..	28 lbs.	..	lb.	}	..	Nil			
6240.	..	Caustic, 20 per cent. solution ..	5 gals.	..	gallon						
6241.	..	Salt, Rock ..	40 cwt.	..	cwt.						
Soda—											
6242.	..	Washing ..	10 "	..	do.	}	..	Nil			
6243.	..	Caustic, 70 per cent., in 14-lb. tins ..	5 "	..	do.						
Spirits—											
6244.	..	Nitre ..	5 lbs.	..	lb.	}	..	Nil			
6245.	..	Wine ..	5 gals.	..	gallon						
6246.	..	Methylated ..	12 "	..	do.						
6247.	..	Sulphur ..	28 lbs.	..	lb.						
Tincture—											
6248.	..	Opū ..	3 "	..	do.	}	..	Nil			
6249.	..	Belladonna ..	4 "	..	do.						
6250.	..	Vaseline ..	112 "	..	do.						

Item No. and Description.	Country of Manufacture.	Estimated Requirements for Two Years.	Contract Quantity.	Rate per—	Rate.	Name of Contractor.	
					£ s. d.		
<b>AMBULANCE MATERIAL.</b>							
Bandages—							
*6251. Open wove, antiseptic, 6 yds. long x 2½" wide	..	50 doz.	..	dozen	}	Nil	
*6252. Calico, assorted	..	100 "	..	do.			
†6253. Pins, safety, plated	..	24 "	..	do.			
6254. Plaster, Meads, adhesive, 1" x 10 yds.	..	24 reels	..	reel			
6255. Sal Volatile, 2-oz. bottles	..	24 botts.	..	bottle			
*6256. Wool, Surgeons', antiseptic, 1-lb. packet	..	20 pkts.	..	packet			
<b>DISINFECTANT AND ARABIAN CREAM.</b>							
†6257. Disinfectant, Liquid, "Vaceyle No. 2," in 5-gallon drums	Australia	1,000 gals.	..	gal.	0 1 11	Vacuum Oil Co. Pty. Ltd.	
†6258. L.C.S., containing not less than 50 per cent. of tar oils, distilling between 187 deg. and 200 deg. C.	"	20 "	..	do.	0 7 6	Felton, Grimwade, and Co.	
†6259. Cream, Arabian	"	20 "	..	do.	0 3 3	Wm. Adams and Co. Ltd.	
†6260. Powder, Carbolic, 15 %, in 2-lb. tins	"	300 tins	..	doz. tins	0 4 0	S. Cohen Sons and Co. Pty. Ltd.	
<b>EXPLOSIVES, ETC.</b>							
<i>Name of Manufacturer—Items Nos. 6264, 6268, 6269—Cape Explosives Works Ltd., South Africa.</i>							
<i>Items Nos. 6264, 6268 delivered at the State Coal Mine Magazine. The prices shown in the Schedule are exclusive of railway freight and cartage charges, which will be paid, in the first place, by the Contractor and refunded by the State Coal Mine; the cartage to be arranged on the most favorable terms obtainable.</i>							
<i>The quantity shown in the Schedule for Items Nos. 6264, and 6268 are the estimated requirements for one year.</i>							
Cartridges—							
6261. Revolver, No. 320	..	1,000	..	100	}	Nil	
6262. Automatic Pistol, No. 320	..	1,000	..	do.			
6263. Fuse, Patent double-tape, Bickford's Bendigo Blue, or other approved brand, in coils of 8 yards	Australia	..	20,000	coil	0 0 7½	McMicking and Co.	
6264. Gelnignite	S. Africa	Estimated requirements for one year 400 cases.	..	case of 50 lbs. net	2 5 0	Morris and Meeks	
Detonators—							
6265. No. 6, in boxes of 100	..	7,000 bxs.	..	box	}	Nil	
6266. Electric, No. 6	..	3,000	..	100			
6267. Gelatine, Blasting	..	50 cases	..	case of 50 lbs. net			
Powder, permitted—							
6268. "Ligdynite" or other approved brands	S. Africa	Estimated requirements for one year 3,000 cases	..	case of 50 lbs. net	1 19 0	Morris and Meeks	
6269. "Monobel" or other approved brands	"	..	..	..	..	Nil	
6270. Wire, Connecting, for shot firing	..	Estimated requirements for two years .12 reels	..	reel	..	Nil	
<b>TRACING CLOTH, ETC.</b>							
<i>Names of Manufacturers:—Item No. 6271—Ritchie and Eason; Items Nos. 6272 and 6273—M. Wurcker.</i>							
†6271. Cloth, Tracing, "Standard," 43" wide	Britain	500 yds.	..	lin. yd.	0 1 3	} Paterson and Co.	
Paper—							
6272. Ferro Prussiate, 31" wide x 22 yds. long	Australia	100 rolls	..	roll	0 7 6		
6273. Heliographic, Water Bath, 31" wide x 22 yds. long	"	.36 "	..	do.	0 17 6		



Item No. and Description.	Country of Manufacture.	Estimated Requirements for Two Years.	Contract Quantity.	Rate per—	Rate.	Name of Contractor.
					£ s. d.	
<b>BOOKS, ETC.</b>						
Books, &c.—						
*6274. Memo., Foolscap 8vo, 8-sheet, American cloth .. .. .	Australia	50 doz.	..	dozen	0 1 11	Sands and McDougall Pty. Ltd.
6275. Metallic, Smith's, 195, or other approved brand .. .. .	"	24	..	each	0 2 6	
6276. Pocket, Penny's, No. 136, or other approved maker .. .. .	"	24	..	do.	0 4 3	
6277. Refills for Penny's Pocketbooks, No. 136, or other approved maker .. .. .	"	48	..	do.	0 0 7	
6278. Indices, Foolscap, marble cover, one leaf to a letter .. .. .	"	24	..	do.	0 0 6	Wm. Detmold Ltd.
6279. Indices, Foolscap, hand-made, full basil, 2 to 4 leaves to a letter, as ordered .. .. .	"	12	..	do.	0 6 3	Sands and McDougall Pty. Ltd.
6280. Diaries, Australian, 4to, 8vo, 4" x 2½", as ordered .. .. .	"	£5	..	10 % off Publishers' price list.		Wm. Detmold Ltd.
*6281. Manifolding, 4to, ¼ cloth .. .. .	"	48	..	each	0 3 0	
*6282. Manifolding, Demy 8vo, ¼ cloth .. .. .	"	72	..	do.	0 1 9	Wm. Detmold Ltd.
*6283. Exercise, Crown 4to, 18-sheet, American cloth, round corners .. .. .	Australia	24 doz.	..	dozen	0 5 6	
*6284. Exercise, Crown, 4to, 6-sheet, American cloth, round corners .. .. .	"	24	..	do.	0 3 6	
*6285. Balance, 4 quires, ¼ basil .. .. .	"	12	..	each	0 6 0	
*6286. Field .. .. .	"	48	..	do.	0 3 9	
*6287. Level .. .. .	"	48	..	do.	0 3 9	
*6288. Cash or Journal, paper covers .. .. .	"	48	..	do.	0 0 8	
6289. Cash or Journal, ¼ basil .. .. .	"	24	..	do.	0 2 6	
*6290. Minute, ¼ basil .. .. .	"	24	..	do.	0 2 6	
*6291. Minute, paper covers .. .. .	"	48	..	do.	0 0 8	
<b>WRITING AND DRAWING PAPERS, ETC.</b>						
<i>All Writing Papers must be folded and have the edges cut.</i>						
Paper—						
*6292. Foolscap, 4to, plain .. .. .	Australia	4 reams	..	ream	0 5 0	Wm. Detmold Ltd.
*6293. Foolscap folio, cream wove, ruled faint, 7 lbs. .. .. .	"	24	..	do.	0 10 0	
*6294. Foolscap, cream wove, ruled faint, 14 lbs. .. .. .	"	24	..	do.	0 16 0	
*6295. Foolscap folio, cream wove, plain, 7 lbs. .. .. .	"	12	..	do.	0 9 0	
*6296. Foolscap, cream wove, plain, 14 lbs. .. .. .	"	12	..	do.	0 11 0	
*6297. Foolscap folio, cream wove, 7 lbs., ruled double money .. .. .	"	20	..	do.	0 12 0	
*6298. Foolscap, cream wove, 14 lbs., ruled double money .. .. .	"	16	..	do.	1 0 0	
*6299. Foolscap folio, cream wove, plain, 7 lbs., backing .. .. .	"	80	..	do.	0 7 0	
*6300. Foolscap folio, Manila cartridge, cloth lined .. .. .	"	4	..	do.	2 10 0	
*6301. Foolscap folio, cream wove, continuations .. .. .	"	20	..	do.	0 9 6	
*6302. Foolscap folio for manifolding, 3 to 5 copies .. .. .	"	20	..	do.	0 6 0	
*6303. Foolscap folio for manifolding, up to 7 copies .. .. .	"	20	..	do.	0 6 0	
*6304. Foolscap, azure, ruled to sample .. .. .	"	2	..	do.	1 1 0	
*6305. Foolscap folio, green, for manifolding, up to 7 copies .. .. .	"	40	..	do.	0 3 6	
*6306. 9½" x 8½", green, for manifolding, up to 7 copies .. .. .	"	40	..	do.	0 3 6	
*6307. Demy, azure laid, ruled faint, 24 lbs. .. .. .	"	2	..	do.	1 4 0	
*6308. Demy, azure laid, plain .. .. .	"	2	..	do.	1 1 0	
†6309. Blotting, best, white, 46 lbs., 23" x 18", flat .. .. .	Britain	12	..	do.	1 19 0	
†6310. Blotting, best, white, 46 lbs., 23" x 18", folded .. .. .	"	12	..	do.	1 19 0	

Item No. and Description.	Country of Manufacture.	Estimated Requirements for Two Years.	Contract quantity.	Rate per—	Rate.	Name of Contractor.
					£ s. d.	
<b>WRITING AND DRAWING PAPERS, ETC.—continued.</b>						
<i>Paper—continued.</i>						
6311. Drawing, Antiquarian, hand-made, J. Whatman	Britain	6 quires	..	quire	3 10 0	} Paterson and Co.
6312. Drawing, double elephant, hand-made, J. Whatman	"	20 "	..	do.	1 0 0	
6313. Brown, fibrous, double imperial, 80 lbs., in 30" rolls or folded, as ordered	Scandinavia	10 cwt.	..	cwt.	2 5 0	} Wm. Detmold Ltd. Sands and McDougall Pty. Ltd.
6314. Sanitary, in rolls	Australia	50 doz. rls.	..	doz. rolls	0 3 6	
<b>TYPEWRITING MATERIALS.</b>						
<i>The samples submitted by the Tenderer for Items 6329 and 6332 are samples as regards quality only.</i>						
*6315. Cans, Oil Typewriter	..	24	..	each	..	Nil
<i>Erasers—</i>						
†6316. Circular	U.S.A.	72	..	do.	0 0 3	Stott and Hoare Pty. Ltd.
†6317. Polygon	..	24	..	do.	..	Nil
†6318. Oil, in bottles	Britain	100 btl.	..	bottle	0 0 7	P. F. Guthridge
<i>Paper, Carbon, Typewriting, Black—</i>						
†6319. Foolscap folio, 13½" x 8½" to duplicate up to 6 copies, "Featherweight"	..	1,000 sheets	..	100 sheets	}	} Nil
†6320. Foolscap folio, 13½" x 8½" to duplicate up to 6 copies	..	1,000 "	..	do.		
†6321. Foolscap, 17½" x 13½" to duplicate up to 6 copies, "Featherweight"	..	500 "	..	do.		
†6322. Foolscap, 14" x 12" to duplicate up to 6 copies	..	200 "	..	do.		
†6323. Foolscap folio	..	5,000 "	..	do.		
<i>Paper, Carbon, Pencil—</i>						
†6323A. 11" x 5½"	U.S.A.	500 "	..	do.	0 4 0	} P. F. Guthridge
†6324. 11" x 3½"	"	2,000 "	..	do.	0 2 6	
†6325. 11" x 5½"	"	8,000 "	..	do.	0 4 0	
†6326. 8½" x 6"	"	2,000 "	..	do.	0 3 0	
†6327. 8" x 4"	"	2,000 "	..	do.	0 2 0	
†6328. Paper, Carbon, Pen, Foolscap folio, 8" x 13"	..	1,000 "	..	do.	..	Nil
<i>Ribbons, Copying, any colour, and suitable for any Machines, as ordered—</i>						
†6329. Narrow, plain	..	..	..	..	..	} Stott and Hoare Pty. Ltd.
†6330. Narrow, Bi-coloured	U.S.A.	50 reels	..	reel	0 2 9	
†6331. Broad, plain	..	..	..	..	..	
†6332. Broad, Bi-coloured	..	..	..	..	..	

**STRINGY BARK.**

Brand of Timber to be supplied under Items Nos. 6333, 6334, and 6335 is "Tui."  
 The Contractor shall in respect of each delivery of the timber give to the General Manager reasonable notice, so that inspection of the timber may be arranged for.  
 The timber will be inspected at Wonthaggi after it shall have been properly delivered, as provided for in Clause 8 of the Conditions of Contract, and will be liable to rejection at Wonthaggi in manner provided in Clause 12 of the said Conditions of Contract.  
 The timber shall be supplied in such lengths as may be ordered, and must be of the first quality, thoroughly seasoned, free from knots, shakes, heart, sap, and all other imperfections, thoroughly sound, and close-grained or free as may be required.  
 Timber supplied shall be delivered in such exact lengths as may be ordered, or in such lengths as will cut thereto without waste. Unless the timber be ordered in lengths involving some fraction of a foot, no fraction of a foot in length will be paid for.  
 The Contractor shall have a responsible agent in Melbourne to represent him in all matters connected with this Contract. At all times during the currency of this Contract the Contractor shall keep the General Manager advised as to the name and address of the said responsible agent for the time being.  
 Each board supplied under items shall bear the stamp of the saw-mill at which it is sawn.

Stringy Bark—						
†6333. 3½" x ½" T. and G., dressed and V-jointed	Australian	40,000 ft.	..	100 ft.	0 7 6	} The Victorian Hardwood Mill- ing and Season- ing Co. Pty. Ltd.
†6334. 4½" x ¾", T. and G., dressed	"	80,000 "	..	do.	0 12 6	
†6335. Weatherboard, 7"	"	20,000 "	..	do.	0 13 6	