VICTORIA

GOVERNMENT GAZETTE.

Published by Authority.

[Registered at the General Post Office, Melbourne, for transmission by post as a newspaper.]

No. 12.] WEDNESDAY, JANUARY 22. [1919.

Factories and Shops Acts.

DETERMINATION OF THE TINSMITHS BOARD.

NOTE.—This Determination on the 8th February, 1919, applied to the following parts of Victoria, namely :—The Metropolitan District as defined in the Factories and Shops Acts ; the Cities of Ballarat, Bendigo, Geelong, and Warrnambool ; the Town of Ballarat East ; and the Boroughs of Eaglehawk, Geelong West, Newtown and Chilwell, and Sebastopol.

IN accordance with the provisions of the *Factories and Shops Acts*, the Special Board appointed to determine the lowest prices or rates of payment payable to any person or persons or classes of persons employed in the process, trade, or business of preparing or manufacturing articles made of tin plate or other sheet metal, including the japanning of such articles, has made the following Determination, namely :—

(1) That on the 8th day of February, 1919, the last previous Determination of this Board shall be revoked and replaced by this Determination.

(2) **APPRENTICES AND IMPROVERS.**

Wages per Week of 48 Hours.			Number (in any place).
	Apprentices.	Improvers.	Apprentices.
1st year's experience	11s.	11s.	One apprentice to every three or fraction of three workers receiving not less than 61s. per week of 48 hours.
2nd ,, ,, ...	16s.	16s.	An indenture of apprenticeship prescribed was approved on 20th May, 1911.
3rd ,, ,, ...	22s.	23s.	Improvers.
4th ,, ,, ...	30s.	32s. 6d.	One improver to every five or fraction of five workers receiving not less than 64s. per week of 48 hours.
5th ,, ,, ...	40s.	45s.	

(3) **JUVENILE WORKERS** (other than apprentices or improvers)—

—	Wages per Week of 48 Hours.		
	1st Year's Experience in Class A.	2nd Year's Experience in Class A.	3rd Year's Experience in Class A.
	s. d.	s. d.	s. d.
Under 17 years of age.			
CLASS A.			
(1) Putting wire handles in camp kettles, wiring handles for kettles and dippers, folding flat tin handles, folding spouts and barrels for kerosene pumps, forming handles for pannikins and dippers, forming rims for lids, notching (except by power machines), using guillotine for above work, holding general sheet metal work for journeymen or soldering canisters other than seams, tops, or bottoms	12 6	17 6	22 6
(2) Polishing, cleaning, testing to detect leaks, making spouting tubes, cutting and making wire handles, cutting hoop iron and wire for general sheet metal work, blackening or tarring shovels or closet pans, packing, carrying or moving goods, lighting or attending fires or engaged on canister work at topping tins or trimming scrap	12 6	15 0	20 0

(3) **JUVENILE WORKERS**—*continued*—

Under 21 years of age.	Wages per Week of 48 Hours.					
CLASS B.	1st Year's Experience in Class B.	2nd Year's Experience in Class B.	3rd Year's Experience in Class B.			
	s. d.	s. d.	s. d.			
Soldering down pipes not heavier than 24 gauge or larger than 4 inches in diameter	33 0	40 0	48 0			
CLASS C.	1st Year's Experience in Class C.	2nd Year's Experience in Class C.	3rd Year's Experience in Class C.	4th Year's Experience in Class C.		
	s. d.	s. d.	s. d.	s. d.		
Repairing leaks in general sheet metalwork or assisting at rollers for forming down pipes, or engaged at general sheet metal work on the following machines, viz.:—Burnishing and spinning lathes, curving machines, guillotines for cutting spouting and ridging, stamping machines or presses, or spouting and ridging machines	22 6	30 0	37 6	45 0		
CLASS D.	1st Year's Experience in Class D.	2nd Year's Experience in Class D.	3rd Year's Experience in Class D.	4th Year's Experience in Class D.		
	s. d.	s. d.	s. d.	s. d.		
Engaged at canister work on the crank press	27 6	32 6	40 0	47 6		
CLASS E.	1st Year's Experience in Class E.	2nd Year's Experience in Class E.	3rd Year's Experience in Class E.	4th Year's Experience in Class E.	5th Year's Experience in Class E.	6th Year's Experience in Class E.
	s. d.	s. d.	s. d.	s. d.	s. d.	s. d.
Engaged at general sheet metal work or canister work on any other power machine or at canister work on the following machines or presses:—monkey, pendulum, screw, or treadle, machines for folding canisters of holding capacity up to and including one pint, beading, bending (other than by angle bender or folder), body forming (other than by angle bender), clenching, crimping, curling, double seaming, flanging, hinge hooking, hinge seating, lock seaming, notching, rolling, squeezing, trimming, or wire forming, or feeding or taking off in connexion with any power soldering machine or employed in connexion with japanning at scouring, cleaning, assisting to polish or general rough work, or engaged on cabinet handles in cutting strips, clips, and holes on guillotine, bending clips round ring, fitting same and opening out ends, or employed at hinge making in cutting metal into strips, or putting in pins	15 0	20 0	25 0	32 6	40 0	47 6

(4) **OTHER EMPLOYEES WAGES.**

Tinsmiths or sheet metal workers—
- (*a*) cutting patterns and making up articles from same ... ... 75s. per week of 48 hours
- (*b*) who do not cut their own patterns ... ... 70s. ,, ,,

Repairers on general sheet metal work ... ... 70s. ,, ,,

Machinists on general sheet metal work ... ... } 66s. ,, ,,
Solderers of down pipes ... ... }

Artistic japanners ... ... }
Gold workers ... ... } 70s. ,, ,,
Ornamental pencil workers ... ... }

Filleters ... ... }
Grainers ... ... } 64s. ,, ,,
Liners ... ... }
Writers ... ... }

Makers or repairers of canisters or oil tins or parts thereof—
- (*a*) by hand ... ... 67s. ,, ,,
- (*b*) by machine ... ... 61s. ,, ,,

Cap solderers ... ... } 67s. ,, ,,
Canister vent closers ... ... }

Persons attending—
- (*a*) Power capping machines ... ... }
- (*b*) the metal pot on a power automatic body forming or seam soldering machine or the metal pot on a power automatic end soldering machine ... ... } 63s ,, ,,

All others ... ... 61s. ,, ,,

(5) TIME OF BEGINNING AND ENDING WORK.

Time of Beginning.	Time of Ending.
7.30 a.m.	12.15 p.m. on the day on which the half-holiday is observed.
7.30 a.m.	5.45 p.m. on the other working days of the week.

(6) OVERTIME.

Outside the time of beginning and ending work as herein fixed ... ... } Time and a half
Within the time of beginning and ending work in excess of the hours fixed in this Determination as a week's work ... ... }

(7) SPECIAL RATES.—Double time shall be the special rate for all work done on Sunday, New Year's Day, Foundation Day (26th January), Good Friday, Easter Monday, Eight Hours Day (21st April), King's Birthday, Christmas Day, and Boxing Day; but if any other day be by Act of Parliament or Proclamation substituted for any of the above-named holidays, the special rate shall only be payable for work done on the day so substituted.

(8) PIECEWORK.—(*a*) The lowest piece-work price payable to any person for wholly or partly preparing or manufacturing any article described in the following Schedules (which Schedules shall form part of this Determination) shall be the price mentioned in such Schedules

(*b*) Wherever the quantity to be given out is stated in the Schedules the prices apply only when the articles are given out in quantities not less than those mentioned in the Schedule.

(*c*) The Schedules of prices apply to new material only.

(*d*) Except where otherwise provided, where the sizes of articles to be made under these Schedules do not exactly correspond with the sizes stated in these Schedules, then the price or rate fixed for the next nearest size shall apply; but where the size is half-way between two sizes then the next higher price or rate shall apply.

SCHEDULE A.—GENERAL SHEET METAL WORK.

Articles.	Material.	Size.	When given out in the under-mentioned Quantities or more.	Prices.
(1.) BASINS.				
WASH-HAND BASINS, hand-made (including blocking of bottoms)	IC tin plate	13 inches ...	3 dozen ...	4s. 6d. per doz.
" " " " ...		16 " ...	3 " ...	5s. 6d. "
		18 " ...	2 " ...	6s. 4d. "
" " " " ...	IX tin plate	13 " ...	3 " ...	5s. 5d. "
" " " " ...		16 " ...	2 " ...	6s. "
" " " " ...		18 " ...	2 " ...	7s. 10d. "
" " " " ...		20 " ...	1½ " ...	9s. "
" " " " ...		22 " ...	1 " ...	10s. 11d. "
If bottoms supplied for 13 in. basins	... ...	... ...	... ...	4d. per doz. deducted
" " 16 and 18 in. basins ...	... ...	... ...	... ...	6d. " "
" " 20 and 22 in. basins ...	... ...	... ...	... ...	1s. " "
If unplated handles 6 gauge wire or under supplied for basins	... ...	18, 20, or 22 inches	... ...	1s. 6d. per gross handles deducted
(2.) BATHS.				
CHILD'S BATHS	24-gauge iron or lighter	24 inches ...	3 articles	3s. 5d. each
" "		26 " ...	3 " ...	3s. 9d. "
" "		28 " ...	3 " ...	4s. "
" "		30 " ...	3 " ...	4s. 4d. "
" "		33 " ...	3 " ...	4s. 7d. "
" "		36 " ...	3 " ...	5s. 2d. "
" "		42 " ...	2 " ...	6s. "
FOOT BATHS, oval, moulded, knocked up bottoms	Bodies 26-gauge iron or lighter	16 " ...	6 " ...	20s. 7d. per doz
" " " " " "		18 " ...	6 " ...	21s. 7d. "
" " " " " "		20 " ...	6 " ...	23s. "
" " " " " "		22 " ...	6 " ...	25s. 3d. "
" " " " " "		24 " ...	6 " ...	26s. 5d. "
" " " " " "		26 " ...	6 " ...	27s. 11d. "
" " " " " "		28 " ...	6 " ...	31s. 4d. "
" " " " " "		30 " ...	6 " ...	33s. 4d. "
" " wired " " "	Bottoms 24-gauge iron or lighter	16 " ...	1 dozen ...	8s. 7d. "
" " " " " "		18 " ...	1 " ...	9s. 9d. "
" " " " " "		20 " ...	1 " ...	10s. 11d. "
" " " " " "		22 " ...	1 " ...	12s. 8d. "
" " " " " "		24 " ...	1 " ...	14s. 4d. "
" " " " " "		26 " ...	1 " ...	16s. 1d. "
" " " " " "		28 " ...	1 " ...	17s. 3d. "
" " " " " "		30 " ...	1 " ...	18s. 5d. "
FRAME BATHS, galvanized iron, up to 6 feet long, up to 22 inches wide, and up to 22 inches deep. (Assistance to be given for knocking up) ...	26-gauge iron	... ...	3 articles	5s. 2d. each
" " " " " ...	24 " "	... ...	3 " ...	5s. 2d. "
" " " " " ...	22 " "	... ...	2 " ...	6s. 7d. "
PLUNGE BATHS, moulded	24-gauge iron or lighter	48 inches ...	2 " ...	6s. 11d. each
" " "		54 " ...	2 " ...	8s. "
" " "		60 " ...	2 " ...	8s. 11d. "
" " "		66 " ...	2 " ...	9s. 6d. "
" " "		72 " ...	2 " ...	10s. 4d. "
" " with raised backs		... ...	2 " ...	11d. each bath extra
If galvanized iron used for beads for Plunge or Child's Baths	... ...	... ...	... ...	10d. " "
(3.) BINS.				
FLOUR BINS, with body wired, back-lapped, and swedged; bottom knocked up and hooped or studded (4 studs); lid with a rim not less than 2½ inches deep; top blocked and paned on to rim; hasp and hinge on cover; and three oval wire handles	IXX tin plate or lighter	25 lbs. ...	6 articles	1s. 11d. each
" " " " "		50 " ...	6 " ...	2s. 5d. "
" " " " "		75 " ...	4 " ...	2s. 10d. "
FLOUR BINS, with body wired, back-lapped, and swedged, for galvanized hoop; hoop about 20 gauge and 1½ inches wide; bottom knocked up; lid with a rim not less than 2½ inches deep; top blocked and paned on to rim; hasp and hinge on cover; and three oval wire handles	Galv. or lead-coated iron, 24-gauge or lighter	100 " ...	3 " ...	4s. 6d. each
" " " " "		200 " ...	3 " ...	5s. 2d. "
" " " " "		250 " ...	2 " ...	5s. 9d. "
(4.) BOILERS.				
TIN BOILERS, oval, with pitched covers... ...	IX tin plate or lighter,	3 gallons ...	1 dozen ...	9s. 11d. per doz.
" " "		4 " ...	1 " ...	11s. 6d. "
" " "		5 " ...	1 " ...	11s. 6d. "
" " "		7 " ...	6 articles	15s. 5d. "
" " "		10 " ...	6 " ...	17s. 10d. "
" oval, with blocked covers ...		3 " ...	1 dozen ...	12s. 11d. "
" " "		4 " ...	1 " ...	14s. 6d. "
" " "		5 " ...	1 " ...	14s. 6d. "
" " "		7 " ...	6 articles	18s. 8d. "
" " "		10 " ...	6 " ...	21s. 5d. "
" oval, with stamped covers ...		3 " ...	1 dozen ...	8s. 9d. "
" " "		4 " ...	1 " ...	9s. 11d. "
" " "		5 " ...	1 " ...	9s. 11d. "
" " "		7 " ...	6 articles	12s. 11d. "
" " "		10 " ...	6 " ...	16s. 1d. "
If copper bottoms are used on above—Tinning same		... ...	... ...	3s. 3d. per doz. extra

PIECE-WORK—*continued.*

Articles.	Material.	Size.	When given out in the under-mentioned Quantities or more.	Prices.
(5.) BOTTLES.				
OIL BOTTLES, round with plain necks and knocked up bottoms, paned on breast	IX tin plate or lighter	1 quart ...	3 dozen ...	4s. 2d. per doz.
" " " " " " "		2 quarts ...	3 " ...	4s. 9d. "
" " " " " " "		4 " ...	2 " ...	6s. "
" " " with stamped nozzles ...		... ...	... ...	3d. per doz. deducted
" " " with patent screws (spouts supplied)		1 quart ...	3 " ...	4s. 2d. per doz.
" " " " " " "		2 quarts ...	3 " ...	4s. 9d. "
" " " " " " "		4 " ...	2 " ...	6s. "
" " " with slipped on bottoms and breasts		... ...	... ...	4d. per doz. deducted
TEA BOTTLES, oval, with slipped on bottoms and breasts	IC tin plate	1 pint ...	3 dozen ...	4s. 6d. per doz.
" " " " " " ...		1½ pints ...	3 " ...	4s. 9d. "
" " " " " " ...		2 " ...	3 " ...	6s. "
" " " " " " ...		3 " ...	2 " ...	6s. 7d. "
" " " " " " ...		4 " ...	2 " ...	6s. 11d. "
" " " " " " ...		6 " ...	2 " ...	7s. 10d. "
" " with stamped nozzles		... ...	... ...	3d. per doz. deducted
(6.) BOXES.				
BONNET BOXES, round, including hasp	IXX tin plate or lighter	13 inches ...	3 dozen ...	9s. 6d. per doz.
" " "		14 " ...	3 " ...	9s. 6d. "
" " "		15 " ...	3 " ...	10s. 1d. "
" " "		16 " ...	3 " ...	10s. 1d. "
" " "		17 " ...	3 " ...	10s. 8d. "
" " "		18 " ...	3 " ...	10s. 8d. "
" " hasp supplied	28-gauge steel	13 " ...	3 " ...	9s. 6d. "
" " "		14 " ...	3 " ...	9s. 6d. "
" " "		15 " ...	3 " ...	10s. 1d. "
" " "		16 " ...	3 " ...	10s. 1d. "
" " "		17 " ...	3 " ...	11s. 6d. "
" " "		18 " ...	3 " ...	11s. 6d. "
" " "		20 " ...	3 " ...	13s. 3d. "
" " "		22 " ...	2 " ...	17s. 10d. "
" " flat top or stamped top (hasp supplied) ...	26-gauge steel	13 " ...	3 " ...	10s. 8d. "
" " " " ...		14 " ...	3 " ...	10s. 8d. "
" " " " ...		15 " ...	3 " ...	11s. 6d. "
" " " " ...		16 " ...	3 " ...	11s. 6d. "
" " " " ...		17 " ...	3 " ...	12s. 1d. "
" " " " ...		18 " ...	3 " ...	12s. 1d. "
" " " " ...		20 " ...	3 " ...	14s. 4d. "
" oval, including hasp	IXX tin plate or lighter	13 " ...	3 " .	9s. 11d. "
" " "		14 " ...	3 " ..	9s. 11d. "
" " "		15 " ...	3 " ...	10s. 9d. "
" " "		16 " ...	3 " ...	10s. 9d. "
" " "		17 " ...	3 " ...	11s. 3d. "
" " "		18 " ...	3 " ...	11s. 3d. "
" " hasp supplied	28-gauge steel	13 " ..	3 " ...	9s. 11d. "
" " "		14 " ...	3 " ...	9s. 11d. "
" " "		15 " ...	3 " ...	10s. 9d. "
" " "		16 " ...	3 " ...	10s. 9d. "
" " "		17 " ...	3 " ...	12s. 1d. "
" " "		18 " ...	3 " ...	12s. 1d. "
" " "		20 " ...	3 " ...	14s. "
" " "		22 " ...	2 " ...	18s. 8d. "
" " flat top or stamped top (hasp supplied) ...	26-gauge steel	13 " ...	3 " ...	11s. 3d. "
" " " " ...		14 " ...	3 " ...	11s. 3d. "
" " " " ...		15 " ...	3 " ...	12s. 1d. "
" " " " ...		16 " ...	3 " ...	12s. 1d. "
" " " " ...		17 " ...	3 " ...	12s. 8d. "
" " " " ...		18 " ...	3 " ...	12s. 8d. "
" " " " ...		20 " ...	3 " ...	16s. 5d. "
" if black iron tops and bottoms not supplied	... ...	... ...	... ...	10d. per doz. extra
" with front handles	all gauges	all sizes ...	... ...	8d. " "
If wire handles and plates supplied for bonnet boxes	8 and 10-gauge wire	... ...	... ...	1½d. per doz. boxes deducted
SPICE BOXES, round, with six compartments and loose grater	IX tin plate or lighter	6 inches ...	6 articles	20s. 3d. per doz.
" " " " "		7 " ...	6 " ...	21s. 5d. "
" " " " "		8 " ...	6 " ...	24s. 2d. "

PIECE-WORK—*continued.*

Articles.	Material.	Size.	When given out in the undermentioned Quantities or more.	Prices.
BOXES—*continued.*				
SUGAR BOXES, wired inside and swedged ...	IX tin plate or lighter	No. 0 ...	3 doz (Not assorted sizes.)	4s. per doz.
" " " ...		" 1 ...	3 "	4s. "
" " " ...		" 2 ...	3 "	4s. 4d. "
" " " ...		" 3 ...	3 "	4s. 11d. "
" " " ...		" 4 ...	3 "	5s. 2d. "
" " " ...		" 5 ...	3 "	5s. 9d. "
" " " ...		" 6 ...	3 "	6s. 4d. "
" " " (made in two pieces)		... ...	...	3d. per doz. extra
TRUNKS, common, moulded (cutting out, top and body edging, moulding, and wiring supplied) 2 swedges	26-gauge steel or lighter	20 inches ...	1 dozen ...	10s. 1d. per doz.
" " " " " ...		22 " ...	1 " ...	10s 1d. "
" " " " " ...		24 " ...	1 " ...	10s. 11d. "
" " " " " ...		26 " ...	1 " ...	12s. 4d. "
" " " " 3 swedges		28 " ...	1 " ...	15s. 3d. "
" " " " " ...		30 " ...	1 " ...	16s. 5d. "
" " " " 4 swedges	24-gauge steel or lighter	33 " ...	6 articles	28s. 5d. "
" moulded, strapped (cutting out, top and body edging, moulding, and wiring supplied) 2 swedges	26-gauge steel or lighter	20 " ...	1 dozen ...	21s. 7d. "
" " " " " ...		22 " ...	1 " ...	21s. 7d. "
" " " " " ...		24 " ...	1 " ...	22s. 8d. "
" " " " 3 swedges		26 " ...	1 " ...	24s. 2d. "
" " " " " ...		28 " ...	1 " ...	26s. 5d. "
" " " " " ...		30 " ...	1 " ...	29s. "
" " " " 4 swedges	24-gauge steel or lighter	33 " ...	6 articles	35s. 8d. "
" " " " " ...		36 " ...	6 "	43s. 1d. "
" common, moulded (moulding and wiring supplied) 2 swedges	26-gauge steel or lighter	20 " ...	1 dozen ...	15s. 3d. "
" " " " " ...		22 " ...	1 " ...	15s. 3d. "
" " " " " ...		24 " ...	1 " ...	16s. 5d. "
" " " " " ...		26 " ...	1 " ...	17s. 6d. "
" " " " 3 swedges		28 " ...	1 " ...	19s. 6d. "
" " " " " ...		30 " ...	1 " ...	21s. 7d. "
" " " " 4 swedges	24-gauge steel or lighter	33 " ...	6 articles	35s. 8d. "
" moulded, strapped (moulding and wiring supplied) 2 swedges	26-gauge steel or lighter	20 " ...	1 dozen ...	25s. 10d. "
" " " " " ...		22 " ...	1 " ...	25s. 10d. "
" " " " " ...		24 " ...	1 " ...	27s. 7d. "
" " " " 3 swedges		26 " ...	1 " ...	29s. "
" " " " " ...		28 " ...	1 " ...	32s. 2d. "
" " " " " ...		30 " ...	1 " ...	34s. 6d. "
" " " " 4 swedges		30 " ...	1 " ...	35s. 8d. "
" " " " " ...	24-gauge steel or lighter	33 " ...	6 articles	47s. 9d. "
" " " " " ...		36 " ...	6 "	56s. 11d. "
" common, wired (cutting out, top and body edging, and top and body wiring supplied) 2 swedges	26-gauge steel or lighter	20 " ...	1 dozen ...	16s. 11d. "
" " " " " ...		22 " ...	1 " ...	16s. 11d. "
" " " " " ...		24 " ...	1 " ...	17s. 6d. "
" " " " " ...		26 " ...	1 " ...	18s. 8d. "
" " " " 3 swedges		28 " ...	1 " ...	21s. 3d. "
" " " " " ...		30 " ...	1 " ...	22s. 8d. "
" " " " 4 swedges	24-gauge steel or lighter	33 " ...	6 articles	35s. 8d. "
" wired, strapped (cutting out, top and body edging, and top and body wiring supplied) 2 swedges	26-gauge steel or lighter	20 " ...	1 dozen ...	27s. 7d. "
" " " " " ...		22 " ...	1 " ...	27s. 7d. "
" " " " " ...		24 " ...	1 " ...	29s. "
" " " " 3 swedges		26 " ...	1 " ...	30s. 2d. "
" " " " " ...		28 " ...	1 " ...	32s. 9d. "
" " " " " ...		30 " ...	1 " ...	35s. 1d. "
" " " " 4 swedges	24-gauge steel or lighter	33 " ...	6 articles	44s. 3d. "
" " " " " ...		36 " ...	6 "	54s. "
" common (top wiring supplied) 2 swedges	26-gauge steel or lighter	20 " ...	1 dozen ...	21s. 10d. "
" " " " " ...		22 " ...	1 " ...	21s. 10d. "
" " " " " ...		24 " ...	1 " ...	22s. 8d. "
" " " " " ...		26 " ...	1 " ...	24s. 9d. "
" " " " 3 swedges		28 " ...	1 " ...	27s. "
" " " " " ...		30 " ...	1 " ...	28s. 9d. "
" " " " 4 swedges	24-gauge steel or lighter	33 " ...	6 articles	44s. "
" strapped (top wiring supplied) 2 swedges	26-gauge steel or lighter	20 " ...	1 dozen ...	31s. 7d. "
" " " " " ...		22 " ...	1 " ...	32s. 9d. "
" " " " " ...		24 " ...	1 " ...	33s. 11d. "
" " " " 3 swedges		26 " ...	1 " ...	36s. 9d. "
" " " " " ...		28 " ...	1 " ...	39s. 8d. "
" " " " " ...		30 " ...	1 " ...	43s. 1d. "
" " " " 4 swedges		30 " ...	1 " ...	44s. 10d. "

PIECE-WORK—*continued.*

Articles.	Material.	Size.	When given out in the under-mentioned Quantities or more.	Prices.
BOXES—*continued.*				
TRUNKS, strapped (top wiring supplied) 4 swedges	24-gauge steel or lighter	33 inches ...	6 articles	58s. 1d. per doz.
" " " " " ...		36 " ...	6 "	64s. 5d. "
" wired, strapped, complete 2 swedges	26-gauge steel or lighter	20 " ...	1 dozen ...	32s. 9d. "
" " " " " ...		22 " ...	1 " ...	33s. 11d. "
" " " " " ...		24 " ...	1 " ...	35s. 1d. "
" " " " 3 swedges		26 " ...	1 " ...	37s. 11d. "
" " " " " ...		28 " ...	1 " ...	40s. 10d. "
" " " " " ...		30 " ...	1 " ...	44s. 10d. "
" " " " 4 swedges		30 " ...	1 " ...	46s. "
" " " " " ...	24-gauge steel or lighter	33 " ...	6 articles	59s. 3d. "
" " " " " ...		36 " ...	6 "	65s. 6d. "
" cabin, common, moulded (cutting out, top and body edging, moulding, and wiring supplied) 2 swedges	26-gauge steel or lighter	24 " ...	1 dozen ...	12s. 1d. "
" " " " " ...		26 " ...	1 " ...	13s. 3d. "
" " " " 3 swedges		28 " ...	1 " ...	13s. 9d. "
" " " " " ...		30 " ...	1 " ...	15s. 3d. "
" " " " 4 swedges	24-gauge steel or lighter	33 " ...	1 " ...	23s. 7d. "
" cabin, moulded, strapped (cutting out, top and body edging, moulding, and wiring supplied) 2 swedges	26-gauge steel or lighter	24 " ...	1 " ...	22s. 8d. "
" " " " 3 swedges		26 " ...	1 " ...	24s. 2d. "
" " " " " ...		28 " ...	1 " ...	25s. 3d. "
" " " " " ...		30 " ...	1 " ...	26s. 5d. "
" " " " 4 swedges	24-gauge steel or lighter	33 " ...	6 articles...	29s. "
" " " " " ...		36 " ...	6 " ...	32s. 9d. "
" cabin, moulded (moulding and wiring supplied) 2 swedges	26-gauge steel or lighter	24 " ...	1 dozen ...	16s. 11d. "
" " " " 3 swedges		26 " ...	1 " ...	18s. 5d. "
" " " " " ...		28 " ...	1 " ...	19s. 6d. "
" " " " " ...		30 " ...	1 " ...	20s. 8d. "
" " " " 4 swedges	24-gauge steel or lighter	33 " ...	6 articles...	29s. 11d. "
" cabin, strapped (moulding and wiring supplied) 2 swedges	26-gauge steel or lighter	24 " ...	1 dozen ...	27s. 7d. "
" " " " 3 swedges		26 " ...	1 " ...	29s. "
" " " " " ...		28 " ...	1 " ...	31s. "
" " " " " ...		30 " ...	1 " ...	32s. 2d. "
" " " " 4 swedges	24-gauge steel or lighter	33 " ...	6 articles...	35s. 1d. "
" " " " " ...		36 " ...	6 " ...	41s. 8d. "
" cabin, common, wired (cutting out, top and body edging, and top and body wiring supplied) 2 swedges	26-gauge steel or lighter	24 " ...	1 dozen ...	17s. 6d. "
" " " " " ...		26 " ...	1 " ...	19s. "
" " " " 3 swedges		28 " ...	1 " ...	21s. 10d. "
" " " " " ...		30 " ...	1 " ...	23s. "
" " " " 4 swedges	24-gauge steel or lighter	33 " ...	6 articles...	28s. 9d. "
" " " " " ...		36 " ...	6 " ...	33s. 11d. "
" cabin, strapped, wired (cutting out, top and body edging, and top and body wiring supplied) 2 swedges	26-gauge steel or lighter	24 " ...	1 dozen ...	29s. "
" " " " 3 swedges		26 " ...	1 " ...	30s. 2d. "
" " " " " ...		28 " ...	1 " ...	31s. 7d. "
" " " " " ...		30 " ...	1 " ...	32s. 9d. "
" " " " 4 swedges	24-gauge steel or lighter	33 " ...	6 articles...	35s. 1d. "
" " " " " ...		36 " ...	6 " ...	40s. 3d. "
" cabin, common, wired (top wiring supplied) 2 swedges	26-gauge steel or lighter	24 " ...	1 dozen ...	23s. 3d. "
" " " " 3 swedges		26 " ...	1 " ...	24s. 9d. "
" " " " " ...		28 " ...	1 " ...	27s. 7d. "
" " " " " ...		30 " ...	1 " ...	28s. 9d. "
" " " " 4 swedges	24-gauge steel or lighter	33 " ...	6 articles...	35s. 1d. "
" " " " " ...		36 " ...	6 " ...	40s. 10d. "
" cabin, strapped, wired (top wiring supplied) 2 swedges	26-gauge steel or lighter	24 " ...	1 dozen ...	32s. 9d. "
" " " " 3 swedges		26 " ...	1 " ...	33s. 11d. "
" " " " " ...		28 " ...	1 " ...	35s. 1d. "
" " " " " ...		30 " ...	1 " ...	39s. 1d. "
" " " " 4 swedges		30 " ...	1 " ...	40s. 3d. "
" " " " " ...	24-gauge steel or lighter	33 " ...	6 articles...	44s. 3d. "
" " " " " ...		36 " ...	6 " ...	47s. 9d. "
" cabin, strapped, wired, complete 2 swedges	26-gauge steel or lighter	24 " ...	1 dozen ...	35s. 1d. "
" " " " 3 swedges		26 " ...	1 " ...	36s. 9d. "
" " " " " ...		28 " ...	1 " ...	38s. 6d. "
" " " " " ...		30 " ...	1 " ...	40s. 10d. "
" " " " 4 swedges		30 " ...	1 " ...	42s. 6d. "
" " " " " ...	24-gauge steel or lighter	33 " ...	6 articles...	45s. 5d. "
" " " " " ...		36 " ...	6 " ...	49s. 5d. "
If corners fitted on lids for 20-inch to 30-inch common trunks	...	...	...	7d. per doz. trunks extra
Swivels, end-handles and corners of all trunks supplied.				
Wires for all moulded trunks supplied.				
Wires for tops of wired trunks supplied.				

PIECE-WORK—*continued.*

Articles.	Material.	Size.	When given out in the under-mentioned Quantities or more.	Prices.
BOXES—*continued.*				
TRUNKS where wiring, moulding, and corner pieces for bodies are not supplied	...	20, 22, 24, and 26 inches	...	4s. 7d. per doz. trunks extra
		28, 30, 33, and 36 inches	...	5s. 9d. per doz. trunks extra
TRUNKS (machine work), cutting out, top and body edging, moulding, and wiring (wires supplied)	26-gauge steel or lighter	20 inches	3 dozen ...	3s. 9d. per doz.
" " " " " ...		22 " ..	3 " ...	3s. 9d. "
" " " " " ...		24 " ...	3 " ...	4s. "
" " " " " ...		26 " ...	3 " ...	4s. 4d. "
" " " " " ...		28 " ...	3 " ...	4s. 7d. "
" " " " " ...		30 " ...	3 " ...	5s. 2d. "
" " " " " ...	24-gauge steel or lighter	33 " ...	2 " ...	6s. "
" " " " " ...		36 " ...	1 " ..	7s. 9d. "
(7.) BUCKETS.				
BLACK IRON BUCKETS, common, stamped or forged ears, two rivet holes	28-gauge iron or lighter	11 inches	6 dozen ...	3s. 8d. per doz.
" " " " ...		12 " ...	6 " ...	3s. 8d. "
" " " " ...		13 " ...	6 " ...	3s. 11d. "
" " " " ...		14 " ...	6 " ...	4s. 6d. "
BLACK IRON BUCKETS, common, stamped or forged ears, three rivet holes		11 " ...	3 " ...	3s. 11d. "
" " " " ...		12 " ...	3 " ...	3s. 11d. "
" " " " ...		13 " ...	3 " ...	4s. 2d. "
" " " " ...		14 " ...	3 " ..	4s. 11d. "
BLACK IRON BUCKETS, strapped sides and bottoms	26-gauge iron or lighter	11 " ...	2 " ...	5s. 5d. "
" " " " ...		12 " ...	2 " ...	5s. 5d. "
" " " " ...		13 " ...	2 " ...	6s. "
" " " " ...		14 " ...	2 " ...	6s. 7d. "
BLACK IRON BUCKETS, strapped, wrought ears, two rivet holes		11 " ...	2 " ...	4s. 11d. "
" " " " ...		12 " ...	2 " ...	4s. 11d. "
" " " " ...		13 " ...	2 " ...	5s. 5d. "
" " " " ...		14 " ...	2 " ...	6s. 4d. "
BLACK IRON BUCKETS, strapped, wrought ears, three rivet holes		11 " ...	2 " ...	5s. 5d. "
" " " " ...		12 " ...	2 " ...	5s. 5d. "
" " " " ...		13 " ...	2 " ...	6s. "
" " " " ...		14 " ...	2 " ...	6s. 7d. "
MILK BUCKETS, tin, with bail, hollow bottom, and tin hoop, (bail supplied)	IX tin plate or lighter	11 inches diameter x 9 inches deep	4 " ...	4s. 6d. "
" " " " ...		13 inches diameter x 9 inches deep	4 " ...	4s. 11d. "
MILK BUCKETS, tin, with hollow bottoms, and tinned or galvanized hoops and bails (bails supplied)		11 inches diameter x 9 inches deep	4 " ...	4s. 6d. "
" " " " ...		13 inches diameter x 9 inches deep	4 " ...	4s. 11d. "
" " " " ...		11 inches diameter x 11 inches deep	3 " ...	5s. 5d. "
" " " " ...		13 inches diameter x 11 inches deep	3 " ...	6s. 7d. "
" " " " ...		11 inches diameter x 18 inches deep	1 " ..	7s. 3d. "
" " " " ...		12 inches diameter x 18 inches deep	1 " ...	8s. "
MILK BUCKETS, tin—Making bails for ...	... ...	All sizes ...	... ...	3½d. " extra
" " tin (if stamped bottom supplied)	... ...	" ...	.. ...	4d. per doz. deducted
STRAINER MILK BUCKETS, tin, part covered, with lip and brass wire strainer, hollow bottom, and tinned or galvanized hoop and bails (bails supplied)	IX tin plate or lighter	11 inches diameter x 9 inches deep	1½ doz.	10s. 11d. per doz.
" " " " ...		11 inches diameter x 11 inches deep	1½ " ...	10s. 11d. "
" " " " ...		13 inches diameter x 9 inches deep	1½ " ...	11s. 6d. "
With back handle	... ...	... ...	... ...	1s. 5d. per doz. extra

PIECE-WORK—*continued.*

Articles.	Material.	Size.	When given out in the under-mentioned Quantities or more.	Prices.
BUCKETS—*continued.*				
ALL MILK BUCKETS—If ears soldered to outside of bucket	... ...	... ...	... ...	1s. 4d. per doz. extra
TIN BUCKETS, with flat bottoms and stamped ears	IC tin plate	11 inches diameter x 9 inches deep	6 dozen ...	3s. 11d. per doz.
TIN BUCKETS, with tin hoop and stamped ears ...	IC tin plate ...	13 inches diameter x 9 inches deep	6 " ...	4s. 6d. "
" with 1½-in. or 1¾-in. hoop and strap	IC tin plate ...	" "	2 " ...	6s. 4d. "
" with 1½-in. hoop and strap ...	IX tin plate ...	" "	2 " ...	6s. 11d. "
" with 1¾-in. hoop and strap ...	IXX tin plate	" "	2 " ...	7s. 10d. "
If bails supplied for strapped tin buckets ...	... ...	... ...	... ...	3d. per doz. deducted
(8.) CANISTERS.				
ROUND CANISTERS, with slipped on bottle neck (top blanks supplied)	IC tin plate	½ lb. ...	4 dozen ...	3s. 4d. per doz.
" " "		1 " ...	4 " ..	3s. 8d. "
" " "		2 lbs. ...	4 " ...	3s. 11d. "
" " "		3 " ...	3 " ...	4s. 2d. "
" " "		4 " ..	3 " ...	4s. 11d. "
(9.) CANS.				
CREAM CANS, grooved, three hoops, double rim cover (including use of guillotine)	20-gauge tinned steel or lighter, or DXXXX tin plate or lighter	20 quarts ...	1 dozen ...	5s. 9d. each
" " " " "		30 " ...	1 " ...	5s. 9d. "
" " " " "		40 " ...	1 " ...	6s. 4d. "
" four hoops, double rim cover (including use of guillotine) ...		40 " ...	1 " ...	6s. 7d. "
" three hoops, single rim cover (including use of guillotine) ...		20 " ...	1 " ...	4s. 6d. "
" " " " " ...		30 " ...	1 " ...	4s. 6d "
" " " " " ...		40 " ...	1 " ...	5s. 2d. "
" four " " " ...		40 " ...	1 " ...	5s. 5d "
" If not cleaned and tested by maker	... ...	All sizes ...	... ...	3d. per can deducted
" If hoops supplied for	... ...	" ...	... ...	6d. per doz. hoops deducted
" If cover stamping or blocking supplied for	... ...	40 quarts ...	... ...	1s. 6d. per doz. deducted
" If bottoms supplied for	... ...	40 " ...	... ...	1s. per doz. deducted
HARVEST CANS, with pannikin supplied ...	IX tin plate or lighter	2 quarts ...	1½ dozen ...	7s. 2d. per doz.
" " " ...		3 " .	1½ " ...	7s. 10d. "
" " " ...		4 " ...	1½ " ...	8s. 5d. "
" " " ...		6 " ...	1 " ...	9s. "
" " " ...		8 " ...	1 " ...	9s. 5d. "
" " " ...		10 " ...	1 " ...	10s. 6d. "
" " " ...		12 " ...	1 " ...	11s. 9d. "
" " " if with spouts	... ...	All sizes ...	... ...	2s. per doz. extra.
HOT WATER CANS, knocked up bottoms ...	IX tin plate or lighter	3 pints ...	1 dozen ...	13s. 3d. per doz.
" " " ...		2 quarts...	1 " ...	13s. 3d. "
" " " ...		3 " ...	1 " ...	16s. 1d. "
" " " ...		4 " ...	1 " ...	16s. 1d. "
" wired, bottom let in... ..		3 pints ...	1 " ...	14s. 6d. "
" " "		2 quarts ...	1 " ...	14s. 6d. "
" " "		3 " ...	1 " ...	17s. 3d. "
" " "		4 " ...	1 " ...	17s. 3d. "
HOT WATER CANS	26-gauge galv. iron or lighter	All sizes ...	... ...	3s. 1d. per doz. extra
JACK SHAY CANS, straight body	IC tin plate	1 quart ...	2 dozen ...	5s. 9d. per doz.
" tapered body		1 " ...	2 " ...	7s. 7d. "
MINERS' CANS	IC tin plate	1½ pints ...	2 " ...	6s. "
"		2 " ...	2 " ...	6s. "
"		3 " ...	2 " ..	6s. 4d. "
"		4 " ...	2 " ...	7s. 2d. "
"		6 " ...	1½ " ...	7s. 10d. "
RAILWAY MILK CANS, grooved, two hoops (including use of guillotine, cleaning and testing)	20-gauge tinned steel or lighter, or DXXXX tin plate or lighter	20 quarts ...	1 " ...	4s. 2d. each
" " " three hoops " "		30 " ...	1 " ...	4s. 2d. "
" " " four hoops " "		30 " ...	1 " ...	4s. 6d. "
" " " three hoops " "		40 " ...	1 " ...	4s. 6d. "
" " " four hoops " "		40 " ...	1 " ...	4s. 11d. "
" " " four hoops or less "		50 " ...	6 articles...	6s. 7d. "
" " If hoops supplied	.. ...	All sizes ...	.. ...	6d. per doz. hoops deducted

PIECE-WORK—*continued.*

Articles.	Material.	Size.	When given out in the undermentioned Quantities or more.	Prices.
CANS—*continued.*				
RAILWAY MILK CANS, if bottoms supplied ..	... ...	All sizes ...	... ...	1s. per doz. deducted
TOILET CANS, with knocked up bottoms (studs supplied)	IX tin plate or lighter	6 quarts ...	1 dozen ...	18s. 8d. per doz.
" " " "		8 " ...	1 " ...	20s. 8d. "
" " " "		10 " ...	1 " ...	22s. 8d. "
" " " "		12 " ...	1 " ...	24s. 9d. "
" " " "		16 " ...	1 " ...	27s. 9d. "
" body wired, and bottom let in ...		6 " ...	1 " ...	20s. 8d. "
" " " ...		8 " ...	1 " ...	23s. 10d. "
" " " ...		10 " ...	1 " ...	25s. 3d. "
" " " ...		12 " ...	1 " ...	27s. 3d. "
" " " ...		16 " ...	1 " ...	30s. 5d. "
" " " ...	26-gauge galv. iron or lighter	All sizes ...	... ...	3s. 11d. per doz. extra
(10.) COLANDERS.				
HAND-MADE COLANDERS, machine-punched, with side handles	IX tin plate or lighter	9 inches ...	4 dozen ...	4s. 7d. per doz.
" " " "		11 " ...	4 " ...	5s. 5d. "
" " " "		13 " ...	3 " ...	6s. 7d. "
" " " "		15 " ...	1½ " ...	7s. 9d. "
COLANDERS—If punched with hand punch ...		All sizes ...	... ...	2s. per doz. extra
(11.) COVERS.				
MEAT COVERS, with perforated zinc bodies (straight sides) and pitched top ...	IX tin plate or lighter	12 inches ...	3 dozen ...	4s. per doz.
" " " " ..		14 " ...	3 " ...	4s. 4d. "
" " " " ...		16 " ...	3 " ...	4s. 7d. "
" " " " ...		18 " ...	3 " ...	5s. 2d. "
" " " " ...		20 " ...	2 " ...	5s. 9d. "
" " " " ...		22 " ...	1½ " ...	6s. 11d. "
" " " " ...		24 " ...	1 " ...	8s. "
" with perforated zinc bodies (taper sides) and pitched top ...		12 " ...	3 " ...	4s. 7d. "
" " " " ...		14 " ...	3 " ...	5s. 2d. "
" " " " ...		16 " ...	3 " ...	5s. 5d. "
" " " " ...		18 " ...	3 " ...	6s. "
" " " " ...		20 " ...	2 " ...	6s. 7d. "
" " " " ...		22 " ...	1½ " ...	8s. "
" " " " ...		24 " ...	1 " ...	9s. 2d. "
" with perforated zinc bodies (taper sides) single rim, and blocked tops (wheeling found)	IXX tin plate or lighter	14 inches ...	3 dozen ...	6s. 4d. per doz.
" " " " ...		15 " ...	3 " ...	6s. 7d. "
" " " " ...		16 " ...	3 " ...	6s. 11d. "
" " " " ...		17 " ...	3 " ...	7s. 6d. "
" " " " ...		18 " ...	3 " ...	8s. "
" " " " ...		20 " ...	1 " ...	9s. 2d. "
" " " " ...		22 " ...	1 " ...	10s. 4d. "
" " " " ...		24 " ...	1 " ...	12s. 8d. "
" with double rims		All sizes ...	... ...	1s. 9d. per doz. extra
" if stamped or blocked tops supplied for	... ...	14 inches ...	... ...	6d. per dozen deducted
" " " " ...	... ...	15 " ...	... ...	6d. "
" " " " ...	... ...	16 " ...	... ...	9d. "
" " " " ...	... ...	17 " ...	... ...	9d. "
" " " " ...	... ...	18 " ...	... ...	9d. "
" " " " ...	... ...	20 " ...	... ...	1s. "
" " " " ...	... ...	22 " ...	... ...	1s. "
" " " " ...	... ...	24 " ...	... ...	1s. "
(12.) DIPPERS.				
COMMON DIPPERS	IX tin plate or lighter	2 quarts ...	6 dozen ...	2s. 2d. per doz
"		3 " ...	6 " ...	2s. 2d. "
BEST DIPPERS, bossed		2 " ...	4 " ...	3s. 8d. "
" "		3 " ...	4 " ...	3s. 8d. "
" "		4 " ...	2 " ...	4s. 6d. "
DIPPERS—Soldering studs on		... ...	... ...	3½d. per doz. dippers extra
(13.) DISHES.				
DEVON DISHES, about 9 inches deep, flat bottoms	IX tin plate or lighter	14 inches ...	3 dozen ...	4s. 7d. per doz.
" " " " ...		16 " ...	3 " ...	5s. 5d. "
" " " " ...		18 " ...	2 " ...	6s. 4d. "
" " " " ...		20 " ...	1 " ...	7s. 2d. "
" " " " ...		22 " ...	1 " ...	8s. 4d. "
" " " " with hoops	... ...	All sizes ...	... ...	1s. 4d. per doz. extra

PIECE-WORK—*continued.*

Articles.	Material.	Size.	When given out in the under-mentioned Quantities or more.	Prices.
DISHES—*continued.*				
MILK DISHES	IX tin plate or lighter	17 inches ...	2 dozen ...	4s. 11d. per doz.
"		18½ " ...	2 " ...	5s. 9d. "
"		20 " ...	2 " ...	6s. 7d. "
"		22 " ...	2 " ...	7s. 2d. "
SCALDING DISHES, about 6 inches deep, flat bottoms	IX tin plate or lighter	14 " ...	2 " ...	4s. 4d. "
" " " " ...		16 " ..	2 " ...	4s. 11d. "
" " " " ...		18 " ...	2 " ...	6s. 4d. "
ROUND DISHES, flat bottoms, made ready for galvanizing	IX tin plate or lighter	14 inches ...	3 dozen ...	3s. 9d. per doz.
" " " " ...		15 " ...	3 " ...	4s. "
" " " " ...		17 " ...	3 " ...	4s. 11d. "
" making wire handles for ...		... ...	... ...	3½d. per doz. dishes extra
SQUARE DISHES, tin	IX tin plate or lighter	12 x 8 inches	3 " ...	3s. 9d. per doz.
" "		13 x 9 "	3 " ...	4s. 4d. "
" "		14 x 10 "	3 " ...	4s. 7d. "
" "		16 x 11 "	3 " ...	4s. 11d. "
" "		16 x 12 "	2 " ...	4s. 11d. "
" "		17 x 12 "	2 " ...	5s. 9d. "
" "		18 x 12 "	2 " ...	5s. 9d. "
" "		18 x 14 "	2 " ...	6s. 4d. "
" "		20 x 14 "	2 " ...	6s. 7d. "
" " if formed in angle-bender ...		... ...	... ...	3d. per doz. deducted
(14.) DREDGERS.				
FLOUR DREDGERS (tops and feet supplied) ...	IC tin plate	No. 1 ...	6 dozen ...	2s. 3d. per doz.
" " " ...		No. 2 ...	6 " ...	2s. 9d. "
(15.) FEEDERS.				
CARPENTERS' FEEDERS	IX tin plate or lighter	... ...	4 dozen ...	3s. 2d. per doz.
OIL FEEDERS, funnel shape		½ pint ...	2 " ...	5s. 5d. "
" "		1 " ...	2 " ...	6s. "
" "		2 pints ...	2 " ...	6s. 4d. "
" for drays—McCormick's pattern ...		... ...	2 " ...	6s. 5d. "
REAPING MACHINE OIL FEEDERS		... ...	2 " ...	7s. 2d. "
If spouts supplied for Feeders (except Carpenters' Feeders)		... ...	... ...	9d. per doz. deducted
(16.) FRAMES.				
SPONGE CAKE FRAMES	IC tin plate ...	All sizes ...	1 dozen ...	14s. 6d. per doz.
(17.) FUNNELS.				
FUNNELS, without rims, not wired	IC tin plate	¼ pint ...	8 dozen ...	1s. 5d. per doz.
" " wired		¼ " ...	6 " ...	2s. 2d. "
" " "		½ " ...	6 " ...	2s. 2d. "
" " "		1 " ..	4 " ...	2s. 5d. "
" " "		1½ pints ...	4 " ...	2s. 5d. "
" " "		2 " ...	4 " ...	3s. "
" " "		2½ " ...	4 " ...	3s. "
" with rims "		2 " ...	3 " ...	3s. 11d. "
" " "		4 " ...	3 " ...	4s. 6d. "
" " "	IX tin plate or lighter	6 " ...	2 " ...	4s. 11d. "
" " "		8 " ...	2 " ...	6s. 4d. "
" " "		10 " ...	1½ " ...	7s. 2d. "
" " "		12 " ...	1½ " ...	7s. 10d. "
(18.) GRATERS.				
BREAD GRATERS, half round (punched plates supplied)	IC tin plate	No. 1 ...	6 dozen ...	2s. per doz.
" " "		" 2 ...	6 " ...	2s. 5d. "
" " punched by hand...		" 1 ...	3 " ...	3s. 3d. "
" " " ...		" 2 ...	3 " ...	3s. 11d. "
" round (punched plates supplied)		" 1 ...	3 " ...	3s. "
" " " "		" 2 ...	3 " ...	3s. 4d. "
" round (punched plates and graters on sides supplied)		" 1 ...	3 " ...	3s. 4d. "
" " " "		" 2 ...	3 " ...	3s. 8d. "
" round punched by hand ...		" 1 ...	3 " ...	4s. 6d. "
" "		" 2 ...	3 " ...	4s. 11d. "
NUTMEG GRATERS (punched plates supplied) ...	IC tin plate ...	All sizes ...	12 " ...	1s. 5d. "

PIECE-WORK—*continued.*

Articles.	Material.	Size.	When given out in the under-mentioned Quantities or more.	Prices.
(19.) HODS.				
COAL HODS, with stamped feet	24-gauge iron or lighter	No. 1 ...	1 dozen ...	10s. 4d. per doz.
" "		" 2 ...	1 " ...	10s. 8d. "
" with feet hand-made and riveted on		" 1 ...	1 " ...	11s. 9d. "
" " " "		" 2 ...	1 " ...	12s. 1d. "
" with knocked-up feet		" 1 ...	1 " ...	14s. 4d. "
" "		" 2 ...	1 " ...	14s. 4d. "
" with stamped feet	26-gauge iron or lighter	" 1 ...	1 " ..	9s. 6d. "
" "		" 2 ...	1 " ...	9s. 9d. "
" with feet hand-made and riveted on		" 1 ...	1 " ...	10s. 8d. "
" " " " ...		" 2 ...	1 " ..	10s. 11d. "
" with knocked-up feet		" 1 ...	1 " ..	13s. 3d. "
" " "		" 2 ...	1 " ..	13s. 3d. "
" with feet hand-made and riveted on	28-gauge iron or lighter	" 1 ...	1 "	10s. 1d. "
" " " ...		" 2 ...	1 " ...	10s. 4d. "
" hooped		" 1 ...	1 " ..	9s. 9d. "
" when half-covered	All gauges ...	All sizes ...	... ...	6s. per doz. extra
(20.) KETTLES.				
CAMP KETTLES, with stamped covers supplied ...	IX tin plate or lighter	1 quart ...	6 dozen ...	2s. 2d. per doz.
" " " " ...		1½ quarts...	6 " ...	2s. 5d. "
" " " " ...		2 " ...	6 " ...	2s. 8d. "
" " " " ...		3 " ...	4 " ...	3s. "
" " " " ...		4 " ...	4 " ...	3s. 3d. "
" " " " ...		6 " ...	4 " ...	3s. 6d. "
" " " " ...		8 " ...	3 " ...	4s. 4d. "
" " " " ...		10 " ...	3 dozen assorted, not less than 1 dozen either size.	4s. 11d. "
" " " " ...		12 " ...		6s. "
" with stamped covers, finished lid handles, rims ready for tacking, and circular blanks for bottoms supplied		1 quart ...	6 dozen ...	1s. 10d. per doz.
" " " " ...		1½ quarts	6 " ...	2s. "
" " " " ...		2 " ...	6 " ...	2s. 2d. "
" " " " ...		3 " ...	4 " ...	2s. 5d. "
" " " " ...		4 " ...	4 " ...	2s. 8d. "
" " " " ...		6 " ...	4 " ...	3s. "
" " " " ...		8 " ...	3 " ...	3s. 6d. "
" " " " ...		10 " ...	3 dozen assorted, not less than 1 dozen either size	4s. 7d. "
" " " " ...		12 " ...		5s. 9d. "
" with stamped covers, finished lid handles, rims ready for tacking, and use of circle cutters for bottoms	IX tin plate or lighter	1 quart ...	6 dozen ...	1s. 11d. per doz.
" " " " ...		1½ quarts	6 " ...	2s. 2d. "
" " " " ...		2 " ...	6 " ...	2s. 5d. "
" " " " ...		3 " ...	6 " ...	2s. 6d. "
" " " " ...		4 " ...	4 " ...	2s. 9d. "
" " " " ...		6 " ...	4 " ...	3s. 3d. "
" " " " ...		8 " ...	3 " ...	4s. "
" " " " ...		10 " ...	3 dozen assorted, not less than 1 dozen either size	4s. 7d. "
" " " " ...		12 " ...		5s. 9d. "
" with stamped covers, finished lid handles, finished rims, and circular blanks for bottoms supplied	IX tin plate or lighter	1 quart ...	6 dozen ...	1s. 9d. per doz.
" " " " ...		1½ quarts	6 " ...	1s. 11d. "
" " " " ...		2 " ...	6 " ...	2s. "
" " " " ...		3 " ...	4 " ...	2s. 5d. "
" " " " ...		4 " ...	4 " ...	2s. 8d. "
" " " " ...		6 " ...	4 " ...	3s. "
" " " " ...		8 " ...	3 " ...	3s. 6d. "
" " " " ...		10 " ...	3 dozen assorted not less than 1 dozen either size	4s. 5d. "
" " " " ...		12 " ...		5s. 9d. "

PIECE-WORK—*continued.*

Articles.	Material.	Size.	When given out in the under-mentioned Quantities or more.	Prices.
KETTLES—*continued.*				
CAMP KETTLES, with stamped covers, finished lid handles, finished rims, and use of circle cutters for bottoms ...	IX tin plate or lighter	1 quart ...	6 dozen ...	1s. 10d. per doz.
" " " " ...		1½ quarts	6 " ...	2s. "
" " " " ...		2 " ...	6 " ...	2s. 2d. "
" " " " ...		3 " ...	4 " ...	2s. 5d. "
" " " " ...		4 " ...	4 " ...	2s. 8d. "
" " " " ...		6 " ...	4 ...	3s. "
" " " " ...		8 " ...	3 " ...	4s. "
" " " " ...		10 " ...	3 dozen assorted not less than 1 dozen either size	4s. 7d. "
" " " " ...		12 " ...		5s. 9d. "
COPPER KETTLES (planishing and tinning supplied)	1 lb. copper or lighter	4 pints ...	6 articles...	21s. 10d. per doz.
" " " "		5 " ...	6 " ...	23s. "
" " " "		6 " ...	6 " ...	24s. 9d. "
" " "		7 " ...	6 " ...	27s. "
" tinning bottoms of		All sizes ...	... ...	1s. 4d. per doz. extra
FISH KETTLES (body handles supplied and covers wheeled)	DXXX tin plate or lighter	14 inches ...	6 articles...	34s. 6d. per doz.
" " "		16 " ...	3 " ...	43s. 8d. "
" " "		18 " ...	3 " ...	51s. 9d. "
" " "		20 " ...	3 " ...	59s. 9d. "
" " "		22 " ...	3 " ...	68s. 5d. "
" " "		24 " ...	3 " ...	79s. 4d. "
" smoothing covers on block ...	... ...	14 " ...	... ...	2s. 1d. per doz. extra
" " " " ...	... ...	16 " ...	... ...	2s. 9d. "
" " " " ...	... ...	18 " ...	... ...	3s. 8d. "
" " " " ...	... ...	20 " ...	... ...	4s. 2d. "
" " " " ...	... ...	22 " ...	... ...	4s. 11d. "
" " " " ...	... ...	24 " ...	... ...	5s. 9d. "
TEA KETTLES, oval, with tin bottoms	IX tin plate or lighter	3 pints ...	1½ dozen...	7s. 10d per doz.
" " "		4 " ...	1½ " ...	8s. 5d. "
" " "		5 " ...	1½ " ...	9s. 5d. "
" " "		6 " ...	1 " ...	10s. 1d. "
" " "		8 " ...	1 " ...	11s. 6d. "
" " with 28 gauge galvanized iron bottoms		3 " ...	1½ " ...	8s. 5d. "
" " " "		4 " ...	1½ " ...	9s. 5d. "
" " " "		5 " ...	1½ " ...	10s. 1d. "
" " " "		6 " ...	1 " ...	10s. 8d. "
" " " "		8 " ...	1 " ...	12s. 1d. "
" " with tinned-copper bottoms...		3 " ...	1½ " ...	9s. "
" " " " ...		4 " ...	1½ " ...	9s. 7d. "
" " " " ...		5 " ...	1½ " ...	10s. 4d. "
" " " " ...		6 " ...	1 " ...	11s. 6d. "
" " " " ...		8 " ...	1 " ...	12s. 8d. "
" " with copper bottoms tinned by maker		All sizes ...	... ...	1s. 4d. per doz. extra
" round, straight, with tin bottoms...		1 pint ...	3 dozen ...	3s. 8d. per doz.
" round, tapered, with 28-gauge galvanized-iron bottoms		2 pints ...	3 " ...	4s. 6d. "
" " " " "		3 " ...	2 " ...	5s. 5d. "
" " " " "		4 " ...	2 " ...	6s "
" " " " "		5 " ...	2 " ...	6s. 11d. "
" " " " "		6 " ...	2 " ...	7s. 7d. "
" " " " "		8 " ...	1 " ...	9s. "
" " straight, with tinned-copper bottoms		1 pint ...	3 " ...	3s. 11d. "
" " tapered " "		2 pints ...	3 " ...	4s. 11d. "
" " " " "		3 " ...	2 " ...	5s. 9d. "
" " " " "		4 " ...	2 " ...	6s. 4d. "
" " " " "		5 " ...	2 " ...	7s. 3d. "
" " " " "		6 " ...	2 " ...	7s. 10d. "
" " " " "		8 " ...	1 " ...	9s. 5d. "
" " straight or tapered, with bottoms tinned by maker		All sizes ...	3 " ...	1s. 4d. per doz. extra
TEA KETTLES, blocking covers and blocking and swedging breasts of	IX tin plate or lighter	1 pint ...	... ...	1s. 9d. per doz. extra
" " " " "		2 pints ...	... ...	1s. 9d. "
" " " " "		3 " ...	... ...	1s. 9d. "
" " " " "		4 " ...	... ...	2s. 5d. "
" " " " "		5 " ...	... ...	2s. 5d. "
" " " " "		6 " ...	... ...	2s. 5d. "
" " " " "		8 " ...	... ...	2s. 8d. "
(21.) LAMPS.				
WALL LAMPS, with fonts	IXX tin plate or lighter Tops, 1-lb. copper, or IXX tin plate or lighter	No. 1 ...	3 articles...	35s. 11d. per doz.
" "		" 2 ...	3 " ...	38s. 7d. "
" "		" 3 ...	3 " ..	41s. 8d. "

PIECE-WORK—*continued.*

Articles.	Material.	Size.	When given out in the undermentioned Quantities or more.	Prices.
(22.) MEASURES.				
MILK MEASURES	IC tin plate	½ pint ...	6 dozen ...	2s. 8d. per doz.
"		1 " ...	4 " ..	3s. 4d. "
"		2 pints ...	3 " ...	3s. 8d. "
OIL MEASURES, straight sides	IX tin plate or lighter	½ pint ...	3 "	3s. 11d. "
" "		1 " ...	3 " ...	4s. 6d. "
" "		1 quart ...	2 " ...	5s. 9d. "
" "		2 quarts ...	2 " ...	6s. 7d. "
" "		4 " ...	2 " ...	7s. 10d. "
SPIRIT MEASURES	IX tin plate or lighter	½ pint ...	1 " ...	9s. 8d. "
"		1 " ...	1 " ...	10s. 8d. "
"		2 pints ...	1 " ...	14s. 4d. "
"		4 " ...	1 " ...	16s. 1d. "
"		1 gallon ...	1 " ...	18s. 5d. "
"	IXX tin plate or lighter	2 gallons ...	6 articles...	20s. 8d. "
(23.) PAILS.				
SLOP PAILS, with stamped tops, bottoms, and breasts supplied	IX tin plate or lighter	No. 1 ...	2 dozen ...	7s. 10d. per doz.
" " " " ...		" 2 ...	2 " ...	8s. 5d. "
" " " " ...		" 3 ...	2 " ...	10s. 11d. "
" " " " ...		" 4 ...	2 " ...	12s. 8d. "
" stamped tops and bottoms supplied, hand-made breasts				
" " " " ...		" 1 ...	2 " ...	9s. 11d. "
" " " " ...		" 2 ...	2 " ...	11s. 2d. "
" " " " ...		" 3 ...	2 " ...	13s. 6d. "
" " " " ...		" 4 ...	2 " ...	16s. 1d. "
" hand-made		" 1 ...	2 " ...	12s. 8d. "
" "		" 2 ...	2 " ...	14s. 4d. "
" "		" 3 ...	2 " ...	17s. 6d. "
" "		" 4 ...	2 " ...	19s. 3d. "
" made with black or galvanized iron lids	26-gauge or lighter	All sizes ...	...	3½d. per doz. extra
" " " " bottoms		" ...	...	3½d. " "
" " " " feet		" ...	...	3½d. " "
Bails and ears to be supplied for all sizes				
TOILET PAILS	IXX tin plate or lighter	No. 1 ...	1 dozen ...	10s. 8d. per doz.
"		" 2 ...	1 " ...	11s. 9d. "
"		" 3 ...	1 " ...	12s. 8d. "
" if feet and funnels supplied ...	... ...	All sizes ...	... ...	1s. 6d. per doz. deducted
(24.) PANS.				
ASHPANS, common	28-gauge iron or lighter	No. 1 ...	4 dozen ...	4s. 2d. per doz.
" "		" 2 ...	4 " ...	4s. 6d. "
" "		" 3 ...	4 " ...	4s. 9d. "
" "	26-gauge iron or lighter	" 1 ...	4 " ...	4s. 9d. "
" "		" 2 ...	4 " ...	5s. 5d. "
" "		" 3 ...	4 " ...	6s. "
" with tin bead	... ...	All sizes ...	... ...	1s. 4d. per doz. extra
Venetians for Ashpans (2 in set)	... ...	" ...	2 dozen ...	5s. 5d. per doz. sets of venetians
" " (3 in set)	... ...	" ...	2 " ...	6s. 7d. " "
CLOSETPANS, tapered to nest	26-gauge iron or lighter	17½ x 15 x 13 inches	2 " ...	6s. 7d. per doz.
" straight sides	26-gauge iron or lighter	17 x 13 x 13 inches	2 " ...	6s. "
" "	26-gauge iron or lighter	18 x 14 x 14 inches	2 " ...	6s. 7d. "
" "	24-gauge iron...	All sizes ...	1½ dozen of any one size	1s. 4d. per doz. extra
" if made with single strap one rivet in bottom	... ...	" ...	... ...	3½d. per doz. pans extra
" " " double " "	... ...	" ...	... ...	7d. " "
" if made of galvanized iron	... ...	" ...	... ...	1s. 4d. " "
DOUGHPANS	IXX tin plate or lighter	14 inches ...	2 dozen ...	7s. 3d. per doz.
"		16 " ...	2 " ...	7s. 10d. "
"		18 " ...	2 " ...	9s. 8d. "
"		20 " ...	1 " ...	11s. 6d. "
"		22 " ...	1 " ...	13s. 3d. "
DUSTPANS	IX tin plate or lighter	No. 1 ...	2½ " ...	4s. 6d. "
"		" 2 ...	2½ " ...	5s. 5d. "
"		" 3 ...	2½ " ...	5s. 9d. "
" with cover		" 1 ...	2 " ...	6s. 7d. "
" "		" 2 ...	2 " ...	7s. 3d. "
" "		" 3 ...	2 " ...	7s. 10d. "
YANKEE, CORNISH, OR FLAT BOTTOM PANS ...	IC tin plate	13 inches ..	4 " ...	3s. 8d. "
" " "		14 " ...	4 " ...	3s. 11d. "
" " "		15 " ...	4 " ...	4s. 6d. "
" " "		16 " ...	3 " ...	5s. 5d. "
" " "		17 " ...	3 " ...	5s. 5d. "
" " "		18 " ...	3 " ...	6s. 7d. "

PIECE-WORK—*continued.*

Articles.	Material.	Size.	When given out in the undermentioned Quantities or more.	Prices.
(25.) PANNIKINS.				
PANNIKINS, with bottoms supplied	IX tin plate or lighter	½ pint ...	2 gross ...	7s. 3d. per gross
" "		1 " ...	1½ " ...	8s. 5d. "
" if handle blanks supplied	... ...	... ...	... ...	3d. per gross deducted
(26.) POTS.				
COFFEE-POTS, common	IX tin plate or lighter	2 pints ...	3 dozen ...	5s. 5d. per doz.
" "		3 " ...	3 " ...	5s. 9d. "
" "		4 " ...	2 " ...	6s. 7d. "
" "		5 " ...	2 " ...	7s. 3d. "
" "		6 " ...	2 " ...	8s. 5d. "
" "		7 " ...	1½ " ...	9s. 5d. "
" "		8 " ...	1½ " ...	10s. 8d. "
" best, riveted spouts and tin handles		All sizes ...	... ...	2s. 8d. per doz. extra
(27.) PUMPS.				
KEROSENE PUMPS (funnel top or plain barrel) top blanks supplied	IC tin plate ...	... ...	4 dozen ...	3s. 8d. per doz.
(28.) SAFES.				
MEAT SAFES, round	Zinc or IX tin plate or lighter. Trays, 26-gauge iron or lighter	12 inches ...	1 dozen ...	24s. 2d. per doz.
" "		14 " .	1 " ..	25s. 3d. "
" "		16 " ..	1 " ...	27s. 7d. "
" "		18 " ...	1 " ...	31s. "
" "		20 " ..	6 articles	34s. 6d. "
" "		22 " ...	6 " ...	37s. 11d. "
" "		24 " ...	6 " ...	43s. 8d. "
" " loose bottoms ...	... .	All sizes ..	... ...	1s. 2d. per doz. extra
" " if trays supplied ...	... ...	All sizes ...	... ...	1s. 6d. per doz. deducted
" square, with half-round, D shape, or basin shape top and zinc fronts (trays supplied) ...	Zinc or IX tin plate or lighter	12 inches ...	1 dozen ...	25s. 3d. per doz.
" " " " ...		14 " ...	1 " ...	27s. 7d. "
" " " " ...		16 " ...	1 " ...	29s. 11d. "
" " " " ...		18 " ...	1 " ...	32s. 2d. "
" " " " ...		20 " ...	6 articles	35s. 8d. "
" square, with flat tops (with cup) having tapered sides and zinc fronts (trays supplied) ...		12 " ...	1 dozen ...	27s. "
" " " " ...		14 " ...	1 " ...	29s. 4d. "
" " " " ...		16 " ...	1 " ...	31s. 7d. "
" " " " ...		18 " ...	1 " ...	33s. 11d. "
" " " " ...		20 " ...	6 articles	37s. 4d. "
" square, with flat tops (with cup) having concave sides and zinc fronts (trays supplied) ..		12 " ...	1 dozen ...	28s. 9d. "
" " " " ...		14 " ...	1 " ...	31s. "
" " " " ...		16 " ...	1 " ...	33s. 4d. "
" " " " ...		18 " ...	1 " .	35s. 8d. "
" " " " ...		20 " ...	6 articles	39s. 1d. "
" if fittings supplied	... ...	All sizes ..	... ..	1s. 6d. per dozen safes deducted
(29.) SAUCEPANS.				
TIN SAUCEPANS, with tin bottoms (iron handles supplied	IX tin plate or lighter	1 pint ...	6 dozen ...	2s. 5d. per doz.
" " " "		2 pints ...	4 " ...	2s. 8d. "
" " " "		3 " ...	4 " ...	3s 1d. "
" " " "		4 " ...	4 " ...	3s. 4d. "
" " " "		6 " ..	3 " ...	3s. 8d. "
" " " "		8 " ...	3 " ...	3s. 11d. "
" " " "		10 " ...	2 " ...	4s. 2d. "
" with galvanized-iron bottoms (iron handles supplied)	Bodies IX tin plate or lighter; Bottoms 28-gauge galv. iron	1 pint ...	6 " ...	2s. 8d. "
" " "		2 pints ...	4 " ...	3s. 1d. "
" " "		3 " ...	4 " ...	3s. 4d. "
" " "		4 " ...	4 " ...	3s. 8d. "
" " "		6 " ...	3 " ...	3s. 11d. "
" " "		8 " ...	3 " ...	4s. 2d. "
" " "		10 " ...	2 " ...	4s. 6d. "
" with tinned-copper bottoms (iron handles supplied)	Bodies IX tin plate or lighter	1 pint ...	3 " ...	3s. 4d. "
" " "		2 pints ...	3 " ...	3s. 8d. "
" " "		3 " ...	3 " ...	3s 11d. "
" " "		4 " ...	2 " ...	4s. 2d. "
" " "		6 " ...	2 " ...	4s. 6d. "
" " "		8 " ...	2 " ...	4s. 9d. "
" " "		10 " ...	2 " ...	5s. 5d. "
" tinning copper bottoms ...	... ...	All sizes ...	... ...	1s. 4d. per doz. extra
" making flat tin handles for ...	... ..	" ...	... ...	1s. 1d. " "
" cover stamping supplied ...	... ...	" ...	... ...	3d. per doz. deducted

PIECE-WORK—*continued.*

Articles.	Material.	Size.	When given out in the undermentioned Quantities or more.	Prices.
(30.) SCOOPS.				
GROCERS' SCOOPS—Drawer, without handles ...	IX tin plate or lighter	... ...	4 dozen assorted, not less than 1 dozen of any one size	2s. per doz.
" " front wired or pieced, with handles		5 inches ...	3 dozen ...	5s. 5d. "
" " " "		6 " ...	3 " ...	6s. "
" " " "		7 " ...	2 " ...	7s. 3d. "
" " " "		8 " ...	2 " ...	7s. 10d. "
" " " "		10 " ...	1½ " ...	9s. 5d. "
" " " "		12 " ...	1 " ...	10s. 6d. "
" " front not wired or pieced, with handles		5 " ...	3 " ...	4s 2d. "
" " " "		6 " ...	3 " ...	4s. 9d. "
" " " "		7 " ...	2 " ...	6s. "
" " " "		8 " ...	2 " ...	7s. 3d. "
" " " "		10 " ...	1½ " ...	8s. "
" " " "		12 " ...	1 " ...	9s. 9d. "
" " galvanized iron, front wired or pieced, with handles	24-gauge galv. iron or lighter	5 " ...	1 " ...	8s. "
" " " "		6 " ...	1 " ...	9s. "
" " " "		7 " ...	1 " ...	9s. 11d. "
" " " "		8 " ...	1 " ...	11s. 6d. "
" " " "		10 " ...	1 " ...	13s. 6d. "
" " " "		12 " ...	1 " ...	15s. 3d. "
(31.) SKIMMERS.				
COOKS' SKIMMERS (handles supplied)	IXX tin plate or lighter	... ...	3 dozen ...	4s. 2d. per doz.
MILK SKIMMERS, with ring handles	DXXXX tin plate or lighter	6½ inches...	4 " ...	2s. 5d. "
" "		8 " ...	4 " ...	3s. 1d. "
" "		9 " ...	4 " ...	3s. 4d. "
" "		10 " ...	4 " ...	3s. 8d. "
(32.) STANDS.				
COCKATOO STANDS	IX tin plate or lighter	17 inches ...	6 articles...	25s. 3d. per doz.
"		20 " ...	6 " ...	27s. "
"	26-gauge galv. iron or lighter, or zinc	17 " ...	3 " ...	33s. 4d. "
"		20 " ...	3 " ...	39s. 8d. "
(33.) STEAMERS.				
STEAMERS	IXX tin plate or lighter	No. 4 ...	2 dozen ...	5s. 9d. per doz.
"		" 5 ...	2 " ...	5s. 9d. "
"		" 6 ...	1½ " ...	6s. 4d. "
"		" 7 ...	1½ " ...	7s. 3d. "
"		" 8 ...	1½ " ...	7s. 10d. "
"		" 9 ...	1 " ...	8s. 5d. "
"		" 10 ...	1 " ...	9s. 11d. "
"		" 11 ...	1 " ...	11s. 6d. "
"		" 12 ...	1 " ...	12s. 1d. "
" if handles supplied for	... ...	... ...	... ..	3d. per doz. steamers deducted
(34.) STRAINERS.				
GRAVY STRAINERS, hand made	IC tin plate	Small ...	3 dozen ...	3s. 11d. per doz.
" "		Large ...	3 " ...	4s. 6d. "
" " if perforated bottoms supplied	... ...	All sizes ...	... ...	6d. " deducted
GRUEL STRAINERS	IC tin plate ...	... ...	3 dozen ...	4s. 6d. per doz.
MILK STRAINERS, wired	IX tin plate or lighter	8½ inches	3 " ...	3s. 5d. "
" "		10 "	3 " ...	4s. "
" "		11 "	3 " ...	4s. 4d. "
" "		12 "	3 " ...	4s. 7d. "
" "		14 "	2 " ...	5s. 2d. "
" with rim		8½ "	2 " ...	4s. 7d. "
" "		10 "	2 " ...	5s. 2d. "
" "		11 "	2 " ...	5s. 9d. "
" "		12 "	2 " ...	6s. "
" "		14 "	2 " ...	6s. 7d. "
MILK CAN STRAINERS, knocked up rims ..	IX tin plate ...	... ...	1 " ...	9s. 11d. "
" " " " ...	IXX tin plate	... ...	1 " ...	12s. 11d. "
(35.) TINS.				
BREAD TINS (made of five pieces)	IX tin plate or lighter	1 lb. ..	3 dozen ...	4s. 2d. per doz.
" " "		2 " ...	3 " ...	4s. 2d. "
" " "		4 " ...	2 " ...	4s 6d. "
" " "		6 " ...	2 " ...	6s. "
COBURG BREAD TINS	IC tin plate ...	... ...	3 " ...	3s. 11d. "
EXHIBITION BREAD TINS, single	IXXXX tin plate or lighter, or 24-gauge iron or lighter	2 lb. ...	6 articles...	20s. 8d. "
" " "		4 " ...	6 " ..	25s. 10d. "
" " double		2 " ...	3 " ...	51s. 9d. "
" "		4 " ...	3 " ...	60s. 4d. "

PIECE-WORK—*continued.*

Articles.	Material.	Size.	When given out in the undermentioned Quantities or more.	Prices.
TINS—*continued.*				
CAKE TINS, AND CAKE RINGS, with use of knocking-up machine	IC tin plate	4 inches ...	1 gross; not less than 3 dozen of any one size	14s. 8d. per gross
" " " "		5 " ...		16s. 1d. "
" " " "		6 " ..		17s. 3d. "
" " " "		7 " ...		20s. 1d. "
" " " "		8 " ...		21s. 7d. "
" " " "		9 " ...		23s. "
" " " "		10 " ...		25s. 10d. "
" " " "		11 " ...		30s. 2d. "
" " " "		12 " ...		34s. 6d. "
" " " loose bottoms ...	... ...	All sizes ...	... ...	13s. 3d. " extra
QUEEN CAKE TINS, hearts	IC tin plate	... ...	4 dozen ...	3s. 4d. per doz.
" " diamonds...		... ...	6 " ...	1s. 6d. "
SANDWICH TINS, with use of knocking-up machine	IC tin plate	6 inches ...	1 gross; not less than 3 dozen of any one size	17s. 3d. per gross
" " " "		7 " ...		20s. 1d. "
" " " "		8 " ...		21s. 7d. "
" " " "		9 " ...		23s. "
" " " "		10 " ...		25s. 10d. "
" " " "		11 " ...		30s. 2d. "
" " " "		12 " ...		34s. 6d. "
SWISS ROLL TINS, wired, with use of angle bender	IC tin plate	12 x 8 inches	4 dozen ...	3s. 1d. per doz.
" " " " "		13 x 9 "	4 " ...	3s. 4d. "
" " " " "		14 x 10 "	4 " ...	3s. 4d. "
" " " " "		15 x 11 "	4 " ...	3s. 8d. "
" " " " "		16 x 12 "	4 " ...	3s. 11d. "
" " not wired, with use of angle bender		12 x 8 "	4 " ...	2s. 5d. "
" " without use of angle bender ...		All sizes ...	... ...	7d. " extra
(36.) TUBS.				
BLACK IRON TUBS, round or oval, without hoop or strap	26-gauge iron or lighter	16 inches ...	2 dozen ...	5s. 5d. per doz
" " " "		18 " ...	2 " ...	6s. "
" " " "		20 " ...	2 " ...	6s. 7d. "
" " " "		22 " ...	2 " ..	7s. 3d. "
" " " "		24 " ...	1½ " ...	7s. 10d. "
" " " "		26 " ...	1½ " ...	8s. 9d. "
" " " "		28 " ...	1½ " ...	10s. 4d. "
" " " "		30 " ...	1 " ...	11s. 9d. "
" " with hoop ...		16 " ...	2 " ...	6s. "
" " " ...		18 " ...	2 " ...	6s. 11d. "
" " " ...		20 " ...	2 " ...	7s. 3d. "
" " " ...		22 " ...	2 " ...	7s. 10d. "
" " " ...		24 " ...	1½ " ...	8s. 5d. "
" " " ...		26 " ...	1½ " ...	9s. 11d. "
" " " ...		28 " ...	1½ " ...	10s. 11d. "
" " " ...		30 " ...	1 " ...	12s. 8d. "
" " "	24-gauge iron or lighter	33 " ...	6 articles...	16s. 1d. "
" " " ...		36 " ...	6 " ...	21s. 3d. "
" " hooped and strapped	26-gauge iron or lighter	16 " ...	2 dozen ...	7s. 7d. "
" " " ...		18 " ...	2 " ...	8s. "
" " " ...		20 " ...	2 " ...	8s. 5d. "
" " " ...		22 " ...	2 " ...	9s. 5d. "
" " " ...		24 " ...	1½ " ...	9s. 11d. "
" " " ...		26 " ...	1½ " ...	11s. 6d. "
" " " ...		28 " ...	1½ " ...	12s. 11d. "
" " " ...		30 " ...	1 " ...	14s. 8d. "
" " " ...	24-gauge iron or lighter	33 " ...	6 articles...	18s. 1d. "
" " " ...		36 " ...	6 " ...	23s. 10d. "
TIN TUBS, round, without hoop	IX tin plate or lighter	15 " ...	2 dozen ...	5s. 9d. "
" " "		16 " ...	2 " ...	5s. 9d. "
" " "		18 " ...	1½ " ..	7s. 3d. "
" " "		20 " ..	1½ " ...	7s. 10d. "
" " "		22 " ...	1½ " ...	8s. 5d. "
" " "	IXX tin plate or lighter	24 " ...	1 " ...	9s. 11d. "
" " with tinned or galvanized iron or black iron hoop ...	IX tin plate or lighter	15 " ...	2 " ...	7s. 3d. "
" " " " " ...		16 " ...	2 " ...	7s. 3d. "
" " " " " ...		18 " ...	1½ " ...	8s. 5d. "
" " " " " ...		20 " ...	1½ " ...	9s. 5d. "
" " " " " ...		22 " ...	1½ " ...	9s. 11d. "
" " " " " ...	IXX tin plate or lighter	24 " ...	1 " ...	11s. 6d. "
" oval, without hoop	IX tin plate or lighter	16 " ...	2 " ...	7s. 10d. "
" " "		18 " ...	1½ " ...	8s. 5d. "
" " "		20 " ...	1½ " ...	9s. 5d. "
" " "		22 " ...	1½ " ...	10s. 6d. "
" " "	IXX tin plate or lighter	24 " ...	1 " ...	12s. 1d. "
" " with tinned or galvanized iron or black iron hoop... ...	IX tin plate or lighter	16 " ...	2 " ...	9s. 5d. "
" " " " " ...		18 " ...	1½ " ...	9s. 11d. "
" " " " " ...		20 " ...	1½ " ...	10s. 6d. "
" " " " " ...		22 " ...	1½ " ...	12s. 1d. "
" " " " " ...	IXX tin plate or lighter	24 " ...	1 " ...	13s. 7d. "

PIECE-WORK—*continued.*

SCHEDULE B.—CANISTER WORK.

	Price per gross. Lap seam, without assistance.	Lock seam, without assistance.	Lock seam with one assistant.	Lock seam, with two assistants.
	s. d.	s. d.	s. d.	s. d.
SOLDERING SEAMS—all work rolled—up to and including 2¼ inches in diameter—				
Up to and including 2 inches deep	0 7¼	0 6½	0 5¼	0 4¼
Over 2 inches deep and up to and including 3½ inches deep	0 8	0 7¼	0 6	0 4¾
" 3½ " " " 4½ "	0 8½	0 7¼	0 6	0 4¾
" 4½ " " " 5½ "	0 9¾	0 8½	0 7¼	0 6
" 5½ " " " 7 "	1 1¾	0 9¾	0 8½	0 7¼
Over 2¼ inches and up to and including 3½ inches in diameter—				
Up to and including 2 inches deep	0 7¼	0 6	0 5	0 4¼
Over 2 inches deep and up to and including 3½ inches deep	0 8	0 7¼	0 6	0 4¾
" 3½ " " " 5 "	0 9¼	0 7¼	0 6	0 4¾
" 5 " " " 6 "	0 11¼	0 8½	0 7¼	0 6
" 6 " " " 7 "	1 0¾	0 10¼	0 9	0 8
" 7 " " " 8 "	1 6½	1 2¼	1 1	1 0
Over 3½ inches and up to and including 4¼ inches in diameter—				
Up to and including 2 inches deep	0 8½	0 6½	0 5¼	0 4¼
Over 2 inches deep and up to and including 3½ inches deep	0 9¼	0 7¼	0 6	0 4¾
" 3½ " " " 5 "	0 10¼	0 8¼	0 7¼	0 6
" 5 " " " 6 "	1 0	0 9¼	0 7¾	0 6½
" 6 " " " 7 "	1 1¾	0 10¾	0 9½	0 8½
" 7 " " " 8 "	1 6	1 2¼	1 1	1 0
Over 4¼ inches, and up to and including 5¼ inches in diameter—				
Up to and including 2½ inches deep	0 9¾	0 7¼	0 6	0 4¾
Over 2½ inches deep, and up to and including 4½ inches deep	1 0¾	0 9¼	0 8	0 6½
" 4½ " " " 6 "	1 4¾	1 0	0 10½	0 9¼
" 6 " " " 7 "	1 7¼	1 2¼	1 1	1 0
" 7 " " " 8 "	1 8¾	1 3¾	1 2½	1 1½
Over 5¼ inches, and up to and including 6½ inches in diameter—				
Up to and including 3 inches deep	1 1¾	0 9¼	0 7¾	0 6½
Over 3 inches deep, and up to and including 4½ inches deep	1 3¾	0 10¼	0 9	0 8
" 4½ " " " 6 "	1 6	1 0	0 10½	0 9¼
" 6 " " " 8 "	1 8¼	1 3¾	1 2½	1 1½

	Price per 100. s. d.
MEAT TINS—	
Seaming and rolling meat tin bodies (round) on clamps—	
½ lb.	1 0¾
1 "	1 0¾
1 " tongue	1 0¾
1½ lbs.	1 0¾
2 "	1 0¾
2 " long	1 0¾
2½ "	1 0¾
3 "	1 2
6 " (including putting on tops and bottoms)	3 2½
Seaming ½ lb. or 1 lb. on 1 cylinder	0 7½
" 2 lbs. " "	0 8½
" ½ or 1 lb. on 2 cylinders	0 6½
" 2 lbs. " "	0 7½
" ½ lb or 1 lb. on 3 to 6 cylinders (with 2 boys)	0 3¼
" 2 lbs. " " "	0 4¼
Seaming meat tins (tapered square) on one former—	
1 lb.	0 7½
2 lbs.	0 8½
6 "	0 11¾
	Price per 1,000 ends. s. d.
Squeezing—12 oz. or 1 lb. (tapered square)	2 4½
" 1½ lbs. " "	2 6
" 2 " " "	2 9
" 6 " " "	4 4¾
	Price per 100 ends. s. d.
Jokering— ½ lb. (round, or tapered square)	0 4
" ¾ " " " "	0 4
" 1 " " " "	0 4
" 1½ lbs. " " "	0 5
" 3 " " " "	0 7
" 4 " " " "	0 7
" 5 " " " "	0 7
" 6 " " " "	0 7

SOLDERING TOPS OR BOTTOMS OF EMPTY TINS—(spiriting provided)—

	Price per gross. Not crimped or rolled on.	Crimped.	Rolled on.
	s. d.	s. d.	s. d.
Up to and including 3 inches in diameter	0 10	0 9½	0 8¼
Over 3 inches diameter, and up to and including 3¾ inches in diameter	0 11	0 10½	0 10
" 3¾ " " 4¼ "	1 5¾	1 4	1 1¾
" 4¼ " " 5 "	1 8¼	1 6	1 4½
" 5 " " 6 "	2 2½	2 0	1 9

ROUND WORK (SOLDERING).

	Price per gross. s. d.
JAM TINS—Closing, 1 lb., topped, and crimped	1 0¾
" " 2 lb. " "	1 3
CAKE TINS—	
2 lbs., soldering	11 6
4 " "	12 11
6 " "	14 5
6 " cutting	1 6½

PIECE-WORK—*continued.*

ROUND WORK (SOLDERING)—*continued.*

	Per gross. s.	d.
CAPPING—Soldering on caps, all work cleaned, caps put on—		
Cap up to and including 1¾ inches in diameter in 6-lb. tin or less	1	1½
" over 1¾ and up to and including 2¼ inches in diameter in 6-lb. tin or less ...	1	2¼
" " 2¼ " " 2⅝ " " " "	1	3¾
" " 2⅝ " " 3⅛ " " " "	1	5
" " 3⅛ " " 3⅞ " " " "	1	9½
Capping pulp tins, up to 40-lbs., work cleaned and caps put on—		
Round cap	3	7
Square cap, 3½ to 5 inches square	4	6

SQUARE WORK.

Jam tins, 6 lbs., soldering only, with use of spring	11	6
" 6 " notching, bending, and folding	5	9
" 14 " soldering only, without use of spring	13	9
" 14 " " with use of spring...	15	0
" 20 " " without use of spring	14	4
" 20 " " with use of spring	15	10
" 28 " " without use of spring	14	4
" 28 " " with use of spring...	15	10
" 14, 20, and 28 lbs., notching, bending, and folding	7	2 extra
Pulp tin, 40 lbs., soldering only, without use of spring	21	0
" 40 " " with use of spring	21	0
" 40 " " lock seam	21	0
Cutting out above sizes	1	9 extra
Notching, bending, and folding so that spring is not necessary, all above sizes, except 6 lbs.	10	1
Notching, bending, and folding, so that spring is necessary at one end	8	9
BISCUIT TINS—		
1 lb., soldering	4	5
2 lbs. "	5	6
4 " "	8	9
6 " "	8	9
6 " " two seams	10	1
6 lbs., glass, soldering	12	11
14 " plain, "	13	6
14 " glass, "	17	3
25 " plain, "	15	0
30 " " "	15	0
40 " " "	15	0
50 " " "	17	3
Uneeda "	15	0
½-lb. packet "	13	6
9 lbs. Cabin "	12	4
Wafer, Ice and Cup, soldering	12	4
" Cream, Henley and Variety, soldering	5	6
Afternoon Tea, soldering	5	6
1 lb., cutting bodies	0	4¾
2 lbs. "	0	4¾
6 " "	1	6
1 lb., cutting ends	0	1¾
2 lbs. "	0	1¾
4 " cutting at guillotine	1	2¼
9 " " "	1	11
30 " " "	2	9
40 " " "	2	9
50 " " "	2	9
Plain and Packet, cutting at guillotine	2	5
Small Wafer " "	0	9¼
30 lbs., closing, soldering	5	9
40 " " "	7	2
50 " " "	8	2
FLOUR TINS—		
40 lbs., soldering	13	6
50 " "	17	3
HONEY TINS—		
56 lbs., soldering	21	0
OIL OR VARNISH TINS—		
½ gallon, soldering ends and lock seam	12	1
1 " " "	14	5
2 " " "	19	6
OBLONG TINS—(reputed or imperial measure)—		
1 pint, plain, soldering, lock seam (with two assistants)...	0	6
1 " " " " (with one assistant)	0	7¼
1 " " " " (without assistance)	0	8½
1 quart " " " (with two assistants)...	0	6
1 " " " " (with one assistant)	0	7¼
1 " " " " (without assistance)	0	8½
Soldering, all above tins, if made of decorated or varnished tin plate	0	1¾ extra each end
1 pint, rolled on ends, soldering	2	2½ each end
1 " crimped, soldering	2	3 "
1 " not crimped or rolled on, soldering	2	5¼ "
1 quart, rolled on ends, soldering	2	3 "
1 " crimped, soldering	2	5¼ "
1 " not crimped, soldering	3	0 "
TOBACCO TINS—		
2 lbs., closing	6	0 per 100
3 lbs, "	7	0 "

PIECE-WORK—*continued.*

OVAL WORK.

	Per gross. s.	d.
OIL TINS—		
½ pint, lock seams, soldering (with two assistants)	0	4¼
½ " " " (with one assistant)	0	6¼
½ " " " (without assistance)	0	8½
½ " lap " " (" ")	0	8½
½ " rolled on ends	2	0 each end
½ " crimped on ends	1	9 "
½ " slipped on ends	2	3½ "

STAMPING WORK ON POWER MACHINES OR PRESSES (NOT USING SCRAP).

	Per gross. s.	d.
Up to and including 3¼ inches in diameter of cutting die	0	1¼
Over 3¼ and up to and including 4 inches in diameter of cutting die	0	1½
" 4 " " 4½ " "	0	1¾
" 4½ " " 5½ " "	0	2¼
" 5½ " " 6¼ " "	0	2½

DEFINITION.

9. For the purposes of this Determination, "sheet metal" shall mean sheet metal 10-gauge or lighter.

F. H. BOLTON, J.P.,
Chairman.

Dated at Melbourne the 8th day of January, 1919.

By Authority: ALBERT J. MULLETT, Government Printer, Melbourne.