



# VICTORIA GOVERNMENT GAZETTE.

Published by Authority.

[Registered at the General Post Office, Melbourne, for transmission by post as a newspaper.]

No. 82.]

WEDNESDAY, MAY 21.

[1919.

Factories and Shops Acts.

## DETERMINATION OF THE TINSMITHS BOARD.

NOTE.—This Determination on the 23rd May, 1919, applied to the following parts of Victoria, namely:—The Metropolitan District as defined in the Factories and Shops Acts; the cities of Ballarat, Bendigo, Geelong, and Warrnambool; the towns of Ballarat East and Sandringham; and the boroughs of Eaglehawk, Geelong West, Newtown and Chilwell, and Sebastopol.

IN accordance with the provisions of the *Factories and Shops Acts*, the Special Board appointed to “determine the lowest prices or rates of payment payable to any person or persons or classes of persons employed in the process, trade, or business of preparing or manufacturing articles made of tin plate or other sheet metal, including the japanning of such articles,” has made the following Determination, namely:—

(1) That on the 23rd day of May, 1919, the last previous Determination of this Board shall be revoked and replaced by this Determination.

(2)

### APPRENTICES AND IMPROVERS.

Wages per Week of 48 Hours.				Number (in any place).	
				Apprentices.	
	Apprentices.	Improvers.			
1st year's experience ... ..	11s.	11s.		One apprentice to every three or fraction of three workers receiving not less than 61s. per week of 48 hours. An indenture of apprenticeship prescribed was approved on 20th May, 1911.	Improvers. One improver to every five or fraction of five workers receiving not less than 64s. per week of 48 hours.
2nd " " " " " " " "	16s.	16s.			
3rd " " " " " " " "	22s.	23s.			
4th " " " " " " " "	30s.	32s. 6d.			
5th " " " " " " " "	40s.	45s.			

(3) **JUVENILE WORKERS** (other than apprentices or improvers)—

	Wages per Week of 48 Hours.		
	1st Year's Experience in Class A.	2nd Year's Experience in Class A.	3rd Year's Experience in Class A.
	s. d.	s. d.	s. d.
<i>Under 17 years of age.</i>			
<b>CLASS A.</b>			
(1) Putting wire handles in camp kettles, wiring handles for kettles and dippers, folding flat tin handles, folding spouts and barrels for kerosene pumps, forming handles for pannikins and dippers, forming rims for lids, notching (except by power machines), using guillotine for above work, holding general sheet metal work for journeymen or soldering canisters other than seams, tops, or bottoms	12 6	17 6	22 6
(2) Polishing, cleaning, testing to detect leaks, making spouting tubes, cutting and making wire handles, cutting hoop iron and wire for general sheet metal work, blackening or tarring shovels or closet pans, packing, carrying or moving goods, lighting or attending fires or engaged on canister work at topping tins or trimming scrap	12 6	15 0	20 0
	1st Year's Experience in Class B.	2nd Year's Experience in Class B.	3rd Year's Experience in Class B.
	s. d.	s. d.	s. d.
<i>Under 21 years of age.</i>			
<b>CLASS B.</b>			
Soldering down pipes not heavier than 24 gauge or larger than 4 inches in diameter	33 0	40 0	48 0

(3) JUVENILE WORKERS—continued—

	Wages per Week of 48 Hours.					
	1st Year's Experience in Class C.	2nd Year's Experience in Class C.	3rd Year's Experience in Class C.	4th Year's Experience in Class C.		
<b>CLASS C.</b>						
Repairing leaks in general sheet metal work or assisting at rollers for forming down pipes, or engaged at general sheet metal work on the following machines, viz.:—Burnishing and spinning lathes, curving machines, guillotines for cutting spouting and ridging, stamping machines or presses, or spouting and ridging machines .. .. .	s. d. 22 6	s. d. 30 0	s. d. 37 6	s. d. 45 0		
<b>CLASS D.</b>						
Engaged at canister work on the crank press .. .. .	s. d. 27 6	s. d. 32 6	s. d. 40 0	s. d. 47 6		
<b>CLASS E.</b>						
Engaged at general sheet metal work or canister work on any other power machine or at canister work on the following machines or presses:— monkey, pendulum, screw, or treadle, machines for folding canisters of holding capacity up to and including one pint, beading, bending (other than by angle bender or folder), body forming (other than by angle bender), clenching, crimping, curling, double seaming, flanging, hinge hooking, hinge seating, lock seaming, notching, rolling, squeezing, trimming, or wire forming, or feeding or taking off in connexion with any power soldering machine or employed in connexion with japanning at scouring, cleaning, assisting to polish or general rough work, or engaged on cabinet handles in cutting strips, clips, and holes on guillotine, bending clips round ring, fitting same and opening out ends, or employed at hinge making in cutting metal into strips, or putting in pins .. .. .	s. d. 15 0	s. d. 20 0	s. d. 25 0	s. d. 32 6	s. d. 40 0	s. d. 47 6

(4) OTHER EMPLOYEES WAGES.

Tinsmiths or sheet metal workers who cut patterns or make up articles from patterns cut by themselves .. .. .	75s.	per week of 48 hours
Other tinsmiths or sheet metal workers .. .. .	70s.	" "
Repairers or general sheet metal work .. .. .	70s.	" "
Machinists on general sheet metal work .. .. .	66s.	" "
Solderers of down pipes .. .. .	70s.	" "
Artistic japanners .. .. .	70s.	" "
Gold workers .. .. .	70s.	" "
Ornamental pencil workers .. .. .	64s.	" "
Filleters .. .. .	64s.	" "
Grainers .. .. .	64s.	" "
Liners .. .. .	64s.	" "
Writers .. .. .	64s.	" "
Makers or repairers of canisters or oil tins or parts thereof—		
(a) by hand .. .. .	67s.	" "
(b) by machine .. .. .	61s.	" "
Cap solderers .. .. .	67s.	" "
Canister vent closers .. .. .	67s.	" "
Persons attending—		
(a) Power capping machines .. .. .	63s.	" "
(b) the metal pot on a power automatic body forming or seam soldering machine or the metal pot on a power automatic end soldering machine .. .. .	63s.	" "
All others .. .. .	61s.	" "

(5) TIME OF BEGINNING AND ENDING WORK.

Time of Beginning.	Time of Ending.
7.30 a.m. ....	12.15 p.m. on the day on which the half-holiday is observed.
7.30 a.m. ....	5.45 p.m. on the other working days of the week.

(6) OVERTIME.

Outside the time of beginning and ending work as herein fixed .. .. .  
 Within the time of beginning and ending work in excess of the hours fixed in this Determination as a week's work .. .. . } Time and a half

(7) SPECIAL RATES.—Double time shall be the special rate for all work done on Sunday, New Year's Day, Foundation Day (26th January), Good Friday, Easter Monday, Eight Hours Day (21st April), King's Birthday, Christmas Day, and Boxing Day; but if any other day be by Act of Parliament or Proclamation substituted for any of the above-named holidays, the special rate shall only be payable for work done on the day so substituted.

(8) PIECE-WORK.—(a) The lowest piece-work price payable to any person for wholly or partly preparing or manufacturing any article described in the following Schedules (which Schedules shall form part of this Determination) shall be the price mentioned in such Schedules.

(b) Wherever the quantity to be given out is stated in the Schedules the prices apply only when the articles are given out in quantities not less than those mentioned in the Schedule.

(c) The Schedules of prices apply to new material only.

(d) Except where otherwise provided, where the sizes of articles to be made under these Schedules do not exactly correspond with the sizes stated in these Schedules, then the price or rate fixed for the next nearest size shall apply; but where the size is half-way between two sizes then the next higher price or rate shall apply.



PIECE-WORK—continued.

Articles.	Material.	Size.	When given out in the under-mentioned Quantities or more.	Prices.	
<b>(5.) BOTTLES.</b>					
Oil BOTTLES, round with plain necks and knocked up bottoms, paned on breast	IX tin plate or lighter	1 quart ...	3 dozen ...	4s. 2d. per doz.	
" " " " " " " " " " " "		2 quarts ...	3 " ...	4s. 9d. "	
" " " " " " " " " " " "		4 " ...	2 " ...	6s. "	
" " " with stamped nozzles				3d. per doz. deducted	
" " " with patent screws (spouts supplied)					
" " " " " " " " " " " "		1 quart ...	3 dozen ...	4s. 2d. per doz.	
" " " " " " " " " " " "		2 quarts ...	3 " ...	4s. 9d. "	
" " " " " " " " " " " "		4 " ...	2 " ...	6s. "	
" " " with slipped on bottoms and breasts				4d. per doz. deducted	
TEA BOTTLES, oval, with slipped on bottoms and breasts		IX tin plate	1 pint ...	3 dozen ...	4s. 6d. per doz.
" " " " " " " " " " " "	1½ pints ...		3 " ...	4s. 9d. "	
" " " " " " " " " " " "	2 " ...		3 " ...	6s. "	
" " " " " " " " " " " "	3 " ...		2 " ...	6s. 7d. "	
" " " " " " " " " " " "	4 " ...		2 " ...	6s. 11d. "	
" " " with stamped nozzles				7s. 10d. "	
			3d. per doz. deducted		
<b>(6.) BOXES.</b>					
BONNET BOXES, round, including hasp	IXX tin plate or lighter	13 inches ...	3 dozen ...	9s. 6d. per doz.	
" " " " " " " " " " " "		14 " ...	3 " ...	9s. 6d. "	
" " " " " " " " " " " "		15 " ...	3 " ...	10s. 1d. "	
" " " " " " " " " " " "		16 " ...	3 " ...	10s. 1d. "	
" " " " " " " " " " " "		17 " ...	3 " ...	10s. 8d. "	
" " " " " " " " " " " "		18 " ...	3 " ...	10s. 8d. "	
" " " hasp supplied				9s. 6d. "	
" " " " " " " " " " " "		14 " ...	3 " ...	9s. 6d. "	
" " " " " " " " " " " "		15 " ...	3 " ...	10s. 1d. "	
" " " " " " " " " " " "		16 " ...	3 " ...	10s. 1d. "	
" " " " " " " " " " " "		17 " ...	3 " ...	11s. 6d. "	
" " " " " " " " " " " "		18 " ...	3 " ...	11s. 6d. "	
" " " " " " " " " " " "		20 " ...	3 " ...	13s. 3d. "	
" " " " " " " " " " " "		22 " ...	2 " ...	17s. 10d. "	
" " " flat top or stamped top (hasp supplied)		28-gauge steel	13 " ...	3 " ...	10s. 8d. "
" " " " " " " " " " " "			14 " ...	3 " ...	10s. 8d. "
" " " " " " " " " " " "			15 " ...	3 " ...	11s. 6d. "
" " " " " " " " " " " "			16 " ...	3 " ...	11s. 6d. "
" " " " " " " " " " " "			17 " ...	3 " ...	12s. 1d. "
" " " " " " " " " " " "			18 " ...	3 " ...	12s. 1d. "
" " " oval, including hasp		LXX tin plate or lighter	13 " ...	3 " ...	9s. 11d. "
" " " " " " " " " " " "			14 " ...	3 " ...	9s. 11d. "
" " " " " " " " " " " "	15 " ...		3 " ...	10s. 9d. "	
" " " " " " " " " " " "	16 " ...		3 " ...	10s. 9d. "	
" " " " " " " " " " " "	17 " ...		3 " ...	11s. 3d. "	
" " " " " " " " " " " "	18 " ...		3 " ...	11s. 3d. "	
" " " hasp supplied	28-gauge steel	13 " ...	3 " ...	9s. 11d. "	
" " " " " " " " " " " "		14 " ...	3 " ...	9s. 11d. "	
" " " " " " " " " " " "		15 " ...	3 " ...	10s. 9d. "	
" " " " " " " " " " " "		16 " ...	3 " ...	10s. 9d. "	
" " " " " " " " " " " "		17 " ...	3 " ...	12s. 1d. "	
" " " " " " " " " " " "		18 " ...	3 " ...	12s. 1d. "	
" " " flat top or stamped top (hasp supplied)	26-gauge steel	13 " ...	3 " ...	14s. "	
" " " " " " " " " " " "		14 " ...	3 " ...	14s. "	
" " " " " " " " " " " "		15 " ...	3 " ...	18s. 8d. "	
" " " " " " " " " " " "		16 " ...	3 " ...	11s. 3d. "	
" " " " " " " " " " " "		17 " ...	3 " ...	11s. 3d. "	
" " " " " " " " " " " "		18 " ...	3 " ...	12s. 8d. "	
" " " if black iron tops and bottoms not supplied	all gauges			10d. per doz. extra	
" " " with front handles				8d. " "	
If wire handles and plates supplied for bonnet boxes		8-and 10-gauge wire			1½d. per doz. boxes deducted
PRICE BOXES, round, with six compartments and loose grater		IX tin plate or lighter	6 inches ...	6 articles	20s. 3d. per doz.
" " " " " " " " " " " "			7 " ...	6 " ...	21s. 5d. "
" " " " " " " " " " " "			8 " ...	6 " ...	24s. 2d. "

PIECE-WORK—continued.

Articles.	Material.	Size.	When given out in the under-mentioned Quantities or more.	Prices.
<b>BOXES—continued.</b>				
SUGAR BOXES, wired inside and swedged	IX tin plate or lighter	No. 0	3 doz.	4s. per doz.
" " " " " "		" 1	3 " "	4s. " "
" " " " " "		" 2	3 " "	4s. 4d. " "
" " " " " "		" 3	3 " "	4s. 11d. " "
" " " " " "		" 4	3 " "	5s. 2d. " "
" " " " " (made in two pieces)		" 5 " 6	3 " "	5s. 9d. " " 6s. 4d. " "
			Not assorted sizes.	3d. per doz. extra
TRUNKS, common, moulded (cutting out, top and body edging, moulding, and wiring supplied) 2 swedges	26-gauge steel or lighter	20 inches	1 dozen	10s. 1d. per doz.
" " " " " " " " " " " "		22 " "	1 " "	10s. 1d. " "
" " " " " " " " " " " "		24 " "	1 " "	10s. 11d. " "
" " " " " " " " " " " "		26 " "	1 " "	12s. 4d. " "
" " " " " " " " " " " "		28 " "	1 " "	15s. 3d. " "
" " " " " " " " " " " "		30 " "	1 " "	16s. 5d. " "
" " " " " " " " " " " "	24-gauge steel or lighter	33 " "	6 articles	22s. 5d. " "
" moulded, strapped (cutting out, top and body edging, moulding, and wiring supplied) 2 swedges	26-gauge steel or lighter	20 " "	1 dozen	21s. 7d. " "
" " " " " " " " " " " "		22 " "	1 " "	21s. 7d. " "
" " " " " " " " " " " "		24 " "	1 " "	22s. 8d. " "
" " " " " " " " " " " "		26 " "	1 " "	24s. 2d. " "
" " " " " " " " " " " "		28 " "	1 " "	26s. 5d. " "
" " " " " " " " " " " "		30 " "	1 " "	29s. " "
" " " " " " " " " " " "	24-gauge steel or lighter	33 " "	6 articles	35s. 8d. " "
" " " " " " " " " " " "	30 " "	6 " "	43s. 1d. " "	
" common, moulded (moulding and wiring supplied) 2 swedges	26-gauge steel or lighter	20 " "	1 dozen	15s. 3d. " "
" " " " " " " " " " " "		22 " "	1 " "	15s. 3d. " "
" " " " " " " " " " " "		24 " "	1 " "	16s. 5d. " "
" " " " " " " " " " " "		26 " "	1 " "	17s. 6d. " "
" " " " " " " " " " " "		28 " "	1 " "	19s. 6d. " "
" " " " " " " " " " " "		30 " "	1 " "	21s. 7d. " "
" " " " " " " " " " " "	24-gauge steel or lighter	33 " "	6 articles	35s. 8d. " "
" " " " " " " " " " " "	30 " "	6 " "		
" moulded, strapped (moulding and wiring supplied) 2 swedges	26-gauge steel or lighter	20 " "	1 dozen	25s. 10d. " "
" " " " " " " " " " " "		22 " "	1 " "	25s. 10d. " "
" " " " " " " " " " " "		24 " "	1 " "	27s. 7d. " "
" " " " " " " " " " " "		26 " "	1 " "	29s. " "
" " " " " " " " " " " "		28 " "	1 " "	32s. 2d. " "
" " " " " " " " " " " "		30 " "	1 " "	34s. 6d. " "
" " " " " " " " " " " "	24-gauge steel or lighter	33 " "	6 articles	35s. 8d. " "
" " " " " " " " " " " "	30 " "	6 " "	47s. 9d. " "	
" " " " " " " " " " " "				56s. 11d. " "
" common, wired (cutting out, top and body edging, and top and body wiring supplied) 2 swedges	26-gauge steel or lighter	20 " "	1 dozen	16s. 11d. " "
" " " " " " " " " " " "		22 " "	1 " "	16s. 11d. " "
" " " " " " " " " " " "		24 " "	1 " "	17s. 6d. " "
" " " " " " " " " " " "		26 " "	1 " "	18s. 8d. " "
" " " " " " " " " " " "		28 " "	1 " "	21s. 3d. " "
" " " " " " " " " " " "		30 " "	1 " "	22s. 8d. " "
" " " " " " " " " " " "	24-gauge steel or lighter	33 " "	6 articles	33s. 8d. " "
" " " " " " " " " " " "				
" wired, strapped (cutting out, top and body edging, and top and body wiring supplied) 2 swedges	26-gauge steel or lighter	20 " "	1 dozen	27s. 7d. " "
" " " " " " " " " " " "		22 " "	1 " "	27s. 7d. " "
" " " " " " " " " " " "		24 " "	1 " "	29s. " "
" " " " " " " " " " " "		26 " "	1 " "	30s. 2d. " "
" " " " " " " " " " " "		28 " "	1 " "	32s. 9d. " "
" " " " " " " " " " " "		30 " "	1 " "	35s. 1d. " "
" " " " " " " " " " " "	24-gauge steel or lighter	33 " "	6 articles	44s. 3d. " "
" " " " " " " " " " " "	36 " "	6 " "	54s. " "	
" common (top wiring supplied) 2 swedges	26-gauge steel or lighter	20 " "	1 dozen	21s. 10d. " "
" " " " " " " " " " " "		22 " "	1 " "	21s. 10d. " "
" " " " " " " " " " " "		24 " "	1 " "	22s. 8d. " "
" " " " " " " " " " " "		26 " "	1 " "	24s. 9d. " "
" " " " " " " " " " " "		28 " "	1 " "	27s. " "
" " " " " " " " " " " "		30 " "	1 " "	28s. 9d. " "
" " " " " " " " " " " "	24-gauge steel or lighter	33 " "	6 articles	44s. " "
" " " " " " " " " " " "				
" strapped (top wiring supplied) 2 swedges	26-gauge steel or lighter	20 " "	1 dozen	31s. 7d. " "
" " " " " " " " " " " "		22 " "	1 " "	32s. 9d. " "
" " " " " " " " " " " "		24 " "	1 " "	33s. 11d. " "
" " " " " " " " " " " "		26 " "	1 " "	38s. 9d. " "
" " " " " " " " " " " "		28 " "	1 " "	39s. 8d. " "
" " " " " " " " " " " "		30 " "	1 " "	43s. 1d. " "
" " " " " " " " " " " "	30 " "	1 " "	44s. 10d. " "	





PIECE-WORK—continued.

Articles.	Material.	Size.	When given out in the under-mentioned Quantities or more.	Prices.
<b>BUCKETS—continued.</b>				
ALL MILK BUCKETS—If ears soldered to outside of bucket	...	...	...	1s. 4d. per doz. extra
TIN BUCKETS, with flat bottoms and stamped ears	IC tin plate	11 inches diameter x 9 inches deep	6 dozen	3s. 11d. per doz.
TIN BUCKETS, with tin hoop and stamped ears	IC tin plate	13 inches diameter x 9 inches deep	6 " "	4s. 6d. "
" with 1½-in. or 1¼-in. hoop and strap	IC tin plate	" "	2 " "	6s. 4d. "
" with 1½-in. hoop and strap	IX tin plate	" "	2 " "	6s. 11d. "
" with 1½-in. hoop and strap	IXX tin plate	" "	2 " "	7s. 10d. "
If bails supplied for strapped tin buckets	...	...	...	3d. per doz. deducted
<b>(8.) CANISTERS.</b>				
ROUND CANISTERS, with slipped on bottle neck (top blanks supplied)	IC tin plate	½ lb.	4 dozen	8s. 4d. per doz.
" " " "		1 "	4 " "	3s. 8d. "
" " " "		2 lbs.	4 " "	3s. 11d. "
" " " "		3 "	3 " "	4s. 2d. "
" " " "		4 "	3 " "	4s. 11d. "
<b>(9.) CANS.</b>				
CREAM CANS, grooved, three hoops, double rim cover (including use of guillotine)	20-gauge tinned steel or lighter, or DXXXX tin plate or lighter	20 quarts	1 dozen	5s. 9d. each
" " " " " "		30 "	1 " "	5s. 9d. "
" " " " " "		40 "	1 " "	6s. 4d. "
" four hoops, double rim cover (including use of guillotine)		40 "	1 " "	6s. 7d. "
" three hoops, single rim cover (including use of guillotine)		20 "	1 " "	4s. 6d. "
" " " " " "		30 "	1 " "	4s. 6d. "
" " " " " "		40 "	1 " "	5s. 2d. "
" four " " " " "		40 "	1 " "	5s. 5d. "
" If not cleaned and tested by maker		All sizes	...	3d. per can deducted
" If hoops supplied for		"	...	6d. per doz. hoops deducted
" If cover stamping or blocking supplied for	...	...	...	
" If bottoms supplied for	40 quarts	...	1s. 6d. per doz. deducted	
"	40 "	...	1s. per doz. deducted	
HARVEST CANS, with pannikin supplied	IX tin plate or lighter	2 quarts	1½ dozen	7s. 2d. per doz.
" " " " " "		3 "	1½ " "	7s. 10d. "
" " " " " "		4 "	1½ " "	8s. 5d. "
" " " " " "		6 "	1 " "	9s. "
" " " " " "		8 "	1 " "	9s. 5d. "
" " " " " "		10 "	1 " "	10s. 6d. "
" " " " " " if with spouts		12 "	1 " "	11s. 9d. "
"	All sizes	...	2s. per doz. extra	
HOT WATER CANS, knocked up bottoms	IX tin plate or lighter	3 pints	1 dozen	13s. 3d. per doz.
" " " " " "		2 quarts	1 " "	13s. 3d. "
" " " " " "		3 "	1 " "	16s. 1d. "
" " " " " "		4 "	1 " "	16s. 1d. "
" " " " " " wired, bottom let in...		3 pints	1 " "	14s. 6d. "
" " " " " "		2 quarts	1 " "	14s. 6d. "
" " " " " "		3 "	1 " "	17s. 3d. "
" " " " " "	4 "	1 " "	17s. 3d. "	
HOT WATER CANS	26-gauge galv. iron or lighter	All sizes	...	3s. 1d. per doz. extra
JACK SHAY' CANS, straight body	IC tin plate	1 quart	2 dozen	5s. 9d. per doz.
" " " " " " tapered body		1 " "	2 " "	7s. 7d. "
MINERS' CANS	IC tin plate	1½ pints	2 " "	6s. "
" " " " " "		2 " "	2 " "	6s. "
" " " " " "		3 " "	2 " "	6s. 4d. "
" " " " " "		4 " "	2 " "	7s. 2d. "
" " " " " "		6 " "	1½ " "	7s. 10d. "
RAILWAY MILK CANS, grooved, two hoops (including use of guillotine, cleaning and testing)	20-gauge tinned steel or lighter, or DXXXX tin plate or lighter	20 quarts	1 " "	4s. 2d. each
" " " " " " three hoops		30 "	1 " "	4s. 2d. "
" " " " " " four hoops		30 "	1 " "	4s. 6d. "
" " " " " " three hoops		40 "	1 " "	4s. 6d. "
" " " " " " four hoops		40 "	1 " "	4s. 11d. "
" " " " " " four hoops or less		50 "	6 articles	6s. 7d. "
" " " " " " If hoops supplied		All sizes	...	6d. per doz. hoops deducted



PIECE-WORK—continued.

Articles.	Material.	Size.	When given out in the under-mentioned Quantities or more.	Prices.
<b>CANS—continued.</b>				
RAILWAY MILK CANS, if bottoms supplied	...	All sizes	...	1s. per doz. deducted
TOILET CANS, with knocked up bottoms (studs supplied)	IX tin plate or lighter	6 quarts	1 dozen	18s. 8d. per doz.
" " " "		8 " "	1 " "	20s. 8d. "
" " " "		10 " "	1 " "	22s. 8d. "
" " " "		12 " "	1 " "	24s. 9d. "
" " " "		16 " "	1 " "	27s. 9d. "
" " " " body wired, and bottom let in		6 " "	1 " "	20s. 8d. "
" " " "		8 " "	1 " "	23s. 10d. "
" " " "		10 " "	1 " "	25s. 3d. "
" " " "		12 " "	1 " "	27s. 3d. "
" " " "		16 " "	1 " "	30s. 5d. "
" " " "	26-gauge galv. iron or lighter	All sizes	...	3s. 11d. per doz. extra
<b>(10.) COLANDERS.</b>				
HAND-MADE COLANDERS, machine-punched, with side handles	IX tin plate or lighter	9 inches	4 dozen	4s. 7d. per doz.
" " " "		11 " "	4 " "	5s. 5d. "
" " " "		13 " "	3 " "	6s. 7d. "
" " " "		15 " "	1½ " "	7s. 9d. "
COLANDERS—If punched with hand punch	...	All sizes	...	2s. per doz. extra
<b>(11.) COVERS.</b>				
MEAT COVERS, with perforated zinc bodies (straight sides) and pitched top	IX tin plate or lighter	12 inches	3 dozen	4s. per doz.
" " " "		14 " "	3 " "	4s. 4d. "
" " " "		16 " "	3 " "	4s. 7d. "
" " " "		18 " "	3 " "	5s. 2d. "
" " " "		20 " "	2 " "	5s. 9d. "
" " " "		22 " "	1½ " "	6s. 11d. "
" " " "		24 " "	1 " "	8s. "
" " " " with perforated zinc bodies (taper sides) and pitched top		12 " "	3 " "	4s. 7d. "
" " " "		14 " "	3 " "	5s. 2d. "
" " " "		16 " "	3 " "	5s. 5d. "
" " " "	18 " "	3 " "	6s. "	
" " " "	20 " "	2 " "	6s. 7d. "	
" " " "	22 " "	1½ " "	8s. "	
" " " " with perforated zinc bodies (taper sides) single rim, and blocked tops (wheeling found)...	IXX tin plate or lighter	14 inches	3 dozen	6s. 4d. per doz.
" " " "		15 " "	3 " "	6s. 7d. "
" " " "		16 " "	3 " "	6s. 11d. "
" " " "		17 " "	3 " "	7s. 6d. "
" " " "		18 " "	3 " "	8s. "
" " " "		20 " "	1 " "	9s. 2d. "
" " " "		22 " "	1 " "	10s. 4d. "
" " " "		24 " "	1 " "	12s. 8d. "
" " " " with double rims if stamped or blocked tops supplied for	...	All sizes	...	1s. 9d. per doz. extra
" " " "	...	14 inches	...	6d. per dozen deducted
" " " "	...	15 " "	...	6d. "
" " " "	...	16 " "	...	9d. "
" " " "	...	17 " "	...	9d. "
" " " "	...	18 " "	...	9d. "
" " " "	...	20 " "	...	1s. "
" " " "	...	22 " "	...	1s. "
" " " "	...	24 " "	...	1s. "
<b>(12.) DIPPERS.</b>				
COMMON DIPPERS	IX tin plate or lighter	2 quarts	6 dozen	2s. 2d. per doz.
" " " "		3 " "	6 " "	2s. 2d. "
BEST DIPPERS, bossed		2 " "	4 " "	3s. 8d. "
" " " "		3 " "	4 " "	3s. 8d. "
" " " "		4 " "	2 " "	4s. 6d. "
DIPPERS—Soldering studs on	...	...	...	3½d. per doz. dippers extra
<b>(13.) DISHES.</b>				
DEVON DISHES, about 9 inches deep, flat bottoms	IX tin plate or lighter	14 inches	3 dozen	4s. 7d. per doz.
" " " "		16 " "	3 " "	5s. 5d. "
" " " "		18 " "	2 " "	6s. 4d. "
" " " "		20 " "	1 " "	7s. 2d. "
" " " "		22 " "	1 " "	8s. 4d. "
" " " " hoops	...	All sizes	...	1s. 4d. per doz. extra

PIECE-WORK—continued.

Articles.	Material.	Size.	When given out in the under-mentioned Quantities or more.	Prices.
<b>DISHES—continued.</b>				
MILK DISHES	IX tin plate or lighter	17 inches	2 dozen	4s. 11d. per doz.
"		18 1/2 "	2 "	5s. 9d. "
"		20 "	2 "	6s. 7d. "
SCALDING DISHES, about 6 inches deep, flat bottoms	IX tin plate or lighter	22 "	2 "	7s. 2d. "
"		14 "	2 "	4s. 4d. "
"		16 "	2 "	4s. 11d. "
ROUND DISHES, flat bottoms, made ready for galvanizing	IX tin plate or lighter	18 "	2 "	6s. 4d. "
"		14 inches	3 dozen	3s. 9d. per doz.
"		15 "	3 "	4s. "
" making wire handles for	IX tin plate or lighter	17 "	3 "	4s. 11d. "
SQUARE DISHES, tin		17 "	3 "	3 1/2 d. per doz. dishes extra
"		12 x 8 inches	3 dozen	3s. 9d. per doz.
"	IX tin plate or lighter	13 x 9 "	3 "	4s. 4d. "
"		14 x 10 "	3 "	4s. 7d. "
"		16 x 11 "	3 "	4s. 11d. "
"		16 x 12 "	2 "	4s. 11d. "
"		17 x 12 "	2 "	5s. 9d. "
"		18 x 12 "	2 "	5s. 9d. "
"		18 x 14 "	2 "	6s. 4d. "
" if formed in angle-bender		20 x 14 "	2 "	6s. 7d. "
				3d. per doz. deducted
<b>(14.) DREDGERS.</b>				
FLOUR DREDGERS (tops and feet supplied)	IC tin plate	No. 1	6 dozen	2s. 3d. per doz.
"		No. 2	6 "	2s. 9d. "
<b>(15.) FEEDERS.</b>				
CARPENTERS' FEEDERS	IX tin plate or lighter		4 dozen	3s. 2d. per doz.
OIL FEEDERS, funnel shape		1/2 pint	2 "	5s. 5d. "
"		1 "	2 "	6s. "
" for drays—McCormick's pattern		2 pints	2 "	6s. 4d. "
REAPING MACHINE OIL FEEDERS			2 "	5s. 5d. "
If spouts supplied for Feeders (except Carpenters' Feeders)			2 "	7s. 2d. "
				9d. per doz. deducted
<b>(16.) FRAMES.</b>				
SPONGE CAKE FRAMES	IC tin plate	All sizes	1 dozen	14s. 6d. per doz.
<b>(17.) FUNNELS.</b>				
FUNNELS, without rims, not wired	IQ tin plate	1/2 pint	8 dozen	1s. 5d. per doz.
"		3/4 "	6 "	2s. 2d. "
"		1 "	6 "	2s. 2d. "
"		1 1/2 "	4 "	2s. 5d. "
"		2 "	4 "	2s. 5d. "
"		2 1/2 "	4 "	3s. "
" with rims		2 "	4 "	3s. "
"		4 "	3 "	3s. 11d. "
"		6 "	3 "	4s. 6d. "
"		8 "	2 "	4s. 11d. "
"	IX tin plate or lighter	10 "	2 "	6s. 4d. "
"		12 "	1 1/2 "	7s. 2d. "
				7s. 10d. "
<b>(18.) GRATERS.</b>				
BREAD GRATERS, half round (punched plates supplied)	IC tin plate	No. 1	6 dozen	2s. per doz.
"		" 2	6 "	2s. 5d. "
" punched by hand		" 1	3 "	3s. 3d. "
"		" 2	3 "	3s. 11d. "
" round (punched plates supplied)		" 1	3 "	3s. "
"		" 2	3 "	3s. 4d. "
" round (punched plates and graters on sides supplied)		" 1	3 "	3s. 4d. "
"		" 2	3 "	3s. 8d. "
" round punched by hand	" 1	3 "	4s. 6d. "	
"	" 2	3 "	4s. 11d. "	
NUTMEG GRATERS (punched plates supplied)	IC tin plate	All sizes	12 "	1s. 5d. "









PIECE-WORK—continued.

Articles.	Material.	Size.	When given out in the under-mentioned Quantities or more.	Prices.	
(30.) SCOOPS.					
GROCCRS' SCOOPS—Drawer, without handles ...	IX tin plate or lighter	...	4 dozen as-sorted, not less than 1 dozen of any one size	2s. per doz.	
" " front wired or pieced, with handles		5 inches ...	3 dozen ...	5s. 5d. "	
" " " " " "		6 " ...	3 " ...	6s. "	
" " " " " "		7 " ...	2 " ...	7s. 3d. "	
" " " " " "		8 " ...	2 " ...	7s. 10d. "	
" " " " " "		10 " ...	1½ " ...	9s. 5d. "	
" " " " " "		12 " ...	1 " ...	10s. 6d. "	
" " front not wired or pieced, with handles		5 " ...	3 " ...	4s. 2d. "	
" " " " " "		6 " ...	3 " ...	4s. 9d. "	
" " " " " "		7 " ...	2 " ...	6s. "	
" " " " " "		8 " ...	2 " ...	7s. 3d. "	
" " " " " "		10 " ...	1½ " ...	8s. "	
" " " " " "	12 " ...	1 " ...	9s. 9d. "		
" " galvanized iron, front wired or pieced, with handles	24-gauge galv. iron or lighter	5 " ...	1 " ...	8s. "	
" " " " " "		6 " ...	1 " ...	9s. "	
" " " " " "		7 " ...	1 " ...	9s. 11d. "	
" " " " " "		8 " ...	1 " ...	11s. 6d. "	
" " " " " "		10 " ...	1 " ...	13s. 6d. "	
" " " " " "		12 " ...	1 " ...	15s. 3d. "	
(31.) SKIMMERS.					
COOKS' SKIMMERS (handles supplied) ...	IXX tin plate or lighter	...	3 dozen ...	4s. 2d. per doz.	
MILK SKIMMERS, with ring handles ...	DXXXX tin plate or lighter	6½ inches...	4 " ...	2s. 5d. "	
" " " " " "		8 " ...	4 " ...	3s. 1d. "	
" " " " " "		9 " ...	4 " ...	3s. 4d. "	
" " " " " "		10 " ...	4 " ...	3s. 8d. "	
(32.) STANDS.					
COCKATOOS STANDS ...	IX tin plate or lighter 26-gauge galv. iron or lighter, or zinc	17 inches ...	6 articles...	25s. 3d. per doz.	
" " " " " "		20 " ...	6 " ...	27s. "	
" " " " " "		17 " ...	3 " ...	33s. 4d. "	
" " " " " "		20 " ...	3 " ...	39s. 8d. "	
(33.) STEAMERS.					
STEAMERS ...	IXX tin plate or lighter	No. 4 ...	2 dozen ...	5s. 9d. per doz.	
" " " " " "		" 5 ...	2 " ...	5s. 9d. "	
" " " " " "		" 6 ...	1½ " ...	6s. 4d. "	
" " " " " "		" 7 ...	1½ " ...	7s. 3d. "	
" " " " " "		" 8 ...	1½ " ...	7s. 10d. "	
" " " " " "		" 9 ...	1 " ...	8s. 5d. "	
" " " " " "		" 10 ...	1 " ...	9s. 11d. "	
" " " " " "		" 11 ...	1 " ...	11s. 6d. "	
" " " " " "		" 12 ...	1 " ...	12s. 1d. "	
" " if handles supplied for ...		...	...	...	3d. per doz. steamers deducted
(34.) STRAINERS.					
GRAVY STRAINERS, hand made ...		IC tin plate	Small ...	3 dozen ...	3s. 11d. per doz.
" " " " " "	Large ...		3 " ...	4s. 6d. "	
" " " " " " if perforated bottoms supplied	IC tin plate	All sizes ...	...	6d. " deducted	
GRUEL STRAINERS ...	IX tin plate or lighter	8½ inches	3 dozen ...	4s. 6d. per doz.	
MILK STRAINERS, wired ...		10 " ...	3 " ...	3s. 5d. "	
" " " " " "		11 " ...	3 " ...	4s. "	
" " " " " "		12 " ...	3 " ...	4s. 4d. "	
" " " " " "		14 " ...	3 " ...	4s. 7d. "	
" " " " " "		14 " ...	2 " ...	5s. 2d. "	
" " " " " " with rim ...		8½ " ...	2 " ...	4s. 7d. "	
" " " " " "		10 " ...	2 " ...	5s. 2d. "	
" " " " " "		11 " ...	2 " ...	5s. 9d. "	
" " " " " "		12 " ...	2 " ...	6s. "	
" " " " " "	14 " ...	2 " ...	6s. 7d. "		
MILK CAN STRAINERS, knocked up rims ...	IX tin plate	...	1 " ...	9s. 11d. "	
" " " " " "	IXX tin plate	...	1 " ...	12s. 11d. "	
(35.) TINS.					
BREAD TINS (made of five pieces) ...	IX tin plate or lighter	1 lb. ...	3 dozen ...	4s. 2d. per doz.	
" " " " " "		2 " ...	3 " ...	4s. 2d. "	
" " " " " "		4 " ...	2 " ...	4s. 6d. "	
" " " " " "		6 " ...	2 " ...	6s. "	
COBURG BREAD TINS ...	IC tin plate	...	3 " ...	3s. 11d. "	
EXHIBITION BREAD TINS, single ...	IXXXX tin plate or lighter, or 24-gauge iron or lighter	2 lb. ...	6 articles...	20s. 8d. "	
" " " " " "		4 " ...	6 " ...	25s. 10d. "	
" " " " " " double ...		2 " ...	5 " ...	51s. 9d. "	
" " " " " "		4 " ...	3 " ...	60s. 4d. "	

PIECE-WORK—continued.

Articles.	Material.	Size.	When given out in the under-mentioned Quantities or more.	Prices.	
<b>TINS—continued.</b>					
CAKE TINS, AND CAKE RINGS, with use of knocking-up machine	IC tin plate	4 inches ...	1 gross ; not less than 3 dozen of any one size	14s. 8d. per gross	
" " " " " "		5 " ...		16s. 1d. "	
" " " " " "		6 " ...		17s. 3d. "	
" " " " " "		7 " ...		20s. 1d. "	
" " " " " "		8 " ...		21s. 7d. "	
" " " " " "		9 " ...		23s. "	
" " " " " "		10 " ...		25s. 10d. "	
" " " " " loose bottoms ...	"	11 " ...		30s. 2d. "	
" " " " " " "	"	12 " ...		34s. 6d. "	
" " " " " " "	"	All sizes ...		13s. 3d. " extra	
QUEEN CAKE TINS, hearts ...	IC tin plate	...	4 dozen ...	3s. 4d. per doz.	
" " diamonds ...		...	6 " ...	1s. 6d. "	
SANDWICH TINS, with use of knocking-up machine	IC tin plate	6 inches ...	1 gross ; not less than 3 dozen of any one size	17s. 3d. per gross	
" " " " " "		7 " ...		20s. 1d. "	
" " " " " "		8 " ...		21s. 7d. "	
" " " " " "		9 " ...		23s. "	
" " " " " "		10 " ...		25s. 10d. "	
" " " " " "		11 " ...		30s. 2d. "	
" " " " " "	"	12 " ...		34s. 6d. "	
SWISS ROLL TINS, wired, with use of angle bender	IC tin plate	12 x 8 inches	4 dozen ...	3s. 1d. per doz.	
" " " " " "		13 x 9 "	4 " ...	3s. 4d. "	
" " " " " "		14 x 10 "	4 " ...	3s. 4d. "	
" " " " " "		15 x 11 "	4 " ...	3s. 8d. "	
" " " " " "		16 x 12 "	4 " ...	3s. 11d. "	
" " " " " "		"	"	"	"
" " not wired, with use of angle bender	"	12 x 8 "	4 " ...	2s. 5d. "	
" " without use of angle bender ...	"	All sizes ...		7d. " extra	
<b>(36.) TUBS.</b>					
BLACK IRON TUBS, round or oval, without hoop or strap	26-gauge iron or lighter	16 inches ...	2 dozen ...	5s. 5d. per doz	
" " " " " "		18 " ...	2 " ...	6s. "	
" " " " " "		20 " ...	2 " ...	6s. 7d. "	
" " " " " "		22 " ...	2 " ...	7s. 3d. "	
" " " " " "		24 " ...	1 1/2 " ...	7s. 10d. "	
" " " " " "		26 " ...	1 1/2 " ...	8s. 9d. "	
" " " " " "		28 " ...	1 1/2 " ...	10s. 4d. "	
" " " " " with hoop ...		"	30 " ...	1 " ...	11s. 9d. "
" " " " " " "		"	16 " ...	2 " ...	6s. "
" " " " " " "		"	18 " ...	2 " ...	6s. 11d. "
" " " " " " "		"	20 " ...	2 " ...	7s. 3d. "
" " " " " " "		"	22 " ...	2 " ...	7s. 10d. "
" " " " " " "		"	24 " ...	1 1/2 " ...	8s. 5d. "
" " " " " " "		"	26 " ...	1 1/2 " ...	8s. 11d. "
" " " " " " "		"	28 " ...	1 1/2 " ...	10s. 11d. "
" " " " " " "		"	30 " ...	1 " ...	12s. 8d. "
" " " " " hooped and strapped ...	24-gauge iron or lighter	33 " ...	6 articles...	16s. 1d. "	
" " " " " " "	"	36 " ...	6 " ...	21s. 3d. "	
" " " " " " "	"	16 " ...	2 dozen ...	7s. 7d. "	
" " " " " " "	"	18 " ...	2 " ...	8s. "	
" " " " " " "	26-gauge iron or lighter	20 " ...	2 " ...	8s. 5d. "	
" " " " " " "	"	22 " ...	2 " ...	9s. 5d. "	
" " " " " " "	"	24 " ...	1 1/2 " ...	9s. 11d. "	
" " " " " " "	"	26 " ...	1 1/2 " ...	11s. 6d. "	
" " " " " " "	"	28 " ...	1 1/2 " ...	12s. 11d. "	
" " " " " " "	"	30 " ...	1 " ...	14s. 8d. "	
" " " " " " "	24-gauge iron or lighter	33 " ...	6 articles...	18s. 1d. "	
" " " " " " "	"	36 " ...	6 " ...	23s. 10d. "	
TIN TUBS, round, without hoop	IX tin plate or lighter	15 " ...	2 dozen ...	5s. 9d. "	
" " " " " "		16 " ...	2 " ...	5s. 9d. "	
" " " " " "		18 " ...	1 1/2 " ...	7s. 3d. "	
" " " " " "		20 " ...	1 1/2 " ...	7s. 10d. "	
" " " " " "	IXX tin plate or lighter	22 " ...	1 1/2 " ...	8s. 5d. "	
" " " " " "		24 " ...	1 " ...	9s. 11d. "	
" " " " " with tinned or galvanized iron or black iron hoop	IX tin plate or lighter	15 " ...	2 " ...	7s. 3d. "	
" " " " " " "		16 " ...	2 " ...	7s. 3d. "	
" " " " " " "		18 " ...	1 1/2 " ...	8s. 5d. "	
" " " " " " "		20 " ...	1 1/2 " ...	9s. 5d. "	
" " " " " " "	IXX tin plate or lighter	22 " ...	1 1/2 " ...	9s. 11d. "	
" " " " " " "		24 " ...	1 " ...	11s. 6d. "	
" " " " " oval, without hoop	IX tin plate or lighter	16 " ...	2 " ...	7s. 10d. "	
" " " " " " "		18 " ...	1 1/2 " ...	8s. 5d. "	
" " " " " " "		20 " ...	1 1/2 " ...	9s. 5d. "	
" " " " " " "		22 " ...	1 1/2 " ...	10s. 6d. "	
" " " " " " "	IXX tin plate or lighter	24 " ...	1 " ...	12s. 1d. "	
" " " " " " "		"	"	"	"
" " " " " with tinned or galvanized iron or black iron hoop...	IX tin plate or lighter	16 " ...	2 " ...	9s. 5d. "	
" " " " " " "		18 " ...	1 1/2 " ...	9s. 11d. "	
" " " " " " "		20 " ...	1 1/2 " ...	10s. 6d. "	
" " " " " " "		22 " ...	1 1/2 " ...	12s. 1d. "	
" " " " " " "	IXX tin plate or lighter	24 " ...	1 " ...	13s. 7d. "	
" " " " " " "		"	"	"	"



PIECE-WORK—continued.  
SCHEDULE B.—CANISTER WORK.

	Price per gross.			
	Lap seam, without assistance.	Lock seam, without assistance.	Lock seam with one assistant.	Lock seam, with two assistants.
<b>SOLDERING SEAMS—all work rolled—up to and including 2½ inches in diameter—</b>				
Up to and including 2 inches deep	s. d. 0 7½	s. d. 0 6½	s. d. 0 5½	s. d. 0 4½
Over 2 inches deep and up to and including 3½ inches deep	0 8	0 7½	0 6	0 4½
" 3½ " " " 4½ " "	0 8½	0 7½	0 6	0 4½
" 4½ " " " 5½ " "	0 9½	0 8½	0 7½	0 6
" 5½ " " " 6½ " "	1 1½	0 9½	0 8½	0 7½
Over 2½ inches and up to and including 3½ inches in diameter—				
Up to and including 2 inches deep	0 7½	0 6	0 5	0 4½
Over 2 inches deep and up to and including 3½ inches deep	0 8	0 7½	0 6	0 4½
" 3½ " " " 5 " "	0 9½	0 7½	0 6	0 4½
" 5 " " " 6 " "	0 10½	0 8½	0 7½	0 6
" 6 " " " 7 " "	1 0½	0 10½	0 9	0 8
" 7 " " " 8 " "	1 6½	1 2½	1 1	1 0
Over 3½ inches and up to and including 4½ inches in diameter—				
Up to and including 2 inches deep	0 8½	0 6½	0 5½	0 4½
Over 2 inches deep and up to and including 3½ inches deep	0 9½	0 7½	0 6	0 4½
" 3½ " " " 5 " "	0 10½	0 8½	0 7½	0 6
" 5 " " " 6 " "	1 0	0 9½	0 7½	0 6½
" 6 " " " 7 " "	1 1½	0 10½	0 9½	0 8½
" 7 " " " 8 " "	1 6	1 2½	1 1	1 0
Over 4½ inches, and up to and including 5½ inches in diameter—				
Up to and including 2½ inches deep	0 9½	0 7½	0 6	0 4½
Over 2½ inches deep, and up to and including 4½ inches deep	1 0½	0 9½	0 8	0 6½
" 4½ " " " 6 " "	1 4½	1 0	0 10½	0 9½
" 6 " " " 7 " "	1 7½	1 2½	1 1	1 0
" 7 " " " 8 " "	1 8½	1 3½	1 2½	1 1½
Over 5½ inches, and up to and including 6½ inches in diameter—				
Up to and including 3 inches deep	1 1½	0 9½	0 7½	0 6½
Over 3 inches deep, and up to and including 4½ inches deep	1 3½	0 10½	0 9	0 8
" 4½ " " " 6 " "	1 6	1 0	0 10½	0 9½
" 6 " " " 8 " "	1 8½	1 3½	1 2½	1 1½
<b>MEAT TINS—</b>				
Seaming and rolling meat tin bodies (round) on clamps—				
½ lb.	...	...	...	1 0½
1 " tongue	...	...	...	1 0½
1½ lbs.	...	...	...	1 0½
2 " long	...	...	...	1 0½
2½ " "	...	...	...	1 0½
3 " "	...	...	...	1 2
6 " (including putting on tops and bottoms)	...	...	...	3 2½
Seaming ½ lb. or 1 lb. on 1 cylinder				
2 lbs.	...	...	...	0 7½
½ or 1 lb. on 2 cylinders	...	...	...	0 8½
2 lbs.	...	...	...	0 6½
½ lb. or 1 lb. on 3 to 6 cylinders (with 2 boys)	...	...	...	0 7½
2 lbs.	...	...	...	0 3½
Seaming meat tins (tapered square) on one former—				
1 lb.	...	...	...	0 7½
2 lbs.	...	...	...	0 8½
6 " "	...	...	...	0 11½
Squeezing—12 oz. or 1 lb. (tapered square)				
1 lb.	...	...	...	2 4½
1½ lbs.	...	...	...	2 6
2 " "	...	...	...	2 9
6 " "	...	...	...	4 4½
Jokering—½ lb. (round, or tapered square)				
½ " " " "	...	...	...	0 4
1 " " " "	...	...	...	0 4
1½ lbs. " " "	...	...	...	0 5
3 " " " "	...	...	...	0 7
4 " " " "	...	...	...	0 7
5 " " " "	...	...	...	0 7
6 " " " "	...	...	...	0 7
<b>SOLDERING TOPS OR BOTTOMS OF EMPTY TINS—(spiriting provided)—</b>				
Price per gross.				
	Not crimped or rolled on.	Crimped.	Rolled on.	
	s. d.	s. d.	s. d.	
Up to and including 3 inches in diameter	0 10	0 9½	0 9½	
Over 3 inches diameter, and up to and including 3½ inches in diameter	0 11	0 10½	0 10	
" 3½ " " " 4½ " "	1 5½	1 4	1 1½	
" 4½ " " " 5 " "	1 8½	1 6	1 4½	
" 5 " " " 6 " "	2 2½	2 0	1 9	
<b>ROUND WORK (SOLDERING).</b>				
Price per gross.				
	s. d.			
JAM TINS—Closing, 1 lb., topped, and crimped	1 0½			
" " " 2 lb. " "	1 3			
CAKE TINS—				
2 lbs., soldering	11 6			
4 " " "	12 11			
6 " " "	14 5			
6 " cutting	1 6½			



PIECE-WORK—*continued.*

OVAL WORK.				Per gross.
				<i>s. d.</i>
OIL TINS—				
$\frac{1}{2}$ pint, lock seams, soldering (with two assistants)	...	...	...	0 4 $\frac{1}{2}$
" " " (with one assistant)	...	...	...	0 6 $\frac{1}{2}$
" " " (without assistance)	...	...	...	0 8 $\frac{1}{2}$
" lap " " ( " " )	...	...	...	0 8 $\frac{1}{2}$
" rolled on ends	...	...	...	2 0 each end
" crimped on ends	...	...	...	1 9 "
" slipped on ends	...	...	...	2 3 $\frac{1}{2}$ "

## STAMPING WORK ON POWER MACHINES OR PRESSES (NOT USING SCRAP).

				Per gross.
				<i>s. d.</i>
Up to and including 3 $\frac{1}{4}$ inches in diameter of cutting die	...	...	...	0 1 $\frac{1}{2}$
Over 3 $\frac{1}{4}$ and up to and including 4 inches in diameter of cutting die	...	...	...	0 1 $\frac{1}{2}$
" 4 " " 4 $\frac{1}{2}$ " " "	...	...	...	0 1 $\frac{1}{2}$
" 4 $\frac{1}{2}$ " " 5 $\frac{1}{2}$ " " "	...	...	...	0 2 $\frac{1}{2}$
" 5 $\frac{1}{2}$ " " 6 $\frac{1}{2}$ " " "	...	...	...	0 2 $\frac{1}{2}$

## DEFINITION.

9. For the purposes of this Determination, "sheet metal" shall mean sheet metal 10-gauge or lighter.

F. H. BOLTON, J.P.,  
Chairman.

Dated at Melbourne the 19th day of May, 1919.

012218

1950