



(3) JUVENILE WORKERS—continued—

CLASS C.		1st Year's Experience in Class C.	2nd Year's Experience in Class C.	3rd Year's Experience in Class C.	4th Year's Experience in Class C.		
		s. d.	s. d.	s. d.	s. d.		
Repairing leaks in general sheet metal work or assisting at rollers for forming down pipes, or engaged at general sheet metal work on the following machines, viz.:—Burnishing and spinning lathes, curving machines, guillotines for cutting spouting and ridging, stamping machines or presses, or spouting and ridging machines .. .. .		31 0	41 0	51 6	62 0		
CLASS D.		1st Year's Experience in Class D.	2nd Year's Experience in Class D.	3rd Year's Experience in Class D.	4th Year's Experience in Class D.		
		s. d.	s. d.	s. d.	s. d.		
Engaged at canister work on the crank press .. .. .		38 0	45 0	55 0	65 0		
CLASS E.		1st Year's Experience in Class E.	2nd Year's Experience in Class E.	3rd Year's Experience in Class E.	4th Year's Experience in Class E.	5th Year's Experience in Class E.	6th Year's Experience in Class E.
		s. d.	s. d.	s. d.	s. d.	s. d.	s. d.
Engaged at general sheet metal work or canister work on any other power machine or at canister work on the following machines or presses:—Monkey, pendulum, screw, or treadle, machines for folding canisters of holding capacity up to and including one pint, beading, bending (other than by angle bender or folder), body forming (other than by angle bender), clenching, crimping, curling, double seaming, flanging, hinge hooking, hinge seating, lock seaming, notching, rolling, squeezing, trimming, or wire forming, or feeding or taking off in connexion with any power soldering machine or employed in connexion with japanning at scouring, cleaning, assisting to polish or general rough work, or engaged on cabinet handles in cutting strips, clips, and holes on guillotine, bending clips round ring, fitting same and opening out ends, or employed at hinge making in cutting metal into strips, or putting in pins .. .. .		21 0	27 6	34 6	45 0	55 0	65 0

(4) OTHER EMPLOYEES WAGES.

Tinsmiths or sheet metal workers who cut patterns or make up articles from patterns cut by themselves .. .. .	102s. per week of 48 hours
Other tinsmiths or sheet metal workers .. .. .	98s. " "
Repairers on general sheet metal work .. .. .	98s. " "
Machinists on general sheet metal work .. .. .	94s. " "
Solderers of down pipes .. .. .	94s. " "
Artistic japanners .. .. .	98s. " "
Gold workers .. .. .	98s. " "
Ornamental pencil workers .. .. .	98s. " "
Filleters .. .. .	92s. " "
Grainers .. .. .	92s. " "
Liners .. .. .	92s. " "
Writers .. .. .	92s. " "
Coaters .. .. .	91s. " "
Makers or repairers of canisters or oil tins or parts thereof—	
(a) by hand .. .. .	94s. " "
(b) by machine .. .. .	87s. " "
Cap solderers .. .. .	94s. " "
Canister vent closers .. .. .	94s. " "
Persons attending—	
(a) Power capping machines .. .. .	91s. " "
(b) the metal pot on a power automatic body forming or seam soldering machine or the metal pot on a power automatic end soldering machine .. .. .	91s. " "
All others .. .. .	86s. " "

(5) TIME OF BEGINNING AND ENDING WORK.

Time of Beginning.	Time of Ending.
7.30 a.m. ....	12 noon on the day on which the half-holiday is observed.
7.30 a.m. ....	5.30 p.m. on the other working days of the week.

(6) OVERTIME.

Outside the time of beginning and ending work as herein fixed .. .. .  
 Within the time of beginning and ending work in excess of the hours fixed in this Determination as a week's work .. .. . } Time and a half.

(7) SPECIAL RATES.—Double time shall be the special rate for all work done on Sunday, New Year's Day, Foundation Day (26th January), Good Friday, Easter Monday, Eight Hours Day (21st April), King's Birthday, Christmas Day, and Boxing Day; but if any other day be by Act of Parliament or Proclamation substituted for any of the above-named holidays, the special rate shall only be payable for work done on the day so substituted.

(8) PIECE-WORK.—(a) The lowest piece-work price payable to any person for wholly or partly preparing or manufacturing any article described in the following Schedules (which Schedules shall form part of this Determination) shall be the price mentioned in such Schedules.

(b) Wherever the quantity to be given out is stated in the Schedules the prices apply only when the articles are given out in quantities not less than those mentioned in the Schedule.

(c) The Schedules of prices apply to new material only.

(d) Except where otherwise provided, where the sizes of articles to be made under these Schedules do not exactly correspond with the sizes stated in these Schedules, then the price or rate fixed for the next nearest size shall apply; but where the size is half-way between two sizes then the next higher price or rate shall apply.





PIECE-WORK—continued.

Articles.	Material.	Size.	When given out in the under-mentioned Quantities or more.	Prices.
<b>BOXES—continued.</b>				
SUGAR BOXES, wired inside and swedged	IX tin plate or lighter	No. 0	3 doz	5s. 6d. per doz.
" " " "		" 1	3 " "	5s. 6d. "
" " " "		" 2	3 " "	5s. 11d. "
" " " "		" 3	3 " "	6s. 9d. "
" " " "		" 4	3 " "	7s. 2d. "
" " " " (made in two pieces)		" 5	3 " "	7s. 11d. "
		" 6	3 " "	8s. 8d. "
				6d. per doz. extra
<b>TRUNKS, common, moulded (cutting out, top and body edging, moulding, and wiring supplied)</b>				
" " " " 2 swedges	26-gauge steel or lighter	20 inches	1 dozen	14s. 7d. per doz.
" " " " "		22 "	1 " "	14s. 7d. "
" " " " "		24 "	1 " "	15s. 11d. "
" " " " "		26 "	1 " "	17s. 11d. "
" " " " 3 swedges	26-gauge steel or lighter	28 "	1 " "	22s. 1d. "
" " " " "		30 "	1 " "	23s. 10d. "
" " " " 4 swedges	24-gauge steel or lighter	33 "	6 articles	41s. 4d. "
<b>moulded, strapped (cutting out, top and body edging, moulding, and wiring supplied)</b>				
" " " " 2 swedges	26-gauge steel or lighter	20 "	1 dozen	29s. 6d. "
" " " " "		22 "	1 " "	29s. 6d. "
" " " " "		24 "	1 " "	31s. "
" " " " "		26 "	1 " "	33s. "
" " " " 3 swedges	26-gauge steel or lighter	28 "	1 " "	36s. 1d. "
" " " " "		30 "	1 " "	39s. 7d. "
" " " " 4 swedges	24-gauge steel or lighter	33 "	6 articles	48s. 10d. "
		36 "	6 "	59s. "
<b>common, moulded (moulding and wiring supplied)</b>				
" " " " 2 swedges	26-gauge steel or lighter	20 "	1 dozen	22s. 1d. "
" " " " "		22 "	1 " "	22s. 1d. "
" " " " "		24 "	1 " "	23s. 10d. "
" " " " "		26 "	1 " "	25s. 6d. "
" " " " 3 swedges	26-gauge steel or lighter	28 "	1 " "	28s. 4d. "
" " " " "		30 "	1 " "	31s. 4d. "
" " " " 4 swedges	24-gauge steel or lighter	33 "	6 articles	51s. 11d. "
		36 "	6 "	
<b>moulded, strapped (moulding and wiring supplied)</b>				
" " " " 2 swedges	26-gauge steel or lighter	20 "	1 dozen	35s. 4d. "
" " " " "		22 "	1 " "	35s. 4d. "
" " " " "		24 "	1 " "	37s. 9d. "
" " " " "		26 "	1 " "	39s. 7d. "
" " " " 3 swedges	26-gauge steel or lighter	28 "	1 " "	44s. "
" " " " "		30 "	1 " "	47s. 3d. "
" " " " 4 swedges	24-gauge steel or lighter	33 "	6 articles	48s. 10d. "
		36 "	6 "	65s. 3d. "
				77s. 11d. "
<b>common, wired (cutting out, top and body edging, and top and body wiring supplied)</b>				
" " " " 2 swedges	26-gauge steel or lighter	20 "	1 dozen	23s. 1d. "
" " " " "		22 "	1 " "	23s. 1d. "
" " " " "		24 "	1 " "	23s. 11d. "
" " " " "		26 "	1 " "	25s. 6d. "
" " " " 3 swedges	26-gauge steel or lighter	28 "	1 " "	29s. 1d. "
" " " " "		30 "	1 " "	31s. "
" " " " 4 swedges	24-gauge steel or lighter	33 "	6 articles	48s. 10d. "
<b>wired, strapped (cutting out, top and body edging, and top and body wiring supplied)</b>				
" " " " 2 swedges	26-gauge steel or lighter	20 "	1 dozen	37s. 9d. "
" " " " "		22 "	1 " "	37s. 9d. "
" " " " "		24 "	1 " "	39s. 7d. "
" " " " "		26 "	1 " "	41s. 4d. "
" " " " 3 swedges	26-gauge steel or lighter	28 "	1 " "	44s. 9d. "
" " " " "		30 "	1 " "	48s. "
" " " " 4 swedges	24-gauge steel or lighter	33 "	6 articles	60s. 6d. "
		36 "	6 "	73s. 10d. "
<b>common (top wiring supplied)</b>				
" " " " 2 swedges	26-gauge steel or lighter	20 "	1 dozen	29s. 11d. "
" " " " "		22 "	1 " "	29s. 11d. "
" " " " "		24 "	1 " "	31s. "
" " " " "		26 "	1 " "	33s. 10d. "
" " " " 3 swedges	26-gauge steel or lighter	28 "	1 " "	36s. 11d. "
" " " " "		30 "	1 " "	39s. 5d. "
" " " " 4 swedges	24-gauge steel or lighter	33 "	6 articles	60s. 2d. "
<b>strapped (top wiring supplied)</b>				
" " " " 2 swedges	26-gauge steel or lighter	20 "	1 dozen	43s. 3d. "
" " " " "		22 "	1 " "	44s. 9d. "
" " " " "		24 "	1 " "	46s. 6d. "
" " " " "		26 "	1 " "	50s. 3d. "
" " " " 3 swedges	26-gauge steel or lighter	28 "	1 " "	54s. 3d. "
" " " " "		30 "	1 " "	59s. "
" " " " 4 swedges	26-gauge steel or lighter	30 "	1 " "	61s. 3d. "





PIECE-WORK—continued.

Articles.	Material.	Size.	When given out in the under-mentioned Quantities or more.	Prices.
<b>BUCKETS—continued.</b>				
ALL MILK BUCKETS—If ears soldered to outside of bucket	...	...	...	1s. 10d. per doz. extra
TIN BUCKETS, with flat bottoms and stamped ears	IC tin plate	11 inches diameter x 9 inches deep	6 dozen	5s. 4d. per doz.
TIN BUCKETS, with tin hoop and stamped ears	IC tin plate	13 inches diameter x 9 inches deep	6 "	6s. 2d. "
" with 1½-in. or 1¼-in. hoop and strap	IC tin plate	" " "	2 "	8s. 8d. "
" with 1½-in. hoop and strap	IX tin plate	" " "	2 "	9s. 5d. "
" with 1½-in. hoop and strap	IXX tin plate	" " "	2 "	10s. 9d. "
If bails supplied for strapped tin buckets	...	...	...	3d. per doz. deducted
<b>(8.) CANISTERS.</b>				
ROUND CANISTERS, with slipped on bottle neck (top blanks supplied)	IC tin plate	½ lb.	4 dozen	4s. 7d. per doz.
" " " "		1 "	4 "	5s. "
" " " "		2 lbs.	4 "	5s. 4d. "
" " " "		3 "	3 "	5s. 9d. "
" " " "	4 "	3 "	6s. 9d. "	
<b>(9.) CANS.</b>				
CREAM CANS, grooved, three hoops, double rim cover (including use of guillotine)	20-gauge tinned steel or lighter, or DXXXX tin plate or lighter	20 quarts	1 dozen	7s. 11d. each
" " " "		30 "	1 "	7s. 11d. "
" " " "		40 "	1 "	8s. 8d. "
" four hoops, double rim cover (including use of guillotine)		40 "	1 "	9s. "
" three hoops, single rim cover (including use of guillotine)		20 "	1 "	6s. 2d. "
" " " "		30 "	1 "	6s. 2d. "
" " " "		40 "	1 "	7s. 2d. "
" " " "		40 "	1 "	7s. 5d. "
" If not cleaned and tested by maker		All sizes	...	3d. per can deducted
" If hoops supplied for		...	...	6d. per doz. hoops deducted
" If cover stamping or blocking supplied for	...	...	...	
" If bottoms supplied for	40 quarts	...	1s. 6d. per doz. deducted	
" " " "	40 "	...	1s. per doz. deducted	
HARVEST CANS, with pannikin supplied	IX tin plate or lighter	2 quarts	1½ dozen	9s. 9d. per doz.
" " " "		3 "	1½ "	10s. 10d. "
" " " "		4 "	1½ "	11s. 6d. "
" " " "		6 "	1 "	12s. 3d. "
" " " "		8 "	1 "	12s. 11d. "
" " " "		10 "	1 "	14s. 4d. "
" " " " if with spouts		12 "	1 "	16s. 1d. "
" " " "	All sizes	...	2s. 9d. per doz. extra	
HOT WATER CANS, knocked up bottoms	IX tin plate or lighter	3 pints	1 dozen	18s. 2d. per doz.
" " " "		2 quarts	1 "	18s. 2d. "
" " " "		3 "	1 "	22s. "
" " " " wired, bottom let in		4 "	1 "	22s. "
" " " "		3 pints	1 "	19s. 10d. "
" " " "		2 quarts	1 "	19s. 10d. "
" " " "		3 "	1 "	23s. 8d. "
" " " "	4 "	1 "	23s. 8d. "	
HOT WATER CANS	26-gauge galv. iron or lighter	All sizes	...	4s. 3d. per doz. extra
JACK SHAY CANS, straight body	IC tin plate	1 quart	2 dozen	7s. 11d. per doz.
" " " " tapered body.		1 "	2 "	10s. 4d. "
MINERS' CANS	IC tin plate	1½ pints	2 "	8s. 3d. "
" " " "		2 "	2 "	8s. 3d. "
" " " "		3 "	2 "	8s. 8d. "
" " " "		4 "	2 "	9s. 9d. "
" " " "		6 "	1½ "	10s. 9d. "
RAILWAY MILK CANS, grooved, two hoops (including use of guillotine, cleaning and testing)	20-gauge tinned steel or lighter, or DXXXX tin plate or lighter	20 quarts	1 "	5s. 9d. each
" " " " three hoops		30 "	1 "	5s. 9d. "
" " " " four hoops		30 "	1 "	6s. 2d. "
" " " " three hoops		40 "	1 "	6s. 2d. "
" " " " four hoops		40 "	1 "	6s. 9d. "
" " " " four hoops or less		50 "	6 articles	9s. "
" " " " If hoops supplied	All sizes	...	6d. per doz. hoops deducted	



PIECE-WORK—continued.

Articles.	Material.	Size.	When given out in the under-mentioned Quantities or more.	Prices.	
CANS—continued.					
RAILWAY MILK CANS, if bottoms supplied	...	All sizes	...	1s. per doz. deducted	
TOILET CANS, with knocked up bottoms (studs supplied)	IX tin plate or lighter	6 quarts	1 dozen	25s. 6d. per doz.	
" " " " " "		8 " "	1 " "	28s. 3d. "	
" " " " " "		10. " "	1 " "	31s. "	
" " " " " "		12 " "	1 " "	33s. 10d. "	
" " " " " "		16 " "	1 " "	37s. 11d. "	
" " body wired, and bottom let in		6 " "	1 " "	28s. 3d. "	
" " " " " "		8 " "	1 " "	32s. 7d. "	
" " " " " "		10. " "	1 " "	34s. 7d. "	
" " " " " "		12 " "	1 " "	37s. 3d. "	
" " " " " "		16 " "	1 " "	41s. 7d. "	
" " " " " "	26-gauge galv. iron or lighter	All sizes	...	5s. 4d. per doz. extra	
(10.) COLANDERS.					
HAND-MADE COLANDERS, machine-punched, with side handles	IX tin plate or lighter	9 inches	4 dozen	6s. 3d. per doz.	
" " " " " "		11 " "	4 " "	7s. 5d. "	
" " " " " "		13 " "	3 " "	9s. "	
" " " " " "		15 " "	1½ " "	10s. 7d. "	
COLANDERS—If punched with hand punch	...	All sizes	...	2s. 9d. per doz. extra	
(11.) COVERS.					
MEAT COVERS, with perforated zinc bodies (straight sides) and pitched top	IX tin plate or lighter	12 inches	3 dozen	5s. 6d. per doz.	
" " " " " "		14 " "	3 " "	5s. 11d. "	
" " " " " "		16 " "	3 " "	6s. 3d. "	
" " " " " "		18 " "	3 " "	7s. 2d. "	
" " " " " "		20 " "	2 " "	7s. 11d. "	
" " " " " "		22 " "	1½ " "	9s. 5d. "	
" " " " " "		24 " "	1 " "	10s. 11d. "	
" " with perforated zinc bodies (taper sides) and pitched top		12 " "	3 " "	6s. 3d. "	
" " " " " "		14 " "	3 " "	7s. 2d. "	
" " " " " "		16. " "	3 " "	7s. 5d. "	
" " " " " "		18 " "	3 " "	8s. 3d. "	
" " " " " "		20 " "	2 " "	9s. "	
" " " " " "	22 " "	1½ " "	10s. 11d. "		
" " " " " "	24 " "	1 " "	12s. 6d. "		
" " with perforated zinc bodies (taper sides) single rim, and blocked tops (wheeling found)	IXX tin plate or lighter	14 inches	3 dozen	8s. 8d. per doz.	
" " " " " "		15 " "	3 " "	9s. "	
" " " " " "		16 " "	3 " "	9s. 5d. "	
" " " " " "		17 " "	3 " "	10s. 3d. "	
" " " " " "		18 " "	3 " "	10s. 11d. "	
" " " " " "		20 " "	1 " "	12s. 6d. "	
" " " " " "		22 " "	1 " "	14s. 2d. "	
" " " " " "		24 " "	1 " "	17s. 3d. "	
" " with double rims if stamped or blocked tops supplied for		...	All sizes	...	2s. 4d. per doz. extra
" " " " " "		...	14 inches	...	6d. per dozen deducted
" " " " " "	...	15 " "	...	6d. "	
" " " " " "	...	16 " "	...	9d. "	
" " " " " "	...	17 " "	...	9d. "	
" " " " " "	...	18 " "	...	9d. "	
" " " " " "	...	20 " "	...	1s. "	
" " " " " "	...	22 " "	...	1s. "	
" " " " " "	...	24 " "	...	1s. "	
(12.) DIPPERS.					
COMMON DIPPERS	IX tin plate or lighter	2 quarts	6 dozen	2s. 11d. per doz	
" " " " " "		3 " "	6 " "	2s. 11d. "	
BEST DIPPERS, bossed		2 " "	4 " "	5s. "	
" " " " " "		3 " "	4 " "	5s. "	
DIPPERS—Soldering studs on	...	4 " "	2 " "	6s. 2d. "	
...	...	...	...	5d. per doz. dippers extra	
(13.) DISHES.					
DEVON DISHES, about 9 inches deep, flat bottoms	IX tin plate or lighter	14 inches	3 dozen	6s. 3d. per doz.	
" " " " " "		16 " "	3 " "	7s. 5d. "	
" " " " " "		18 " "	2 " "	8s. 8d. "	
" " " " " "		20 " "	1 " "	9s. 9d. "	
" " " " " "		22 " "	1 " "	11s. 5d. "	
" " " " " " with hoops	...	All sizes	...	1s. 10d. per doz. extra	







PIECE-WORK—continued.

Articles.	Material.	Size.	When given out in the under-mentioned Quantities or more.	Prices.
(22.) MEASURES.				
MILK MEASURES	IC tin plate	½ pint	6 dozen	3s. 9d. per doz.
"		1 "	4 "	4s. 7d. "
"		2 pints	3 "	5s. "
OIL MEASURES, straight sides	IX tin plate or lighter	½ pint	3 "	5s. 4d. "
"		1 "	3 "	6s. 2d. "
"		1 quart	2 "	7s. 11d. "
"		2 quarts	2 "	9s. "
SPIRIT MEASURES	IX tin plate or lighter	4 "	2 "	10s. 9d. "
"		½ pint	1 "	13s. 2d. "
"		1 "	1 "	14s. 7d. "
"		2 pints	1 "	19s. 7d. "
"		4 "	1 "	21s. 11d. "
"	LXX tin plate or lighter	1 gallon	1 "	25s. 2d. "
"		2 gallons	6 articles	28s. 3d. "
(23.) PAILS.				
SLOP PAILS, with stamped tops, bottoms, and breasts supplied	IX tin plate or lighter	No. 1	2 dozen	10s. 9d. per doz.
"		" 2	2 "	11s. 6d. "
"		" 3	2 "	14s. 11d. "
"		" 4	2 "	17s. 3d. "
" stamped tops and bottoms supplied, hand-made breasts		" 1	2 "	13s. 7d. "
"		" 2	2 "	15s. 3d. "
"		" 3	2 "	18s. 5d. "
"		" 4	2 "	22s. "
" hand-made		" 1	2 "	17s. 3d. "
"		" 2	2 "	19s. 8d. "
"	" 3	2 "	23s. 11d. "	
"	" 4	2 "	26s. 4d. "	
" made with black or galvanized iron lids	26-gauge iron or lighter	All sizes	...	5d. per doz. extra
" " " " bottoms feet		"	"	"
Bails and ears to be supplied for all sizes				
TOILET PAILS	LXX tin plate or lighter	No. 1	1 dozen	14s. 7d. per doz.
"		" 2	1 "	16s. 1d. "
"		" 3	1 "	17s. 3d. "
" if feet and funnels supplied		All sizes	...	1s. 6d. per doz. deducted
(24.) PANS.				
ASHPANS, common	28-gauge iron or lighter	No. 1	4 dozen	5s. 9d. per doz.
"		" 2	4 "	6s. 2d. "
"		" 3	4 "	6s. 7d. "
"	26-gauge iron or lighter	" 1	4 "	6s. 7d. "
"		" 2	4 "	7s. 5d. "
"		" 3	4 "	8s. 3d. "
" with tin bead		All sizes	...	1s. 10d. per doz. extra
Venetians for Ashpans (2 in set)		"	2 dozen	7s. 5d. per doz. sets of venetians
" (3 in set)		"	2 "	9s. " "
CLOSETPANS, tapered to nest	26-gauge iron or lighter	17½ x 15 x 13 inches	2 "	9s. per doz.
" straight sides	26-gauge iron or lighter	17 x 13 x 13 inches	2 "	8s. 3d. "
"	26-gauge iron or lighter	18 x 14 x 14 inches	2 "	9s. "
"	24-gauge iron	All sizes	1½ dozen of any one size	1s. 10d. per doz. extra
" if made with single strap one rivet in bottom		"	...	5d. per doz. pans extra
" " double "		"	...	9d. " "
" if made of galvanized iron		"	...	1s. 10d. " "
DOUGHPANS	LXX tin plate or lighter	14 inches	2 dozen	9s. 10d. per doz.
"		16 "	2 "	10s. 9d. "
"		18 "	2 "	13s. 2d. "
"		20 "	1 "	15s. 9d. "
DUSTPANS	IX tin plate or lighter	22 "	1 "	18s. 2d. "
"		No. 1	2½ "	6s. 2d. "
"		" 2	2½ "	7s. 5d. "
"		" 3	2½ "	7s. 11d. "
" with cover		" 1	2 "	9s. "
"	" 2	2 "	9s. 10d. "	
"	" 3	2 "	10s. 9d. "	
YANKEE, CORNISH, OR FLAT BOTTOM PANS	IC tin plate	13 inches	4 "	5s. "
"		14 "	4 "	5s. 4d. "
"		15 "	4 "	6s. 2d. "
"		16 "	3 "	7s. 5d. "
"		17 "	3 "	7s. 5d. "
"	"	18 "	3 "	9s. "



PIECE-WORK—continued.

Articles.	Material.	Size.	When given out in the under-mentioned Quantities or more.	Prices.	
(30.) SCOOPS.					
GROCERS' SCOOPS—Drawer, without handles			4 dozen assorted, not less than 1 dozen of any one size	2s. 9d. per doz.	
" " front wired or pieced, with handles	IX tin plate or lighter	5 inches	3 dozen	7s. 5d. "	
" " " " " "		6 "	3 "	8s. 3d. "	
" " " " " "		7 "	2 "	9s. 11d. "	
" " " " " "		8 "	2 "	10s. 9d. "	
" " " " " "		10 "	1½ "	12s. 11d. "	
" " " " " "		12 "	1 "	14s. 4d. "	
" " front not wired or pieced, with handles		24-gauge galv. iron or lighter	5 "	3 "	5s. 9d. "
" " " " " "			6 "	3 "	6s. 7d. "
" " " " " "			7 "	2 "	8s. 3d. "
" " " " " "			8 "	2 "	9s. 11d. "
" " " " " "	10 "		1½ "	10s. 11d. "	
" " " " " "	12 "		1 "	13s. 5d. "	
" " galvanized iron, front wired or pieced, with handles	24-gauge galv. iron or lighter		5 "	1 "	10s. 11d. "
" " " " " "			6 "	1 "	12s. 3d. "
" " " " " "			7 "	1 "	13s. 7d. "
" " " " " "			8 "	1 "	15s. 8d. "
" " " " " "		10 "	1 "	18s. 6d. "	
" " " " " "		12 "	1 "	20s. 10d. "	
(31.) SKIMMERS.					
COOKS' SKIMMERS (handles supplied)	IXX tin plate or lighter		3 dozen	5s. 9d. per doz.	
MILK SKIMMERS, with ring handles	DXXXX tin plate or lighter	6½ inches	4 "	3s. 4d. "	
" " " "		8 "	4 "	4s. 2d. "	
" " " "		9 "	4 "	4s. 7d. "	
" " " "		10 "	4 "	5s. "	
(32.) STANDS.					
COCKATOO STANDS	IX tin plate or lighter 26-gauge galv. iron or lighter, or zinc	17 inches	6 articles	34s. 6d. per doz.	
" " " "		20 "	6 "	36s. 11d. "	
" " " "		17 "	3 "	45s. 7d. "	
" " " "		20 "	3 "	54s. 3d. "	
(33.) STEAMERS.					
STEAMERS	IXX tin plate or lighter	No. 4	2 dozen	7s. 11d. per doz.	
" " " "		" 5	2 "	7s. 11d. "	
" " " "		" 6	1½ "	8s. 8d. "	
" " " "		" 7	1½ "	9s. 10d. "	
" " " "		" 8	1½ "	10s. 9d. "	
" " " "		" 9	1 "	11s. 6d. "	
" " " "		" 10	1 "	13s. 7d. "	
" " " "		" 11	1 "	15s. 8d. "	
" " " "		" 12	1 "	16s. 6d. "	
" if handles supplied for					3d. per doz. steamers deducted
(34.) STRAINERS.					
GRAVY STRAINERS, hand made		IC tin plate	Small	3 dozen	5s. 5d. per doz.
" " " if perforated bottoms supplied	Large		3 "	6s. 2d. "	
GRUEL STRAINERS	IX tin plate or lighter	All sizes	3 dozen	6d. " deducted 6s. 2d. per doz.	
MILK STRAINERS, wired		8½ inches	3 "	4s. 8d. "	
" " " "		10 "	3 "	5s. 5d. "	
" " " "		11 "	3 "	5s. 11d. "	
" " " "		12 "	3 "	6s. 3d. "	
" " " "		14 "	2 "	7s. "	
" " " with rim		8½ "	2 "	6s. 3d. "	
" " " "		10 "	2 "	7s. 2d. "	
" " " "		11 "	2 "	7s. 11d. "	
" " " "		12 "	2 "	8s. 3d. "	
MILK CAN STRAINERS, knocked up rims	IX tin plate		1 "	9s. "	
" " " "	IXX tin plate		1 "	13s. 7d. "	
" " " "				17s. 8d. "	
(35.) TINS.					
BREAD TINS (made of five pieces)	IX tin plate or lighter	1 lb.	3 dozen	5s. 9d. per doz.	
" " " "		2 "	3 "	5s. 9d. "	
" " " "		4 "	2 "	6s. 2d. "	
" " " "		6 "	2 "	8s. 3d. "	
COBURG BREAD TINS	IX tin plate or lighter		3 "	5s. 4d. "	
EXHIBITION BREAD TINS, single		2 lb.	6 articles	28s. 3d. "	
" " " double		4 "	6 "	35s. 4d. "	
" " " "		2 "	5 "	70s. 9d. "	
" " " "	4 "	3 "	82s. 6d. "		

PIECE-WORK—continued.

Articles.	Material.	Size.	When given out in the under-mentioned Quantities or more.	Prices.	
TINS—continued.					
CAKE TINS, AND CAKE RINGS, with use of knocking-up machine	IC tin plate	4 inches ...	1 gross ; not less than 3 dozen of any one size	20s. per gross	
" " " " " "		5 " ...		22s. "	
" " " " " "		6 " ...		23s. 6d. "	
" " " " " "		7 " ...		27s. 6d. "	
" " " " " "		8 " ...		29s. 6d. "	
" " " " " "		9 " ...		31s. 5d. "	
" " " " " "		10 " ...		35s. 4d. "	
" " " " " "		11 " ...		41s. 3d. "	
" " " " " "		12 " ...		47s. 3d. "	
" " " " " loose bottoms ...		All sizes ...		18s. 2d. "	extra
QUEEN CAKE TINS, hearts ...	IC tin plate	...	4 dozen ...	4s. 7d. per doz.	
" " diamonds... ..		...	6 " ...	2s. 1d. "	
SANDWICH TINS, with use of knocking-up machine	IC tin plate	6 inches ...	1 gross ; not less than 3 dozen of any one size	23s. 8d. per gross	
" " " " " "		7 " ...		27s. 6d. "	
" " " " " "		8 " ...		29s. 6d. "	
" " " " " "		9 " ...		31s. 5d. "	
" " " " " "		10 " ...		35s. 4d. "	
" " " " " "		11 " ...		41s. 3d. "	
" " " " " "		12 " ...		47s. 3d. "	
" " " " " "		All sizes ...		4s. 2d. per doz.	extra
SWISS ROLL TINS, wired, with use of angle bender	IC tin plate	12 x 8 inches	4 dozen ...	4s. 7d. "	
" " " " " "		13 x 9 "	4 " ...	4s. 7d. "	
" " " " " "		14 x 10 "	4 " ...	4s. 7d. "	
" " " " " "		15 x 11 "	4 " ...	5s. "	
" " " " " "		16 x 12 "	4 " ...	5s. 4d. "	
" " " " " "		12 x 8 "	4 " ...	3s. 4d. "	
" " " " " "		All sizes ...	...	9d. "	extra
" " " " " without use of angle bender ...					
(36.) TUBS.					
BLACK IRON TUBS, round or oval, without hoop or strap	26-gauge iron or lighter	16 inches ...	2 dozen ...	7s. 5d. per doz	
" " " " " "		18 " ...	2 " ...	8s. 3d. "	
" " " " " "		20 " ...	2 " ...	9s. "	
" " " " " "		22 " ...	2 " ...	9s. 10d. "	
" " " " " "		24 " ...	1½ " ...	10s. 9d. "	
" " " " " "		26 " ...	1½ " ...	12s. "	
" " " " " "		28 " ...	1½ " ...	14s. 2d. "	
" " " " " with hoop ...		30 " ...	1 " ...	16s. 1d. "	
" " " " " "		16 " ...	2 " ...	8s. 3d. "	
" " " " " "		18 " ...	2 " ...	9s. 5d. "	
" " " " " "		20 " ...	2 " ...	9s. 10d. "	
" " " " " "		22 " ...	2 " ...	10s. 9d. "	
" " " " " "		24 " ...	1½ " ...	11s. 6d. "	
" " " " " "		26 " ...	1½ " ...	13s. 7d. "	
" " " " " "		28 " ...	1½ " ...	14s. 11d. "	
" " " " " "		30 " ...	1 " ...	17s. 4d. "	
" " " " " "	24-gauge iron or lighter	33 " ...	1 " ...	17s. 4d. "	
" " " " " "		36 " ...	6 articles... ..	22s. "	
" " " " " "		16 " ...	6 " ...	29s. 1d. "	
" " " " " "		18 " ...	2 dozen ...	10s. 4d. "	
" " " " " "	26-gauge iron or lighter	20 " ...	2 " ...	10s. 11d. "	
" " " " " "		22 " ...	2 " ...	11s. 6d. "	
" " " " " "		24 " ...	2 " ...	12s. 11d. "	
" " " " " "		26 " ...	1½ " ...	13s. 7d. "	
" " " " " "		28 " ...	1½ " ...	15s. 8d. "	
" " " " " "		30 " ...	1½ " ...	17s. 8d. "	
" " " " " "	24-gauge iron or lighter	33 " ...	1 " ...	20s. "	
" " " " " "		36 " ...	6 articles... ..	24s. 8d. "	
" " " " " "	IX tin plate or lighter	15 " ...	6 " ...	32s. 7d. "	
" " " " " "		16 " ...	2 dozen ...	7s. 11d. "	
" " " " " "		18 " ...	2 " ...	7s. 11d. "	
" " " " " "		20 " ...	1½ " ...	9s. 10d. "	
" " " " " "	IXX tin plate or lighter	22 " ...	1½ " ...	10s. 9d. "	
" " " " " "		24 " ...	1½ " ...	11s. 6d. "	
" " " " " "		24 " ...	1 " ...	13s. 7d. "	
" " " " " "		15 " ...	2 " ...	9s. 10d. "	
" " " " " "	IX tin plate or lighter	16 " ...	2 " ...	9s. 10d. "	
" " " " " "		18 " ...	2 " ...	9s. 10d. "	
" " " " " "		20 " ...	1½ " ...	11s. 6d. "	
" " " " " "		22 " ...	1½ " ...	12s. 11d. "	
" " " " " "	IXX tin plate or lighter	24 " ...	1½ " ...	13s. 7d. "	
" " " " " "		24 " ...	1 " ...	15s. 9d. "	
" " " " " "		16 " ...	2 " ...	10s. 9d. "	
" " " " " "		18 " ...	1½ " ...	11s. 6d. "	
" " " " " "	IX tin plate or lighter	20 " ...	1½ " ...	12s. 11d. "	
" " " " " "		22 " ...	1½ " ...	14s. 4d. "	
" " " " " "		24 " ...	1 " ...	16s. 6d. "	
" " " " " "		IXX tin plate or lighter	16 " ...	2 " ...	12s. 11d. "
" " " " " "	18 " ...		1½ " ...	13s. 7d. "	
" " " " " "	20 " ...		1½ " ...	14s. 4d. "	
" " " " " "	22 " ...		1½ " ...	16s. 6d. "	
" " " " " "	IXX tin plate or lighter	24 " ...	1 " ...	18s. 8d. "	
" " " " " "		24 " ...	1 " ...	18s. 8d. "	



PIECE-WORK—continued.  
SCHEDULE B.—CANISTER WORK.

	Price per gross.			
	Lap seam, without assistance.	Lock seam, without assistance.	Lock seam, with one assistant.	Lock seam, with two assistants.
<b>SOLDERING SEAMS—all work rolled—up to and including 2½ inches in diameter—</b>				
Up to and including 2 inches deep	0 9½	0 8½	0 7	0 5½
Over 2 inches deep and up to and including 3½ inches deep	0 10½	0 9½	0 8½	0 6½
" 3½	0 11½	0 9½	0 8½	0 6½
" 4½	1 1	0 11½	0 9½	0 8½
" 5½	1 6½	1 1	0 11½	0 9½
Over 2½ inches and up to and including 3½ inches in diameter—				
Up to and including 2 inches deep	0 9½	0 8½	0 6½	0 5½
Over 2 inches deep and up to and including 3½ inches deep	0 10½	0 9½	0 8½	0 6½
" 3½	1 0½	0 9½	0 8½	0 6½
" 5	1 2	0 11½	0 9½	0 8½
" 6	1 5½	1 2	1 0½	0 10½
" 7	2 1½	1 7½	1 5½	1 4½
Over 3½ inches and up to and including 4½ inches in diameter—				
Up to and including 2 inches deep	0 11½	0 8½	0 7	0 5½
Over 2 inches deep and up to and including 3½ inches deep	1 0½	0 9½	0 8½	0 6½
" 3½	1 2	0 11	0 9½	0 8½
" 5	1 4½	1 0½	0 11	0 8½
" 6	1 6½	1 2½	1 0½	0 11½
" 7	2 0½	1 7½	1 5½	1 4½
Over 4½ inches, and up to and including 5½ inches in diameter—				
Up to and including 2½ inches deep	1 1	0 9½	0 8½	0 6½
Over 2½ inches deep, and up to and including 4½ inches deep	1 5½	1 1	0 10½	0 8½
" 4½	1 10½	1 4½	1 2½	1 0½
" 6	2 2½	1 7½	1 5½	1 4½
" 7	2 4	1 9½	1 7½	1 5½
Over 5½ inches, and up to and including 6½ inches in diameter—				
Up to and including 3 inches deep	1 5½	1 0½	0 11	0 8½
Over 3 inches deep, and up to and including 4½ inches deep	1 9½	1 2	1 0½	0 10½
" 4½	2 0½	1 4½	1 2½	1 0½
" 6	2 4	1 9½	1 7½	1 5½
<b>MEAT TINS—</b>				
Seaming and rolling meat tin bodies (round) on clamps—				
½ lb.	...	...	...	1 5½
1 " tongue	...	...	...	1 5½
1½ lbs.	...	...	...	1 5½
2 " long	...	...	...	1 5½
2½ "	...	...	...	1 5½
3 "	...	...	...	1 7
6 " (including putting on tops and bottoms)	...	...	...	4 4½
Seaming ½ lb. or 1 lb. on 1 cylinder				
2 lbs.	...	...	...	0 10½
½ or 1 lb. on 2 cylinders	...	...	...	0 11½
2 lbs.	...	...	...	0 8½
½ lb. or 1 lb. on 3 to 6 cylinders (with 2 boys)	...	...	...	0 10½
2 lbs.	...	...	...	0 4½
Seaming meat tins (tapered square) on one former—				
1 lb.	...	...	...	0 10½
2 lbs.	...	...	...	0 11½
6 "	...	...	...	1 4
Price per 1,000 ends.				
Squeezing—12 oz. or 1 lb. (tapered square)				
" 1½ lbs.	...	...	...	3 3
" 2 "	...	...	...	3 5
" 6 "	...	...	...	3 9
Price per 100 ends.				
Jokering—½ lb. (round, or tapered square)				
" 1 "	...	...	...	0 5½
" 1½ lbs.	...	...	...	0 5½
" 3 "	...	...	...	0 6½
" 4 "	...	...	...	0 9½
" 5 "	...	...	...	0 9½
" 6 "	...	...	...	0 9½
<b>SOLDERING TOPS OR BOTTOMS OF EMPTY TINS—(spiriting provided)—</b>				
Price per gross.				
Not crimped or rolled on.				
Crimped.				
Rolled on.				
Up to and including 3 inches in diameter	1 1½	1 0½	0 11	0 11
Over 3 inches diameter, and up to and including 3½ inches in diameter	1 3	1 2½	1 1½	1 1½
" 3½	2 0½	1 10	1 6½	1 6½
" 4½	2 3½	2 0½	1 10½	1 10½
" 5	3 0	2 8½	2 4½	2 4½
<b>ROUND WORK (SOLDERING).</b>				
Price per gross.				
JAM TINS—Closing, 1 lb., topped, and crimped				
" 2 lb.	...	...	...	1 5½
CAKE TINS—				
2 lbs., soldering	...	...	...	15 8
4 "	...	...	...	17 8
6 "	...	...	...	19 9
6 " cutting	...	...	...	2 1½

PIECE-WORK—continued.  
ROUND WORK (SOLDERING)—continued.

	Per gross. s. d.
<b>CAPPING—Soldering on caps, all work cleaned, caps put on—</b>	
Cap up to, and including 1½ inches in diameter in 6-lb. tin or less	1 5½
" over 1½ and up to and including 2½ inches in diameter in 6-lb. tin or less	1 7½
" " 2½ " " " " " " " " " " " "	1 9½
" " 2½ " " " " " " " " " " " "	1 11½
" " 3½ " " " " " " " " " " " "	2 5½
<b>Capping pulp tins, up to 40-lbs., work cleaned and caps put on—</b>	
Round cap	4 10½
Square cap, 3½ to 5 inches square	6 2
<b>SQUARE WORK.</b>	
Jam tins, 6 lbs., soldering only, with use of spring	15 8
" 6 " notching, bending, and folding	7 11
" 14 " soldering only, without use of spring	18 10
" 14 " " " with use of spring...	20 6
" 20 " " " without use of spring	19 7
" 20 " " " with use of spring	21 8
" 28 " " " without use of spring	19 7
" 28 " " " with use of spring	21 8
" 14, 20, and 28 lbs., notching, bending, and folding	9 10 extra
Pulp tin, 40 lbs., soldering only, without use of spring	28 8
" 40 " " " with use of spring	28 8
" 40 " " " lock seam	28 8
" 40 " " " " " " " " " " " "	2 4 extra
Cutting out above sizes	13 8
Notching, bending, and folding so that spring is not necessary, all above sizes, except 6 lbs.	12 0
Notching, bending, and folding, so that spring is necessary at one end	12 0
<b>BISCUIT TINS—</b>	
1 lb., soldering	6 1
2 lbs. "	7 6
4 " "	12 0
6 " "	12 0
6 " " two seams	13 8
6 lbs., glass, soldering	17 8
14 " plain, "	18 5
14 " glass, "	23 6
25 " plain, "	20 6
30 " " " "	20 6
40 " " " "	20 6
50 " " " "	23 6
Unseada " " "	20 6
½-lb. packet " " "	18 5
9 lbs. Cabin " " "	16 11
Wafer, Ice and Cup, soldering	18 11
" Cream, Henley and Variety, soldering	7 6
Afternoon Tea, soldering	7 6
1 lb., cutting bodies	0 6½
2 lbs. " "	0 6½
6 " " "	2 1
1 lb., cutting ends	0 2½
2 lbs. " "	0 2½
4 " cutting at guillotine	1 7
9 " " " "	2 8
30 " " " "	3 9
40 " " " "	3 9
50 " " " "	3 9
Plain and Packet, cutting at guillotine	3 4
Small Wafer " " "	1 0½
30 lbs., closing, soldering	7 11
40 " " " "	9 9
50 " " " "	11 2
<b>FLOUR TINS—</b>	
40 lbs., soldering	18 5
50 " " "	23 6
<b>HONEY TINS—</b>	
56 lbs., soldering	28 8
<b>OIL OR VARNISH TINS—</b>	
½ gallon, soldering ends and lock seam	16 6
1 " " " "	19 9
2 " " " "	26 8
<b>OBLONG TINS—(reputed or imperial measure)—</b>	
1 pint, plain, soldering, lock seam (with two assistants)...	0 8½
1 " " " " (with one assistant)	0 9½
1 " " " " (without assistance)	0 11½
1 quart " " " " (with two assistants)...	0 8½
1 " " " " (with one assistant)	0 9½
1 " " " " (without assistance)	0 11½
Soldering, all above tins, if made of decorated or varnished tin plate	0 2½ extra each end
1 pint, rolled on ends, soldering	3 0 each end
1 " crimped, soldering	3 1 " "
1 " not crimped or rolled on, soldering	3 4 " "
1 quart, rolled on ends, soldering	3 1 " "
1 " crimped, soldering	3 4 " "
1 " not crimped, soldering	4 1½ " "
<b>TOBACCO TINS—</b>	
2 lbs., closing	8 3 per 100
3 lbs. " "	9 7 " "

## PIECE-WORK—continued.

OVAL WORK.		Per gross.
		s. d.
OIL TINS—		
1/2 pint, lock seams, soldering (with two assistants)	... ..	0 5 1/2
1/2 " " " (with one assistant)	... ..	0 8 1/2
1/2 " " " (without assistance)	... ..	0 11 1/2
1/2 " lap " "	... ..	0 11 1/2
1/2 " rolled on ends	... ..	2 9 each end
1/2 " crimped on ends	... ..	2 5 "
1/2 " slipped on ends	... ..	3 1 "

## STAMPING WORK ON POWER MACHINES OR PRESSES (NOT USING SCRAP).

		Per gross.
		s. d.
Up to and including 3 1/4 inches in diameter of cutting die	... ..	0 1 1/2
Over 3 1/4 and up to and including 4 inches in diameter of cutting die	... ..	0 2
" 4 " " 4 1/2 " " "	... ..	0 2 1/2
" 4 1/2 " " 5 1/2 " " "	... ..	0 3
" 5 1/2 " " 6 1/2 " " "	... ..	0 3 1/2

## DEFINITION.

9. For the purposes of this Determination, "sheet metal" shall mean sheet metal 10-gauge or lighter.

H. J. RICHARDSON, J.P.,  
Chairman.

F. A. MARZORINI,  
Secretary.

Dated at Melbourne the 6th day of May, 1921.

32. 2

67.

THE UNIVERSITY OF CHICAGO