

## VICTORIA GOVERNMENT

Published by Authority.

[Registered at the General Post Office, Melbourne, for transmission by post as a newspaper.]

No. 47.]

## MONDAY, FEBRUARY 25.

[1924:

Factories and Shops Acts.

## DETERMINATION OF THE STATIONERY BOARD.

NOTE .- This Determination on the 18th February, 1924, applied to all cities and towns throughout the State.

IN accordance with the provisions of the Factories and Shops Acts, the Wages Board appointed to determine the lowest prices or rates which may be paid to any persons employed in the trade of—

(a) wholly or partially preparing or manufacturing stationery or articles (other than paper flowers or paper patterns), made of paper, cardboard, or similar materials;

(b) Brushing,
Calandering,
Cutting from reel, or
Surface coating

Paper, cardboard, or similar materiuls

but not including any process subject to the jurisdiction of the

Cardboard Box Trade Board,

Paper Bag Trade Board, Paper Trade Board, or Perambulator Board.

has made the following Determination, namely:---

(1) That on the 18th February, 1924, the last previous Determination of this Board shall be revoked and replaced by this Determination.

	Apprent	ees and Improve	ers.	i	Other Employees.	
		Wages F	er Week of 48	Hours.		Wages per week of 48 Hours
	-	Male Apprentices.	Male Improvers.	Female Apprentices and Improvers.	Males.  Gildors, edge stainers, blockers, or bevellers	s. d. 110 0
st year Ind ,,		s. d. 19 0 22 0 27 6	s. d. 22 0 25 0 30 0	s. d.  18 0 23 0 27 6	Guillotine outters or envelope angle cutters Envelope cutters Tag machinists	108 0 96 0 95 0 95 0 94 0 95 0
th th ,,	••	33 0 44 0 55 0	38 6 52 0 65 0	33 0 41 0	plate rolling All others	88 (
One appren	PROPORTIO stice to every to iving not less to	N (IN ANY PLA Apprentices. have or fraction han the minimum	of three we	orkers of the	Letter pad and notelet binders Self-tipping envelope machinists Embossers, hand and machine, envelope hand folders,	52 6 52 6 52 6 50 6
workers recei Five female	improvers to ving not less to e improvers to ving not less th	han 88s, per we every two or	ek of 48 hou fraction of	ırs. two female	· ·	

No. 47.-2745.

February 25, 1924.			810						Vic	toria	a Gazette
(3) Time of Beginning and Ending W	ORK-										- 4420000
Time of Beginning.			Time of E	nding.							
8 a.m 12.30 p.m. 8 a.m 6 p.m. on t	on Satu	rday or t	day on erl	which t	h> half∙ho	oliday is	usually	observ	ed.		
o a.m o p.m. on t	no otno	r working	days of t	howeek							
(4) OVERTIME.—The rate for all work done work done outside such hours of beginning and c	within	the hours	of beginn	ing and	ending w	ork in e	xcess of	48 hour	s in ar	ay we	eek, or for-
Males	aunig s	uan bo-	•	Time	and a th	.:_4					
Female	s	••	• •		and a h						
(5) Time RATE.—That any person employ shall for each hour worked up to 24 hours, be n	ed on t	time wage	a for loss	than th	o numbor	of 1	rs fixed	for an	ordina	נדט עד	eek's work
mount ap to 21 hours, so p	and an e	ne orania	ry wages	Table, Wit	n un acc	mon or	thirty-	torce ar	id a-th	ird n	Mr contum
. (0) SPECIAL KATE.—Double time shall be	the rat	a for all s	work don	· · · · · ·	ndarra M		t. TO	0011	-	.~	
Day), Good Friday, Easter Monday, 21st April (Eibe by Act of Parliament or Proclamation substituted work done on the day so substituted											
work done on the day so substituted.		, 01	VII.0 12.00 1	-namou	nondays,	one si	octai ra	re shar	ı oe p	ayao	ne only for
(7) PIECE-WORK PRICES.—That the piece	-work 1	orices for	the follow	ring class	sea of wor	k shall	be—-	•			
Self-tipping Machines		I achine—					~~				
Plain envelopes		••		-							Per 1,000
Stamping side die	• •	• • •			• • • • • • • • • • • • • • • • • • • •		• • • •				3}d. }d.
15 pockets 15 to 16 bankers	• -	• •			• •	• •					. 5d.
Suction-fed Machines—	• •	••	••	••	• • •	• •	• •		•	• •	5d.
Seed, pence, or wages pockets		••									4d.
7s. Ps. 11 Bs. Os. 13s Official sizes, 15s to 16s	••	• •									4]d.
Extra large Adjustable Machines-	••	• •	'	••	• •	• •				• •	5 <u>₹</u> d.
Envelopes, $11 \times 5\frac{1}{2}$ to $16 \times 10$			••								10d.
Large suction-fed Machines— Envelopes, 53 x 3½ to 12½ x 7									•	••	,
Reay Machines—	••	••	••	• •	••	• •	• • •		•	••	6 <b>ł</b> d.
9 x 4, or 15 pkt			• •								)
6 x 4, 11 Bkrs. plain, 11 B pkts., Extras—	13s, 11	B S.H.F.	., Ps (wal	let or pa	lace shap	es), 7s, (	Qs or wa	ages poc	kets	••.	} 7 <b>2</b> d.
Window-faced envelopes											ld.
Printed transparent-faced envelope	pes				• • • • • • • • • • • • • • • • • • • •	• • •	• • • • • • • • • • • • • • • • • • • •	:		• •	2d.
Printed transparent-faced envelo	pes, wh	en not va	rnished								1 <del>½</del> d.
Plain stamping on flap (side die r	not incl	uded) wh	en embos	sed on er	velone m	achine	• • •	•	•	• •	<u>∤</u> d.
Counting in twerves				••	opc 11		• • •	:		• •	<u>∤</u> d. ∤d.
Counting in nines Counting in fives or sixes	• •	••	••	••	• •		• •			• •	₹d.
9			- ••	• •	• •	••	• •	•	•	• •	Ļ <mark>i</mark> d.
		Machine-	-Hand T	pping.			_				
							1	F	er 1,000	).	
										,	1
		,					Up to	51-in. to	73-in. to	91-i	
							Up to 50-in.				165-in.
Ordinary pages		·					50-in. s. d.	to	to	165-	165-ln.
Ordinary paper Cartridge paper, O.T.M., or hand, mad	a book	na nara					s. d. 0 7½	to 72-in, s. d. 0 8½	s. d. 1 1	to 165-	d. s. d. 3 1 7
Cartridge paper, O.T.M., or hand-mad Cloth-lined or vellum paper	e book		·· ·· ·· ·· ·· ·· ·· ·· ·· ·· ·· ·· ··		 ::		s. d. 0 71 0 91	to 72-in, s. d. 0 8½	s. d. 1 1 1 2	s. d	d. s. d. 3 1 7 41 1 104
Cartridge paper, O.T.M., or hand-mad Cloth-lined or vellum paper Sulphite, cap, or friction glazed	• •	••	···				s. d. 0 7½ 0 9¾ 1 1 0 8½	to 72-ln, s. d. 0 8½ 0 9¾ 1 2 0 9¾	s. d. 1 1	s. d 1 1 1	d. s. d. 3 1 7
Cartridge paper, O.T.M., or hand-mad Cloth-lined or vellum paper Sulphite, cap, or friction glazed Crystal glazed	• •	• •				• • •	s. d. 0 71 0 91 1 1	to 72-ln, s. d. 0 8½ 0 9¾ 1 2 0 9¾	s. d. 1 1 1 2 1 3	s. d 1 1 1 1	d. s. d. 3 1 7 41 1 101 51 2 2
Cartridge paper, O.T.M., or hand-mad Cloth-lined or vellum paper Sulphite, cap, or friction glazed	• •	••				•••	s. d. 0 7½ 0 9¾ 1 1 0 8½	to 72-ln, s. d. 0 8½ 0 9¾ 1 2 0 9¾	s. d. 1 1 2 1 3 1 1	s. 4 1 1 1 1	d. s. d. 3 1 7 41 1 10½ 5½ 2 2 3 1 7 61 2 5
Cartridge paper, O.T.M., or hand-mad Cloth-lined or vellum paper Sulphite, cap, or friction glazed Crystal glazed Tipping all over flap—33½% extra  Extra— Double-gummed (two application	•••	••				•••	to 50-in. s. d. 0 7½ 0 9¾ 1 1 0 8½ 0 10¾	to 72-in, 8. d. 0 8½ 0 9¾ 1 2 0 9¾ 1 0	s. d. 1 1 2 1 3 1 1 3	s. 4 1 1 1 1	d. s. d. 1 7 41 1 10½ 5 1 7 61 2 5 2 2 cer 1,000.
Cartridge paper, O.T.M., or hand-mad Cloth-lined or vellum paper Sulphite, cap, or friction glazed Crystal glazed Tipping all over flap—33\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	s)	••				•••	s. d. 0 7½ 0 9¾ 1 1 0 8½	to 72-ln, s. d. 0 8½ 0 9¾ 1 2 0 9¾	s. d. 1 1 2 1 3 1 1 3	s. 4 1 1 1 1	d. s. d. 3 1 7 41 1 10½ 5½ 2 2 3 1 7 61 2 5
Cartridge paper, O.T.M., or hand-mad Cloth-lined or vellum paper Sulphite, cap, or friction glazed Crystal glazed Tipping all over flap—33½% extra  Extra— Double-gummed (two applications Other Envelopes— Grease-proof paper envelopes	s)						to   50-in.	to 72-in.  s. d. 0 8½ 0 9¾ 1 2 1 0 9¾ 1 0	to 90-in.  s. d. 1 1 2 1 3 1 1 3 1 1 3	s. 4 1 1 1 1	o. 165-in.  d. s. d. 3 1 7 41 1 101 51 2 2 3 1 7 61 2 5 Per 1,000. 21d.  1s. 9d.
Cartridge paper, O.T.M., or hand-mad Cloth-lined or vellum paper Sulphite, cap, or friction glazed Crystal glazed Tipping all over flap—33\grace^0 extra  Extra— Double-gummed (two applications Other Envelopes— Grease-proof paper envelopes Wedding invitations or decked-ed	s) ge enve	lopes	abina Fra		••		50-in.  S. d. 0 7½ 0 9¾ 1 1 0 8½ 0 10¾	to 72-ln, 8. d. 0 8½ 0 9¾ 1 2 0 9¾ 1 0	to 90-in.  s. d. 1 1 2 1 3 1 1 3 1 1 3	s. 4 1 1 1 1 1	oin. 165-in.  d. s. d.  3 1 7  4\frac{1}{4\frac{1}{2}} 1 10\frac{1}{2}  3 1 7  6\frac{1}{2} 2 5  Per 1,000.  2\frac{1}{2}d.
Cartridge paper, O.T.M., or hand-mad Cloth-lined or vellum paper Sulphite, cap, or friction glazed Crystal glazed Tipping all over flap—33 % extra  Extra— Double-gummed (two applications Other Envelopes— Grease-proof paper envelopes Wedding invitations or decked-edges Bankers or pocket envelopes, cream lai	s) ge enve	lopes	abina Fra		••		to   50-in.	to 72-in.  s. d. 0 8½ 0 9¾ 1 2 1 0 9¾ 1 0	to 90-in.  s. d. 1 1 2 1 3 1 1 3 1 1 3	s. 4 1 1 1 1 1	o. 165-in.  d. s. d. 3 1 7 41 1 101 51 2 2 3 1 7 61 2 5 Per 1,000. 21d.  1s. 9d.
Cartridge paper, O.T.M., or hand-mad Cloth-lined or vellum paper Sulphite, cap, or friction glazed Crystal glazed Tipping all over flap—33½% extra  Extra— Double-gummed (two applications Other Envelopes— Grease-proof paper envelopes Wedding invitations or decked-ed;  Bankers or pocket envelopes, cream lai All sizes up to 40-in. face measure	s) ge enve	lopes Hand—Me	aking En		ining on fl		to   50-in.     s.   d.     0   7½     0   9½   1   1   0   8½   0   10¾	to, 72-in.  s. d. 0 81   0 92   1 2   1 0	to 90-in.  s. d. 1 1 1 2 1 3 1 1 3 1 1 3	s. 4 1 1 1 1 1	on. 165-in.  d. s. d.  3 1 7  4½ 1 10½  5½ 2 2  3 1 7  6½ 2 5  Per 1,000.  2½d.  1s. 9d.  1s. 1d.
Cartridge paper, O.T.M., or hand-mad Cloth-lined or vellum paper Sulphite, cap, or friction glazed Crystal glazed Tipping all over flap—33 % extra  Extra— Double-gummed (two applications Other Envelopes— Grease-proof paper envelopes Wedding invitations or decked-edged Bankers or pocket envelopes, cream lai All sizes up to 40-in. face measurement 11-in. to 60-in. face measurement 11-in. to 100-in. face measurement	s) ge enve	lopes Hand—Me	aking En	elopes.	   ning on fl		s. d.   0   7½   0   9¾   1   1   0   8½   0   10¾	to 72-in.  a. d. 0 8½ 0 9½ 1 2 0 9¾ 1 0	to 90-in.  s. d. 1 1 1 2 1 3 1 1 1 3	s. 6 1 1 1 1 1	on. 165-in.  d. s. d.  3 1 7  4½ 1 10½  5½ 2 2  3 1 7  6½ 2 5  Per 1,000.  2¼d.  1s. 9d.  1s. 1d.
Cartridge paper, O.T.M., or hand-mad Cloth-lined or vellum paper Sulphite, cap, or friction glazed Crystal glazed Tipping all over flap—33½% extra  Extra— Double-gummed (two applications Other Envelopes— Grease-proof paper envelopes Wedding invitations or decked-ed;  Bankers or pocket envelopes, cream lai All sizes up to 40-in. face measurement 61-in. to 100-in. face measurement 101-in. to 140-in. face measurement	s) ge enve Hd or can	lopes Hand—Ma	aking En	elopes.	ining on fl		to   50-in.     s.   d.     0   7½     0   9½   1   1   0   8½   0   10¾	to, 72-in.  s. d. 0 81   0 92   1 2   1 0	to 90-in.  s. d. 1 1 1 2 1 3 1 1 3	s. 6 1 1 1 1 1 1 1 	on. 165-in.  d. s. d.  3 1 7  4½ 1 10½  5½ 2 2  3 1 7  6½ 2 5  Per 1,000.  2½d.  1s. 9d.  1s. 1d.
Cartridge paper, O.T.M., or hand-mad Cloth-lined or vellum paper Sulphite, cap, or friction glazed Crystal glazed Crystal glazed Tipping all over flap—33½% extra  Extra— Double-gummed (two applications Other Envelopes— Grease-proof paper envelopes Wedding invitations or decked-ed,  Baukers or pocket envelopes, cream lai All sizes up to 40-in. face measurement 41-in. to 100-in. face measurement 101-in. to 140-in. face measurement 1141-in. to 160-in. face measurement	s) ge enve Hd or can	lopes Hand—Metridge pa	aking Eng	elopes.	ning on fl		S. d.   S. d.   O 94   1   1   O 81   O 103   1   O 103   1   O 103   1   O 103   O	to. 72-in.  s. d. 0 St. 0 St. 1 2* 0 93* 1 2* 1 0	to 90-in.  s. d. 1 1 1 2 1 3 1 1 3 1 1 3	to 165-	on. 165-in.  d. s. d.  3 1 7  4½ 1 10½  5½ 2 2  3 1 7  6½ 2 5  Per 1,000.  2¼d.  1s. 9d.  1s. 1d.  2s. 3d.  2s. 9d.  3s. 0d.  3s. 6d.  4s. 6d.
Cartridge paper, O.T.M., or hand-mad Cloth-lined or vellum paper Sulphite, cap, or friction glazed Crystal glazed Tipping all over flap—33½% extra  Extra— Double-gummed (two applications Other Envelopes— Grease-proof paper envelopes Wedding invitations or decked-ed,  Bankers or pocket envelopes, cream lai All sizes up to 40-in. face measurement 61-in. to 100-in. face measurement 101-in. to 140-in. face measurement 111-in. to 160-in. face measurement Over 160-in. face measurement Cver 160-in. face measurement	s) ge enve  He dor can ment  t  t  t  t  t  t	lopes dand—Matridge pa	akiny Enger, with	elopes.	ning on fl		S. d.   O 93   1   1   1   O 103   1   1   O 103   1   1   O 103   O 103	to, 72-in.  5. d. 0  8. 1  9. 81  1 2  1 0  1 0	to 90-in.  s. d. 1 1 2 1 3 1 1 3 1 1 3	to 165-	cin. 165-in. d. s. d. 3 1 7 4½ 1 10½ 5½ 2 2 3 1 7 6½ 2 5 cer 1,000. 2½d. 1s. 9d. 1s. 1d. 2s. 3d. 2s. 9d. 3s. 0d. 3s. 0d. 3s. 6d.
Cartridge paper, O.T.M., or hand-mad Cloth-lined or vellum paper Sulphite, cap, or friction glazed Crystal glazed Crystal glazed Tipping all over flap—33½% extra  Extra— Double-gummed (two applications Other Envelopes— Grease-proof paper envelopes Wedding invitations or decked-ed,  Baukers or pocket envelopes, cream lai All sizes up to 40-in. face measurement 41-in. to 100-in. face measurement 101-in. to 100-in. face measurement 111-in. to 160-in. face measurement Over 160-in. face measurement Extras— All sizes over 40 inches, for quant	s) ge enve  He dor can ment  t  t  t  t  t  t	lopes dand—Matridge pa	akiny Enger, with	elopes.	ning on fl		S. d.   S. d.   O 94   1   1   O 81   O 103   1   O 103   1   O 103   1   O 103   O	to 72-in.  6. d. 0 93 1 2 2 0 93 1 2 0 93	to 90-in. s. d. 1 1 2 1 3 1 1 3 1 1 3	to 165-	cin. 165-in. d. s. d. 3 1 7 4½ 1 10½ 5½ 2 2 3 1 7 6½ 2 5  Per 1,000. 2½d. 1s. 9d. 1s. 1d.  2s. 3d. 2s. 9d. 3s. 0d. 3s. 0d. 3s. 0d. 3s. 0d. 5s. 0d.
Cartridge paper, O.T.M., or hand-mad Cloth-lined or vellum paper Sulphite, cap, or friction glazed Crystal glazed Tipping all over flap—33½% extra  Extra— Double-gummed (two applications Other Envelopes— Grease-proof paper envelopes Wedding invitations or decked-ed,  Bankers or pocket envelopes, cream lai All sizes up to 40-in. face measurement 61-in. to 100-in. face measurement 101-in. to 140-in. face measurement 101-in. to 160-in. face measurement Ver 160-in. face measurement Extras—  All sizes over 40 inches, for quanti Grease proof, up to 100	ge enve	lopes Hand—Metridge pa	aking Eng	elopes.	ning on fl	aps	Solution   Solution	to 72-in.  c. d. 0 8½ 0 9½ 1 2 0 9¾ 1 0	to 90-in. s. d. 1 1 1 2 1 3 1 1 1 3 1 1 3 1 1 1 3 1 1 1 3 1 1 1 3 1 1 1 1 1 3 1 1 1 1 1 3 1 1 1 1 1 3 1	to   165-	cin. 165-in. d. s. d. 3 1 7 44 1 104 2 2 3 1 7 64 2 2 5 cer 1,000. 2 d. 1s. 9d. 1s. 1d.  2s. 9d. 3s. 6d. 4s. 6d. 5s. 0d. 6d. 1s. 0d.
Cartridge paper, O.T.M., or hand-mad Cloth-lined or vellum paper Sulphite, cap, or friction glazed Crystal glazed Tipping all over flap—33½% extra  Extra— Double-gummed (two applications Other Envelopes— Grease-proof paper envelopes Wedding invitations or decked-ed,  Baukers or pocket envelopes, cream lai All sizes up to 40-in. face measurement 61-in. to 100-in. face measurement 101-in. to 100-in. face measurement 101-in. to 160-in. face measurement 21-in. to 160-in. face measurement Extras— All sizes over 40 inches, for quanti Grease proof, up to 100 Cloth-lined pockets or bankers—	s) ge enve  He dor can ment  t  t  t  t  t  t	lopes dand—Matridge pa	aking En	eelopes.	ning on fl	aps—	S. d.   O   7\frac{1}{2}   O   9\frac{7}{3}   O   9\frac{7}{3}   O   10\frac{3}{3}   O   10\frac{3}{3}   O   10\frac{3}{3}   O   O   0\frac{3}{3}   O   O   0\frac{3}{3}   O   O   0\frac{3}{3}   O   O   O   O   O   O   O   O   O	to 72-in.  s. d. 0 8½ 0 9½ 1 2 9 1 0 9 1 0 0 9 1 0 0 9 1 0 0 9 1 0 0 9 1 0 0 0 1 0 0 0 0	to 90-in. s. d. 1 1 1 2 1 3 1 1 1 3 1 1 3 1 1 1 3 1 1 1 3 1 1 1 3 1 1 1 1 1 3 1 1 1 1 1 3 1 1 1 1 1 3 1	to   165-	cin. 165-in. d. d. s. d. 3 1 7 4\frac{1}{4} 1 10\frac{1}{2} 5\frac{1}{4} 2 2 3 1 7 6\frac{1}{4} 2 5  er 1,000. 2\frac{1}{4}d.  1s. 9d. 1s. 1d.  2s. 3d. 2s. 9d. 3s. 6d. 4s. 6d. 5s. 0d.  6d.
Cartridge paper, O.T.M., or hand-mad Cloth-lined or vellum paper Sulphite, cap, or friction glazed Crystal glazed Tipping all over flap—33½% extra  Extra— Double-gummed (two applications Other Envelopes— Grease-proof paper envelopes Wedding invitations or decked-eds  Baukers or pocket envelopes, cream lai All sizes up to 40-in. face measurement 41-in. to 60-in. face measurement 61-in. to 100-in. face measurement 101-in. to 160-in. face measurement 11-in. to 160-in. face measurement Extras— All sizes over 40 inches, for quanti Grease proof, up to 100  "over 100 Cloth-lined pockets or bankers— 11 Bs.	s) ge enve  H d or car ment  t ities of	lopes Hand—Metridge pa	aking Eng	eelopes.	ning on fl	aps	Solution   Solution	to 72-in.  c. d. 0 8½ 0 9½ 1 2 0 9¾ 1 0	to e0-in. s. d. l. l. l. 2 l.	to   165-	ci. 165-in. d. s. d. 3 1 7 4 1 104 1 1 104 2 2 3 1 7 6 1 2 5  Per 1,000. 2 1 d. 1s. 9d. 1s. 1d.  2s. 3d. 2s. 9d. 3s. 6d. 4s. 6d. 5s. 0d. 1s. 0d. 1s. 3d. 3s. 3d. 3s. 3d.
Cartridge paper, O.T.M., or hand-mad Cloth-lined or vellum paper Sulphite, cap, or friction glazed Crystal glazed Tipping all over flap—33½% extra  Extra— Double-gummed (two applications Other Envelopes— Grease-proof paper envelopes Wedding invitations or decked-eds  Baukers or pocket envelopes, cream lai All sizes up to 40-in. face measurement 41-in. to 60-in. face measurement 61-in. to 100-in. face measurement 101-in. to 160-in. face measurement 141-in. to 160-in. face measurement Extras— All sizes over 40 inches, for quanti Grease proof, up to 100  Cloth-lined pockets or bankers— 11 Bs. 15s to 16s 11 x 5, 12 x 5	ge enve	lopes  Hand—Metridge pa	aking Enterprise to the control of t	elopes.		aps—	S. d.   O   7\frac{1}{2}   O   9\frac{3}{4}   O   10\frac{3}{4}   O   10\frac{3}{4}	to 72-ln. s. d. 0 8½ 0 9½ 1 2 1 0 9½ 1 0 9½	to electric state of the state	to   165-	cin. 165-in. d. s. d. 3 1 7 4½ 1 10½ 5½ 2 2 3 1 7 6½ 2 5  Per 1,000. 2½d. 1s. 9d. 1s. 1d.  2s. 3d. 2s. 9d. 3s. 0d. 3s. 6d. 4s. 6d. 5s. 0d. 6d. 1s. 0d. 1s. 3d. 3s. 6d. 3s. 6d. 3s. 6d.
Cartridge paper, O.T.M., or hand-mad Cloth-lined or vellum paper  Sulphite, cap, or friction glazed Crystal glazed Tipping all over flap—33½% extra  Extra—  Double-gummed (two application: Other Envelopes— Grease-proof paper envelopes Wedding invitations or decked-ed;  Bankers or pocket envelopes, cream lai All sizes up to 40-in. face measurement 61-in. to 100-in. face measurement 101-in. to 140-in. face measurement 101-in. to 160-in. face measurement 141-in. to 160-in. face measurement Extras—  All sizes over 40 inches, for quanti Grease proof, up to 100  "over 100  Cloth-lined pockets or bankers—  11 Fs.  15s to 16s  11 x 5, 12 x 5  14 x 5, 14 x 6, 14 x 7, 15 x 7½	ge onve  I d or car ment  t ities of	lopes Hand—Metridge pa	aking Eng	eelopes.	ning on fl	aps—	to   to   to   to   to   to   to   to	to 72-in.  a. d. 0 8½ 0 9½ 1 2 0 9½ 1 0	to t	to   165-	cin. 165-in. d. s. d. 3 1 7 4½ 1 10½ 5 2 2 3 1 7 6½ 2 5  Per 1,000. 2½d. 1s. 9d. 1s. 1d.  2s. 3d. 2s. 9d. 3s. 6d. 4s. 6d. 5s. 0d. 1s. 0d. 1s. 3d. 3s. 3d. 3s. 3d.
Cartridge paper, O.T.M., or hand-mad Cloth-lined or vellum paper Sulphite, cap, or friction glazed Crystal glazed Tipping all over flap—33½% extra  Extra— Double-gummed (two application: Other Envelopes— Grease-proof paper envelopes Wedding invitations or decked-ed.  Baukers or pocket envelopes, cream lai All sizes up to 40-in. face measurement 61-in. to 100-in. face measurement 101-in. to 100-in. face measurement 101-in. to 140-in. face measurement 21-in. to 160-in. face measurement Extras— All sizes over 40 inches, for quanti Grease proof, up to 100  " over 100  Cloth-lined pockets or bankers— 11 Bs	ge enve	lopes dand—Martridge pa	aking Engles with	elopes.	ning on fl	aps—	Solid   Soli	to 72-in.  2. d. 0 8½ 0 9½ 1 2 0 9¾ 1 0	to wo.in. s. d. 1 1 1 2 2 3 1 1 1 3	to   165-	cin. 165-in. d. s. d. 3 1 7 44 1 104 5 5 2 2 3 1 7 6 1 2 5 5 2 2 5 6 1 2 5 6 1 1 d.  Per 1,000. 2 d. 1s. 9d. 1s. 9d. 1s. 1d.  2s. 3d. 2s. 9d. 3s. 6d. 4s. 6d. 5s. 0d. 6d. 1s. 0d. 1s. 3d. 3s. 6d. 4s. 6d. 4s. 6d. 4s. 6d. 4s. 6d. 4s. 6d. 4s. 6d.
Cartridge paper, O.T.M., or hand-mad Cloth-lined or vellum paper  Sulphite, cap, or friction glazed Crystal glazed Tipping all over flap—33½% extra  Extra— Double-gummed (two application: Other Envelopes— Grease-proof paper envelopes Wedding invitations or decked-ed;  Bankers or pocket envelopes, cream lai All sizes up to 40-in. face measurement 61-in. to 100-in. face measurement 101-in. to 140-in. face measurement 141-in. to 160-in. face measurement Extras— All sizes over 40 inches, for quanti Grease proof, up to 100  "" Cloth-lined pockets or bankers— 11 Fs.  15 s to 16s  11 x 5, 12 x 5  14 x 5, 14 x 6, 14 x 7, 15 x 7½  16 x 11, 15 x 11  Extra thick vellum manilla pockets or 16½ x 12	ge enve	lopes dand—Martridge pa	aking Eng	elopes.		aps—	Solution   Solution	to 72-in.  a. d. 0 8½ 0 9½ 1 2 0 9¾ 1 0	to wo.in. s. d. 1 1 1 1 2 2 1 1 3 1 1 1 3	S. 1 1 1 1 1 1	cin. 165-in. d. s. d. 3 1 7 44 1 10½ 51 2 2 3 1 7 64 2 5  Per 1,000. 2¼d. 1s. 9d. 1s. 1d.  2s. 9d. 3s. 6d. 4s. 6d. 5s. 0d. 1s. 3d. 3s. 6d. 4s. 6d. 5s. 6d. 4s. 6d. 6s. 6d. 6s. 6d.
Cartridge paper, O.T.M., or hand-mad Cloth-lined or vellum paper Sulphite, cap, or friction glazed Crystal glazed Tipping all over flap—33½% extra  Extra— Double-gummed (two applications Other Envelopes— Grease-proof paper envelopes Wedding invitations or decked-ed  Baukers or pocket envelopes, cream lai All sizes up to 40-in. face measurement 61-in. to 100-in. face measurement 101-in. to 100-in. face measurement 101-in. to 100-in. face measurement Extras— All sizes over 40 inches, for quanti Grease proof, up to 100  Cloth-lined pockets or bankers— 11 Bs. 15s to 16s 11 x 5, 12 x 5 14 x 5, 14 x 6, 14 x 7, 15 x 7½ 16 x 11, 15 x 11  Extra thick vellum manilla pockets or 16½ x 12 13 x 8½	ge enve	lopes Hand—Metridge pa	aking English	elopes.		aps—	Solid   Soli	to 72-in.  a. d. 0 8½ 0 9½ 1 2 0 9¾ 1 0	to wo.in. s. d. 1 1 1 2 2 3 1 1 1 3 1 1 3	to   to   to   to   to   to   to   to	ci. 165-in. d. s. d. 3 1 7 4 1 10 2 3 1 7 6 1 2 2 3 1 7 6 1 2 5 er 1,000. 2 1 d. 1s. 9d. 1s. 1d.  2s. 3d. 2s. 9d. 3s. 6d. 4s. 6d. 5s. 0d. 6d. 1s. 3d. 3s. 6d. 4s. 6d. 4s. 6d. 4s. 6d. 4s. 6d. 4s. 6d.
Cartridge paper, O.T.M., or hand-mad Cloth-lined or vellum paper Sulphite, cap, or friction glazed Crystal glazed Tipping all over flap—33½% extra  Extra— Double-gummed (two applications of the Envelopes— Grease-proof paper envelopes Wedding invitations or decked-ed.  Bankers or pocket envelopes, cream lai All sizes up to 40-in. face measurement 41-in. to 160-in. face measurement 101-in. to 140-in. face measurement 101-in. to 140-in. face measurement 141-in. to 160-in. face measurement 241-in. to 160-in. face measurement Extras— All sizes over 40 inches, for quanti Grease proof, up to 100  Cloth-lined pockets or bankers— 11 Bs. 12 S to 16s 11 x 5, 12 x 5 14 x 5, 14 x 6, 14 x 7, 15 x 7½ 16 x 11, 15 x 11  Extra thick vellum manilla pockets or 16½ x 12 13 x 8¾ 14½ x 9½ (no flaps) Crystal paper—	ge onve	lopes Hand—Metridge pa	aking Eng	elopes.		aps—	Solution   Solution	to 72-in.  c. d. 0 8½ 0 9½ 1 0 9¾ 1 0	to electric state of the state	S. 1 1 1 1 1 1 1 1	ci. 165-in. d. s. d. 3 1 7 4½ 1 10½ 5 2 2 3 1 7 6½ 2 5 er 1,000. 2½d. 1s. 9d. 1s. 1d.  2s. 3d. 2s. 9d. 3s. 6d. 4s. 6d. 5s. 0d. 6d. 1s. 3d. 3s. 6d. 4s. 6d. 6s. 6d. 7s. 9d.
Cartridge paper, O.T.M., or hand-mad Cloth-lined or vellum paper Sulphite, cap, or friction glazed Crystal glazed Tipping all over flap—33½% extra  Extra— Double-gummed (two applications Other Envelopes— Grease-proof paper envelopes Wedding invitations or decked-eds  Bankers or pocket envelopes, cream lai All sizes up to 40-in. face measurement 61-in. to 160-in. face measurement 101-in. to 100-in. face measurement 101-in. to 160-in. face measurement Extras— All sizes over 40 inches, for quanti Grease proof, up to 100  Cloth-lined pockets or bankers— 11 Bs. 15s to 16s 11 x 5, 12 x 5 14 x 5, 14 x 6, 14 x 7, 15 x 7½ 16 x 11, 15 x 11  Extra thick vellum manilla pockets or 16½ x 12 13 x 8½ 14½ x 9½ (no flaps) Crystal paper— 10 x 7 .	ge enve	lopes Hand—Metridge pa	aking Enn	elopes.  out gumr		aps—	to   to   to   to   to   to   to   to	to 72-ln.  c. d. 0 8½ 0 9½ 1 0 9¾ 1 0	to wo.in. s. d. 1 1 1 2 2 3 1 1 1 3	S. 61 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	ci. 165-in. d. s. d. 3 1 7 4½ 1 10½ 5½ 2 2 3 1 7 6½ 2 5  er 1,000. 2½d. 1s. 9d. 1s. 1d.  2s. 3d. 2s. 9d. 3s. 6d. 4s. 6d. 5s. 0d. 6d. 1s. 3d. 3s. 6d. 4s. 6d. 6s. 6d. 7s. 9d. 6s. 9d. 6s. 9d. 6s. 3d.
Cartridge paper, O.T.M., or hand-mad Cloth-lined or vellum paper Sulphite, cap, or friction glazed Crystal glazed Tipping all over flap—33½% extra  Extra— Double-gummed (two application: Other Envelopes— Grease-proof paper envelopes Wedding invitations or decked-ed:  Bankers or pocket envelopes, cream lai All sizes up to 40-in. face measurement 61-in. to 100-in. face measurement 101-in. to 100-in. face measurement 101-in. to 100-in. face measurement Extras— All sizes over 40 inches, for quanti Grease proof, up to 100  Cloth-lined pockets or bankers— 11 Rs. 15s to 16s 11 x 5, 12 x 5 14 x 5, 14 x 6, 14 x 7, 15 x 7½ 16 x 11, 15 x 11  Extra thick vellum manilla pockets or 16½ x 12 13 x 8¾ 14½ x 9½ (no flaps) Crystal paper— 10 x 7 12½ x 9½	ge enve  H d or can ment  t  titles of   banker	lopes dand—Martridge pa	aking Eng	elopes.	ming on fl	aps—	S. d.   O   7½	to 72-ln. s. d. 0 8½ 0 9½ 1 2 9 1 0 9½ 1 0 0 9½ 1 0 0 9½	to t	S. (1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	ci. 165-in. d. s. d. 3 1 7 4 1 10 2 3 1 7 6 1 2 2 3 1 7 6 1 2 5  Per 1,000. 2 1 d. 1s. 9d. 1s. 1d.  2s. 3d. 2s. 9d. 3s. 6d. 4s. 6d. 5s. 0d. 1s. 3d. 3s. 6d. 4s. 6d. 6s. 6d. 7s. 9d. 6s. 9d. 6s. 9d. 6s. 9d. 6s. 9d. 6s. 9d. 6s. 3d. 3s. 4d. 4s. 7d.
Cartridge paper, O.T.M., or hand-mad Cloth-lined or vellum paper Sulphite, cap, or friction glazed Crystal glazed Tipping all over flap—33½% extra  Extra—  Double-gummed (two applications of the Envelopes— Grease-proof paper envelopes Wedding invitations or decked-ed.  Bankers or pocket envelopes, cream lai All sizes up to 40-in. face measurement of the control of	ge enve	lopes Hand—Metridge pa	aking Enn	elopes.  cetopes.  cetopes		aps—	to   to   to   to   to   to   to   to	to 72-in.  . d. 0 8½ 0 9½ 1 2 0 9¾ 1 0	to t	to   to   to   to   to   to   to   to	cin. 165-in. d. s. d. 3 1 7 44 1 104 5 5 2 2 3 1 7 64 2 5  Per 1,000. 2 d. 1s. 9d. 1s. 9d. 1s. 9d. 1s. 0d. 1s. 0d. 1s. 3d. 3s. 6d. 4s. 6d. 6s. 6d. 4s. 6d. 6s. 9d. 6s. 9d. 6s. 9d. 6s. 9d. 6s. 3d. 3s. 4d.
Cartridge paper, O.T.M., or hand-mad Cloth-lined or vellum paper Sulphite, cap, or friction glazed Crystal glazed Tipping all over flap—33½% extra  Extra— Double-gummed (two application: Other Envelopes— Grease-proof paper envelopes Wedding invitations or decked-ed:  Bankers or pocket envelopes, cream lai All sizes up to 40-in. face measurement 61-in. to 100-in. face measurement 101-in. to 100-in. face measurement 101-in. to 100-in. face measurement 141-in. to 160-in. face measurement Extras— All sizes over 40 inches, for quanti Grease proof, up to 100  """ Cloth-lined pockets or bankers— 11 Bs. 15s to 16s 11 x 5, 12 x 5 14 x 5, 14 x 0, 14 x 7, 15 x 7½ 16 x 11, 15 x 11  Extra thick vellum manilla pockets or 16½ x 12 13 x 8¾ 14½ x 1½ 14½ x 9½ 14½ x 1½ Wallet-shaped envelopes— All sizes	ge enve  H d or can ment  t  titles of f	lopes dand—Martridge pa	aking Eng	elopes.	ming on fl	aps	Solid   Soli	to 72-in.  2. d. 0 8½ 0 9½ 1 2 0 9¾ 1 0	to t	to   to   to   to   to   to   to   to	cin. 165-in. d. s. d. 3 1 7 44 1 104 5 2 2 3 1 7 64 2 2 5  er 1,000. 2 d. 1s. 9d. 1s. 1d.  2s. 9d. 3s. 6d. 4s. 6d. 5s. 0d. 1s. 3d. 3s. 6d. 4s. 6d. 6s. 6d. 7s. 9d. 6s. 6d. 7s. 9d. 6s. 3d. 3s. 4d. 4s. 7d. 6s. 4d.
Cartridge paper, O.T.M., or hand-mad Cloth-lined or vellum paper Sulphite, cap, or friction glazed Crystal glazed Tipping all over flap—33½% extra  Extra— Double-gummed (two applications Other Envelopes— Grease-proof paper envelopes Wedding invitations or decked-ed  Baukers or pocket envelopes, cream lai All sizes up to 40-in. face measurement 101-in. to 100-in. face measurement 101-in. to 100-in. face measurement 101-in. to 100-in. face measurement 141-in. to 160-in. face measurement Extras— All sizes over 40 inches, for quanti Grease proof, up to 100  Cloth-lined pockets or bankers— 11 Bs. 15s to 16s 11 x 5, 12 x 5 14 x 5, 14 x 6, 14 x 7, 15 x 7½ 16 x 11, 15 x 11  Extra thick vellum manilla pockets or 16½ x 12 13 x 8½ 14½ x 9½ (no flaps) Crystal paper— 10 x 7 12½ x 9½ 14½ x 11½ Wallet-shaped envelopes— All sizes Sample bags—	ge enve	lopes Hand—Metridge pa	aking Enn per, withe	elopes. out gumr		aps—	to   to   to   to   to   to   to   to	to 72-in.  a. d. 0 8½ 0 9½ 1 2 0 9¾ 1 0	to t	to   to   to   to   to   to   to   to	ci. 165-in. d. s. d. 3 1 7 44 1 10½ 5 2 2 3 1 7 61 2 5  Per 1,000. 21d.  1s. 9d. 1s. 1d.  2s. 3d. 2s. 9d. 3s. 6d. 4s. 6d. 6s. 6d. 1s. 0d. 1s. 3d. 3s. 3d. 3s. 6d. 4s. 6d. 6s. 6d. 6s. 9d. 6s. 9d. 6s. 9d. 6s. 9d. 6s. 3d. 3s. 4d. 4s. 7d. 6s. 4d. 4s. 3d.
Cartridge paper, O.T.M., or hand-mad Cloth-lined or vellum paper Sulphite, cap, or friction glazed Crystal glazed Tipping all over flap—33½% extra  Extra— Double-gummed (two application: Other Envelopes— Grease-proof paper envelopes Wedding invitations or decked-ed;  Bankers or pocket envelopes, cream lai All sizes up to 40-in. face measurement 61-in. to 100-in. face measurement 101-in. to 140-in. face measurement 101-in. to 140-in. face measurement 20-er 160-in. face measurement Extras— All sizes over 40 inches, for quanti Grease proof, up to 100  "" over 100  Cloth-lined pockets or bankers— 11 Fs. 15s to 16s 11 x 5, 12 x 5 14 x 5, 14 x 6, 14 x 7, 15 x 7½ 16 x 11, 15 x 11  Extra thick vellum manilla pockets or 16½ x 12 13 x 3¾ 14½ x 9½ (no flaps)  Crystal paper— 10 x 7 1½ x 9½ 14½ x 1½  Wallet-shaped envelopes— All sizes Sample bags— If 2-fold top, up to 33 inches "" over 33 inches	ge enve	lopes dand—Martridge pa	aking Enn	elopes.  out gumr		aps—	to   to   to   to   to   to   to   to	to 72-in.  a. d. 0 8½ 0 9½ 1 2 0 9¾ 1 0	to wo.in. s. d. 1 1 1 2 2 1 1 3 1 1 3	to   to   to   to   to   to   to   to	ci. 165-in. d. s. d. 3 1 7 4 1 10 2 3 1 7 6 1 2 2 7 6 1 2 5  Per 1,000. 2 1 d. 1s. 9d. 1s. 1d.  2s. 9d. 3s. 6d. 4s. 6d. 5s. 0d. 1s. 0d. 1s. 3d. 3s. 6d. 4s. 6d. 6s. 6d. 7s. 9d. 6s. 3d. 3s. 4d. 4s. 7d. 6s. 4d. 4s. 3d. 4s. 7d. 6s. 4d. 4s. 9d.
Cartridge paper, O.T.M., or hand-mad Cloth-lined or vellum paper Sulphite, cap, or friction glazed Crystal glazed Tipping all over flap—33½% extra  Extra— Double-gummed (two applications of the Envelopes— Grease-proof paper envelopes Wedding invitations or decked-eds  Baukers or pocket envelopes, cream lai All sizes up to 40-in. face measurement 41-in. to 60-in. face measurement 101-in. to 100-in. face measurement 101-in. to 160-in. face measurement 41-in. to 160-in. face measurement 141-in. to 160-in. face measurement Extras— All sizes over 40 inches, for quantification of the Grease proof, up to 100  Cloth-lined pockets or bankers— 11 Bs.  15s to 16s 11 x 5, 12 x 5 14 x 5, 14 x 6, 14 x 7, 15 x 7½ 16 x 11, 15 x 11  Extra thick vellum manilla pockets or 16½ x 12 13 x 8½ 14½ x 9½ (no flaps) Crystal paper— 10 x 7 12½ x 9½ 14½ x 11½ Wallet-shaped envelopes— All sizes Sample bags— 1f 2-fold top, up to 33 inches	ge enve	lopes  Hand—Martridge pa	aking English with the state of	elopes.  out gumr		aps—	to   to   to   to   to   to   to   to	to 72-ln.  s. d. 0 8½ 0 9½ 1 0 9¾ 1 0 0 9¾ 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	to wo.in. s. d. 1 1 1 2 2 1 1 3 1 1 3	S. 6. 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	cin. 165-in. d. s. d. 3 1 7 44 1 10½ 551 2 2 3 1 7 6½ 2 3 1 7 6½ 2 5 2 2 5  Per 1,000. 2 ½d.  1s. 9d. 1s. 1d.  2s. 3d. 2s. 9d. 3s. 6d. 4s. 6d. 6s. 6d. 1s. 0d. 1s. 3d. 3s. 3d. 3s. 3d. 3s. 3d. 3s. 4d. 4s. 6d. 6s. 9d. 6s. 9d. 6s. 9d. 6s. 9d. 6s. 3d. 3s. 4d. 4s. 7d. 6s. 4d. 4s. 3d.

					811	•				- 0		25, 1924.
				Han	d Gummi	ıg.						Per 1,000.
	Hand tipping with brush	••	••	••	••	••	••	••	• •			. 8d.
	. Gat	hering and	Looking	g throug	h Gummed	Envelop	es from Po	ower M	achine.			
	Unglazed paper	••	••		••	• •						
	Glazed and bank paper Black-bordered envelopes an	d over 55	and un	der 70 i	nches	• • •	••	•••				. 14d. . 24d.
	70 inches and over		••			••	• •					. 2 <del>§</del> d.
	Notelets Varnished-faced envelopes		••	••	• •	• • •	• • •		• • •	:		43.3
	, ar											
-		F 121	ing Pap	er ana c	Helatine Po	ineis to E	nvelopes.				Per	r 1,000.
	•			_								
											Taking of	
	Business sizes Official sizes			• •		••	:: -		••	••	9d. 10d.	8d. 9d.
<del></del>											<u> </u>	-!
	Trad mashine			Em	bossing.							Per 1,000.
	Hand machine— Envelopes, relief								• •			4 03
	Sheets, ,,	••	::		• •			••	••	·		. 4s. 6d.
	Cards, "	··	••	٠	••	••	• •	• • •	••	•		. 4s. 6d.
	Seals and gummed labe Mounts, without covers		• •	••	••	• •	• • •	• •	••	:		. 4s. 9d. . 4s. 9d.
	" with covers at	tached		•••			•••		• • • • • • • • • • • • • • • • • • • •			. 4s. 9d.
	Gold bronze, envelopes,					• •						. 6s. 0d.
	Cameo	••	••	• •	• •	••	••	••	••			
	37 /		١									Per Octavo Ream.
	Note paper, relief ,, ,, in gold	••	• •	• •		••	**	••	••			. 3s. 0d. . 4s. 9d.
		••	••	••	••	• • •	••	• •	••	•		
	Hand self-inking press— Envelopes, cards, and n	ote paper	••	••							· · ·	Per 1,000. . 3s. 0d.
	Self-inking power press—	d .	,									1
	Cameo envelopes and or Envelopes and cards in		••	• • •	• • •	• • •	• • • • • • • • • • • • • • • • • • • •	• • •	••			. ls. 4d. . ls. 9d.
	,, ,,	gold			•••				::	:	: :	. 4s. 6d.
	Note paper in relief	••	••	• •	• •	• •	• •					. 2s. 8d.
				1								Per Octavo Ream.
	" " gold	•• •	••	••	••	••	••	• •	• •			. 3s. 9d.
	Envelopes, plain embossed		king up	p)								Per 1,000. 5d.
	,, j,	(after	,,	)	• •	••	<b>,</b>					. 7d.
	All hand sizes including ph	oto mount	s and co	OVELS		• •	••	••	••	•		. i 11d.
	All hand sizes, including ph											
	•		Black E	Borderin <sub>i</sub>	g—Brushi	oork.						
	All hand sizes, including ph  Envelopes, note, and letter		Black B	Borderin <sub>i</sub>	g—Brushi	oork.					10	
,	•		Black E	Borderin	-	oork. Envelopes.	<del>-</del> .		Note P	aper.	Singl	Letter Paper le, one Side only.
	•	paper—	Black E	Borderin	-		Flaps.				Singl	le, one Side
	Envelopes, note, and letter	paper—	Black E		Fronts.		-		Note P		Singl	le, one Side
	Envelopes, note, and letter	paper—	Black E		Fronts.		Flaps. Per 1,000.				Singl	le, one Side only.
	Envelopes, note, and letter	paper—	Black E		Fronts. \ Per 1,000. \ s. \ d. \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \		Per 1,000.		Per Octave	n Ream.	Pi	er 1,000.
	Envelopes, note, and letter	paper—			Fronts.  Per 1,000.  s. d. * 3 2	Envelopes.	e. d. 2 10 1 8		Per Octave	o Ream.	Pi	er 1,000.  s. d. 2 6
	Envelopes, note, and letter  Class of W  Italian Narrow and middle Broad	paper—		1	Fronts.  Per 1,000.  s. d. * 3 2 1 10 2 2		e. d. 2 10 1 8 1 10		Per Octave	d. 3 0 1	Pi	er 1,000.  8. d. 2 6 2 6 2 10
,	Italian Narrow and middle Extra broad	ork.		1	Fronts.  Per 1,000.  s. d. * 3 2 1 10 2 2 2 2	Envelopes.	e. d. 2 10 1 8 1 10 2 3		Per Octave	d. 3 0 1 3	Pi	er 1,000.  s. d. 2 6 2 6 2 10 3 8
,	Italian Narrow and middle Broad Extra broad Double broad	paper—		1	Fronts.  Per 1,000.  s. d. * 3 2 1 10 2 2	Envelopes.	e. d. 2 10 1 8 1 10		Per Octave	d. 3 0 1 3	Pi	er 1,000.  8. d. 2 6 2 6 2 10
,	Italian Narrow and middle Extra broad Double broad	rork.			Fronts.\ Per 1,000.  s. d. \( \) 3 2 1 10 2 2 2 2 2 7	Envelopes.	e. d. 2 10 1 8 1 10 2 3		Per Octave	d. 3 0 1 3	Pi	er 1,000.  s. d. 2 6 2 6 2 10 3 8
	Italian Narrow and middle Extra broad Double broad  Foolscap-letter paper single	paper—	 		Fronts.\ Per 1,000.  s. d. * 3 2 1 10 2 2 2 2 2 7  widths	Envelopes.	8. d. 2 10 1 8 1 10 2 3 2 4		Per Octave	d. 3 0 1 1 3 10 0	Po	er 1,000.  s. d. 2 6 2 6 2 10 3 8 3 8  Per 1,000.
	Italian Narrow and middle Extra broad Double broad  Foolscap-letter paper single Quarto fly first and fourth p Large 6mo. and octavo singl	sheets, one	side on	Ily—all	Fronts.  S. d. * 3 2 1 10 2 2 2 2 7 widths	Envelopes.	e. d. 2 10 1 8 1 10 2 3 2 4		Per Octave	d. 3 0 1 3 0 0	Singl P(	er 1,000.  s. d. 2 6 2 6 2 10 3 8 3 8  Per 1,000.
	Italian Narrow and middle Extra broad Double broad  Foolscap-letter paper single Quarto fly first and fourth p	sheets, one	side on	Ily—all	Fronts.  S. d. * 3 2 1 10 2 2 2 2 7 widths	Envelopes	e. d. 2 10 1 8 1 10 2 3 2 4		## Per Octave    6.     1   1   1   1   1   1   1   1   1	d. 3 0 1 3 0 0 ·	Po	s. d. 2 6 2 10 3 8 3 8 Per 1,000.  Per 1,000.  Per 2,000.
	Italian Narrow and middle Extra broad Double broad  Foolscap-letter paper single Quarto fly first and fourth p Large 6mo. and octavo singl	sheets, one	side on vidths	lly—all	Fronts.  Per 1,000.  s. d. • 3 2 1 10 2 2 2 2 2 7  widths	Envelopes	e. d. 2 10 1 8 1 10 2 3 2 4		8. 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	d. 3 0 1 3 0 0	Po	s. d. 2 6 2 6 2 6 2 10 3 8 3 8 Per 1,000.
,	Italian Narrow and middle Extra broad Double broad  Foolscap-letter paper single Quarto fly first and fourth p Large 6mo. and octavo singl Quarto fly first pp. only (all	sheets, one	side on	lly—all	Fronts.  Per 1,000.  s. d. * 3 2 1 10 2 2 2 2 2 7 2 2 2 7 widths	Envelopes	8. d. 2 10 1 8 1 10 2 3 2 4	••	## Per Octavi	d. 3 0 1 3 0 0	Po	s. d. 2 6 2 6 2 6 2 10 3 8 3 8 Per 1,000.
	Italian Narrow and middle Extra broad Double broad  Foolscap-letter paper single Quarto fly first and fourth p Large 6mo. and octavo singl Quarto fly first pp. only (all	sheets, one	side on	lly—all	Fronts.  Per 1,000.  s. d. * 3 2 1 10 2 2 2 2 2 7 2 2 2 7 widths	Envelopes	e. d. 2 10 1 8 1 10 2 3 2 4	••	## Per Octavi	d. 3 0 1 3 0 0	Po	s. d. 2 6 2 6 2 6 2 10 3 8 3 8 Per 1,000.
	Italian Narrow and middle Extra broad Double broad  Foolscap-letter paper single Quarto fly first and fourth p Large 6mo. and octavo singl Quarto fly first pp. only (all	sheets, one ages—all we, one side widths)	side on vidths only—s	I all width	Fronts.  Per 1,000.  s. d. * 3 2 1 10 2 2 2 2 2 7 2 2 2 7 widths	Envelopes	8. d. 2 10 1 8 1 10 2 3 2 4	••	Fer Octavi	d. 3 0 1 3 0 0	Po	s. d. 2 6 2 6 2 10 3 8 3 8 8 Per 1,000.  Per 1,000.  Per 2,000.  Per 3,000.  Per 3,000.  Per 3,000.  Per 3,000.  Per 3,000.  Per 3,000.  Per 3,000.
·	Italian Narrow and middle Broad Extra broad Double broad  Foolscap-letter paper single Quarto fly first and fourth p Large 6mo. and octavo singl Quarto fly first pp. only (all Cards—	sheets, one ages—all we, one side widths)	side on vidths only—s	I all width	Fronts.  S. d 3 2 1 1 10 2 2 2 2 2 7 widths	Envelopes	8. d. 2 10 1 8 1 10 2 3 2 4	ozen Pac	Fer Octavi	d. 3 0 1 3 0 0	Po	s. d. 2 6 2 6 2 10 3 8 3 8 8 Per 1,000.  Per 1,000.  Per 2,000.  Per 3,000.  Per 3,000.  Per 3,000.  Per 3,000.  Per 3,000.  Per 3,000.  Per 3,000.
	Italian Narrow and middle Broad Extra broad Double broad  Foolscap-letter paper single Quarto fly first and fourth p Large 6mo. and octavo singl Quarto fly first pp. only (all Cards—	sheets, one ages—all we, one side widths)	side on vidths only—s	I all width	Fronts.  Per 1,000.  s. d 3 2 1 10 2 2 2 2 2 7 widths  educed Sms Small.	Envelopes.	8. d. 2 10 1 8 1 10 2 3 2 4 4	—Large	Fer Octave  6. 11 11 1 kets.	D Ream.  d. 3 0 1 1 3 3 0 0	Per Double L	er 1,000.  s. d. 2 6 2 10 3 8 3 8 Per 1,000.  4s. 9d. 6s. 3d. 2s. 9d. 3s. 3d.
	Italian Narrow and middle Broad Extra broad Double broad  Foolscap-letter paper single Quarto fly first and fourth p Large 6mo. and octavo singl Quarto fly first pp. only (all Cards—	sheets, one ages—all we, one side widths)	side on vidths only—s	lly—all width	Fronts.  S. d	Envelopes.	8. d. 2 10 1 8 1 10 2 3 2 4 4	—Large	Per Octavo	D Ream.	Per Double L	er 1,000.  s. d. 2 6 2 6 2 10 3 8 3 8  Per 1,000.  4s. 9d. 6s. 3d. 2s. 9d. 3s. 3d.
	Italian Narrow and middle Broad Extra broad Double broad  Foolscap-letter paper single Quarto fly first and fourth p Large 6mo. and octavo singl Quarto fly first pp. only (all Cards—  Class of Work	sheets, one ages—all we, one side widths)	side on vidths only—e	Ily—all width  Thirds, R. or Square Square	Fronts.  S. d. • 3 2 1 10 2 2 2 2 7 2 7 widths  widths  Beduced Small.  Roon  Corn.	F III,	8. d. 2 10 1 8 1 10 2 3 2 4 4	Large uble Sm	Per Octave  s. l l l l l l l l l l l s. c. c. c. kets.  and all.  Round  Round  Round  Round  Round  Round  Round  Round	D Ream.  d. 3 0 1 1 3 3 0 0	Pouble L	er 1,000.  s. d. 2 6 2 10 3 8 3 8 Per 1,000. 4s. 9d. 6s. 3d. 2s. 9d. 3s. 3d.
	Italian Narrow and middle Broad Extra broad Double broad Large 6mo. and octave single Quarto fly first and fourth p Large 6mo. and octave single Quarto fly first pp. only (all Cards—  Class of Work	sheets, one ages—all widths)	side on vidths only—a	Fhirds, R. or Square corners.	Fronts.  Per 1,000.  s. d 3 2 1 10 2 2 2 2 2 7  widths	P III, Ind.	8. d. 2 10 1 8 1 10 2 3 2 4	Large uble Sm	Fer Octave  6. 1 1 1 1 1 4 kkets.  Round forners.  s. d. 2 9	D Ream.  d. 3 0 1 3 3 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	Pouble L	er 1,000.  s. d. 2 6 2 10 3 8 3 8  Per 1,000.  4s. 9d. 6s. 3d. 2s. 9d. 3s. 3d.
	Italian Narrow and middle Broad Extra broad Double broad  Foolscap-letter paper single Quarto fly first and fourth p Large 6mo. and octavo singl Quarto fly first pp. only (all Cards—  Class of Work	sheets, one ages—all widths)	side on vidths only—s	Ily—all width  Thirds, R. or Square Square	Fronts.  S. d	F III,	8. d. 2 10 1 8 1 10 2 3 2 4 4	—Large uble Sm	Per Octave  s. l l l l l l l l l l l s. c. c. c. kets.  and all.  Round  Round  Round  Round  Round  Round  Round  Round	D Ream.  d. 3 0 0 1 1 3 3 10 0	Pouble L	er 1,000.  s. d. 2 6 2 6 2 10 3 8 3 8 Per 1,000. 4 s. 9d. 5 . 6s. 3d. 2 s. 9d. 3 s. 3d.

.

.

February 25, 1924.	812						Victoria Gazette		
Friction glazed paper (envelope fronts) Envelopes made by hand (fronts only) Bank paper, 12 lbs., large post and under Wallet envelopes—flaps only Purple border		 :. 				  	2 dd. per 1,000 extra 2 dd. " " 15 per cent. extra 50 " "		

(8) PIECE-WORK WHICH MAY BE FIXED BY AN EMPLOYEE.—The Board determines, under the provisions of section 144 of the Factories and Shops Act 1915, that any employer may fix and pay piece-work prices to any person employed at any work for which this Board has not fixed piece-work prices, but has fixed a minimum wage; provided that such employer shall base such piece-work prices on the earnings of an average worker working under like conditions, and such piece-work prices shall be fixed so that an average worker can earn not less than the wages rate fixed by the Board for such work.

H. J. RICHARDSON, J.P., Chairman.

S. W. McNAMARA, Secretary.

Melbourne, 1st February, 1924.