



VICTORIA GOVERNMENT GAZETTE.

Published by Authority.

[Registered at the General Post Office, Melbourne, for transmission by post as a newspaper.]

No. 126]

FRIDAY, JUNE 12.

[1931]

Factories and Shops Act 1928 (No. 3677).

DETERMINATION OF THE TINSMITHS BOARD.

NOTE.—This Determination, on the 15th June, 1931, applied to the following parts of Victoria, namely:—The Metropolitan District as defined in the *Factories and Shops Act 1928* (No. 3677) and the Order in Council thereunder; such portions of the City of Sandringham as are not included within the said Metropolitan District; the cities of Ballarat, Bendigo, Geelong, Geelong West, and Warrnambool; the town of Newtown and Chilwell; and the boroughs of Eaglehawk and Sebastopol.

In accordance with the provisions of the *Factories and Shops Act 1928* (No. 3677), the Wages Board appointed to "determine the lowest prices or rates of payment payable to any person or persons or classes of persons employed in the process, trade, or business of preparing or manufacturing articles made of tin plate or other sheet metal, including the japanning of such articles," has made the following Determination, namely:—

(1) That on the 15th day of June, 1931, the last previous Determination of this Board shall be revoked and replaced by this Determination.

(2)

APPRENTICES AND IMPROVERS.

Wages per Week of 44 Hours.			Number (in any place).	
			Apprentices.	
1st year's experience ...	Apprentices. 15s. 6d.	Improvers. 15s. 6d.		
2nd " "	22s.	22s.		
3rd " "	28s. 6d.	30s.		
4th " "	38s. 6d.	44s.		
5th " "	52s.	56s. 6d.		

Apprentices.
One apprentice to every three or fraction of three workers receiving not less than 69s. per week of 44 hours.
An indenture of apprenticeship prescribed by the Board was approved on 20th May, 1911.
Improvers.
One improver to every five or fraction of five workers receiving not less than 76s. per week of 44 hours.

(3) JUVENILE WORKERS (other than apprentices or improvers)—

Wages per Week of 44 Hours.				
1st Year's Experience in Class A.	2nd Year's Experience in Class A.	3rd Year's Experience in Class A.	4th Year's Experience in Class A.	
s. d.	s. d.	s. d.		
Under 17 years of age.				
CLASS A.				
(1) Putting wire handles in camp kettles, wiring handles for kettles and dippers, folding flat tin handles, folding spouts and barrels for kerosene pumps, forming handles for pannikins and dippers, forming rims for lids, notching (except by power machines), using guillotine for above work, holding general sheet metal work for journeymen or soldering canisters other than seams, tops, or bottoms	16 6	23 0	29 6	
(2) Polishing, cleaning, spiritig, testing to detect leaks (except in 4-gallon petrol, kerosene, or pulp tins), making spouting tubes, cutting and making wire handles, cutting hoop iron and wire for general sheet metal work, blackening or tarring shovels or closet pans, packing, carrying or moving goods, lighting or attending fires or engaged on canister work at topping tins or trimming scrap	16 6	20 0	26 0	
Under 21 years of age.				
CLASS B.				
Repairing leaks in general sheet metal work (other than old work) or assisting at rollers for forming down pipes, or engaged at general sheet metal work on the following machines, viz.:—Burnishing and spinning lathes, curving machines, guillotines for cutting spouting and ridging, hand presses, or spouting and ridging machines	1st Year's Experience in Class B. 29 6	2nd Year's Experience in Class B. 38 6	3rd Year's Experience in Class B. 48 6	4th Year's Experience in Class B. 58 6

(3) JUVENILE WORKERS—continued.

	Wages per Week of 44 Hours.					
	1st Year's Experi- ence in Class C.	2nd Year's Experi- ence in Class C.	3rd Year's Experi- ence in Class C.	4th Year's Experi- ence in Class D.	5th Year's Experi- ence in Class D.	6th Year's Experi- ence in Class D.
	s. d.	s. d.	s. d.			
CLASS C						
Engaged on power presses	42 6	52 0	61 0			
CLASS D.						
Engaged at general sheet metal work or canister or tin toy work on any other power machine (other than a power press) or at canister or tin toy work on the following machines or presses:—Monkey, pendulum, screw, or treadle, machines for folding canisters of holding capacity up to and including one pint, beading, bending (other than work on angle bender or folder exceeding 8 inches), body forming (other than by angle bender), clenching, crimping, curling, double seaming, flanging, hinge hooking, hinge seating, lock seam-seaming, notching, rolling, squeezing, trimming, or wire forming, or feeding or taking off in connexion with any power soldering machine or employed in connexion with japanning at scouring, cleaning, assisting to polish or general rough work, or engaged on cabinet handles in cutting strips, clips, and holes on guillotine, bending clips round ring, fitting same and opening out ends, or employed at hinge making, in cutting metal into strips, or putting in pins or spraying tin toys or reconditioning tin canisters under the supervision of an adult sprayer	20 0	26 0	32 6	43 0	52 0	61 0

(4) OTHER EMPLOYEES—WAGES.

Tinsmiths or sheet metal workers who cut patterns or make up articles from patterns cut by themselves or from blue prints or architectural drawings	90s. 6d. per week of 44 hours
Other tinsmiths or sheet metal workers	85s.
Repairers on general sheet metal work	85s.
Machinists on general sheet metal work	79s.
Operators of—	
(a) Oxy-acetylene welding machines or quasi-arc electric welding plants	90s. 6d.
(b) Electric spot, seam, or butt welders	80s. 6d.
Picklers	80s.
Timmers	85s.
Artistic japanners	
Gold workers	
Ornamental pencil workers	82s. 6d.
Sprayers	
Fillets	
Grainers	
Liners	77s.
Writers	
Conters	76s.
Makers or repairers of canisters, oil tins, or tin toys or parts thereof—	
(a) by hand	76s.
(b) by machine	73s. 6d.
Canister vent closers working on tins containing substance with an artificial temperature of 150 deg. F. or over	79s. 6d.
Persons soldering caps on tins containing substance with an artificial temperature of 150 deg. F. or over	79s. 6d.
Other can solders	76s.
Persons attending—	
(a) Power capping machines	
(b) the metal pot on a power automatic body forming or seam soldering machine or the metal pot on a power automatic end soldering machine	76s.
All others	69s.

(5) TIME OF BEGINNING AND ENDING WORK.

Time of Beginning.	Time of Ending.
7.30 a.m.	12 noon on the day on which the half-holiday is observed.
7.30 a.m.	5.30 p.m. on the other working days of the week.

(6) OVERTIME.

Outside the time of beginning and ending work as herein fixed
Within the time of beginning and ending work in excess of the hours fixed in Time and a half,
this Determination as a week's work

(7) SPECIAL RATES.—Double time shall be the special rate for all work done on Sunday, New Year's Day, Foundation Day (26th January), Good Friday, Easter Monday, Eight Hours Day (21st April), King's Birthday, Christmas Day, and Boxing Day; but if any other day be by Act of Parliament or Proclamation substituted for any of the above-named holidays, the special rate shall only be payable for work done on the day so substituted.

(8) TIME WAGES.—Any person employed on time wages for less than the number of hours fixed for an ordinary week's work shall for each hour worked up to one-half the number of hours fixed be paid at the ordinary wages rate with an addition of thirty-three and a third per centum.

(9) (a) PIECE-WORK.—The lowest piece-work price payable to any person for wholly or partly preparing or manufacturing any article described in the following Schedules (which Schedules shall form part of this Determination) shall be the price mentioned in such Schedules.

(b) Wherever the quantity to be given out is stated in the Schedules the prices apply only when the articles are given out in quantities not less than those mentioned in the Schedule.

(c) The Schedules of prices apply to new material only.

(d) Except where otherwise provided, where the sizes of articles to be made under these Schedules do not exactly correspond with the sizes stated in their Schedules, then the price or rate fixed for the next nearest size shall apply; but where the size is half-way between two sizes, then the next higher price or rate shall apply.

SCHEDULE A.—GENERAL SHEET METAL WORK.

Articles.	Material.	Size.	When given out in the under- mentioned Quantities or more.	Prices.
(1.) BASINS.				
WASH-HAND BASINS, hand-made (including blocking of bottoms)	1C tin plate	13 inches ... 16 " "... 18 " "... 13 " "... 16 " "... 18 " "... 20 " "... 22 "	3 dozen ... 3 " "... 2 " "... 3 " "... 2 " "... 2 " "... 1½ " "... 1 "	6s. 2d. per doz. 7s. 6d. " 8s. 8d. " 7s. 5d. " 8s. 3d. " 10s. 9d. " 12s. 3d. " 14s. 11d. " 4d. per doz. deducted
" " "				
" " "				
" " "				
" " "				
" " "				
If bottoms supplied for 13 in. basins...				
" " 16 and 18 in. basins				6d. "
" " 20 and 22 in. basins				1s. " "
If unplated handles 6 gauge wire or under supplied for basins ...		18, 20, or 22 inches	1s. 6d. per gross handles deducted
(2.) BATHS.				
CHILD'S BATHS		24 inches ... 26 " "... 28 " "... 30 " "... 33 " "... 36 " "... 42 "	3 articles ... 3 " "... 3 " "... 3 " "... 3 " "... 3 " "... 2 "	4s. 8d. each 5s. 2d. " 5s. 6d. " 5s. 11d. " 6s. 3d. " 7s. 2d. " 8s. 3d. " 28s. 1d. per doz.
" " "				
" " "				
" " "				
" " "				
Foot BATHS, oval, moulded, knocked up bottoms		16 " ... 18 " ... 20 " ... 22 "	6 " ... 6 " ... 6 " ... 6 "	29s. 6d. " 31s. 5d. " 34s. 6d. " 36s. 2d. "
" " " "				
" " " "				
" " " "				
" " " "				
Bodies 24-gauge iron or lighter		24 " ... 26 "	6 " ... 6 "	38s. 2d. " 42s. 10d. "
" " " "				
" " " "				
" " " "				
Bottoms 24-gauge iron or lighter		30 " ... 16 " ... 18 " ... 20 " ... 22 "	6 " ... 1 dozen ... 1 " ... 1 " ... 1 "	45s. 7d. " 11s. 8d. " 13s. 5d. " 14s. 11d. " 17s. 5d. " 19s. 7d. " 22s. " 23s. 7d. " 25s. 2d. "
" " " "				
" " " "				
FRAME BATHS, galvanized iron, up to 6 feet long, up to 22 inches wide, and up to 22 inches deep (Assistance to be given for knocking up) ...	26-gauge iron	3 articles ...	7s. 2d. each
" " " "				
" " " "				
" " " "				
PLUNGER BATHS, moulded	24-gauge iron or lighter	24 " ... 22 " ... 48 inches ... 54 " ... 60 " ... 66 " ... 72 "	2 " ... 2 " ... 2 " ... 2 " ... 2 " ... 2 " ... 2 "	7s. 2d. " 9s. " " 9s. 5d. " 10s. 11d. " 12s. 2d. " 13s. " " 14s. 2d. " 1s. 3d. each bath extra
" " " "				
" " " "				
" " " with raised backs				
If galvanized iron used for beads for Plunge or Child's Baths				1s. 2d. "
(3.) BINS.				
FLOUR BINS, with body wired, back-lapped, and swedged; bottom knocked up and hooped or studded (4 studs); lid with a rim not less than 2½ inches deep; top blocked and paned on to rim; hasp and hinge on cover; and three oval wire handles	IXX tin plate or lighter	25 lbs. ... 50 " ... 75 "	6 articles ... 6 " ... 4 "	2s. 8d. each 3s. 4d. " 3s. 11d. "
" " " "				
" " " "				
FLOUR BINS, with body wired, back-lapped, and swedged, for galvanized hoop; hoop about 20 gauge and 1½ inches wide; bottom knocked up; lid with a rim not less than 2½ inches deep; top blocked and paned on to rim; hasp and hinge on cover; and three oval wire handles	Galv. or lead-coated iron, 24-gauge or lighter	100 " ... 200 " ... 250 "	3 " ... 3 " ... 2 "	6s. 2d. each 7s. 2d. " 7s. 11d. "
" " " "				
(4.) BOILERS.				
TIN BOILERS, oval, with pitched covers		3 gallons ... 4 " ... 5 " ... 7 " ... 10 "	1 dozen ... 1 " ... 1 " ... 6 articles ... 1 dozen ...	13s. 7d. per doz. 15s. 8d. " 15s. 8d. " 21s. 1d. " 17s. 8d. "
" " " "				
" " " "				
" " " oval, with blocked covers	IXX tin plate or lighter	3 " ... 4 " ... 5 " ... 7 " ... 10 "	1 " ... 1 " ... 1 " ... 6 articles ... 1 dozen ...	19s. 10d. " 19s. 10d. " 25s. 6d. " 29s. 4d. " 12s. "
" " " "				
" " " oval, with stamped covers		3 " ... 4 " ... 5 " ... 7 " ... 10 "	1 " ... 1 " ... 1 " ... 6 articles ... 6 "	13s. 7d. " 13s. 7d. " 17s. 8d. " 22s. "
If copper bottoms are used on above—Tinning same				5s. per doz. extra

Less 7½ per cent.

PIECE-WORK—continued.

Articles.	Material.	Size.	When given out in the under- mentioned Quantities or more.	Price .
(5.) BOTTLES.				
OIL BOTTLES, round, with plain necks and knocked up bottoms, paned on breast	IX tin plate or lighter	1 quart ...	3 dozen ...	5s. 9d. per doz.
" " " " "		2 quarts ...	3 " ...	6s. 7d. "
" " " with stamped nozzles ...		4 " ...	2 " ...	8s. 3d. "
" " " with patent screws (spouts supplied)		3d. per doz. deducted
" " " " "		1 quart ...	3 dozen ...	5s. 9d. per doz.
" " " " "		2 quarts ...	3 " ...	6s. 7d. "
" " " with slipped on bottoms and breasts		4 " ...	2 " ...	8s. 3d. "
" " " " "		4d. per doz. deducted
TEA BOTTLES, oval, with slipped on bottoms and breasts		1 pint ...	3 dozen ...	6s. 2d. per doz.
" " " " "		1½ pints ...	3 " ...	6s. 7d. "
" " " " "	1½ tin plate	2 " ...	3 " ...	8s. 3d. "
" " " " "		3 " ...	2 " ...	9s. "
" " " " "		4 " ...	2 " ...	9s. 5d. "
" " " with stamped nozzles ...		6 " ...	2 " ...	10s. 9d. "
" " " " "		3d. per doz. deducted
(6.) BOXES.				
BONNET BOXES, round, including hasp ...	IXX tin plate or lighter	13 inches ...	3 dozen ...	13s. per doz.
" " " " "		14 " ...	3 " ...	13s. "
" " " " "		15 " ...	3 " ...	13s. 9d. "
" " " " "		16 " ...	3 " ...	13s. 9d. "
" " " hasp supplied ...		17 " ...	3 " ...	14s. 7d. "
" " " " "		18 " ...	3 " ...	14s. 7d. "
" " " " "		19 " ...	3 " ...	13s. "
" " " " "		20 " ...	3 " ...	13s. 9d. "
" " " flat top or stamped top (hasp supplied) ...		21 " ...	2 " ...	13s. 9d. "
" " " " "		22 " ...	2 " ...	24s. 6d. "
" " " " "	28-gauge steel	13 " ...	3 " ...	14s. 7d. "
" " " " "		14 " ...	3 " ...	14s. 7d. "
" " " " "		15 " ...	3 " ...	15s. 8d. "
" " " " "		16 " ...	3 " ...	15s. 8d. "
" " " " "		17 " ...	3 " ...	16s. 8d. "
" " " " "		18 " ...	3 " ...	16s. 8d. "
" " " " "		19 " ...	3 " ...	16s. 2d. "
" " " oval, including hasp ...	IXX tin plate or lighter	20 " ...	3 " ...	19s. 8d. "
" " " " "		21 " ...	3 " ...	13s. 7d. "
" " " " "		22 " ...	3 " ...	13s. 7d. "
" " " hasp supplied ...		23 " ...	3 " ...	14s. 9d. "
" " " " "		24 " ...	3 " ...	14s. 9d. "
" " " " "		25 " ...	3 " ...	14s. 9d. "
" " " " "		26 " ...	3 " ...	15s. 5d. "
" " " " "		27 " ...	3 " ...	15s. 5d. "
" " " " "		28 " ...	3 " ...	15s. 5d. "
" " " flat top or stamped top (hasp supplied) ...		29 " ...	2 " ...	25s. 6d. "
" " " " "	26-gauge steel	13 " ...	3 " ...	15s. 5d. "
" " " " "		14 " ...	3 " ...	15s. 5d. "
" " " " "		15 " ...	3 " ...	16s. 6d. "
" " " " "		16 " ...	3 " ...	16s. 6d. "
" " " " "		17 " ...	3 " ...	17s. 5d. "
" " " " "		18 " ...	3 " ...	17s. 5d. "
" " " " "		19 " ...	3 " ...	17s. 5d. "
" " " if black iron tops and bottoms not supplied ...	All gauges	20 " ...	3 " ...	22s. 6d. "
" " " with front handles ...		21 " ...	3 " ...	1s. 2d. per doz. extra
If wire handles and plates supplied for bonnet boxes ...		22 " ...	3 " ...	10d. " "
SPICE BOXES, round, with six compartments and loose grater	8 and 10-gauge wire	All sizes	1½d. per doz. Boxes deducted
" " " " "	IX tin plate or lighter	6 inches ...	6 articles	27s. 8d. per doz.
" " " " "		7 " ...	6 " ...	29s. 4d. "
" " " " "		8 " ...	6 " ...	33s. "

Less 7½ per cent.

PIECE-WORK—continued.

Articles.	Material.	Size	When given out in the under- mentioned Quantities or more	Prices.
BOXES—continued.				
SUGAR BOXES, wired inside and swedged		No. 0	3 dozen	5s. 6d. per doz.
" " "		" 1	3 "	5s. 6d. "
" " "		" 2	3 "	5s. 11d. "
" " "		" 3	3 "	6s. 9d. "
" " "		" 4	3 "	7s. 2d. "
" " "		" 5	3 "	7s. 11d. "
" " "		" 6	3 "	8s. 8d. "
" " "(made in two pieces)		" ..	Not assorted sizes	5d. per doz. extra
TRUNKS, common, moulded (cutting out; top and body edging, moulding, and wiring supplied) 2 swedges	18-gauge steel or lighter	20 inches	1 dozen	14s. 7d. per doz.
" " "	26-gauge steel or lighter	22	1 "	14s. 7d. "
" " "	26-gauge steel or lighter	24	1 "	15s. 11d. "
" " "	26-gauge steel or lighter	26	1 "	17s. 11d. "
" " "	26-gauge steel or lighter	28	1 "	22s. 1d. "
" " "	26-gauge steel or lighter	30	1 "	23s. 10d. "
" " "	26-gauge steel or lighter	33	6 articles	41s. 4d. "
" moulded, strapped (cutting out, top and body edging, moulding, and wiring supplied) 2 swedges	24-gauge steel or lighter	20	1 dozen	19s. 6d. "
" " "	24-gauge steel or lighter	22	1 "	29s. 6d. "
" " "	24-gauge steel or lighter	24	1 "	31s. "
" " "	24-gauge steel or lighter	26	1 "	33s. "
" " "	24-gauge steel or lighter	28	1 "	36s. 1d. "
" " "	24-gauge steel or lighter	30	1 "	39s. 7d. "
" " "	24-gauge steel or lighter	33	6 articles	48s. 10d. "
" " "	24-gauge steel or lighter	36	6 "	59s. "
" common, moulded (moulding and wiring supplied) 2 swedges	26-gauge steel or lighter	20	1 dozen	25s. 5d. "
" " "	26-gauge steel or lighter	22	1 "	25s. 5d. "
" " "	26-gauge steel or lighter	24	1 "	27s. 4d. "
" " "	26-gauge steel or lighter	26	1 "	29s. 2d. "
" " "	26-gauge steel or lighter	28	1 "	32s. 3d. "
" " "	26-gauge steel or lighter	30	1 "	35s. 6d. "
" " "	26-gauge steel or lighter	33	6 articles	57s. 8d. "
" moulded, strapped (moulding and wiring supplied) 2 swedges	24-gauge steel or lighter	20	1 dozen	35s. 4d. "
" " "	24-gauge steel or lighter	22	1 "	35s. 4d. "
" " "	24-gauge steel or lighter	24	1 "	37s. 9d. "
" " "	24-gauge steel or lighter	26	1 "	39s. 7d. "
" " "	24-gauge steel or lighter	28	1 "	44s. "
" " "	24-gauge steel or lighter	30	1 "	47s. 3d. "
" " "	24-gauge steel or lighter	32	1 "	48s. 10d. "
" " "	24-gauge steel or lighter	33	6 articles	65s. 3d. "
" " "	24-gauge steel or lighter	36	6 "	71s. 11d. "
common, wired (cutting out, top and body edging, and top and body wiring supplied) 2 swedges	26-gauge steel or lighter	20	1 dozen	23s. 1d. "
" " "	26-gauge steel or lighter	22	1 "	23s. 1d. "
" " "	26-gauge steel or lighter	24	1 "	23s. 11d. "
" " "	26-gauge steel or lighter	26	1 "	25s. 6d. "
" " "	26-gauge steel or lighter	28	1 "	29s. 1d. "
" " "	26-gauge steel or lighter	30	1 "	31s. "
" " "	26-gauge steel or lighter	33	6 articles	48s. 10d. "
wired, strapped (cutting out, top and body edging, and top and body wiring supplied) 2 swedges	24-gauge steel or lighter	20	1 dozen	37s. 9d. "
" " "	24-gauge steel or lighter	22	1 "	37s. 9d. "
" " "	24-gauge steel or lighter	24	1 "	39s. 7d. "
" " "	24-gauge steel or lighter	26	1 "	41s. 4d. "
" " "	24-gauge steel or lighter	28	1 "	44s. 9d. "
" " "	24-gauge steel or lighter	30	1 "	49s. "
" common (top wiring supplied) 2 swedges	24-gauge steel or lighter	33	6 articles	60s. 6d. "
" " "	24-gauge steel or lighter	36	6 "	73s. 10d. "
" strapped (top wiring supplied) 2 swedges	26-gauge steel or lighter	20	1 dozen	29s. 11d. "
" " "	26-gauge steel or lighter	22	1 "	29s. 11d. "
" " "	26-gauge steel or lighter	24	1 "	31s. "
" " "	26-gauge steel or lighter	26	1 "	33s. 10d. "
" " "	26-gauge steel or lighter	28	1 "	36s. 11d. "
" " "	26-gauge steel or lighter	30	1 "	39s. 5d. "
" " "	26-gauge steel or lighter	33	6 articles	60s. 2d. "
" strapped (top wiring supplied) 2 swedges	26-gauge steel or lighter	20	1 dozen	43s. 3d. "
" " "	26-gauge steel or lighter	22	1 "	44s. 9d. "
" " "	26-gauge steel or lighter	24	1 "	46s. 6d. "
" " "	26-gauge steel or lighter	26	1 "	50s. 3d. "
" " "	26-gauge steel or lighter	28	1 "	54s. 3d. "
" " "	26-gauge steel or lighter	30	1 "	59s. "
" " "	26-gauge steel or lighter	30	1 "	61s. 3d. "

Less 7½ per cent.

PIECE-WORK—continued.

Articles.	Material.	Size.	When given out in the under- mentioned Quantities or more.	Prices.
BOXES—continued.				
TRUNKS, strapped (top wiring supplied) 4 swedges	24-gauge steel or lighter	33 inches ...	6 articles	79s. 6d. per doz.
" " " " 2 swedges		36 " ...	6 "	88s. 1d. "
" wired, strapped, complete 2 swedges		20 " ...	1 dozen ...	44s. 10d. "
" " " " ...		22 " ...	1 "	46s. 6d. "
" " " " 3 swedges	26-gauge steel or lighter	24 " ...	1 "	48s. "
" " " " ...		26 " ...	1 "	51s. 11d. "
" " " " 4 swedges		28 " ...	1 "	55s. 10d. "
" " " " ...		30 " ...	1 "	61s. 5d. "
" cabin, common, moulded (cutting out, top and body edging, moulding, and wiring supplied) 2 swedges	24-gauge steel or lighter	33 " ...	6 articles	63s. "
" " " " ...		36 " ...	6 "	89s. 7d. "
" cabin, moulded, strapped (cutting out, top and body edging, moulding, and wiring supplied) 2 swedges	26-gauge steel or lighter	24 " ...	1 dozen ...	17s. 7d. "
" " " " 3 swedges		26 " ...	1 "	19s. 4d. "
" " " " 4 swedges		28 " ...	1 "	20s. "
" cabin, moulded (moulding and wiring supplied) 2 swedges	24-gauge steel or lighter	30 " ...	1 "	22s. 2d. "
" " " " ...		33 " ...	1 "	34s. 4d. "
" cabin, strapped (moulding and wiring supplied) 2 swedges	26-gauge steel or lighter	24 " ...	1 "	31s. "
" " " " 3 swedges		26 " ...	1 "	33s. "
" " " " 4 swedges		28 " ...	1 "	34s. 7d. "
" cabin, strapped (moulding and wiring supplied) 2 swedges	24-gauge steel or lighter	30 " ...	6 articles	36s. 2d. "
" " " " ...		33 " ...	6 "	39s. 7d. "
" cabin, strapped (moulding and wiring supplied) 2 swedges	26-gauge steel or lighter	36 " ...	6 "	44s. 10d. "
" cabin, common, wired (cutting out, top and body edging, and top and body wiring supplied) 2 swedges	26-gauge steel or lighter	24 " ...	1 dozen ...	28s. 2d. "
" " " " ...		26 " ...	1 "	30s. 6d. "
" " " " 3 swedges		28 " ...	1 "	32s. 2d. "
" " " " 4 swedges		30 " ...	1 "	34s. "
" cabin, strapped, wired (cutting out, top and body edging, and top and body wiring supplied) 2 swedges	24-gauge steel or lighter	33 " ...	6 articles	48s. 7d. "
" " " " ...		36 " ...	6 "	57s. "
" cabin, common, wired (top wiring supplied) 2 swedges	26-gauge steel or lighter	24 " ...	1 dozen ...	23s. 11d. "
" " " " ...		26 " ...	1 "	25s. 11d. "
" " " " 3 swedges		28 " ...	1 "	29s. 11d. "
" " " " 4 swedges		30 " ...	1 "	31s. 5d. "
" cabin, strapped, wired (top wiring supplied) 2 swedges	24-gauge steel or lighter	33 " ...	6 articles	39s. 4d. "
" " " " ...		36 " ...	6 "	46s. 6d. "
" cabin, common, wired (top wiring supplied) 2 swedges	26-gauge steel or lighter	24 " ...	1 dozen ...	39s. 7d. "
" " " " ...		26 " ...	1 "	41s. 4d. "
" " " " 3 swedges		28 " ...	1 "	43s. 3d. "
" " " " 4 swedges		30 " ...	1 "	44s. 10d. "
" cabin, strapped, wired (top wiring supplied) 2 swedges	24-gauge steel or lighter	33 " ...	6 articles	48s. "
" " " " ...		36 " ...	6 "	55s. "
" cabin, strapped, wired (top wiring supplied) 2 swedges	26-gauge steel or lighter	24 " ...	1 dozen ...	31s. 10d. "
" " " " ...		26 " ...	1 "	33s. 10d. "
" " " " 3 swedges		28 " ...	1 "	37s. 9d. "
" " " " 4 swedges		30 " ...	1 "	39s. 4d. "
" cabin, strapped, wired, complete 2 swedges	24-gauge steel or lighter	33 " ...	6 articles	48s. "
" " " " ...		36 " ...	6 "	55s. 10d. "
If corners fitted on lids for 20-inch to 30-inch common trunks ...	24-gauge steel or lighter	24 " ...	1 dozen ...	44s. 10d. "
Swivels, end-handles and corners of all trunks supplied.	26-gauge steel or lighter	26 " ...	1 "	46s. 6d. "
Wires for all moulded trunks supplied.	28 " ...	1 "	48s. "	
Wires for tops of wired trunks supplied.	30 " ...	1 "	50s. 3d. "	
	32 " ...	1 "	52s. 8d. "	
	34 " ...	1 "	55s. 10d. "	
	36 " ...	1 "	58s. 2d. "	
	24-gauge steel or lighter	33 " ...	6 articles	62s. 2d. "
	36 " ...	6 "	67s. 7d. "	
				9d. per doz. trunks extra

Less 7½ per cent.

PIECE-WORK - *continued.*

Articles.	Material.	Size.	When given out in the under- mentioned Quantities or more.	Prices.
BOXES - <i>continued.</i>				
TRUNKS where wiring, moulding, and corner pieces for bodies are not supplied	...	20, 22, 24, and 26 inches 28, 30, 33, and 36 inches	6s. 3d. per doz. trunks extra 7s. 11d. per doz. trunks extra
TRUNKS (machine work), cutting out, top and body edging, moulding, and wiring (wires supplied) ...	2b-gauge steel or lighter	20 inches 22 " .. 24 " .. 26 " .. 28 " .. 30 " .. 33 " .. 36 " ..	3 dozen 3 " .. 3 " .. 3 " .. 3 " .. 3 " .. 2 " .. 1 " ..	5s. 5d. per doz. 5s. 5d. " 5s. 10d. " 6s. 3d. " 6s. 7d. " 7s. 6d. " 8s. 9d. " 11s. 4d. "
" " " " " " " "	24-gauge steel or lighter	11 inches 12 " .. 13 " .. 14 " ..	6 dozen 6 " .. 6 " .. 6 " ..	5s. per doz. 5s. "
BLACK IRON BUCKETS, common, stamped or forged ears, two rivet holes ...	28-gauge iron or lighter	11 " .. 12 " .. 13 " .. 14 " ..	3 " .. 3 " .. 3 " .. 3 " ..	5s. 4d. " 5s. 4d. " 5s. 9d. " 6s. 9d. "
BLACK IRON BUCKETS, common, stamped or forged ears, three rivet holes ...	28-gauge iron or lighter	11 " .. 12 " .. 13 " .. 14 " ..	2 " .. 2 " .. 2 " .. 2 " ..	7s. 5d. " 7s. 5d. " 8s. 3d. " 9s. "
BLACK IRON BUCKETS, strapped sides and bottoms ...	26 gauge iron or lighter	11 " .. 12 " .. 13 " .. 14 " ..	2 " .. 2 " .. 2 " .. 2 " ..	6s. 9d. " 6s. 9d. " 7s. 5d. " 8s. 8d. "
BLACK IRON BUCKETS, strapped, wrought ears, two rivet holes ...	26 gauge iron or lighter	11 " .. 12 " .. 13 " .. 14 " ..	2 " .. 2 " .. 2 " .. 2 " ..	6s. 9d. " 6s. 9d. " 7s. 5d. " 8s. 8d. "
BLACK IRON BUCKETS, strapped, wrought ears, three rivet holes ...	26 gauge iron or lighter	11 " .. 12 " .. 13 " .. 14 " ..	2 " .. 2 " .. 2 " .. 2 " ..	7s. 5d. " 7s. 5d. " 8s. 3d. " 9s. "
MILK BUCKETS, tin, with bail, hollow bottom, and tin hoop (bail supplied) ...	IX tin plate or lighter	11 inches diameter x 9 inches deep 13 inches diameter x 9 inches deep	4 " .. 4 " ..	6s. 2d. " 6s. 9d. "
" " " " " " " "	IX tin plate or lighter	11 inches diameter x 9 inches deep 13 inches diameter x 9 inches deep 11 inches diameter x 11 inches deep 13 inches diameter x 11 inches deep 11 inches diameter x 18 inches deep 12 inches diameter x 18 inches deep	4 " .. 4 " .. 3 " .. 3 " .. 1 " .. 1 " ..	6s. 2d. " 6s. 9d. " 7s. 5d. " 9s. "
MILK BUCKETS, tin, with hollow bottoms, and tinned or galvanized hoops and bails (bails supplied) ...	IX tin plate or lighter	All sizes	5d. " extra 4d. per doz. deducted
MILK BUCKETS, tin—Making bails for ...	IX tin plate or lighter	11 inches diameter x 9 inches deep	1½ dozen	14s. 11d. per doz.
" " " " " " " " tin (if stamped bottom supplied)	IX tin plate or lighter	11 inches diameter x 11 inches deep 13 inches diameter x 9 inches deep	1½ " .. 1½ " ..	14s. 11d. " 15s. 8d. "
STRAINER MILK BUCKETS, tin, part covered, with lip and brass wire strainer, hollow bottom, and tinned or galvanized hoop and bails (bails supplied) ...	IX tin plate or lighter	11 inches diameter x 9 inches deep	1s. 11d. per doz. extra
With back handle

Less 7½ per cent.

PIECE-WORK—continued.

Articles.	Material.	Size.	When given out in the under- mentioned Quantities or more.	Prices.
BUCKETS—continued.				
ALL MILK BUCKETS—If ears soldered to outside of bucket				1s. 10d. per doz. extra
TIN BUCKETS, with flat bottoms and stamped ears	IC tin plate	11 inches dia- meter x 9 inches deep	6 dozen ...	5s. 4d. per doz.
TIN BUCKETS, with tin hoop and stamped ears ...	IC tin plate ...	13 inches dia- meter x 9 inches deep	6 " ...	6s. 2d. "
" with 1½-in. or 1¾-in. hoop and strap	IC tin plate ...	" " 2 "	2 " ...	8s. 8d. "
" with 1½-in. hoop and strap ...	IX tin plate ...	" " 2 "	2 " ...	9s. 5d. "
" with 1½-in. hoop and strap ...	IXX tin plate	" " 2 "	2 " ...	10s. 9d. "
It bails supplied for strapped tin buckets	3d. per doz. deducted
(8.) CANISTERS.				
ROUND CANISTERS, with slipped on bottle neck (top blanks supplied)		½ lb. ...	4 dozen	4s. 7d. per doz.
" " "	IC tin plate	1 " ...	4 " ...	5s. "
" " "		2 lbs. ...	4 " ...	5s. 4d. "
" " "		3 " ...	3 " ...	5s. 9d. "
" " "		4 " ...	3 " ...	6s. 9d. "
(9.) CANS.				
CREAM CANS, grooved, three hoops, double rim cover (including use of guillotine)		20 quarts ...	1 dozen ...	7s. 11d. each
" " "		30 " ...	1 " ...	7s. 11d. "
" four hoops, double rim cover (in- cluding use of guillotine) ...	20-gauge tinned steel or lighter, or DXXXX	40 " ...	1 " ...	8s. 8d. "
" three hoops, single rim cover (in- cluding use of guillotine) ...	tin plate or lighter	20 " ...	1 " ...	9s. "
" " " "		30 " ...	1 " ...	6s. 2d. "
" " " "		40 " ...	1 " ...	6s. 2d. "
" " " "		40 " ...	1 " ...	7s. 2d. "
" If not cleaned and tested by maker		All sizes	7s. 5d. "
" If hoops supplied for ...		"	3d. per can deducted
" If cover stamping or blocking sup- plied for ...		40 quarts	6d. per doz. hoops de- ducted
" If bottoms supplied for ...		40 "	1s. 6d. per doz. deducted
HARVEST CANS, with pannikin supplied		2 quarts ...	1½ dozen ...	9s. 9d. per doz.
" " "		3 " ...	1½ " ...	10s. 10d. "
" " "	IX tin plate or lighter	4 " ...	1½ " ...	11s. 6d. "
" " "		6 " ...	1 " ...	12s. 3d. "
" " "		8 " ...	1 " ...	12s. 11d. "
" " "		10 " ...	1 " ...	14s. 4d. "
" " " if with spouts		12 " ...	1 " ...	16s. 1d. "
All sizes	2s. 9d. per doz. extra
HOT WATER CANS, knocked up bottoms		3 pints ...	1 dozen ...	18s. 2d. per doz.
" " "		2 quarts ...	1 " ...	18s. 2d. "
" " "	IX tin plate or lighter	3 " ...	1 " ...	22s. "
" wired, bottom let in ...		4 " ...	1 " ...	22s. "
" " " "		3 pints ...	1 " ...	19s. 10d. "
" " " "		2 quarts ...	1 " ...	19s. 10d. "
" " " "		3 " ...	1 " ...	23s. 8d. "
" " " "		4 " ...	1 " ...	23s. 8d. "
HOT WATER CANS	26-gauge galv. iron or lighter	All sizes	4s. 3d. per doz. extra
JACK SHAY CANS, straight body tapered body	IC tin plate	1 quart ...	2 dozen ...	7s. 11d. per doz.
" " "		1 " ...	2 " ...	10s. 4d. "
MINERS' CANS		1½ pints ...	2 " ...	8s. 3d. "
" " "	IC tin plate	2 " ...	2 " ...	8s. 3d. "
" " "		3 " ...	2 " ...	8s. 8d. "
" " "		4 " ...	2 " ...	9s. 9d. "
" " "		6 " ...	1½ " ...	10s. 9d. "
RAILWAY MILK CANS, grooved, two hoops (including use of guillotine, cleaning and testing) ...	20-gauge tinned steel	20 quarts ...	1 " ...	5s. 9d. each
" " " three hoops " "	or lighter, or DXXXX	30 " ...	1 " ...	5s. 9d. "
" " " four hoops " "	tin plate	40 " ...	1 " ...	6s. 2d. "
" " " three hoops " "	or lighter	40 " ...	1 " ...	6s. 2d. "
" " " four hoops " "		50 " ...	6 articles ...	9s. "
" " " four hoops or less " "		All sizes	6d. per doz. hoops de- ducted

Less $\frac{7}{12}$ per cent.

PIECE-WORK—*continued.*

Articles.	Material.	Size.	When given out in the under- mentioned Quantities or more.	Prices.
CANS—<i>continued.</i>				
RAILWAY MILK CANS, if bottoms supplied		All sizes	1s. per doz. deducted
TOILET CANS, with knocked up bottoms (studs supplied)		6 quarts ...	1 dozen ...	25s. 6d. per doz.
" " "		8 " ...	1 " "	28s. 3d. "
" " "		10 " ...	1 " "	31s. "
" " "		12 " ...	1 " "	33s. 10d. "
" " "	IX tin plate or lighter	16 " ...	1 " "	37s. 11d. "
" " " body wired, and bottom let in		6 " ...	1 " "	28s. 3d. "
" " "		8 " ...	1 " "	32s. 7d. "
" " "		10 " ...	1 " "	34s. 7d. "
" " "		12 " ...	1 " "	37s. 3d. "
" " "		16 " ...	1 " "	41s. 7d. "
" " "	26-gauge galv. iron or lighter	All sizes	5s. 4d. per doz. extra
(10.) COLANDERS.				
HAND-MADE COLANDERS, machine-punched; with side handles		9 inches ...	4 dozen ...	6s. 3d. per doz.
" " "		11 " ...	4 " "	7s. 5d. "
" " "		13 " ...	3 " "	9s. "
" " " COLANDERS—If punched with hand punch		15 " ...	14 " "	10s. 7d. "
" " "		All sizes	2s. 9d. per doz. extra
(11.) COVERS.				
MEAT COVERS, with perforated zinc bodies (straight sides) and pitched top		12 inches ...	3 dozen ...	5s. 6d. per doz.
" " "		14 " ...	3 " "	5s. 11d. "
" " "		16 " ...	3 " "	6s. 3d. "
" " "		18 " ...	3 " "	7s. 2d. "
" " "		20 " ...	2 " "	7s. 11d. "
" " "		22 " ...	14 " "	9s. 5d. "
" " "	IX tin plate or lighter	24 " ...	1 " "	10s. 11d. "
" " " with perforated zinc bodies (taper sides) and pitched top		12 " ...	3 " "	6s. 3d. "
" " "		14 " ...	3 " "	7s. 2d. "
" " "		16 " ...	3 " "	7s. 5d. "
" " "		18 " ...	3 " "	8s. 3d. "
" " "		20 " ...	2 " "	9s. "
" " "		22 " ...	14 " "	10s. 11d. "
" " "		24 " ...	1 " "	12s. 6d. "
" " " with perforated zinc bodies (taper sides) single rim, and blocked tops (wheeling found) ...		14 " ...	3 " "	8s. 8d. per doz.
" " "		15 " ...	3 " "	9s. "
" " "		16 " ...	3 " "	9s. 5d. "
" " "		17 " ...	3 " "	10s. 3d. "
" " "		18 " ...	3 " "	10s. 11d. "
" " "		20 " ...	1 " "	12s. 6d. "
" " "		22 " ...	1 " "	14s. 2d. "
" " "		24 " ...	1 " "	17s. 3d. "
" " " with double rims ...		All sizes	2s. 4d. per doz. extra
" " " if stamped or blocked tops supplied for		14 inches	6d. per dozen deducted
" " "		15 "	6d. "
" " "		16 "	9d. "
" " "		17 "	9d. "
" " "		18 "	9d. "
" " "		20 "	1s. "
" " "		22 "	1s. "
" " "		24 "	1s. "
(12.) DIPPERS.				
COMMON DIPPERS		2 quarts ...	6 dozen ...	2s. 11d. per doz.
" " "		3 " ...	6 " ...	2s. 11d. "
BEST DIPPERS, bossed		2 " ...	4 " ...	5s. "
" " "		3 " ...	4 " ...	5s. "
" " "		4 " ...	2 " ...	6s. 2d. "
DIPPERS—Soldering studs on	5d. per doz. dippers extra
(13.) DISHES.				
DEVON DISHES, about 9 inches deep, flat bottoms		14 inches ...	3 dozen ...	6s. 3d. per doz.
" " "		16 " ...	3 " "	7s. 5d. "
" " "		18 " ...	2 " "	8s. 8d. "
" " "		20 " ...	1 " "	9s. 9d. "
" " "		22 " ...	1 " "	11s. 5d. "
" " " with hoops ...		All sizes	1s. 10d. per doz. extra

Less 7½ per cent.

PIECE-WORK—continued.

Articles.	Material.	Size.	When given out in the under- mentioned Quantities or more.	Prices.
DISHES—continued.				
MILK DISHES	IX tin plate or lighter	17 inches ...	2 dozen ...	6s. 9d. per doz.
" "		18½ "	2 "	7s. 11d. "
" "		20 "	2 "	9s. "
" "		22 "	2 "	9s. 9d. "
SCALDING DISHES, about 6 inches deep, flat bottoms ...	IX tin plate or lighter	14 "	2 "	5s. 1 d. "
" " " " "		16 "	2 "	6s. 9d. "
" " " " "		18 "	2 "	8s. 8d. "
ROUND DISHES, flat bottoms, made ready for gal- vanizing	IX tin plate or lighter	14 inches ...	3 dozen ...	5s. 1d. per doz.
" " " " "		15 "	3 "	5s. 6d. "
" " " " "		17 "	3 "	6s. 9d. "
" " making wire handles for				5d. per doz. dishes extra
SQUARE DISHES, tin		12 x 8 inches	3 dozen ...	5s. 1d. per doz.
" " " " "		13 x 9 "	3 "	5s. 11d. "
" " " " "		14 x 10 "	3 "	6s. 3d. "
" " " " "		16 x 11 "	3 "	6s. 9d. "
" " " " "		16 x 12 "	2 "	6s. 9d. "
" " " " "		17 x 12 "	2 "	7s. 11d. "
" " " " "		18 x 12 "	2 "	7s. 11d. "
" " " " "		18 x 14 "	2 "	8s. 8d. "
" " " " if formed in angle-bender ...		20 x 14 "	2 "	9s. "
		3d. per doz. deducted
(14.) DREDGERS.				
FLOUR DREDGERS (tops and feet supplied) ...	IC tin plate	No. 1	6 dozen ...	3s. per doz.
" " " " "		No. 2	6 "	3s. 9d. "
(15.) FEEDERS.				
CARPENTERS' FEEDERS	4 dozen ...	4s. 4d. per doz.
OIL FEEDERS, funnel shape		½ pint	2 "	7s. 5d. "
" " " " "		1 "	2 "	8s. 3d. "
" " " " for drays—McCormick's pattern ...	IX tin plate or lighter	2 pints	2 "	8s. 8d. "
REAPING MACHINE OIL FEEDERS	2 "	7s. 5d. "
If spouts supplied for Feeders (except Carpen- ters' Feeders)	2 "	9s. 9d. "
		9d. per doz. deducted
(16.) FRAMES.				
SPONGE CAKE FRAMES	IC tin plate	All sizes ...	1 dozen ...	19s. 10d. per doz.
(17.) FUNNELS.				
FUNNELS, without rims, not wired		½ pint	8 dozen ...	1s. 11d. per doz.
" " " " wired ...		½ "	6 "	2s. 11d. "
" " " " "		½ "	6 "	2s. 11d. "
" " " " "		1 "	4 "	3s. 4d. "
" " " " "		1½ pints	4 "	3s. 4d. "
" " " " "		2 "	4 "	4s. 1d. "
" " " " with rims ...		2½ "	4 "	4s. 1d. "
" " " " "		2 "	3 "	5s. 4d. "
" " " " "		4 "	3 "	6s. 2d. "
" " " " "		6 "	2 "	6s. 9d. "
" " " " "	IX tin plate or lighter	8 "	2 "	8s. 8d. "
" " " " "		10 "	1½ "	9s. 9d. "
" " " " "		12 "	1½ "	10s. 9d. "
(18.) GRATERS.				
BREAD GRATERS, half round (punched plates supplied)		No. 1	6 dozen ...	2s. 9d. per doz.
" " " punched by hand ...		2	6 "	3s. 4d. "
" " " round (punched plates supplied)	IC tin plate	1	3 "	4s. 6d. "
" " " round (punched plates and graters on sides supplied)		2	3 "	5s. 4d. "
" " " round punched by hand ...		1	3 "	4s. 1d. "
" " " round punched by hand ...		2	3 "	4s. 7d. "
" " " round punched by hand ...		2	3 "	5s. "
" " " round punched by hand ...		2	3 "	6s. 2d. "
NUTMEG GRATERS (punched plates supplied)	IC tin plate	All sizes	12 "	6s. 9d. "
				Less 7½ per cent.

PIECE-WORK--continued.

Articles.	Material.	Size.	When given out in the under- mentioned Quantities or more.	Prices.
(19.) HODS.				
COAL HODS, with stamped feet		No. 1 ...	1 dozen ...	1s. 2d. per doz.
" with feet hand-made and riveted on	24-gauge iron or lighter	" 2 ...	1 " ...	1s. 7d. "
" with knocked-up feet	" 1 ...	1 " ...	1s. 1d. "	
" with stamped feet	" 2 ...	1 " ...	1s. 6d. "	
" with feet hand-made and riveted on	26-gauge iron or lighter	" 1 ...	1 " ...	1s. 7d. "
" with knocked-up feet	" 2 ...	1 " ...	1s. 11d. "	
" with feet hand-made and riveted on	28-gauge iron or lighter	" 1 ...	1 " ...	1s. 2d. "
" hooped	" 2 ...	1 " ...	1s. 9d. "	
" when half-covered	All gauges ...	All sizes ...	1s. 5d. "	
				8s. 3d. per doz. extra
(20.) KETTLES.				
CAMP KETTLES, with stamped covers supplied		1 quart ...	6 dozen ...	2s. 11d. per doz.
" " " "		1½ quarts ...	6 " ...	3s. 4d. "
" " " "		2 " ...	6 " ...	3s. 9d. "
" " " "		3 " ...	4 " ...	4s. 1d. "
" " " "		4 " ...	4 " ...	4s. 6d. "
" " " "		6 " ...	4 " ...	4s. 9d. "
" " " "		8 " ...	3 " ...	6s. "
			(3 dozen) assorted, not less than 1 dozen either size.	
" " " "		10 " ...		6s. 9d. "
" " " "		12 " ...		8s. 3d. "
	IX tin plate or lighter			
" with stamped covers, finished lid handles, rims ready for tacking, and circular blanks for bottoms supplied		1 quart ...	6 dozen ...	2s. 6d. per doz.
" " " "		1½ quarts ...	6 " ...	2s. 9d. "
" " " "		2 " ...	6 " ...	2s. 11d. "
" " " "		3 " ...	4 " ...	3s. 4d. "
" " " "		4 " ...	4 " ...	3s. 9d. "
" " " "		6 " ...	4 " ...	4s. 1d. "
" " " "		8 " ...	3 " ...	4s. 9d. "
			(3 dozen) assorted, not less than 1 dozen either size.	
" " " "		10 " ...		6s. 3d. "
" " " "		12 " ...		7s. 11d. "
	IX tin plate or lighter			
" with stamped covers, finished lid handles, rims ready for tacking, and use of circle cutters for bottoms		1 quart ...	6 dozen ...	2s. 8d. per doz.
" " " "		1½ quarts ...	6 " ...	2s. 11d. "
" " " "		2 " ...	6 " ...	3s. 4d. "
" " " "		3 " ...	6 " ...	3s. 5d. "
" " " "		4 " ...	4 " ...	3s. 9d. "
" " " "		6 " ...	4 " ...	4s. 6d. "
" " " "		8 " ...	3 " ...	5s. 6d. "
			(3 dozen) assorted, not less than 1 dozen either size.	
" " " "		10 " ...		6s. 3d. "
" " " "		12 " ...		7s. 11d. "
	IX tin plate or lighter			
" with stamped covers, finished lid handles, finished rims, and circular blanks for bottoms supplied		1 quart ...	6 dozen ...	2s. 4d. per doz.
" " " "		1½ quarts ...	6 " ...	2s. 8d. "
" " " "		2 " ...	6 " ...	2s. 9d. "
" " " "		3 " ...	4 " ...	3s. 4d. "
" " " "		4 " ...	4 " ...	3s. 9d. "
" " " "		6 " ...	4 " ...	4s. 1d. "
" " " "		8 " ...	3 " ...	4s. 9d. "
			(3 dozen) assorted, not less than 1 dozen either size.	
" " " "		10 " ...		6s. 1d. "
" " " "		12 " ...		7s. 11d. "

Less 7½ per cent.

PIECE-WORK—continued.

Articles.	Material.	Size.	When given out in the under- mentioned Quantities or more.	Prices.
KETTLES—continued.				
CAMP KETTLES, with stamped covers, finished lid handles, finished rims, and use of circle cutters for bottoms ...		1 quart ... 1½ quarts ... 2 " ... 3 " ... 4 " ... 6 " ... 8 " ...	6 dozen ... 6 " ... 6 " ... 4 " ... 4 " ... 4 " ... 3 " ...	2s. 6d. per doz. 2s. 9d. " 2s. 11d. " 3s. 4d. " 3s. 9d. " 4s. 1d. " 5s. 6d. "
" " " " "	IXX tin plate or lighter	(3 dozen assorted, not less than 1 dozen either size		
" " " " "		10 " ... 12 " ...		6s. 3d. " 7s. 11d. "
COPPER KETTLES (planishing and tinning supplied)		4 pints ... 5 " ... 6 " ... 7 " ... All sizes ...	6 articles... 6 " ... 6 " ... 6 "	29s. 11d. per doz. 31s. 5d. " 33s. 10d. " 36s. 11d. " 1s. 10d. per doz. extra
FISH KETTLES (body handles supplied and covers wheeled) ...	DXXX tin plate or lighter	14 inches ... 16 " ... 18 " ... 20 " ... 22 " ... 24 " ... 14 " ... 16 " ... 18 " ... 20 " ... 22 " ... 24 " ... 3 pints ... 4 " ... 5 " ... 6 " ... 8 " ... 3 " ... 4 " ... 5 " ... 6 " ... 8 " ... 3 " ... 4 " ... 5 " ... 6 " ... 8 " ... All sizes ... 1 pint ...	6 articles... 3 " ... 3 " ... 1½ dozen... 1½ " ... 1½ " ... 1 " ... 1 " ... 1½ " ... 1½ " ... 1 " ... 1 " ... 1 " ... 1 " ... 1 " ... 3 dozen ...	47s. 3d. per doz. 59s. 9d. " 70s. 9d. " 81s. 8d. " 93s. 7d. " 108s. 6d. " 2s. 10d. per doz. extra 3s. 9d. " 5s. " 5s. 9d. " 6s. 9d. " 7s. 11d. " 10s. 9d. per doz. 11s. 6d. " 12s. 11d. " 13s. 9d. " 15s. 9d. " 11s. 6d. " 12s. 11d. " 13s. 9d. " 14s. 7d. " 16s. 6d. " 12s. 3d. " 13s. 1d. " 14s. 2d. " 15s. 9d. " 17s. 4d. " 1s. 10d. per doz. extra 5s. per doz.
TEA KETTLES, oval, with tin bottoms ...		2 pints ... 3 " ... 4 " ... 5 " ... 6 " ... 8 " ... 1 pint ...	3 " ... 2 " ... 2 " ... 2 " ... 2 " ... 1 " ... 3 " ...	6s. 2d. " 7s. 5d. " 8s. 3d. " 9s. 6d. " 10s. 4d. " 12s. 3d. "
" " " " "	IXX tin plate or lighter	1 pint ... 2 pints ... 3 " ... 4 " ... 5 " ... 6 " ... 8 " ... All sizes ...	3 " ... 3 " ... 2 " ... 2 " ... 2 " ... 2 " ... 1 " ... 3 " ...	5s. 4d. " 6s. 9d. " 7s. 11d. " 8s. 8d. " 9s. 11d. " 10s. 9d. " 12s. 11d. "
" " " " "		1 pint ... 2 pints ... 3 " ... 4 " ... 5 " ... 6 " ... 8 " ...	3 " ... 3 " ... 2 " ... 2 " ... 2 " ... 2 " ... 1 " ...	2s. 4d. per doz. extra 2s. 4d. " 2s. 4d. " 3s. 4d. " 3s. 4d. " 3s. 4d. " 3s. 9d. "
" " " " "	blocking covers and blocking and swedging breasts of			
" " " " "	IXX tin plate or lighter	No. 1 ... 2 ... 3 ...	3 articles... 3 " ... 3 " ...	49s. 2d. per doz. 52s. 10d. " 57s. "
(21.) LAMPS.				
WALL LAMPS, with fonts ...	IXX tin plate or lighter			
" " " " "	Tops, 1-lb. copper, or			
" " " " "	IXX tin plate or lighter			

Less 7½ per cent.

PIECE-WORK—continued.

Articles.	Material.	Size.	When given out in the under- mentioned Quantities or more.	Prices.
(22.) MEASURES.				
MILK MEASURES	IC tin plate	½ pint ...	6 dozen ...	3s. 9d. per doz.
" " " "		1 " " "	4s. 7d. "	
OIL MEASURES, straight sides ...	IX tin plate or lighter	2 pints ...	3s. "	5s. "
" " " "		½ pint ...	3 "	5s. 4d. "
" " " "		1 quart ...	2 "	7s. 11d. "
" " " "		2 quarts ...	2 "	9s. "
SPIRIT MEASURES	IXX tin plate or lighter	4 " " "	2 "	10s. 9d. "
" " " "		½ pint ...	1 "	13s. 2d. "
" " " "		1 " " "	1 "	14s. 7d. "
" " " "		2 pints ...	1 "	19s. 7d. "
" " " "		4 " " "	1 "	21s. 11d. "
" " " "		1 gallon ...	1 "	25s. 2d. "
" " " "		2 gallons ...	6 articles ...	28s. 3d. "
(23.) PAILS.				
SLOP PAILS, with stamped tops, bottoms, and breasts supplied		No. 1 ...	2 dozen ...	10s. 9d. per doz.
" " " "		" 2 ...	2 "	11s. 6d. "
" " " "		" 3 ...	2 "	14s. 11d. "
" " " "		" 4 ...	2 "	17s. 3d. "
" stamped tops and bottoms supplied, hand-made breasts	IXX tin plate or lighter	" 1 ...	2 "	13s. 7d. "
" " " "		" 2 ...	2 "	15s. 3d. "
" " " "		" 3 ...	2 "	18s. 5d. "
" " " "		" 4 ...	2 "	22s. "
" hand-made		" 1 ...	2 "	17s. 3d. "
" " " "		" 2 ...	2 "	19s. 8d. "
" " " "		" 3 ...	2 "	23s. 11d. "
" made with black or galvanized iron lids	IXX tin plate or lighter	" 4 ...	2 "	26s. 4d. "
" " " "		All sizes	5d. per doz. extra
" " " "		" "	5d. " "
" " " "		" "	5d. " "
Bails and ears to be supplied for all sizes				
TOILET PAILS	IXX tin plate or lighter	No. 1 ...	1 dozen ...	14s. 7d. per doz.
" " " "		" 2 ...	1 "	16s. 1d. "
" " " "		" 3 ...	1 "	17s. 3d. "
" if feet and funnels supplied		All sizes	1s. 6d. per doz. deducted
(24.) PANS.				
ASHPANS, common	28-gauge iron or lighter	No. 1 ...	4 dozen ...	5s. 9d. per doz.
" " " "		" 2 ...	4 "	6s. 2d. "
" " " "		" 3 ...	4 "	6s. 7d. "
" " " "	26-gauge iron or lighter	" 1 ...	4 "	6s. 7d. "
" " " "		" 2 ...	4 "	7s. 5d. "
" " " "		" 3 ...	4 "	8s. 3d. "
" with tin bead		All sizes	1s. 10d. per doz. extra 7s. 5d. per doz. sets of venetians
VENETIANS for Ashpans (2 in set)		" " ...	2 dozen ...	9s. " "
" " " (3 in set)		" " ...	2 "	9s. per doz. "
CLOSETPANS, tapered to nest	26-gauge iron or lighter	17½" x 15 x 13 inches	2 "	8s. 3d. "
" straight sides	26-gauge iron or lighter	17 x 13 x 13 inches	2 "	9s. "
" " " "	26-gauge iron or lighter	18 x 14 x 14 inches	2 "	1s. 10d. per doz. extra
" " " "	24-gauge iron ...	All sizes ...	1½ dozen of any one size	1s. 10d. per doz. extra
" if made with single strap one rivet in bottom		" "	5d. per doz. pans extra
" " " double " "		" "	9d. " "
" if made of galvanized iron ...		" "	1s. 10d. " "
DOUGHPANS	IXX tin plate or lighter	14" inches ...	2 dozen ...	9s. 10d. per doz.
" " " "		16 " ...	2 "	10s. 9d. "
" " " "		18 " ...	2 "	13s. 2d. "
" " " "		20 " ...	1 "	15s. 9d. "
" " " "		22 " ...	1 "	18s. 2d. "
DUSTPANS	IXX tin plate or lighter	No. 1 ...	24 "	6s. 2d. "
" " " "		" 2 ...	24 "	7s. 5d. "
" " " "		" 3 ...	24 "	7s. 11d. "
" with cover	IXX tin plate or lighter	" 1 ...	2 "	9s. "
" " " "		" 2 ...	2 "	9s. 10d. "
" " " "		" 3 ...	2 "	10s. 9d. "
YANKER, CORNISH, OR FLAT BOTTOM PANS ...	IC tin plate	13 inches ...	4 "	5s. "
" " " "		14 " ...	4 "	5s. 4d. "
" " " "		15 " ...	4 "	6s. 2d. "
" " " "		16 " ...	3 "	7s. 5d. "
" " " "		17 " ...	3 "	7s. 6d. "
" " " "		18 " ...	3 "	9s. "

Less 7½ per cent.

PIECE-WORK—*continued.*

Article.	Material.	Size.	When given out in the under- mentioned Quantities or more.	Prices
(25.) PANNIKINS.				
PANNIKINS, with bottoms supplied	IX tin plate or lighter	½ pint ...	2 gross ...	9s. 10d. per gross
" " if handle blanks supplied	1 " ...	1½ " ...	1s. 6d. "
3d. per gross deducted				
(26.) POTS.				
COFFEE-POTS, common	IX tin plate or lighter	2 pints ...	3 dozen ...	7s. 5d. per doz.
" "	3 " ...	3 " ...	7s. 11d. "
" "	4 " ...	2 " ...	9s. "
" "	5 " ...	2 " ...	9s. 10d. "
" "	6 " ...	2 " ...	11s. 6d. "
" "	7 " ...	1½ " ...	12s. 11d. "
" " best, riveted spouts and tin handles	8 " ...	1½ " ...	14s. 7d. "
All sizes				
3s. 9d. per doz. extra				
(27.) PUMPS.				
KEROSENE PUMPS (funnel top or plain barrel) top blanks supplied	IX tin plate	4 dozen ...	5s. per doz.
(28.) SAFES.				
MEAT SAFES, round	Zinc or IX tin plate or lighter. Trays, 26-gauge iron or lighter	12 inches ...	1 dozen ...	33s. 7d. per doz.
" "	14 " ...	1 " ...	34s. 7d. "
" "	16 " ...	1 " ...	37s. 9d. "
" "	18 " ...	1 " ...	42s. 4d. "
" "	20 " ...	6 articles	47s. 3d. "
" "	22 " ...	8 " ...	51s. 10d. "
" "	24 " ...	6 " ...	59s. 9d. "
" " loose bottoms	All sizes	1s. 7d. per doz. extra
" " if trays supplied	All sizes	1s. 6d. per doz. deducted
square, with half-round, D shape, or basin shape top and zinc fronts (trays supplied)	12 inches ...	1 dozen ...	34s. 7d. per doz.
" " " " "	14 " ...	1 " ...	37s. 9d. "
" " " " "	16 " ...	1 " ...	40s. 11d. "
" " " " "	18 " ...	1 " ...	44s. "
" " " " "	20 " ...	6 articles	49s. 9d. "
square, with flat tops (with cup) having tapered sides and zinc fronts (trays supplied)	Zinc or IX tin plate or lighter	12 " ...	1 dozen ...	36s. 11d. "
" " " " "	14 " ...	1 " ...	40s. 1d. "
" " " " "	16 " ...	1 " ...	43s. 3d. "
" " " " "	18 " ...	1 " ...	46s. 6d. "
" " " " "	20 " ...	6 articles	51s. "
square, with flat tops (with cup) having concave sides and zinc fronts (trays supplied)	Zinc or IX tin plate or lighter	12 " ...	1 dozen ...	39s. 4d. "
" " " " "	14 " ...	1 " ...	42s. 4d. "
" " " " "	16 " ...	1 " ...	45s. 7d. "
" " " " "	18 " ...	1 " ...	48s. 9d. "
" " if fittings supplied	20 " ...	6 articles	53s. 6d. "
All sizes				
1s. 6d. per dozen safes deducted				
(29.) SAUCEPANS.				
TIN SAUCEPANS, with tin bottoms (iron handles supplied)	IX tin plate or lighter	1 pint ...	6 dozen ...	3s. 4d. per doz.
" " " "	2 pints ...	4 " ...	3s. 9d. "
" " " "	3 " ...	4 " ...	4s. 2d. "
" " " "	4 " ...	4 " ...	4s. 7d. "
" " " "	6 " ...	3 " ...	5s. "
" " " "	8 " ...	3 " ...	5s. 4d. "
" " with galvanized-iron bottoms (iron handles supplied)	Bodies IX tin plate or lighter; Bottoms 28-gauge galv. iron	10 " ...	2 " ...	5s. 9d. "
" " " "	1 pint ...	6 " ...	3s. 9d. "
" " " "	2 pints ...	4 " ...	4s. 2d. "
" " " "	3 " ...	4 " ...	4s. 7d. "
" " " "	4 " ...	4 " ...	5s. "
" " " "	6 " ...	3 " ...	5s. 4d. "
" " " "	8 " ...	3 " ...	5s. 9d. "
" " with tinned-copper bottoms (iron handles supplied)	Bodies IX tin plate or lighter	10 " ...	2 " ...	6s. 2d. "
" " " "	1 pint ...	3 " ...	4s. 7d. "
" " " "	2 pints ...	3 " ...	5s. "
" " " "	3 " ...	3 " ...	5s. 4d. "
" " " "	4 " ...	2 " ...	5s. 9d. "
" " " "	6 " ...	2 " ...	6s. 2d. "
" " " "	8 " ...	2 " ...	6s. 7d. "
" " " "	10 " ...	2 " ...	7s. 5d. "
" " tinning copper bottoms ...	All sizes	1s. 10d. per doz. extra
" " making flat tin handles for cover stamping supplied	1s. 5d. "
4d. per doz.				
Less 7½ per cent.				

PIECE-WORK—*continued.*

Articles.	Material.	Size.	When given out in the under- mentioned Quantities or more.	Prices.
(30.) SCOOPS.				
GROCERS' SCOOPS—Drawer, without handles			4 dozen as- sorted, not less than 1 dozen of any one size	2s. 9d. per doz.
" " front wired or pieced, with handles		5 inches ...	3 dozen ...	7s. 5d. "
" " " " "		6" " ...	3" " ...	8s. 3d. "
" " " " "	IXX tin plate or lighter	7" " ...	2" " ...	9s. 11d. "
" " " " "		8" " ...	2" " ...	10s. 9d. "
" " " " "		10" " ...	1½" " ..	12s. 11d. "
" " " " "		12" " ...	1" " ...	14s. 4d. "
" " front not wired or pieced, with handles		5" " ...	3" " ...	5s. 9d. "
" " " " "		6" " ...	3" " ...	6s. 7d. "
" " " " "		7" " ...	2" " ...	8s. 3d. "
" " " " "		8" " ...	2" " ...	9s. 11d. "
" " " " "		10" " ...	1½" " ..	10s. 11d. "
" " " " "		12" " ...	1" " ...	13s. 5d. "
" " galvanized iron, front wired or pieced, with handles		5" " ...	1" " ...	10s. 11d. "
" " " " "	24-gauge galv. iron or lighter	6" " ...	1" " ...	12s. 3d. "
" " " " "		7" " ...	1" " ...	13s. 7d. "
" " " " "		8" " ...	1" " ...	15s. 8d. "
" " " " "		10" " ...	1" " ...	18s. 6d. "
" " " " "		12" " ...	1" " ...	20s. 10d. "
(31.) SKIMMERS.				
COOKS' SKIMMERS (handles supplied)	IXXX tin plate or lighter	3 dozen ...	5s. 9d. per doz.
MILK SKIMMERS, with ring handles		6½ inches ...	4" " ...	3s. 4d. "
" " " " "	DXXXX tin plate or lighter	8" " ...	4" " ...	4s. 2d. "
" " " " "		9" " ...	4" " ...	4s. 7d. "
" " " " "		10" " ...	4" " ...	5s. "
(32.) STANDS.				
COCKATOO STANDS	IXX tin plate or lighter	17 inches ...	6 articles ...	34s. 6d. per doz.
" " " " "		20" " ...	6" " ...	36s. 11d. "
" " " " "	26-gauge galv. iron or lighter, or zinc	17" " ...	3" " ...	45s. 7d. "
" " " " "		20" " ...	3" " ...	54s. 3d. "
(33.) STEAMERS.				
STEAMERS		No. 4 ...	2 dozen ...	7s. 11d. per doz.
" " " " "		" 5 ...	2" " ...	7s. 11d. "
" " " " "		" 6 ...	1½" " ..	8s. 8d. "
" " " " "	IXX tin plate or lighter	" 7 ...	1½" " ..	9s. 10d. "
" " " " "		" 8 ...	1¼" " ..	10s. 9d. "
" " " " "		" 9 ...	1" " ...	11s. 6d. "
" " " " "		" 10 ...	1" " ...	13s. 7d. "
" " " " "		" 11 ...	1" " ...	15s. 8d. "
" " " " "		" 12 ...	1" " ...	16s. 6d. "
" if handles supplied for		" " " " "	" " " " "	3d. per doz. steamers deducted
(34.) STRAINERS.				
GRAVY STRAINERS, hand made	IC tin plate	Small ...	3 dozen ...	5s. 5d. per doz.
" " " " if perforated bottoms supplied		Large ...	3" " ...	6s. 2d. "
GRUEL STRAINERS	IC tin plate	All sizes ...	6d. "	deducted
MILK STRAINERS, wired		3 dozen ...	6s. 2d. per doz.
" " " " "		¾ inches ...	3" " ...	4s. 8d. "
" " " " "		10" " ...	3" " ...	5s. 5d. "
" " " " "		11" " ...	3" " ...	5s. 11d. "
" " " " "		12" " ...	3" " ...	6s. 3d. "
" " " " with rim	IXX tin plate or lighter	14" " ...	2" " ...	7s. "
" " " " "		8½" " ...	2" " ...	6s. 3d. "
" " " " "		10" " ...	2" " ...	7s. 2d. "
" " " " "		11" " ...	2" " ...	7s. 11d. "
" " " " "		12" " ...	2" " ...	8s. 3d. "
" " " " "		14" " ...	2" " ...	9s. "
MILK CAN STRAINERS, knocked up rims	IXX tin plate	1" " ...	13s. 7d. "
" " " " "	IXX tin plate	1" " ...	17s. 8d. "
(35.) TINS				
BREAD TINS (made of five pieces)		1 lb. ...	3 dozen ...	5s. 9d. per doz.
" " " " "	IXX tin plate or lighter	2" " ...	3" " ...	5s. 9d. "
" " " " "		4" " ...	2" " ...	6s. 2d. "
" " " " "		6" " ...	2" " ...	8s. 3d. "
COBURG BREAD TINS	IC tin plate	3" " ...	5s. 4d. "
EXHIBITION BREAD TINS, single	IXXXX tin plate or lighter, or 24-gauge iron or lighter	2 lb. ...	6 articles ...	28s. 9d. "
" " " " double		4" " ...	6" " ...	35s. 4d. "
" " " " "		2" " ...	5" " ...	70s. 9d. "
" " " " "		4" " ...	3" " ...	92s. 6d. "

Less 7½ per cent.

PIECE-WORK—continued.

Articles.	Material.	Size.	When given out in the under- mentioned Quantities or more.	Prices.
TINS—continued.				
CAKE TINS, AND CAKE RINGS, with use of knocking-up machine				
" " "		4 inches ...		20s. per gross
" " "		5 " ...	1 gross ;	22s. "
" " "		6 " ...	not less	23s. 6d. "
" " "		7 " ...	than 3	27s. 6d. "
" " "	IC tin plate	8 " ...	dozen of	29s. 6d. "
" " "		9 " ...	any one	31s. 5d. "
" " "		10 " ...	size	35s. 4d. "
" " "		11 " ...		41s. 3d. "
" " "		12 " ...		47s. 3d. "
" " " loose bottoms ...		All sizes ...		18s. 2d. " extra
QUEEN CAKE TINS, hearts ...	IC tin plate		4 dozen ...	4s. 7d. per doz.
" " " diamonds ...			6 " ...	2s. 1d. "
SANDWICH TINS, with use of knocking-up machine		6 inches ...		23s. 8d. per gross
" " "		7 " ...	1 gross ;	27s. 6d. "
" " "		8 " ...	not less	29s. 6d. "
" " "		9 " ...	than 3	31s. 5d. "
" " "	IC tin plate	10 " ...	dozen of	35s. 4d. "
" " "		11 " ...	any one	41s. 3d. "
" " "		12 " ...	size	47s. 3d. "
SWISS ROLL TINS, wired, with use of angle bender		12 x 8 inches	4 dozen ...	4s. 2d. per doz.
" " "		13 x 9 "	4 " ...	4s. 7d. "
" " "		14 x 10 "	4 " ...	4s. 7d. "
" " "	IC tin plate	15 x 11 "	4 " ...	5s. "
" " " not wired, with use of angle bender		16 x 12 "	4 " ...	5s. 4d. "
" " " without use of angle bender ...		12 x 8 "	4 " ...	3s. 4d. "
		All sizes	9d. " extra
(36.) TUBS.				
BLACK IRON TUBS, round or oval, without hoop or strap		16 inches ...	2 dozen ...	7s. 5d. per doz.
" " "		18 " ...	2 " ...	8s. 3d. "
" " "		20 " ...	2 " ...	9s. "
" " "		22 " ...	2 " ...	9s. 10d. "
" " "		24 " ...	1½ " ...	10s. 9d. "
" " "		26 " ...	1½ " ...	12s. "
" " "		28 " ...	1½ " ...	14s. 2d. "
" " " with hoop	26-gauge iron or lighter	30 " ...	1 " ...	16s. 1d. "
" " "		16 " ...	2 " ...	8s. 3d. "
" " "		18 " ...	2 " ...	9s. 5d. "
" " "		20 " ...	2 " ...	9s. 10d. "
" " "		22 " ...	2 " ...	10s. 9d. "
" " "		24 " ...	1½ " ...	11s. 6d. "
" " "		26 " ...	1½ " ...	13s. 7d. "
" " "		28 " ...	1½ " ...	14s. 11d. "
" " "		30 " ...	1 " ...	17s. 4d. "
" " " hooped and strapped	24-gauge iron or lighter	33 " ...	6 articles...	22s. "
" " "		36 " ...	6 " ...	29s. 1d. "
" " "		16 " ...	2 dozen ...	10s. 4d. "
" " "		18 " ...	2 " ...	10s. 11d. "
" " " 26-gauge iron or lighter		20 " ...	2 " ...	11s. 6d. "
" " "		22 " ...	2 " ...	12s. 11d. "
" " "		24 " ...	1½ " ...	13s. 7d. "
" " "		26 " ...	1½ " ...	15s. 8d. "
" " "		28 " ...	1½ " ...	17s. 8d. "
" " "		30 " ...	1 " ...	20s. "
" " " 24-gauge iron or lighter		33 " ...	6 articles...	24s. 8d. "
" " "		36 " ...	6 " ...	32s. 7d. "
TIN TUBS, round, without hoop		15 " ...	2 dozen ...	7s. 11d. "
" " "		16 " ...	2 " ...	7s. 11d. "
" " "		18 " ...	1½ " ...	9s. 10d. "
" " "		20 " ...	1½ " ...	10s. 9d. "
" " "	IXX tin plate or lighter	22 " ...	1½ " ...	11s. 6d. "
" " "		24 " ...	1 " ...	13s. 7d. "
" " " with tinned or galvanized iron or black iron hoop		15 " ...	2 " ...	9s. 10d. "
" " "		16 " ...	2 " ...	9s. 10d. "
" " "		18 " ...	1½ " ...	11s. 6d. "
" " "		20 " ...	1½ " ...	12s. 11d. "
" " "		22 " ...	1½ " ...	13s. 7d. "
" " " IXX tin plate or lighter		24 " ...	1 " ...	15s. 9d. "
" " " oval, without hoop		16 " ...	2 " ...	10s. 9d. "
" " "		18 " ...	1½ " ...	11s. 6d. "
" " "		20 " ...	1½ " ...	12s. 11d. "
" " "		22 " ...	1½ " ...	14s. 4d. "
" " " IXX tin plate or lighter		24 " ...	1 " ...	16s. 6d. "
" " " with tinned or galvanized iron or black iron hoop...	IXX tin plate or lighter	16 " ...	2 " ...	12s. 11d. "
" " "		18 " ...	1½ " ...	13s. 7d. "
" " "		20 " ...	1½ " ...	14s. 4d. "
" " "		22 " ...	1½ " ...	16s. 6d. "
" " " IXX tin plate or lighter		24 " ...	1 " ...	18s. 8d. "

Less 7½ per cent.

June 12, 1931

PIECE-WORK—continued.

SCHEDULE B.—CANISTER WORK.

					Price per gross.
		Lap seam, without assistance.	Lock seam, without assistance.	Lock seam, with one assistant.	Lock seam, with two assistants.
SOLDERING SEAMS—all work rolled—up to and including 2½ inches in diameter—		s. d.	s. d.	s. d.	s. d.
Up to and including 2 inches deep	0 94	0 84	0 7	0 54
Over 2 inches deep and up to and including 3½ inches deep	0 102	0 92	0 82	0 64
" 3½ " " " 4½ "	0 114	0 94	0 84	0 64
" 4½ " " " 5½ "	1 1	0 114	0 94	0 84
" 5½ " " " 7 "	1 64	1 1	0 114	0 94
Over 2½ inches and up to and including 3½ inches in diameter—					
Up to and including 2 inches deep	0 94	0 84	0 62	0 52
Over 2 inches deep and up to and including 3½ inches deep	0 102	0 92	0 82	0 64
" 3½ " " " 5 "	1 04	0 92	0 82	0 64
" 5 " " " 6 "	1 2	0 114	0 92	0 84
" 6 " " " 7 "	1 54	1 2	1 04	1 04
" 7 " " " 8 "	2 14	1 74	1 54	1 44
Over 3½ inches and up to and including 4½ inches in diameter—					
Up to and including 2 inches deep	0 114	0 82	0 7	0 54
Over 2 inches deep and up to and including 3½ inches deep	1 04	0 92	0 82	0 64
" 3½ " " " 5 "	1 2	0 114	0 94	0 84
" 5 " " " 6 "	1 44	1 04	0 11	0 84
" 6 " " " 7 "	1 64	1 24	1 02	0 114
" 7 " " " 8 "	2 04	1 74	1 54	1 44
Over 4½ inches, and up to and including 5½ inches in diameter—					
Up to and including 2½ inches deep	1 1	0 94	0 84	0 64
Over 2½ inches deep, and up to and including 4½ inches deep	1 54	1 1	0 102	0 84
" 4½ " " " 6 "	1 104	1 44	1 24	1 04
" 6 " " " 7 "	2 24	1 74	1 54	1 44
" 7 " " " 8 "	2 4	1 94	1 74	1 54
Over 5½ inches, and up to and including 6½ inches in diameter—					
Up to and including 3 inches deep	1 54	1 04	0 11	0 84
Over 3 inches deep, and up to and including 4½ inches deep	1 92	1 2	1 04	0 102
" 4½ " " " 6 "	2 04	1 44	1 24	1 04
" 6 " " " 8 "	2 4	1 92	1 74	1 54
MEAT TINS—					Price per 100.
Seaming and rolling meat tin bodies (round) on clamps—					s. d.
½ lb.	1 54
1 "	1 54
1 " tongue	1 54
1½ lbs.	1 54
2 "	1 54
2 " long	1 54
2½ "	1 7
3 "	4 44
6 " (including putting on tops and bottoms)	0 102
Seaming ½ lb. or 1 lb. on 1 cylinder	0 112
" 2 lbs.	0 84
" 2 lbs. or 1 lb. on 2 cylinders	0 102
" ½ lb. or 1 lb. on 3 to 6 cylinders (with 2 boys)	0 44
" 2 lbs. " " " "	0 54
Seaming meat tins (tapered square) on one former—					
1 lb.	0 104
2 lbs.	0 114
6 "	1 4
					Price per 1,000 ends. d.
Squeezing—12 oz. or 1 lb. (tapered square)	3 3
" 1½ lbs. " "	3 5
" 2 " " " "	3 9
" 6 " " " "	6 0
					Price per 100 ends. s. d.
Joker—½ lb. (round, or tapered square)	0 54
" ¾ " " " "	0 54
" 1 " " " "	0 54
" 1½ lbs. " " " "	0 64
" 3 " " " "	0 94
" 4 " " " "	0 94
" 5 " " " "	0 94
" 6 " " " "	0 94
SOLDERING TOPS OR BOTTOMS OF EMPTY TINS—(spiriting provided)—					Price per gross.
		Not crimped or rolled on.	Crimped.	Rolled on.	
		s. d.	s. d.	s. d.	
Up to and including 3 inches in diameter	1 12	1 02	0 11	
Over 3 inches diameter, and up to and including 3½ inches in diameter	1 3	1 24	1 12	
" 3½ " " " 4½ "	2 04	1 10	1 64	
" 4½ " " " 5 "	2 34	2 02	1 102	
" 5 " " " 6 "	3 0	2 82	2 44	
					Price per gross. s. d.
ROUND WORK (SOLDERING).					
JAM TINS—Closing, 1 lb., topped, and crimped	1 54
" 2 lb. " " " "	1 84
CAKE TINS—					
2 lbs., soldering	15 8
4 " " " "	17 8
6 " " " "	19 9
6 " cutting	2 14

PIECE-WORK—*continued.*
ROUND WORK (SOLDERING)—*continued.*

		Per gross. s. d.
CAPPING—Soldering on caps, all work cleaned, caps put on—		
Cap up to and including 1½ inches in diameter in 6-lb. tin or less	...	1 5½
" over 1½ and up to and including 2½ inches in diameter in 6-lb. tin or less	...	1 7½
" " 2½ " 2½ "	...	1 9½
" " 3½ " 3½ "	...	1 11½
Capping pulp tins, up to 40-lbs., work cleaned and caps put on—		
Round cap	...	4 10½
Square cap, 3½ to 5 inches square	...	6 2
SQUARE WORK.		
Jam tins, 6 lbs., soldering only, with use of spring	...	15 8
" 6 " notching, bending, and folding	...	7 11
" 14 " soldering only, without use of spring	...	18 10
" 14 " " with use of spring	...	20 6
" 20 " without use of spring	...	19 7
" 20 " " with use of spring	...	21 8
" 28 " " without use of spring	...	19 7
" 28 " " with use of spring	...	21 8
" 14, 20, and 28 lbs., notching, bending, and folding	...	9 10 extra
Pulp tin, 40 lbs., soldering only, without use of spring	...	23 8
" 40 " " with use of spring	...	28 8
" 40 " " lock seam	...	28 8
Cutting out above sizes	...	2 4 extra
Notching, bending, and folding so that spring is not necessary, all above sizes, except 6 lbs.	13 8	
Notching, bending, and folding, so that spring is necessary at one end	...	12 0
BITTICK TINS—		
1 lb., soldering	...	6 1
2 lbs. "	...	7 6
4 " "	...	12 0
6 " "	...	12 0
6 lbs., glass, soldering	...	13 8
14 " plain, " "	...	17 8
14 " glass, " "	...	18 5
25 " plain, " "	...	23 6
30 " " "	...	20 6
40 " " "	...	20 6
50 " " "	...	20 6
Unseamed	...	23 6
1-lb. packet	...	20 6
9 lbs. Cabin	...	18 5
Wafer, Ice and Cup, soldering	...	16 11
" Cream, Henley and Variety, soldering	...	16 11
Afternoon Tea, soldering	...	7 6
1 lb., cutting bodies	...	7 6
2 lbs. "	...	0 6½
6 " "	...	0 6½
1 lb., cutting ends	...	2 1
2 lbs. "	...	0 2½
4 " cutting at guillotine	...	0 2½
9 " " "	...	1 -
30 " " "	...	2 8
40 " " "	...	3 9
50 " " "	...	3 9
Plain and Packet, cutting at guillotine	...	3 9
Small Wafer	...	3 4
30 lbs., closing, soldering	...	1 0½
40 " " " "	...	7 11
50 " " " "	...	9 9
11 2	...	
FLOUR TINS—		
40 lbs., soldering	...	18 5
50 " "	...	23 6
HONEY TINS—		
56 lbs., soldering	...	28 8
OIL OR VARNISH TINS—		
½ gallon, soldering ends and lock seam	...	16 6
1 " " " "	...	19 9
2 " " " "	...	26 8
OBLONG TINS—(reputed or imperial measure)—		
1 pint, plain, soldering, lock seam (with two assistants)...	...	0 8½
1 " " " " (with one assistant)	0 9½
1 quart " " " (without assistance)	0 11½
1 " " " " (with two assistants)	0 8½
1 " " " " (with one assistant)	0 9½
1 " " " " (without assistance)	0 11½
Soldering, all above tins, if made of decorated or varnished tin plate	...	0 2½ extra each end
1 pint, rolled on ends, soldering	...	3 0 each end
1 " crimped, soldering	...	3 1 "
1 " not crimped or rolled on, soldering	...	3 4 "
1 quart, rolled on ends, soldering	...	3 1 "
1 " crimped, soldering	...	3 4 "
1 " not crimped, soldering	...	4 1½ "
TOBACCO TINS—		
2 lbs., closing	...	8 6 per 100
3 lbs. "	...	7 6 "
5 lbs. "	...	8 6 "
If electric iron used—all above sizes	...	1 0 extra

Less 7½ per cent.

PIECE-WORK—continued.

OVAL WORK.

OIL TINS—		Per gross
½ pint, lock seams, soldering (with two assistants)	...	0 53
" " " (with one assistant)	...	0 84
" lap " " (without assistance)	...	0 11½
" rolled on ends	...	2 9 each end
" crimped on ends	...	2 5 "
" slipped on ends	...	3 1 "

STAMPING WORK ON POWER MACHINES OR PRESSES (NOT USING SCRAP).

	Per gross.
Up to and including 3½ inches in diameter of cutting die	0 1¾
Over 3½ and up to and including 4 inches in diameter of cutting die	0 2
" 4 " " 4½ " "	0 2½
" 4½ " " 5½ " "	0 3
" 5½ " " 6½ " "	0 3½

Less 7½ per cent.

DEFINITION.

9. For the purposes of this Determination, "sheet metal" shall mean sheet metal 10-gauge or lighter.

J. K. McCASKILL, J.P.,
Chairman.

F. A. MARZORINI,
Secretary.

Dated at Melbourne the 30th day of May, 1931.

