



VICTORIA GOVERNMENT GAZETTE.

Published by Authority.

[Registered at the General Post Office, Melbourne, for transmission by post as a newspaper.]

No. 254]

THURSDAY, NOVEMBER 12.

[1931

Factories and Shops Act 1928 (No. 3677).

TINSMITHS BOARD.

NOTE.—This Determination, on the 20th November, 1931, applied to the following parts of Victoria, namely:—The Metropolitan District as defined in the *Factories and Shops Act 1928* (No. 3677) and the Order in Council thereunder; such portions of the City of Sandringham as are not included within the said Metropolitan District; the cities of Ballarat, Bendigo, Geelong, Geelong West, and Warrnambool; the town of Newtown and Chilwell; and the boroughs of Eaglehawk and Sebastopol.

IN THE COURT OF INDUSTRIAL APPEALS.

IN the matter of the *Factories and Shops Act 1928* (No. 3677)

and

IN the matter of an Appeal by the representatives of the employers on the Tin Smiths Board against the Determination of the said Board, dated the 30th day of May, 1931.

Friday the 6th day of November, 1931.

(Before His Honour Mr. Justice Mann, Mr. William Anderson, and Mr. Albert McNulty.)

The above-mentioned Appeal, coming on for hearing by this Court on the 12th, 13th and 14th October, 1931, and this day. Upon Reading the Appeal and upon Hearing what was alleged by Dr. A. D. Ellis of counsel and witnesses on behalf of the employers and by Mr. P. W. Hill, Assistant Secretary of the Victorian Branch of the Sheet Metal Working Industrial Union of Australia and witnesses on behalf of the employees; THIS COURT DOETH ORDER AND DETERMINE—

(1) That on the 20th November, 1931, the Determination of the Tin Smiths Board dated the 30th day of May, 1931, be revoked and replaced by this Determination "as to the lowest prices or rates which may be paid to any person or persons or classes of persons employed in the process, trade or business of preparing or manufacturing articles made of tin plate or other sheet metal, including the japanning of such articles."

(2)

APPRENTICES AND IMPROVERS.

	Wages per Week of 48 Hours.		Number (in any place).
	Apprentices.	Improvers.	Apprentices.
	s. d.	s. d.	
1st year's experience	14 3	14 3	One apprentice to every three or fraction of three workers receiving not less than 63s. 11d. per week of 48 hours.
2nd " " " " " " " " " "	20 3	20 3	An indenture of apprenticeship prescribed by the Board was approved on 20th May, 1911.
3rd " " " " " " " " " "	26 3	27 9	
4th " " " " " " " " " "	35 6	40 9	
5th " " " " " " " " " "	48 0	52 3	<i>Improvers.</i> One improver to every five or fraction of five workers receiving not less than 69s. 4d. per week of 48 hours.

(3)

JUVENILE WORKERS (OTHER THAN APPRENTICES OR IMPROVERS).

(a) The rates set out in the column headed "Class A" shall be paid to Juvenile workers (other than apprentices or improvers) engaged—

- (1) Putting wire handles in camp kettles, wiring handles for kettles and dippers, folding flat tin handles, folding spouts and barrels for kerosene pumps, forming handles for pannikins and dippers, forming rims for lids, notching (except by power machines), using guillotine for above work, holding general sheet metal work for journeymen or soldering canisters other than seams, tops, or bottoms.
- (2) Polishing, cleaning, spiriting, testing to detect leaks (except in 4-gallon petrol, kerosene, or pulp tins), making spouting tubes, cutting and making wire handles, cutting hoop iron and wire for general sheet metal work, blackening or tarring shovels or closet pans, packing, carrying or moving goods, lighting or attending fires or engaged on canister work at topping tins or trimming scrap.
- (3) At general sheet metal work or canister or tin toy work on any other power machine (other than a power press) or at canister or tin toy work on the following machines or presses:—Monkey, pendulum, screw, or treadle, machines for folding canisters of holding capacity up to and including 1 pint, beading, bending (other than work on angle bender or folder exceeding 8 inches), body forming (other than by angle bender), clenching, crimping, curling, double seaming, flanging, hinge hooking, hinge seating, lock-lead-seaming, notching, rolling, squeezing, trimming, or wire forming, or feeding or taking off in connexion with any power soldering machine or employed in connexion with japanning at scouring, cleaning, assisting to polish or general rough work, or engaged on cabinet handles in cutting strips, clips, and holes on guillotine, bending clips round ring, fitting same and opening out ends, or employed at hinge making in cutting metal into strips, or putting in pins or spraying tin toys or reconditioning tin canisters under the supervision of an adult sprayer.
- (4) Operating power presses.

(b) The rates set out in the column headed "Class B" shall be paid to Juvenile workers (other than apprentices or improvers) engaged in repairing leaks in general sheet metal work (other than old work) or assisting at rollers for forming down pipes, or engaged at general sheet metal work on the following machines, viz.:—Burnishing and spinning lathes, curving machines, guillotines for cutting spouting and ridging, hand presses, or spouting and ridging machines.

Age.	Wages per Week of 48 Hours.	
	Class "A."	Class "B."
Under 15 years of age	s. d.	s. d.
Aged 15 years	15 3	..
" 16 "	18 6	..
" 17 "	24 0	..
" 18 "	*30 0	†27 3
" 19 "	*38 0	*35 6
" 20 "	*49 0	*44 9
" 20 "	*56 6	*54 0

* Any juvenile worker without previous experience, entering the trade at 17 years of age or over may be paid for the first year of his service the rate of pay he would have received had he been one year younger.

† A person entering the trade at 17 years of age and put to work in Class B, may, during the first year of his service, be paid whilst performing such work at the rate of 26s. per week of 48 hours.

No juvenile worker shall be employed operating any power press who has not—

- (1) attained the age of 17 years, and
- (2) completed one year of service at the trade.

(4) OTHER EMPLOYEES.	Wages per week of 48 hours.	
	s.	d.
Welders—		
First Class	89	2
Second Class	74	0
Third Class	71	2
Bench hands—		
First Class	85	6
Second Class	77	5
Metal spinner who sets up and makes his own dies	81	11
Other spinners	71	2
Die setters	72	11
Leading press hand for canister making	72	11
Other press operators (except on canister work)—		
Heavy	71	2
Light	69	4
Solderers and dippers for canister making	69	4
Other solderers and dippers	71	2
Drop hammer stampers	71	2
Guttering machinists	69	4
Other power machinists (except on canister work)	66	8
Riveters of canisters by hand	72	11
Makers of canisters by hand	72	11
Canister vent closers and solderers working on tins containing substances with an artificial temperature of 150 deg. Fahr. and over	72	11
Operators of power capping machines or metal pots on automatic canister machines	71	2
Other cap solderers	69	4
Galvanizers	77	5
Tinners and grease tanners	72	11
Assistants working over metal pot	71	2
Persons not otherwise provided for, engaged in connexion with galvanizing	66	7
Stencil cutters	79	3
Mixers	69	4
Fusers	69	4
Picklers	69	4
Liquidizers	66	7
Artistic japanners and goldworkers	80	2
Spray operators	72	11
Grainers, liners and filleters	69	4
Painters and lacquerers	69	4
Dippers	68	5
All others	63	11

DEFINITIONS—

"Welder, First Class" shall mean an adult workman using quasi-arc or oxy-acetylene blowpipe or coal-gas cutting plant on work other than filling castings, cutting scrap metal, or using jigs.

"Welder, Second Class" shall mean an adult workman filling, casting or welding with the aid of jigs.

"Welder, Third Class" shall mean an adult workman using electric spot or butt-welding machine or cutting scrap with oxy-acetylene blowpipe.

"Bench Hand, First Class" shall mean adult workman working to scaled prints or drawings or applying general trade experience or knowledge without the guidance of a foreman to the making of completed articles and /or the erection and installation thereof.

"Bench Hand, Second Class" shall mean an adult workman working at the bench in the making of completed articles not calling for the use of prints or drawings or measurements.

"Canisters" shall include canisters, tin boxes and other tin containers manufactured in quantities, by specialized processes

(5) TIME OF BEGINNING AND ENDING WORK.

Time of Beginning.	Time of Ending.
7.30 a.m.	12 noon on the day on which the half-holiday is observed.
7.30 a.m.	5.30 p.m. on the other working days of the week.

(6) OVERTIME.

Outside the time of beginning and ending work as herein fixed ... }
 Within the time of beginning and ending work in excess of the hours fixed in ... } Time and a half.
 this Determination as a week's work

(7) **SPECIAL RATES.**—Double time shall be the special rate for all work done on Sunday, New Year's Day, Foundation Day (26th January), Good Friday, Easter Monday, Eight Hours Day (21st April), King's Birthday, Christmas Day, and Boxing Day; but if any other day be by Act of Parliament or Proclamation substituted for any of the above-named holidays, the special rate shall only be payable for work done on the day so substituted.

(8) **TIME WAGES.**—Any person employed on time wages for less than the number of hours fixed for an ordinary week's work shall for each hour worked up to one-half the number of hours fixed be paid at the ordinary wages rate with an addition of thirty-three and a third per centum.

(9) (a) **PIECE-WORK.**—The lowest piece-work price payable to any person for wholly or partly preparing or manufacturing any article described in the following Schedules (which Schedules shall form part of this Determination) shall be the price mentioned in such Schedules.

(b) Wherever the quantity to be given out is stated in the Schedules the prices apply only when the articles are given out in quantities not less than those mentioned in the Schedule.

(c) The Schedules of prices apply to new material only.

(d) Except where otherwise provided, where the sizes of articles to be made under these Schedules do not exactly correspond with the sizes stated in their Schedules, then the price or rate fixed for the next nearest size shall apply; but where the size is half-way between two sizes then the next higher price or rate shall apply.

SCHEDULE A.—GENERAL SHEET METAL WORK.

Articles.	Material.	Size.	When given out in the under-mentioned Quantities or more.	Prices.
(1.) BASINS.				
WASH-HAND BASINS, hand-made (including blocking of bottoms)	IC tin plate	13 inches ...	3 dozen ...	6s. 2d. per doz.
" " " " " " " "		16 " ...	3 " ...	7s. 6d. "
" " " " " " " "	IX tin plate	18 " ...	2 " ...	8s. 8d. "
" " " " " " " "		13 " ...	3 " ...	7s. 5d. "
" " " " " " " "		16 " ...	2 " ...	8s. 3d. "
" " " " " " " "		18 " ...	2 " ...	10s. 9d. "
" " " " " " " "		20 " ...	1½ " ...	12s. 3d. "
" " " " " " " "		22 " ...	1 " ...	14s. 11d. "
If bottoms supplied for 13 in. basins...	4d. per doz. deducted
" " " " 16 and 18 in. basins	6d. " " "
" " " " 20 and 22 in. basins	1s. " " "
If unplated handles 6 gauge wire or under supplied for basins	18, 20, or 22 inches	...	1s. 6d. per gross handles deducted
(2.) BATHS.				
CHILD'S BATHS	24-gauge iron or lighter	24 inches ...	3 articles	4s. 8d. each
" " " " " " " "		26 " ...	3 " ...	5s. 2d. "
" " " " " " " "		28 " ...	3 " ...	5s. 6d. "
" " " " " " " "		30 " ...	3 " ...	5s. 11d. "
" " " " " " " "		33 " ...	3 " ...	6s. 3d. "
" " " " " " " "		36 " ...	3 " ...	7s. 2d. "
" " " " " " " "		42 " ...	2 " ...	8s. 3d. "
FOOT BATHS, oval, moulded, knocked up bottoms	Bodies 26-gauge iron or lighter	16 " ...	6 " ...	28s. 1d. per doz.
" " " " " " " "		18 " ...	6 " ...	29s. 6d. "
" " " " " " " "		20 " ...	6 " ...	31s. 5d. "
" " " " " " " "		22 " ...	6 " ...	34s. 6d. "
" " " " " " " "		24 " ...	6 " ...	36s. 2d. "
" " " " " " " "		26 " ...	6 " ...	38s. 2d. "
" " " " " " " "		28 " ...	6 " ...	42s. 10d. "
" " " " " " " "		30 " ...	6 " ...	45s. 7d. "
" " " " " " " "		16 " ...	1 dozen	11s. 8d. "
" " " " " " " "		18 " ...	1 " ...	13s. 5d. "
" " " " " " " "		20 " ...	1 " ...	14s. 11d. "
" " " " " " " "	Bottoms 24-gauge iron or lighter	22 " ...	1 " ...	17s. 5d. "
" " " " " " " "		24 " ...	1 " ...	19s. 7d. "
" " " " " " " "		26 " ...	1 " ...	22s. "
" " " " " " " "		28 " ...	1 " ...	23s. 7d. "
" " " " " " " "	30 " ...	1 " ...	25s. 2d. "	
FRAME BATHS, galvanized iron, up to 6 feet long, up to 22 inches wide, and up to 22 inches deep (Assistance to be given for knocking up)	26-gauge iron	...	3 articles	7s. 2d. each
" " " " " " " "	24 " "	...	3 " ...	7s. 2d. "
" " " " " " " "	22 " "	...	2 " ...	9s. "
PLUNGE BATHS, moulded	24-gauge iron or lighter	48 inches ...	2 " ...	9s. 5d. "
" " " " " " " "		54 " ...	2 " ...	10s. 11d. "
" " " " " " " "		60 " ...	2 " ...	12s. 2d. "
" " " " " " " "		66 " ...	2 " ...	13s. "
" " " " " " " "		72 " ...	2 " ...	14s. 2d. "
" " " " " " " " with raised backs	2 " ...	1s. 3d. each bath extra
If galvanized iron used for beads for Plunge or Child's Baths	1s. 2d. " " "
(3.) BINS.				
FLOUR BINS, with body wired, back-lapped, and swedged; bottom knocked up and hooped or studded (4 studs); lid with a rim not less than 2½ inches deep; top blocked and panned on to rim; hasp and hinge on cover; and three oval wire handles	IXX tin plate or lighter	25 lbs. ...	6 articles	2s. 8d. each
" " " " " " " "		50 " ...	6 " ...	3s. 4d. "
" " " " " " " "		75 " ...	4 " ...	3s. 11d. "
FLOUR BINS, with body wired, back-lapped, and swedged, for galvanized hoop; hoop about 20 gauge and 1½ inches wide; bottom knocked up; lid with a rim not less than 2½ inches deep; top blocked and panned on to rim; hasp and hinge on cover; and three oval wire handles	Galv. or lead-coated iron, 24-gauge or lighter	100 " ...	3 " ...	6s. 2d. each
" " " " " " " "		200 " ...	3 " ...	7s. 2d. "
" " " " " " " "		250 " ...	2 " ...	7s. 11d. "
(4.) BOILERS.				
TIN BOILERS, oval, with pitched covers...	IX tin plate or lighter	3 gallons ...	1 dozen ...	13s. 7d. per doz.
" " " " " " " "		4 " ...	1 " ...	15s. 8d. "
" " " " " " " "		5 " ...	1 " ...	16s. 8d. "
" " " " " " " "		7 " ...	6 articles	21s. 1d. "
" " " " " " " "		10 " ...	6 " ...	24s. 5d. "
" " " " " " " " oval, with blocked covers		3 " ...	1 dozen ...	17s. 8d. "
" " " " " " " "		4 " ...	1 " ...	19s. 10d. "
" " " " " " " "		5 " ...	1 " ...	19s. 10d. "
" " " " " " " "		7 " ...	6 articles	25s. 6d. "
" " " " " " " "		10 " ...	6 " ...	29s. 4d. "
" " " " " " " " oval, with stamped covers		3 " ...	1 dozen ...	12s. "
" " " " " " " "		4 " ...	1 " ...	13s. 7d. "
" " " " " " " "		5 " ...	1 " ...	13s. 7d. "
" " " " " " " "		7 " ...	6 articles	17s. 8d. "
" " " " " " " "	10 " ...	6 " ...	22s. "	
If copper bottoms are used on above—Tinning same	5s. per doz. extra

Less 15 per cent.

PIECE-WORK—continued.

Articles.	Material.	Size.	When given out in the under-mentioned Quantities or more.	Prices.
BOXES—continued.				
Trunks, strapped (top wiring supplied) 4 swedges	24-gauge steel or lighter	33 inches ...	6 articles	79s. 6d. per doz.
" " " " " " " "		36 " " ...	6 " "	88s. 1d. "
" " wired, strapped, complete 2 swedges	26-gauge steel or lighter	20 " " ...	1 dozen ...	44s. 10d. "
" " " " " " " "		22 " " ...	1 " " ...	46s. 6d. "
" " " " " " " "	26-gauge steel or lighter	24 " " ...	1 " " ...	48s. "
" " " " " " " "		26 " " ...	1 " " ...	51s. 11d. "
" " " " " " " "	24-gauge steel or lighter	28 " " ...	1 " " ...	55s. 10d. "
" " " " " " " "		30 " " ...	1 " " ...	61s. 5d. "
" " " " " " " "	24-gauge steel or lighter	30 " " ...	1 " " ...	63s. "
" " " " " " " "		33 " " ...	6 articles	81s. "
" " cabin, common, moulded (cutting out, top and body edging, moulding, and wiring supplied) 2 swedges	26-gauge steel or lighter	36 " " ...	6 " "	89s. 7d. "
" " " " " " " "		24 " " ...	1 dozen ...	17s. 7d. "
" " " " " " " "	26-gauge steel or lighter	26 " " ...	1 " " ...	19s. 4d. "
" " " " " " " "		28 " " ...	1 " " ...	20s. "
" " " " " " " "	24-gauge steel or lighter	30 " " ...	1 " " ...	22s. 2d. "
" " " " " " " "		33 " " ...	1 " " ...	34s. 4d. "
" " cabin, moulded, strapped (cutting out, top and body edging, moulding, and wiring supplied) 2 swedges	26-gauge steel or lighter	24 " " ...	1 " " ...	31s. "
" " " " " " " "		26 " " ...	1 " " ...	33s. "
" " " " " " " "	24-gauge steel or lighter	28 " " ...	1 " " ...	34s. 7d. "
" " " " " " " "		30 " " ...	1 " " ...	36s. 2d. "
" " " " " " " "	24-gauge steel or lighter	33 " " ...	6 articles...	39s. 7d. "
" " " " " " " "		36 " " ...	6 " " ...	44s. 10d. "
" " cabin, moulded (moulding and wiring supplied) 2 swedges	26-gauge steel or lighter	24 " " ...	1 dozen ...	28s. 2d. "
" " " " " " " "		26 " " ...	1 " " ...	30s. 6d. "
" " " " " " " "	24-gauge steel or lighter	28 " " ...	1 " " ...	32s. 2d. "
" " " " " " " "		30 " " ...	1 " " ...	34s. "
" " " " " " " "	24-gauge steel or lighter	33 " " ...	6 articles...	48s. 7d. "
" " " " " " " "		36 " " ...	6 " " ...	48s. 7d. "
" " cabin, strapped (moulding and wiring supplied) 2 swedges	26-gauge steel or lighter	24 " " ...	1 dozen ..	37s. 9d. "
" " " " " " " "		26 " " ...	1 " " ...	39s. 7d. "
" " " " " " " "	24-gauge steel or lighter	28 " " ...	1 " " ...	42s. 6d. "
" " " " " " " "		30 " " ...	1 " " ...	44s. "
" " " " " " " "	24-gauge steel or lighter	33 " " ...	6 articles...	48s. "
" " " " " " " "		36 " " ...	6 " " ...	57s. "
" " cabin, common, wired (cutting out, top and body edging, and top and body wiring supplied) 2 swedges	26-gauge steel or lighter	24 " " ...	1 dozen ..	23s. 11d. "
" " " " " " " "		26 " " ...	1 " " ...	25s. 11d. "
" " " " " " " "	24-gauge steel or lighter	28 " " ...	1 " " ...	29s. 11d. "
" " " " " " " "		30 " " ...	1 " " ...	31s. 5d. "
" " " " " " " "	24-gauge steel or lighter	33 " " ...	6 articles...	39s. 4d. "
" " " " " " " "		36 " " ...	6 " " ...	46s. 6d. "
" " cabin, strapped, wired (cutting out, top and body edging, and top and body wiring supplied) 2 swedges	26-gauge steel or lighter	24 " " ...	1 dozen ...	39s. 7d. "
" " " " " " " "		26 " " ...	1 " " ...	41s. 4d. "
" " " " " " " "	24-gauge steel or lighter	28 " " ...	1 " " ...	43s. 3d. "
" " " " " " " "		30 " " ...	1 " " ...	44s. 10d. "
" " " " " " " "	24-gauge steel or lighter	33 " " ...	6 articles...	48s. "
" " " " " " " "		36 " " ...	6 " " ...	55s. "
" " cabin, common, wired (top wiring supplied) 2 swedges	26-gauge steel or lighter	24 " " ...	1 dozen ...	31s. 10d. "
" " " " " " " "		26 " " ...	1 " " ...	33s. 10d. "
" " " " " " " "	24-gauge steel or lighter	28 " " ...	1 " " ...	37s. 9d. "
" " " " " " " "		30 " " ...	1 " " ...	39s. 4d. "
" " " " " " " "	24-gauge steel or lighter	33 " " ...	6 articles...	48s. "
" " " " " " " "		36 " " ...	6 " " ...	55s. 10d. "
" " cabin, strapped, wired (top wiring supplied) 2 swedges	26-gauge steel or lighter	24 " " ...	1 dozen ...	44s. 10d. "
" " " " " " " "		26 " " ...	1 " " ...	46s. 6d. "
" " " " " " " "	24-gauge steel or lighter	28 " " ...	1 " " ...	48s. "
" " " " " " " "		30 " " ...	1 " " ...	53s. 6d. "
" " " " " " " "	24-gauge steel or lighter	30 " " ...	1 " " ...	55s. 1d. "
" " " " " " " "		33 " " ...	6 articles...	60s. 5d. "
" " " " " " " "	24-gauge steel or lighter	36 " " ...	6 " " ...	65s. 3d. "
" " " " " " " "		24 " " ...	1 dozen ...	48s. "
" " cabin, strapped, wired, complete 2 swedges	26-gauge steel or lighter	26 " " ...	1 " " ...	50s. 3d. "
" " " " " " " "		28 " " ...	1 " " ...	52s. 8d. "
" " " " " " " "	24-gauge steel or lighter	30 " " ...	1 " " ...	55s. 10d. "
" " " " " " " "		30 " " ...	1 " " ...	58s. 2d. "
" " " " " " " "	24-gauge steel or lighter	33 " " ...	6 articles...	62s. 2d. "
" " " " " " " "		36 " " ...	6 " " ...	67s. 7d. "
If corners fitted on lids for 20-inch to 30-inch common trunks	9d. per doz. trunks extra
Swivels, end-handles and corners of all trunks supplied.				
Wires for all moulded trunks supplied.				
Wires for tops of wired trunks supplied.				

Less 15 per cent.

PIECE-WORK—continued.

Articles.	Material.	Size.	When given out in the under-mentioned Quantities or more.	Prices.
BOXES—continued.				
TRUNKS where wiring, moulding, and corner pieces for bodies are not supplied	20, 22, 24, and 26 inches	...	6s. 3d. per doz. trunks extra
		28, 30, 33, and 36 inches	...	7s. 11d. per doz. trunks extra
TRUNKS (machine work), cutting out, top and body edging, moulding, and wiring (wires supplied) ...	26-gauge steel or lighter	20 inches ...	3 dozen ...	5s. 5d. per doz
" " " " " " ...		22 " " ...	3 " " ...	5s. 5d. "
" " " " " " ...		24 " " ...	3 " " ...	5s. 10d. "
" " " " " " ...		26 " " ...	3 " " ...	6s. 3d. "
" " " " " " ...		28 " " ...	3 " " ...	6s. 7d. "
" " " " " " ...		30 " " ...	3 " " ...	7s. 6d. "
" " " " " " ...		33 " " ...	2 " " ...	8s. 9d. "
" " " " " " ...	24-gauge steel or lighter	36 " " ...	1 " " ...	11s. 4d. "
(7.) BUCKETS.				
BLACK IRON BUCKETS, common, stamped or forged ears, two rivet holes ...	28-gauge iron or lighter	11 inches ...	6 dozen ...	5s. per doz.
" " " " " " ...		12 " " ...	6 " " ...	5s. "
" " " " " " ...		13 " " ...	6 " " ...	5s. 4d. "
" " " " " " ...		14 " " ...	6 " " ...	6s. 2d. "
BLACK IRON BUCKETS, common, stamped or forged ears, three rivet holes ...	28-gauge iron or lighter	11 " " ...	3 " " ...	5s. 4d. "
" " " " " " ...		12 " " ...	3 " " ...	5s. 4d. "
" " " " " " ...		13 " " ...	3 " " ...	5s. 9d. "
" " " " " " ...		14 " " ...	3 " " ...	6s. 9d. "
BLACK IRON BUCKETS, strapped sides and bottoms ...	28-gauge iron or lighter	11 " " ...	2 " " ...	7s. 5d. "
" " " " " " ...		12 " " ...	2 " " ...	7s. 5d. "
" " " " " " ...		13 " " ...	2 " " ...	8s. 3d. "
" " " " " " ...		14 " " ...	2 " " ...	9s. "
BLACK IRON BUCKETS, strapped, wrought ears, two rivet holes ...	28-gauge iron or lighter	11 " " ...	2 " " ...	6s. 9d. "
" " " " " " ...		12 " " ...	2 " " ...	6s. 9d. "
" " " " " " ...		13 " " ...	2 " " ...	7s. 5d. "
" " " " " " ...		14 " " ...	2 " " ...	8s. 8d. "
BLACK IRON BUCKETS, strapped, wrought ears, three rivet holes ...	28-gauge iron or lighter	11 " " ...	2 " " ...	7s. 5d. "
" " " " " " ...		12 " " ...	2 " " ...	7s. 5d. "
" " " " " " ...		13 " " ...	2 " " ...	8s. 3d. "
" " " " " " ...		14 " " ...	2 " " ...	9s. "
MILK BUCKETS, tin, with bail, hollow bottom, and tin hoop (bail supplied) ...	IX tin plate or lighter	11 inches dia- meter x 9 inches deep	4 " " ...	6s. 2d. "
" " " " " " ...		13 inches dia- meter x 9 inches deep	4 " " ...	6s. 9d. "
MILK BUCKETS, tin, with hollow bottoms, and tinned or galvanized hoops and bails (bails supplied) ...	IX tin plate or lighter	11 inches dia- meter x 9 inches deep	4 " " ...	6s. 2d. "
" " " " " " ...		13 inches dia- meter x 9 inches deep	4 " " ...	6s. 9d. "
" " " " " " ...		11 inches dia- meter x 11 inches deep	3 " " ...	7s. 5d. "
" " " " " " ...		13 inches dia- meter x 11 inches deep	3 " " ...	9s. "
" " " " " " ...		11 inches dia- meter x 18 inches deep	1 " " ...	9s. 11d. "
" " " " " " ...		12 inches dia- meter x 18 inches deep	1 " " ...	10s. 11d. "
MILK BUCKETS, tin—Making bails for	All sizes	5d. " extra
" " " " " " (if stamped bottom supplied)	" "	4d. per doz. deducted
STRAINER MILK BUCKETS, tin, part covered, with lip and brass wire strainer, hollow bottom, and tinned or galvanized hoop and bails (bails supplied) ...	IX tin plate or lighter	11 inches dia- meter x 9 inches deep	1½ dozen	14s. 11d. per doz.
" " " " " " ...		11 inches dia- meter x 11 inches deep	1½ " " ...	14s. 11d. "
" " " " " " ...		13 inches dia- meter x 9 inches deep	1½ " " ...	15s. 8d. "
With back handle	1s. 11d. per doz. extra

Less 15 per cent.

PIECE-WORK—continued.

Articles.	Material.	Size.	When given out in the under-mentioned Quantities or more.	Prices.	
BUCKETS—continued.					
ALL MILK BUCKETS—If ears soldered to outside of bucket				1s. 10d. per doz. extra	
TIN BUCKETS, with flat bottoms and stamped ears	IC tin plate	11 inches diameter x 9 inches deep	6 dozen	5s. 4d. per doz.	
TIN BUCKETS, with tin hoop and stamped ears	IC tin plate	13 inches diameter x 9 inches deep	6 "	6s. 2d. "	
" with 1½-in. or 1¼-in. hoop and strap	IC tin plate	" "	2 "	8s. 8d. "	
" with 1½-in. hoop and strap	IX tin plate	" "	2 "	9s. 5d. "	
" with 1¼-in. hoop and strap	IXX tin plate	" "	2 "	10s. 9d. "	
If bails supplied for strapped tin buckets				3d. per doz. deducted	
(8.) CANISTERS.					
ROUND CANISTERS, with slipped on bottle neck (top blanks supplied)	IC tin plate	½ lb.	4 dozen	4s. 7d. per doz	
" " " "		1 "	4 "	5s. "	
" " " "		2 lbs.	4 "	5s. 4d. "	
" " " "		3 "	3 "	5s. 9d. "	
" " " "		4 "	3 "	6s. 9d. "	
(9.) CANS.					
CREAM CANS, grooved, three hoops, double rim cover (including use of guillotine)	20-gauge tinned steel or lighter, or DXXXX tin plate or lighter	20 quarts	1 dozen	7s. 11d. each	
" " " "		30 "	1 "	7s. 11d. "	
" " " "		40 "	1 "	8s. 8d. "	
" four hoops, double-rim cover (including use of guillotine)		40 "	1 "	9s. "	
" three hoops, single rim cover (including use of guillotine)		20 "	1 "	6s. 2d. "	
" " " "		30 "	1 "	6s. 2d. "	
" " " "		40 "	1 "	7s. 2d. "	
" four " " " "		40 "	1 "	7s. 5d. "	
" If not cleaned and tested by maker			All sizes		3d. per can deducted
" If hoops supplied for					6d. per doz. hoops deducted
" If cover stamping or blocking supplied for		40 quarts		1s. 6d. per doz. deducted	
" If bottoms supplied for		40 "		1s. per doz. deducted	
HARVEST CANS, with pannikin supplied	IX tin plate or lighter	2 quarts	1½ dozen	9s. 9d. per doz.	
" " " "		3 "	1½ "	10s. 10d. "	
" " " "		4 "	1½ "	11s. 6d. "	
" " " "		6 "	1 "	12s. 3d. "	
" " " "		8 "	1 "	12s. 11d. "	
" " " "		10 "	1 "	14s. 4d. "	
" " " "		12 "	1 "	16s. 1d. "	
" " " " if with spouts			All sizes		2s. 9d. per doz. extra
HOT WATER CANS, knocked up bottoms	IX tin plate or lighter	3 pints	1 dozen	18s. 2d. per doz.	
" " " "		2 quarts	1 "	18s. 2d. "	
" " " "		3 "	1 "	22s. "	
" " " "		4 "	1 "	22s. "	
" wired, bottom let in...		3 pints	1 "	19s. 10d. "	
" " " "		2 quarts	1 "	19s. 10d. "	
" " " "		3 "	1 "	23s. 8d. "	
" " " "		4 "	1 "	23s. 8d. "	
HOT WATER CANS	26-gauge galv. iron or lighter	All sizes		4s. 3d. per doz. extra	
JACK SHAY CANS, straight body	IC tin plate	1 quart	2 dozen	7s. 11d. per doz.	
" tapered body		1 "	2 "	10s. 4d. "	
MINERS' CANS	IC tin plate	1½ pints	2 "	8s. 3d. "	
" " " "		2 "	2 "	8s. 3d. "	
" " " "		3 "	2 "	8s. 8d. "	
" " " "		4 "	2 "	9s. 9d. "	
" " " "		6 "	1½ "	10s. 9d. "	
RAILWAY MILK CANS, grooved, two hoops (including use of guillotine, cleaning and testing)	20-gauge tinned steel or lighter, or DXXXX tin plate or lighter	20 quarts	1 "	5s. 9d. each	
" " " " three hoops		30 "	1 "	5s. 9d. "	
" " " " four hoops		30 "	1 "	6s. 2d. "	
" " " " three hoops		40 "	1 "	6s. 2d. "	
" " " " four hoops		40 "	1 "	6s. 9d. "	
" " " " four hoops or less		50 "	1 "	6s. "	
" If hoops supplied			All sizes	6 articles	6d. per doz. hoops deducted.

Less 15 per cent.

PIECE-WORK—continued.

Articles.	Material.	Size.	When given out in the under-mentioned Quantities or more.	Prices.
CANS—continued.				
RAILWAY MILK CANS, if bottoms supplied	...	All sizes	...	1s. per doz. deducted
TOILET CANS, with knocked up bottoms (studs supplied)	IX tin plate or lighter	6 quarts	1 dozen	25s. 6d. per doz.
" " " " " "		8 " "	1 " "	28s. 3d. " "
" " " " " "		10 " "	1 " "	31s. " "
" " " " " "		12 " "	1 " "	33s. 10d. " "
" " " " " "		16 " "	1 " "	37s. 11d. " "
" " " " " " body wired, and bottom let in		6 " "	1 " "	28s. 3d. " "
" " " " " " " "		8 " "	1 " "	32s. 7d. " "
" " " " " " " "		10 " "	1 " "	34s. 7d. " "
" " " " " " " "		12 " "	1 " "	37s. 3d. " "
" " " " " " " "		16 " "	1 " "	41s. 7d. " "
" " " " " " " "	26-gauge galv. iron or lighter	All sizes	...	5s. 4d. per doz. extra
(10.) COLANDERS.				
HAND-MADE COLANDERS, machine-punched, with side handles	IX tin plate or lighter	9 inches	4 dozen	6s. 3d. per doz.
" " " " " " " "		11 " "	4 " "	7s. 5d. " "
" " " " " " " "		13 " "	3 " "	9s. " "
" " " " " " " "		15 " "	14 " "	10s. 7d. " "
COLANDERS—If punched with hand punch		All sizes	...	2s. 9d. per doz. extra
(11.) COVERS.				
MEAT COVERS, with perforated zinc bodies (straight sides) and pitched top	IX tin plate or lighter	12 inches	3 dozen	5s. 6d. per doz.
" " " " " " " "		14 " "	3 " "	5s. 11d. " "
" " " " " " " "		16 " "	3 " "	6s. 3d. " "
" " " " " " " "		18 " "	3 " "	7s. 2d. " "
" " " " " " " "		20 " "	2 " "	7s. 11d. " "
" " " " " " " "		22 " "	1½ " "	9s. 5d. " "
" " " " " " " "		24 " "	1 " "	10s. 11d. " "
" " " " " " " " with perforated zinc bodies (taper sides) and pitched top		12 " "	3 " "	6s. 3d. " "
" " " " " " " "		14 " "	3 " "	7s. 2d. " "
" " " " " " " "		16 " "	3 " "	7s. 5d. " "
" " " " " " " "	18 " "	3 " "	8s. 3d. " "	
" " " " " " " "	20 " "	2 " "	9s. " "	
" " " " " " " "	22 " "	1½ " "	10s. 11d. " "	
" " " " " " " "	24 " "	1 " "	12s. 6d. " "	
" " " " " " " " with perforated zinc bodies (taper sides) single rim, and blocked tops (wheeling found)	IXX tin plate or lighter	14 "	3 " "	8s. 8d. per doz
" " " " " " " "		15 " "	3 " "	9s. " "
" " " " " " " "		16 " "	3 " "	9s. 5d. " "
" " " " " " " "		17 " "	3 " "	10s. 3d. " "
" " " " " " " "		18 " "	3 " "	10s. 11d. " "
" " " " " " " "		20 " "	1 " "	12s. 6d. " "
" " " " " " " "		22 " "	1 " "	14s. 2d. " "
" " " " " " " "		24 " "	1 " "	17s. 3d. " "
" " " " " " " " with double rims if stamped or blocked tops supplied for		All sizes	...	2s. 4d. per doz. extra
" " " " " " " "		14 inches	...	6d. per dozen deducted
" " " " " " " "		15 " "	...	6d. " "
" " " " " " " "		16 " "	...	9d. " "
" " " " " " " "		17 " "	...	9d. " "
" " " " " " " "		18 " "	...	9d. " "
" " " " " " " "		20 " "	...	1s. " "
" " " " " " " "		22 " "	...	1s. " "
" " " " " " " "		24 " "	...	1s. " "
(12.) DIPPERS.				
COMMON DIPPERS	IX tin plate or lighter	2 quarts	6 dozen	2s. 11d. per doz
" " " " " "		3 " "	6 " "	2s. 11d. " "
BEST DIPPERS, bossed		2 " "	4 " "	5s. " "
" " " " " "		3 " "	4 " "	5s. " "
" " " " " "		4 " "	2 " "	6s. 2d. " "
DIPPERS—Soldering studs on		5d. per doz. dippers extra
(13.) DISHES.				
DEVON DISHES, about 9 inches deep, flat bottoms	IX tin plate or lighter	14 inches	3 dozen	6s. 3d. per doz.
" " " " " " " "		16 " "	3 " "	7s. 5d. " "
" " " " " " " "		18 " "	2 " "	8s. 8d. " "
" " " " " " " "		20 " "	1 " "	9s. 9d. " "
" " " " " " " "		22 " "	1 " "	11s. 5d. " "
" " " " " " " " with hoops			All sizes	...

Less 15 per cent.

PIECE-WORK—continued.

Articles.	Material.	Size.	When given out in the under-mentioned Quantities or more.	Prices.		
(30.) SCOOPS.						
GROCERS SCOOPS—Drawer, without handles ...	IX tin plate or lighter	5 inches ... 6 " ... 7 " ... 8 " ... 10 " ... 12 " ...	4 dozen as-sorted, not less than 1 dozen of any one size	2s. 9d. per doz.		
" " front wired or pieced, with handles			3 dozen ...	7s. 5d. "		
" " " " " "			" " ...	8s. 3d. "		
" " " " " "			" " ...	9s. 11d. "		
" " " " " "			" " ...	10s. 9d. "		
" " " " " "			" " ...	12s. 11d. "		
" " " " " "			" " ...	14s. 4d. "		
" " front not wired or pieced, with handles			3 " ...	5s. 9d. "		
" " " " " "			" " ...	6s. 7d. "		
" " " " " "			" " ...	8s. 3d. "		
" " " " " "			" " ...	9s. 11d. "		
" " " " " "			" " ...	10s. 11d. "		
" " " " " "	" " ...	13s. 5d. "				
" " galvanized iron, front wired or pieced, with handles	24-gauge galv. iron or lighter	5 " ... 6 " ... 7 " ... 8 " ... 10 " ... 12 " ...	1 " ...	10s. 11d. "		
" " " " " "			" " ...	12s. 3d. "		
" " " " " "			" " ...	13s. 7d. "		
" " " " " "			" " ...	15s. 8d. "		
" " " " " "			" " ...	18s. 6d. "		
" " " " " "			" " ...	20s. 10d. "		
(31.) SKIMMERS.						
COOKS' SKIMMERS (handles supplied) ...	IXX tin plate or lighter	...	3 dozen ...	5s. 9d. per doz.		
MILK SKIMMERS, with ring handles ...	DXXXX tin plate or lighter	6½ inches... 8 " ... 9 " ... 10 " ...	4 " ...	3s. 4d. "		
" " " " " "			" " ...	4s. 2d. "		
" " " " " "			" " ...	4s. 7d. "		
" " " " " "			" " ...	5s. "		
(32.) STANDS.						
COCKATOO STANDS ...	IX tin plate or lighter } 26-gauge galv. iron or lighter, or zinc }	17 inches ... 20 " ... 17 " ... 20 " ...	6 articles...	34s. 6d. per doz.		
" " " " " "			6 " ...	36s. 11d. "		
" " " " " "			3 " ...	45s. 7d. "		
" " " " " "			3 " ...	54s. 3d. "		
(33.) STEAMERS.						
STEAMERS ...	IXX tin plate or lighter	No. 4 ... " 5 ... " 6 ... " 7 ... " 8 ... " 9 ... " 10 ... " 11 ... " 12 ...	2 dozen ...	7s. 11d. per doz.		
" " " " " "			" " ...	7s. 11d. "		
" " " " " "			" " ...	8s. 8d. "		
" " " " " "			" " ...	9s. 10d. "		
" " " " " "			" " ...	10s. 9d. "		
" " " " " "			" " ...	11s. 6d. "		
" " " " " "			" " ...	13s. 7d. "		
" " " " " "			" " ...	15s. 8d. "		
" " " " " "			" " ...	16s. 6d. "		
" " if handles supplied for ...			" " ...	3d. per doz. steamers deducted		
(34.) STRAINERS.						
GRAY STRAINERS, hand made ...			IC tin plate	Small ... Large ...	3 dozen ...	5s. 5d. per doz.
" " " " " "	3 " ...	6s. 2d. "				
" " " " if perforated bottoms supplied ...	" " ...	All sizes	6d. " deducted		
GRUEL STRAINERS ...	IX tin plate or lighter	8½ inches ... 10 " ... 11 " ... 12 " ... 14 " ... 8½ " ... 10 " ... 11 " ... 12 " ... 14 " ...	3 dozen ...	6s. 2d. per doz.		
MILK STRAINERS, wired ...			3 " ...	4s. 8d. "		
" " " " " "			3 " ...	5s. 5d. "		
" " " " " "			3 " ...	5s. 11d. "		
" " " " " "			3 " ...	6s. 3d. "		
" " " " " "			2 " ...	7s. "		
" " " " " "			2 " ...	6s. 3d. "		
" " " " " "			2 " ...	7s. 2d. "		
" " " " " "			2 " ...	7s. 11d. "		
" " " " " "			2 " ...	8s. 3d. "		
" " " " " "			2 " ...	9s. "		
MILK CAN STRAINERS, knocked up rims ...			IX tin plate	1 " ...	13s. 7d. "
" " " " " "	IXX tin plate	1 " ...	17s. 8d. "		
(35.) TINS.						
BREAD TINS (made of five pieces) ...	IX tin plate or lighter	1 lb. ... 2 " ... 4 " ... 6 " ...	3 dozen ...	5s. 9d. per doz.		
" " " " " "			3 " ...	5s. 9d. "		
" " " " " "			2 " ...	6s. 2d. "		
" " " " " "			2 " ...	8s. 3d. "		
COBURG BREAD TINS ...	IC tin plate	3 " ...	5s. 4d. "		
EXHIBITION BREAD TINS, single ...	IXXXX tin plate or lighter, or 24-gauge iron or lighter	2 lb. ... 4 " ... 2 " ... 4 " ...	6 articles...	28s. 3d. "		
" " " " " "			6 " ...	35s. 4d. "		
" " " " " "			5 " ...	70s. 9d. "		
" " " " " "			3 " ...	82s. 6d. "		

Less 15 per cent.

PIECE-WORK—*continued.*

Articles.	Material.	Size	When given out in the under-mentioned Quantities or more.	Prices.		
TINS—<i>continued.</i>						
CAKE TINS, AND CAKE RINGS, with use of knocking-up machine	IC tin plate	4 inches	1 gross ; not less than 3 dozen of any one size	20s. per gross		
" " " "		5 " "		22s. " "		
" " " "		6 " "		23s. 6d. " "		
" " " "		7 " "		27s. 6d. " "		
" " " "		8 " "		29s. 6d. " "		
" " " "		9 " "		31s. 5d. " "		
" " " "		10 " "		35s. 4d. " "		
" " " "		11 " "		41s. 3d. " "		
" " " "		12 " "		47s. 3d. " "		
" " " " loose bottoms ...		All sizes		18s. 2d. " extra		
QUEEN CAKE TINS, hearts ...		IC tin plate		...	4 dozen	4s. 7d. per doz.
" " diamonds...				...	6 " "	2s. 1d. " "
SANDWICH TINS, with use of knocking-up machine	IC tin plate	6 inches	1 gross ; not less than 3 dozen of any one size	23s. 8d. per gross		
" " " "		7 " "		27s. 6d. " "		
" " " "		8 " "		29s. 6d. " "		
" " " "		9 " "		31s. 5d. " "		
" " " "		10 " "		35s. 4d. " "		
" " " "		11 " "		41s. 3d. " "		
" " " "		12 " "		47s. 3d. " "		
SWISS ROLL TINS, wired, with use of angle bender	IC tin plate	12 x 8 inches	4 dozen	4s. 2d. per doz.		
" " " "		13 x 9 " "	4 " "	4s. 7d. " "		
" " " "		14 x 10 " "	4 " "	4s. 7d. " "		
" " " "		15 x 11 " "	4 " "	5s. " "		
" " " "		16 x 12 " "	4 " "	5s. 4d. " "		
" " " not wired, with use of angle bender		12 x 8 " "	4 " "	3s. 4d. " "		
" " " without use of angle bender ...		All sizes	...	9d. " extra		
(36.) TUBS.						
BLACK IRON TUBS, round or oval, without hoop or strap	26-gauge iron or lighter	16 inches	2 dozen	7s. 5d. per doz.		
" " " "		18 " "	2 " "	8s. 3d. " "		
" " " "		20 " "	2 " "	9s. " "		
" " " "		22 " "	2 " "	9s. 10d. " "		
" " " "		24 " "	1½ " "	10s. 9d. " "		
" " " "		26 " "	1½ " "	12s. " "		
" " " "		28 " "	1½ " "	14s. 2d. " "		
" " " "		30 " "	1 " "	16s. 1d. " "		
" " " with hoop		16 " "	2 " "	8s. 3d. " "		
" " " "		18 " "	2 " "	9s. 5d. " "		
" " " "		20 " "	2 " "	9s. 10d. " "		
" " " "		22 " "	2 " "	10s. 9d. " "		
" " " "		24 " "	1½ " "	11s. 6d. " "		
" " " "		26 " "	1½ " "	13s. 7d. " "		
" " " "		28 " "	1½ " "	14s. 11d. " "		
" " " "		30 " "	1 " "	17s. 4d. " "		
" " " hooped and strapped		24-gauge iron or lighter	33 " "	6 articles...	22s. " "	
" " " "		36 " "	6 " "	29s. 1d. " "		
" " " "		16 " "	2 dozen	10s. 4d. " "		
" " " "		18 " "	2 " "	10s. 11d. " "		
" " " "		20 " "	2 " "	11s. 6d. " "		
" " " "		22 " "	2 " "	12s. 11d. " "		
" " " "		24 " "	1½ " "	13s. 7d. " "		
" " " "		26 " "	1½ " "	15s. 8d. " "		
" " " "	28 " "	1½ " "	17s. 8d. " "			
" " " "	30 " "	1 " "	20s. " "			
" " " "	24-gauge iron or lighter	33 " "	6 articles...	24s. 8d. " "		
" " " "	36 " "	6 " "	32s. 7d. " "			
TIN TUBS, round, without hoop	IX tin plate or lighter	15 " "	2 dozen	7s. 11d. " "		
" " " "		16 " "	2 " "	7s. 11d. " "		
" " " "		18 " "	1½ " "	9s. 10d. " "		
" " " "		20 " "	1½ " "	10s. 9d. " "		
" " " "		22 " "	1½ " "	11s. 6d. " "		
" " " "		24 " "	1 " "	13s. 7d. " "		
" " " with tinned or galvanized iron or black iron hoop		IX tin plate or lighter	15 " "	2 " "	9s. 10d. " "	
" " " "			16 " "	2 " "	9s. 10d. " "	
" " " "			18 " "	1½ " "	11s. 6d. " "	
" " " "			20 " "	1½ " "	12s. 11d. " "	
" " " "			22 " "	1½ " "	13s. 7d. " "	
" " " "			24 " "	1 " "	15s. 9d. " "	
" " " oval, without hoop	IX tin plate or lighter	16 " "	2 " "	10s. 9d. " "		
" " " "		18 " "	1½ " "	11s. 6d. " "		
" " " "		20 " "	1½ " "	12s. 11d. " "		
" " " "		22 " "	1½ " "	14s. 4d. " "		
" " " "		24 " "	1 " "	16s. 6d. " "		
" " " with tinned or galvanized iron or black iron hoop...	IX tin plate or lighter	16 " "	2 " "	12s. 11d. " "		
" " " "		18 " "	1½ " "	13s. 7d. " "		
" " " "		20 " "	1½ " "	14s. 4d. " "		
" " " "		22 " "	1½ " "	16s. 6d. " "		
" " " "		24 " "	1 " "	18s. 9d. " "		

Less 15 per cent.

PIECE-WORK—continued.
SCHEDULE B.—CANISTER WORK.

	Price per gross.			
	Lap seam, without assistance.	Lock seam, without assistance.	Lock seam, with one assistant.	Lock seam, with two assistants.
SOLDERING SEAMS—all work rolled—up to and including 2½ inches in diameter—				
Up to and including 2 inches deep ...	0 9½	0 8½	0 7	0 5½
Over 2 inches deep and up to and including 3½ inches deep ...	0 10½	0 9½	0 8½	0 6½
" 3½ " " " 4½ " " ...	0 11½	0 9½	0 8½	0 6½
" 4½ " " " 5½ " " ...	1 1	0 11½	0 9½	0 8½
" 5½ " " " 7 " " ...	1 6½	1 1	0 11½	0 9½
Over 2½ inches and up to and including 3½ inches in diameter—				
Up to and including 2 inches deep ...	0 9½	0 8½	0 6½	0 5½
Over 2 inches deep and up to and including 3½ inches deep ...	0 10½	0 9½	0 8½	0 6½
" 3½ " " " 5 " " ...	1 0½	0 9½	0 8½	0 6½
" 5 " " " 6 " " ...	1 2	0 11½	0 9½	0 8½
" 6 " " " 7 " " ...	1 5½	1 2	1 0½	0 10½
" 7 " " " 8 " " ...	2 1½	1 7½	1 5½	1 4½
Over 3½ inches and up to and including 4½ inches in diameter—				
Up to and including 2 inches deep ...	0 11½	0 8½	0 7	0 5½
Over 2 inches deep and up to and including 3½ inches deep ...	1 0½	0 9½	0 8½	0 6½
" 3½ " " " 5 " " ...	1 2	0 11	0 9½	0 8½
" 5 " " " 6 " " ...	1 4½	1 0½	0 11	0 8½
" 6 " " " 7 " " ...	1 6½	1 2½	1 0½	0 11½
" 7 " " " 8 " " ...	2 0½	1 7½	1 5½	1 4½
Over 4½ inches, and up to and including 5½ inches in diameter—				
Up to and including 2½ inches deep ...	1 1	0 9½	0 8½	0 6½
Over 2½ inches deep, and up to and including 4½ inches deep ...	1 5½	1 1	0 10½	0 8½
" 4½ " " " 6 " " ...	1 10½	1 4½	1 2½	1 0½
" 6 " " " 7 " " ...	2 2½	1 7½	1 5½	1 4½
" 7 " " " 8 " " ...	2 4	1 9½	1 7½	1 5½
Over 5½ inches, and up to and including 6½ inches in diameter—				
Up to and including 3 inches deep ...	1 5½	1 0½	0 11	0 8½
Over 3 inches deep, and up to and including 4½ inches deep ...	1 9½	1 2	1 0½	0 10½
" 4½ " " " 6 " " ...	2 0½	1 4½	1 2½	1 0½
" 6 " " " 8 " " ...	2 4	1 9½	1 7½	1 5½
MEAT TINS—				
				Price per 100.
Seaming and rolling meat tin bodies (round) on clamps—				
½ lb.	1 5½
1 "	1 5½
1 " tongue	1 5½
1½ lbs.	1 5½
2 "	1 5½
2 " long	1 5½
2½ "	1 5½
3 "	1 7
6 " (including putting on tops and bottoms)	4 4½
Seaming ½ lb. or 1 lb. on 1 cylinder ...				
" 2 lbs. " " " "	0 10½
" ½ or 1 lb. on 2 cylinders	0 11½
" 2 lbs. " " " "	0 8½
" ½ lb. or 1 lb. on 3 to 6 cylinders (with 2 boys)	0 10½
" 2 lbs. " " " "	0 4½
" 2 lbs. " " " "	0 5½
Seaming meat tins (tapered square) on one former—				
1 lb.	0 10½
2 lbs.	0 11½
6 "	1 4
				Price per 1,000 ends.
Squeezing—12 oz. or 1 lb. (tapered square) ...				
" 1½ lbs. " " " "	3 3
" 2 " " " " "	3 5
" 6 " " " " "	3 9
" " " " " "	6 0
				Price per 100 ends.
Jokering— ½ lb. (round, or tapered square) ...				
" ¾ " " " " "	0 5½
" 1 " " " " "	0 5½
" 1½ lbs. " " " "	0 5½
" 3 " " " " "	0 6½
" 4 " " " " "	0 9½
" 5 " " " " "	0 9½
" 6 " " " " "	0 9½
SOLDERING TOPS OR BOTTOMS OF EMPTY TINS—(spiring provided)—				
				Price per gross.
Up to and including 3 inches in diameter ...				
Over 3 inches diameter, and up to and including 3½ inches in diameter ...	1 1½	1 0½	...	0 11
" 3½ " " " 4½ " " ...	1 3	1 2½	...	1 1½
" 4½ " " " 5 " " ...	2 0½	1 10	...	1 6½
" 5 " " " 6 " " ...	2 3½	2 0½	...	1 10½
" 6 " " " " " ...	3 0	2 8½	...	2 4½
				Price per gross.
ROUND WORK (SOLDERING).				
				s. d.
JAM TINS—Closing, 1 lb., topped, and crimped ...				
" 2 lb. " " " "	1 5½
" " " " " "	1 3½
CAKE TINS—				
2 lbs., soldering	15 8
4 " " " "	17 8
6 " " " "	19 9
6 " cutting	2 1½

Less 15 per cent.

PIECE-WORK—continued.
ROUND WORK (SOLDERING)—continued.

	Per gross. s. d.
CAPPING—Soldering on caps, all work cleaned, caps put on—	
Cap up to and including 1½ inches in diameter in 6-lb. tin or less	1 5½
" over 1½ and up to and including 2¼ inches in diameter in 6-lb. tin or less	1 7½
" " 2¼ " " 2½ " " " " " " " "	1 9½
" " 2½ " " 3¼ " " " " " " " "	1 11½
" " 3¼ " " 3½ " " " " " " " "	2 5½
Capping pulp tins, up to 40-lbs., work cleaned and caps put on—	
Round cap	4 10½
Square cap, 3½ to 5 inches square	6 2
SQUARE WORK.	
Jam tins, 6 lbs., soldering only, with use of spring	15 8
" 6 " notching, bending, and folding	7 11
" 14 " soldering only, without use of spring	18 10
" 14 " " with use of spring...	20 6
" 20 " " without use of spring	19 7
" 20 " " with use of spring ...	21 8
" 28 " " without use of spring	19 7
" 28 " " with use of spring ...	21 8
" 14, 20, and 28 lbs., notching, bending, and folding	9 10 extra
Pulp tin, 40 lbs., soldering only, without use of spring	28 8
" 40 " " with use of spring	28 8
" 40 " " lock seam	28 8
Cutting out above sizes	2 4 extra
Notching, bending, and folding so that spring is not necessary, all above sizes, except 6 lbs.	13 8
Notching, bending, and folding, so that spring is necessary at one end	12 0
BISCUIT TINS—	
1 lb., soldering	6 1
2 lbs. "	7 6
4 " "	12 0
6 " "	12 0
6 " " two seams	13 8
6 lbs., glass, soldering	17 8
14 " plain, "	18 5
14 " glass, "	23 6
25 " plain, "	20 6
30 " " "	20 6
40 " " "	20 6
50 " " "	23 6
Unoceda " "	20 6
½-lb. packet " "	18 5
9 lbs. Cabin " "	18 11
Wafer, Ice and Cup, soldering	16 11
" Cream, Henley and Variety, soldering	7 6
Afternoon Tea, soldering	7 6
1 lb., cutting bodies	0 6½
2 lbs. " "	0 6½
6 " " "	2 1
1 lb., cutting ends	0 2½
2 lbs. " "	0 2½
4 " cutting at guillotine	1 7
9 " " "	2 8
30 " " "	3 9
40 " " "	3 9
50 " " "	3 9
Plain and Packet, cutting at guillotine	3 4
Small Wafer " "	1 0½
30 lbs., closing, soldering	7 11
40 " " "	9 9
50 " " "	11 2
FLOUR TINS—	
40 lbs., soldering	18 5
50 " " "	23 6
HONEY TINS—	
56 lbs., soldering	28 8
OIL OR VARNISH TINS—	
½ gallon, soldering ends and lock seam	16 6
1 " " "	19 9
2 " " "	26 8
OBLONG TINS—(reputed or imperial measure)—	
1 pint, plain, soldering, lock seam (with two assistants)...	0 8½
1 " " " " (with one assistant)	0 9½
1 " " " " (without assistance)	0 11½
1 quart " " " (with two assistants)...	0 8½
1 " " " " (with one assistant)	0 9½
1 " " " " (without assistance)	0 11½
Soldering, all above tins, if made of decorated or varnished tin plate	0 2½ extra each end
1 pint, rolled on ends, soldering	3 0 each end
1 " crimped, soldering	3 1 "
1 " not crimped or rolled on, soldering	3 4 "
1 quart, rolled on ends, soldering	3 1 "
1 " crimped, soldering	3 4 "
1 " not crimped, soldering	4 1½ "
TOBACCO TINS—	
2 lbs., closing	6 6 per 100
3 lbs., " "	7 6 "
5 lbs., " "	8 6 "
If electric iron used—all above sizes	1 0 extra

Less 15 per cent.

PIECE-WORK—continued.

OIL TINS—		OVAL WORK.		Per gross.	
				s. d.	
$\frac{1}{2}$	pint, lock seams, soldering (with two assistants)	0	5 $\frac{1}{2}$
$\frac{1}{2}$	" " " (with one assistant)	0	8 $\frac{1}{2}$
$\frac{1}{2}$	" " " (without assistance)	0	11 $\frac{1}{2}$
$\frac{1}{2}$	" lap " " (" ")	0	11 $\frac{1}{2}$
$\frac{1}{2}$	" rolled on ends	2	9 each end
$\frac{1}{2}$	" crimped on ends	2	5 "
$\frac{1}{2}$	" slipped on ends	3	1 "

STAMPING WORK ON POWER MACHINES OR PRESSES (NOT USING SCRAP).

				Per gross.	
				s. d.	
Up to and including $3\frac{1}{2}$ inches in diameter of cutting die	0	1 $\frac{1}{2}$
Over $3\frac{1}{2}$ and up to and including 4 inches in diameter of cutting die	0	2
" 4 " " $4\frac{1}{2}$ " "	0	2 $\frac{1}{2}$
" $4\frac{1}{2}$ " " $5\frac{1}{2}$ " "	0	3
" $5\frac{1}{2}$ " " $6\frac{1}{2}$ " "	0	3 $\frac{1}{2}$

DEFINITION.

9. For the purposes of this Determination, "sheet metal" shall mean sheet metal 10-gauge or lighter.

By the Court,
 W. H. GRAY,
 Registrar.

Less 15 per cent.

