



VICTORIA GOVERNMENT GAZETTE.

Published by Authority.

[Registered at the General Post Office, Melbourne, for transmission by post as a newspaper.]

No. 112]

FRIDAY, JULY 6.

[1934

Factories and Shops Act 1928 (No. 3677).

TINSMITHS BOARD.

NOTE—This Determination on the 6th July, 1934, applied to the following parts of Victoria, namely:—The Metropolitan District as defined in the *Factories and Shops Act 1928 (No. 3677)* and the Order in Council thereunder; such portions of the City of Sandringham as are not included within the said Metropolitan District; the cities of Ballarat, Bendigo, Geelong, Geelong West, and Warrnambool; the town of Newtown and Chilwell; and the boroughs of Eaglehawk and Sebastopol.

IN accordance with the provisions of the *Factories and Shops Act 1928 (No. 3677)*, the Wages Board appointed to “determine the lowest prices or rates of payment payable to any person or persons or classes of persons employed in the process, trade, or business of preparing or manufacturing articles made of tin plate or other sheet metal, including the japanning of such articles,” has made the following Determination, namely:—

(1) That, on the 6th July, 1934, the Determination of the Court of Industrial Appeals, which came into force on the 20th November, 1931, shall be revoked and replaced by this Determination.

(2) APPRENTICES AND IMPROVERS.

Wages per Week—Males, 48 Hours; Females, 44 Hours.			Number (in any place).
	Apprentices.	Improvers.	Apprentices.
	<i>s. d.</i>	<i>s. d.</i>	
1st year's experience	14 3	14 3	One apprentice to every three or fraction of three workers receiving not less than 64s. per week. An indenture of apprenticeship prescribed by the Board was approved on 20th May, 1911. <i>Improvers.</i> One improver to every five or fraction of five workers receiving not less than 70s. per week.
2nd „ „	20 3	20 3	
3rd „ „	26 3	27 9	
4th „ „	35 6	40 9	
5th „ „	48 0	52 3	

(3) JUVENILE WORKERS (OTHER THAN APPRENTICES OR IMPROVERS).

(a) The rates set out in the column headed “Class A” shall be paid to Juvenile workers (other than apprentices or improvers) engaged—

- (1) Putting wire handles in camp kettles, wiring handles for kettles and dippers, folding flat tin handles, folding spouts and barrels for kerosene pumps, forming handles for pannikins and dippers, forming rims for lids, notching (except by power machines), using guillotine for above work, holding general sheet metal work for journeymen or soldering canisters other than seams, tops, or bottoms.
- (2) Polishing, cleaning, spiring, testing to detect leaks (except in 4-gallon petrol, kerosene, or pulp(tins), making spouting tubes, cutting and making wire handles, cutting hoop-iron and wire for general sheet metal work, blackening or tarring shovels or closet pans, packing, carrying or moving goods, lighting or attending fires or engaged on canister work at topping tins or trimming scrap.

(3) At general sheet metal work or canister or tin toy work on any other power machine (other than a power press or at canister or tin toy work on the following machines or presses:—Monkey, pendulum, screw, or treadle machines for folding canisters of holding capacity up to and including 1 pint, beading, bending (other than work on angle bender or folder exceeding 8 inches), body forming (other than by angle bender), clenching, crimping, curling, double seaming, flanging, hinge hooking, hinge seating, lock lean-seaming, notching, rolling, squeezing, trimming, or wire forming, or feeding or taking off in connexion with any power soldering machine or employed in connexion with japanning at scouring, cleaning, assisting to polish or general rough work, or engaged on cabinet handles in cutting strips, clips, and holes on guillotine, bending clips round ring, fitting same and opening out ends, or employed at hinge making in cutting metal into strips, or putting in pins or spraying tin toys or reconditioning tin canisters under the supervision of an adult sprayer.

(4) Operating power presses.

(b) The rates set out in the column headed "Class B" shall be paid to Juvenile workers (other than apprentices or improvers) engaged in repairing leaks in general sheet metal work (other than old work) or assisting at rollers for forming down pipes, or engaged at general sheet metal work on the following machines, viz.:—Burnishing and spinning lathes, curving machines, guillotines for cutting spouting and ridging, hand presses, or spouting and ridging machines.

Age..	Wages per Week—Males, 48 Hours; Females, 44 Hours. See Clause (8) Contract of Employment.			
	Class "A."		Class "B."	
	Weekly Hire.	Hourly Hire.	Weekly Hire.	Hourly Hire.
Under 15 years of age	<i>s. d.</i> 15 3	<i>s. d.</i> 16 6	<i>s. d.</i>	<i>s. d.</i>
Aged 15 years	18 6	20 0
" 16 "	24 0	28 0
" 17 "	*30 0	*32 2	†27 3	†29 6
" 18 "	*38 9	*41 9	*35 6	*38 3
" 19 "	*49 0	*52 9	*44 9	*48 3
" 20 "	*56 6	*61 0	*54 0	*58 3

* Any juvenile worker without previous experience, entering the trade at 17 years of age or over may be paid for the first year of his service the rate of pay he would have received had he been one year younger.

† A person entering the trade at 17 years of age and put to work in Class B, may, during the first year of his service, be paid whilst performing such work at the rate of 29s. per week.

No juvenile worker shall be employed operating any power press who has not—

- (1) attained the age of 17 years, and
- (2) completed one year of service at the trade.

(4)	OTHER EMPLOYEES:	Wages Per Week— Males, 48 Hours; Females, 44 Hours.	
		<i>s. d.</i>	<i>s. d.</i>
	Welders—		
	First Class	92 0	
	Second Class	76 0	
	Third Class	72 0	
	Bench hands—		
	First Class	88 0	
	Second Class	79 0	
	Metal spinner who sets up and makes his own dies	84 0	
	Other spinners	72 0	
	Die setters	74 0	
	Leading press hand for canister making	74 0	
	Other press operators (except on canister work)—		
	Heavy	72 0	
	Light	70 0	
	Solderers and dippers for canister making	70 0	
	Other solderers and dippers	72 0	
	Drop hammer stampers	72 0	
	Guttering machinists	70 0	
	Other power machinists (except on canister work)	67 0	
	Riveters of canisters by hand	74 0	
	Makers of canisters by hand	74 0	
	Canister vent closers and solderers working on tins containing substances with an artificial temperature of 150 deg. Fahr. and over	74 0	
	Operators of power capping machines or metal pots on automatic canister machines	72 0	
	Other cap solderers	70 0	
	Tinners and grease tinners	74 0	
	Assistants working over metal pot	72 0	
	Stencil cutters	81 0	
	Mixers	70 0	
	Fusers	70 0	
	Picklers	70 0	
	Liquidizers	67 0	
	Artistic japanners and goldworkers	82 0	
	Spray operators	79 0	
	Grainers, liners and filleters	70 0	
	Painters and lacquerers	70 0	
	Dippers	69 0	
	All others	64 0	

DEFINITIONS—

- “*Welder, First Class*” shall mean an adult workman using quasi-arc or oxy-acetylene blowpipe or coal-gas cutting plant on work other than filling castings, cutting scrap metal, or using jigs.
- “*Welder, Second Class*” shall mean an adult workman filling, casting or welding with the aid of jigs.
- “*Welder, Third Class*” shall mean an adult workman using electric spot or butt-welding machine or cutting scrap with oxy-acetylene blowpipe.
- “*Bench Hand, First Class*” shall mean an adult workman applying general trade experience or knowledge without the guidance of a foreman to the making of completed articles and/or the erection and installation thereof, or working to scaled prints or drawings or precision measurements.
- “*Bench Hand, Second Class*” shall mean an adult workman working at the bench in the making of completed articles not calling for the use of prints or drawings or precision measurements.
- “*Canisters*” shall include canisters, tin boxes and other tin containers manufactured in quantities, by specialized processes.

(5) TIME OF BEGINNING AND ENDING WORK.

Time of Beginning.	Time of Ending.
7.30 a.m.	12 noon on the day on which the half-holiday is observed.
7.30 a.m.	5.30 p.m. on the other working days of the week.

(6) OVERTIME.

Outside the time of beginning and ending work as herein fixed
 Within the time of beginning and ending work in excess of the hours fixed in } Time and a half.
 this Determination as a week's work }

(7) SPECIAL RATES.—Double time shall be the special rate for all work done on Sunday, New Year's Day, Australia Day (26th January), Good Friday, Easter Monday, Eight Hours Day (21st April), Anzac Day, King's Birthday, Christmas Day, and Boxing Day, but if any other day be by Act of Parliament or Proclamation substituted for any of the above-named holidays, the special rate shall only be payable for work done on the day so substituted.

(8) CONTRACT OF EMPLOYMENT.—(a) With the exceptions hereafter stated, employment may be by the week or by the hour. If by the week it shall be terminable on either side by one week's notice given on any day or (if the employer terminate it without such notice) by payment of one week's wages.

A contract for weekly employment may be terminated by any employer without liability to pay for more than actual time worked for misconduct or for absence from work without reasonable excuse.

If an employee engaged by the week absents himself from duty except on public holidays, or on days for which he produces a certificate from a medical practitioner, or other proof satisfactory to his employer of sickness (aggregating four days of sickness in each year), a sum proportionate to his time of absence may be deducted from his pay, i.e., one-sixth of the weekly wage for each day of absence, including Saturday, in shops working six days, and one-fifth in shops working five days per week.

(b) If the contract of employment is for hourly hiring, the rates prescribed in clause (4) shall be increased 5s. per week as compensation for time lost on public holidays and unavoidable absences through sickness.

(9) ORDINARY WEEK'S WORK.—The number of hours which shall constitute an ordinary week's work shall be as follows:—

Males	48 hours.
Females	44

(10) (a) PIECE-WORK.—The lowest piece-work price payable to any person for wholly or partly preparing or manufacturing any article described in the following Schedules (which Schedules shall form part of this Determination) shall be the price mentioned in such Schedules.

(b) Wherever the quantity to be given out is stated in the Schedules the prices apply only when the articles are given out in quantities not less than those mentioned in the Schedule.

(c) The Schedules of prices apply to new material only.

(d) Except where otherwise provided, where the sizes of articles to be made under these Schedules do not exactly correspond with the sizes stated in their Schedules, then the price or rate fixed for the next nearest size shall apply; but where the size is half-way between two sizes then the next higher price or rate shall apply.

PIECE-WORK—continued.

Articles.	Material.	Size.	When given out in the under-mentioned Quantities or more.	Prices.
BOXES—continued.				
SUGAR BOXES, wired inside and swedged	IX tin plate or lighter	No. 0	3 doz	5s. 6d. per doz.
" " " "		" 1	3 "	5s. 6d. "
" " " "		" 2	3 "	5s. 11d. "
" " " "		" 3	3 "	5s. 9d. "
" " " "		" 4	3 "	7s. 2d. "
" " " " (made in two pieces)		" 5	3 "	7s. 11d. "
		" 6	3 "	8s. 8d. "
			} Not assorted sizes.	5d. per doz. extra
TRUNKS, common, moulded (cutting out, top and body edging, moulding, and wiring supplied)				
" " " " 2 swedges	26-gauge steel or lighter	20 inches	1 dozen	14s. 7d. per doz.
" " " " "		22 "	1 "	14s. 7d. "
" " " " "		24 "	1 "	15s. 11d. "
" " " " 3 swedges		26 "	1 "	17s. 11d. "
" " " " 4 swedges	24-gauge steel or lighter	30 "	1 "	22s. 1d. "
" " " " "		33 "	6 articles	23s. 10d. "
" moulded, strapped (cutting out, top and body edging, moulding, and wiring supplied) 2 swedges	26-gauge steel or lighter	20 "	1 dozen	29s. 6d. "
" " " " "		22 "	1 "	29s. 6d. "
" " " " 3 swedges		24 "	1 "	31s. "
" " " " "		26 "	1 "	33s. "
" " " " 4 swedges	24-gauge steel or lighter	28 "	1 "	36s. 1d. "
" " " " "		30 "	1 "	39s. 7d. "
" common, moulded (moulding and wiring supplied) 2 swedges	26-gauge steel or lighter	33 "	6 articles	48s. 10d. "
" " " " "		36 "	6 "	59s. "
" " " " "		20 "	1 dozen	25s. 5d. "
" " " " "		22 "	1 "	25s. 5d. "
" " " " 3 swedges		24 "	1 "	27s. 4d. "
" " " " "		26 "	1 "	29s. 2d. "
" " " " 4 swedges	24-gauge steel or lighter	30 "	1 "	32s. 3d. "
" " " " "		33 "	6 articles	35s. 6d. "
" " " " "				57s. 8d. "
" moulded, strapped (moulding and wiring supplied) 2 swedges	26-gauge steel or lighter	20 "	1 dozen	35s. 4d. "
" " " " "		22 "	1 "	35s. 4d. "
" " " " "		24 "	1 "	37s. 9d. "
" " " " 3 swedges		26 "	1 "	39s. 7d. "
" " " " "		28 "	1 "	44s. "
" " " " 4 swedges		24-gauge steel or lighter	30 "	1 "
" " " " "	33 "		6 articles	48s. 10d. "
" common, wired (cutting out, top and body edging, and top and body wiring supplied) 2 swedges	26-gauge steel or lighter	36 "	6 "	65s. 3d. "
" " " " "		20 "	1 dozen	77s. 11d. "
" " " " "		22 "	1 "	23s. 1d. "
" " " " "		24 "	1 "	23s. 1d. "
" " " " 3 swedges		26 "	1 "	25s. 11d. "
" " " " "		28 "	1 "	25s. 6d. "
" " " " 4 swedges	24-gauge steel or lighter	30 "	1 "	29s. 1d. "
" " " " "		33 "	6 articles	31s. "
" wired, strapped (cutting out, top and body edging, and top and body wiring supplied) 2 swedges	26-gauge steel or lighter	20 "	1 dozen	48s. 10d. "
" " " " "		22 "	1 "	37s. 9d. "
" " " " "		24 "	1 "	37s. 9d. "
" " " " 3 swedges		26 "	1 "	39s. 7d. "
" " " " "		28 "	1 "	41s. 4d. "
" " " " 4 swedges		24-gauge steel or lighter	30 "	1 "
" " " " "	33 "		6 articles	48s. "
" common (top wiring supplied) 2 swedges	26-gauge steel or lighter	20 "	1 dozen	60s. 6d. "
" " " " "		22 "	6 "	75s. 10d. "
" " " " "		24 "	1 "	29s. 11d. "
" " " " 3 swedges		26 "	1 "	29s. 11d. "
" " " " "		28 "	1 "	31s. "
" " " " 4 swedges		24-gauge steel or lighter	30 "	1 "
" " " " "	33 "		6 articles	36s. 11d. "
" strapped (top wiring supplied) 2 swedges	26-gauge steel or lighter	20 "	1 dozen	39s. 5d. "
" " " " "		22 "	1 "	60s. 2d. "
" " " " "		24 "	1 "	43s. 3d. "
" " " " 3 swedges		26 "	1 "	44s. 9d. "
" " " " "		28 "	1 "	46s. 6d. "
" " " " 4 swedges		26-gauge steel or lighter	30 "	1 "
" " " " "	33 "		1 "	54s. 3d. "
				59s. "
				61s. 3d. "

Less 13 per cent.

PIECE-WORK—continued.

Articles.	Material.	Size.	When given out in the under-mentioned Quantities or more.	Prices.
BOXES—continued.				
TRUNKS, strapped (top wiring supplied)	4 swedges	24-gauge steel or lighter	33 inches ... 6 articles	79s. 6d. per doz.
" " " " " " " "	" " " " " " " "	" " " " " " " "	36 " ... 6 " "	88s. 1d. "
" wired, strapped, complete	2 swedges	" " " " " " " "	20 " ... 1 dozen	44s. 10d. "
" " " " " " " "	" " " " " " " "	" " " " " " " "	22 " ... 1 " "	46s. 6d. "
" " " " " " " "	" " " " " " " "	" " " " " " " "	24 " ... 1 " "	48s. "
" " " " " " " "	3 swedges	26-gauge steel or lighter	26 " ... 1 " "	51s. 11d. "
" " " " " " " "	" " " " " " " "	" " " " " " " "	28 " ... 1 " "	55s. 10d. "
" " " " " " " "	" " " " " " " "	" " " " " " " "	30 " ... 1 " "	61s. 5d. "
" " " " " " " "	4 swedges	" " " " " " " "	30 " ... 1 " "	63s. "
" " " " " " " "	" " " " " " " "	" " " " " " " "	33 " ... 6 articles	81s. "
" " " " " " " "	" " " " " " " "	" " " " " " " "	36 " ... 6 " "	89s. 7d. "
" cabin, common, moulded (cutting out, top and body edging, moulding, and wiring supplied)	2 swedges	26-gauge steel or lighter	24 " ... 1 dozen	17s. 7d. "
" " " " " " " "	" " " " " " " "	" " " " " " " "	26 " ... 1 " "	19s. 4d. "
" " " " " " " "	3 swedges	" " " " " " " "	28 " ... 1 " "	20s. "
" " " " " " " "	" " " " " " " "	" " " " " " " "	30 " ... 1 " "	22s. 2d. "
" " " " " " " "	4 swedges	24-gauge steel or lighter	33 " ... 1 " "	34s. 4d. "
" " " " " " " "	" " " " " " " "	" " " " " " " "	" " " " " " " "	" " " " " " " "
" cabin, moulded, strapped (cutting out, top and body edging, moulding, and wiring supplied)	2 swedges	26-gauge steel or lighter	24 " ... 1 " "	31s. "
" " " " " " " "	3 swedges	" " " " " " " "	26 " ... 1 " "	33s. "
" " " " " " " "	" " " " " " " "	" " " " " " " "	28 " ... 1 " "	34s. 7d. "
" " " " " " " "	" " " " " " " "	" " " " " " " "	30 " ... 1 " "	36s. 2d. "
" " " " " " " "	4 swedges	24-gauge steel or lighter	33 " ... 6 articles	39s. 7d. "
" " " " " " " "	" " " " " " " "	" " " " " " " "	36 " ... 6 " "	44s. 10d. "
" cabin, moulded (moulding and wiring supplied)	2 swedges	26-gauge steel or lighter	24 " ... 1 dozen	28s. 2d. "
" " " " " " " "	3 swedges	" " " " " " " "	26 " ... 1 " "	30s. 6d. "
" " " " " " " "	" " " " " " " "	" " " " " " " "	28 " ... 1 " "	32s. 2d. "
" " " " " " " "	4 swedges	24-gauge steel or lighter	30 " ... 1 " "	34s. "
" " " " " " " "	" " " " " " " "	" " " " " " " "	33 " ... 6 articles	48s. 7d. "
" cabin, strapped (moulding and wiring supplied)	2 swedges	26-gauge steel or lighter	24 " ... 1 dozen	37s. 9d. "
" " " " " " " "	3 swedges	" " " " " " " "	26 " ... 1 " "	39s. 7d. "
" " " " " " " "	" " " " " " " "	" " " " " " " "	28 " ... 1 " "	42s. 6d. "
" " " " " " " "	" " " " " " " "	" " " " " " " "	30 " ... 1 " "	44s. "
" " " " " " " "	4 swedges	24-gauge steel or lighter	33 " ... 6 articles	48s. "
" " " " " " " "	" " " " " " " "	" " " " " " " "	36 " ... 6 " "	57s. "
" cabin, common, wired (cutting out, top and body edging, and top and body wiring supplied)	2 swedges	26-gauge steel or lighter	24 " ... 1 dozen	23s. 11d. "
" " " " " " " "	3 swedges	" " " " " " " "	26 " ... 1 " "	25s. 11d. "
" " " " " " " "	" " " " " " " "	" " " " " " " "	28 " ... 1 " "	29s. 11d. "
" " " " " " " "	4 swedges	24-gauge steel or lighter	30 " ... 1 " "	31s. 5d. "
" " " " " " " "	" " " " " " " "	" " " " " " " "	33 " ... 6 articles	39s. 4d. "
" " " " " " " "	" " " " " " " "	" " " " " " " "	36 " ... 6 " "	46s. 6d. "
" cabin, strapped, wired (cutting out, top and body edging, and top and body wiring supplied)	2 swedges	26-gauge steel or lighter	24 " ... 1 dozen	39s. 7d. "
" " " " " " " "	3 swedges	" " " " " " " "	26 " ... 1 " "	41s. 4d. "
" " " " " " " "	" " " " " " " "	" " " " " " " "	28 " ... 1 " "	43s. 3d. "
" " " " " " " "	" " " " " " " "	" " " " " " " "	30 " ... 1 " "	44s. 10d. "
" " " " " " " "	4 swedges	24-gauge steel or lighter	33 " ... 6 articles	48s. "
" " " " " " " "	" " " " " " " "	" " " " " " " "	36 " ... 6 " "	55s. "
" cabin, common, wired (top wiring supplied)	2 swedges	26-gauge steel or lighter	24 " ... 1 dozen	31s. 10d. "
" " " " " " " "	3 swedges	" " " " " " " "	26 " ... 1 " "	33s. 10d. "
" " " " " " " "	" " " " " " " "	" " " " " " " "	28 " ... 1 " "	37s. 9d. "
" " " " " " " "	" " " " " " " "	" " " " " " " "	30 " ... 1 " "	39s. 4d. "
" " " " " " " "	4 swedges	24-gauge steel or lighter	33 " ... 6 articles	48s. "
" " " " " " " "	" " " " " " " "	" " " " " " " "	36 " ... 6 " "	55s. 10d. "
" cabin, strapped, wired (top wiring supplied)	2 swedges	26-gauge steel or lighter	24 " ... 1 dozen	44s. 10d. "
" " " " " " " "	3 swedges	" " " " " " " "	26 " ... 1 " "	46s. 6d. "
" " " " " " " "	" " " " " " " "	" " " " " " " "	28 " ... 1 " "	48s. "
" " " " " " " "	" " " " " " " "	" " " " " " " "	30 " ... 1 " "	53s. 6d. "
" " " " " " " "	4 swedges	24-gauge steel or lighter	30 " ... 1 " "	55s. 1d. "
" " " " " " " "	" " " " " " " "	" " " " " " " "	33 " ... 6 articles	60s. 5d. "
" " " " " " " "	" " " " " " " "	" " " " " " " "	36 " ... 6 " "	65s. 3d. "
" cabin, strapped, wired, complete	2 swedges	26-gauge steel or lighter	24 " ... 1 dozen	48s. "
" " " " " " " "	3 swedges	" " " " " " " "	26 " ... 1 " "	50s. 3d. "
" " " " " " " "	" " " " " " " "	" " " " " " " "	28 " ... 1 " "	52s. 8d. "
" " " " " " " "	" " " " " " " "	" " " " " " " "	30 " ... 1 " "	55s. 10d. "
" " " " " " " "	4 swedges	24-gauge steel or lighter	30 " ... 1 " "	58s. 2d. "
" " " " " " " "	" " " " " " " "	" " " " " " " "	33 " ... 6 articles	62s. 2d. "
" " " " " " " "	" " " " " " " "	" " " " " " " "	36 " ... 6 " "	67s. 7d. "
If corners fitted on lids for 20-inch to 30-inch common trunks				9d. per doz. trunks extra
Swivels, end handles and corners of all trunks supplied.				
Wires for all moulded trunks supplied.				
Wires for tops of wired trunks supplied.				

Less 13 per cent.

PIECE-WORK—continued.

Articles.	Material.	Size.	When given out in the under-mentioned Quantities or more.	Prices.
BUCKETS—continued.				
ALL MILK BUCKETS—If ears soldered to outside of bucket	1s. 10d. per doz. extra
TIN BUCKETS, with flat bottoms and stamped ears	IC tin plate	11 inches diameter x 9 inches deep	6 dozen	5s. 4d. per doz.
TIN BUCKETS, with tin hoop and stamped ears	IC tin plate	13 inches diameter x 9 inches deep	6 " "	8s. 2d. "
" with 1½-in. or 1½-in. hoop and strap	IC tin plate	" " "	2 " "	8s. 8d. "
" with 1½-in. hoop and strap	IX tin plate	" " "	2 " "	9s. 5d. "
" with 1½-in. hoop and strap	IXX tin plate	" " "	2 " "	10s. 9d. "
If bails supplied for strapped tin buckets	3d. per doz. deducted
(8.) CANISTERS.				
ROUND CANISTERS, with slipped on bottle neck (top blanks supplied)	IC tin plate	½ lb.	4 dozen	4s. 7d. per doz.
" " " "		1 "	4 "	5s. "
" " " "		2 lbs.	4 "	5s. 4d. "
" " " "		3 "	3 "	5s. 9d. "
" " " "	4 "	3 "	6s. 9d. "	
(9.) CANS.				
CREAM CANS, grooved, three hoops, double rim cover (including use of guillotine)	20-gauge tinned steel or lighter, or DXXXX tin plate or lighter	20 quarts	1 dozen	7s. 11d. each
" " " "		30 "	1 "	7s. 11d. "
" " " "		40 "	1 "	8s. 8d. "
" four hoops, double rim cover (including use of guillotine)		40 "	1 "	9s. "
" three hoops, single rim cover (including use of guillotine)		20 "	1 "	6s. 2d. "
" " " "		30 "	1 "	6s. 2d. "
" " " "		40 "	1 "	7s. 2d. "
" " " "		40 "	1 "	7s. 5d. "
" four " " "		All sizes	...	3d. per can deducted
" If not cleaned and tested by maker		6d. per doz. hoops deducted
" If hoops supplied for	
" If cover stamping or blocking supplied for	
" If bottoms supplied for	
HARVEST CANS, with pannikin supplied	IX tin plate or lighter	2 quarts	1½ dozen	9s. 9d. per doz.
" " " "		3 "	1½ "	10s. 10d. "
" " " "		4 "	1½ "	11s. 6d. "
" " " "		6 "	1 "	12s. 3d. "
" " " "		8 "	1 "	12s. 11d. "
" " " "		10 "	1 "	14s. 4d. "
" " " " if with spouts		All sizes	...	2s. 9d. per doz. extra
HOT WATER CANS, knocked up bottoms	IX tin plate or lighter	3 pints	1 dozen	18s. 2d. per doz.
" " " "		2 quarts	1 "	18s. 2d. "
" " " "		3 "	1 "	22s. "
" " " "		4 "	1 "	22s. "
" wired, bottom let in...		3 pints	1 "	19s. 10d. "
" " " "		2 quarts	1 "	19s. 10d. "
" " " "		3 "	1 "	23s. 8d. "
" " " "		4 "	1 "	23s. 8d. "
HOT WATER CANS	26-gauge galv. iron or lighter	All sizes	...	4s. 3d. per doz. extra
JACK SHAY CANS, straight body	IC tin plate	1 quart	2 dozen	7s. 11d. per doz.
" tapered body		1 "	2 "	10s. 4d. "
MINERS' CANS	IC tin plate	1½ pints	2 "	8s. 3d. "
" " " "		2 "	2 "	8s. 3d. "
" " " "		3 "	2 "	8s. 8d. "
" " " "		4 "	2 "	9s. 9d. "
" " " "		6 "	1½ "	10s. 9d. "
RAILWAY MILK CANS, grooved, two hoops (including use of guillotine, cleaning and testing)	20-gauge tinned steel or lighter, or DXXXX tin plate or lighter	20 quarts	1 "	5s. 9d. each
" " " three hoops		30 "	1 "	5s. 9d. "
" " " four hoops		30 "	1 "	6s. 2d. "
" " " three hoops		40 "	1 "	6s. 2d. "
" " " four hoops		40 "	1 "	6s. 9d. "
" " " four hoops or less		50 "	6 articles	9s. "
" " " If hoops supplied		All sizes	...	6d. per doz. hoops deducted

Less 13 per cent.

PIECE-WORK—continued.

Articles.	Material.	Size.	When given out in the under-mentioned Quantities or more.	Prices.
CANS—continued.				
RAILWAY MILK CANS, if bottoms supplied		All sizes		1s. per doz. deducted
TOILET CANS, with knocked up bottoms (studs supplied)	IX tin plate or lighter	6 quarts	1 dozen	25s. 6d. per doz.
" " " " " "		8 " "	1 " "	28s. 3d. "
" " " " " "		10 " "	1 " "	31s. "
" " " " " "		12 " "	1 " "	33s. 10d. "
" " " " " "		16 " "	1 " "	37s. 11d. "
" " " " " " body wired, and bottom let in		6 " "	1 " "	28s. 3d. "
" " " " " " " "		8 " "	1 " "	32s. 7d. "
" " " " " " " "		10 " "	1 " "	34s. 7d. "
" " " " " " " "		12 " "	1 " "	37s. 3d. "
" " " " " " " "		16 " "	1 " "	41s. 7d. "
" " " " " " " "	26-gauge galv. iron or lighter	All sizes		5s. 4d. per doz. extra
(10.) COLANDERS.				
HAND-MADE COLANDERS, machine-punched, with side handles	IX tin plate or lighter	9 inches	4 dozen	6s. 3d. per doz.
" " " " " " " "		11 " "	4 " "	7s. 5d. "
" " " " " " " "		13 " "	3 " "	9s. "
" " " " " " " "		15 " "	14 " "	10s. 7d. "
COLANDERS—If punched with hand punch		All sizes		2s. 9d. per doz. extra
(11.) COVERS.				
MEAT COVERS, with perforated zinc bodies (straight sides) and pitched top	IX tin plate or lighter	12 inches	3 dozen	5s. 6d. per doz.
" " " " " " " "		14 " "	3 " "	5s. 11d. "
" " " " " " " "		16 " "	3 " "	6s. 3d. "
" " " " " " " "		18 " "	3 " "	7s. 2d. "
" " " " " " " "		20 " "	2 " "	7s. 11d. "
" " " " " " " "		22 " "	1 1/2 " "	9s. 5d. "
" " " " " " " "		24 " "	1 " "	10s. 11d. "
" " " " " " " " with perforated zinc bodies (taper sides) and pitched top		12 " "	3 " "	6s. 3d. "
" " " " " " " "		14 " "	3 " "	7s. 2d. "
" " " " " " " "		16 " "	3 " "	7s. 5d. "
" " " " " " " "	18 " "	3 " "	8s. 3d. "	
" " " " " " " "	20 " "	2 " "	9s. "	
" " " " " " " "	22 " "	1 1/2 " "	10s. 11d. "	
" " " " " " " "	24 " "	1 " "	12s. 6d. "	
" " " " " " " " with perforated zinc bodies (taper sides) single rim, and blocked tops (wheeling found)	IXX tin plate or lighter	14 " "	3 " "	8s. 8d. per doz.
" " " " " " " "		15 " "	3 " "	9s. "
" " " " " " " "		16 " "	3 " "	9s. 5d. "
" " " " " " " "		17 " "	3 " "	10s. 3d. "
" " " " " " " "		18 " "	3 " "	10s. 11d. "
" " " " " " " "		20 " "	1 " "	12s. 6d. "
" " " " " " " "		22 " "	1 " "	14s. 2d. "
" " " " " " " "		24 " "	1 " "	17s. 3d. "
" " " " " " " " with double rims if stamped or blocked tops supplied		All sizes		2s. 4d. per doz. extra
" " " " " " " " " "		14 inches		6d. per dozen deducted
" " " " " " " " " "		15 " "		6d. "
" " " " " " " " " "		16 " "		9d. "
" " " " " " " " " "		17 " "		9d. "
" " " " " " " " " "		18 " "		9d. "
" " " " " " " " " "		20 " "		1s. "
" " " " " " " " " "		22 " "		1s. "
" " " " " " " " " "		24 " "		1s. "
(12.) DIPPERS.				
COMMON DIPPERS	IX tin plate or lighter	2 quarts	6 dozen	2s. 11d. per doz.
" " " " " " " "		3 " "	6 " "	2s. 11d. "
BEST DIPPERS, bossed		2 " "	4 " "	5s. "
" " " " " " " "		3 " "	4 " "	5s. "
DIPPERS—Soldering studs on		4 " "	2 " "	6s. 2d. "
				5d. per doz. dippers extra
(13.) DISHES.				
DEVON DISHES, about 9 inches deep, flat bottoms	IX tin plate or lighter	14 inches	3 dozen	6s. 3d. per doz.
" " " " " " " "		16 " "	3 " "	7s. 5d. "
" " " " " " " "		18 " "	2 " "	8s. 8d. "
" " " " " " " "		20 " "	1 " "	9s. 9d. "
" " " " " " " "		22 " "	1 " "	11s. 5d. "
" " " " " " " " with hoops		All sizes		1s. 10d. per doz. extra

Less 13 per cent.

PIECE-WORK—continued.

Articles.	Material.	Size.	When given out in the under-mentioned Quantities or more.	Prices.	
(19.) HODS.					
COAL HODS, with stamped feet	24-gauge iron or lighter	No. 1	1 dozen	14s. 2d per doz.	
" " " " " " " "		" 2	1 " "	14s. 7d. "	
" with feet hand-made and riveted on		" 1	1 " "	16s. 1d. "	
" " " " " " " "		" 2	1 " "	16s. 6d. "	
" with knocked-up feet		" 1	1 " "	19s. 7d. "	
" " " " " " " "		" 2	1 " "	19s. 7d. "	
" with stamped feet		" 1	1 " "	13s. "	
" " " " " " " "		" 2	1 " "	13s. 5d. "	
" with feet hand-made and riveted on		26-gauge iron or lighter	" 1	1 " "	14s. 7d. "
" " " " " " " "			" 2	1 " "	14s. 11d. "
" with knocked-up feet			" 1	1 " "	18s. 2d. "
" " " " " " " "		" 2	1 " "	18s. 2d. "	
" with feet hand-made and riveted on	28-gauge iron or lighter	" 1	1 " "	13s. 9d. "	
" " " " " " " "		" 2	1 " "	14s. 2d. "	
" hooped	All gauges	" 1	1 " "	13s. 5d. "	
" when half-covered		All sizes	...	8s. 3d. per doz. extra	
(20.) KETTLES.					
CAMP KETTLES, with stamped covers supplied	IX tin plate or lighter	1 quart	6 dozen	2s. 11d. per doz.	
" " " " " " " "		1 1/4 quarts	6 " "	3s. 4d. "	
" " " " " " " "		2 " "	6 " "	3s. 9d. "	
" " " " " " " "		3 " "	4 " "	4s. 1d. "	
" " " " " " " "		4 " "	4 " "	4s. 6d. "	
" " " " " " " "		6 " "	4 " "	4s. 9d. "	
" " " " " " " "		8 " "	3 " "	6s. "	
" " " " " " " "		10 " "	3 dozen assorted, not less than 1 dozen either size.	6s. 9d. "	
" " " " " " " "		12 " "		8s. 3d. "	
" with stamped covers, finished lid handles, rims ready for tacking, and circular blanks for bottoms supplied		IX tin plate or lighter	1 quart	6 dozen	2s. 6d. per doz.
" " " " " " " "			1 1/4 quarts	6 " "	2s. 9d. "
" " " " " " " "			2 " "	6 " "	2s. 11d. "
" " " " " " " "			3 " "	4 " "	3s. 4d. "
" " " " " " " "			4 " "	4 " "	3s. 9d. "
" " " " " " " "			6 " "	4 " "	4s. 1d. "
" " " " " " " "			8 " "	3 " "	4s. 9d. "
" " " " " " " "			10 " "	3 dozen assorted, not less than 1 dozen either size.	6s. 3d. "
" " " " " " " "			12 " "		7s. 11d. "
" with stamped covers, finished lid handles, rims ready for tacking, and use of circle cutters for bottoms	IX tin plate or lighter		1 quart	6 dozen	2s. 8d. per doz.
" " " " " " " "			1 1/4 quarts	6 " "	2s. 11d. "
" " " " " " " "			2 " "	6 " "	3s. 4d. "
" " " " " " " "			3 " "	6 " "	3s. 5d. "
" " " " " " " "			4 " "	4 " "	3s. 9d. "
" " " " " " " "			6 " "	4 " "	4s. 6d. "
" " " " " " " "			8 " "	3 " "	5s. 6d. "
" " " " " " " "			10 " "	3 dozen assorted, not less than 1 dozen either size.	6s. 3d. "
" " " " " " " "			12 " "		7s. 11d. "
" with stamped covers, finished lid handles, finished rims, and circular blanks for bottoms supplied		IX tin plate or lighter	1 quart	6 dozen	2s. 4d. per doz.
" " " " " " " "			1 1/4 quarts	6 " "	2s. 8d. "
" " " " " " " "			2 " "	6 " "	2s. 9d. "
" " " " " " " "			3 " "	4 " "	3s. 4d. "
" " " " " " " "			4 " "	4 " "	3s. 9d. "
" " " " " " " "			6 " "	4 " "	4s. 1d. "
" " " " " " " "			8 " "	3 " "	4s. 9d. "
" " " " " " " "			10 " "	3 dozen assorted, not less than 1 dozen either size.	6s. 1d. "
" " " " " " " "			12 " "		7s. 11d. "

Less 13 per cent

PIECE-WORK—continued.

Articles.	Material.	Size.	When given out in the under-mentioned Quantities or more.	Prices.
(22.) MEASURES.				
MILK MEASURES	IC tin plate	1/2 pint	6 doze	3s. 9d. per doz.
"		1 "	4 "	4s. 7d. "
"		2 pints	3 "	5s. "
OIL MEASURES, straight sides	IX tin plate or lighter	1/2 pint	3 "	5s. 4d. "
"		1 "	3 "	6s. 2d. "
"		1 quart	2 "	7s. 11d. "
"		2 quarts	2 "	9s. "
SPIRIT MEASURES	IX tin plate or lighter	4 "	2 "	10s. 9d. "
"		1/2 pint	1 "	13s. 2d. "
"		1 "	1 "	14s. 7d. "
"		2 pints	1 "	19s. 7d. "
"		4 "	1 "	21s. 11d. "
"	IXX tin plate or lighter	1 gallon	1 "	25s. 2d. "
"		2 gallons	6 articles...	28s. 3d. "
(23.) PAILS.				
SLOP PAILS, with stamped tops, bottoms, and breasts supplied	IX tin plate or lighter	No. 1	2 dozen	10s. 9d. per doz.
"		" 2	2 "	11s. 6d. "
"		" 3	2 "	14s. 11d. "
"		" 4	2 "	17s. 3d. "
" stamped tops and bottoms supplied, hand-made breasts		" 1	2 "	13s. 7d. "
"		" 2	2 "	15s. 3d. "
"		" 3	2 "	18s. 5d. "
"		" 4	2 "	22s. "
" hand-made		" 1	2 "	17s. 3d. "
"		" 2	2 "	19s. 8d. "
"	" 3	2 "	23s. 11d. "	
"	" 4	2 "	26s. 4d. "	
" made with black or galvanized iron lids	26-gauge iron or lighter	All sizes	2 "	5d. per doz. extra
" bottoms feet		"	"	"
Bails and ears to be supplied for all sizes				5d. " "
TOILET PAILS	IXX tin plate or lighter	No. 1	1 dozen	14s. 7d. per doz.
"		" 2	1 "	16s. 1d. "
"		" 3	1 "	17s. 3d. "
" if feet and funnels supplied		All sizes	"	1s. 6d. per doz. deducted.
(24.) PANS.				
ASHPANS, common	28-gauge iron or lighter	No. 1	4 dozen	5s. 9d. per doz.
"		" 2	4 "	6s. 2d. "
"		" 3	4 "	6s. 7d. "
"	26-gauge iron or lighter	" 1	4 "	6s. 7d. "
"		" 2	4 "	7s. 5d. "
"		" 3	4 "	8s. 3d. "
" with tin bead		All sizes	"	1s. 10d. per doz. extra
Venetians for Ashpans (2 in set)		"	2 dozen	7s. 5d. per doz. sets of venetians
" (3 in set)		"	2 "	9s. "
CLOSETPANS, tapered to nest	26-gauge iron or lighter	17 1/2 x 15 x 13 inches	2 "	9s. per doz.
" straight sides		26-gauge iron or lighter	17 x 13 x 13 inches	2 "
"	26-gauge iron or lighter	19 x 14 x 14 inches	2 "	9s. "
"	24-gauge iron	All sizes	1 1/2 dozen of any one size	1s. 10d. per doz. extra
" if made with single strap one rivet in bottom		"	"	5d. per doz. pans extra
" if made of galvanized iron		"	"	9d. " " "
DOUGHPANS	IXX tin plate or lighter	14 inches	2 dozen	1s. 10d. "
"		16 "	2 "	9s. 10d. per doz.
"		18 "	2 "	10s. 9d. "
"		20 "	1 "	13s. 2d. "
DUSTPANS	IX tin plate or lighter	22 "	1 "	15s. 9d. "
"		No. 1	2 1/2 "	18s. 2d. "
"		" 2	2 1/2 "	6s. 2d. "
"		" 3	2 1/2 "	7s. 5d. "
" with cover		" 1	2 "	7s. 11d. "
"	" 2	2 "	9s. "	
"	" 3	2 "	9s. 10d. "	
YANKEE, CORNISH, OR FLAT BOTTOM PANS	IC tin plate	13 inches	4 "	10s. 9d. "
"		14 "	4 "	5s. "
"		15 "	4 "	5s. 4d. "
"		16 "	3 "	6s. 2d. "
"		17 "	3 "	7s. 5d. "
"	18 "	3 "	7s. 5d. "	

Less 13 per cent.

PIECE-WORK—continued.

Articles.	Material.	Size.	When given out in the under-mentioned Quantities or more.	Prices.
(30.) SCOOPS.				
GROCERS SCOOPS—Drawer, without handles			4 dozen as-sorted, not less than 1 dozen of any one size	2s. 9d. per doz.
" " front wired or pieced, with handles	IX tin plate or lighter	5 inches	3 dozen	7s. 5d. "
" " " " " " " "		6 "	3 "	8s. 3d. "
" " " " " " " "		7 "	2 "	9s. 11d. "
" " " " " " " "		8 "	2 "	10s. 9d. "
" " " " " " " "		10 "	1½ "	12s. 11d. "
" " " " " " " "		12 "	1 "	14s. 4d. "
" " front not wired or pieced, with handles	IX tin plate or lighter	5 "	3 "	5s. 9d. "
" " " " " " " "		6 "	3 "	6s. 7d. "
" " " " " " " "		7 "	2 "	8s. 3d. "
" " " " " " " "		8 "	2 "	9s. 11d. "
" " " " " " " "		10 "	1½ "	10s. 11d. "
" " " " " " " "		12 "	1 "	13s. 5d. "
" " galvanized iron, front wired or pieced, with handles	24-gauge galv. iron or lighter	5 "	1 "	10s. 11d. "
" " " " " " " "		6 "	1 "	12s. 3d. "
" " " " " " " "		7 "	1 "	13s. 7d. "
" " " " " " " "		8 "	1 "	15s. 8d. "
" " " " " " " "		10 "	1 "	18s. 6d. "
" " " " " " " "		12 "	1 "	20s. 10d. "
(31.) SKIMMERS.				
COOKS' SKIMMERS (handles supplied)	IXX tin plate or lighter		3 dozen	5s. 9d. per doz.
MILK SKIMMERS, with ring handles	DXXXX tin plate or lighter	6½ inches	4 "	3s. 4d. "
" " " " " " " "		8 "	4 "	4s. 2d. "
" " " " " " " "		9 "	4 "	4s. 7d. "
" " " " " " " "		10 "	4 "	5s. "
(32.) STANDS.				
COCKATOO STANDS	IX tin plate or lighter 26-gauge galv. iron or lighter, or zinc	17 inches	6 articles	34s. 6d. per doz.
" " " " " " " "		20 "	6 "	36s. 11d. "
" " " " " " " "		17 "	3 "	45s. 7d. "
" " " " " " " "		20 "	3 "	54s. 3d. "
(33.) STEAMERS.				
STEAMERS	IXX tin plate or lighter	No. 4	2 dozen	7s. 11d. per doz.
" " " " " " " "		" 5	2 "	7s. 11d. "
" " " " " " " "		" 6	1½ "	8s. 8d. "
" " " " " " " "		" 7	1½ "	9s. 10d. "
" " " " " " " "		" 8	1½ "	10s. 9d. "
" " " " " " " "		" 9	1 "	11s. 6d. "
" " " " " " " "		" 10	1 "	13s. 7d. "
" " " " " " " "		" 11	1 "	15s. 8d. "
" " " " " " " "		" 12	1 "	16s. 6d. "
" if handles supplied for				
(34.) STRAINERS.				
GRAVY STRAINERS, hand made	IC tin plate	Small	3 dozen	5s. 5d. per doz.
" " " " " " " "		Large	3 "	6s. 2d. "
" " " " " " " " if perforated bottoms supplied		All sizes		6d. " deducted
GRUEL STRAINERS	IC tin plate		3 dozen	6s. 2d. per doz.
MILK STRAINERS, wired		3½ inches	3 "	4s. 8d. "
" " " " " " " "	IX tin plate or lighter	10 "	3 "	5s. 5d. "
" " " " " " " "		11 "	3 "	5s. 11d. "
" " " " " " " "		12 "	3 "	6s. 3d. "
" " " " " " " "		14 "	2 "	7s. "
" " " " " " " " with rim		8½ "	2 "	6s. 3d. "
" " " " " " " "		10 "	2 "	7s. 2d. "
" " " " " " " "		11 "	2 "	7s. 11d. "
" " " " " " " "		12 "	2 "	8s. 3d. "
" " " " " " " "	14 "	2 "	9s. "	
MILK CAN STRAINERS, knocked up rims	IX tin plate		1 "	13s. 7d. "
" " " " " " " "	IXX tin plate		1 "	17s. 8d. "
(35.) TINS.				
BREAD TINS (made of five pieces)	IX tin plate or lighter	1 lb.	3 dozen	5s. 9d. per doz.
" " " " " " " "		2 "	3 "	5s. 9d. "
" " " " " " " "		4 "	2 "	6s. 2d. "
" " " " " " " "		6 "	2 "	8s. 3d. "
COBURG BREAD TINS	IC tin plate		3 "	5s. 4d. "
EXHIBITION BREAD TINS; single	IXXXX tin plate or lighter, or 24-gauge iron or lighter	2 lb.	6 articles	28s. 3d. "
" " " " " " " "		4 "	6 "	35s. 4d. "
" " " " " " " " double		2 "	5 "	70s. 9d. "
" " " " " " " "		4 "	3 "	82s. 6d. "

Less 13 per cent.

PIECE-WORK—continued.

Articles.	Material	Size.	When given out in the under-mentioned Quantities or more.	Prices.		
TINS—continued.						
CAKE TINS, AND CAKE RINGS, with use of knocking-up machine	IC tin plate	4 inches ..	1 gross ; not less than 3 dozen of any one size	20s. per gross		
" " " " " "		5 " ..		22s. " "		
" " " " " "		6 " ..		23s. 6d. " "		
" " " " " "		7 " ..		27s. 6d. " "		
" " " " " "		8 " ..		29s. 6d. " "		
" " " " " "		9 " ..		31s. 5d. " "		
" " " " " "		10 " ..		35s. 4d. " "		
" " " " " "		11 " ..		41s. 3d. " "		
" " " " " "		12 " ..		47s. 3d. " "		
" " " " " loose bottoms ...		All sizes ...		18s. 2d. " extra		
QUEEN CAKE TINS, hearts ...		IC tin plate		6 inches ...	4 dozen ...	4s. 7d. per doz.
" " " " diamonds...				6 " ...	2s. 1d. " "	
SANDWICH TINS, with use of knocking-up machine	IC tin plate	6 inches ...	1 gross ; not less than 3 dozen of any one size	23s. 8d. per gross		
" " " " " "		7 " ..		27s. 6d. " "		
" " " " " "		8 " ..		29s. 6d. " "		
" " " " " "		9 " ..		31s. 5d. " "		
" " " " " "		10 " ..		35s. 4d. " "		
" " " " " "		11 " ..		41s. 3d. " "		
SWISS ROLL TINS, wired, with use of angle bender	IC tin plate	12 x 8 inches	4 dozen ...	4s. 2d. per doz.		
" " " " " "		13 x 9 " "	4 " ...	4s. 7d. " "		
" " " " " "		14 x 10 " "	4 " ...	4s. 7d. " "		
" " " " " "		15 x 11 " "	4 " ...	5s. " "		
" " " " " "		16 x 12 " "	4 " ...	5s. 4d. " "		
" " " " not wired, with use of angle bender		12 x 8 " "	4 " ...	3s. 4d. " "		
" " " " without use of angle bender ...		All sizes ...	9d. " extra			
(36.) TUBS.						
BLACK IRON TUBS, round or oval, without hoop or strap	26-gauge iron or lighter	16 inches ...	2 dozen ...	7s. 5d. per doz.		
" " " " " "		18 " ...	2 " ...	8s. 3d. " "		
" " " " " "		20 " ...	2 " ...	9s. " "		
" " " " " "		22 " ...	2 " ...	9s. 10d. " "		
" " " " " "		24 " ...	1½ " ...	10s. 9d. " "		
" " " " " "		26 " ...	1½ " ...	12s. " "		
" " " " " "		28 " ...	1½ " ...	14s. 2d. " "		
" " " " " "		30 " ...	1 " ...	16s. 1d. " "		
" " " " with hoop ...		16 " ...	2 " ...	8s. 3d. " "		
" " " " " "		18 " ...	2 " ...	9s. 5d. " "		
" " " " " "		20 " ...	2 " ...	9s. 10d. " "		
" " " " " "		22 " ...	2 " ...	10s. 9d. " "		
" " " " " "		24 " ...	1½ " ...	11s. 6d. " "		
" " " " " "		26 " ...	1½ " ...	13s. 7d. " "		
" " " " " "		28 " ...	1½ " ...	14s. 11d. " "		
" " " " " "		30 " ...	1 " ...	17s. 4d. " "		
" " " " " "		33 " ...	6 articles... 22s. " "			
" " " " " "		36 " ...	6 " ... 29s. 1d. " "			
" " " " hooped and strapped ...		16 " ...	2 dozen ... 10s. 4d. " "			
" " " " " "		18 " ...	2 " ... 10s. 11d. " "			
" " " " " "	20 " ...	2 " ... 11s. 6d. " "				
" " " " " "	22 " ...	2 " ... 12s. 11d. " "				
" " " " " "	24 " ...	1½ " ... 13s. 7d. " "				
" " " " " "	26 " ...	1½ " ... 15s. 8d. " "				
" " " " " "	28 " ...	1½ " ... 17s. 8d. " "				
" " " " " "	30 " ...	1 " ... 20s. " "				
" " " " " "	33 " ...	6 articles... 24s. 8d. " "				
" " " " " "	36 " ...	6 " ... 32s. 7d. " "				
TIN TUBS, round, without hoop	IX tin plate or lighter	15 " ...	2 dozen ...	7s. 11d. " "		
" " " " " "		16 " ...	2 " ...	7s. 11d. " "		
" " " " " "		18 " ...	1½ " ...	9s. 10d. " "		
" " " " " "		20 " ...	1½ " ...	10s. 9d. " "		
" " " " " "		22 " ...	1½ " ...	11s. 6d. " "		
" " " " " "		24 " ...	1 " ...	13s. 7d. " "		
" " " " with tinned or galvanized iron or black iron hoop ...		15 " ...	2 " ...	9s. 10d. " "		
" " " " " "		16 " ...	2 " ...	9s. 10d. " "		
" " " " " "		18 " ...	1½ " ...	11s. 6d. " "		
" " " " " "		20 " ...	1½ " ...	12s. 11d. " "		
" " " " " "		22 " ...	1½ " ...	13s. 7d. " "		
" " " " " "		24 " ...	1 " ...	15s. 9d. " "		
" " " " oval, without hoop	IX tin plate or lighter	16 " ...	2 " ...	10s. 9d. " "		
" " " " " "		18 " ...	1½ " ...	11s. 6d. " "		
" " " " " "		20 " ...	1½ " ...	12s. 11d. " "		
" " " " " "		22 " ...	1½ " ...	14s. 4d. " "		
" " " " " "		24 " ...	1 " ...	16s. 6d. " "		
" " " " with tinned or galvanized iron or black iron hoop...		IX tin plate or lighter	16 " ...	2 " ...	12s. 11d. " "	
" " " " " "	18 " ...	1½ " ...	13s. 7d. " "			
" " " " " "	20 " ...	1½ " ...	14s. 4d. " "			
" " " " " "	22 " ...	1½ " ...	16s. 6d. " "			
" " " " " "	IXX tin plate or lighter	24 " ...	1 " ...	18s. 8d. " "		

Less 13 per cent.

PIECE-WORK—continued.
SCHEDULE B.—CANISTER WORK.

		Price per gross.			
		Lap seam, without assistance.	Lock seam, without assistance.	Lock seam, with one assistant.	Lock seam, with two assistants.
		s. d.	s. d.	s. d.	s. d.
SOLDERING SEAMS—all work rolled—up to and including 2½ inches in diameter—					
Up to and including 2 inches deep	...	0 9½	0 8½	0 7	0 5½
Over 2 inches deep and up to and including 3½ inches deep	...	0 10½	0 9½	0 8½	0 6½
" 3½ " " " 4½ " "	...	0 11½	0 9½	0 8½	0 6½
" 4½ " " " 5½ " "	...	1 1	0 11½	0 9½	0 8½
" 5½ " " " 7 " "	...	1 6½	1 1	0 11½	0 9½
Over 2½ inches and up to and including 3½ inches in diameter—					
Up to and including 2 inches deep	...	0 9½	0 8½	0 6½	0 5½
Over 2 inches deep and up to and including 3½ inches deep	...	0 10½	0 9½	0 8½	0 6½
" 3½ " " " 5 " "	...	1 0½	0 9½	0 8½	0 6½
" 5 " " " 6 " "	...	1 2	0 11½	0 9½	0 8½
" 6 " " " 7 " "	...	1 5½	1 2	1 0½	0 10½
" 7 " " " 8 " "	...	2 1½	1 7½	1 5½	1 4½
Over 3½ inches and up to and including 4½ inches in diameter—					
Up to and including 2 inches deep	...	0 11½	0 8½	0 7	0 5½
Over 2 inches deep and up to and including 3½ inches deep	...	1 0½	0 9½	0 8½	0 6½
" 3½ " " " 5 " "	...	1 2	0 11	0 9½	0 8½
" 5 " " " 6 " "	...	1 4½	1 0½	0 11	0 8½
" 6 " " " 7 " "	...	1 6½	1 2½	1 0½	0 11½
" 7 " " " 8 " "	...	2 0½	1 7½	1 5½	1 4½
Over 4½ inches, and up to and including 5½ inches in diameter—					
Up to and including 2½ inches deep	...	1 1	0 9½	0 8½	0 6½
Over 2½ inches deep, and up to and including 4½ inches deep	...	1 5½	1 1	0 10½	0 8½
" 4½ " " " 6 " "	...	1 10½	1 4½	1 2½	1 0½
" 6 " " " 7 " "	...	2 2½	1 7½	1 5½	1 4½
" 7 " " " 8 " "	...	2 4	1 9½	1 7½	1 5½
Over 5½ inches, and up to and including 6½ inches in diameter—					
Up to and including 3 inches deep	...	1 5½	1 0½	0 11	0 8½
Over 3 inches deep, and up to and including 4½ inches deep	...	1 9½	1 2	1 0½	0 10½
" 4½ " " " 6 " "	...	2 0½	1 4½	1 2½	1 0½
" 6 " " " 8 " "	...	2 4	1 9½	1 7½	1 5½
MEAT TINS—					
Seaming and rolling meat tin bodies (round) on clamps—					
½ lb.	1 5½
1 " tongue	1 5½
1½ lbs.	1 5½
2 " "	1 5½
2 " long	1 5½
2½ " "	1 5½
3 " "	1 7
6 " (including putting on tops and bottoms)	4 4½
Seaming ½ lb. or 1 lb. on 1 cylinder					
" 2 lbs.	0 10½
" ½ or 1 lb. on 2 cylinders	0 11½
" 2 lbs.	0 8½
" ½ lb. or 1 lb. on 3 to 6 cylinders (with 2 boys)	0 10½
" 2 lbs.	0 4½
Seaming meat tins (tapered square) on one former—					
1 lb.	0 10½
2 lbs.	0 11½
6 " "	1 4
Squeezing—12 oz. or 1 lb. (tapered square)					
" 1½ lbs.	3 3
" 2 " "	3 5
" 6 " "	3 9
" " "	6 0
Jokering—½ lb. (round, or tapered square)					
" 1 " "	0 5½
" 1 " "	0 5½
" 1½ lbs. " "	0 6½
" 3 " "	0 9½
" 4 " "	0 9½
" 5 " "	0 9½
" 6 " "	0 9½
SOLDERING TOPS OR BOTTOMS OF EMPTY TINS—(spiriting provided)—					
		Price per gross.			
		Not crimped or rolled on.	Crimped.	Rolled on.	
		s. d.	s. d.	s. d.	
Up to and including 3 inches in diameter	...	1 1½	1 0½	0 11	
Over 3 inches diameter, and up to and including 3½ inches in diameter	...	1 3	1 2½	1 1½	
" 3½ " " " 4½ " "	...	2 0½	1 10	1 6½	
" 4½ " " " 5 " "	...	2 3½	2 0½	1 10½	
" 5 " " " 6 " "	...	3 0	2 8½	2 4½	
ROUND WORK (SOLDERING).					
Price per gross.					
s. d.					
JAM TINS—Closing, 1 lb., topped, and crimped	1 5½
" " " 2 lb. " "	1 8½
CAKE TINS—					
2 lbs., soldering	15 8
4 " "	47 8
6 " "	19 9
6 " cutting	2 1½

Less 13 per cent.

PIECE-WORK—continued.
ROUND WORK (SOLDERING)—continued.

	Per gross. s. d.
CAPPING—Soldering on caps, all work cleaned, caps put on—	
Cap up to and including 1½ inches in diameter in 6-lb. tin or less	1 5½
" over 1½ and up to and including 2¼ inches in diameter in 6-lb. tin or less	1 7½
" " 2¼ " " 2½ " " " " " "	1 9½
" " 2½ " " 3¼ " " " " " "	1 11½
" " 3¼ " " 3¾ " " " " " "	2 5½
Capping pulp tins, up to 40-lbs., work cleaned and caps put on—	
Round cap	4 10½
Square cap, 3½ to 5 inches square	6 2
SQUARE WORK.	
Jam tins, 6 lbs., soldering only, with use of spring	15 8
" 6 " notching, bending, and folding	7 11
" 14 " soldering only, without use of spring	18 10
" 14 " " with use of spring	20 6
" 20 " " without use of spring	19 7
" 20 " " with use of spring	21 8
" 25 " " without use of spring	19 7
" 25 " " with use of spring	21 8
" 14, 20, and 25 lbs., notching, bending, and folding	9 10 extra
Pulp tin, 40 lbs., soldering only, without use of spring	28 8
" 40 " " with use of spring	28 8
" 40 " " lock seam	28 8
Cutting out above sizes	2 4 extra
Notching, bending, and folding so that spring is not necessary, all above sizes, except 6 lbs.	13 8
Notching, bending, and folding, so that spring is necessary at one end	12 0
BISCUIT TINS—	
1 lb., soldering	6 1
2 lbs. "	7 6
4 " "	12 0
6 " "	12 0
6 " " two seams	13 8
6 lbs., glass, soldering	17 8
14 " plain, "	18 5
14 " glass, "	23 6
25 " plain, "	20 6
30 " " "	20 6
40 " " "	20 6
50 " " "	23 6
Unseada " "	20 6
¼-lb. packet " "	18 5
9 lbs. Cabin " "	16 11
Wafer, Ice and Cup, soldering	16 11
" Cream, Henley and Variety, soldering	7 6
Afternoon Tea, soldering	7 6
1 lb., cutting bodies	0 6½
2 lbs. "	0 6½
6 " "	2 1
1 lb., cutting ends	0 2½
2 lbs. "	0 2½
4 " cutting at guillotine	1 7
9 " " "	2 8
30 " " "	3 9
40 " " "	3 9
50 " " "	3 9
Plain and Packet, cutting at guillotine	3 4
Small Wafer " "	1 0½
30 lbs., closing, soldering	7 11
40 " " "	9 9
50 " " "	11 2
FLOUR TINS—	
40 lbs., soldering	18 5
50 " "	23 6
HONEY TINS—	
56 lbs., soldering	28 8
OIL OR VARNISH TINS—	
½ gallon, soldering ends and lock seam	16 6
1 " " "	19 9
2 " " "	26 8
OBLONG TINS—(reputed or imperial measure)—	
1 pint, plain, soldering, lock seam (with two assistants)	0 8½
1 " " " (with one assistant)	0 9½
1 " " " (without assistance)	0 11½
1 quart " " (with two assistants)	0 8½
1 " " " (with one assistant)	0 9½
1 " " " (without assistance)	0 11½
Soldering, all above tins, if made of decorated or varnished tin plate	0 2½ extra each end
1 pint, rolled on ends, soldering	3 0 each end
1 " crimped, soldering	3 1 " "
1 " not crimped or rolled on, soldering	3 4 " "
1 quart, rolled on ends, soldering	3 1 " "
1 " crimped, soldering	3 4 " "
1 " not crimped, soldering	4 1½ " "
TOBACCO TINS—	
2 lbs., closing	6 6 per 100
3 lbs., " "	7 6 " "
5 lbs., " "	8 6 " "
If electric iron used—all above sizes	1 0 extra

Less 13 per cent.

PIECE-WORK—continued.

		OVAL WORK:		Per gross.	
				s. d.	
OIL TINS—					
$\frac{1}{2}$	pint, lock seams, soldering (with two assistants)	0	5 $\frac{1}{2}$
$\frac{1}{2}$	" " " (with one assistant)	0	9 $\frac{1}{2}$
$\frac{1}{2}$	" " " (without assistance)	0	11 $\frac{1}{2}$
$\frac{1}{2}$	" lap " " (" " ")	0	11 $\frac{1}{2}$
$\frac{1}{2}$	" rolled on ends	2	9 each end
$\frac{1}{2}$	" crimped on ends	2	5 "
$\frac{1}{2}$	" slipped on ends	3	1 "
STAMPING WORK ON POWER MACHINES OR PRESSES (NOT USING SCRAP).					
				Per gross.	
				s. d.	
	Up to and including 3 $\frac{1}{4}$ inches in diameter of cutting die	0	1 $\frac{1}{2}$
	Over 3 $\frac{1}{4}$ and up to and including 4 inches in diameter of cutting die	0	2
"	4 " " 4 $\frac{1}{2}$ " " " "	0	2 $\frac{1}{2}$
"	4 $\frac{1}{2}$ " " 5 $\frac{1}{2}$ " " " "	0	3
"	5 $\frac{1}{2}$ " " 6 $\frac{1}{2}$ " " " "	0	3 $\frac{1}{2}$

Less 13 per cent.

DEFINITION.

9. For the purposes of this Determination, "sheet metal" shall mean sheet metal 10-gauge or lighter.

A. S. HAUSER, P.M., Chairman.

J. B. McINDGE, Secretary.

Melbourne, 21st June, 1934.