



# VICTORIA GOVERNMENT GAZETTE.

Published by Authority.

[Registered at the General Post Office, Melbourne, for transmission by post as a newspaper.]

No. 124]

SATURDAY, AUGUST 3.

[1935

Factories and Shops Acts.

## TINSMITHS BOARD.

NOTE—This Determination on the 27th July, 1935, applied to the following parts of Victoria, namely:—The Metropolitan District as defined in the Factories and Shops Acts and the Order in Council thereunder; such portions of the City of Sandringham as are not included within the said Metropolitan District; the cities of Ballarat, Bendigo, Geelong, Geelong West, and Warrnambool; the town of Newtown and Chilwell; and the boroughs of Eaglehawk and Sebastopol.

IN accordance with the provisions of the Factories and Shops Acts, the Wages Board appointed to "determine the lowest prices or rates of payment payable to any person or persons or classes of persons employed in the process, trade, or business of preparing or manufacturing articles made of tin plate or other sheet metal, including the japanning of such articles," has made the following Determination, namely:—

(1) That on the 27th day of July, 1935, the last previous Determination of this Board shall be revoked and replaced by this Determination.

### (2) APPRENTICES AND IMPROVERS.

Wages per Week—Males (Canister Section), 48 Hours; Other Males, 44 Hours; Females, 44 Hours.			Number (in any place).
	Apprentices.	Improvers.	Apprentices.
	s. d.	s. d.	
1st year's experience .. ..	14 3	14 3	One apprentice to every three or fraction of three workers receiving not less than 66s. per week. An indenture of apprenticeship prescribed by the Board was approved on 20th May, 1911.
2nd " " " " " "	20 3	20 3	
3rd " " " " " "	26 3	27 9	
4th " " " " " "	35 6	40 9	
5th " " " " " "	48 0	52 3	
			<i>Improvers.</i>
			One improver to every five or fraction of five workers receiving not less than 72s. per week.

### (3) JUVENILE WORKERS (OTHER THAN APPRENTICES OR IMPROVERS).

(a) The rates set out in the column headed "Class A" shall be paid to Juvenile workers (other than apprentices or improvers) engaged—

- (1) Putting wire handles in camp kettles, wiring handles for kettles and dippers, folding flat tin handles, folding spouts and barrels for kerosene pumps, forming handles for pannikins and dippers, forming rims for lids, notching (except by power machines), using guillotine for above work, holding general sheet metal work for journeymen or soldering canisters other than seams, tops, or bottoms.
- (2) Polishing, cleaning, spiriting, testing to detect leaks (except in 4-gallon petrol, kerosene, or pulp tins), making spouting tubes, cutting and making wire handles, cutting hoop iron and wire for general sheet metal work, blackening or tarring shovels or closet pans, packing, carrying or moving goods, lighting or attending fires or engaged on canister work at topping tins or trimming scrap.

- (3) At general sheet metal work or canister or tin toy work on any other power machine (other than a power press) or at canister or tin toy work on the following machines or presses:—Monkey, pendulum, screw, or treadle machines for folding canisters of holding capacity up to and including 1 pint, beading, bending (other than work on angle bender or folder exceeding 8 inches), body forming (other than by angle bender), clenching, crimping, curling, double seaming, flanging, hinge hooking, hinge seating, lock seaming, notching, rolling, squeezing, trimming, or wire forming, or feeding or taking off in connexion with any power soldering machine or employed in connexion with japanning at scouring, cleaning, assisting to polish or general rough work, or engaged on cabinet handles in cutting strips, clips, and holes on guillotine, bending clips round ring, fitting same and opening out ends, or employed at hinge making in cutting metal into strips, or putting in pins or spraying tin toys or reconditioning tin canisters under the supervision of an adult sprayer.

(4) Operating power presses.

- (b) The rates set out in the column headed "Class B" shall be paid to Juvenile workers (other than apprentices or improvers) engaged in repairing leaks in general sheet metal work (other than old work) or assisting at rollers for forming down pipes, or engaged at general sheet metal work on the following machines, viz.:—Burnishing and spinning lathes, curving machines, guillotines for cutting spouting and ridging, hand presses, or spouting and ridging machines.

Age.	Wages per Week—Males (Canister Section), 48 Hours; Other Males, 44 Hours; Females, 44 Hours.			
	See Clause (9), Contract of Employment.			
	Class "A."		Class "B."	
	Weekly Hire.	Hourly Hire.	Weekly Hire.	Hourly Hire.
Under 15 years of age .. .. .	s. d.	s. d.	s. d.	s. d.
Aged 15 years .. .. .	15 3	16 6	..	..
" 16 .. .. .	18 6	20 0	..	..
" 17 .. .. .	24 0	26 0	..	..
" 18 .. .. .	*30 0	*32 2	†27 3	†29 6
" 19 .. .. .	*38 9	*41 9	*35 6	*38 3
" 20 .. .. .	*49 0	*52 9	*44 9	*48 3
" 21 .. .. .	*56 6	*61 0	*54 0	*58 3

\* Any juvenile worker without previous experience, entering the trade at 17 years of age or over may be paid for the first year of his service the rate of pay he would have received had he been one year younger.

† A person entering the trade at 17 years of age and put to work in Class B, may, during the first year of his service, be paid whilst performing such work at the rate of 26s. per week.

No juvenile worker shall be employed operating any power press who has not—

- (1) attained the age of 17 years, and
- (2) completed one year of service at the trade.

(4)

OTHER EMPLOYEES.

Welders—

	Wages per Week— Males (Canister Section), 48 Hours. Other Males, 44 Hours. Females, 44 Hours.	
	s.	d.
First Class .. .. .	94	0
Second Class .. .. .	78	0
Third Class .. .. .	74	0
Bench hands—		
First Class .. .. .	91	0
Second Class .. .. .	84	0
Metal spinner who sets up and makes his own dies .. .. .	86	0
Other spinners .. .. .	76	0
Die setters .. .. .	76	0
Leading press hand for canister making .. .. .	76	0
Other press operators (except on canister work)—		
Heavy .. .. .	74	0
Light .. .. .	72	0
Solderers and dippers for canister making .. .. .	72	0
Other solderers and dippers .. .. .	74	0
Drop hammer stampers .. .. .	74	0
Guttering machinists .. .. .	72	0
Other power machinists (except on canister work) .. .. .	69	0
Riveters of canisters by hand .. .. .	76	0
Makers of canisters by hand .. .. .	76	0
Canister vent closers and solderers working on tins containing substances with an artificial temperature of 150 deg. Fahr. and over .. .. .	76	0
Operators of power capping machines or metal pots on automatic canister machines .. .. .	74	0
Other cap solderers .. .. .	72	0
Tinners and grease tinners .. .. .	76	0
Assistants working over metal pot .. .. .	74	0
Stencil cutters .. .. .	83	0
Mixers .. .. .	72	0
Fusers .. .. .	72	0
Picklers .. .. .	72	0
Liquidizers .. .. .	69	0
Artistic japanners and goldworkers .. .. .	84	0
Spray operators .. .. .	81	0
Grainers, liners and filleters .. .. .	72	0
Painters and lacquerers .. .. .	72	0
Dippers .. .. .	71	0
All others .. .. .	66	0

## ADJUSTMENT OF WAGES AND PIECEWORK.

(5) Pursuant to the provisions of section 21 of the *Factories and Shops Act 1934*, the wages, rates, and piecework prices set out in clauses 4 and 11, respectively, of this Determination shall be automatically increased or decreased on and from the first days of June, September, December, and March in each year in accordance with the table set out hereunder.

The wages rates payable to an employee mentioned in clause 4 shall, during the three calendar months following the first days of June, September, December, and March, respectively, in each year, be the amounts set out in the said clause 4 increased or decreased, as the case may be, by the amount appropriate to the latest quarterly figure published by the Commonwealth Statistician as the Retail Price Index-Number, "All Items" Index ("C" Series)—Melbourne, for the calendar quarter immediately preceding the adjustment date.

The piecework prices payable to an employee for performing work mentioned in clause 11 shall, during the three calendar months following the first days of June, September, December, and March be the prices set out in the said clause 11 increased or decreased, as the case may be, by the percentage appropriate to the latest quarterly figure published by the Commonwealth Statistician as the Retail Price Index-Number, "All Items" Index ("C" Series)—Melbourne, for the calendar quarter immediately preceding the adjustment date.

TABLE.

Retail Price Index-Number, "All Items" Index ("C" Series), published by the Commonwealth Statistician.	Wages Rates (Clause 4), to be adjusted as shown.	Piecework Prices (Clause 12), to be adjusted as shown.
Melbourne figure—		
723-746 .. .. .	Reduced by 6s. per week .. ..	Reduced by 9 per cent.
747-771 .. .. .	" 4s. " .. ..	" 6 "
772-796 .. .. .	" 2s. " .. ..	" 3 "
797-833 .. .. .	No change .. ..	No change
834-858 .. .. .	Increased by 2s. per week .. ..	Increased by 3 per cent.
859-882 .. .. .	" 4s. " .. ..	" 6 "

## DEFINITIONS—

"Welder, First Class" shall mean an adult workman using quasi-arc or oxy-acetylene blowpipe or coal-gas cutting plant on work other than filling castings, cutting scrap metal, or using jigs.

"Welder, Second Class" shall mean an adult workman filling, casting or welding with the aid of jigs.

"Welder, Third Class" shall mean an adult workman using electric spot or butt-welding machine or cutting scrap with oxy-acetylene blowpipe.

"Bench Hand, First Class" shall mean an adult workman applying general trade experience or knowledge without the guidance of a foreman to the making of completed articles and/or the erection and installation thereof, or working to scaled prints or drawings or precision measurements.

"Bench Hand, Second Class" shall mean an adult workman working at the bench in the making of completed articles not calling for the use of prints or drawings or precision measurements.

"Canisters" shall include canisters, tin boxes and other tin containers manufactured in quantities, by specialized processes.

## (6) TIME OF BEGINNING AND ENDING WORK.

Time of Beginning.	Time of Ending.
7.30 a.m. .. ..	12 noon on the day on which the half-holiday is observed.
7.30 a.m. .. ..	5.30 p.m. on the other working days of the week.

(7) OVERTIME.—(a) For all work done outside ordinary hours, the rate of wages shall be time and a half for the first four hours and double time thereafter until an employee has been relieved from work for at least eight hours.

(b) In computing overtime, each day's work shall stand alone.

(8) SPECIAL RATES.—Double time shall be the special rate for all work done on Sunday, New Year's Day, Australia Day (26th January), Good Friday, Easter Saturday, Easter Monday, Eight Hours Day (21st April), Anzac Day, King's Birthday, Christmas Day, and Boxing Day, but if any other day be by Act of Parliament or Proclamation substituted for any of the above-named holidays, the special rate shall only be payable for work done on the day so substituted.

(9) CONTRACT OF EMPLOYMENT.—(a) With the exceptions hereafter stated, employment may be by the week or by the hour. If by the week it shall be terminable on either side by one week's notice given on any day or (if the employer terminate it without such notice) by payment of one week's wages.

A contract for weekly employment may be terminated by any employer without liability to pay for more than actual time worked for misconduct or for absence from work without reasonable excuse.

If an employee engaged by the week absents himself from duty except on public holidays, or on days for which he produces a certificate from a medical practitioner, or other proof satisfactory to his employer of sickness (aggregating four days of sickness in each year), a sum proportionate to his time of absence may be deducted from his pay, i.e., one-sixth of the weekly wage for each day of absence, including Saturday, in shops working six days, and one-fifth in shops working five days per week.

(b) If the contract of employment is for hourly hiring, the rates prescribed in clause (4) shall be increased 5s. per week as compensation for time lost on public holidays and unavoidable absences through sickness.

(10) MISCELLANEOUS PROVISIONS.—The employer shall provide for each employee all necessary tools, and for sheet metal workers snips used in the cutting of stainless steel, monel metal and similar hard metals. The employee shall replace or pay for any tools so provided if lost through his negligence.

(11) ORDINARY WEEK'S WORK.—The number of hours which shall constitute an ordinary week's work shall be as follows:—

Males .. ..	44 hours
Males (Canister Section) .. ..	48 "
Females .. ..	44 "

(12) (a) PIECE-WORK.—The lowest piece-work price payable to any person for wholly or partly preparing or manufacturing any article described in the following Schedules (which Schedules shall form part of this Determination) shall be the price mentioned in such Schedules.

(b) Wherever the quantity to be given out is stated in the Schedules the prices apply only when the articles are given out in quantities not less than those mentioned in the Schedule.

(c) The Schedules of prices apply to new material only.

(d) Except where otherwise provided, where the sizes of articles to be made under these Schedules do not exactly correspond with the sizes stated in their Schedules, then the price or rate fixed for the next nearest size shall apply; but where the size is half-way between two sizes then the next higher price or rate shall apply.

## SCHEDULE A.—GENERAL SHEET METAL WORK.

Articles.	Material.	Size.	When given on in the under-mentioned Quantities or more.	Prices.
<b>(1.) BASINS.</b>				
WASH-HAND BASINS, hand-made (including blocking of bottoms)	IC tin plate	13 inches ...	3 dozen ...	6s. 2d. per doz.
" " " " " "	"	16 " ...	3 " ...	7s. 6d. "
" " " " " "	"	18 " ...	2 " ...	8s. 8d. "
" " " " " "	"	13 " ...	3 " ...	7s. 5d. "
" " " " " "	IX tin plate	16 " ...	2 " ...	8s. 3d. "
" " " " " "	"	18 " ...	2 " ...	10s. 9d. "
" " " " " "	"	20 " ...	1½ " ...	12s. 3d. "
" " " " " "	"	22 " ...	1 " ...	14s. 11d. "
If bottoms supplied for 13 in. basins...	"	"	"	4d. per doz. deducted
" " 16 and 18 in. basins ...	"	"	"	6d. " "
" " 20 and 22 in. basins ...	"	"	"	1s. " "
If unplated handles 6 gauge wire or under supplied for basins ...	"	18, 20, or 22 inches	"	1s. 6d. per gross handles deducted
<b>(2.) BATHS.</b>				
CHILD'S BATHS	"	24 inches ...	3 articles	4s. 8d. each
" " " " " "	"	26 " ...	3 " ...	5s. 2d. "
" " " " " "	"	28 " ...	3 " ...	5s. 6d. "
" " " " " "	24-gauge iron or lighter	30 " ...	3 " ...	5s. 11d. "
" " " " " "	"	33 " ...	3 " ...	6s. 3d. "
" " " " " "	"	36 " ...	3 " ...	7s. 2d. "
" " " " " "	"	42 " ...	2 " ...	8s. 3d. "
FOOT BATHS, oval, moulded, knocked up bottoms	"	16 " ...	6 " ...	28s. 1d. per doz.
" " " " " "	"	18 " ...	6 " ...	29s. 6d. "
" " " " " "	"	20 " ...	6 " ...	31s. 5d. "
" " " " " "	"	22 " ...	6 " ...	31s. 6d. "
" " " " " "	Bodies	24 " ...	6 " ...	36s. 2d. "
" " " " " "	26-gauge iron or lighter	26 " ...	6 " ...	38s. 2d. "
" " " " " "	"	28 " ...	6 " ...	42s. 10d. "
" " " " " "	"	30 " ...	6 " ...	45s. 7d. "
" " " " " "	"	16 " ...	1 dozen	11s. 8d. "
" " " " " "	Bottoms 24-gauge iron or lighter	18 " ...	1 " ...	13s. 5d. "
" " " " " "	"	20 " ...	1 " ...	14s. 11d. "
" " " " " "	"	22 " ...	1 " ...	17s. 5d. "
" " " " " "	"	24 " ...	1 " ...	19s. 7d. "
" " " " " "	"	26 " ...	1 " ...	22s. "
" " " " " "	"	28 " ...	1 " ...	23s. 7d. "
" " " " " "	"	30 " ...	1 " ...	25s. 2d. "
FRAME BATHS, galvanized iron, up to 6 feet long, up to 22 inches wide, and up to 22 inches deep (Assistance to be given for knocking up)	26-gauge iron	"	3 articles	7s. 2d. each
" " " " " "	24 " "	"	3 " ...	7s. 2d. "
" " " " " "	22 " "	"	2 " ...	9s. "
PLUNGE BATHS, moulded	"	48 inches ...	2 " ...	9s. 5d. "
" " " " " "	24-gauge iron or lighter	54 " ...	2 " ...	10s. 11d. "
" " " " " "	"	60 " ...	2 " ...	12s. 2d. "
" " " " " "	"	66 " ...	2 " ...	13s. "
" " " " " "	"	72 " ...	2 " ...	14s. 2d. "
" " " " " "	"	"	2 " ...	1s. 3d. each bath extra
If galvanized iron used for beads for Plunge or Child's Baths	"	"	"	1s. 2d. " "
<b>(3.) BINS.</b>				
FLOUR BINS, with body wired, back-lapped, and swedged; bottom knocked up and hooped or studded (4 studs); lid with a rim not less than 2½ inches deep; top blocked and paneled on to rim; hasp and hinge on cover; and three oval wire handles	IXX tin plate or lighter	25 lbs. ...	6 articles	2s. 8d. each
" " " " " "	"	50 " ...	6 " ...	3s. 4d. "
" " " " " "	"	75 " ...	4 " ...	3s. 11d. "
FLOUR BINS, with body wired, back-lapped, and swedged, for galvanized hoop; hoop about 20 gauge and 1½ inches wide; bottom knocked up; lid with a rim not less than 2½ inches deep; top blocked and paneled on to rim; hasp and hinge on cover; and three oval wire handles	Galv. or lead-coated iron, 24-gauge or lighter	100 " ...	3 " ...	6s. 2d. each
" " " " " "	"	200 " ...	3 " ...	7s. 2d. "
" " " " " "	"	250 " ...	2 " ...	7s. 11d. "
<b>(4.) BOILERS.</b>				
TIN BOILERS, oval, with pitched covers...	"	3 gallons ...	1 dozen ...	13s. 7d. per doz.
" " " " " "	"	4 " ...	1 " ...	15s. 8d. "
" " " " " "	"	5 " ...	1 " ...	15s. 9d. "
" " " " " "	"	7 " ...	6 articles	21s. 1d. "
" " " " " "	"	10 " ...	6 " ...	24s. 5d. "
" " " " " "	"	3 " ...	1 dozen ...	17s. 8d. "
" " " " " "	"	4 " ...	1 " ...	19s. 10d. "
" " " " " "	"	5 " ...	1 " ...	19s. 10d. "
" " " " " "	IX tin plate or lighter	7 " ...	6 articles	25s. 6d. "
" " " " " "	"	10 " ...	6 " ...	29s. 4d. "
" " " " " "	"	3 " ...	1 dozen ...	12s. "
" " " " " "	"	4 " ...	1 " ...	13s. 7d. "
" " " " " "	"	5 " ...	1 " ...	13s. 7d. "
" " " " " "	"	7 " ...	6 articles	17s. 8d. "
" " " " " "	"	10 " ...	6 " ...	22s. "
If copper bottoms are used on above—Tinning same	"	"	"	5s. per doz. extra

Less 7 per cent.

## PIECE-WORK—continued.

Articles.	Material.	Size.	When given out in the under-mentioned Quantities or more.	Prices.
(5.) BOTTLES.				
OIL BOTTLES, round with plain necks and knocked up bottoms, paned on breast	IX tin plate or lighter	1 quart ...	3 dozen ...	5s. 9d. per doz.
" " " " " " " "		2 quarts ...	3 " ...	6s. 7d. "
" " " " " " " "		4 " ...	2 " ...	8s. 3d. "
" " " " with stamped nozzles ...		...	...	3d. per doz. deducted
" " " " with patent screws (spouts supplied)		1 quart ...	3 dozen ...	5s. 9d. per doz.
" " " " " " " "		2 quarts ...	3 " ...	6s. 7d. "
" " " " " " " "		4 " ...	2 " ...	8s. 3d. "
" " " " with slipped on bottoms and breasts		...	...	4d. per doz. deducted
TEA BOTTLES, oval, with slipped on bottoms and breasts				
" " " " " " " "	IC tin plate	1 pint ...	3 dozen ...	6s. 2d. per doz.
" " " " " " " "		1½ pints ...	3 " ...	6s. 7d. "
" " " " " " " "		2 " ...	3 " ...	8s. 3d. "
" " " " " " " "		3 " ...	2 " ...	9s. "
" " " " " " " "		4 " ...	2 " ...	9s. 5d. "
" " " " " " " "		6 " ...	2 " ...	10s. 9d. "
" " " " with stamped nozzles ...		...	...	3d. per doz. deducted
(6.) BOXES.				
BONNET BOXES, round, including hasp ...	IXX tin plate or lighter	13 inches ...	3 dozen ...	13s. per doz.
" " " " " " " "		14 " ...	3 " ...	13s. "
" " " " " " " "		15 " ...	3 " ...	13s. 9d. "
" " " " " " " "		16 " ...	3 " ...	13s. 9d. "
" " " " " " " "		17 " ...	3 " ...	14s. 7d. "
" " " " " " " "		18 " ...	3 " ...	14s. 7d. "
" " " " " " " " hasp supplied ...		13 " ...	3 " ...	13s. "
" " " " " " " "		14 " ...	3 " ...	13s. "
" " " " " " " "		15 " ...	3 " ...	13s. 9d. "
" " " " " " " "		16 " ...	3 " ...	13s. 9d. "
" " " " " " " "	28-gauge steel	17 " ...	3 " ...	15s. 8d. "
" " " " " " " "		18 " ...	3 " ...	15s. 8d. "
" " " " " " " "		20 " ...	3 " ...	18s. 2d. "
" " " " " " " "		22 " ...	2 " ...	24s. 6d. "
" " " " " " " " flat top or stamped top (hasp supplied) ...		13 " ...	3 " ...	14s. 7d. "
" " " " " " " "		14 " ...	3 " ...	14s. 7d. "
" " " " " " " "	26-gauge steel	15 " ...	3 " ...	15s. 8d. "
" " " " " " " "		16 " ...	3 " ...	15s. 8d. "
" " " " " " " "		17 " ...	3 " ...	16s. 6d. "
" " " " " " " "		18 " ...	3 " ...	16s. 6d. "
" " " " " " " "		20 " ...	3 " ...	19s. 8d. "
" " " " " " " "		22 " ...	3 " ...	19s. 7d. "
" " " " " " " " oval, including hasp ...	IXX tin plate or lighter	13 " ...	3 " ...	13s. 7d. "
" " " " " " " "		14 " ...	3 " ...	13s. 7d. "
" " " " " " " "		15 " ...	3 " ...	14s. 9d. "
" " " " " " " "		16 " ...	3 " ...	14s. 9d. "
" " " " " " " "		17 " ...	3 " ...	15s. 5d. "
" " " " " " " "		18 " ...	3 " ...	15s. 5d. "
" " " " " " " " hasp supplied ...	28-gauge steel	13 " ...	3 " ...	13s. 7d. "
" " " " " " " "		14 " ...	3 " ...	13s. 7d. "
" " " " " " " "		15 " ...	3 " ...	14s. 9d. "
" " " " " " " "		16 " ...	3 " ...	14s. 9d. "
" " " " " " " "		17 " ...	3 " ...	16s. 6d. "
" " " " " " " "		18 " ...	3 " ...	16s. 6d. "
" " " " " " " " flat top or stamped top (hasp supplied) ...	26-gauge steel	20 " ...	3 " ...	19s. 1d. "
" " " " " " " "		22 " ...	2 " ...	25s. 6d. "
" " " " " " " "		13 " ...	3 " ...	15s. 5d. "
" " " " " " " "		14 " ...	3 " ...	15s. 5d. "
" " " " " " " "		15 " ...	3 " ...	16s. 6d. "
" " " " " " " "		16 " ...	3 " ...	16s. 6d. "
" " " " " " " "	28-gauge steel	17 " ...	3 " ...	16s. 6d. "
" " " " " " " "		18 " ...	3 " ...	16s. 6d. "
" " " " " " " "		20 " ...	3 " ...	19s. 1d. "
" " " " " " " "		22 " ...	2 " ...	25s. 6d. "
" " " " " " " " if black iron tops and bottoms not supplied ...	All gauges	...	...	1s. 2d. per doz. extra
" " " " " " " " with front handles ...		...	...	10d. " "
If wire handles and plates supplied for bonnet boxes ...	8 and 10-gauge wire	...	...	1½d. per doz. boxes deducted
SPICE BOXES, round, with six compartments and loose grater	IX tin plate or lighter	6 inches ...	6 articles	27s. 8d. per doz.
" " " " " " " "		7 " ...	6 " ...	29s. 4d. "
" " " " " " " "		8 " ...	6 " ...	33s. "

Less 7 per cent.

## PIECE-WORK—continued.

Articles.	Material.	Size.	When given out in the under-mentioned Quantities or more.	Prices.
<b>BOXES—continued.</b>				
SUGAR BOXES, wired inside and swedged	1X tin plate or lighter	No. 0	3 doz	5s. 6d. per doz.
" " " "		" 1	3 "	5s. 6d. "
" " " "		" 2	3 "	5s. 11d. "
" " " "		" 3	3 "	6s. 9d. "
" " " "		" 4	3 "	7s. 2d. "
" " " "		" 5	3 "	7s. 11d. "
" " " " (made in two pieces)		" 6	3 "	8s. 8d. "
		...	...	5d. per doz. extra
TRUNKS, common, moulded (cutting out, top and body edging, moulding, and wiring supplied) 2 swedges	26-gauge steel or lighter	20 inches	1 dozen	14s. 7d. per doz.
" " " " " " " " 2 swedges		22 "	1 "	14s. 7d. "
" " " " " " " " 2 swedges		24 "	1 "	15s. 11d. "
" " " " " " " " 3 swedges		26 "	1 "	17s. 11d. "
" " " " " " " " 3 swedges		28 "	1 "	22s. 1d. "
" " " " " " " " 4 swedges		30 "	1 "	23s. 10d. "
" " " " " " " " 4 swedges	24-gauge steel or lighter	33 "	6 articles	41s. 4d. "
" moulded, strapped (cutting out, top and body edging, moulding, and wiring supplied) 2 swedges	26-gauge steel or lighter	20 "	1 dozen	29s. 6d. "
" " " " " " " " 2 swedges		22 "	1 "	29s. 6d. "
" " " " " " " " 3 swedges		24 "	1 "	31s. "
" " " " " " " " 3 swedges		26 "	1 "	33s. "
" " " " " " " " 4 swedges		28 "	1 "	36s. 1d. "
" " " " " " " " 4 swedges		30 "	1 "	39s. 7d. "
" " " " " " " " 4 swedges	24-gauge steel or lighter	33 "	6 articles	48s. 10d. "
" " " " " " " " 4 swedges		36 "	6 "	59s. "
" common, moulded (moulding and wiring supplied) 2 swedges	26-gauge steel or lighter	20 "	1 dozen	25s. 5d. "
" " " " " " " " 2 swedges		22 "	1 "	25s. 5d. "
" " " " " " " " 3 swedges		24 "	1 "	27s. 4d. "
" " " " " " " " 3 swedges		26 "	1 "	29s. 2d. "
" " " " " " " " 4 swedges		28 "	1 "	32s. 3d. "
" " " " " " " " 4 swedges		30 "	1 "	35s. 6d. "
" " " " " " " " 4 swedges	24-gauge steel or lighter	33 "	6 articles	57s. 8d. "
" moulded, strapped (moulding and wiring supplied) 2 swedges	26-gauge steel or lighter	20 "	1 dozen	35s. 4d. "
" " " " " " " " 2 swedges		22 "	1 "	35s. 4d. "
" " " " " " " " 3 swedges		24 "	1 "	37s. 9d. "
" " " " " " " " 3 swedges		26 "	1 "	39s. 7d. "
" " " " " " " " 4 swedges		28 "	1 "	44s. "
" " " " " " " " 4 swedges		30 "	1 "	47s. 3d. "
" " " " " " " " 4 swedges	24-gauge steel or lighter	33 "	6 articles	48s. 10d. "
" " " " " " " " 4 swedges		36 "	6 "	65s. 3d. "
" common, wired (cutting out, top and body edging, and top and body wiring supplied) 2 swedges	26-gauge steel or lighter	20 "	1 dozen	23s. 1d. "
" " " " " " " " 2 swedges		22 "	1 "	23s. 1d. "
" " " " " " " " 3 swedges		24 "	1 "	23s. 11d. "
" " " " " " " " 3 swedges		26 "	1 "	25s. 6d. "
" " " " " " " " 4 swedges		28 "	1 "	29s. 1d. "
" " " " " " " " 4 swedges		30 "	1 "	31s. "
" " " " " " " " 4 swedges	24-gauge steel or lighter	33 "	6 articles	45s. 10d. "
" wired, strapped (cutting out, top and body edging, and top and body wiring supplied) 2 swedges	26-gauge steel or lighter	20 "	1 dozen	37s. 9d. "
" " " " " " " " 2 swedges		22 "	1 "	37s. 9d. "
" " " " " " " " 3 swedges		24 "	1 "	39s. 7d. "
" " " " " " " " 3 swedges		26 "	1 "	41s. 4d. "
" " " " " " " " 4 swedges		28 "	1 "	44s. 9d. "
" " " " " " " " 4 swedges		30 "	1 "	48s. "
" " " " " " " " 4 swedges	24-gauge steel or lighter	33 "	6 articles	60s. 6d. "
" " " " " " " " 4 swedges		36 "	6 "	73s. 10d. "
" common (top wiring supplied) 2 swedges	26-gauge steel or lighter	20 "	1 dozen	29s. 11d. "
" " " " " " " " 2 swedges		22 "	1 "	29s. 11d. "
" " " " " " " " 3 swedges		24 "	1 "	31s. "
" " " " " " " " 3 swedges		26 "	1 "	33s. 10d. "
" " " " " " " " 4 swedges		28 "	1 "	36s. 11d. "
" " " " " " " " 4 swedges		30 "	1 "	39s. 5d. "
" " " " " " " " 4 swedges	24-gauge steel or lighter	33 "	6 articles	60s. 2d. "
" strapped (top wiring supplied) 2 swedges	26-gauge steel or lighter	20 "	1 dozen	43s. 3d. "
" " " " " " " " 2 swedges		22 "	1 "	44s. 9d. "
" " " " " " " " 3 swedges		24 "	1 "	46s. 6d. "
" " " " " " " " 3 swedges		26 "	1 "	50s. 3d. "
" " " " " " " " 4 swedges		28 "	1 "	54s. 3d. "
" " " " " " " " 4 swedges		30 "	1 "	59s. "
" " " " " " " " 4 swedges		33 "	1 "	61s. 3d. "

Less 7 per cent.

## PIECE-WORK—continued.

Articles.	Material.	Size.	When given in the under- mentioned Quantities or more.	Prices.
<b>BOXES—continued.</b>				
Trunks, strapped (top wiring supplied) 4 swedges	24-gauge steel or lighter	33 inches ...	6 articles	79s. 6d. per doz.
" " " " " " " "		36 " " "	6 " " "	88s. 1d. "
" wired, strapped, complete 2 swedges		20 " " "	1 dozen ..	44s. 10d. "
" " " " " " " "		22 " " "	1 " " "	46s. 6d. "
" " " " " " " "		24 " " "	1 " " "	48s. "
" " " " " 3 swedges	26-gauge steel or lighter	26 " " "	1 " " "	51s. 11d. "
" " " " " " " "		28 " " "	1 " " "	55s. 10d. "
" " " " " " " "		30 " " "	1 " " "	61s. 5d. "
" " " " " 4 swedges		30 " " "	1 " " "	63s. "
" " " " " " " "	24-gauge steel or lighter	33 " " "	6 articles	81s. "
" " " " " " " "		36 " " "	6 " " "	89s. 7d. "
" cabin, common, moulded (cutting out, top and body edging, moulding, and wiring supplied) 2 swedges	26-gauge steel or lighter	24 " " "	1 dozen ...	17s. 7d. "
" " " " " " " "		26 " " "	1 " " "	19s. 4d. "
" " " " " 3 swedges		28 " " "	1 " " "	20s. "
" " " " " " " "		30 " " "	1 " " "	22s. 2d. "
" " " " " 4 swedges	24-gauge steel or lighter	33 " " "	1 " " "	34s. 4d. "
" cabin, moulded, strapped (cutting out, top and body edging, moulding, and wiring supplied) 2 swedges	26-gauge steel or lighter	24 " " "	1 " " "	31s. "
" " " " " " " "		26 " " "	1 " " "	33s. "
" " " " " 3 swedges		28 " " "	1 " " "	34s. 7d. "
" " " " " " " "		30 " " "	1 " " "	36s. 2d. "
" " " " " 4 swedges	24-gauge steel or lighter	33 " " "	6 articles...	39s. 7d. "
" " " " " " " "		36 " " "	6 " " "	44s. 10d. "
" cabin, moulded (moulding and wiring supplied) 2 swedges	26-gauge steel or lighter	24 " " "	1 dozen ...	28s. 2d. "
" " " " " " " "		26 " " "	1 " " "	30s. 6d. "
" " " " " 3 swedges		28 " " "	1 " " "	32s. 2d. "
" " " " " " " "		30 " " "	1 " " "	34s. "
" " " " " 4 swedges	24-gauge steel or lighter	33 " " "	6 articles .	48s. 7d. "
" cabin, strapped (moulding and wiring supplied) 2 swedges	26-gauge steel or lighter	24 " " "	1 dozen ..	37s. 9d. "
" " " " " " " "		26 " " "	1 " " "	39s. 7d. "
" " " " " 3 swedges		28 " " "	1 " " "	42s. 6d. "
" " " " " " " "		30 " " "	1 " " "	44s. "
" " " " " 4 swedges	24-gauge steel or lighter	33 " " "	6 articles...	48s. "
" " " " " " " "		36 " " "	6 " " "	57s. "
" cabin, common, wired (cutting out, top and body edging, and top and body wiring supplied) 2 swedges	26-gauge steel or lighter	24 " " "	1 dozen ..	23s. 11d. "
" " " " " " " "		26 " " "	1 " " "	25s. 11d. "
" " " " " 3 swedges		28 " " "	1 " " "	29s. 11d. "
" " " " " " " "		30 " " "	1 " " "	31s. 5d. "
" " " " " 4 swedges	24-gauge steel or lighter	33 " " "	6 articles..	39s. 4d. "
" " " " " " " "		36 " " "	6 " " "	46s. 6d. "
" cabin, strapped, wired (cutting out, top and body edging, and top and body wiring supplied) 2 swedges	26-gauge steel or lighter	24 " " "	1 dozen ...	39s. 7d. "
" " " " " " " "		26 " " "	1 " " "	41s. 4d. "
" " " " " 3 swedges		28 " " "	1 " " "	43s. 3d. "
" " " " " " " "		30 " " "	1 " " "	44s. 10d. "
" " " " " 4 swedges	24-gauge steel or lighter	33 " " "	6 articles...	48s. "
" " " " " " " "		36 " " "	6 " " "	55s. "
" cabin, common, wired (top wirings supplied) 2 swedges	26-gauge steel or lighter	24 " " "	1 dozen ...	31s. 10d. "
" " " " " " " "		26 " " "	1 " " "	33s. 10d. "
" " " " " 3 swedges		28 " " "	1 " " "	37s. 9d. "
" " " " " " " "		30 " " "	1 " " "	39s. 4d. "
" " " " " 4 swedges	24-gauge steel or lighter	33 " " "	6 articles...	48s. "
" " " " " " " "		36 " " "	6 " " "	55s. 10d. "
" cabin, strapped, wired (top wiring supplied) 2 swedges	26-gauge steel or lighter	24 " " "	1 dozen ...	44s. 10d. "
" " " " " " " "		26 " " "	1 " " "	46s. 6d. "
" " " " " 3 swedges		28 " " "	1 " " "	48s. "
" " " " " " " "		30 " " "	1 " " "	53s. 6d. "
" " " " " 4 swedges	24-gauge steel or lighter	33 " " "	6 articles...	55s. 1d. "
" " " " " " " "		36 " " "	6 " " "	60s. 5d. "
" " " " " " " "		36 " " "	6 " " "	65s. 3d. "
" cabin, strapped, wired, complete 2 swedges	26-gauge steel or lighter	24 " " "	1 dozen ...	48s. "
" " " " " " " "		26 " " "	1 " " "	50s. 3d. "
" " " " " 3 swedges		28 " " "	1 " " "	52s. 8d. "
" " " " " " " "		30 " " "	1 " " "	55s. 10d. "
" " " " " 4 swedges	24-gauge steel or lighter	33 " " "	1 " " "	59s. 2d. "
" " " " " " " "		36 " " "	6 articles...	62s. 2d. "
" " " " " " " "		36 " " "	6 " " "	67s. 7d. "
If corners fitted on lids for 20-inch to 30-inch common trunks ...				9d. per doz. trunks extra
Swivels, end-handles and corners of all trunks supplied.				
Wires for all moulded trunks supplied.				
Wires for tops of wired trunks supplied.				

Less 7 per cent.

## PIECE-WORK—continued.

Articles.	Material,	Size.	When given out in the under- mentioned Quantities or more.	Prices.
<b>BOXES—continued.</b>				
TRUNKS where wiring, moulding, and corner pieces for bodies are not supplied ... ..	... ..	{ 20, 22, 24, and 26 inches 28, 30, 33, and 36 inches	... ..	6s. 3d. per doz. trunks extra
TRUNKS (machine work), cutting out, top and body edging, moulding, and wiring (wires supplied) ... ..	... ..	... ..	... ..	7s. 11d. per doz. trunks extra
" " " " " "	{ 26-gauge steel or lighter	20 inches .	3 dozen ...	5s. 5d. per doz.
" " " " " "		22 " "	3 " "...	5s. 5d. "
" " " " " "		24 " " "	3 " "...	5s. 10d. "
" " " " " "		26 " " "	3 " "...	6s. 3d. "
" " " " " "		28 " " "	3 " "...	6s. 7d. "
" " " " " "		30 " " "	3 " "...	7s. 6d. "
" " " " " "		33 " " "	2 " "...	8s. 9d. "
" " " " " "		36 " " "	1 " "...	11s. 4d. "
" " " " " "	{ 24-gauge steel or lighter	... ..	... ..	... ..
(7.) BUCKETS.				
BLACK IRON BUCKETS, common, stamped or forged ears, two rivet holes ... ..	{ 28-gauge iron or lighter	11 inches	6 dozen ...	5s. per doz.
" " " " " "		12 " "	6 " "...	5s. "
" " " " " "		13 " " "	6 " "...	5s. 4d. "
" " " " " "		14 " " "	6 " "...	6s. 2d. "
BLACK IRON BUCKETS, common, stamped or forged ears, three rivet holes ... ..		11 " "	3 " "...	5s. 4d. "
" " " " " "		12 " " "	3 " "...	5s. 4d. "
" " " " " "		13 " " "	3 " "...	5s. 9d. "
" " " " " "		14 " " "	3 " "...	6s. 9d. "
BLACK IRON BUCKETS, strapped sides and bottoms ... ..		11 " "	2 " "...	7s. 5d. "
" " " " " "	{ 26-gauge iron or lighter	12 " "	2 " "...	7s. 5d. "
" " " " " "		13 " " "	2 " "...	8s. 3d. "
" " " " " "		14 " " "	2 " "...	9s. "
BLACK IRON BUCKETS, strapped, wrought ears, two rivet holes ... ..		11 " "	2 " "...	6s. 9d. "
" " " " " "		12 " " "	2 " "...	6s. 9d. "
" " " " " "		13 " " "	2 " "...	7s. 5d. "
" " " " " "		14 " " "	2 " "...	8s. 8d. "
BLACK IRON BUCKETS, strapped, wrought ears, three rivet holes ... ..		11 " "	2 " "...	7s. 5d. "
" " " " " "		12 " " "	2 " "...	7s. 5d. "
" " " " " "		13 " " "	2 " "...	8s. 3d. "
" " " " " "		14 " " "	2 " "...	9s. "
MILK BUCKETS, tin, with bail; hollow bottom, and tin hoop (bail supplied) ... ..	{ IX tin plate or lighter	11 inches dia-meter x 9 inches deep	4 " "...	6s. 2d. "
" " " " " "		13 inches dia-meter x 9 inches deep	4 " "...	6s. 9d. "
MILK BUCKETS, tin, with hollow bottoms, and tinned or galvanized hoops and bails (bails supplied) ... ..		11 inches dia-meter x 9 inches deep	4 " "...	6s. 2d. "
" " " " " "		13 inches dia-meter x 9 inches deep	4 " "...	6s. 9d. "
" " " " " "		11 inches dia-meter x 11 inches deep	3 " "...	7s. 5d. "
" " " " " "		13 inches dia-meter x 11 inches deep	3 " "...	9s. "
" " " " " "		11 inches dia-meter x 18 inches deep	1 " "...	9s. 11d. "
" " " " " "		12 inches dia-meter x 18 inches deep	1 " "...	10s. 11d. "
MILK BUCKETS, tin—Making bails for ... ..		All sizes ...	... ..	5d " extra
" " tin (if stamped bottom supplied)	... ..	" " "	... ..	4d. per doz. deducted
STRAINER MILK BUCKETS, tin, part covered, with lip and brass wire strainer, hollow bottom, and tinned or galvanized hoop and bails (bails supplied) ... ..	{ IX tin plate or lighter	11 inches dia-meter x 9 inches deep	1½ dozen	14s. 11d. per doz.
" " " " " "		11 inches dia-meter x 11 inches deep	1½ " "...	14s. 11d. "
" " " " " "		13 inches dia-meter x 9 inches deep	1½ " "...	15s. 8d. "
With back handle ... ..		... ..	... ..	1s. 11d. per doz. extra

Less 7 per cent.



## PIECE-WORK—continued.

Articles.	Material.	Size.	When given out in the under-mentioned Quantities or more.	Prices.
BUCKETS—continued.				
ALL MILK BUCKETS—If ears soldered to outside of bucket ... ..	...	...	...	1s. 10d. per doz. extra
TIN BUCKETS, with flat bottoms and stamped ears	IC tin plate	11 inches diameter x 9 inches deep	6 dozen ...	5s. 4d. per doz.
TIN BUCKETS, with tin hoop and stamped ears ...	IC tin plate ...	13 inches diameter x 9 inches deep	6 " ...	6s. 2d. "
" with 1½-in. or 1¼-in. hoop and strap	IC tin plate ...	" "	2 " ...	8s. 8d. "
" with 1½-in. hoop and strap ...	IX tin plate ...	" "	2 " ...	9s. 5d. "
" with 1¼-in. hoop and strap ...	IXX tin plate	" "	2 " ...	10s. 9d. "
If bails supplied for strapped tin buckets	...	...	...	3d. per doz. deducted
(8.) CANISTERS.				
ROUND CANISTERS, with slipped on bottle neck (top blanks supplied)	IC tin plate	½ lb. ...	4 dozen	4s. 7d. per doz.
" " " "		1 " ...	4 " "	5s. " "
" " " "		2 lbs. ...	4 " "	5s. 4d. "
" " " "		3 " ...	3 " "	5s. 9d. "
" " " "		4 " ...	3 " "	6s. 9d. "
(9.) CANS.				
CREAM CANS, grooved, three hoops, double rim cover (including use of guillotine)	20-gauge tinned steel or lighter, or DXXXX tin plate or lighter	20 quarts ...	1 dozen ...	7s. 11d. each
" " " " " "		30 " ...	1 " ...	7s. 11d. "
" " " " " "		40 " ...	1 " ...	8s. 8d. "
" four hoops, double rim cover (including use of guillotine) ...		40 " ...	1 " ...	9s. "
" three hoops, single rim cover (including use of guillotine) ...		20 " ...	1 " ...	6s. 2d. "
" " " " " "		30 " ...	1 " ...	6s. 2d. "
" " " " " "		40 " ...	1 " ...	7s. 2d. "
" four " " " " " "		40 " ...	1 " ...	7s. 5d. "
" If not cleaned and tested by maker		All sizes ...	...	3d. per can deducted
" If hoops supplied for		" " ...	...	6d. per doz. hoops deducted
" If cover stamping or blocking supplied for	...	40 quarts ...	...	1s. 6d. per doz. deducted
" If bottoms supplied for	...	40 " ...	...	1s. per doz. deducted
HARVEST CANS, with pannikin supplied	IX tin plate or lighter	2 quarts ...	1½ dozen ...	9s. 9d. per doz.
" " " " " "		3 " ...	1½ " ...	10s. 10d. "
" " " " " "		4 " ...	1½ " ...	11s. 6d. "
" " " " " "		6 " ...	1 " ...	12s. 3d. "
" " " " " "		8 " ...	1 " ...	12s. 11d. "
" " " " " "		10 " ...	1 " ...	14s. 4d. "
" " " " " "		12 " ...	1 " ...	16s. 1d. "
" " " " " if with spouts	...	All sizes ...	...	2s. 9d. per doz. extra
HOT WATER CANS, knocked up bottoms	IX tin plate or lighter	3 pints ...	1 dozen ...	18s. 2d. per doz.
" " " " " "		2 quarts ...	1 " ...	18s. 2d. "
" " " " " "		3 " ...	1 " ...	22s. "
" " " " " "		4 " ...	1 " ...	22s. "
" wired, bottom let in...		3 pints ...	1 " ...	19s. 10d. "
" " " " " "		2 quarts ...	1 " ...	19s. 10d. "
" " " " " "		3 " ...	1 " ...	23s. 8d. "
" " " " " "		4 " ...	1 " ...	23s. 8d. "
HOT WATER CANS ... ..	26-gauge galv. iron or lighter	All sizes ...	...	4s. 3d. per doz. extra
JACK SHAY CANS, straight body	IC tin plate	1 quart ...	2 dozen ...	7s. 11d. per doz.
" tapered body		1 " ...	2 " ...	10s. 4d. "
MINERS' CANS	IC tin plate	1½ pints ...	2 " ...	8s. 3d. "
" " " " " "		2 " ...	2 " ...	8s. 2d. "
" " " " " "		3 " ...	2 " ...	8s. 8d. "
" " " " " "		4 " ...	2 " ...	9s. 9d. "
" " " " " "		6 " ...	1½ " ...	10s. 9d. "
RAILWAY MILK CANS, grooved, two hoops (including use of guillotine, cleaning and testing) ... ..	20-gauge tinned steel or lighter, or DXXXX tin plate or lighter	20 quarts ...	1 " ...	5s. 9d. each
" " " three hoops " "		30 " ...	1 " ...	5s. 9d. "
" " " four hoops " "		30 " ...	1 " ...	6s. 2d. "
" " " three hoops " "		40 " ...	1 " ...	6s. 2d. "
" " " four hoops " "		40 " ...	1 " ...	6s. 9d. "
" " " four hoops or less " "		50 " ...	6 articles ...	9s. "
" " If hoops supplied		All sizes ...	...	6d. per doz. hoops deducted

Less 7 per cent.

Less 7 per cent.

## PIECE-WORK—continued.

Articles.	Material.	Size.	When given out in the under-mentioned Quantities or more.	Prices.
<b>CANS—continued.</b>				
RAILWAY MILK CANS, if bottoms supplied	...	All sizes	...	1s. per doz. deducted
TOILET CANS, with knocked up bottoms (studs supplied)	IX tin plate or lighter	6 quarts	1 dozen	25s. 6d. per doz.
" " " "		8 " "	1 " "	28s. 3d. "
" " " "		10 " "	1 " "	31s. "
" " " "		12 " "	1 " "	33s. 10d. "
" " " "		16 " "	1 " "	37s. 11d. "
" body wired, and bottom let in		6 " "	1 " "	28s. 3d. "
" " " "		8 " "	1 " "	32s. 7d. "
" " " "		10 " "	1 " "	34s. 7d. "
" " " "		12 " "	1 " "	37s. 3d. "
" " " "		16 " "	1 " "	41s. 7d. "
" " " "	26-gauge galv. iron or lighter	All sizes	...	5s. 4d. per doz. extra
<b>(10.) COLANDERS.</b>				
HAND-MADE COLANDERS, machine-punched, with side handles	IX tin plate or lighter	9 inches	4 dozen	6s. 3d. per doz.
" " " "		11 " "	4 " "	7s. 5d. "
" " " "		13 " "	3 " "	9s. "
" " " "		15 " "	14 " "	10s. 7d. "
COLANDERS—If punched with hand punch		All sizes	...	2s. 9d. per doz. extra
<b>(11.) COVERS.</b>				
MEAT COVERS, with perforated zinc bodies (straight sides) and pitched top	IX tin plate or lighter	12 inches	3 dozen	5s. 6d. per doz.
" " " "		14 " "	3 " "	5s. 11d. "
" " " "		16 " "	3 " "	6s. 3d. "
" " " "		18 " "	3 " "	7s. 2d. "
" " " "		20 " "	2 " "	7s. 11d. "
" " " "		22 " "	1½ " "	9s. 5d. "
" " " "		24 " "	1 " "	10s. 11d. "
" with perforated zinc bodies (taper sides) and pitched top		12 " "	3 " "	6s. 3d. "
" " " "		14 " "	3 " "	7s. 2d. "
" " " "		16 " "	3 " "	7s. 5d. "
" " " "		18 " "	3 " "	8s. 3d. "
" " " "		20 " "	2 " "	9s. "
" " " "		22 " "	1½ " "	10s. 11d. "
" " " "		24 " "	1 " "	12s. 6d. "
" with perforated zinc bodies (taper sides) single rim, and blocked tops (wheeling found)...	IX tin plate or lighter	14 " "	3 " "	8s. 8d. per doz.
" " " "		15 " "	3 " "	9s. "
" " " "		16 " "	3 " "	9s. 5d. "
" " " "		17 " "	3 " "	10s. 3d. "
" " " "		18 " "	3 " "	10s. 11d. "
" " " "		20 " "	1 " "	12s. 6d. "
" " " "		22 " "	1 " "	14s. 2d. "
" " " "		24 " "	1 " "	17s. 3d. "
" with double rims if stamped or blocked tops supplied or ...		All sizes	...	2s. 4d. per doz. extra
" " " "		14 inches	...	6d. per dozen deducted
" " " "		15 " "	...	6d. "
" " " "		16 " "	...	9d. "
" " " "		17 " "	...	9d. "
" " " "		18 " "	...	9d. "
" " " "		20 " "	...	1s. "
" " " "		22 " "	...	1s. "
" " " "		24 " "	...	1s. "
<b>(12.) DIPPERS.</b>				
COMMON DIPPERS	X tin plate or lighter	2 quarts	6 dozen	2s. 11d. per doz.
" " " "		3 " "	6 " "	2s. 11d. "
BEST DIPPERS, bossed		2 " "	4 " "	5s. "
" " " "		3 " "	4 " "	5s. "
" " " "		4 " "	2 " "	6s. 2d. "
DIPPERS—Soldering studs on		...	...	5d. per doz. dippers extra
<b>(13.) DISHES.</b>				
DEVON DISHES, about 9 inches deep, flat bottoms	IX tin plate or lighter	14 inches	3 dozen	6s. 3d. per doz.
" " " "		16 " "	3 " "	7s. 5d. "
" " " "		18 " "	2 " "	8s. 8d. "
" " " "		20 " "	1 " "	9s. 9d. "
" " " "		22 " "	1 " "	11s. 5d. "
" " " " with hoops		All sizes	...	1s. 10d. per doz. extra

Less 7 per cent.

Articles.	Material.	Size.	When given out in the under- mentioned Quantities or more.	Prices.
<b>DISHES—continued.</b>				
MILK DISHES ... ..	IX tin plate or lighter	17 inches ...	2 dozen ...	6s. 9d. per doz.
" " " " " "		18½ " " " "	2 " " " "	7s. 11d. "
" " " " " "		20 " " " "	2 " " " "	9s. " "
SCALDING DISHES, about 6 inches deep, flat bottoms	IX tin plate or lighter	22 " " " "	2 " " " "	9s. 9d. "
" " " " " "		14 " " " "	2 " " " "	5s. 11d. "
" " " " " "		16 " " " "	2 " " " "	6s. 9d. "
ROUND DISHES, flat bottoms, made ready for gal- vanizing ... ..	IX tin plate or lighter	18 " " " "	2 " " " "	8s. 8d. "
" " " " " "		14 inches ...	3 dozen ...	5s. 1d. per doz.
" " " " " "		15 " " " "	3 " " " "	5s. 6d. "
" " " " " "	IX tin plate or lighter	17 " " " "	3 " " " "	6s. 9d. "
" " making wire handles for ...		12 x 8 inches	3 dozen ...	5d. per doz. dishes extra
SQUARE DISHES, tin ... ..		12 x 9 " "	3 " " " "	5s. 1d. per doz.
" " " " " "		14 x 10 " "	3 " " " "	5s. 11d. "
" " " " " "		14 x 11 " "	3 " " " "	6s. 3d. "
" " " " " "		16 x 11 " "	3 " " " "	6s. 9d. "
" " " " " "		16 x 12 " "	2 " " " "	6s. 9d. "
" " " " " "		17 x 12 " "	2 " " " "	7s. 11d. "
" " " " " "		18 x 12 " "	2 " " " "	7s. 11d. "
" " " " " "		18 x 14 " "	2 " " " "	8s. 8d. "
" " " " " "		20 x 14 " "	2 " " " "	9s. " "
" " if formed in angle-bender ...		... ..	... ..	3d. per doz. deducted
<b>(14.) DREDGERS.</b>				
FLOUR DREDGERS (tops and feet supplied) ...	IC tin plate {	No. 1 ...	6 dozen ...	3s. per doz.
" " " " " "		No. 2 ...	6 " " " "	3s. 9d. "
<b>(15.) FEEDERS.</b>				
CARPENTERS' FEEDERS ... ..	IX tin plate or lighter	... pint ...	4 dozen ...	4s. 4d. per doz.
OIL FEEDERS, funnel shape ... ..		1 pint ...	2 " " " "	7s. 5d. "
" " " " " "		1 " " " "	2 " " " "	8s. 3d. "
" " " " " "		2 pints ...	2 " " " "	8s. 8d. "
" " for drays—McCormick's pattern ...		... ..	2 " " " "	7s. 5d. "
REAPING MACHINE OIL FEEDERS ... ..		... ..	2 " " " "	9s. 9d. "
If spouts supplied for Feeders (except Carpen- ters' Feeders) ... ..		... ..	... ..	9d. per doz. deducted
<b>(16.) FRAMES.</b>				
SPONGE CAKE FRAMES ... ..	IC tin plate ..	All sizes ...	1 dozen ...	19s. 10d. per doz.
<b>(17.) FUNNELS.</b>				
FUNNELS, without rims, not wired ... ..	IX tin plate	½ pint ...	8 dozen ...	1s. 11d. per doz.
" " " " wired ... ..		¾ " " " "	6 " " " "	2s. 11d. "
" " " " " "		1 " " " "	6 " " " "	2s. 11d. "
" " " " " "		1 " " " "	4 " " " "	3s. 4d. "
" " " " " "		1½ pints ...	4 " " " "	3s. 4d. "
" " " " " "		2 " " " "	4 " " " "	4s. 1d. "
" " " " " "		2½ " " " "	4 " " " "	4s. 1d. "
" " with rims ... ..		2 " " " "	3 " " " "	5s. 4d. "
" " " " " "		4 " " " "	3 " " " "	6s. 2d. "
" " " " " "		6 " " " "	2 " " " "	6s. 9d. "
" " " " " "	IX tin plate or lighter	8 " " " "	2 " " " "	8s. 8d. "
" " " " " "		10 " " " "	1½ " " " "	9s. 9d. "
" " " " " "		12 " " " "	1½ " " " "	10s. 9d. "
<b>(18.) GRATERS.</b>				
BREAD GRATERS, half round (punched plates supplied) ... ..	IX tin plate	No. 1 ...	6 dozen ...	2s. 9d. per doz.
" " " " " "		" 2 ...	6 " " " "	3s. 4d. "
" " " " punched by hand ...		" 1 ...	3 " " " "	4s. 6d. "
" " " " " "		" 2 ...	3 " " " "	5s. 4d. "
" " round (punched plates supplied)		" 1 ...	3 " " " "	4s. 1d. "
" " " " " "		" 2 ...	3 " " " "	4s. 7d. "
" " round (punched plates and graters on sides supplied)		" 1 ...	3 " " " "	4s. 7d. "
" " " " " "		" 2 ...	3 " " " "	5s. " "
" " round punched by hand ...		" 1 ...	3 " " " "	6s. 2d. "
" " " " " "		" 2 ...	3 " " " "	6s. 9d. "
NUTMEG GRATERS (punched plates supplied) ...	IC tin plate ..	All sizes ...	12 " " " "	1s. 11d. "

Less 7 per cent.

## PIECE-WORK—continued.

Articles.	Material.	Size.	When given out in the under- mentioned Quantities or more.	Prices.
<b>(19.) HODS.</b>				
COAL HODS, with stamped feet ... ..	24-gauge iron or lighter	No. 1 ...	1 dozen ...	14s. 2d. per doz.
" " " " " " " "		" 2 ...	1 " ...	14s. 7d. "
" " with feet hand-made and riveted on		" 1 ...	1 " ...	16s. 1d. "
" " " " " " " "		" 2 ...	1 " ...	16s. 6d. "
" " with knocked-up feet ... ..		" 1 ...	1 " ...	19s. 7d. "
" " " " " " " "		" 2 ...	1 " ...	19s. 7d. "
" " with stamped feet ... ..		" 1 ...	1 " ...	13s. "
" " " " " " " "		" 2 ...	1 " ...	13s. 5d. "
" " with feet hand-made and riveted on	26-gauge iron or lighter	" 1 ...	1 " ...	14s. 7d. "
" " " " " " " "		" 2 ...	1 " ...	14s. 11d. "
" " with knocked-up feet ... ..		" 1 ...	1 " ...	18s. 2d. "
" " " " " " " "		" 2 ...	1 " ...	18s. 2d. "
" " with feet hand-made and riveted on	28-gauge iron or lighter	" 1 ...	1 " ...	13s. 9d. "
" " " " " " " "		" 2 ...	1 " ...	14s. 2d. "
" " hooped ... ..	All gauges ...	" 1 ...	1 " ...	13s. 5d. "
" " when half-covered ... ..		All sizes ...	... ..	8s. 3d. per doz. extra
<b>(20.) KETTLES.</b>				
CAMP KETTLES, with stamped covers supplied ...	IX tin plate or lighter	1 quart ...	6 dozen ...	2s. 11d. per doz.
" " " " " " " "		1½ quarts...	6 " ...	3s. 4d. "
" " " " " " " "		2 " ...	6 " ...	3s. 9d. "
" " " " " " " "		3 " ...	4 " ...	4s. 1d. "
" " " " " " " "		4 " ...	4 " ...	4s. 6d. "
" " " " " " " "		6 " ...	4 " ...	4s. 9d. "
" " " " " " " "		8 " ...	3 " ...	6s. "
" " " " " " " "		10 " ...	{ 3 dozen assorted, not less than 1 dozen either size. }	6s. 9d. "
" " " " " " " "		12 " ...	dozen either size.	8s. 3d. "
" " with stamped covers, finished lid handles, rims ready for tacking, and circular blanks for bottoms supplied		1 quart ...	6 dozen ...	2s. 6d. per doz.
" " " " " " " "		1½ quarts	6 " ...	2s. 9d. "
" " " " " " " "		2 " ...	6 " ...	2s. 11d. "
" " " " " " " "	IX tin plate or lighter	3 " ...	4 " ...	3s. 4d. "
" " " " " " " "		4 " ...	4 " ...	3s. 9d. "
" " " " " " " "		6 " ...	4 " ...	4s. 1d. "
" " " " " " " "		8 " ...	3 " ...	4s. 9d. "
" " " " " " " "		10 " ...	{ 3 dozen assorted, not less than 1 dozen either size. }	6s. 3d. "
" " " " " " " "		12 " ...	dozen either size.	7s. 11d. "
" " with stamped covers, finished lid handles, rims ready for tack- ing, and use of circle cutters for bottoms		1 quart ...	6 dozen ...	2s. 8d. per doz.
" " " " " " " "		1½ quarts	6 " ...	2s. 11d. "
" " " " " " " "		2 " ...	6 " ...	3s. 4d. "
" " " " " " " "		3 " ...	6 " ...	3s. 5d. "
" " " " " " " "		4 " ...	4 " ...	3s. 9d. "
" " " " " " " "		6 " ...	4 " ...	4s. 6d. "
" " " " " " " "		8 " ...	3 " ...	5s. 6d. "
" " " " " " " "		10 " ...	{ 3 dozen assorted, not less than 1 dozen either size. }	6s. 3d. "
" " " " " " " "		12 " ...	dozen either size.	7s. 11d. "
" " with stamped covers, finished lid handles, finished rims, and cir- cular blanks for bottoms supplied	IX tin plate or lighter	1 quart ...	6 dozen ...	2s. 4d. per doz.
" " " " " " " "		1½ quarts	6 " ...	2s. 8d. "
" " " " " " " "		2 " ...	6 " ...	2s. 9d. "
" " " " " " " "		3 " ...	4 " ...	3s. 4d. "
" " " " " " " "		4 " ...	4 " ...	3s. 9d. "
" " " " " " " "		6 " ...	4 " ...	4s. 1d. "
" " " " " " " "		8 " ...	3 " ...	4s. 9d. "
" " " " " " " "		10 " ...	{ 3 dozen assorted, not less than 1 dozen either size. }	6s. 1d. "
" " " " " " " "		12 " ...	dozen either size.	7s. 11d. "

Less 7 per cent.

## PIECE-WORK—continued.

Articles.	Material.	Size.	When given out in the under-mentioned Quantities or more.	Prices.
KETTLES—continued.				
CAMP KETTLES, with stamped covers, finished lid handles, finished rims, and use of circle cutters for bottoms ...	IX tin plate or lighter	1 quart ...	6 dozen ...	2s. 6d. per doz
" " " " " " " " " " " " ...		1½ quarts	6 " ...	2s. 9d. "
" " " " " " " " " " " " ...		2 " ...	6 " ...	2s. 11d. "
" " " " " " " " " " " " ...		3 " ...	4 " ...	3s. 4d. "
" " " " " " " " " " " " ...		4 " ...	4 " ...	3s. 9d. "
" " " " " " " " " " " " ...		6 " ...	4 " ...	4s. 1d. "
" " " " " " " " " " " " ...		8 " ...	3 " ...	5s. 6d. "
" " " " " " " " " " " " ...		10 " ...	3 dozen assorted, not less than 1 dozen either size	6s. 3d. "
" " " " " " " " " " " " ...		12 " ...		7s. 11d. "
COPPER KETTLES (planishing and tinning supplied)		1 lb. copper or lighter	4 pints ...	6 articles...
" " " " " " " " " " " " ...	5 " ...		6 " ...	31s. 5d. "
" " " " " " " " " " " " ...	6 " ...		6 " ...	33s. 10d. "
" " " " " " " " " " " " ...	7 " ...		6 " ...	36s. 11d. "
" " " " " " " " " " " " tinning bottoms of	All sizes ...			1s. 10d. per doz. extra
FISH KETTLES (body handles supplied and covers wheeled) ...	DXXX tin plate or lighter	14 inches ...	6 articles...	47s. 3d. per doz.
" " " " " " " " " " " " ...		16 " ...	3 " ...	59s. 9d. "
" " " " " " " " " " " " ...		18 " ...	3 " ...	70s. 9d. "
" " " " " " " " " " " " ...		20 " ...	3 " ...	81s. 8d. "
" " " " " " " " " " " " ...		22 " ...	3 " ...	93s. 7d. "
" " " " " " " " " " " " ...		24 " ...	3 " ...	108s. 6d. "
" " " " " " " " " " " " smoothing covers on block		14 " ...		2s. 10d. per doz. extra
" " " " " " " " " " " " ...		16 " ...		3s. 9d. "
" " " " " " " " " " " " ...		18 " ...		5s. "
" " " " " " " " " " " " ...		20 " ...		5s. 9d. "
" " " " " " " " " " " " ...		22 " ...		6s. 9d. "
" " " " " " " " " " " " ...		24 " ...		7s. 11d. "
TEA KETTLES, oval, with tin bottoms ...	IX tin plate or lighter	3 pints ...	1½ dozen...	10s. 9d. per doz.
" " " " " " " " " " " " ...		4 " ...	1½ " ...	11s. 6d. "
" " " " " " " " " " " " ...		5 " ...	1½ " ...	12s. 11d. "
" " " " " " " " " " " " ...		6 " ...	1 " ...	13s. 9d. "
" " " " " " " " " " " " ...		8 " ...	1 " ...	15s. 9d. "
" " " " " " " " " " " " with 28 gauge galvanized iron bottoms		3 " ...	1½ " ...	11s. 6d. "
" " " " " " " " " " " " ...		4 " ...	1½ " ...	12s. 11d. "
" " " " " " " " " " " " ...		5 " ...	1½ " ...	13s. 9d. "
" " " " " " " " " " " " ...		6 " ...	1 " ...	14s. 7d. "
" " " " " " " " " " " " ...		8 " ...	1 " ...	16s. 6d. "
" " " " " " " " " " " " with tinned-copper bottoms...	IX tin plate or lighter	3 " ...	1½ " ...	12s. 3d. "
" " " " " " " " " " " " ...		4 " ...	1½ " ...	13s. 1d. "
" " " " " " " " " " " " ...		5 " ...	1½ " ...	14s. 2d. "
" " " " " " " " " " " " ...		6 " ...	1 " ...	15s. 9d. "
" " " " " " " " " " " " ...		8 " ...	1 " ...	17s. 4d. "
" " " " " " " " " " " " with copper bottoms tinned by maker		All sizes ...		1s. 10d. per doz. extra
" " " " " " " " " " " " round, straight, with tin bottoms...		1 pint ...	3 dozen ...	5s. per doz.
" " " " " " " " " " " " round, tapered, with 28-gauge galvanized-iron bottoms		2 pints ...	3 " ...	6s. 2d. "
" " " " " " " " " " " " ...		3 " ...	2 " ...	7s. 5d. "
" " " " " " " " " " " " ...		4 " ...	2 " ...	8s. 3d. "
" " " " " " " " " " " " ...		5 " ...	2 " ...	9s. 6d. "
" " " " " " " " " " " " ...		6 " ...	2 " ...	10s. 4d. "
" " " " " " " " " " " " ...		8 " ...	1 " ...	12s. 3d. "
" " " " " " " " " " " " straight, with tinned-copper bottoms	IX tin plate or lighter	1 pint ...	3 " ...	5s. 4d. "
" " " " " " " " " " " " ...		2 pints ...	3 " ...	6s. 9d. "
" " " " " " " " " " " " ...		3 " ...	2 " ...	7s. 11d. "
" " " " " " " " " " " " ...		4 " ...	2 " ...	8s. 8d. "
" " " " " " " " " " " " ...		5 " ...	2 " ...	9s. 11d. "
" " " " " " " " " " " " ...		6 " ...	2 " ...	10s. 9d. "
" " " " " " " " " " " " ...		8 " ...	1 " ...	12s. 11d. "
" " " " " " " " " " " " straight or tapered, with bottoms tinned by maker		All sizes ...	3 " ...	1s. 10d. per doz. extra
" " " " " " " " " " " " blocking covers and blocking and sweating breasts of		1 pint ...		2s. 4d. per doz. extra
" " " " " " " " " " " " ...		2 pints ...		2s. 4d. "
" " " " " " " " " " " " ...		3 " ...		2s. 4d. "
" " " " " " " " " " " " ...		4 " ...		3s. 4d. "
" " " " " " " " " " " " ...		5 " ...		3s. 4d. "
" " " " " " " " " " " " ...		6 " ...		3s. 4d. "
" " " " " " " " " " " " ...		8 " ...		3s. 9d. "
(21.) LAMPS.				
WALL LAMPS, with fonts ...	IXX tin plate or lighter Tops, 1 lb copper, or IXX tinplate or lighter	No. 1 ...	3 articles...	49s. 2d. per doz.
" " " " " " " " " " " " ...		" 2 ...	3 " ...	52s. 10d. "
" " " " " " " " " " " " ...		" 3 ...	3 " ...	57s. "

Less 7 per cent.



## PIECE-WORK—continued.

Articles.	Material.	Size.	When given out in the under- mentioned quantities or more.	Prices
<b>(25.) PANNIKINS.</b>				
PANNIKINS, with bottoms supplied ... ..	IX tin plate or lighter	½ pint ...	2 gross ...	9s. 10d per gross
" " " " " " " "		1 " ...	1½ " ...	11s. 6d. "
" " if handle blanks supplied ... ..		" " ...	" " ...	3d. per gross deducted
<b>(26.) POTS.</b>				
COFFEE-POTS, common ... ..	IX tin plate or lighter	2 pints ...	3 dozen ...	7s. 5d. per doz.
" " " " " " " "		3 " ...	3 " ...	7s. 11d. "
" " " " " " " "		4 " ...	2 " ...	9s. "
" " " " " " " "		5 " ...	2 " ...	9s. 10d. "
" " " " " " " "		6 " ...	2 " ...	11s. 6d. "
" " " " " " " "		7 " ...	1½ " ...	12s. 11d. "
" " " " " " " "		8 " ...	1½ " ...	14s. 7d. "
" best, riveted spouts and tin handles		All sizes ...	" " ...	3s. 9d. per doz. extra
<b>(27.) PUMPS.</b>				
KEROSENE PUMPS (funnel top or plain barrel) top blanks supplied	IC tin plate ...	" " ...	4 dozen ...	5s. per doz.
<b>(28.) SAFES.</b>				
MEAT SAFES, round ... ..	Zinc or IX tin plate or lighter. Trays, 26-gauge iron or lighter	12 inches ...	1 dozen ...	33s. per doz.
" " " " " " " "		14 " ...	1 " ...	34s. 7d. "
" " " " " " " "		16 " ...	1 " ...	37s. 9d. "
" " " " " " " "		18 " ...	1 " ...	42s. 4d. "
" " " " " " " "		20 " ...	6 articles	47s. 3d. "
" " " " " " " "		22 " ...	8 " ...	51s. 10d. "
" " " " " " " "		24 " ...	6 " ...	59s. 9d. "
" " loose bottoms		All sizes ...	" " ...	1s. 7d. per doz. extra
" " if trays supplied	" " "	All sizes ...	" " ...	1s. 6d. per doz. de- ducted
" square, with half-round, D shape, or basin shape top and zinc fronts (trays supplied)	Zinc or IX tin plate or lighter	12 inches ...	1 dozen ...	34s. 7d. per doz
" " " " " " " "		14 " ...	1 " ...	37s. 9d. "
" " " " " " " "		16 " ...	1 " ...	40s. 11d. "
" " " " " " " "		18 " ...	1 " ...	44s. "
" " " " " " " "		20 " ...	6 articles	48s. 9d. "
" square, with flat tops (with cup) having tapered sides and zinc fronts (trays supplied)		12 " ...	1 dozen ...	36s. 11d. "
" " " " " " " "		14 " ...	1 " ...	40s. 1d. "
" " " " " " " "		16 " ...	1 " ...	43s. 3d. "
" " " " " " " "		18 " ...	1 " ...	46s. 6d. "
" " " " " " " "		20 " ...	6 articles	51s. "
" square, with flat tops (with cup) having concave sides and zinc fronts (trays supplied)		12 " ...	1 dozen ...	39s. 4d. "
" " " " " " " "		14 " ...	1 " ...	42s. 4d. "
" " " " " " " "		16 " ...	1 " ...	45s. 7d. "
" " " " " " " "		18 " ...	1 " ...	48s. 9d. "
" " " " " " " "		20 " ...	6 articles	53s. 6d. "
" if fittings supplied		All sizes	" " ...	1s. 6d. per dozen safes deducted
<b>(29.) SAUCEPANS.</b>				
TIN SAUCEPANS, with tin bottoms (iron handles supplied)	IX tin plate or lighter	1 pint ...	6 dozen ...	3s. 4d. per doz.
" " " " " " " "		2 pints ...	4 " ...	3s. 9d. "
" " " " " " " "		3 " ...	4 " ...	4s. 2d. "
" " " " " " " "		4 " ...	4 " ...	4s. 7d. "
" " " " " " " "		6 " ...	3 " ...	5s. "
" " " " " " " "		8 " ...	3 " ...	5s. 4d. "
" " " " " " " "		10 " ...	2 " ...	5s. 9d. "
" with galvanized-iron bottoms (iron handles supplied)	Bodies	1 pint	6 " ...	3s. 9d. "
" " " " " " " "	IX tin plate	2 pints	4 " ...	4s. 2d. "
" " " " " " " "	or lighter;	3 " ...	4 " ...	4s. 7d. "
" " " " " " " "	Bottoms	4 " ...	4 " ...	5s. "
" " " " " " " "	28-gauge	6 " ...	3 " ...	5s. 4d. "
" " " " " " " "	galv. iron	8 " ...	3 " ...	5s. 9d. "
" " " " " " " "	" " "	10 " ...	2 " ...	6s. 2d. "
" with tinned-copper bottoms (iron handles supplied)	Bodies	1 pint	3 " ...	4s. 7d. "
" " " " " " " "	IX tin plate	2 pints	3 " ...	5s. "
" " " " " " " "	or lighter	3 " ...	3 " ...	5s. 4d. "
" " " " " " " "	" " "	4 " ...	2 " ...	5s. 9d. "
" " " " " " " "	" " "	6 " ...	2 " ...	6s. 2d. "
" " " " " " " "	" " "	8 " ...	2 " ...	6s. 7d. "
" " " " " " " "	" " "	10 " ...	2 " ...	7s. 5d. "
" tinning copper bottoms	" " "	All sizes	" " ...	1s. 10d. per doz. extra
" making flat tin handles for	" " "	" " ...	" " ...	1s. 5d. "
" cover stamping supplied	" " "	" " ...	" " ...	4d. per doz.

Less 7 per cent.

## PIECE-WORK—continued.

Articles.	Material.	Size.	When given out in the under-mentioned Quantities or more.	Prices.
(30.) SCOOPS.				
GROCERS SCOOPS—Drawer, without handles ...	IX tin plate or lighter	...	4 dozen as-sorted, not less than 1 dozen of any one size	2s. 9d. per doz.
" " front wired or pieced, with handles		5 inches ...	3 dozen ...	7s. 5d. "
" " " " " "		6 " ...	3 " ...	8s. 3d. "
" " " " " "		7 " ...	2 " ...	9s. 11d. "
" " " " " "		8 " ...	2 " ...	10s. 9d. "
" " " " " "		10 " ...	1½ " ...	12s. 11d. "
" " " " " "		12 " ...	1 " ...	14s. 4d. "
" " front not wired or pieced, with handles		5 " ...	3 " ...	5s. 9d. "
" " " " " "		6 " ...	3 " ...	6s. 7d. "
" " " " " "		7 " ...	2 " ...	8s. 3d. "
" " " " " "		8 " ...	2 " ...	9s. 11d. "
" " " " " "		10 " ...	1½ " ...	10s. 11d. "
" " galvanized iron, front wired or pieced, with handles	24-gauge galv. iron or lighter	12 " ...	1 " ...	13s. 5d. "
" " " " " "		5 " ...	1 " ...	10s. 11d. "
" " " " " "		6 " ...	1 " ...	12s. 3d. "
" " " " " "		7 " ...	1 " ...	13s. 7d. "
" " " " " "		8 " ...	1 " ...	15s. 8d. "
" " " " " "	10 " ...	1 " ...	18s. 6d. "	
" " " " " "	12 " ...	1 " ...	20s. 10d. "	
(31.) SKIMMERS.				
COOKS' SKIMMERS (handles supplied) ...	IXX tin plate or lighter	...	3 dozen ...	5s. 9d. per doz.
MILK SKIMMERS, with ring handles ...	DXXXX tin plate or lighter	6½ inches...	4 " ...	3s. 4d. "
" " " " " "		8 " ...	4 " ...	4s. 2d. "
" " " " " "		9 " ...	4 " ...	4s. 7d. "
" " " " " "		10 " ...	4 " ...	5s. "
(32.) STANDS.				
COCKATOO STANDS ...	IX tin plate or lighter	17 inches ...	6 articles...	34s. 6d. per doz.
" " " " " "		20 " ...	6 " ...	36s. 11d. "
" " " " " "		17 " ...	3 " ...	45s. 7d. "
" " " " " "		20 " ...	3 " ...	54s. 3d. "
(33.) STEAMERS.				
STEAMERS ...	IXX tin plate or lighter	No. 4 ...	2 dozen ...	7s. 11d. per doz.
" " " " " "		" 5 ...	2 " ...	7s. 11d. "
" " " " " "		" 6 ...	1½ " ...	8s. 8d. "
" " " " " "		" 7 ...	1½ " ...	9s. 10d. "
" " " " " "		" 8 ...	1½ " ...	10s. 9d. "
" " " " " "		" 9 ...	1 " ...	11s. 6d. "
" " " " " "		" 10 ...	1 " ...	13s. 7d. "
" " " " " "		" 11 ...	1 " ...	15s. 8d. "
" " " " " "		" 12 ...	1 " ...	16s. 6d. "
" " if handles supplied for ...		...	...	3d. per doz. steamers deducted
(34.) STRAINERS.				
GRAVY STRAINERS, hand made ...	IC tin plate	Small ...	3 dozen ...	5s. 5d. per doz.
" " " " " "		Large ...	3 " ...	6s. 2d. "
" " " " " " if perforated bottoms supplied	IX tin plate	All sizes ...	...	6d. " deducted
GRUEL STRAINERS ...		8½ inches	3 dozen ...	6s. 2d. per doz.
MILK STRAINERS, wired ...	IX tin plate or lighter	10 " ...	3 " ...	4s. 8d. "
" " " " " "		11 " ...	3 " ...	5s. 5d. "
" " " " " "		12 " ...	3 " ...	5s. 11d. "
" " " " " "		14 " ...	2 " ...	6s. 3d. "
" " " " " "		8½ " ...	2 " ...	7s. "
" " " " " " with rim ...		10 " ...	2 " ...	6s. 3d. "
" " " " " "		11 " ...	2 " ...	7s. 2d. "
" " " " " "		12 " ...	2 " ...	7s. 11d. "
" " " " " "		14 " ...	2 " ...	8s. 3d. "
" " " " " "		14 " ...	2 " ...	9s. "
MILK CAN STRAINERS, knocked up rims		IX tin plate	...	1 " ...
" " " " " "	IXX tin plate	...	1 " ...	17s. 8d. "
(35.) TINS.				
BREAD TINS (made of five pieces) ...	IX tin plate or lighter	1 lb. ...	3 dozen ...	5s. 9d. per doz.
" " " " " "		2 " ...	3 " ...	5s. 9d. "
" " " " " "		4 " ...	2 " ...	6s. 2d. "
" " " " " "		6 " ...	2 " ...	8s. 3d. "
COBURG BREAD TINS ...	IX tin plate	...	3 " ...	5s. 4d. "
EXHIBITION BREAD TINS, single	IXXXX tin plate or lighter, or 24-gauge iron or lighter	2 lb. ...	6 articles...	28s. 3d. "
" " " " " "		4 " ...	6 " ...	35s. 4d. "
" " " " " " double		2 " ...	5 " ...	70s. 9d. "
" " " " " "		4 " ...	3 " ...	82s. 6d. "

Less 7 per cent.



## PIECE-WORK—continued.

Articles.	Material.	Size.	When given out in the under-mentioned Quantities or more.	Prices.
TINS—continued.				
CAKE TINS, AND, CAKE RINGS, with use of knocking-up machine	IC tin plate	4 inches ...	1 gross ; not less than 3 dozen of any one size	20s. per gross
" " " " " "		5 " ...		22s. "
" " " " " "		6 " ...		23s. 6d. "
" " " " " "		7 " ...		27s. 6d. "
" " " " " "		8 " ...		29s. 6d. "
" " " " " "		9 " ...		31s. 5d. "
" " " " " "		10 " ...		35s. 4d. "
" " " " " "		11 " ...		41s. 3d. "
" " " " " "		12 " ...		47s. 3d. "
" " " " " loose bottoms ...		All sizes ...		18s. 2d. " extra
QUEEN CAKE TINS, hearts ...	IC tin plate	... 4 dozen ...	4s. 7d. per doz.	
" " diamonds... ..		6 " ...	2s. 1d. "	
SANDWICH TINS, with use of knocking-up machine	IC tin plate	6 inches ...	1 gross ; not less than 3 dozen of any one size	23s. 8d. per gross
" " " " " "		7 " ...		27s. 6d. "
" " " " " "		8 " ...		29s. 6d. "
" " " " " "		9 " ...		31s. 5d. "
" " " " " "		10 " ...		35s. 4d. "
" " " " " "		11 " ...		41s. 3d. "
" " " " " "		12 " ...		47s. 3d. "
SWISS ROLL TINS, wired, with use of angle bender	IC tin plate	12 x 8 inches	4 dozen ...	4s. 2d. per doz.
" " " " " "		13 x 9 " "	4 " ...	4s. 7d. "
" " " " " "		14 x 10 " "	4 " ...	4s. 7d. "
" " " " " "		15 x 11 " "	4 " ...	5s. "
" " " " " "		16 x 12 " "	4 " ...	5s. 4d. "
" " " " " not wired, with use of angle bender		12 x 8 " "	4 " ...	3s. 4d. "
" " " " " without use of angle bender ...	All sizes ...	... "	9d. " extra	
(36.) TUBS.				
BLACK IRON TUBS, round or oval, without hoop or strap	26-gauge iron or lighter	16 inches ...	2 dozen ...	7s. 5d. per doz.
" " " " " "		18 " ...	2 " ...	8s. 3d. "
" " " " " "		20 " ...	2 " ...	9s. "
" " " " " "		22 " ...	2 " ...	9s. 10d. "
" " " " " "		24 " ...	1½ " ...	10s. 9d. "
" " " " " "		26 " ...	1½ " ...	12s. "
" " " " " "		28 " ...	1½ " ...	14s. 2d. "
" " " " " "		30 " ...	1 " ...	16s. 1d. "
" " " " " with hoop ...		16 " ...	2 " ...	8s. 3d. "
" " " " " "		18 " ...	2 " ...	9s. 5d. "
" " " " " "		20 " ...	2 " ...	9s. 10d. "
" " " " " "		22 " ...	2 " ...	10s. 9d. "
" " " " " "		24 " ...	1½ " ...	11s. 6d. "
" " " " " "		26 " ...	1½ " ...	13s. 7d. "
" " " " " "		28 " ...	1½ " ...	14s. 11d. "
" " " " " "		30 " ...	1 " ...	17s. 4d. "
" " " " " "		33 " ...	6 articles ...	22s. "
" " " " " "		36 " ...	6 " ...	29s. 1d. "
" " " " " hooped and strapped ...		16 " ...	2 dozen ...	10s. 4d. "
" " " " " "		18 " ...	2 " ...	10s. 11d. "
" " " " " "		26-gauge iron or lighter	20 " ...	2 " ...
" " " " " "	22 " ...		2 " ...	12s. 11d. "
" " " " " "	24-gauge iron or lighter	24 " ...	1½ " ...	13s. 7d. "
" " " " " "		26 " ...	1½ " ...	15s. 8d. "
" " " " " "		28 " ...	1½ " ...	17s. 8d. "
" " " " " "	30 " ...	1 " ...	20s. "	
" " " " " "	24-gauge iron or lighter	33 " ...	6 articles ...	24s. 8d. "
" " " " " "		36 " ...	6 " ...	32s. 7d. "
TIN TUBS, round, without hoop	IX tin plate or lighter	15 " ...	2 dozen ...	7s. 11d. "
" " " " " "		16 " ...	2 " ...	7s. 11d. "
" " " " " "		18 " ...	1½ " ...	9s. 10d. "
" " " " " "		20 " ...	1½ " ...	10s. 9d. "
" " " " " "	IXX tin plate or lighter	22 " ...	1½ " ...	11s. 6d. "
" " " " " "		24 " ...	1 " ...	13s. 7d. "
" " " " " with tinned or galvanized iron or black iron hoop	IX tin plate or lighter	15 " ...	2 " ...	9s. 10d. "
" " " " " "		16 " ...	2 " ...	9s. 10d. "
" " " " " "		18 " ...	1½ " ...	11s. 6d. "
" " " " " "		20 " ...	1½ " ...	12s. 11d. "
" " " " " "	IXX tin plate or lighter	22 " ...	1½ " ...	13s. 7d. "
" " " " " "		24 " ...	1 " ...	15s. 9d. "
" " " " " oval, without hoop	IX tin plate or lighter	16 " ...	2 " ...	10s. 9d. "
" " " " " "		18 " ...	1½ " ...	11s. 6d. "
" " " " " "		20 " ...	1½ " ...	12s. 11d. "
" " " " " "		22 " ...	1½ " ...	14s. 4d. "
" " " " " "	IXX tin plate or lighter	24 " ...	1 " ...	16s. 6d. "
" " " " " with tinned or galvanized iron or black iron hoop...		16 " ...	2 " ...	12s. 11d. "
" " " " " "	IX tin plate or lighter	18 " ...	1½ " ...	13s. 7d. "
" " " " " "		20 " ...	1½ " ...	14s. 4d. "
" " " " " "	IXX tin plate or lighter	22 " ...	1½ " ...	16s. 6d. "
" " " " " "		24 " ...	1 " ...	18s. 8d. "

Less 7 per cent.

PIECE-WORK—continued.  
SCHEDULE B.—CANISTER WORK.

		Price per gross.			
		Lap seam, without assistance.	Lock seam, without assistance.	Lock seam, with one assistant.	Lock seam, with two assistants.
<b>SOLDERING SEAMS</b> —all work rolled—up to and including 2½ inches in diameter—					
Up to and including 2 inches deep	...	s. d. 0 9½	s. d. 0 8½	s. d. 0 7	s. d. 0 5½
Over 2 inches deep and up to and including 3½ inches deep	...	0 10½	0 9½	0 8½	0 6½
" 3½ " " " 4½ " "	...	0 11½	0 9½	0 8½	0 6½
" 4½ " " " 5½ " "	...	1 1	0 11½	0 9½	0 8½
" 5½ " " " 7 " "	...	1 6½	1 1	0 11½	0 9½
Over 2½ inches and up to and including 3½ inches in diameter—					
Up to and including 2 inches deep	...	0 9½	0 8½	0 6½	0 5½
Over 2 inches deep and up to and including 3½ inches deep	...	0 10½	0 9½	0 8½	0 6½
" 3½ " " " 5 " "	...	1 0½	0 9½	0 8½	0 6½
" 5 " " " 6 " "	...	1 2	0 11½	0 9½	0 8½
" 6 " " " 7 " "	...	1 5½	1 2	1 0½	0 10½
" 7 " " " 8 " "	...	2 1½	1 7½	1 5½	1 4½
Over 3½ inches and up to and including 4½ inches in diameter—					
Up to and including 2 inches deep	...	0 11½	0 8½	0 7	0 5½
Over 2 inches deep and up to and including 3½ inches deep	...	1 0½	0 9½	0 8½	0 6½
" 3½ " " " 5 " "	...	1 2	0 11	0 9½	0 8½
" 5 " " " 6 " "	...	1 4½	1 0½	0 11	0 8½
" 6 " " " 7 " "	...	1 6½	1 2½	1 0½	0 11½
" 7 " " " 8 " "	...	2 0½	1 7½	1 5½	1 4½
Over 4½ inches, and up to and including 5½ inches in diameter—					
Up to and including 2½ inches deep	...	1 1	0 9½	0 8½	0 6½
Over 2½ inches deep, and up to and including 4½ inches deep	...	1 5½	1 1	0 10½	0 8½
" 4½ " " " 6 " "	...	1 10½	1 4½	1 2½	1 0½
" 6 " " " 7 " "	...	2 2½	1 7½	1 5½	1 4½
" 7 " " " 8 " "	...	2 4	1 9½	1 7½	1 5½
Over 5½ inches, and up to and including 6½ inches in diameter—					
Up to and including 3 inches deep	...	1 5½	1 0½	0 11	0 8½
Over 3 inches deep, and up to and including 4½ inches deep	...	1 9½	1 2	1 0½	0 10½
" 4½ " " " 6 " "	...	2 0½	1 4½	1 2½	1 0½
" 6 " " " 8 " "	...	2 4	1 9½	1 7½	1 5½
<b>MEAT TINS</b> —					
Seaming and rolling meat tin bodies (round) on clamps—					Price per 100.
½ lb.					s. d. 1 5½
1 " "					1 5½
1 " tongue					1 5½
1½ lbs.					1 5½
2 " "					1 5½
2 " long					1 5½
2½ " "					1 5½
3 " "					1 7
6 " (including putting on tops and bottoms)					4 4½
Seaming ½ lb. or 1 lb. on 1 cylinder					0 10½
" 2 lbs.					0 11½
" ½ or 1 lb. on 2 cylinders					0 8½
" 2 lbs.					0 10½
" ½ lb. or 1 lb. on 3 to 6 cylinders (with 2 boys)					0 4½
" 2 lbs.					0 5½
Seaming meat tins (tapered square) on one former—					
1 lb.					0 10½
2 lbs.					0 11½
6 " "					1 4
					Price per 1,000 ends.
Squeezing—12 oz. or 1 lb. (tapered square)					s. d. 3 3
" 1½ lbs.					3 5
" 2 " "					3 9
" 6 " "					6 0
					Price per 100 ends.
Jokering—½ lb. (round, or tapered square)					s. d. 0 5½
" 1 " "					0 5½
" 1½ lbs.					0 5½
" 3 " "					0 6½
" 4 " "					0 9½
" 5 " "					0 9½
" 6 " "					0 9½
<b>SOLDERING TOPS OR BOTTOMS OF EMPTY TINS</b> —(spiriting provided)—					
		Price per gross.			
		Not crimped or rolled on.	Crimped.	Rolled on.	
		s. d.	s. d.	s. d.	s. d.
Up to and including 3 inches in diameter		1 1½	1 0½	0 11	
Over 3 inches diameter, and up to and including 3½ inches in diameter		1 3	1 2½	1 1½	
" 3½ " " " 4½ " "		2 0½	1 10	1 6½	
" 4½ " " " 5 " "		2 3½	2 0½	1 10½	
" 5 " " " 6 " "		3 0	2 8½	2 4½	
<b>ROUND WORK (SOLDERING).</b>					
		Price per gross.			
		s. d.	s. d.	s. d.	s. d.
JAM TINS—Closing, 1 lb., topped, and crimped				1 5½	
" " 2 lb. " "				1 8½	
CAKE TINS—					
2 lbs., soldering				15 8	
4 " "				17 8	
6 " "				19 9	
6 " cutting				2 1½	

Less 11 per cent.

PIECE-WORK—continued.  
ROUND WORK (SOLDERING)—continued.

	Per gross. s. d.
CAPPING—Soldering on caps, all work cleaned, caps put on—	
Cap up to and including $1\frac{1}{2}$ inches in diameter in 6-lb. tin or less	1 5 $\frac{1}{2}$
" over $1\frac{1}{2}$ and up to and including $2\frac{1}{2}$ inches in diameter in 6-lb. tin or less	1 7 $\frac{1}{2}$
" " $2\frac{1}{2}$ " " $2\frac{1}{2}$ " " " "	1 9 $\frac{1}{2}$
" " $2\frac{1}{2}$ " " $3\frac{1}{2}$ " " " "	1 11 $\frac{1}{2}$
" " $3\frac{1}{2}$ " " $3\frac{1}{2}$ " " " "	2 5 $\frac{1}{2}$
Capping pulp tins, up to 40-lbs., work cleaned and caps put on—	
Round cap	4 10 $\frac{1}{2}$
Square cap, $3\frac{1}{2}$ to 5 inches square	6 2
SQUARE WORK.	
Jam tins, 6 lbs., soldering only, with use of spring	15 8
" 6 " notching, bending, and folding	7 11
" 14 " soldering only, without use of spring	18 10
" 14 " " with use of spring	20 6
" 20 " " without use of spring	19 7
" 20 " " with use of spring	21 8
" 28 " " without use of spring	19 7
" 28 " " with use of spring	21 8
" 14, 20, and 28 lbs., notching, bending, and folding	9 10 extra
Pulp tin, 40 lbs., soldering only, without use of spring	28 8
" 40 " " with use of spring	28 8
" 40 " " lock seam	28 8
Cutting out above sizes	2 4 extra
Notching, bending, and folding so that spring is not necessary, all above sizes, except 6 lbs.	13 8
Notching, bending, and folding, so that spring is necessary at one end	12 0
BISCUIT TINS—	
1 lb., soldering	6 1
2 lbs. "	7 6
4 " "	12 0
6 " "	12 0
6 " " two seams	13 8
6 lbs., glass, soldering	17 8
14 " plain, "	18 5
14 " glass, "	23 6
25 " plain, "	20 6
30 " " "	20 6
40 " " "	20 6
50 " " "	23 6
Uneda	20 6
$\frac{1}{2}$ -lb. packet	18 5
9 lbs. Cabin	16 11
Wafer, Ice and Cup, soldering	16 11
" Cream, Henley and Variety, soldering	7 6
Afternoon Tea, soldering	7 6
1 lb., cutting bodies	0 6 $\frac{1}{2}$
2 lbs. "	0 6 $\frac{1}{2}$
6 " "	2 1
1 lb., cutting ends	0 2 $\frac{1}{2}$
2 lbs. "	0 2 $\frac{1}{2}$
4 " cutting at guillotine	1 7
9 " " "	2 8
30 " " "	3 9
40 " " "	3 9
50 " " "	3 9
Plain and Packet, cutting at guillotine	3 4
Small Wafer	1 0 $\frac{1}{2}$
30 lbs., closing, soldering	7 11
40 " " "	9 9
50 " " "	11 2
FLOUR TINS—	
40 lbs., soldering	18 5
50 " "	23 6
HONEY TINS—	
56 lbs., soldering	28 8
OIL OR VARNISH TINS—	
$\frac{1}{2}$ gallon, soldering ends and lock seam	16 6
1 " " "	19 9
2 " " "	26 8
OBLONG TINS—(reputed or imperial measure)—	
1 pint, plain, soldering, lock seam (with two assistants)	0 8 $\frac{1}{2}$
1 " " " (with one assistant)	0 9 $\frac{1}{2}$
1 " " " (without assistance)	0 11 $\frac{1}{2}$
1 quart " " " (with two assistants)	0 8 $\frac{1}{2}$
1 " " " (with one assistant)	0 9 $\frac{1}{2}$
1 " " " (without assistance)	0 11 $\frac{1}{2}$
Soldering, all above tins, if made of decorated or varnished tin plate	0 2 $\frac{1}{2}$ extra each end
1 pint, rolled on ends, soldering	3 0 each end
1 " crimped, soldering	3 1 "
1 " not crimped or rolled on, soldering	3 4 "
1 quart, rolled on ends, soldering	3 1 "
1 " crimped, soldering	3 4 "
1 " not crimped, soldering	4 1 $\frac{1}{2}$ "
TOBACCO TINS—	
2 lbs., closing	6 6 per 100
3 lbs., "	7 6 "
5 lbs., "	8 6 "
If electric iron used—all above sizes	1 0 extra

Less 11 per cent.

## PIECE-WORK—continued.

OVAL WORK.		Per gross.
		s. d.
OIL TINS—		
$\frac{1}{2}$ pint, lock seams, soldering (with two assistants)	...	0 5 $\frac{1}{2}$
$\frac{1}{2}$ " " " (with one assistant)	...	0 8 $\frac{1}{2}$
$\frac{1}{2}$ " " " (without assistance)	...	0 11 $\frac{1}{2}$
$\frac{1}{2}$ " lap " " " " " " " " " " " "	...	0 11 $\frac{1}{2}$
$\frac{1}{2}$ " rolled on ends	...	2 9 each end
$\frac{1}{2}$ " crimped on ends	...	2 5 "
$\frac{1}{2}$ " slipped on ends	...	3 1 "

## STAMPING WORK ON POWER MACHINES OR PRESSES (NOT USING SCRAP).

		Per gross.
		s. d.
Up to and including 3 $\frac{1}{2}$ inches in diameter of cutting die	...	0 1 $\frac{1}{2}$
Over 3 $\frac{1}{2}$ and up to and including 4 inches in diameter of cutting die	...	0 2
" 4 " " 4 $\frac{1}{2}$ " " " "	...	0 2 $\frac{1}{2}$
" 4 $\frac{1}{2}$ " " 5 $\frac{1}{2}$ " " " "	...	0 3
" 5 $\frac{1}{2}$ " " 6 $\frac{1}{2}$ " " " "	...	0 3 $\frac{1}{2}$

Less 11 per cent.

## DEFINITION.

9. For the purposes of this Determination, "sheet metal" shall mean sheet metal 10-gauge or lighter.

A. S. HAUSER, P.M., Chairman.

J. B. McINDOE, Secretary.

Melbourne, 9th day of July, 1935.