



VICTORIA

GOVERNMENT GAZETTE.

Published by Authority.

[Registered at the General Post Office, Melbourne, for transmission by post as a newspaper.]

No. 36]

MONDAY, MARCH 4.

[1935]

Factories and Shops Acts.

TINSMITHS BOARD.

NOTE.—This Determination on the 2nd March, 1935, applied to the following parts of Victoria, namely:—The Metropolitan District as defined in the Factories and Shops Acts and the Order in Council thereunder; such portions of the City of Sandringham as are not included within the said Metropolitan District; the cities of Ballarat, Bendigo, Geelong, Geelong West, and Warrnambool; the town of Newtown and Chilwell; and the boroughs of Eaglehawk and Sebastopol.

In accordance with the provisions of the Factories and Shops Acts, the Wages Board appointed to "determine the lowest prices or rates of payment payable to any person or persons or classes of persons employed in the process, trade, or business of preparing or manufacturing articles made of tin plate or other sheet metal, including the japanning of such articles," has made the following Determination, namely:—

(1) That on the 2nd day of March, 1935, the last previous Determination of this Board shall be revoked and replaced by this Determination.

(2)

APPRENTICES AND IMPROVERS.

| Wages per Week—Males (Canister Section), 48 Hours ; Other Males, 44 hours ; Females, 44 Hours. | | | Number (in any place). |
|--|--------------|------------|---|
| | Apprentices. | Improvers. | Apprentices. |
| | s. d. | s. d. | |
| 1st year's experience | 14 3 | 14 3 | One apprentice to every three or fraction of three workers receiving not less than 66s. per week. |
| 2nd | 20 3 | 20 3 | An indenture of apprenticeship prescribed by the Board was approved on 20th May, 1911. |
| 3rd | 26 3 | 27 9 | Improvers. |
| 4th | 35 6 | 40 9 | |
| 5th | 48 0 | 52 3 | One improver to every five or fraction of five workers receiving not less than 72s. per week. |

(3)

JUVENILE WORKERS (OTHER THAN APPRENTICES OR IMPROVERS).

(a) The rates set out in the column headed "Class A" shall be paid to Juvenile workers (other than apprentices or improvers) engaged—

(1) Putting wire handles in camp kettles, wiring handles for kettles and dippers, folding flat tin handles, folding spouts and barrels for kerosene pumps, forming handles for pannikins and dippers, forming rims for lids, notching (except by power machines), using guillotine for above work, holding general sheet metal work for journeymen or soldering canisters other than seams, tops, or bottoms.

(2) Polishing, cleaning, spiriting, testing to detect leaks (except in 4-gallon petrol, kerosene, or pulp tins), making spouting tubes, cutting and making wire handles, cutting hoop iron and wire for general sheet metal work, blackening or tarring shovels or closet pans, packing, carrying or moving goods, lighting or attending fires or engaged on canister work at topping tins or trimming scrap.

(3) At general sheet metal work or canister or tin toy work on any other power machine (other than a power press, or at canister or tin toy work on the following machines or presses:—Monkey, pendulum, screw, or treadle machines for folding canisters of holding capacity up to and including 1 pint, beading, bending (other than work on angle bender or folder exceeding 8 inches), body forming (other than by angle bender), clenching, crimping, curling, double seaming, flanging, hinge hooking, hinge seating, lock seaming, notching, rolling, squeezing, trimming, or wire forming, or feeding or taking off in connexion with any power soldering machine or employed in connexion with japanning at scouring, cleaning, assisting to polish or general rough work, or engaged on cabinet handles in cutting strips, clips, and holes on guillotine, bending clips round ring, fitting same and opening out ends, or employed at hinge making in cutting metal into strips, or putting in pins or spraying tin toys or reconditioning tin canisters under the supervision of an adult sprayer.

(4) Operating power presses.

(b) The rates set out in the column headed "Class B" shall be paid to Juvenile workers (other than apprentices or improvers) engaged in repairing leaks in general sheet metal work (other than old work) or assisting at rollers for forming down pipes, or engaged at general sheet metal work on the following machines, viz.:—BURNISHING AND SPINNING LATHES, CURVING MACHINES, GUILLOTINES FOR CUTTING SPOUTING AND RIDGING, HAND PRESSES, OR SPOUTING AND RIDGING MACHINES.

| Age. | Wages per Week—Males (Canister Section), 48 hours; Other Males, 44 hours; Females, 44 Hours. See Clause (8) Contract of Employment. | | | |
|--------------------------------|--|--------------|--------------|--------------|
| | Class "A." | | Class "B." | |
| | Weekly Hire. | Hourly Hire. | Weekly Hire. | Hourly Hire. |
| Under 15 years of age | s. d. | s. d. | s. d. | s. d. |
| Aged 15 years | 15 3 | 16 6 | .. | .. |
| " 16 | 18 6 | 20 0 | .. | .. |
| " 17 | 24 0 | 26 0 | .. | .. |
| " 18 | *30 0 | *32 2 | *27 3 | *29 6 |
| " 19 | *38 9 | *41 9 | *35 6 | *38 3 |
| " 20 | *49 0 | *52 9 | *44 9 | *48 3 |
| | *56 6 | *61 0 | *54 0 | *58 3 |

* Any juvenile worker without previous experience, entering the trade at 17 years of age or over may be paid for the first year of his service the rate of pay he would have received had he been one year younger.

† A person entering the trade at 17 years of age and put to work in Class B, may, during the first year of his service, be paid whilst performing such work at the rate of 26s. per week.

No juvenile worker shall be employed operating any power press who has not—

(1) attained the age of 17 years, and

(2) completed one year of service at the trade.

(4)

OTHER EMPLOYEES.

Wages per Week—
Males (Canister
Section), 48 Hours.
Other Males,
44 Hours.
Females, 44 Hours.

| Welders— | s. d. |
|--|---------|
| First Class | .. 94 0 |
| Second Class | .. 78 0 |
| Third Class | .. 74 0 |
| Bench hands— | |
| First Class | .. 90 0 |
| Second Class | .. 81 0 |
| Metal spinner who sets up and makes his own dies | .. 86 0 |
| Other spinners | .. 74 0 |
| Die setters | .. 76 0 |
| Leading press hand for canister making | .. 76 0 |
| Other press operators (except on canister work)— | |
| Heavy | .. 74 0 |
| Light | .. 72 0 |
| Solderers and dippers for canister making | .. 72 0 |
| Other solderers and dippers | .. 74 0 |
| Drop hammer stampers | .. 74 0 |
| Guttering machinists | .. 72 0 |
| Other power machinists (except on canister work) | .. 69 0 |
| Riveters of canisters by hand | .. 76 0 |
| Makers of canisters by hand | .. 76 0 |
| Canister vent closers and solderers working on tins containing substances with an artificial temperature of 150 deg. Fahr. and over | .. 76 0 |
| Operators of power capping machines or metal pots on automatic canister machines | .. 74 0 |
| Other cap solderers | .. 72 0 |
| Tinners and grease tinnings | .. 76 0 |
| Assistants working over metal pot | .. 74 0 |
| Stencil cutters | .. 83 0 |
| Mixers | .. 72 0 |
| Fusers | .. 72 0 |
| Picklers | .. 72 0 |
| Liquidizers | .. 69 0 |
| Artistic japanners and goldworkers | .. 84 0 |
| Spray operators | .. 81 0 |
| Grainers, liners and filleters | .. 72 0 |
| Painters and lacquerers | .. 72 0 |
| Dippers | .. 71 0 |
| All others | .. 66 0 |

ADJUSTMENT OF WAGES AND PIECEWORK.

(5) Pursuant to the provisions of section 21 of the *Factories and Shops Act 1934*, the wages, rates, and piecework prices set out in clauses 4 and 11, respectively, of this Determination shall be automatically increased or decreased on and from the first days of June, September, December, and March in each year in accordance with the table set out hereunder.

The wages rates payable to an employee mentioned in clause 4 shall, during the three calendar months following the first days of June, September, December and March, respectively, in each year, be the amounts set out in the said clause 4 increased or decreased, as the case may be, by the amount appropriate to the latest quarterly figure published by the Commonwealth Statistician as the Retail Price Index-Number, "All Items" Index ("C" Series)—Melbourne, for the calendar quarter immediately preceding the adjustment date.

The piecework prices payable to an employee for performing work mentioned in clause 11 shall, during the three calendar months following the first days of June, September, December and March be the prices set out in the said clause 11 increased or decreased, as the case may be, by the percentage appropriate to the latest quarterly figure published by the Commonwealth Statistician as the Retail Price Index-Number, "All Items" Index ("C" Series)—Melbourne, for the calendar quarter immediately preceding the adjustment date.

TABLE.

| Retail Price Index-Number, "All Items" Index ("C" Series), published by the Commonwealth Statistician. | Wages Rates (Clause 4), to be adjusted as shown. | Piecework Prices (Clause 10), to be adjusted as shown. |
|--|--|--|
| Melbourne figure— | | |
| 723-746 | Reduced by 6s. per week | Reduced by 9 per cent. |
| 747-771 | " 4s. | " 6 " |
| 772-796 | " 2s. | " 3 " |
| 797-833 | No change | No change |
| 834-858 | Increased by 2s. per week | Increased by 3 per cent. |
| 859-882 | " 4s. | " 6 " |

DEFINITIONS—

- "*Welder, First Class*" shall mean an adult workman using quasi-arc or oxy-acetylene blowpipe or coal-gas cutting plant on work other than filling castings, cutting scrap metal, or using jigs.
- "*Welder, Second Class*" shall mean an adult workman filling, casting or welding with the aid of jigs.
- "*Welder, Third Class*" shall mean an adult workman using electric spot or butt-welding machine or cutting scrap with oxy-acetylene blowpipe.
- "*Bench Hand, First Class*" shall mean an adult workman applying general trade experience or knowledge without the guidance of a foreman to the making of completed articles and/or the erection and installation thereof, or working to scaled prints or drawings or precision measurements.
- "*Bench Hand, Second Class*" shall mean an adult workman working at the bench in the making of completed articles not calling for the use of prints or drawings or precision measurements.
- "*Canisters*" shall include canisters, tin boxes and other tin containers manufactured in quantities, by specialized processes.

(6) TIME OF BEGINNING AND ENDING WORK.

| Time of Beginning. | Time of Ending. |
|--------------------|---|
| 7.30 a.m. | 12 noon on the day on which the half-holiday is observed. |
| 7.30 a.m. | 5.30 p.m. on the other working days of the week. |

(7) OVERTIME.—(a) For all work done outside ordinary hours, the rate of wages shall be time and a half for the first four hours and double time thereafter until an employee has been relieved from work for at least eight hours.

(b) In computing overtime, each day's work shall stand alone.

(8) SPECIAL RATES.—Double time shall be the special rate for all work done on Sunday, New Year's Day, Australia Day (26th January), Good Friday, Easter Monday, Eight Hours Day (21st April), Anzac Day, King's Birthday, Christmas Day, and Boxing Day, but if any other day be by Act of Parliament or Proclamation substituted for any of the above-named holidays, the special rate shall only be payable for work done on the day so substituted.

(9) CONTRACT OF EMPLOYMENT.—(a) With the exceptions hereafter stated, employment may be by the week or by the hour. If by the week it shall be terminable on either side by one week's notice given on any day or (if the employer terminates it without such notice) by payment of one week's wages.

A contract for weekly employment may be terminated by any employer without liability to pay for more than actual time worked for misconduct or for absence from work without reasonable excuse.

If an employee engaged by the week absents himself from duty except on public holidays, or on days for which he produces a certificate from a medical practitioner, or other proof satisfactory to his employer of sickness (aggregating four days of sickness in each year), a sum proportionate to his time of absence may be deducted from his pay, i.e., one-sixth of the weekly wage for each day of absence, including Saturday, in shops working six days, and one-fifth in shops working five days per week.

(b) If the contract of employment is for hourly hiring, the rates prescribed in clause (4) shall be increased 5s. per week as compensation for time lost on public holidays and unavoidable absences through sickness.

(10) ORDINARY WEEK'S WORK.—The number of hours which shall constitute an ordinary week's work shall be as follows:—

| | |
|--------------------------------------|----------|
| Males | 44 hours |
| Males (Canister Section) | 48 " |
| Females | 44 " |

(11) (a) PIECE-WORK.—The lowest piece-work price payable to any person for wholly or partly preparing or manufacturing any article described in the following Schedules (which Schedules shall form part of this Determination) shall be the price mentioned in such Schedules.

(b) Wherever the quantity to be given out is stated in the Schedules the prices apply only when the articles are given out in quantities not less than those mentioned in the Schedule.

(c) The Schedules of prices apply to new material only.

(d) Except where otherwise provided, where the sizes of articles to be made under these Schedules do not exactly correspond with the sizes stated in their Schedules, then the price or rate fixed for the next nearest size shall apply; but where the size is half-way between two sizes then the next higher price or rate shall apply.

SCHEDULE A.—GENERAL SHEET METAL WORK.

| Articles. | Material. | Size. | When given ou in the under- mentioned Quantities or more. | Prices. |
|--|--|--|---|---|
| (1.) BASINS. | | | | |
| WASH-HAND BASINS, hand-made (including blocking of bottoms) | IC tin plate | 13 inches ... 16 " "... 18 " "... 13 " "... 16 " "... 18 " "... 20 " ... 22 " | 3 dozen ... 3 " "... 2 " "... 3 " "... 2 " "... 2 " "... 1½ " "... 1 " ... | 6s. 2d. per doz. 7s. 6d. " 8s. 8d. " 7s. 5d. " 8s. 3d. " 10s. 9d. " 12s. 3d. " 14s. 11d. " |
| It bottoms supplied for 13 in. basins ... | | ... | ... | 4d. per doz. deducted |
| " " 16 and 18 in. basins ... | | ... | ... | 6d. " " |
| " " 20 and 22 in. basins ... | | ... | ... | 1s. " " |
| If unplated handles 6 gauge wire or under supplied for basins ... | | 18, 20, or 22 inches | ... | 1s. 6d. per gross handles deducted |
| (2.) BATHS. | | | | |
| CHILD'S BATHS ... | | 24 inches ... | 3 articles | 4s. 8d. each |
| " " ... | | 26 " | 3 " ... | 5s. 2d. " |
| " " ... | | 28 " | 3 " ... | 5s. 6d. " |
| " " ... | | 30 " | 3 " ... | 5s. 11d. " |
| " " ... | | 33 " | 3 " ... | 6s. 3d. " |
| " " ... | | 36 " | 3 " ... | 7s. 2d. " |
| " " ... | | 42 " | 2 " ... | 8s. 3d. " |
| Foot BATHS, oval, moulded, knocked up bottoms | | 16 " | 6 " ... | 28s. 1d. per doz. |
| " " " " | | 18 " | 6 " ... | 29s. 6d. " |
| " " " " | | 20 " | 6 " ... | 31s. 5d. " |
| " " " " | | 22 " | 6 " ... | 34s. 6d. " |
| Bodies | | 24 " | 6 " ... | 36s. 2d. " |
| 26-gauge iron or lighter | | 26 " | 6 " ... | 38s. 2d. " |
| " " wired | | 28 " | 6 " ... | 42s. 10d. " |
| " " " " | | 30 " | 6 " ... | 45s. 7d. " |
| Bottoms 24-gauge iron or lighter | | 16 " | 1 dozen | 11s. 8d. " |
| " " " " | | 18 " | 1 " | 13s. 5d. " |
| " " " " | | 20 " | 1 " | 14s. 11d. " |
| " " " " | | 22 " | 1 " | 17s. 5d. " |
| " " " " | | 24 " | 1 " | 19s. 7d. " |
| " " " " | | 26 " | 1 " | 22s. " |
| " " " " | | 28 " | 1 " | 23s. 7d. " |
| " " " " | | 30 " | 1 " | 25s. 2d. " |
| FRAME BATHS, galvanized iron, up to 6 feet long, up to 22 inches wide, and up to 22 inches deep (Assistance to be given for knocking up) ... | 26-gauge iron | ... | 3 articles | 7s. 2d. each |
| " " " " " | | ... | 3 " ... | 7s. 2d. " |
| " " " " " | | 22 " | 2 " ... | 9s. " |
| PLUNGE BATHS, moulded ... | | 48 inches ... | 2 " | 9s. 5d. " |
| " " " " " | | 54 " | 2 " ... | 10s. 11d. " |
| " " " " " | | 60 " | 2 " ... | 12s. 2d. " |
| " " " " with raised backs | | 66 " | 2 " ... | 13s. " |
| If galvanized iron used for beads for Plunge or Child's Baths ... | | 72 " | 2 " ... | 14s. 2d. " |
| | | ... | 2 " ... | 1s. 3d. each bath extra |
| | | ... | ... | 1s. 2d. " " |
| (3.) BINS. | | | | |
| FLOUR BINS, with body wired, back-lapped, and swedged; bottom knocked up and hooped or studded (4 studs); lid with a rim not less than 2½ inches deep; top blocked and paned on to rim; hasp and hinge on cover; and three oval wire handles | IXX tin plate or lighter | 25 lbs. ... 50 " ... 75 " | 6 articles 6 " ... 4 " ... | 2s. 8d. each 3s. 4d. " 3s. 11d. " |
| FLOUR BINS, with body wired, back-lapped, and swedged, for galvanized hoop; hoop about 20 gauge and 14 inches wide; bottom knocked up; lid with a rim not less than 2½ inches deep top blocked and paned on to rim; hasp and hinge on cover; and three oval wire handles | Galv. or lead-coated iron, 24-gauge or lighter | 100 " ... 200 " ... 250 " | 3 " ... 3 " ... 2 " ... | 6s. 2d. each 7s. 2d. " 7s. 11d. " |
| (4.) BOILERS. | | | | |
| TIN BOILERS, oval, with pitched covers... | | 3 gallons ... | 1 dozen ... | 13s. 7d. per doz. |
| " " " " " | | 4 " | 1 " ... | 15s. 8d. " |
| " " " " " | | 5 " | 1 " ... | 15s. 8d. " |
| " " " " " | | 7 " | 6 articles | 21s. 1d. " |
| " " oval, with blocked covers | | 10 " | 6 " ... | 24s. 5d. " |
| " " " " " | | 3 " | 1 dozen ... | 17s. 8d. " |
| " " " " " | | 4 " | 1 " ... | 19s. 10d. " |
| " " " " " | | 5 " | 1 " ... | 19s. 10d. " |
| " " oval, with stamped covers | IXX tin plate or lighter | 7 " | 6 articles | 25s. 8d. " |
| " " " " " | | 10 " | 6 " ... | 29s. 4d. " |
| " " " " " | | 3 " | 1 dozen ... | 12s. " |
| " " " " " | | 4 " | 1 " ... | 13s. 7d. " |
| " " " " " | | 5 " | 1 " ... | 13s. 7d. " |
| " " " " " | | 7 " | 6 articles | 17s. 8d. " |
| " " " " " | | 10 " | 6 " ... | 22s. " |
| If copper bottoms are used on above—Tinning same ... | | ... | ... | 5s. per doz. extra |

Less 11 per cent.

March 4, 1935

PIECE-WORK—continued.

| Articles. | Material. | Size. | When given out in the under- mentioned Quantities or more. | Prices. |
|---|--------------------------|---------------|--|------------------------|
| (5.) BOTTLES. | | | | |
| OIL BOTTLES, round with plain necks and knocked up bottoms, paned on breast | | | | |
| " " " " " | IX tin plate or lighter | 1 quart ... | 3 dozen ... | 5s. 9d. per doz. |
| " " " " " | | 2 quarts ... | 3 " ... | 6s. 7d. " |
| " " " " with stamped nozzles ... | | 4 " ... | 2 " ... | 8s. 3d. " |
| " " " " with patent screws (spouts supplied) | | | | 3d. per doz. deducted |
| " " " " " | | 1 quart ... | 3 dozen ... | 5s. 9d. per doz. |
| " " " " " | | 2 quarts ... | 3 " ... | 6s. 7d. " |
| " " " " with slipped on bottoms and breasts | | 4 " ... | 2 " ... | 8s. 3d. " |
| " " " " " | | | | 4d. per doz. deducted |
| TEA BOTTLES, oval, with slipped on bottoms and breasts | | 1 pint ... | 3 dozen ... | 6s. 2d. per doz. |
| " " " " " | IC tin plate | 1½ pints ... | 3 " ... | 6s. 7d. " |
| " " " " " | | 2 " ... | 3 " ... | 8s. 3d. " |
| " " " " " | | 3 " ... | 2 " ... | 9s. " |
| " " " " " | | 4 " ... | 2 " ... | 9s. 5d. " |
| " " " " with stamped nozzles ... | | 6 " ... | 2 " ... | 10s. 9d. " |
| " " " " " | | | | 3d. per doz. deducted |
| (6.) BOXES. | | | | |
| BONNET BOXES, round, including hasp | | 13 inches ... | 3 dozen ... | 13s. per doz. |
| " " " " " | IXX tin plate or lighter | 14 " ... | 3 " ... | 13s. " |
| " " " " " | | 15 " ... | 3 " ... | 13s. 9d. " |
| " " " " " | | 16 " ... | 3 " ... | 13s. 9d. " |
| " " " " hasp supplied | | 17 " ... | 3 " ... | 14s. 7d. " |
| " " " " " | | 18 " ... | 3 " ... | 14s. 7d. " |
| " " " " " | | 19 " ... | 3 " ... | 13s. " |
| " " " " " | | 20 " ... | 3 " ... | 13s. " |
| " " " " flat top or stamped top (hasp supplied) | 28-gauge steel | 21 " ... | 3 " ... | 13s. 7d. " |
| " " " " " | | 22 " ... | 2 " ... | 13s. 7d. " |
| " " " " " | | 23 " ... | 3 " ... | 14s. 7d. " |
| " " " " " | | 24 " ... | 3 " ... | 14s. 7d. " |
| " " " " " | 26-gauge steel | 25 " ... | 3 " ... | 15s. 8d. " |
| " " " " " | | 26 " ... | 3 " ... | 15s. 8d. " |
| " " " " " | | 27 " ... | 3 " ... | 16s. 6d. " |
| " " " " " | | 28 " ... | 3 " ... | 16s. 6d. " |
| " " " " oval, including hasp | | 29 " ... | 3 " ... | 16s. 6d. " |
| " " " " " | IXX tin plate or lighter | 30 " ... | 3 " ... | 19s. 8d. " |
| " " " " hasp supplied | | 31 " ... | 3 " ... | 13s. 7d. " |
| " " " " " | | 32 " ... | 3 " ... | 14s. 9d. " |
| " " " " " | | 33 " ... | 3 " ... | 14s. 9d. " |
| " " " " flat top or stamped top (hasp supplied) | 28-gauge steel | 34 " ... | 3 " ... | 15s. 5d. " |
| " " " " " | | 35 " ... | 3 " ... | 13s. 7d. " |
| " " " " " | | 36 " ... | 3 " ... | 13s. 7d. " |
| " " " " " | | 37 " ... | 3 " ... | 14s. 9d. " |
| " " " " " | | 38 " ... | 3 " ... | 14s. 9d. " |
| " " " " " | 26-gauge steel | 39 " ... | 3 " ... | 16s. 6d. " |
| " " " " " | | 40 " ... | 3 " ... | 16s. 6d. " |
| " " " " " | | 41 " ... | 3 " ... | 18s. 1d. " |
| " " " " " | | 42 " ... | 2 " ... | 20s. 6d. " |
| " " " " if black iron tops and bottoms not supplied | | 43 " ... | 3 " ... | 15s. 5d. " |
| " " " " with front handles | All gauges ... | All sizes ... | | 1s. 2d. per doz. extra |
| If wire handles and plates supplied for bonnet boxes | 8 and 10-gauge wire | | | 10d. " " |
| SPICE BOXES, round, with six compartments and loose grater | IX tin plate or lighter | 6 inches ... | 6 articles ... | 27s. 8d. per doz. |
| " " " " " | | 7 " ... | 6 " ... | 29s. 4d. " |
| " " " " " | | 8 " ... | 6 " ... | 33s. " |

Less 11 per cent.

PIECE-WORK—continued.

| Articles. | Material. | Size. | When given out in the under- mentioned Quantities or more. | Prices. |
|---|---------------------------|---------------|--|--------------------|
| BOXES—continued. | | | | |
| SUGAR BOXES, wired inside and swedged | | No. 0 ... | 3 doz | 5s. 6d. per doz. |
| " " " | | " 1 ... | 3 " | 5s. 6d. " |
| " " " | | " 2 ... | 3 " | 5s. 11d. " |
| " " " | | " 3 ... | 3 " | 6s. 9d. " |
| " " " | | " 4 ... | 3 " | 7s. 2d. " |
| " " " | | " 5 ... | 3 " | 7s. 11d. " |
| " " " | | " 6 ... | 3 " | 8s. 8d. " |
| " " "(made in two pieces) | | | Not assorted sizes. | 5d. per doz. extra |
| TRUNKS, common, moulded (cutting out, top and body edging, moulding, and wiring supplied) 2 swedges | IX tin plate or lighter | 20 inches ... | 1 dozen | 14s. 7d. per doz. |
| " " " | | 22 " | 1 " | 14s. 7d. " |
| " " " | | 24 " | 1 " | 15s. 11d. " |
| " " " | | 26 " | 1 " | 17s. 11d. " |
| " " " | | 28 " | 1 " | 22s. 1d. " |
| " " " | | 30 " | 1 " | 23s. 10d. " |
| " " " | 24-gauge steel or lighter | 33 " | 6 articles | 41s. 4d. " |
| " moulded, strapped (cutting out, top and body edging, moulding, and wiring supplied) 2 swedges | | 20 " | 1 dozen | 29s. 6d. " |
| " " " | | 22 " | 1 " | 29s. 6d. " |
| " " " | | 24 " | 1 " | 31s. " |
| " " " | | 26 " | 1 " | 33s. " |
| " " " | | 28 " | 1 " | 36s. 1d. " |
| " " " | | 30 " | 1 " | 39s. 7d. " |
| " " " | 24-gauge steel or lighter | 33 " | 6 articles | 48s. 10d. " |
| " common, moulded (moulding and wiring supplied) 2 swedges | | 36 " | 6 " | 59s. " |
| " " " | | 20 " | 1 dozen | 25s. 5d. " |
| " " " | | 22 " | 1 " | 25s. 5d. " |
| " " " | | 24 " | 1 " | 27s. 4d. " |
| " " " | | 26 " | 1 " | 29s. 2d. " |
| " " " | | 28 " | 1 " | 32s. 3d. " |
| " " " | | 30 " | 1 " | 35s. 6d. " |
| " " " | 24-gauge steel or lighter | 33 " | 6 articles | 57s. 8d. " |
| " moulded, strapped (moulding and wiring supplied) 2 swedges | | 20 " | 1 dozen | 35s. 4d. " |
| " " " | | 22 " | 1 " | 35s. 4d. " |
| " " " | | 24 " | 1 " | 37s. 9d. " |
| " " " | | 26 " | 1 " | 39s. 7d. " |
| " " " | | 28 " | 1 " | 44s. " |
| " " " | | 30 " | 1 " | 47s. 3d. " |
| " " " | 24-gauge steel or lighter | 33 " | 6 articles | 48s. 10d. " |
| " common, wired (cutting out, top and body edging, and top and body wiring supplied) 2 swedges | | 36 " | 6 " | 65s. 3d. " |
| " " " | | 20 " | 1 dozen | 23s. 1d. " |
| " " " | | 22 " | 1 " | 23s. 1d. " |
| " " " | | 24 " | 1 " | 23s. 11d. " |
| " " " | | 26 " | 1 " | 25s. 6d. " |
| " " " | | 28 " | 1 " | 29s. 1d. " |
| " " " | | 30 " | 1 " | 31s. " |
| " " " | 24-gauge steel or lighter | 33 " | 6 articles | 48s. 10d. " |
| " wired, strapped (cutting out, top and body edging, and top and body wiring supplied) 2 swedges | | 20 " | 1 dozen | 37s. 9d. " |
| " " " | | 22 " | 1 " | 37s. 9d. " |
| " " " | | 24 " | 1 " | 39s. 7d. " |
| " " " | | 26 " | 1 " | 41s. 4d. " |
| " " " | | 28 " | 1 " | 44s. 9d. " |
| " " " | | 30 " | 1 " | 48s. " |
| " common (top wiring supplied) 2 swedges | 24-gauge steel or lighter | 33 " | 6 articles | 60s. 6d. " |
| " " " | | 36 " | 6 " | 73s. 10d. " |
| " " " | | 20 " | 1 dozen | 29s. 11d. " |
| " " " | | 22 " | 1 " | 29s. 11d. " |
| " " " | | 24 " | 1 " | 31s. " |
| " " " | | 26 " | 1 " | 33s. 10d. " |
| " " " | | 28 " | 1 " | 36s. 11d. " |
| " " " | | 30 " | 1 " | 39s. 5d. " |
| " " " | 24-gauge steel or lighter | 33 " | 6 articles | 60s. 2d. " |
| " strapped (top wiring supplied) 2 swedges | | 20 " | 1 dozen | 43s. 3d. " |
| " " " | | 22 " | 1 " | 44s. 9d. " |
| " " " | | 24 " | 1 " | 46s. 6d. " |
| " " " | | 26 " | 1 " | 50s. 3d. " |
| " " " | | 28 " | 1 " | 54s. 3d. " |
| " " " | | 30 " | 1 " | 59s. " |
| " " " | 24-gauge steel or lighter | 30 " | 1 " | 61s. 3d. " |

Less 11 per cent.

PIECE-WORK--continued.

| Articles. | Material. | Size. | When given out in the under- mentioned Quantities or more. | Prices. |
|---|---------------------------|---------------|--|---------------------------|
| BOXES—continued. | | | | |
| TRUNKS, strapped (top wiring supplied) 4 swedges | 24 gauge steel or lighter | 33 inches ... | 6 articles | 79s. 6d. per doz. |
| " " " " " " | | 36 " ... | 6 " | 88s. 1d. " |
| " wired, strapped, complete 2 swedges | | 20 " ... | 1 dozen ... | 44s. 10d. " |
| " " " " " " | | 22 " ... | 1 " " | 46s. 6d. " |
| " " " " " " | 26-gauge steel or lighter | 24 " ... | 1 " " | 48s. " |
| " " " " " " | | 26 " ... | 1 " " | 51s. 11d. " |
| " " " " " " | | 28 " ... | 1 " " | 55s. 10d. " |
| " " " " " " | | 30 " ... | 1 " " | 61s. 5d. " |
| " " " " " " | | 30 " ... | 1 " " | 63s. " |
| " " " " " " | 24-gauge steel or lighter | 33 " ... | 6 articles | 81s. " |
| " " " " " " | | 36 " ... | 6 " | 89s. 7d. " |
| " cabin, common, moulded (cutting out, top and body edging, moulding, and wiring supplied) 2 swedges | 26-gauge steel or lighter | 24 " ... | 1 dozen ... | 17s. 7d. " |
| " " " " " " | | 26 " ... | 1 " " | 19s. 4d. " |
| " " " " " " | | 28 " ... | 1 " " | 20s. " |
| " " " " " " | | 30 " ... | 1 " " | 22s. 2d. " |
| " " " " " " | 24-gauge steel or lighter | 33 " ... | 1 " " | 34s. 4d. " |
| " cabin, moulded, strapped (cutting out, top and body edging, moulding, and wiring supplied) 2 swedges | 26-gauge steel or lighter | 24 " ... | 1 " " | 31s. " |
| " " " " " " | | 26 " ... | 1 " " | 33s. " |
| " " " " " " | | 28 " ... | 1 " " | 34s. 7d. " |
| " " " " " " | | 30 " ... | 1 " " | 36s. 2d. " |
| " " " " " " | 24-gauge steel or lighter | 33 " ... | 6 articles | 39s. 7d. " |
| " " " " " " | | 36 " ... | 6 " | 44s. 10d. " |
| " cabin, moulded (moulding and wiring supplied) 2 swedges | 26-gauge steel or lighter | 24 " ... | 1 dozen ... | 28s. 2d. " |
| " " " " " " | | 26 " ... | 1 " " | 30s. 6d. " |
| " " " " " " | | 28 " ... | 1 " " | 32s. 2d. " |
| " " " " " " | | 30 " ... | 1 " " | 34s. " |
| " " " " " " | 24-gauge steel or lighter | 33 " ... | 6 articles | 48s. 7d. " |
| " cabin, strapped (moulding and wiring supplied) 2 swedges | 26-gauge steel or lighter | 24 " ... | 1 dozen ... | 37s. 9d. " |
| " " " " " " | | 26 " ... | 1 " " | 39s. 7d. " |
| " " " " " " | | 28 " ... | 1 " " | 42s. 6d. " |
| " " " " " " | | 30 " ... | 1 " " | 44s. " |
| " " " " " " | 24-gauge steel or lighter | 33 " ... | 6 articles | 48s. " |
| " " " " " " | | 36 " ... | 6 " | 57s. " |
| " cabin, common, wired (cutting out, top and body edging, and top and body wiring supplied) 2 swedges | 26-gauge steel or lighter | 24 " ... | 1 dozen ... | 23s. 11d. " |
| " " " " " " | | 26 " ... | 1 " " | 25s. 11d. " |
| " " " " " " | | 28 " ... | 1 " " | 29s. 11d. " |
| " " " " " " | | 30 " ... | 1 " " | 31s. 5d. " |
| " " " " " " | 24-gauge steel or lighter | 33 " ... | 6 articles | 39s. 4d. " |
| " " " " " " | | 36 " ... | 6 " | 46s. 6d. " |
| " cabin, strapped, wired (cutting out, top and body edging, and top and body wiring supplied) 2 swedges | 26-gauge steel or lighter | 24 " ... | 1 dozen ... | 39s. 7d. " |
| " " " " " " | | 26 " ... | 1 " " | 41s. 4d. " |
| " " " " " " | | 28 " ... | 1 " " | 43s. 3d. " |
| " " " " " " | | 30 " ... | 1 " " | 44s. 10d. " |
| " " " " " " | 24-gauge steel or lighter | 33 " ... | 6 articles | 48s. " |
| " " " " " " | | 36 " ... | 6 " | 55s. " |
| " cabin, common, wired (top wiring supplied) 2 swedges | 26-gauge steel or lighter | 24 " ... | 1 dozen ... | 31s. 10d. " |
| " " " " " " | | 26 " ... | 1 " " | 33s. 10d. " |
| " " " " " " | | 28 " ... | 1 " " | 37s. 9d. " |
| " " " " " " | | 30 " ... | 1 " " | 39s. 4d. " |
| " " " " " " | 24-gauge steel or lighter | 33 " ... | 6 articles | 48s. " |
| " " " " " " | | 36 " ... | 6 " | 56s. 10d. " |
| " cabin, strapped, wired (top wiring supplied) 2 swedges | 26-gauge steel or lighter | 24 " ... | 1 dozen ... | 44s. 10d. " |
| " " " " " " | | 26 " ... | 1 " " | 46s. 6d. " |
| " " " " " " | | 28 " ... | 1 " " | 48s. " |
| " " " " " " | | 30 " ... | 1 " " | 53s. 6d. " |
| " " " " " " | 24-gauge steel or lighter | 33 " ... | 6 articles | 60s. 5d. " |
| " " " " " " | | 36 " ... | 6 " | 65s. 3d. " |
| " cabin, strapped, wired, complete 2 swedges | 26-gauge steel or lighter | 24 " ... | 1 dozen ... | 48s. " |
| " " " " " " | | 26 " ... | 1 " " | 50s. 3d. " |
| " " " " " " | | 28 " ... | 1 " " | 52s. 8d. " |
| " " " " " " | | 30 " ... | 1 " " | 55s. 10d. " |
| " " " " " " | | 30 " ... | 1 " " | 58s. 2d. " |
| " " " " " " | 24-gauge steel or lighter | 33 " ... | 6 articles | 62s. 2d. " |
| " " " " " " | | 36 " ... | 6 " | 67s. 7d. " |
| If corners fitted on lids for 20-inch to 30-inch common trunks | | | | 9d. per doz. trunks extra |
| Swivels, end-handles and corners of all trunks supplied. | | | | |
| Wires for all moulded trunks supplied. | | | | |
| Wires for tops of wired trunks supplied. | | | | |

Less 11 per cent.

PIECE-WORK — *continued.*

| Articles. | Material. | Size. | When given out in the under- mentioned Quantities or more. | Prices. |
|---|---------------------------|---|--|---|
| BOXES—<i>continued.</i> | | | | |
| TRUNKS where wiring, moulding, and corner pieces for bodies are not supplied | ... | 20, 22, 24, and 26 inches 28, 30, 33, and 36 inches | | 6s. 3d. per doz. trunks extra 7s. 11d. per doz. trunks extra |
| TRUNKS (machine work), cutting out, top and body edging, moulding, and wiring (wires supplied) ... | 26-gauge steel or lighter | 20 inches 22 " " 24 " " 26 " " 28 " " 30 " " 33 " " 36 " | 3 dozen 3 " " 3 " " 3 " " 3 " " 3 " " 2 " " 1 " " | 5s. 5d. per doz. 5s. 5d. " 5s. 10d. " 6s. 3d. " 6s. 7d. " 7s. 6d. " 8s. 9d. " 11s. 4d. " |
| " " " " " " " " | 24-gauge steel or lighter | | | |
| (7.) BUCKETS. | | | | |
| BLACK IRON BUCKETS, common, stamped or forged ears, two rivet holes ... | ... | 11 inches | 6 dozen | 5s. per doz. |
| " " " " " " " | | 12 " | 6 " | 5s. " |
| " " " " " " " | | 13 " | 6 " | 5s. 4d. " |
| BLACK IRON BUCKETS, common, stamped or forged ears, three rivet holes ... | 28-gauge iron or lighter | 14 " | 6 " | 6s. 2d. " |
| " " " " " " " | | 11 " " | 3 " | 5s. 4d. " |
| " " " " " " " | | 12 " " | 3 " | 5s. 4d. " |
| " " " " " " " | | 13 " " | 3 " | 5s. 9d. " |
| BLACK IRON BUCKETS, strapped sides and bottoms ... | ... | 14 " " | 3 " | 6s. 9d. " |
| " " " " " " " | | 11 " " | 2 " | 7s. 5d. " |
| " " " " " " " | | 12 " " | 2 " | 7s. 5d. " |
| " " " " " " " | | 13 " " | 2 " | 8s. 3d. " |
| BLACK IRON BUCKETS, strapped, wrought ears, two rivet holes ... | 26-gauge iron or lighter | 14 " " | 2 " | 9s. " |
| " " " " " " " | | 11 " " | 2 " | 6s. 9d. " |
| " " " " " " " | | 12 " " | 2 " | 6s. 9d. " |
| " " " " " " " | | 13 " " | 2 " | 7s. 5d. " |
| BLACK IRON BUCKETS, strapped, wrought ears, three rivet holes ... | ... | 14 " " | 2 " | 8s. 8d. " |
| " " " " " " " | | 11 " " | 2 " | 7s. 5d. " |
| " " " " " " " | | 12 " " | 2 " | 7s. 5d. " |
| " " " " " " " | | 13 " " | 2 " | 8s. 3d. " |
| MILK BUCKETS, tin, with bail, hollow bottom, and tin hoop (bail supplied) ... | ... | 11 inches diameter x 9 inches deep | 4 " | 6s. 2d. " |
| " " " " " " " | | 13 inches diameter x 9 inches deep | 4 " | 6s. 9d. " |
| MILK BUCKETS, tin, with hollow bottoms, and tinned or galvanized hoops and bails (bails supplied) ... | IX tin plate or lighter | 11 inches diameter x 9 inches deep | 4 " | 6s. 2d. " |
| " " " " " " " | | 13 inches diameter x 9 inches deep | 4 " | 6s. 9d. " |
| " " " " " " " | | 11 inches diameter x 11 inches deep | 3 " | 7s. 5d. " |
| " " " " " " " | | 13 inches diameter x 11 inches deep | 3 " | 9s. " |
| " " " " " " " | | 11 inches diameter x 18 inches deep | 1 " | 9s. 11d. " |
| " " " " " " " | | 12 inches diameter x 18 inches deep | 1 " | 10s. 11d. " |
| MILK BUCKETS, tin—Making bails for tin (if stamped bottom supplied) | ... | All sizes ... |" | 5d. " extra 4d. per doz. deducted |
| STRAINER MILK BUCKETS, tin, part covered, with lip and brass wire strainer, hollow bottom, and tinned or galvanized hoop and bails (bails supplied) ... | ... | 11 inches diameter x 9 inches deep | 1½ dozen | 14s. 11d. per doz. |
| " " " " " " " | IX tin plate or lighter | 11 inches diameter x 11 inches deep | 1 " " | 14s. 11d. " |
| " " " " " " " | | 13 inches diameter x 9 inches deep | 1½ " " | 15s. 8d. " |
| With back handle ... | ... | ... | ... | 1s. 11d. per doz. extra |

Less 11 per cent.

PIECE-WORK—continued.

| Articles. | Material. | Size. | When given out in the under- mentioned Quantities or more. | Prices. |
|---|-----------------------------------|--|--|--|
| BUCKETS—continued. | | | | |
| ALL MILK BUCKETS—If ears soldered to outside of bucket | | | | 1s. 10d. per doz. extra |
| TIN BUCKETS, with flat bottoms and stamped ears | IC tin plate | 11 inches dia- meter x 9 inches deep | 6 dozen ... | 5s. 4d. per doz. |
| TIN BUCKETS, with tin hoop and stamped ears ... | IC tin plate ... | 13 inches dia- meter x 9 inches deep | 6 " ... | 6s. 2d. " |
| " with 1½-in. or 1¾-in. hoop and strap | IC tin plate ... | " " 2 " ... | 8s. 8d. " | |
| " with 1½-in. hoop and strap ... | IXX tin plate ... | " " 2 " ... | 9s. 5d. " | |
| " with 1¾-in. hoop and strap ... | IXX tin plate ... | " " 2 " ... | 10s. 9d. " | |
| If bails supplied for strapped tin buckets ... | | | | 3d. per doz. deducted |
| (8.) CANISTERS. | | | | |
| ROUND CANISTERS, with slipped on bottle neck (top blanks supplied) | | ½ lb. ... | 4 dozen .. | 4s. 7d. per doz. |
| " " " | IC tin plate | 1 " ... | 4 " ... | 5s. " |
| " " " | | 2 lbs. ... | 4 " ... | 5s. 4d. " |
| " " " | | 3 " ... | 3 " ... | 5s. 9d. " |
| " " " | | 4 " ... | 3 " ... | 6s. 9d. " |
| (9.) CANS. | | | | |
| CREAM CANS, grooved, three hoops, double rim cover (including use of guillotine) | | 20 quarts ... | 1 dozen ... | 7s. 11d. each |
| " " " " | 20-gauge tinned steel | 30 " ... | 1 " " | 7s. 11d. " |
| " four hoops, double rim cover (in- cluding use of guillotine) ... | 40 " ... | 1 " " | 8s. 8d. " | |
| " three hoops, single rim cover (in- cluding use of guillotine) ... | DXXXX | 20 " ... | 1 " " | 6s. 2d. " |
| " " " " | tin plate or lighter | 30 " ... | 1 " " | 6s. 2d. " |
| " four " " " | | 40 " ... | 1 " " | 7s. 2d. " |
| " If not cleaned and tested by maker | | 40 " ... | 1 " " | 7s. 5d. " |
| " If hoops supplied for ... | | All sizes ... | | 3d. per can deducted 6d. per doz. hoops de- ducted |
| " If cover stamping or blocking sup- plied for | | 40 quarts ... | | 1s. 6d. per doz. deducted |
| " If bottoms supplied for ... | | 40 " ... | | 1s. per doz. deducted |
| HARVEST CANS, with pannikin supplied ... | | 2 quarts ... | 1½ dozen ... | 9s. 9d. per doz. |
| " " " | | 3 " ... | 1½ " " | 10s. 10d. " |
| " " " | IX tin plate or lighter | 4 " ... | 1½ " " | 11s. 6d. " |
| " " " | | 6 " ... | 1 " " | 12s. 3d. " |
| " " " | | 8 " ... | 1 " " | 12s. 11d. " |
| " " " | | 10 " ... | 1 " " | 14s. 4d. " |
| " " " if with spouts | | 12. " ... | 1 " " | 16s. 1d. " |
| " " " if with spouts | | All sizes ... | | 2s. 9d. per doz. extra |
| HOT WATER CANS, knocked up bottoms ... | | 3 pints ... | 1 dozen ... | 18s. 2d. per doz. |
| " " " " | | 2 quarts ... | 1 " " | 18s. 2d. " |
| " " " " | IX tin plate or lighter | 3 " ... | 1 " " | 22s. " |
| " wired, bottom let in ... | | 4 " ... | 1 " " | 22s. " |
| " " " " | | 3 pints ... | 1 " " | 19s. 10d. " |
| " " " " | | 2 quarts ... | 1 " " | 19s. 10d. " |
| " " " " | | 3 " ... | 1 " " | 23s. 8d. " |
| " " " " | | 4 " ... | 1 " " | 23s. 8d. " |
| HOT WATER CANS | 26-gauge galv. iron or lighter | All sizes ... | | 4s. 3d. per doz. extra |
| JACK SHAY CANS, straight body | IC tin plate | 1 quart ... | 2 dozen ... | 7s. 11d. per doz. |
| " tapered body | | 1 " ... | 2 " ... | 10s. 4d. " |
| MINERS' CANS | | 1½ pints ... | 2 " ... | 8s. 3d. " |
| " | IC tin plate | 2 " ... | 2 " ... | 8s. 3d. " |
| " | | 3 " ... | 2 " ... | 8s. 8d. " |
| " | | 4 " ... | 2 " ... | 9s. 9d. " |
| " | | 6 " ... | 1½ " " | 10s. 9d. " |
| RAILWAY MILK CANS, grooved, two hoops (includin- g use of guillotine, cleaning and testing) ... | 20-gauge tinned steel | 20 quarts ... | 1 " ... | 5s. 9d. each |
| " " " three hoops " " | | 30 " ... | 1 " " | 5s. 9d. " |
| " " " four hoops " " | DXXXX | 30 " ... | 1 " " | 6s. 2d. " |
| " " " three hoops " " | tin plate | 40 " ... | 1 " " | 6s. 2d. " |
| " " " four hoops " " | or lighter. | 40 " ... | 1 " " | 6s. 9d. " |
| " " " four hoops or less " " | | 50 " ... | 6 articles ... | 9s. " |
| " " " If hoops supplied | | All sizes ... | | 6d. per doz. hoops de- ducted |

Less 11 per cent.

PIECE-WORK—continued.

| Articles. | Material. | Size. | When given out in the under- mentioned Quantities or more. | Prices. |
|---|--------------------------------|--|--|---|
| CANS—continued. | | | | |
| RAILWAY MILK CANS, if bottoms supplied | ... | All sizes ... | | 1s. per doz. deducted |
| TOILET CANS, with knocked up bottoms (studs supplied) | IX tin plate or lighter | 6 quarts ... 8 " ... 10 " ... 12 " ... 16 " ... 6 " ... 8 " ... 10 " ... 12 " ... 16 " ... All sizes ... | 1 dozen ... 1 " | 25s. 8d. per doz. 28s. 3d. " 31s. " 33s. 10d. " 37s. 11d. " 28s. 3d. " 32s. 7d. " 34s. 7d. " 37s. 3d. " 41s. 7d. " 5s. 4d. per doz. extra |
| " " " " | 26-gauge galv. iron or lighter | | | |
| (10.) COLANDERS. | | | | |
| HAND-MADE COLANDERS, machine-punched, with side handles | IX tin plate or lighter | 9 inches ... 11 " ... 13 " ... 15 " ... All sizes ... | 4 dozen ... 4 " ... 3 " ... 1½ " | 6s. 3d. per doz. 7s. 5d. " 9s. " 10s. 7d. " 2s. 9d. per doz. extra |
| COLANDERS—If punched with hand punch | | | | |
| (11.) COVERS. | | | | |
| MEAT COVERS, with perforated zinc bodies (straight sides) and pitched top | IX tin plate or lighter | 12 inches ... 14 " ... 16 " ... 18 " ... 20 " ... 22 " ... 24 " ... 12 " ... 14 " ... 16 " ... 18 " ... 20 " ... 22 " ... 24 " ... 14 " ... 15 " ... 16 " ... 17 " ... 18 " ... 20 " ... 22 " ... 24 " ... All sizes ... | 3 dozen ... 3 " ... 3 " ... 3 " ... 2 " ... 1½ " ... 1 " ... 3 " ... 3 " ... 3 " ... 3 " ... 2 " ... 1½ " ... 1 " ... 3 " ... 3 " ... 3 " ... 3 " ... 1 " | 5s. 6d. per doz. 5s. 11d. " 6s. 3d. " 7s. 2d. " 7s. 11d. " 9s. 5d. " 10s. 11d. " 6s. 3d. " 7s. 2d. " 7s. 5d. " 8s. 3d. " 9s. " 10s. 11d. " 12s. 6d. " 8s. 8d. per doz. 9s. " 9s. 5d. " 10s. 3d. " 10s. 11d. " 12s. 6d. " 14s. 2d. " 17s. 3d. " 2s. 4d. per doz. extra |
| " " " " | IXX tin plate or lighter | | | |
| " " " " if stamped or blocked tops supplied or ... | | 14 inches ... 15 " ... 16 " ... 17 " ... 18 " ... 20 " ... 22 " ... 24 " ... | | 6d. per dozen deducted 6d. " 9d. " 9d. " 9d. " 1s. " 1s. " 1s. " 1s. " |
| (12.) DIPPERS. | | | | |
| COMMON DIPPERS | IX tin plate or lighter | 2 quarts ... 3 " ... 2 " ... 3 " ... 4 " | 6 dozen ... 2s. 11d. per doz. 2s. 11d. " 5s. " 5s. 2d. " | 2s. 11d. per doz. 2s. 11d. " 5s. " 5s. 2d. " 5d. per doz. dippers extra |
| BEST DIPPERS, bossed | | | | |
| DIPPERS—Soldering studs on | | | | |
| (13.) DISHES. | | | | |
| DEVON DISHES, about 9 inches deep, flat bottoms | IX tin plate or lighter | 14 inches ... 16 " ... 18 " ... 20 " ... 22 " ... All sizes ... | 3 dozen ... 3 " ... 2 " ... 1 " ... 1 " | 6s. 3d. per doz. 7s. 5d. " 8s. 8d. " 9s. 9d. " 11s. 5d. " 1s. 10d. per doz. extra |
| " " " " with hoops | | | | |

Less 11 per cent.

PIECE-WORK—*continued.*

| Articles.. | Material. | Size. | When given out in the under- mentioned Quantities or more. | Prices. |
|--|---------------|---------------|--|---------------------------|
| DISHES—<i>continued.</i> | | | | |
| MILK DISHES | IX' tin plate | 17 inches ... | 2 dozen ... | 6s. 9d. per doz. |
| " | or lighter | 18½ " ... | 2 " ... | 7s. 11d. " |
| " | | 20 " ... | 2 " ... | 9s. " |
| " | | 22 " ... | 2 " ... | 9s. 9d. " |
| SCALDING DISHES, about 6 inches deep, flat bottoms | IX tin plate | 14 " ... | 2 " ... | 5s. 11d. " |
| " " " " | or lighter | 16 " ... | 2 " ... | 6s. 9d. " |
| " " " " | | 18 " ... | 2 " ... | 8s. 8d. " |
| ROUND DISHES, flat bottoms, made ready for gal- vanizing | IX tin plate | 14 inches ... | 3 dozen ... | 5s. 1d. per doz. |
| " " " " | or lighter | 15 " ... | 3 " ... | 5s. 6d. " |
| " " " " | | 17 " ... | 3 " ... | 6s. 9d. " |
| " making wire handles for | | | | 5d. per doz. dishes extra |
| SQUARE DISHES, tin | | 12 x 8 inches | 3 dozen ... | 5s. 1d. per doz. |
| " " " | | 13 x 9 " | 3 " ... | 5s. 11d. " |
| " " " | | 14 x 10 " | 3 " ... | 6s. 3d. " |
| " " " | | 16 x 11 " | 3 " ... | 6s. 9d. " |
| " " " | | 16 x 12 " | 2 " ... | 6s. 9d. " |
| " " " | IX tin plate | 17 x 12 " | 2 " ... | 7s. 11d. " |
| " " " | or lighter | 18 x 12 " | 2 " ... | 7s. 11d. " |
| " " " | | 18 x 14 " | 2 " ... | 8s. 8d. " |
| " " if formed in angle-bender | | 20 x 14 " | 2 " ... | 9s. " |
| | | ... | | 3d. per doz. deducted |
| (14.) DREDGERS. | | | | |
| FLOUR DREDGERS (tops and feet supplied) | IC tin plate | No. 1 ... | 6 dozen ... | 3s. per doz. |
| " " " | | No. 2 ... | 6 " ... | 3s. 9d. " |
| (15.) FEEDERS. | | | | |
| CARPENTERS' FEEDERS | | | 4 dozen ... | 4s. 4d. per doz. |
| OIL FEEDERS, funnel shape | | ½ pint ... | 2 " ... | 7s. 5d. " |
| " " | | 1 " ... | 2 " ... | 8s. 3d. " |
| " " | IX tin plate | 2 pints ... | 2 " ... | 8s. 8d. " |
| " for drays—McCormick's pattern | or lighter | | 2 " ... | 7s. 5d. " |
| REAPING MACHINE OIL FEEDERS | | | 2 " ... | 9s. 9d. " |
| If spouts supplied for Feeders (except Carpen- ters' Feeders) | | | | 9d. per doz. deducted |
| (16.) FRAMES. | | | | |
| SPONGE CAKE FRAMES | IC tin plate | All sizes ... | 1 dozen ... | 19s. 10d. per doz. |
| (17.) FUNNELS. | | | | |
| FUNNELS, without rims, not wired | | ½ pint ... | 8 dozen ... | 1s. 11d. per doz. |
| " " " wired | | 6 " ... | 6 " ... | 2s. 11d. " |
| " " " | | 6 " ... | 6 " ... | 2s. 11d. " |
| " " " | IC tin plate | 1 " ... | 4 " ... | 3s. 4d. " |
| " " " | | 1½ pints ... | 4 " ... | 3s. 4d. " |
| " " " | | 2 " ... | 4 " ... | 4s. 1d. " |
| " " " | | 2½ " ... | 4 " ... | 4s. 1d. " |
| " with rims | | 2 " ... | 3 " ... | 5s. 4d. " |
| " " " | | 4 " ... | 3 " ... | 6s. 2d. " |
| " " " | IX tin plate | 6 " ... | 2 " ... | 6s. 9d. " |
| " " " | or lighter | 8 " ... | 2 " ... | 8s. 8d. " |
| " " " | | 10 " ... | 1½ " ... | 9s. 9d. " |
| " " " | | 12 " ... | 1½ " ... | 10s. 9d. " |
| (18.) GRATERS. | | | | |
| BREAD GRATERS, half round (punched plates supplied) | | No. 1 ... | 6 dozen ... | 2s. 9d. per doz. |
| " " " punched by hand | | " 2 ... | 6 " ... | 3s. 4d. " |
| " " " | | " 1 ... | 3 " ... | 4s. 6d. " |
| " " " | IC tin plate | " 2 ... | 3 " ... | 5s. 4d. " |
| " round (punched plates supplied) | | " 1 ... | 3 " ... | 4s. 1d. " |
| " " " | | " 2 ... | 3 " ... | 4s. 7d. " |
| " round (punched plates and graters on sides supplied) | | " 1 ... | 3 " ... | 4s. 7d. " |
| " " " | | " 2 ... | 3 " ... | 5s. " |
| " round punched by hand | | " 1 ... | 3 " ... | 6s. 2d. " |
| " " " | | " 2 ... | 3 " ... | 6s. 9d. " |
| NUTMEG GRATERS (punched plates supplied) | IC tin plate | All sizes ... | 12 " ... | 1s. 11d. " |

Less 11 per cent.

PIECE-WORK—continued.

| Articles. | Material. | Size. | When given out in the under- mentioned Quantities or more. | Prices. |
|--|-----------------------------|---------------|--|------------------------|
| (19.) HODS. | | | | |
| COAL Hods, with stamped feet | | No. 1 ... | 1 dozen ... | 14s. 2d. per doz. |
| " " with feet hand-made and riveted on | 24-gauge iron or lighter | " 2 ... | 1 " ... | 14s. 7d. " |
| " " with knocked-up feet | " 1 ... | 1 " ... | 16s. 1d. " | |
| " " with stamped feet | " 2 ... | 1 " ... | 16s. 6d. " | |
| " " with feet hand-made and riveted on | " 1 ... | 1 " ... | 19s. 7d. " | |
| " " with knocked-up feet | " 2 ... | 1 " ... | 19s. 7d. " | |
| " " with feet hand-made and riveted on | 26-gauge iron or lighter | " 1 ... | 1 " ... | 14s. 7d. " |
| " " with knocked-up feet | " 2 ... | 1 " ... | 14s. 11d. " | |
| " " with feet hand-made and riveted on | " 1 ... | 1 " ... | 18s. 2d. " | |
| " hooped ... " ... | 28-gauge iron or lighter | " 2 ... | 1 " ... | 18s. 2d. " |
| " when half-covered" | " 1 ... | 1 " ... | 14s. 2d. " | |
| | All gauges ... | All sizes ... | | 13s. 5d. " |
| | | | | 8s. 3d. per doz. extra |
| (20.) KETTLES. | | | | |
| CAMP KETTLES, with stamped covers supplied ... | | 1 quart ... | 6 dozen ... | 2s. 11d. per doz. |
| " " " " " | | 1½ quarts ... | 6 " ... | 3s. 4d. " |
| " " " " " | | 2 " ... | 6 " ... | 3s. 9d. " |
| " " " " " | | 3 " ... | 4 " ... | 4s. 1d. " |
| " " " " " | | 4 " ... | 4 " ... | 4s. 6d. " |
| " " " " " | | 6 " ... | 4 " ... | 4s. 9d. " |
| " " " " " | | 8 " ... | 3 " ... | 6s. " |
| | | | 3 dozen assorted, | |
| " " " " " | | 10 " ... | not less than 1 | 6s. 9d. " |
| " " " " " | | 12 " ... | dozen either size. | 8s. 3d. " |
| | IX tin plate or lighter | | | |
| " with stamped covers, finished lid handles, rims ready for tacking, and circular blanks for bottoms supplied | | 1 quart ... | 6 dozen ... | 2s. 6d. per doz. |
| " " " " " | | 1½ quarts ... | 6 " ... | 2s. 9d. " |
| " " " " " | | 2 " ... | 6 " ... | 2s. 11d. " |
| " " " " " | | 3 " ... | 4 " ... | 3s. 4d. " |
| " " " " " | | 4 " ... | 4 " ... | 3s. 9d. " |
| " " " " " | | 6 " ... | 4 " ... | 4s. 1d. " |
| " " " " " | | 8 " ... | 3 " ... | 4s. 9d. " |
| | | | 3 dozen assorted, | |
| " " " " " | | 10 " ... | not less than 1 | 6s. 3d. " |
| " " " " " | | 12 " ... | dozen either size. | 7s. 11d. " |
| | IX tin plate or lighter | | | |
| " with stamped covers, finished lid handles, rims ready for tacking, and use of circle cutters for bottoms" | | 1 quart ... | 6 dozen ... | 2s. 8d. per doz. |
| " " " " " | | 1½ quarts ... | 6 " ... | 2s. 11d. " |
| " " " " " | | 2 " ... | 6 " ... | 3s. 4d. " |
| " " " " " | | 3 " ... | 6 " ... | 3s. 5d. " |
| " " " " " | | 4 " ... | 4 " ... | 3s. 9d. " |
| " " " " " | | 6 " ... | 4 " ... | 4s. 6d. " |
| " " " " " | | 8 " ... | 3 " ... | 5s. 6d. " |
| | | | 3 dozen assorted, | |
| " " " " " | | 10 " ... | not less than 1 | 6s. 3d. " |
| " " " " " | | 12 " ... | dozen either size. | 7s. 11d. " |
| | IX tin plate or lighter | | | |
| " with stamped covers, finished lid handles, finished rims, and cir- cular blanks for bottoms supplied | | 1 quart ... | 6 dozen ... | 2s. 4d. per doz. |
| " " " " " | | 1½ quarts ... | 6 " ... | 2s. 8d. " |
| " " " " " | | 2 " ... | 6 " ... | 2s. 9d. " |
| " " " " " | | 3 " ... | 4 " ... | 3s. 4d. " |
| " " " " " | | 4 " ... | 4 " ... | 3s. 9d. " |
| " " " " " | | 6 " ... | 4 " ... | 4s. 1d. " |
| " " " " " | | 8 " ... | 3 " ... | 4s. 9d. " |
| | | | 3 dozen assorted, | |
| " " " " " | | 10 " ... | not less than 1 | 6s. 1d. " |
| " " " " " | | 12 " ... | dozen either size. | 7s. 11d. " |

Less 11 per cent.

PIECE-WORK—continued.

| Articles. | Material. | Size. | When given out in the under- mentioned Quantities or more. | Prices. |
|---|---------------------------|--|---|--|
| KETTLES—continued. | | | | |
| CAMP KETTLES, with stamped covers, finished lid handles, finished rims, and use of circle cutters for bottoms ... | | 1 quart ... | 6 dozen ... | 2s. 6d. per doz. |
| " " " | | 1½ quarts | 6 " ... | 2s. 9d. " |
| " " " | | 2 " ... | 6 " ... | 2s. 11d. " |
| " " " | | 3 " ... | 4 " ... | 3s. 4d. " |
| " " " | | 4 " ... | 4 " ... | 3s. 9d. " |
| " " " | | 6 " ... | 4 " ... | 4s. 1d. " |
| " " " | | 8 " ... | 3 " ... | 5s. 6d. " |
| | | | (3 dozen assorted, not less than 1 dozen either size) | |
| " " " | | 10 " ... | | 6s. 3d. " |
| " " " | | 12 " ... | | 7s. 11d. " |
| COPPER KETTLES (planishing and tinning supplied) | | 4 pints ... | 6 articles... | 29s. 11d. per doz. |
| " " " | | 5 " ... | 6 " ... | 31s. 5d. " |
| " " " | | 6 " ... | 6 " ... | 33s. 10d. " |
| " " " | | 7 " ... | 6 " ... | 36s. 11d. " |
| " tinning bottoms of | | All sizes ... | ... | 1s. 10d. per doz. extra |
| FISH KETTLES (body handles supplied and covers wheeled) | | 14 inches ... | 6 articles... | 47s. 3d. per doz. |
| " " " | DXXX tin plate or lighter | 16 " ... | 3 " ... | 59s. 9d. " |
| " " " | | 18 " ... | 3 " ... | 70s. 9d. " |
| " " " | | 20 " ... | 3 " ... | 81s. 8d. " |
| " " " | | 22 " ... | 3 " ... | 93s. 7d. " |
| " " " | | 24 " ... | 3 " ... | 108s. 6d. " |
| " smoothing covers on block | | 14 " ... | ... | 2s. 10d. per doz. extra |
| " " " | | 16 " ... | ... | 3s. 9d. " |
| " " " | | 18 " ... | ... | 5s. " |
| " " " | | 20 " ... | ... | 5s. 9d. " |
| " " " | | 22 " ... | ... | 6s. 9d. " |
| " " " | | 24 " ... | ... | 7s. 11d. " |
| TEA KETTLES, oval, with tin bottoms | | 3 pints ... | 1½ dozen... | 10s. 9d. per doz. |
| " " " | | 4 " ... | 1½ " | 11s. 6d. " |
| " " " | | 5 " ... | 1½ " | 12s. 11d. " |
| " " " | | 6 " ... | 1 " ... | 13s. 9d. " |
| " " " | | 8 " ... | 1 " ... | 15s. 9d. " |
| " " with 28 gauge galvanized iron bottoms | | 3 " ... | 1½ " | 11s. 6d. " |
| " " " | | 4 " ... | 1½ " | 12s. 11d. " |
| " " " | | 5 " ... | 1½ " | 13s. 9d. " |
| " " " | | 6 " ... | 1 " ... | 14s. 7d. " |
| " " " | | 8 " ... | 1 " ... | 16s. 6d. " |
| " " with tinned-copper bottoms | | 3 " ... | 1½ " | 12s. 3d. " |
| " " " | | 4 " ... | 1½ " | 13s. 1d. " |
| " " " | | 5 " ... | 1½ " | 14s. 2d. " |
| " " " | | 6 " ... | 1 " ... | 15s. 9d. " |
| " " " | | 8 " ... | 1 " ... | 17s. 4d. " |
| " " with copper bottoms tinned by maker | IXX tin plate or lighter | All sizes ... | ... | 1s. 10d. per doz. extra |
| " round, straight, with tin bottoms.. | | 1 pint ... | 3 dozen ... | 5s. per doz. |
| " round, tapered, with 28 gauge galvanized-iron bottoms | | 2 pints ... | 3 " ... | 6s. 2d. " |
| " " " | | 3 " ... | 2 " ... | 7s. 5d. " |
| " " " | | 4 " ... | 2 " ... | 8s. 3d. " |
| " " " | | 5 " ... | 2 " ... | 9s. 6d. " |
| " " " | | 6 " ... | 2 " ... | 10s. 4d. " |
| " " " | | 8 " ... | 1 " ... | 12s. 3d. " |
| " " straight, with tinned-copper bottoms | | 1 pint ... | 3 " ... | 5s. 4d. " |
| " " tapered | | 2 pints ... | 3 " ... | 6s. 9d. " |
| " " " | | 3 " ... | 2 " ... | 7s. 11d. " |
| " " " | | 4 " ... | 2 " ... | 8s. 8d. " |
| " " " | | 5 " ... | 2 " ... | 9s. 11d. " |
| " " " | | 6 " ... | 2 " ... | 10s. 9d. " |
| " " " | | 8 " ... | 1 " ... | 12s. 11d. " |
| " " straight or tapered, with bottoms tinned by maker | | All sizes ... | 3 " ... | 1s. 10d. per doz. extra |
| " blocking covers and blocking and swedging breasts of | | 1 pint ... | ... | 2s. 4d. per doz. extra |
| " " " | IXX tin plate or lighter | 2 pints ... | ... | 2s. 4d. " |
| " " " | | 3 " ... | ... | 2s. 4d. " |
| " " " | | 4 " ... | ... | 3s. 4d. " |
| " " " | | 5 " ... | ... | 3s. 4d. " |
| " " " | | 6 " ... | ... | 3s. 4d. " |
| " " " | | 8 " ... | ... | 3s. 9d. " |
| (21.) LAMPS. | | | | |
| WALL LAMPS, with fonts | IXX tin plate or lighter | Tops, 1-lb. copper, or IXX tin plate or lighter | No. 1 ... " 2 ... " 3 ... | 49s. 2d. per doz. 52s. 10d. " 57s. " |

Less 11 per cent.

PIECE-WORK—continued.

| Articles. | Material. | Size. | When given out in the under- mentioned Quantities or more. | Prices. |
|---|--------------------------------|-------------------------|--|---------------------------------------|
| (22.) MEASURES. | | | | |
| MILK MEASURES | IC tin plate | ½ pint ... | 6 doze ... | 3s. 9d. per doz. |
| " " " " " | | 1 " ... | 4 " ... | 4s. 7d. " |
| OIL MEASURES, straight sides | IXX tin plate or lighter | 2 pints ... | 3 " ... | 5s. " |
| " " " " " | | ½ pint ... | 3 " ... | 5s. 4d. " |
| " " " " " | | 1 " ... | 3 " ... | 6s. 2d. " |
| SPIRIT MEASURES | IXX tin plate or lighter | 1 quart ... | 2 " ... | 7s. 11d. " |
| " " " " " | | 2 quarts ... | 2 " ... | 9s. " |
| " " " " " | | 4 " ... | 2 " ... | 10s. 9d. " |
| " " " " " | | ½ pint ... | 1 " ... | 13s. 2d. " |
| " " " " " | | 1 " ... | 1 " ... | 14s. 7d. " |
| " " " " " | | 2 pints ... | 1 " ... | 19s. 7d. " |
| " " " " " | | 4 " ... | 1 " ... | 21s. 11d. " |
| " " " " " | | 1 gallon ... | 1 " ... | 25s. 2d. " |
| " " " " " | IXX tin plate or lighter | 2 gallons ... | 6 articles... | 28s. 3d. " |
| (23.) PAILS. | | | | |
| SLOP PAILS, with stamped tops, bottoms, and breasts supplied | | No. 1 ... | 2 dozen ... | 10s. 9d. per doz. |
| " " " " " | | " 2 ... | 2 " ... | 11s. 6d. " |
| " " " " " | | " 3 ... | 2 " ... | 14s. 11d. " |
| " stamped tops and bottoms supplied, hand-made breasts | IXX tin plate or lighter | " 4 ... | 2 " ... | 17s. 3d. " |
| " " " " " | | 1 " ... | 2 " ... | 13s. 7d. " |
| " " " " " | | 2 " ... | 2 " ... | 15s. 3d. " |
| " " " " " | | 3 " ... | 2 " ... | 18s. 5d. " |
| " hand-made : | | 4 " ... | 2 " ... | 22s. " |
| " " " " " | | 1 " ... | 2 " ... | 17s. 3d. " |
| " " " " " | | 2 " ... | 2 " ... | 19s. 8d. " |
| " " " " " | | 3 " ... | 2 " ... | 23s. 11d. " |
| " made with black or galvanized iron lids | | 4 " ... | 2 " ... | 26s. 4d. " |
| " " " " " | | All sizes ... | ... | 5d. per doz. extra |
| " " " " " bottoms | 26-gauge or lighter | " ... | ... | 5d. " " |
| " " " " " feet | | " ... | ... | 5d. " " |
| Bails and ears to be supplied for all sizes | | | | |
| POILET PAILS | IXX tin plate or lighter | No. 1 ... | 1 dozen ... | 14s. 7d. per doz. |
| " " " " " | | " 2 ... | 1 " ... | 16s. 1d. " |
| " " " " " | | " 3 ... | 1 " ... | 17s. 3d. " |
| " if feet and funnels supplied ... | | All sizes ... | ... | 1s. 6d. per doz. deducted |
| (24.) PANS. | | | | |
| ASHPANS, common | 28-gauge iron or lighter | No. 1. ... | 4 dozen ... | 5s. 9d. per doz. |
| " " " " " | | " 2 ... | 4 " ... | 6s. 2d. " |
| " " " " " | | " 3 ... | 4 " ... | 6s. 7d. " |
| " " " " " | 26-gauge iron or lighter | 1 " ... | 4 " ... | 6s. 7d. " |
| " " " " " | | 2 " ... | 4 " ... | 7s. 5d. " |
| " " " " with tin head | | 3 " ... | 4 " ... | 8s. 3d. " |
| " Venetians for Ashpans (2 in set) | | All sizes ... | ... | 1s. 10d. per doz. extra |
| " " (3 in set) | | " ... | 2 dozen ... | 7s. 5d. per doz. sets of venetians |
| CLOSETPANS, tapered to nest | 26-gauge iron or lighter | 17½ x 16 x 13 inches | 2 " ... | 9s. " " |
| " straight sides | 26-gauge iron or lighter | 17 x 13 x 13 inches | 2 " ... | 8s. 3d. " |
| " " " " | 26-gauge iron or lighter | 18 x 14 x 14 inches | 2 " ... | 9s. " |
| " " " " | 24-gauge iron ... | All sizes ... | 1½ dozen of any one size | 1s. 10d. per doz. extra |
| " if made with single strap one rivet in bottom | | " ... | ... | 5d. per doz. pans extra |
| " " " " double " " " | | " ... | ... | 9d. " " |
| " if made of galvanized iron | | " ... | ... | 1s. 10d. " " |
| DOUGHPANS | IXX tin plate or lighter | 14 inches ... | 2 dozen ... | 9s. 10d. per doz. |
| " " " " " | | 16 " ... | 2 " ... | 10s. 9d. " |
| " " " " " | | 18 " ... | 2 " ... | 13s. 2d. " |
| " " " " " | | 20 " ... | 1 " ... | 15s. 9d. " |
| DUSTPANS | | 22 " ... | 1 " ... | 18s. 2d. " |
| " " " " " | | No. 1 " ... | 2½ " ... | 6s. 2d. " |
| " " " " " | | 2 " ... | 2½ " ... | 7s. 5d. " |
| " with cover | IXX tin plate or lighter | 3 " ... | 2½ " ... | 7s. 11d. " |
| " " " " " | | 1 " ... | 2 " ... | 9s. " |
| " " " " " | | 2 " ... | 2 " ... | 9s. 10d. " |
| YANKEE, CORNISH, OR FLAT BOTTOM PANS ... | | 13 inches ... | 2 " ... | 10s. 9d. " |
| " " " " " | | 14 " ... | 4 " ... | 5s. " |
| " " " " " | | 15 " ... | 4 " ... | 6s. 4d. " |
| " " " " " | IC tin plate | 16 " ... | 3 " ... | 6s. 2d. " |
| " " " " " | | 17 " ... | 3 " ... | 7s. 5d. " |
| " " " " " | | 18 " ... | 3 " ... | 9s. " " |

Less 11 per cent.

PIECE-WORK—continued.

| Articles. | Material. | Size. | When given out in the under- mentioned Quantities or more. | Prices |
|---|--|---------------|--|----------------------------------|
| (25.) PANNIKINS. | | | | |
| PANNIKINS, with bottoms supplied | IX tin plate or lighter | 1 pint ... | 2 gross ... | 9s. 10d. per gross |
| " " if handle blanks supplied | | 1 " ... | 1½ " ... | 11s. 6d. " |
| (26.) POTS. | | | | |
| COFFEE-POTS, common | IX tin plate or lighter | 2 pints ... | 3 dozen ... | 7s. 5d. per doz. |
| " " | | 3 " ... | 3 " ... | 7s. 11d. " |
| " " | | 4 " ... | 2 " ... | 9s. " |
| " " | | 5 " ... | 2 " ... | 9s. 10d. " |
| " " | | 6 " ... | 2 " ... | 11s. 6d. " |
| " " | | 7 " ... | 1½ " ... | 12s. 11d. " |
| " " | | 8 " ... | 1½ " ... | 14s. 7d. " |
| " best, riveted spouts and tin handles | All sizes ... | | | 3s. 9d. per doz. extra |
| (27.) PUMPS. | | | | |
| KEROSENE PUMPS (funnel top or plain barrel) top blanks supplied | IC tin plate ... | | 4 dozen ... | 5s. per doz. |
| (28.) SAFES. | | | | |
| MEAT SAFES, round | Zinc or IX tin plate or lighter. Trays | 12 inches ... | 1 dozen ... | 33s. per doz. |
| " " | | 14 " ... | 1 " ... | 34s. 7d. " |
| " " | | 16 " ... | 1 " ... | 37s. 9d. " |
| " " | 26 gauge iron or lighter | 18 " ... | 1 " ... | 42s. 4d. " |
| " " | | 20 " ... | 6 articles | 47s. 3d. " |
| " " | | 22 " ... | 6 " ... | 51s. 10d. " |
| " " | | 24 " ... | 6 " ... | 59s. 9d. " |
| " " loose bottoms | | All sizes ... | | 1s. 7d. per doz. extra |
| " " if trays supplied | | All sizes ... | | 1s. 6d. per doz. deducted |
| " square, with half-round, D shape, or basin shape top and zinc fronts (trays supplied) ... | Zinc or IX tin plate or lighter. Trays | 12 inches ... | 1 dozen ... | 34s. 7d. per doz. |
| " " " " ... | | 14 " ... | 1 " ... | 37s. 9d. " |
| " " " " ... | | 16 " ... | 1 " ... | 40s. 11d. " |
| " " " " ... | | 18 " ... | 1 " ... | 44s. " |
| " " " " ... | | 20 " ... | 6 articles | 48s. 9d. " |
| " square, with flat tops (with cup) having tapered sides and zinc fronts (trays supplied) ... | Zinc or IX tin plate or lighter | 12 " ... | 1 dozen ... | 36s. 11d. " |
| " " " " ... | | 14 " ... | 1 " ... | 40s. 1d. " |
| " " " " ... | | 16 " ... | 1 " ... | 43s. 3d. " |
| " " " " ... | | 18 " ... | 1 " ... | 46s. 6d. " |
| " " " " ... | | 20 " ... | 6 articles | 51s. " |
| " square, with flat tops (with cup) having concave sides and zinc fronts (trays supplied) ... | Zinc or IX tin plate or lighter | 12 " ... | 1 dozen ... | 39s. 4d. " |
| " " " " ... | | 14 " ... | 1 " ... | 42s. 4d. " |
| " " " " ... | | 16 " ... | 1 " ... | 45s. 7d. " |
| " " " " ... | | 18 " ... | 1 " ... | 48s. 9d. " |
| " " " " ... | | 20 " ... | 6 articles | 53s. 6d. " |
| " if fittings supplied | All sizes ... | | | 1s. 6d. per dozen safes deducted |
| (29.) SAUCEPANS. | | | | |
| TIN SAUCEPANS, with tin bottoms (iron handles supplied) | IX tin plate or lighter | 1 pint ... | 6 dozen ... | 3s. 4d. per doz. |
| " " " " " | | 2 pints ... | 4 " ... | 3s. 9d. " |
| " " " " " | | 3 " ... | 4 " ... | 4s. 2d. " |
| " " " " " | | 4 " ... | 4 " ... | 4s. 7d. " |
| " " " " " | | 6 " ... | 3 " ... | 5s. " |
| " " " " " | | 8 " ... | 3 " ... | 5s. 4d. " |
| " with galvanized-iron bottoms (iron handles supplied) | Bodies | 10 " ... | 2 " ... | 5s. 9d. " |
| " " " " " | IX tin plate or lighter ; | 1 pint ... | 6 " ... | 3s. 9d. " |
| " " " " " | | 2 pints ... | 4 " ... | 4s. 2d. " |
| " " " " " | | 3 " ... | 4 " ... | 4s. 7d. " |
| " " " " " | Bottoms | 4 " ... | 4 " ... | 5s. " |
| " " " " " | 28-gauge galv. iron | 6 " ... | 3 " ... | 5s. 4d. " |
| " " " " " | | 8 " ... | 3 " ... | 5s. 9d. " |
| " " " " " | | 10 " ... | 2 " ... | 6s. 2d. " |
| " with tinned-copper bottoms (iron handles supplied) | Bodies | 1 pint ... | 3 " ... | 4s. 7d. " |
| " " " " " | IX tin plate or lighter | 2 pints ... | 3 " ... | 5s. " |
| " " " " " | | 3 " ... | 3 " ... | 5s. 4d. " |
| " " " " " | | 4 " ... | 2 " ... | 5s. 9d. " |
| " " " " " | | 6 " ... | 2 " ... | 6s. 2d. " |
| " " " " " | | 8 " ... | 2 " ... | 6s. 7d. " |
| " " " " " | | 10 " ... | 2 " ... | 7s. 5d. " |
| " tinning copper bottoms ... | All sizes ... | | | 1s. 10d. per doz. extra |
| " making flat tin handles for cover stamping supplied ... | | | | 1s. 5d. " |
| | | | | 4d. per doz. |

Less 11 per cent.

PIECE-WORK—*continued.*

| Articles. | Material. | Size. | When given out in the under- mentioned Quantities or more. | Prices. |
|--|---|---------------|--|--------------------------------|
| (30.) SCOOPS. | | | | |
| GROCERS' SCOOPS—Drawer, without handles ... | | | 4 dozen as- sorted, not less than 1 dozen of any one size | 2s. 9d. per doz. |
| " " front wired or pieced, with handles | | 5 inches ... | 3 dozen ... | 7s. 5d. " |
| " " " " " | IXX tin plate or lighter | 6 " ... | 3 " ... | 8s. 3d. " |
| " " " " " | | 7 " ... | 2 " ... | 9s. 11d. " |
| " " " " " | | 8 " ... | 2 " ... | 10s. 9d. " |
| " " " " " | | 10 " ... | 1½ " ... | 12s. 11d. " |
| " " " " " | | 12 " ... | 1 " ... | 14s. 4d. " |
| " " front not wired or pieced, with handles | | 5 " ... | 3 " ... | 5s. 9d. " |
| " " " " " | | 6 " ... | 3 " ... | 6s. 7d. " |
| " " " " " | | 7 " ... | 2 " ... | 8s. 3d. " |
| " " " " " | | 8 " ... | 2 " ... | 9s. 11d. " |
| " " " " " | | 10 " ... | 1½ " ... | 10s. 11d. " |
| " " " " " | | 12 " ... | 1 " ... | 13s. 5d. " |
| " galvanized iron, front wired or pieced, with handles | 24-gauge galv. iron or lighter | 5 " ... | 1 " ... | 10s. 11d. " |
| " " " " " | | 6 " ... | 1 " ... | 12s. 3d. " |
| " " " " " | | 7 " ... | 1 " ... | 13s. 7d. " |
| " " " " " | | 8 " ... | 1 " ... | 15s. 8d. " |
| " " " " " | | 10 " ... | 1 " ... | 18s. 6d. " |
| " " " " " | | 12 " ... | 1 " ... | 20s. 10d. " |
| (31.) SKIMMERS. | | | | |
| COOKS' SKIMMERS (handles supplied) | IXX tin plate or lighter | | 3 dozen ... | 5s. 9d. per doz. |
| MILK SKIMMERS, with ring handles | DXXXXX tin plate or lighter | 6½ inches ... | 4 " ... | 3s. 4d. " |
| " " " " " | | 8 " ... | 4 " ... | 4s. 2d. " |
| " " " " " | | 9 " ... | 4 " ... | 4s. 7d. " |
| " " " " " | | 10 " ... | 4 " ... | 5s. " |
| (32.) STANDS. | | | | |
| COCKATOO STANDS | IXX tin plate or lighter | 17 inches ... | 6 articles ... | 34s. 6d. per doz. |
| " " " " " | | 20 " ... | 6 " ... | 36s. 11d. " |
| " " " " " | 26-gauge galv. iron or lighter, or zinc | 17 " ... | 3 " ... | 45s. 7d. " |
| " " " " " | | 20 " ... | 3 " ... | 54s. 3d. " |
| (33.) STEAMERS. | | | | |
| STEAMERS | | No. 4 .. | 2 dozen ... | 7s. 11d. per doz. |
| " " " " " | | " 5 .. | 2 " ... | 7s. 11d. " |
| " " " " " | | " 6 .. | 1½ " ... | 8s. 8d. " |
| " " " " " | IXX tin plate or lighter | " 7 .. | 1½ " ... | 9s. 10d. " |
| " " " " " | | " 8 .. | 1½ " ... | 10s. 9d. " |
| " " " " " | | " 9 .. | 1 " ... | 11s. 6d. " |
| " " " " " | | " 10 .. | 1 " ... | 13s. 7d. " |
| " " " " " | | " 11 .. | 1 " ... | 15s. 8d. " |
| " " " " " | | " 12 .. | 1 " ... | 16s. 6d. " |
| " if handles supplied for | | ... | ... | 3d. per doz. steamers deducted |
| (34.) STRAINERS. | | | | |
| GRAVY STRAINERS, hand made | IC tin plate | Small .. | 3 dozen ... | 5s. 5d. per doz. |
| " " " " if perforated bottoms supplied | | Large .. | 3 " ... | 6s. 2d. " |
| GREASE STRAINERS | IC tin plate ... | All sizes ... | ... | 6d. " deducted |
| MILK STRAINERS, wired | | 8½ inches ... | 3 " ... | 6s. 2d. per doz. |
| " " " " " | | 10 " ... | 3 " ... | 4s. 8d. " |
| " " " " " | | 11 " ... | 3 " ... | 5s. 5d. " |
| " " " " " | | 12 " ... | 3 " ... | 5s. 11d. " |
| " " with rim | IXX tin plate or lighter | 14 " ... | 2 " ... | 6s. 3d. " |
| " " " " " | | 8½ " ... | 2 " ... | 7s. " |
| " " " " " | | 10 " ... | 2 " ... | 6s. 3d. " |
| " " " " " | | 11 " ... | 2 " ... | 7s. 2d. " |
| " " " " " | | 12 " ... | 2 " ... | 7s. 11d. " |
| " " " " " | | 14 " ... | 2 " ... | 8s. 3d. " |
| MILK CAN STRAINERS, knocked up rims | IXX tin plate ... | ... | 1 " ... | 9s. " |
| " " " " " | IXX tin plate ... | ... | 1 " ... | 13s. 7d. " |
| " " " " " | IXX tin plate ... | ... | 1 " ... | 17s. 8d. " |
| (35.) TINS. | | | | |
| BREAD TINS (made of five pieces) | IXX tin plate or lighter | 1 lb. .. | 3 dozen ... | 5s. 9d. per doz. |
| " " " " " | | 2 " .. | 3 " .. | 5s. 9d. " |
| " " " " " | | 4 " .. | 2 " .. | 6s. 2d. " |
| " " " " " | | 6 " .. | 2 " .. | 8s. 3d. " |
| COBURG BREAD TINS | IC tin plate ... | ... | 3 " .. | 5s. 4d. " |
| EXHIBITION BREAD TINS, single | IXXXXX tin plate or lighter, or | 2 lb. .. | 6 articles ... | 28s. 3d. " |
| " " double | 24-gauge iron or lighter | 4 " .. | 6 " .. | 35s. 4d. " |
| " " " " " | | 2 " .. | 3 " .. | 70s. 9d. " |
| " " " " " | | 4 " .. | 3 " .. | 82s. 6d. " |

Less 11 per cent.

PIECE-WORK—continued.

| Articles. | Material | Size. | When given out in the under- mentioned Quantities or more. | Prices. |
|--|--------------------------|---------------|--|--------------------|
| TINS—continued. | | | | |
| CAKE TINS, AND CAKE RINGS, with use of knocking-up machine | | | | 20s. per gross |
| " " " | | 4 inches | 1 gross ; | 22s. " |
| " " " | | 5 " | not less | 23s. 6d. " |
| " " " | | 6 " | than 3 | 27s. 6d. " |
| " " " | | 7 " | dozen of | 29s. 6d. " |
| " " " | | 8 " | any one | 31s. 5d. " |
| " " " | | 9 " | size | 35s. 4d. " |
| " " " | | 10 " | | 41s. 3d. " |
| " " " | | 11 " | | 47s. 3d. " |
| " " " | | 12 " | | 18s. 2d. extra |
| " " loose bottoms ... | IC tin plate | All sizes | ... 4 dozen ... | 4s. 7d. per doz. |
| QUEEN CAKE TINS, hearts ... | IC tin plate | 6 inches | 6 " | 2s. 1d. " |
| " diamonds ... | | 7 " | 1 gross ; | 23s. 8d. per gross |
| SANDWICH TINS, with use of knocking-up machine | | 8 " | not less | 27s. 6d. " |
| " " " | | 9 " | than 3 | 29s. 6d. " |
| " " " | | 10 " | dozen of | 31s. 5d. " |
| " " " | | 11 " | any one | 35s. 4d. " |
| " " " | | 12 " | size | 41s. 3d. " |
| SWISS ROLL TINS, wired, with use of angle bender | | 12 x 8 inches | 4 dozen ... | 4s. 2d. per doz. |
| " " " | | 13 x 9 " | 4 " | 4s. 7d. " |
| " " " | | 14 x 10 " | 4 " | 4s. 7d. " |
| " " " | | 15 x 11 " | 4 " | 5s. " |
| " " not wired, with use of angle bender | IC tin plate | 16 x 12 " | 4 " | 5s. 4d. " |
| " without use of angle bender ... | | 12 x 8 " | 4 " | 3s. 4d. " |
| | | All sizes | ... 9d. extra | |
| (36.) TUBS. | | | | |
| BLACK IRON TUBS, round or oval, without hoop or strap | | 16 inches | 2 dozen | 7s. 5d. per doz. |
| " " " | | 18 " | 2 " | 8s. 3d. " |
| " " " | | 20 " | 2 " | 9s. " |
| " " " | | 22 " | 2 " | 9s. 10d. " |
| " " " | | 24 " | 1½ " | 10s. 9d. " |
| " " " | | 26 " | 1¼ " | 12s. " |
| " " with hoop ... | 26-gauge iron or lighter | 28 " | 1½ " | 14s. 2d. " |
| " " " | | 30 " | 1 " | 16s. 1d. " |
| " " " | | 16 " | 2 " | 8s. 3d. " |
| " " " | | 18 " | 2 " | 9s. 5d. " |
| " " " | | 20 " | 2 " | 9s. 10d. " |
| " " " | | 22 " | 2 " | 10s. 9d. " |
| " " " | | 24 " | 1½ " | 11s. 6d. " |
| " " " | | 26 " | 1½ " | 13s. 7d. " |
| " " " | | 28 " | 1¼ " | 14s. 11d. " |
| " " " | | 30 " | 1 " | 17s. 4d. " |
| " " " | 24-gauge iron or lighter | 33 " | 6 articles... | 22s. " |
| " " hooped and strapped | | 36 " | 6 " | 29s. 1d. " |
| " " " | | 16 " | 2 dozen | 10s. 4d. " |
| " " " | | 18 " | 2 " | 10s. 11d. " |
| " " " | 26-gauge iron or lighter | 20 " | 2 " | 11s. 6d. " |
| " " " | | 22 " | 2 " | 12s. 11d. " |
| " " " | | 24 " | 1½ " | 13s. 7d. " |
| " " " | | 26 " | 1½ " | 15s. 8d. " |
| " " " | | 28 " | 1¼ " | 17s. 8d. " |
| " " " | | 30 " | 1 " | 20s. " |
| " " " | 24-gauge iron or lighter | 33 " | 6 articles... | 24s. 8d. " |
| " " " | | 36 " | 6 " | 32s. 7d. " |
| TIN TUBS, round, without hoop ... | | 15 " | 2 dozen | 7s. 11d. " |
| " " " | | 16 " | 2 " | 7s. 11d. " |
| " " " | IXX tin plate or lighter | 18 " | 1½ " | 9s. 10d. " |
| " " " | | 20 " | 1½ " | 10s. 9d. " |
| " " " | | 22 " | 1½ " | 11s. 6d. " |
| " " " | IXX tin plate or lighter | 24 " | 1 " | 13s. 7d. " |
| " " with tinned or galvanized iron or black iron hoop ... | | 15 " | 2 " | 9s. 10d. " |
| " " " | IXX tin plate or lighter | 16 " | 2 " | 9s. 10d. " |
| " " " | | 18 " | 1½ " | 11s. 6d. " |
| " " " | | 20 " | 1½ " | 12s. 11d. " |
| " " " | | 22 " | 1½ " | 13s. 7d. " |
| " " " | IXX tin plate or lighter | 24 " | 1 " | 15s. 9d. " |
| oval, without hoop ... | IXX tin plate or lighter | 16 " | 2 " | 10s. 9d. " |
| " " " | | 18 " | 1½ " | 11s. 6d. " |
| " " " | | 20 " | 1½ " | 12s. 11d. " |
| " " " | IXX tin plate or lighter | 22 " | 1½ " | 14s. 4d. " |
| " " " | | 24 " | 1 " | 16s. 6d. " |
| " " with tinned or galvanized iron or black iron hoop ... | IXX tin plate or lighter | 16 " | 2 " | 12s. 11d. " |
| " " " | | 18 " | 1½ " | 13s. 7d. " |
| " " " | | 20 " | 1½ " | 14s. 4d. " |
| " " " | IXX tin plate or lighter | 22 " | 1½ " | 16s. 6d. " |
| " " " | | 24 " | 1 " | 18s. 8d. " |

Less 11 per cent.

PIECE-WORK—continued.

SCHEDULE B.—CANISTER WORK.

| | Price per gross. | | | |
|---|-------------------------------------|--------------------------------------|--------------------------------------|---------------------------------------|
| | Lap seam, without assistance. | Lock seam, without assistance. | Lock seam, with one assistant. | Lock seam, with two assistants. |
| SOLDERING SEAMS - all work rolled—up to and including $2\frac{1}{2}$ inches in diameter— | | | | |
| Up to and including 2 inches deep | 0 91 | 0 81 | 0 7 | 0 5 $\frac{1}{2}$ |
| Over 2 inches deep and up to and including $3\frac{1}{2}$ inches deep | 0 10 $\frac{1}{2}$ | 0 92 | 0 8 $\frac{1}{2}$ | 0 6 $\frac{1}{2}$ |
| " $3\frac{1}{2}$ " " " $4\frac{1}{2}$ " " | 0 11 $\frac{1}{2}$ | 0 94 | 0 8 $\frac{1}{2}$ | 0 6 $\frac{1}{2}$ |
| " $4\frac{1}{2}$ " " " $5\frac{1}{2}$ " " | 1 1 | 0 11 $\frac{1}{2}$ | 0 9 $\frac{1}{2}$ | 0 8 $\frac{1}{2}$ |
| " $5\frac{1}{2}$ " " " 7" " | 1 6 $\frac{1}{2}$ | 1 1 | 0 11 $\frac{1}{2}$ | 0 9 $\frac{1}{2}$ |
| Over $2\frac{1}{2}$ inches and up to and including $3\frac{1}{2}$ inches in diameter— | | | | |
| Up to and including 2 inches deep | 0 91 | 0 81 | 0 6 $\frac{1}{2}$ | 0 5 $\frac{1}{2}$ |
| Over 2 inches deep and up to and including $3\frac{1}{2}$ inches deep | 0 10 $\frac{1}{2}$ | 0 92 | 0 8 $\frac{1}{2}$ | 0 6 $\frac{1}{2}$ |
| " $3\frac{1}{2}$ " " " 5" " | 1 0 $\frac{1}{2}$ | 0 94 | 0 8 $\frac{1}{2}$ | 0 6 $\frac{1}{2}$ |
| " 5" " " 6" " | 1 2 | 0 11 $\frac{1}{2}$ | 0 9 $\frac{1}{2}$ | 0 8 $\frac{1}{2}$ |
| " 6" " " 7" " | 1 5 $\frac{1}{2}$ | 1 2 | 1 0 $\frac{1}{2}$ | 0 10 $\frac{1}{2}$ |
| " 7" " " 8" " | 2 1 $\frac{1}{2}$ | 1 7 $\frac{1}{2}$ | 1 5 $\frac{1}{2}$ | 1 4 $\frac{1}{2}$ |
| Over $3\frac{1}{2}$ inches and up to and including $4\frac{1}{2}$ inches in diameter— | | | | |
| Up to and including 2 inches deep | 0 11 $\frac{1}{2}$ | 0 82 | 0 7 | 0 5 $\frac{1}{2}$ |
| Over 2 inches deep and up to and including $3\frac{1}{2}$ inches deep | 1 0 $\frac{1}{2}$ | 0 94 | 0 8 $\frac{1}{2}$ | 0 6 $\frac{1}{2}$ |
| " $3\frac{1}{2}$ " " " 5" " | 1 2 | 0 11 | 0 9 $\frac{1}{2}$ | 0 8 $\frac{1}{2}$ |
| " 5" " " 6" " | 1 4 $\frac{1}{2}$ | 1 0 $\frac{1}{2}$ | 0 11 | 0 8 $\frac{1}{2}$ |
| " 6" " " 7" " | 1 6 $\frac{1}{2}$ | 1 2 $\frac{1}{2}$ | 1 0 $\frac{1}{2}$ | 0 11 $\frac{1}{2}$ |
| " 7" " " 8" " | 2 0 $\frac{1}{2}$ | 1 7 $\frac{1}{2}$ | 1 5 $\frac{1}{2}$ | 1 4 $\frac{1}{2}$ |
| Over $4\frac{1}{2}$ inches, and up to and including $5\frac{1}{2}$ inches in diameter— | | | | |
| Up to and including $2\frac{1}{2}$ inches deep | 1 1 | 0 91 | 0 81 | 0 6 $\frac{1}{2}$ |
| Over $2\frac{1}{2}$ inches deep, and up to and including $4\frac{1}{2}$ inches deep | 1 5 $\frac{1}{2}$ | 1 1 | 1 0 $\frac{1}{2}$ | 0 10 $\frac{1}{2}$ |
| " $4\frac{1}{2}$ " " " 6" " | 1 10 $\frac{1}{2}$ | 1 4 $\frac{1}{2}$ | 1 2 $\frac{1}{2}$ | 1 0 $\frac{1}{2}$ |
| " 6" " " 7" " | 2 2 $\frac{1}{2}$ | 1 7 $\frac{1}{2}$ | 1 5 $\frac{1}{2}$ | 1 4 $\frac{1}{2}$ |
| " 7" " " 8" " | 2 4 | 1 9 $\frac{1}{2}$ | 1 7 $\frac{1}{2}$ | 1 5 $\frac{1}{2}$ |
| Over $5\frac{1}{2}$ inches, and up to and including $6\frac{1}{2}$ inches in diameter— | | | | |
| Up to and including 3 inches deep | 1 5 $\frac{1}{2}$ | 1 0 $\frac{1}{2}$ | 0 11 | 0 8 $\frac{1}{2}$ |
| Over 3 inches deep, and up to and including $4\frac{1}{2}$ inches deep | 1 9 $\frac{1}{2}$ | 1 2 | 1 0 $\frac{1}{2}$ | 0 10 $\frac{1}{2}$ |
| " $4\frac{1}{2}$ " " " 6" " | 2 0 $\frac{1}{2}$ | 1 4 $\frac{1}{2}$ | 1 2 $\frac{1}{2}$ | 1 0 $\frac{1}{2}$ |
| " 6" " " 8" " | 2 4 | 1 9 $\frac{1}{2}$ | 1 7 $\frac{1}{2}$ | 1 5 $\frac{1}{2}$ |
| MEAT TINS — | | | | |
| Seaming and rolling meat tin bodies (round) on clamps— | | | | |
| $\frac{1}{2}$ lb. | ... | ... | ... | ... |
| 1 " | ... | ... | ... | 1 5 $\frac{1}{2}$ |
| 1 " tongue | ... | ... | ... | 1 5 $\frac{1}{2}$ |
| 1 $\frac{1}{2}$ lbs. | ... | ... | ... | 1 5 $\frac{1}{2}$ |
| 2 " | ... | ... | ... | 1 5 $\frac{1}{2}$ |
| 2 " long | ... | ... | ... | 1 5 $\frac{1}{2}$ |
| 2 $\frac{1}{2}$ " | ... | ... | ... | 1 5 $\frac{1}{2}$ |
| 3 " | ... | ... | ... | 1 7 |
| 6 " (including putting on tops and bottoms) | ... | ... | ... | 4 4 $\frac{1}{2}$ |
| Seaming $\frac{1}{2}$ lb. or 1 lb. on 1 cylinder | ... | ... | ... | 0 10 $\frac{1}{2}$ |
| " 2 lbs. " " | ... | ... | ... | 0 11 $\frac{1}{2}$ |
| " $\frac{1}{2}$ or 1 lb. on 2 cylinders | ... | ... | ... | 0 8 $\frac{1}{2}$ |
| " 2 lbs. " " | ... | ... | ... | 0 10 $\frac{1}{2}$ |
| " $\frac{1}{2}$ lb. or 1 lb. on 3 to 6 cylinders (with 2 boys) | ... | ... | ... | 0 4 $\frac{1}{2}$ |
| " 2 lbs. " " | ... | ... | ... | 0 5 $\frac{1}{2}$ |
| Seaming meat tins (tapered square) on one former— | | | | |
| 1 lb. | ... | ... | ... | 0 10 $\frac{1}{2}$ |
| 2 lbs. | ... | ... | ... | 0 11 $\frac{1}{2}$ |
| 6 " | ... | ... | ... | 1 4 |
| Price per 1,000 ends. | | | | |
| | | | | s. d. |
| Squeezing—12 oz. or 1 lb. (tapered square). | ... | ... | ... | 3 3 |
| " 1 $\frac{1}{2}$ lbs. | ... | ... | ... | 3 5 |
| " 2 " " | ... | ... | ... | 3 9 |
| " 6 " " | ... | ... | ... | 6 0 |
| Price per 100 ends. | | | | |
| | | | | s. d. |
| Joker— $\frac{1}{2}$ lb. (round, or tapered square) | ... | ... | ... | 0 5 $\frac{1}{2}$ |
| " 1 " " | ... | ... | ... | 0 5 $\frac{1}{2}$ |
| " 1 $\frac{1}{2}$ lbs. | ... | ... | ... | 0 5 $\frac{1}{2}$ |
| " 3 " " | ... | ... | ... | 0 6 $\frac{1}{2}$ |
| " 4 " " | ... | ... | ... | 0 9 $\frac{1}{2}$ |
| " 5 " " | ... | ... | ... | 0 9 $\frac{1}{2}$ |
| " 6 " " | ... | ... | ... | 0 9 $\frac{1}{2}$ |
| SOLDERING TOPS OR BOTTOMS OF EMPTY TINS —(spiriting provided)— | | | | |
| Price per gross. | | | | |
| | Not crimped on. or rolled on. | Crimped. | Rolled on. | |
| Up to and including 3 inches in diameter | 1 1 $\frac{1}{2}$ | 1 0 $\frac{1}{2}$ | 0 11 | |
| Over 3 inches diameter, and up to and including $3\frac{1}{2}$ inches in diameter | 1 3 | 1 2 $\frac{1}{2}$ | 1 1 $\frac{1}{2}$ | |
| " $3\frac{1}{2}$ " " " $4\frac{1}{2}$ " " | 2 0 $\frac{1}{2}$ | 1 10 | 1 6 $\frac{1}{2}$ | |
| " $4\frac{1}{2}$ " " " 5" " | 2 3 $\frac{1}{2}$ | 2 0 $\frac{1}{2}$ | 1 10 $\frac{1}{2}$ | |
| " 5" " " 6" " | 3 0 | 2 8 $\frac{1}{2}$ | 2 4 $\frac{1}{2}$ | |
| ROUND WORK (SOLDERING). | | | | |
| | | Price per gross. | | |
| JAM TINS—Closing, 1 lb., topped, and crimped | ... | s. d. | | |
| " 2 lb. " " | ... | ... | 1 5 $\frac{1}{2}$ | |
| CAKE TINS— | | | | |
| 2 lbs., soldering | ... | ... | 1 8 $\frac{1}{2}$ | |
| 4 " " | ... | ... | 1 7 8 | |
| 6 " " | ... | ... | 1 9 9 | |
| 6 " cutting | ... | ... | 2 1 $\frac{1}{2}$ | |
| | | | | Less 11 per cent. |

PIECE-WORK—*continued.*
ROUND WORK (SOLDERING)—*continued.*

| | | Per gross. s. d. |
|--|------|---------------------|
| CAPPING—Soldering on caps, all work cleaned, caps put on— | | |
| Cap up to and including 1½ inches in diameter in 6-lb. tin or less | ... | 1 5½ |
| " over 1½ and up to and including 2½ inches in diameter in 6-lb. tin or less | ... | 1 7½ |
| " " 2½ " " 2½ " " " | ... | 1 9½ |
| " " 2½ " " 3½ " " " | ... | 1 11½ |
| " " 3½ " " 3½ " " " | ... | 2 9½ |
| Capping pulp tins, up to 40-lbs., work cleaned and caps put on— | | |
| Round cap | ... | 4 10½ |
| Square cap, 3½ to 5 inches square | ... | 6 2 |
| SQUARE WORK. | | |
| Jam tins, 6 lbs., soldering only, with use of spring | ... | 15 8 |
| " 6 " notching, bending, and folding | ... | 7 11 |
| " 14 " soldering only, without use of spring | ... | 18 10 |
| " 14 " " with use of spring... | ... | 20 6 |
| " 20 " " without use of spring | ... | 19 7 |
| " 20 " " with use of spring... | ... | 21 8 |
| " 28 " " without use of spring | ... | 19 7 |
| " 28 " " with use of spring... | ... | 21 8 |
| " 14, 20, and 28 lbs., notching, bending, and folding | ... | 9 10 extra |
| Pulp tin, 40 lbs., soldering only, without use of spring | ... | 28 8 |
| " 40 " " with use of spring | ... | 28 8 |
| " 40 " " lock seam | ... | 28 8 |
| Cutting out above sizes | ... | 2 4 extra |
| Notching, bending, and folding so that spring is not necessary, all above sizes, except 6 lbs. | 13 8 | |
| Notching, bending, and folding, so that spring is necessary at one end | ... | 12 0 |
| BISCUIT TINS— | | |
| 1 lb., soldering | ... | 6 1 |
| 2 lbs. | ... | 7 6 |
| 4 " | ... | 12 0 |
| 6 " | ... | 12 0 |
| 6 " two seams | ... | 13 8 |
| 6 lbs., glass, soldering | ... | 17 8 |
| 14 " plain, " | ... | 18 5 |
| 14 " glass, | ... | 23 6 |
| 25 " plain, | ... | 20 6 |
| 30 " " | ... | 20 6 |
| 40 " " | ... | 20 6 |
| 50 " " | ... | 23 6 |
| Uneeda " | ... | 20 6 |
| ½-lb. packet | ... | 18 5 |
| 9 lbs Cabin " | ... | 16 11 |
| Wafer, Ice and Cup, soldering | ... | 16 11 |
| " Cream, Henley and Variety, soldering | ... | 7 6 |
| Afternoon Tea, soldering | ... | 7 6 |
| 1 lb., cutting bodies | ... | 0 6½ |
| 2 lbs. | ... | 0 6½ |
| 6 " | ... | 2 1 |
| 1 lb., cutting ends | ... | 0 2½ |
| 2 lbs. | ... | 0 2½ |
| 4 " cutting at guillotine | ... | 1 7 |
| 9 " " " | ... | 2 8 |
| 30 " " " | ... | 3 9 |
| 40 " " " | ... | 3 9 |
| 50 " " " | ... | 3 9 |
| Plain and Packet, cutting at guillotine | ... | 3 4 |
| Small Wafer " | ... | 1 0½ |
| 30 lbs., closing, soldering | ... | 7 11 |
| 40 " " " | ... | 9 9 |
| 50 " " " | ... | 11 2 |
| FLOUR TINS— | | |
| 40 lbs., soldering | ... | 18 5 |
| 50 " " | ... | 23 6 |
| HONEY TINS— | | |
| 56 lbs., soldering | ... | 28 8 |
| OIL OR VARNISH TINS— | | |
| ½ gallon, soldering ends and lock seam | ... | 16 6 |
| 1 " " " " | ... | 19 9 |
| 2 " " " " | ... | 26 8 |
| OBLONG TINS—(reputed or imperial measure)— | | |
| 1 pint, plain, soldering, lock seam (with two assistants)... | ... | 0 8½ |
| 1 " " " " (with one assistant) ... | ... | 0 9½ |
| 1 " " " " (without assistance) ... | ... | 0 11½ |
| 1 quart " " " " (with two assistants)... | ... | 0 8½ |
| 1 " " " " (with one assistant) ... | ... | 0 9½ |
| 1 " " " " (without assistance) ... | ... | 0 11½ |
| Soldering, all above tins, if made of decorated or varnished tin plate | ... | 0 2½ extra each end |
| 1 pint, rolled on ends, soldering | ... | 3 0 each end |
| 1 " crimped, soldering | ... | 3 1 " |
| 1 " not crimped or rolled on, soldering | ... | 3 4 " |
| 1 quart, rolled on ends, soldering | ... | 3 1 " |
| 1 " crimped, soldering | ... | 3 4 " |
| 1 " not crimped, soldering | ... | 4 1½ " |
| TOBACCO TINS— | | |
| 2 lbs., closing | ... | 6 6 per 100 |
| 3 lbs., " | ... | 7 6 " |
| 5 lbs., " | ... | 8 6 " |
| If electric iron used—all above sizes | ... | 1 0 extra |

Less 11 per cent.

PIECE-WORK—continued.

OVAL WORK.

OIL TINS—

| | | Per gross. s. d. |
|-------------------|---|---------------------|
| 1 | pint, lock seams, soldering (with two assistants) | 0 5 $\frac{1}{2}$ |
| " " | (with one assistant) | 0 8 $\frac{1}{2}$ |
| " " | (without assistance) | 0 11 $\frac{1}{2}$ |
| " lap " | (" ") | 0 11 $\frac{1}{2}$ |
| " rolled on ends | " | 2 9 each end |
| " crimped on ends | " | 2 5 " |
| " slipped on ends | " | 3 1 " |

Less 11 per cent.

STAMPING WORK ON POWER MACHINES OR PRESSES (NOT USING SCRAP).

| | | Per gross. s. d. |
|--|---------------------|---------------------|
| Up to and including 3 $\frac{1}{2}$ inches in diameter of cutting die | " | 0 1 $\frac{1}{2}$ |
| Over 3 $\frac{1}{2}$ and up to and including 4 inches in diameter of cutting die | " | 0 2 |
| " 4 " | " 4 $\frac{1}{2}$ " | 0 2 $\frac{1}{4}$ |
| " 4 $\frac{1}{2}$ " | " 5 $\frac{1}{2}$ " | 0 3 |
| " 5 $\frac{1}{2}$ " | " 6 $\frac{1}{2}$ " | 0 3 $\frac{1}{2}$ |

DEFINITION.

9. For the purposes of this Determination, "sheet metal" shall mean sheet metal 10-gauge or lighter.

A. S. HAUSER, P.M., Chairman.

J. B. McINDOE, Secretary.

Melbourne, 8th day of February, 1935.