

VICTORIA

GOVERNMENT GAZETTE.

Published by Authority.

[Registered at the General Post Office, Melbourne, for transmission by post as a newspaper.]

No. 69]

THURSDAY, APRIL 11.

[1935

With 1/24 added

Factories and Shops Acts.

DETERMINATION OF THE GAS METER BOARD.

Note.—This Determination on the 8th April, 1935, applied to the following parts of Victoria, namely:—The Metropolitan District as defined in the Factories and Shops Acts and the Order in Council thereunder; such portions of the city of Sandringham as are not within the said Metropolitan District; the cities of Ballarat, Bendigo, Geelong, Geelong West, and Warrnambool; the town of Newtown and Chilwell; and the boroughs of Eaglehawk and Sebastopol.

IN accordance with the provisions of the Factories and Shops Acts, the Wages Board appointed to "determine the lowest prices or rates which may be paid to any person or persons or classes of persons employed in the process, trade, business, or occupation of making or repairing gas meters" has made the following Determination, namely:—

(1) That on the 8th April, 1935, the last and all previous Determinations of this Board shall be revoked and replaced by this Determination.

(2)

		Apprent	des or Im	provers.			. Other Employees.	
	_ _		AGES.			Per week of 48 hours.	WAGES.	Per we 48 ho £ s.
^_1	months	••				5. d. 10 10 10 10 10 10 10 10 10 10 10 10 10	Leading Hand (i.e., one having under his control and being responsible for the work done by two or more men)	4 15 4 9 4 6 4 6
	Pi		n (within	any place	»).	·	employed) Other testers Leading diaphragm tier (where two or more other diaphragm tiers are employed) Other diaphragm tiers, including persons banding.	4 13 4 2 4 9
One a receiving n	pprentice ot less th	to every an 70s. p	three o	r fraction f 48 hours.	of th	aree workers	crimping, or wiring Leading diaphragm cutter, where two or more cutters are employed Other diaphragm cutters	3 18 4 5 3 18
Such 1	number of	improve	Improver	ll not, tog	ether	with appren-	Rim, disc, or prepayment meter cash-boxmakers Machinist (Power Press) Other Machinist Assistant Machinist	4 1 3 18 3 14 3 12

Time of Ending.

tices, exceed in the aggregate one to every three or fraction of three workers receiving not less than 70s. per week of 48 hours.

- .. 12 noon on Saturdays, and .. 5.15 p.m. on the other working days of the week.
- (3) Time of Beginning { 7.30 a.m. AND Ending Work { 7.30 a.m. (4) OVERTIME.—All work done outside the hours fixed as the times of beginning and ending work, or within such hours in excess of 48 hours in any week, shall be paid for at the rate of time and a half.

Assistant Machinist All others .:

- (5) Time Rath.—Any person employed on time wages for less than the number of hours fixed for an ordinary week's work shall for each hour worked up to 24 hours be paid at the ordinary wages rates with the addition of thirty-three per centum.
- (6) Special Rates for Sundays and Public Holidays.—All work done on Sunday, Good Friday, Christmas Day, or 21st April, (Labour Day), shall be paid for at the rate of double time, and on New Year's Day, Australia Day (26th January), Easter Saturday, Easter Monday, King's Birthday (3rd June), or Boxing Day, at the rate of time and a half; but if any other day be by Act of Parliament or Proclamation substituted for any of the above-named holidays, the special rate shall only be payable for work done on the day so substituted.
 - No. 69.-3881.

PIECE-WORK PRICES

(7) That the lowest piece-work prices payable to any person engaged in the following kinds of work shall be:—
(d) Making Tin Dry Ordinary Meters, "Met" and "P. and C." Pattern, also Standard and High Capacity Meters, "P. and C." Pattern.

	j			Lighte.		
	2.	3.	5.	10.	20.	30.
Ordinary Meters. Making "Met" pattern meters, i.e., doing any work necessary to complete the meter, including the putting together of all parts; preparing gratings and covers (after leaving the mould); putting on pins and wires, forming long and diaphragm chambers; throat pieces,			per doz. £ s. d.			per doz. £ s. d.
bridges, and back plates; folding edge; breaking edges of side pipes; making valve plates; oiling, sounding, and fixing up all leaks in diaphragms; setting and grinding valves; and tinning all parts Circular crimped on diaphragms. Putting circular crimped on ten-light diaphragms into five-light meters Making "P. and C." pattern meters, i.e., doing any work necessary to complete the meter, including the putting together of all parts, and the making of valve plates; oiling, sounding, and fixing up leaks in diaphragms; setting and grinding valves; preparing gratings and			7 10 3 0 6 4 0 10 5 <u>1</u>	8 19 4	0 10 5 <u>1</u>	
covers (after leaving moulds); putting on pins and wires, and tinning all parts; but not including forming long and diaphragm chambers, throat pieces, bridges, and back plates; punching cook plates; folding edge of same; and breaking edges of side pipes	5 13 3	5 17 1	6 11 7	7 19 7	11 11 3	
Standard Meters. Making "P. and C." pattern standard meters, i.e., doing any work necessary to complete the moter, including the putting together of all parts, the making of valve plates, sounding and fixing up leaks in diaphragms, soldering in rims, banding on diaphragms, setting and grinding valves, preparing gratings and covers, putting on pins and wires, and tinning all parts, but not including forming long and diaphragm chambers, throat pieces, bridges, and back plates; punching cook plates, folding edge of same, breaking edges of side pipes, fastening tapes to rims, making up bands for diaphragms, making up rims, crimping diaphragms, fastening dises to diaphragms, and oiling diaphragms		2, £6 3s. (ód.; Size i	No. 3 , £6 1:	5s. 9d. per	· doz.
High Capacity Meters. Making "P. and C." high capacity meters, i.e., doing any work necessary to complete the meter, including the putting together of all parts, the making of valve plates, soldering in rims, banding on diaphragms, sounding and fixing up leaks in diaphragms, setting and grinding valves, preparing gratings and covers, putting on pins and wires, and tinning all parts, but not including forming long and diaphragm chambers, throat pieces, bridges, back plates, punching cock plates, folding edge of same, breaking edges of side pipes, making up rims or bands for diaphragms, fastening tapes to rims, crinping or fastening dises to diaphragms, and oiling diaphragms; also, bending top arms	Capacity	, 100 subi , 125 cubi	c feet per c feet per	hour; £6 t	5s. 5d. per ss. 3d. per	doz.

				Lights.				
	2.	3.	5.	10.	20.		_	
Making "T.G." pattern meters, as follows:— (a) Making the case, i.e., soldering sides to bottom; soldering in partition; soldering in valve plate; soldering boss and stud into pipe; soldering on pipes; putting throat pieces in; putting on bottom studs; soldering dies stuffing boxes on; putting on guides; soldering on diaphragms and discs; soldering metal tee to tin tee; sweating tin tee to rod wire and putting them in; sounding leathers; putting in motions; stuffing side boxes; oiling motions and tees; soldering on galleries and backs and fronts; putting on maker's badge. (b) Putting arms on crank; soldering in bridge; soldering enck plate to bridge; stuff-centre box; fitting up worm, back stop, and tangent; putting in index, spindle, and stop; soldering on door and top arms; cleaning out and buffing gratings and covers; putting on valve nuts and soldering in back plates; topping meter, and putting on	per job of 20. £ s. d. 3 9 10	06 40	£ s. d	of 20.	of 10.	}	With 1/24 added.	
inlet badge and seal ring		194	1 12 5	2 3 7	1 12 9			
Soldering on short pipe inside meter		0 4 34	0 4 93			1		
Greasing rims and banding in circular seamless leathers		0 12 10		0.11 1	・・	••		
Grinding valves		0 12 101			**			

(b) Making T.G. PATTERN METERS.

(c) MAKING TIN DRY PREPAYMENT METERS.

	Li	ghts.
	3	5
	per doz.	per doz.
Making "P and C" pattern, i.e., doing any work necessary to complete the meter, including the putting together of all parts, and the making of valve plates; oiling, sounding, and fixing up leaks in diaphragms; setting and grinding valves; preparing gratings and covers after leaving moulds; putting on pins and wires; tinning all parts; soldering prepayment valve seat on bridge; soldering in prepayment valve; soldering top on prepayment valve box and stuffing same; soldering on lever; soldering as until pox, prepayment movement, and index; soldering on side cash box; soldering hasp to catch piece; soldering catch piece to neter; edging front of money box and attaching same to box; soldering on ring and tab to front of money box; soldering seal cup; soldering in bottom of money box; trying coins in circular box; soldering on direction badge; but not including the following, viz.:—Forming long and diaphragm chambers, throat pieces, bridges, and back plates; punching ock plate and folding edge of same; and breaking edges of side pipes		
making up rims or bands for diaphragms, fastening tapes to rims, crimping or fastening discs to diaphragms, and oiling diaphragms		00 cubic feet £7 14s. 2d.

. —	with	8hı	it-o	Meter I Valve Plate.	Squa	re Ei	Box	eter with live in at the f Valve	enc. Box	atio lose it ti	orm, d In he 1	leter wit: ve on Ti , and Angle nlet En Plate.	Meter	5-11; 8 w	o., Maki ght Slot ith Secon of Move nts.	n d
	per	do	. n	eters.	per	do	z. h	eters.	per	do	7. [neters.	per do)
Making "Met" pattern, as follows:-	١.		ŝ.		1	£	8.	d.		£	ø.	d.	₽ €	8.	d.	-
(a) Preparing gratings after leaving the															:	l
mould; putting on pins and wires;					1								1			
forming long and diaphragm cham-									ì							ļ
bers, throat pieces, bridges, and back												•	1	,	•	
plates; punching cock plates and	1								1			• •				ļ
folding edge; and breaking edge of	1					_		_	1	_	• •					
side pipes	ł	7	10	4	1		12			7	18		1 2	14	k 8	l
Circular crimped-on diaphragms		0	6	41	1	O	6	43	1	U	6	42	,	, (47	7
(b) Putting in prepayment fittings, index,									1							
and spindle; and putting on index	i	_	_	_			_		1							ı
door, ontside box, and wires		1	0	3		1	0	3	i		• •		}	• •		ļ
(c) Putting in prepayment fittings, index,	l.								i				1			l
and spindle; putting on index door,	1								1							ı
outside box, and wires; tinning out-					Į.				1				1 1			1
side box and handle attachment; and					1				i		_	_	. [1
filing slot in bearing	1		٠.		1		• •		1	ļ	ļ	2 ·	1	• •	•	J

(d) MARING RIMS AND DISCS.

		Lights.										
	2.	3,	5.	10.	20.	30.	5 0 .	60.				
	per job of 400 rims and 200 discs.	per job of 620 rims.	per job of 580 rims.		per job of 240 rims.	per job of 240 rims.	per doz. discs.	per doz. discs.				
Making rims and discs	£ 4. d. 4 8 2	£ s. d. 4 8 2	£ s. d. 4 8 2	£ s. d. 4 8 2	£ s. d. 4 8 2	£ s. d. 4 8 2	£ s. d.	£ s. d.				
Making discs					per doz. discs. £ s. d. 0 3 8	per doz. discs. £ s. d. 0 5 5	0 12 11	0 15 6				
faking rims for circular crimped-on diaphragms		••	per job of 400 rims. 3 18 5	per job of 400 rims. 4 l 4								

(e) TESTING METERS.

	-				
l'esting, including sounding, soldering	tangents,	and	pinning	per doz. meters.	
Repaired meters				2 10 With 1 2 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	
Other meters	••			5 10	
l'esting meters for measurement only				2 13	

(f) WIRING OB TYING DIAPHBAGMS.

	2, 3, or 5 Lights.	10 Lights.
Wiring or tying diaphragms	per dozen. • d. 4 0	per dozen. 75/20 19/20 1

(g) Making Meter Cash Boxes and Handles.

Making prepayment meter cash boxes from cut-out material	 	 7s. 0½d. per hundred. 12s. 9d. per dozen. 9s. 9¼d. per dozen.
Waking prepayment meter handles	 	 12a, 9d. per dozen. > 문학원
Making prepayment meter handles, side slot, 1921 pattern	 ٠	 9s. 91d. per dozen.

(h) RENEWALS.

			(A) R	ENEWALS.					
					Lights.				
	3.	′ 5.	10.	20.	30.	50.	60	80.	100.
Ordinary Meters.	per doz.	per doz.	per doz.	per doz.	-	of 6.	per job of 6.	per job of 3.	per job of 3.
Renewing in the following manner ordinary condemned meters from which the top back and front have been removed, viz.:— Dissecting and cleaning all parts tit to be re-used and making a new meter therewith by:— Forming diaphragms and long chambers, throat pieces, bridges, back plates; punching cock plates and folding chamber folding		£ s. d.	£ e. d.	€ e. d.	£ s. d.			£ e. d.	e o de habel
edges; break- ing edges of side pipes, any other necessary	<u> </u>	9 1 7	15 16 9	18 6 8	23 8 10	18 2 3	19 7 8	13 2 9	13 2 9

(h) RENEWALS-continued.

Renewing and converting ordinary condemned meters which have been opened, viz.:-Dissecting, cleaning and using all suitable parts. Fitting diaphragms and long chambers, diaphragms and long chambers, forming throat pieces, bridges and back plates, punching cock plates and folding edges, breaking edge of side pieces preparations. H.C.1. Capacity 100 feet per hour £9 17s. 4d. per doz. H.C. 2a. , 150 , , , £10 9s. 11d. , , , breaking edge of side pipes, preparing gratings and covers and putting on pins and wires, making up valve plate, inserting circular crimped on diaphragm and rims, tinning all parts and other necessary work including topping and putting on badges With 1/24 added, Renewing and converting ordinary condemned meters which have been opened, viz.:-Dissecting, cleaning, and using all suit-able parts. Fitting disphragm and long chambers, forming throat pieces, bridges and back throat pieces, prices and back plates, punching cock plates and folding edges, breaking edges of side pipes, preparing gratings and covers, making up valve plate, inserting circular crimped on diaphragm and rims, tinning all parts and other necessary work, including topping and putting on badges, inserting shut-off valve box and fitting slot attachment, index box, outside box H.C.1. Slot, Capacity 100 feet per hour, £11 Is. 8d. per box, outside box and drawer, and all other fittings necessary to make

a slot meter

(a) For 3 and 5-light meters all tin work to be supplied by the employer.

(c) For 50 and higher light meters all tin work to be made by the worker except rims and discs.

⁽b) For 10, 20, and 30 light meters all tin work to be made by the worker excepting back, front, top, rims, and discs.

(i) REPAIRING METERS.

			L	ighte.		
	2.	3.	5.	10.	20.	30.
	each meter.	each meter.	each meter.	each	each	each
epairing "Met" pattern meters, i.e., doing such of the following work as may be necessary to restore the meter to good repair, viz.:—Removing back and front; removing cock plate and back plate; cleaning meter; re-grinding valves; re-stuffing centre and side stuffing boxes; re-setting valves and top arms; inserting new diaphragma; removing index; putting in new valve arms, index	a. d.	s. d.	s. d.	meter.	meter.	meter.
glass, or now tin work pairing tin dry ordinary meters in the following manner:— (a) Cleaning meter; inserting diaphragms; setting or re-grinding	8 5	8 9	8 51	10 21	14 3 <u>1</u>	16 81
valves; re-stuffing boxes; removing and replacing cock plates and index	6 81	7 53	8 2	9 01	12 2 <u>1</u>	
and index; taking off and putting in back and front epairing tin dry prepayment meters, extra on above (a) and (b)	5 6 1 10 1	5 6 1 10 1	5 6 1 10∦.	5 81 1 102		• •
OTE:—11 d. to be paid extra for all T. Glover slot repairs with the exception of Parkinson pattern meters—all Cowan H. to F. slots to be subject to this increase.				Ţ		
epairing prepayment slot meters, i.e., doing such of the following work as may be necessary to restore the meter to good repair, viz.:—Cleaning meter; re-grinding valves; re-settling boxes; re-settling top arms and valves; removing top and back plates; taking off and replacing back and front, and inserting new diaphragms, new valve arms, and index glass; putting in a new cover to shut off valve; putting on staple and spring, and soldering wire along cash box (but not including repairs to handles) lering and re-adjusting handle attachment "Met" pattern pre-		4 17 10	of ten meters £ s. d. 4 17 10			
payment slot meters epairing and reverting 3-light slot meters to 3-light ordinary meters		0 17 11½ 4 17 10 each meter.	0 17 11 <u>1</u> each meter.		••	::
serting new leather on shut off valve in Parkiuson pattern prepay- ment meter		s. d 1 0½ pe	s.d. IO≵ erjobot £		 eters. }	l J
spairing 3-light meters fitted with 5-light circular crimped-on diaphragms—Extra for inserting new circular diaphragms				5 5	ļ	
epairing 5-light meters fitted with 10-light circular orimped-on diaphragms—Extra for inserting new circular diaphragms epairing and reverting "Met" pattern 3-light slot meters to 5-light				8 6 <u>1</u>		added.
ordinary meters, but not including the removal of any prepayment attachments or fittings peatring and converting "T.G." pattern, 3-light slot meter to 5 light, and inserting new 3/5-light circular diaphragm, with the exception			6	4 2		With 1/24 added
of any new tin work				4 10 , 3 10		W.

Note.—The work of inserting circular pattern disphragms when repairing P. and C. meters to be paid for a wages rates.

(j) EXTRAS.

	2 Lights.	3 Lights.	5 Lights.	10 Lights.	20 Lights.	
D 441.	. d.	s. d.	s. d.	e. d.	s. d.	
Putting on :—	for ten meters.		for ten meters.	for ten meters.	for ten meters.	Į
Frame and door (including glass)	5 61	5 6 1	5 6 1	5 61	5 61	ł
Bottom and stude	11 1	11 1		11 1	13 10 1	ĺ
Bridge	8 31	8 31	8 31	8 31		
Rod arms	2 93	2 9 <u>2</u> 2 1	2 9 1 2 11	2 9	5 61	
Valve arms	$2 \frac{11}{2}$	$2 \frac{1}{4}$		2 1	2 11/2	!
Valve box covers	4 1	4 1	4 1	4 I		į
Divisions	18 6	18 62	18 67	18 6		ı
Half-valve plate	19 41	20 91	22 01	23 51	24 94	
New door	1 44	1 4	1 41	1 41	1 41	
	for ten pairs.	for ten pairs.	for ten pairs.	for ten pairs.	for ten pairs.	
Motion wires	5 6 1	5 61	5 6 1	5 6 1	11 1	
Throat pieces	8 21	8 21	8 21	8 21		
Side chambers	8 21	8 2 1	8 21	8 21	1]	
New sides	37 2	37 2	37 2	37 2	· · ·	İ
Tees	8 31	8 31	8 31	8 31	11 1 ,	
Pipes—Inside inlet	16 61	16 6	16 6]	16 64	16 64	[평
Other Pipes	8 31	8 31	8 31	8 3 <u>1</u>	16 6 1	With 1/24 added
Galleries	11 1	11 1	11 1	11 1	13 10	꿯
	for ten sets	for ten sets.	for ten sets.	for ten sets.	for ten sets.	4
Guides	2 94	$2.9\frac{1}{2}$	2 91	$29\frac{1}{2}$	2.94	٧.
Feet (Motion)	2 94	$2.9\frac{1}{2}$	2 9	$29\frac{1}{2}$	8 31	12
Rod stuffing boxes	3 7 4	3 74	3 7		l · l	∄
	for ten meters.	for ten meters	for ten meters.	for ten meters.	for ten meters.	≥
Setting index to zero, taking back					!)
plate off, re-stuffing and cleaning	1		į.	Į.	ĺ	ĺ
valves, but not including re-			1	İ		Į .
grinding	16 6 1	19 41	19 44	20 94	24 94	ľ
Prepayment Meter-Clean valves	•				,	ĺ
and set to zero when (to the satis-	1		i			
faction of the foreman) attention	1		İ			
has to be given to the prepay-			1			
ment mechanism — One hour	,		ł	ĺ	! }	}
extra at time rate				İ	ì	ľ
Taking off and putting on back				1	1	1
17	11 1	12 61	12 61	13 104	19 44	
Turn over backs and fronts	3 71	3 7	3 71	3 71	3 71	
Opening meter and condemning	l ıı i²	12 6	12 6	12 6	16 6	l
n?	4 04	4 0	4 04	4 01	4 01	1
Piecing cases	7 02	per doz. meters	per doz. meters			i

NOTE.—"Leaks round grating" and "All crutch leaks" shall be paid for at wages rates.

(k) GUILLOTINE OB HAND-PRESS WORK.

			•	•									
Cutting with guillotine, rolling, and forming with press:—													
Backs					••		••				0 1 d.	per hundred)
Fronts							• •	• • •	• •		0∤d.	**	Į .
Tops	••	• •	• •	••	• •	• •	••	• •	• •	ls.	8d.	**	1
Cutting with guillotine and press, and forming:—													
Sides				••		••					8 ł d.	,.	اتجا
Bottoms			••		••	• •	••	• •	• •		2 4d.	**	pop
Valve plate	s				••	• •	• •	• •	••		2 ∔ d.	**	1 4
Partitions		• •		••		• •	••	• •			2 ∤ d.	**	}ই
Galleries		• •		• •			••	••	••	ls.	5 	••	1=
Cutting with guillotine, and pressing (double handed) except by power press—													
Top or bott	tom rim	s, 3 and	5 tights		••	• •	••	• •	••	18.	ba.	11	With
Cutting with press, and forming:—													
Money box	99	••	••	••	••	••	••	••		ls.	61d.	**	
Cutting with guillotine and press:—													
Discs, 10 lig	ghts	•••	••	• •		••	••	••	• •	la.	0 ∄d.	и ,	j

Norm.—All materials for piece-work, except that set cut in sub-clauses (e) and (f) of the piece-work schedule, shall be supplied to the employee in good order and condition.

D. GRANT, Chairman.

A. G. ALLEN, Secretary.

Melbourne, 19th March, 1935.

•

.