

VICTORIA

GOVERNMENT GAZETTE.

Published by Authority.

[Registered at the General Post Office, Melbourne, for transmission by post as a newspaper.]

No. 156]

THURSDAY, JUNE 5.

[1941

Factories and Shops Acts.

DETERMINATION OF THE GAS METER BOARD.

Note.—This Determination applies to the following parts of Victoria, namely:—The Metropolitan District as defined in the Factories and Shops Acts and the Order in Council thereunder; such portions of the city of Sandringham as are not within the said Metropolitan District; the cities of Ballarat, Bendigo, Geelong, Geelong West, and Warrnambool; the town of Newtown and Chilwell; and the boroughs of Eaglehawk and Sebastopol.

IN accordance with the provisions of the Factories and Shops Acts, the Wages Board appointed to "determine the lowest prices or rates which may be paid to any person or persons or classes of persons employed in the process, trade, business, or occupation of making or repairing gas meters" has made the following Determination, namely:—

(1) That on the 5th June, 1941, the last and all previous Determinations of this Board shall be revoked and replaced by this Determination.

(2) Apprentices or Improver		Other Employees.			
WAGES. Per W	8,	Weekly Rate.	War Loading.	We	otal eekly age.
8.	• Wages Per Week of 44	Hours. £ s. d.	8. d.	£	e. d.
lst year— lst six months 20	Leading hand (i.e., one having under l			- '	
2nd six months 23	responsible for the work done by tw		6 0	6	9 2
01 00	Meter makers or repairers		6 0	6	0 0
0.1	Prepayment meter attachment maker		4 0	5 1	3 11
4th year 57	Caster of gratings and covers				3 11
5th year 71	Head tester—(a) where eight or more other				8 11
****	(b) where four and not me		1	1	
Proportion (within any pla	testers are employed		6 0	6	5 8
Apprentices.	Other testers	5 3 9	3 0	5	6 9
	T - 3: 3:- 1 4:- /- 1 4			•	
One apprentice to every or fraction of three workers r		5 14 10	6 0	6	0 10
ing not less than 89s. per	The contract of the contract o		l		
of 44 hours.	or wiring	4 17 10	3 0	5	0 10
OI 44 LOUIS.	Leading diaphragm cutter, where two		l		
Improvers.	employed	5 8 10	4 0	5 1	2 10
Such number of improvers as		4 17 10	3 0	5	0 10
not, together with apprentices, e		oxmakers 5 2 9	3 0	5	5 9
in the aggregate one to every		4 18 1	3 0	5	1 1
or fraction of three workers rece		4 12 5	3 0	4 1	5 5
not less than 89s. per week		4 9 4	3 0	4 1	2 4
hours.	All others	4 6 0	3 0	4	9 0

- (3) Hours or Duty.—The ordinary hours of work shall be 44 hours per week, to be worked on five days between the hours of 7.30 a.m. and 5.15 p.m., from Monday to Friday inclusive.
- (4) OVERTIME.—All work done outside the hours fixed as the times of beginning and ending work, or within such hours in excess of 44 hours in any week, shall be paid for at the rate of time and a half.
- (5) SPECIAL RATES FOR SUNDAYS AND PUBLIC HOLIDAYS.—All work done on Sunday, Good Friday, Christmas Day, or 21st April (Labour Day), shall be paid for at the rate of double time, and on New Year's Day, Australia Day (26th January), Easter Saturday, Easter Monday, King's Birthday, or Boxing Day, at the rate of time and a half; but if any other day be by Act of Parliament or Proclamation substituted for any of the above-named holidays, the special rate shall only be payable for work done on the day so substituted.
- (6) Annual Leave and Public Holiday Pay.—Every employee who serves any employer continuously for one year shall, if the employee observe the terms of the Determination, be allowed leave of absence for a continuous period of one week of seven days in respect of that year, and thereafter seven days in respect of each continuous year's service without loss of pay, provided that for the purposes of this clause any employee who has been working for the same employer for a period of not less than three years prior to the 8th November, 1937, shall not be taken into account.

Such leave shall be given within three months of the completion of each twelve months' service.

A pieceworker shall be entitled to the same annual leave and public holidays as a time-worker, and for such annual leave and public holidays he shall be paid at the same rate as a time-worker doing the same class of work.

No. 156 -6610/41.

(7) PROMOTIONS.—

(a) In shortening hands or making promotions the employer shall put efficiency foremost, and in the event of equa efficiency, shall prefer a senior man to a junior.

(b) "Efficiency" means special qualifications and aptitude including suitability in age for the discharge of the duties of the office to be filled, together with merit and good and diligent conduct.

(8) SENIORITY LISTS.—Seniority lists shall be compiled by each employer showing the last date on which each employee entered the service of his employer. Each employer shall, if and when reasonably required, furnish a copy of the seniority list to the Secretary of the Union concerned.

the service of his employer. Each employer shall, if and when reasonably required, furnish a copy of the seniority list to the Secretary of the Union concerned.

(9) Conditions of Engagement—(a) Except as otherwise hereinafter provided, all employees shall be engaged by the week, the employment to be terminable only by a week's notice on either side, which notice may be given at any time during any week.

(b) Provided that for misconduct or neglect of duty by an employee, his employment may be determined forthwith without notice, in which case he shall be entitled only to an amount for wages proportionate to the amount of work done before such determination, such amount for wages to be paid forthwith.

(c) From the commencement of an employee's service during a time not exceeding two weeks, the employer may engage him by the day, subject to payment of the rate of wage prescribed for other than weekly employees.

(d) Subject to any express limitation in the terms of his engagement and to his right to determine his employment by a week's notice, an employee to become entitled to the benefits of this Determination must do such kinds of work at such times as the employer may require him to do for the time being, but the employer shall in respect of such work observe any applicable provisions of this Determination as to special or extra rates.

(e) If an employee absents himself from duty or does not attend for duty, the employer, subject to the provisions for sick leave and accident leave hereinafter contained, may deduct from the employee's wages an amount proportionate to the length of the employee's absence or non-attendance.

and accident leave hereinatter contained, may deduct from the employee's wages an amount proportionate to the length of the employee's absence or non-attendance.

(10) Sign Leave.—An employee after having completed three weeks' continuous service immediately preceding the day upon which he reasonably absents himself from work because of disability due to his own ill health, and who within 48 hours after the commencement of the absence produces evidence satisfactory to the employer of such disability by medical certificate or otherwise shall, without incurring any deduction of pay, be entitled to leave of absence during such disability for a period or periods not exceeding in the aggregate four days in each year, beginning with the 19th September, 1938.

The rate of wage payable to the employee during such leave of absence without deduction of pay shall be the prescribed ordinary rate or averaged rates for the work done by him during his last six working days next before his absence began.

PIECE-WORK PRICES.

(11) In addition to the piece-work prices set out in this clause a pieceworker shall be paid 6s. War Loading for each full worked or a pro rata amount according to the time actually worked if less than a full week is worked.

The lowest piece-work prices payable to any person engaged in the following kinds of work shall be:—

(a) Making Tin, Dry Ordinary Meters, "Met" and "P. and C." Pattern, also High Capacity Meters, "P. and C." Pattern.

	I	I.C. 1.		H.C. 2.			
Ordinary Meters. Ordinary Meters. Iaking "Met" pattern meters, i.e., doing any work necessary to complete the meter, including the putting together of all parts; preparing gratings and covers (after leaving the mould); putting on pins and wires, forming long and diaphragm chambers, throat pieces, bridges, and back plates; folding edge; breaking edges of side pipes; making valve plates; oiling, sounding, and fixing up all leaks in diaphragms; setting and grinding valves; and tinning all parts including anti-fraud boxes	£	er doz. s, d.		per doz. £ s. d. 13 14 9			
:	- <u>-</u>		Lights.	***************************************			
· ·	2.	3.	5.	10.	20.		
Making "P. and C." pattern meters, i.e., doing any work necessary to complete the meter, including the putting together of all parts, and the making of valve plates; oiling, sounding, and fixing up leaks in diaphragms; setting and grinding valves; preparing gratings and covers (after leaving moulds); putting on pins and wires, and tinning all parts; but not including forming long and diaphragm chambers, throat pieces, bridges, and back plates; punching cock plates; folding edge of same; and breaking edges of side pipes	per doz. £ s. d.	per doz. £ s. d.	per doz. £ s. d.	per doz. £ s. d.	per doz. £ s. d.		
High Capacity Meters. Making "P. and C." high capacity meters, i.e., doing any work necessary to complete the meter, including the putting together of all parts, the making of valve plates, soldering in rims, banding on diaphragms, sounding and fixing up leaks in diaphragms, setting and grinding valves, preparing gratings and covers, putting on pins and wires, and tinning all parts, but not including forming long and diaphragm chambers, throat pieces, bridges, back plates, punching cock plates, folding edge of same, breaking edges of side pipes, making up rims or bands for diaphragms, fastening tapes to rims, crimping or fastening discs to diaphragms, and oiling diaphragms; also, bending top arms				ur: £8 19s. ar; £10 4s.			

i.e., doing the following work necessary to complete the meter, including the putting together of all parts and the making of valve plates, making up case, soldering in rims, banding on diaphragms, sounding and fixing up leaks in diaphragms, setting and grinding valves, preparing gratings and covers, tinning all parts, soldering both back and front of division, soldering flag to roller and pillar unit, soldering in rods and trees and tees and motion wires, soldering on backs and fronts, soldering in bridges, soldering in and fitting index boxes, soldering arms to covers, pinning covers and setting tangents (but not including forming centre tube throat pieces), making up rims and bands for diaphragms, fastening tapes to rims, crimping or fastening diese to diaphragms and oiling diaphragms, assembling of bridges, making up of index complete in pan with stuffing box attached, stuffing index box or drilling, tapping or screwing arms to covers.

£8 16s. 11d. per doz.

(b) Making Tin Dry Prepayment Meters.

Making "P. and C." pattern high capacity prepayment meters, i.e., doing any work necessary to complete the meter, including the putting together of all parts, the making of valve plates, soldering in rims, banding on diaphragms, sounding and fixing up leaks in diaphragms, setting and grinding valves, prepaying gratings and covers, putting on pins and wires, tinning all parts, soldering prepayment valve seat on bridge, soldering in prepayment valve box to meter, soldering stuffing box to prepayment valve box and stuffing same, soldering on lever, soldering on circular box, soldering on prepayment movement and index, soldering on side cash box, soldering hasp to catch piece, soldering eatch piece to meter, edging front of money box and attaching same to box, soldering on ring and tab to front of money box, trying coins in circular box, soldering on indicator, soldering bottom to cash box, but not including forming long and diaphragm chambers, throat pieces, bridges, back plates, punching cock plates, folding edge of same, breaking edges of side pipes, making up rims or bands for diaphragms, fastening tapes to rims, crimping or fastening discs to diaphragms, and oiling diaphragms

(c) Making Rims and

Capacity, 100 cubic feet per hour; £11 0s. 3d. per doz.

	1			-				
	Lighte.							
	2.	3.	5.	10.	20.	30.	50.	60.
	per job of 400 rims and 200 discs.	per job of 620 rims.	per job of 580 rims.	per job of 460 rims.	per job of 240 rims.	per job of 240 rims.	per doz. discs.	per doz. discs.
97 11. 1 N.P.	£ . d.	£ s. d.	£ e. d.	£ a. d.	£ s. d.	£ s. d.	£ s. d.	£ s. d.
Making rims and discs Making rims	6 3 9	6 3 9	6 3 9	6 3 9	6 3 9	6 3 9		::
					per doz. discs.	per doz. discs.	"	"
Making discs		••	per job of	per job of	£ s. d. 0 5 1	£ s. d. 0 7 63	0 18 2	1 1 94
Making rims for circular			400 rims.	400 rims.		ł	1	1
crimped-on diaphragms		•••	5 10 1	5 14 3				
	<u>-</u>	(d) W	IRING OR T	YING DIAPE	BAGMS.		<u> </u>	
				2, 3, of 5	Lighte.	10 Lights.		
			-	per de		er dozen.		
· Wiring	or tying dia	physams		· a.	d. 6₹	er dozen. •. d. 7 3		

(e) Renewals.					
	Lights.				
	30.	50.	60.	80.	100.
Ordinary Meters.	per doz.	per job of 6. £ s. d.	per job of 6, £ s, d.	per job of 3. £ s. d.	per job of 3. £ s. d
Renewing in the following manner ordinary condemned meters from which the top back plate, and back and front have been removed, viz.:— Dissecting and cleaning all parts fit to be re-used and making a new meter therewith by:—	2 0. 4.	2 5. 4.			
Forming diaphragms and long chambers, throat pieces, bridges, back plates; punching cock plate and folding edges; breaking edges of side pipes, any other necessary work	33 10 3	25 17 10	27 14 2	18 15 9	18 15 9

(f) Repairing	METERS.	_				
				L	ights.	
	H.C. 1.	H.C. 2.	5.	10.	20.	30.
Repairing "Met" pattern meters, i.e., doing such of the following work as may be necessary to restore the meter to good repair, viz.:—Removing back and front; removing cock plate and back plate; cleaning meter; re-grinding valves; re-stuffing centre and side stuffing boxes; re-setting valves and top arms; inserting new diaphragms; removing index; putting in new valve arms, index glass, or new tin work Repairing prepayment slot meters, i.e., doing such of the following work as may be necessary to restore the meter to good repair, viz.:—Cleaning meter; re-grinding valves; re-setting top arms and valves; removing top and back plates; taking off and replacing back and front, and inserting new diaphragms, new valve arms, and index glass; putting in a new cover to shut off valve; putting on staple and spring, and soldering wire along cash box (but not including repairs to handles)	each meter. s. d.	each meter. s. d.	each meter. s. d. 12 04 per job of ten meters £ s. d. 6 19 10	each meter. s. d.	each meter. s. d.	each meter. s. d.
Inserting new leather on shut off valve in Parkinson pattern prepayment meter			each meter. s. d. 1 6			

REPAIRING	METERS-	-continued.

	Lights.				
	2.	3.	5.	10.	20.
<i>:</i>	each meter. s. d.	each meter. s. d.	each meter. s. d.	each meter. s. d.	each meter. s. d.
Repairing tin dry ordinary meters in the following manner:— (a) Cleaning meter; inserting diaphragms; setting or re-grinding valves; re-stuffing boxes; removing and replacing cock plates and index	7 10	8 9	9 6	10 6	per cent.
re-grinding valves; re-stuffing boxes; removing cock plate and index; taking off and putting in back and front	6 6 2 6 3 0 2 3	6 6 2 6 3 0 2 3	6 6 2 6 3 0 2 3	6 8 2 6 3 0 2 3	9 11 168:13 Mik
(iii) Other meters	2 3	2 3	2 3	2 3	

(g) EXTRAS.

Frame and door Bottom and studs Bridge Rod arms	2, 3, 5, 10 2, 3, 5, 10 20 20 20 20 20 20 2, 3, 5, 10	s. d. 0 7 1 4 1 8 1 0 1 3 0 4 pair	7	Pipes inside inlet Other pipes	2, 3, 5, 10 to 20 2, 3, 5, 10 20 2, 3, 5, 10	1 0 "
Valve-box covers Divisions Half-valve plate	20 2, 3, 5, 10 2, 3, 5, 10 2, 3, 5, 10 2 3 5 10	0 8 ,, 0 3 ,, 0 6 2 2 2 3 2 5 2 7 2 9	21.891 per cent. added.	Guides Feet	20 2 to 20 2, 3, 5, 10 20 2, 3, 5, 10 2 3 and 5 10 20	1 8 ", 0 4 set 0 4 ", 1 0 ", 0 5 pair 2 0 2 4 2 5 2 11 1 2 each
New door Motion wires Throat pieces Side chambers New sides Toes Toes	20 2, 3, 5, 10 20 2, 3, 5, 10 2, 3, 5, 10 2, 3, 5, 10 2, 3, 5, 10 2, 3, 5, 10	2 11 0 2 0 7 pair 1 3 " 1 0 " 0 6 each 4 4 pair 1 0 "	With	back and front only Turn-over backs and fronts Condemning	2 3 and 5 10 20 2 to 20 2 3, 5, 10 20 2 to 20	1 3 pair 1 6 " 1 8 " 2 3 " 0 5 " 1 3 1 5 1 11

Note.—(i) "Leaks round grating" and "All crutch leaks" shall be paid for at wages rates. .

Melbourne, 19th May, 1941.

⁽ii) All materials for piece-work, except that set out in sub-clause (d) of the piece-work schedule, supplied to the employee in good order and condition.

D. GRANT, Chairman.

J. V. WILLOX, Secretary.