

[3601]



VICTORIA GOVERNMENT GAZETTE.

Published by Authority.

[Registered at the General Post Office, Melbourne, for transmission by post as a newspaper.]

No. 322]

THURSDAY, OCTOBER 29.

[1942

No.	Number of Tenders.	Particulars of Contract.	Country of Manufacture or Production.	Amount.	Name of Contractor.
257	..	Railways Stores Suspense Account, Act 3759. Section 105— Supply and delivery of General Stores as ordered, during the period 1st July, 1942, to 30th June, 1943, and 1st July, 1942, to 30th June, 1944.	As per annex ..	Rates as per annex	As per annex

Melbourne, 26th September, 1942.

Schedule of Rates Contracts

FOR THE

SUPPLY OF STORES

TO THE

VICTORIAN RAILWAYS.

PERIODS—

Schedules 60 to 113—1.7.1942 to 30.6.1943.

„ 180 to 233—1.7.1942 to 30.6.1944.

E. C. EYERS,

By Order of the Victorian Railways Commissioners.

SUPPLY AND DELIVERY OF STORES.

**As ordered, from 1.7.1942 to 30.6.1943, and
1.7.1942 to 30.6.1944.**

Items marked * to be supplied (subject to the General Conditions of Contract) to sample or samples exhibited by the Corporation.

Items marked † to be supplied to sample or samples furnished by the Contractor.

No subletting will be allowed.

All rates are exclusive of Sales Tax.

MOTOR AND ENGINE OILS, ETC.

(Schedule No. 60)

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
† { 2000 2000A	Oil, air compressor, medium, to specification, "Atlantic"— In 40/45 gallon drums ... Exchange factor ·15d. gallon	U.S.A.	} 1100 gals.	gal.	\$0	2	10	} Atlantic Union Oil Co. Ltd.
	In 4 or 5 gallon drums, branded "Atlantic oil for air compressors" Exchange factor ·15d. gallon	"		"	\$0	3	2	
† { 2001 2002	Oil, cylinder, for compression ignition engines, to specification, (suitable for Gardner and Junker engines, airless injection cold starting oil engines, McDonald super road rollers, two and four cycle compression ignition engines of 60 to 200 h.p.)— "Silvertown SS·LM" In 4 or 5 gallon drums ... Exchange factor ·197d. gallon	"	} 1600 "	"	\$0	3	11	} Elder, Smith & Co Ltd.
	In 40/45 gallon drums ... Exchange factor ·197d. gallon	"		"	\$0	3	6	
† { 2001A 2002A	"Dervoil," light or medium, as ordered (for Gardner Diesel engines)— In 4 or 5 gallon drums ... Exchange factor ·22d. gallon	"	} 1600 "	"	\$0	4	3	} The Shell Co. of Aust. Ltd.
	In 40/45 gallon drums ... Exchange factor ·22d. gallon	"		"	\$0	3	8½	
† { 2001B 2002B	"D.T.E., extra heavy," (for State Rivers and W.S. Commission)— In 4 or 5 gallon drums ... Exchange factor ·24d. gallon	"	} 2200 "	"	\$0	4	11	
	In 40/45 gallon drums ... Exchange factor ·24d. gallon	"		"	\$0	4	4½	
†2003	Oil, cylinder, for compression ignition engines, in 4 or 5 gallon drums (suitable for caterpillar engines) (for State Rivers and W.S. Commission) "Delvac 2X" or "3X," as ordered Exchange factor ·22d. gallon	"	600 "	"	\$0	4	3	} Vacuum Oil Co. Pty. Ltd.
†2004	Oil, cylinder, "Gargoyle Almo Engine Oil" for pneumatic tools, to specification, in 4 or 5 gallon drums (suitable for hammers, chisels, etc.) Exchange factor ·11d. gallon	U.S.A. & Vict.	220 "	"	\$0	4	1	
†2005	Oil, cylinder, "Gargoyle Almo Engine Oil" for pneumatic tools, to specification, in 40/45 gallon drums (suitable for rock drills at State Coal Mine) Exchange factor ·11d. gallon	"	250 "	"	\$0	3	6½	

MOTOR AND ENGINE OILS, ETC.—continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
†2006	Oil, cylinder, for kerosene engines, to specification, in 4 or 5 gallon drums (suitable for Crossley, Coulson, V.R. standard engines, etc.), "Vacme Heavy X" Exchange factor .157d. gallon Oil, cylinder, to specification— Light (S.A.E. 20), for water cooled petrol engines, in 4 or 5 gallon drums—	U.S.A. & Vict.	500 gals.	gal.	\$0	3	11½	Vacuum Oil Co. Pty. Ltd.
†2007	"Atreco MM451" Exchange factor .155d. gallon	U.S.A.	30 "	"	\$0	3	3½	Atlantic Union Oil Co. Ltd.
†2007A	"Mobiloil Arctic" (for State Rivers and W.S. Commission) Exchange factor .23d. gallon Medium (S.A.E. 30), for water cooled petrol engines— "Shell" (for V.R. & P.W. Dept.)—	"	1000 "	"	\$0	4	10	Vacuum Oil Co. Pty. Ltd.
† { 2008	In 4 or 5 gallon drums ...	"	} 960 "	"	\$0	3	9	} The Shell Co. of Aust. Ltd.
† { 2009	In 40/45 gallon drums ... Exchange factor .18d. gallon	"		"	"	\$0	3	
† { 2008A	In 4 or 5 gallon drums ...	"	} 2000 "	"	\$0	4	10	} Vacuum Oil Co. Pty. Ltd.
† { 2009A	In 40/45 gallon drums ... Exchange factor .23d. gallon	"		"	"	\$0	4	
† { 2008B	In 4 or 5 gallon drums ...	"	} 100 "	"	\$0	5	0½	} C. C. Wakefield & Co. Ltd.
† { 2009B	In 40/45 gallon drums ... Exchange factor .25d. gallon	"		"	"	\$0	4	
†2008c	"Valvoline Medium" (for Mt. Buffalo), in cases, 2 x 4 gallon tins Heavy Medium (S.A.E. 40), for water cooled petrol engines— "Shell" (suitable for "K" and "K.S." gang cars), (for V.R. & P.W. Dept.)—	"	40 "	"	0	7	10	J. Carrigan
† { 2010	In 4 or 5 gallon drums ...	"	} 2800 "	"	\$0	3	9	} The Shell Co. of Aust. Ltd.
† { 2011	In 40/45 gallon drums ... Exchange factor .18d. gallon	"		"	"	\$0	3	
† { 2010A	In 4 or 5 gallon drums ...	"	} 4000 "	"	\$0	4	10	} Vacuum Oil Co. Pty. Ltd.
† { 2011A	In 40/45 gallon drums ... Exchange factor .23d. gallon	"		"	"	\$0	4	

MOTOR AND ENGINE OILS, ETC.—continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
Oil, cylinder, to specification—continued—						
Heavy Medium (S.A.E. 40), for water cooled petrol engines—continued—						
"Castrol XL" (for Police Department)—						
† { 2010B	In 4 or 5 gallon drums ...	U.S.A.	} 500 gals.	gal.	\$0 5 6½	} C. C. Wakefield & Co. Ltd.
2011B	Exchange factor .275d. gallon ... In 40/45 gallon drums ... Exchange factor .275d. gallon					
Heavy (S.A.E. 50) for water cooled petrol engines—						
"Shell" (for V.R. & P.W. Dept.)—						
† { 2012	In 4 or 5 gallon drums ...	"	} 260 "	"	\$0 3 9	} The Shell Co. of Aust. Ltd.
2013	Exchange factor .18d. gallon ... In 40/45 gallon drums ... Exchange factor .18d. gallon					
"Mobiloil B.B." (for State Rivers & W.S. Commission)—						
† { 2012A	In 4 or 5 gallon drums ...	"	} 1100 "	"	\$0 4 10	} Vacuum Oil Co. Pty. Ltd.
2013A	Exchange factor .23d. gallon ... In 40/45 gallon drums ... Exchange factor .23d. gallon					
† 2012B	"Valvoline Heavy" (for Mt. Buffalo), in cases, 2 x 4 gallon tins	"	40 "	"	0 7 10	J. Carrigan
Extra Heavy (S.A.E. 60), for water and air cooled petrol engines—						
"Shell" (suitable for Sheffield and Inspection gang cars)—						
† { 2014	In 4 or 5 gallon drums ...	"	} 3850 "	"	\$0 3 9	} The Shell Co. of Aust. Ltd.
2015	Exchange factor .18d. gallon ... In 40/45 gallon drums ... Exchange factor .18d. gallon					
"Mobiloil B" (for State, Rivers and W.S. Commission)—						
† { 2014A	In 4 or 5 gallon drums ...	"	} 500 "	"	\$0 4 10	} Vacuum Oil Co. Pty. Ltd.
2015A	Exchange factor .23d. gallon ... In 40/45 gallon drums ... Exchange factor .23d. gallon					
"Castrol XXL" (for Police Department)—						
† { 2014B	In 4 or 5 gallon drums ...	"	} 50 "	"	\$0 5 7½	} C. C. Wakefield & Co. Ltd.
2015B	Exchange factor .30d. gallon ... In 40/45 gallon drums ... Exchange factor .30d. gallon					
2016	Oil, refrigerating machine, extra light, to specification, in 4 or 5 gallon drums, "Arctic C, Heavy" Exchange factor .165d. gallon	"	220 "	"	\$0 3 11	Vacuum Oil Co. Pty. Ltd.
2017-2019—Nil						

MACHINERY AND GEAR OILS, ETC.

(Schedule No. 61).

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
	Oil, bearing, to specification—							
†2020	Light, in 40/45 gallon drums (suitable for signal apparatus, medium line shafting, light ball bearings and races, medium printing machines, small milling machines, and ring oil bearings) Exchange factor, .07d. gal.	U.S.A., & Vict.	800 gals.	gal.	\$0	2	5½	Vacuum Oil Co. Pty. Ltd.
†2021	Medium, "X.L. Machine," in 40/45 gallon drums (suitable for large electric motors and dynamos having ball bearings and races, tricycles, windmills, large pumps, gyratory stone crushers, saw milling machinery, lathes, drilling machines and large milling machines)	Vict. (partly)	5000 "	"	0	2	9½	} Ramsay & Treganowan Ltd.
†2022	Heavy, "X.L. Machine," in 40/45 gallon drums (suitable for large machine tools, signal mechanism, heavy electric motors, road roller bearings, and heavy engine bearings)	"	2200 "	"	0	2	10	
†2023	Extra Heavy, "5010," in 40/45 gallon drums (suitable for stone crushers, tractors and similar machinery) Exchange factor .120d. gal.	U.S.A.	120 gals.	"	\$0	2	8	Caltex Ltd.
†2024	Oil, gear, to specification, "Garg., DTE-BB," in 4 or 5 gallon drums (suitable for gear box of generator drive of air conditioned cars) Exchange factor .26d. gal.	"	150 "	"	\$0	4	9	} Vacuum Oil Co. Pty. Ltd.
†2025	Oil, gear (S.A.E. 90), to specification, "Garg. Mobiloil G.X.," in 4 or 5 gallon drums (suitable for gear boxes of rail and road motor vehicles) Exchange factor .35d. gal.	"	100 "	"	\$0	5	5	
†2026	Oil, gear (S.A.E. 160) to specification, in 40/45 gallon drums (suitable for transmission gear of rail and road motor vehicles)— "Socony S.D." Exchange factor .150d. gal.	"	300 "	"	\$0	2	11	} Vacuum Oil Co. Pty. Ltd.
†2026A	"Gg. Mobiloil C." (for State Rivers and Water Supply Commission) Exchange factor .22d. gal.	"	1200 "	"	\$0	3	11½	
†2027-2039	Nil							

TRANSFORMER AND TURBINE OILS

(Schedule No. 62)

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor
					f	s.	d.	
† 2040	Oil, transformer and switch gear, light, "Gargoyle Transformer A, (Paulsboro)," to specification—	U.S.A.	1800 gals.	gal.	\$0	3	4½	Vacuum Oil Co. Pty. Ltd.
	In 40/45 gallon drums							
† 2040A	Exchange factor, ·20d. gal.	"	2500 "	"	0	7	0	J. Carrigan
	In 4 or 5 gallon drums							
† 2041A	Exchange factor ·20d. gal.	"	4000 "	"	\$0	4	3	Vacuum Oil Co. Pty. Ltd.
	Oil, turbine, medium, "Valvoline," to specification, in 40/45 gallon drums							
† 2041B	Exchange factor ·24d. gal.	"	"	"	\$0	4	9½	"
	Oil, turbine, "Gargoyle D.T.E. Heavy Medium," (for State Rivers and Water Supply Commission)—							
2042-2049	Nil							

OILS, VARIOUS

(Schedule No. 63)

†2050	Compound, soluble cutting, to specification, in 40/45 gallon drums, "Solvac No. 1 clear"	U.S.A. & Vic.	2400 gals.	gal.	\$0	4	3	Vacuum Oil Co. Pty. Ltd.
	Exchange factor ·10d. gallon							
†2051	Oil, air filter, to specification, in 4 or 5 gallon drums (suitable for air filter of air-conditioned cars), "P-931"	U.S.A.	150 "	"	\$0	3	2	Vacuum Oil Co. Pty. Ltd.
	Exchange factor ·12½d. gallon							
†2052	Oil, fish, to specification, for tempering springs, in 40/45 gallon barrels or drums, "Shell Whale No. 2"	N.Z.	800 "	"	0	4	7	The Shell Co. of Aust. Ltd.
†2053	Oil, straight cutting, sulphurised, to specification, in 4 or 5 gallon drums, "S1"	U.S.A. & Vic.	350 "	"	\$0	3	8½	Vacuum Oil Co. Pty. Ltd.
	Exchange factor ·10d. gallon							
†2054	Oil, lardine, to specification, in 4 or 5 gallon drums	"	80 "	"	\$0	2	8½	Ramsay & Treganowan Ltd.
	Exchange factor ·07d. gallon.							
†2055	Oil, neatsfoot compound, to specification, in 40/45 gallon barrels or drums, "XL"	"	160 "	"	0	2	10	
†2056	Oil, neatsfoot, to specification, pure, in 4 or 5 gallon drums	Vict.	100 "	"	0	3	11½	Vacuum Oil Co. Pty. Ltd.
2057-2059	Nil							

FUEL OIL, ETC.
(Schedule No. 64)

Item No.	Description	Country of Manufre	Estimated Requirements	Rate per	Rate			Name of Contractor	
					£	s.	d.		
†2060	Distillate, for compression ignition engines, to specification, delivered in metropolitan area, in 40/45 gallon drums, or ex road tanker into the Corporation's tanks, as ordered— "Standesol"	America or Persia	25,000 gals.	gal.	0	1	1	Vacuum Oil Co. Pty. Ltd. The Shell Co. of Aust. Ltd.	
†2060A	"Diesoline"	"		"	0	1	1		
†2061	Oil, fuel, "C.O.R.", for furnaces, etc., to specification, delivered as under— Into the Corporation's tank trucks at the Contractor's siding Into the Corporation's tank at Railway Offices, Spencer Street Into the Corporation's tank at Newport Loco. Workshops In the Corporation's 40/45 gallon drums at the Contractor's siding	Vict. (partly)	1400 tons	ton	9	9	6	The Commonwealth Oil Refineries Ltd.	
†2062					"	9	9		6
†2063					"	9	9		6
†2064					"	9	14		9
†2065	Oil, Diesel, "C.O.R.," for compression ignition engines, to specification, delivered in the Corporation's or Contractor's 40/45 gallon drums, at the Oil Storehouse, Newport, or at the Contractor's siding, as ordered (for use at Mt. Buffalo, Mathoura, etc.)	"	30 "	"	10	14	6		
†2066	Oil, fuel, light, "Stanvac", suitable for "Oil-o-matic" burners, delivered into the Corporation's tanks at Flinders Street station, Spencer Street station, or Government Tourist Bureau, Collins Street, as ordered	America or Persia	15 "	"	10	2	6	Vacuum Oil Co. Pty. Ltd.	
†2067	Oil, fuel, "C.O.R.", for the manufacture of Pintsch gas, to specification, delivered into the Corporation's tank trucks at the Contractor's siding	Vict. (partly)	350 "	"	9	9	6	The Commonwealth Oil Refineries Ltd.	
†2068	Oil, fuel, "C.O.R.", residual (asphaltic oil), for premixing with bitumen, to specification, in 40/45 gallon drums, delivered in the metropolitan area	"	5 "	"	9	14	9		
2069	Nil								

MOTOR SPIRIT, ETC.

(Schedule No. 65)

†2070	Benzol, neat, to specification, in cases, 2 x 4 gallon tins, "C.O.R."	N.S.W.	100 gals.	Imp. gal.	0	3	2	The Commonwealth Oil Refineries Ltd.			
†2071	Benzoline, to specification— In 8 gallon drums, "Atlantic"	U.S.A.	}	"	0	4	1	Atlantic Union Oil Co. Ltd.			
					†2072	In 40/45 " " " "	"		0	3	6
†2071A	In 4 " " " " "Plume"	"	750 "	"	0	4	1½	Vacuum Oil Co. Pty. Ltd.			
†2071B	In 8 " " " " " "	"			"	0	4		1		
†2072A	In 40/45 " " " " " "	"	"	"	0	3	6				
†2073	Fuel, for "Gloria" lights, to specification, "Shellite"— In 4 gallon drums	"	}	"	0	3	5½	The Shell Co. of Aust. Ltd.			
					†2074	In the Corporation's 8 gallon drums	"		0	2	10½
					†2075	In 40/45 gallon drums	"		"	0	2
†2076	Motor Spirit, to specification— In cases, 2 x 4 gal. tins	2000 "	Nil			

MOTOR SPIRIT, ETC.—continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
Motor Spirit, to specification—continued—						
Delivered by road tanker into underground tanks within the metropolitan area—						
†2077	“C.O.R. Plus Benzol,” or “C.O.R. Plus Alcohol,” as ordered	Vict. (partly)	} 275,000 gals.	Imp. gal.	0 2 1	The Commonwealth Oil Refineries Ltd.
†2077A	“Shell” or “Shellkol,” as ordered ...	U.S.A.		”	0 2 1	The Shell Co. of Aust. Ltd.
†2077B	“Plume” or “Plumecol,” as ordered	”		”	0 2 1	Vacuum Oil Co. Pty. Ltd.
†2077C	“Atlantic Flash” or “Atlanticol,” as ordered	”		”	0 2 1	Atlantic Union Oil Co. Ltd.
†2077D	“Power Chief” or “Power Chiefkol,” as ordered	Bahrein		”	0 2 1	Caltex Ltd.
Delivered by road tanker into 40/45 gallon drums, or delivered in 40/45 gallon drums within the metropolitan area—						
†2078	“C.O.R. Plus Benzol” or “C.O.R. Plus Alcohol,” as ordered	Vict. (partly)	} 80,000 gals.	”	0 2 2	The Commonwealth Oil Refineries Ltd.
†2078A	“Shell” or “Shellkol,” as ordered ...	U.S.A.		”	0 2 2	The Shell Co. of Aust. Ltd.
†2078B	“Plume” or “Plumecol,” as ordered	”		”	0 2 2	Vacuum Oil Co. Pty. Ltd.
†2078C	“Atlantic Flash” or “Atlanticol,” as ordered	”		”	0 2 2	Atlantic Union Oil Co. Ltd.
†2078D	“Power Chief” or “Power Chiefkol,” as ordered	Bahrein		”	0 2 2	Caltex Ltd.
Delivered by road tanker into underground tanks at country locations—						
†2079	“C.O.R. Plus Benzol” ...	Vict. (partly)	} 80,000 gals.	”	{ 0 2 1 plus differential	The Commonwealth Oil Refineries Ltd.
†2079A	“Shell” ...	U.S.A.		”	{ 0 2 1 plus differential	The Shell Co. of Aust. Ltd.
†2079B	“Plume” ...	”		”	{ 0 2 1 plus differential	Vacuum Oil Co. Pty. Ltd.
Delivered in 40/45 gallon drums at country locations—						
†2080	“C.O.R. Plus Benzol” ...	Vict. (partly)	} 80,000 gals.	”	{ 0 2 2 plus differential	The Commonwealth Oil Refineries Ltd.
†2080A	“Shell” ...	U.S.A.		”	{ 0 2 2 plus differential	The Shell Co. of Aust. Ltd.
†2080B	“Plume” ...	”		”	{ 0 2 2 plus differential	Vacuum Oil Co. Pty. Ltd.
Delivered from Contractor's bowser into the Corporation's road motor vehicles at—						
†2081	Geelong, “Shell” ...	”	2000	”	0 2 2½	} The Shell Co. of Aust. Ltd.
†2082	Sandringham, “ ” ...	”	300	”	0 2 2	
†2083	Warburton, “ ” ...	”	1500	”	0 2 2½	
†2084	Naphtha, solvent, to specification, in 40/45 gallon drums	N.S.W.	1500	”	0 1 9	The Broken Hill Pty. Co. Ltd
2085-2099	—Nil					

KEROSENE & CASTOR OIL.
(Schedule No. 66)

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
	Kerosene, to specification—							
	For engine cleaning purposes—							
†2100	In cases, 2 x 4 gallon tins	Nil
†2101	In 40/45 gallon drums, "Voco Power"	Persian Gulf or U.S.A.	16,000 gal.	Imp. gal.	0	1	3½	} Vacuum Oil Co. Pty. Ltd.
†2102	300 deg., high test— "Oil M-1103"— In cases, 2 x 4 gallon tins Exchange factor, .125d. gal.	U.S.A.	} 2000 "	"	\$0	2	4½	
†2103	In 40/45 gallon drums Exchange factor, .125d. gal.	"		"	\$0	1	10	
†2102A	"Shell"— In cases, 2 x 4 gallon tins Exchange factor, .125d. gal.	"		"	"	\$0	2	4½
†2103A	In 40/45 gallon drums Exchange factor, .125d. gal.	"	"	"	\$0	1	10	} The Shell Co. of Aust. Ltd.
†2104	Illuminating Oil— In 4 gallon drums, "Coralite"	Persian Gulf or U.S.A.	} 60,000 "	"	0	1	11½	} The Commonwealth Oil Refineries Ltd.
†2105	In 24 or 40/45 gallon drums, as ordered, "Coralite"	"		"	0	1	4½	
†2104A	In 4 gallon drums, "Pennant"	"		"	"	0	1	11½
†2105A	In 40/45 gallon drums, "Pennant"	"	"	"	0	1	4½	
†2106	Illuminating Oil, for Lux lamps, "Laurel"— In 4 gallon drums	"	} 16,000 "	"	0	1	11½	} Vacuum Oil Co. Pty. Ltd.
†2107	In 40/45 gallon drums	"		"	0	1	4½	
†2108	Power Fuel, for "Crossley" or other kerosene engines— In cases, 2 x 4 gallon tins	Nil
†2109	In 40/45 gallon drums, "Voco"	Persian Gulf or U.S.A.	8000 gals.	Imp. gal.	0	1	3½	Vacuum Oil Co. Pty. Ltd.
†2110	Oil, castor, "Alba," to specification, in 5 gallon drums	Vict.	900 "	...	†	Price ruling at date of delivery		Lycett Pty. Ltd.
2111-2119	—Nil							

†—Less 2½% trade discount

AMBULANCE MATERIAL
(Schedule No. 69)

2200	Acid, boracic, B.P., in paper packages	...	Nil		
2201	Arnica, tincture of, in 40 fluid oz. bottles	...	2 bottles		
	Bandages, roller, calico—						
†2202	1" x 6 yards	...	300 doz.		} Nil
†2203	2" x 6 "	...	350 "		
†2204	3" x 6 "	...	300 "		

LEATHER AND LEATHER GOODS

(Schedule No. 70)

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor	
					£	s.	d.		
*2240	Bags, leather— Cash, large, plain	Vict.	30	each	10	4	3	} M. B. Clarke	
*2241	Electrical Fitters'	"	15	"	11	11	9		
*2242	Guards' Kit, with shoulder straps, lettered "V.R."	"	20	"	11	18	6		
†2243	Belting, leather, cemented with water- proof cement, up to 6" wide, as ordered, to specification— Single	"	600 sq. ft.	sq. ft.	0	3	4 $\frac{1}{2}$	} Joshua Pitt Pty. Ltd.	
†2244	Double	"	450 "	"	0	6	7 $\frac{1}{2}$		
†2245	Belting, leather, laminated, endless, or otherwise, to specification, any width ordered— $\frac{5}{16}$ " thick	"	80 lin. ft.	lin. ft. of 1 in. width	0	0	11 $\frac{1}{2}$	} Geo. Pizzey & Son Ltd.	
†2246		$\frac{3}{8}$ " "	"	15 "	"	0	1		2 $\frac{1}{2}$
†2247		$\frac{1}{2}$ " "	"	120 "	"	0	1		4 $\frac{1}{2}$
†2248	Cases, attache, leather— 15" x 9" x 5 $\frac{1}{2}$ " inside measurements	"	24	each	1	6	6	} W. Pocknall	
†2249		16" x 10" x 6", " "	"	24	"	1	8		0
†2250	Clogs, leather, split kip, blucher pattern, wooden soles, iron shod, sizes 5 to 10, as ordered	Tas.	200 pairs	pair	0	8	9	Cuthbertson Bros.	
†2251	Leather, to specification— Bag, soft, natural colour, in sides ...	Vict.	200 lb.	lb.	10	3	2	Zwar Bros. Pty. Ltd.	
†2252	Basils, not less than 7 sq. ft. each, "Thos. Elliot"	N.S.W.	2000	each	0	2	3	Geo. Pizzey & Son Ltd.	
†2253	Bellows, oil dressed, in backs not more than 27" wide	Vict.	15 cwt.	cwt.	12	6	0	Zwar Bros. Pty. Ltd.	
†2254	Chrome, in backs	"	3 "	"	17	5	4	S. P. Reynolds & Co. Pty. Ltd.	
†2255	Harness, black, extra heavy, in backs ...	"	5 "	"	"	"	"	Nil	
†2256	Harness, black, heavy, in sides ...	Vict.	15 cwt.	cwt.	11	0	0	} Zwar Bros. Pty. Ltd.	
†2257	Harness, brown, in sides	"	15 "	"	10	14	0		
†2258	Harness, prepared in oil, thickened by machine to $\frac{1}{4}$ " thick, black or brown, as ordered, in bends	"	5 "	"	17	0	0	Geo. Pizzey & Son Ltd.	
*2259	Rein, brown, stained, in sides	"	12 "	"	14	5	0	} Zwar Bros. Pty. Ltd.	
†2260	Satin Hide, in sides	"	300 sq. ft.	sq. ft.	10	1	2 $\frac{1}{2}$		
†2261	Sole, in backs	"	100 cwt.	cwt.	12	12	0	W. Braithwaite Pty. Ltd.	
*†2262	Trimming, in hides— Antique, "Prestonite"	"	1200 sq. ft.	sq. ft.	10	1	2	Henry P. Zwar Pty. Ltd.	
*†2263	Black	"	6750 "	"	10	1	1 $\frac{1}{2}$	} Zwar Bros. Pty. Ltd.	
*†2264	Green	"	1650 "	"	10	1	1 $\frac{1}{2}$		
†2265	Wax filled, in bends not more than 25" wide	"	2 cwt.	cwt.	15	17	4	W. Braithwaite Pty. Ltd.	

† Less 2 $\frac{1}{2}$ % discount for payment by end of month following month of delivery.

LEATHER AND LEATHER GOODS—continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
Leather to specification—continued—						
For Westinghouse brake washers, black, in bends not more than 27" wide—						
†2266	Heavy	Vict.	40 cwt.	cwt.	£14 14 0	} W. Braithwaite Pty. Ltd.
†2267	Light	"	10 "	"	£18 18 0	
2268-2279	—Nil					

* { The contract rates are subject to the following increases, as approved by the Commonwealth Prices Commissioner:— Item No. 2261, plus 16%. Items Nos. 2262 to 2267, plus 19%.

† Less 2½% discount for payment by end of month following month of delivery.

FORKS, PICKS AND SHOVELS

(Schedule No. 71)

†2280	Forks, stone, 8-prong, "Brades" ...	U K.	300	each	0 14 3½	McPherson's Pty. Ltd.	
*†2281	Handles, "D," tubular steel, for shovels, without stales, to specification, "Trojan"	Vict.	100	"	0 1 2	Scott & Son Pty. Ltd.	
†2282	Picks, navy, double ended, diamond and chisel points, 7-lb., to specification, "Plumb"	N.S.W.	300	"	0 3 9½	McMicking & Co.	
Shovels, steel—							
Coal, square mouth, "D" handle—							
†2283	No. 6, blade 14½" x 12", "Trojan"...	Vict.	150	"	0 4 10	} Scott & Son Pty. Ltd.	
†2284	No. 7, ,, 14½" x 12½", ,, ...	"	150	"	0 5 0		
†2285	No. 8, ,, 14½" x 12½", "Mintern"	"	20	"	0 5 3	Mintern Products Pty. Ltd.	
†2286	Firemen's, "T" handle, blade 17½" x 7½", "Star"	N.S.W.	450	"	0 7 2	} Edwin Wood Pty. Ltd.	
Fuelman's Coal Scoops, blade 17" x 13", "Star"—							
†2287	No. 6, steel "D" handle, to specification	"	100	"	0 6 9		
†2288	No. 6, steel "D" handle, 4' 8" long overall, to specification	"	50	"	0 7 11		
†2289	No. 6, without handle ...	"	10	"	0 4 6		
Long handle, "Trojan"—							
†2290	No. 3, round mouth, single bend, blade 12½" x 10½"	Vict.	350	"	0 4 3	} Scott & Son Pty. Ltd.	
†2291	No. 3, square mouth, single bend, blade 12½" x 10½"	"	200	"	0 4 3		
†2292	No. 2, utility, round mouth, with turned tread (for deep post hole digging), blade 13½" x 9½"	"	30	"	0 5 3		
†2293	Moulders', No. 2, square mouth, "D" handle, smooth back, blade 12" x 10", "Mintern"	"	70	"	0 4 2	Mintern Products Pty. Ltd.	
Navy, tubular "D" handle, to specification, "Trojan"—							
†2294	No. 3, square mouth, blade 12½" x 10½"	"	1500	"	0 4 8	} Scott & Son Pty. Ltd.	
†2295	No. 4, round mouth, blade 13½" x 11½"	"	200	"	0 4 9		
2296-2299	—Nil						

WOODEN HANDLES

(Schedule No. 72)

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
†2300	Handles, to specification— Adze, spotted gum, "Bonser" ...	N.S.W.	30 doz.	dozen	0	18	3	Hely Bros. Pty. Ltd.
†2301	Axe, 32" long, to drawing No. 190/38. spotted gum, "Bonser"	"	120 "	"	0	15	9	
†2302	Broom, hardwood, spotted gum, "Bonser"— 3' 6" long ...	"	25 "	"	0	4	0	
†2303	6' 0" long ...	"	80 "	"	0	7	9	
*†2304	File, 3", to sample "C," spotted gum, "Bonser"	"	30 "	"	0	0	10	
*†2305	File, 4", to sample "D," spotted gum, "Bonser"	"	20 "	"	0	0	11	
†2306	Hammer, claw, spotted gum, "Bonser"	"	30 "	"	0	4	4	
†2307	Hammer, hardwood, first quality, spotted gum "Bonser"— 14" ...	"	60 "	"	0	4	9	
†2308	16" (small eye) ...	"	150 "	"	0	5	0	
†2309	16" (large eye) ...	"	100 "	"	0	5	0	
†2310	18" ...	"	40 "	"	0	5	10	
†2311	20" (small eye) ...	"	30 "	"	0	6	9	
†2312	20" (large eye) ...	"	70 "	"	0	6	9	
†2313	24" ...	"	60 "	"	0	6	9	
†2314	30" ...	"	80 "	"	0	9	11	
†2315	36" (small eye) ...	"	420 "	"	0	12	2	
†2316	36" (large eye) ...	"	50 "	"	0	12	2	
†2317	Hammer, hickory, first quality— 24" ...	"	30 "	"	Nil
†2318	30" ...	"	6 "	"	
†2319	36" (small eye) ...	"	40 "	"	
†2320	Hatchet, for "Brades" No. 2 axe pattern hatchets, spotted gum, "Bonser"	N.S.W.	5 "	dozen	0	5	8	Hely Bros. Pty. Ltd.
†2321	Metal fork, bent, with sockets and No. 308 tubular "D," spotted gum, "Trojan"	Vict.	10 "	"	2	14	6	Scott & Son Pty. Ltd.
*†2322	Mop, ferruled ...	"	20 "	"	Nil
†2323	Pick, spotted gum, "Bonser"— "Coal Miners'," No. 85A ...	N.S.W.	200 "	dozen	0	9	0	Hely Bros. Pty. Ltd.
†2324	Navy, double ended ...	"	240 "	"	0	17	6	
†2325	Scythe ...	"	Nil	"	
†2326	Shovel, long, bent, spotted gum, "Bonser"	N.S.W.	40 doz.	dozen	0	18	11	Hely Bros. Pty. Ltd.
†2327	Shovel, short, bent, with No. 308 tubular "D," spotted gum, "Trojan"	Vict.	25 "	"	1	11	0	Scott & Son Pty. Ltd.

2328-2339—Nil

FILES AND RASPS

(Schedule No. 73)

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate	Name of Contractor
†2340	Files, any size, as shown in price list, as ordered, "Wiltshire" or "Nicholson"—	Vict. or Canada	}	}	}	Gilbert Lodge & Co. Pty. Ltd.
	Half-round					
2340A	Any other type	"	£3500	...	Less 21¼%	
†2340B	Files, any type and size, as shown in price list, as ordered, "Balfour's"	U.K.		...	Less 13¼%	The Eagle & Globe Steel Co. Ltd.
2341	Files, block, valve rubber, bastard cut, 7" x 1½"	...	150	Nil
2342	Rasps, any type and size, as shown in price list, as ordered—	Canada	}	}	}	McPherson's Pty. Ltd.
	"Nicholson"					
2342A	"Balfour's"	U.K.	£100	...	Less 8%	The Eagle & Globe Steel Co. Ltd.
2343-2349—Nil						

TUBES AND FITTINGS

(Schedule No. 74)

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate	Name of Contractor			
TUBES, steel, screwed and socketed, to specification, in trade lengths—									
Black—									
2350	¼" diameter	N.S.W.	}	}	}	Stewarts & Lloyd (Aust.) Pty. Ltd.			
2351	¾" to 3" diameter, as ordered	"					£400	...	40%
2352	3½" to 6" " " "	"					57½%
2352A	(M) ½" to 3" " " "	"					30%
Galvanised—									
2353	¼" diameter	"	}	}	}	Stewarts & Lloyd (Aust.) Pty. Ltd.			
2354	¾" to 3" diameter, as ordered	"					£5000	...	§30%
2355	3½" to 6" " " "	"					§47½%
(M) Galvanised—									
2356	½" to 3" diameter, as ordered	"	}	}	}	Stewarts & Lloyd (Aust.) Pty. Ltd.			
2357	3½" to 6" " " "	"					£3000	...	§25%
Steam—									
2358	¼" diameter	"	}	}	}	Stewarts & Lloyd (Aust.) Pty. Ltd.			
2359	¾" to 3" diameter, as ordered	"					£3000	...	§42½%
2360	3½" to 6" " " "	"					§15%
2360A	(M) ½" to 3" " " "	"	42½%				
2361	Tubes, steel, bitumen lined, screwed and socketed, to specification, black, in trade lengths, ½" to 6" diameter, as ordered	"	£5	...	10%	William Adams & C Ltd.			
FITTINGS, steel, to specification—									
Black—									
Bends, long screws, springs, plain nipples or barrel nipples—									
2362	¾" to 3" diameter, as ordered	"	}	}	}	Stewarts & Lloyds (Aust.) Pty. Ltd.			
2363	3½" to 6" " " "	"					42½%
2364	Flanges— ¼" to 2" diameter, as ordered					£25	...	23¾%
2365	2½" to 6" " " "	Nil			
2366	Other fittings on price list, ½" to 6" diameter, as ordered	N.S.W.	20%.	Stewarts & Lloyds (Aust.) Pty. Ltd.			

TUBES AND FITTINGS—continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate	Name of Contractor
	FITTINGS, steel, to specification— continued— Galvanised— Bends, long screws, springs, plain nipples or barrel nipples—					
2367	1/4" to 3" diameter, as ordered	N.S.W.	£100	...	36 1/4%	Stewarts & Lloyds (Aust.) Pty. Ltd.
2368	3 1/2" to 6" " " "	"		...	20%	
2369	Flanges— 1/4" to 2" diameter, as ordered	Nil
2370	2 1/2" to 6" " " "	
2371	Other fittings on price list, 1/8" to 6" diameter, as ordered	N.S.W.	15%	Stewarts & Lloyds (Aust.) Pty. Ltd.
	Steam— Bends, long screws, springs, plain nipples or barrel nipples—					
2372	1/4" to 3" diameter, as ordered	"	£400	...	Percentage off Price List 36 1/4%	Stewarts & Lloyds (Aust.) Pty. Ltd.
2373	3 1/2" to 6" " " "	"		...	20%	
2374	Flanges— 1/4" to 2" diameter, as ordered	Nil
2375	2 1/2" to 6" " " "	
2376	Other fittings on price list, 1/8" to 6" diameter, as ordered	N.S.W.	15%	Stewarts & Lloyds (Aust.) Pty. Ltd.
2377	FITTINGS, steel, bitumen lined, to speci- fication, galvanised, any type or size on price list, as ordered	"	£1	...	10%	William Adams & Co. Ltd.
	FITTINGS, solid machined steel, to specification, any type or size on price list, as ordered—					
2378	Black	"	£5	...	20%	Stewarts & Lloyds (Aust.) Pty. Ltd.
2378A	Galvanised	"		...	15%	
2378B	Steam	"		...	5%	
	FITTINGS, malleable iron, to specifica- tion— Black— Any type on price list, as ordered—					
2379	1/4" to 2" diameter, as ordered	"	£100	...	50%	Stewarts & Lloyds (Aust.) Pty. Ltd.
2379A	" " " " "	"		...	51 1/4%	
2380	2 1/2" to 6" " " "	"		...	40%	
2380A	2 1/2" " 4" " " "	N.S.W. or S. Aust.		...	40%	
	Unions, barrel, hexagon, cone joints, female—					
2381	3/8" diameter	...	20	Nil
2382	1/2" " " " "	N.S.W.	270	each	£ 0 s. d. 0 2 2	William Adams & Co. Ltd.
2382A	" " " " "	"		"	"	0 2 1
2383	3/4" " " " "	"	20	"	0 2 9	William Adams & Co. Ltd.
2383A	" " " " "	"		"	"	0 2 7

TUBES AND FITTINGS—continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
	FITTINGS, malleable iron, to specification—continued— Unions, barrel, hexagon, cone joints, female—continued—							
2384	1" diameter	N.S.W.	60	each	0	3	3	William Adams & Co. Ltd.
2384A	" " " " " " " "	"		"	"	0	3	1
2385	1 1/4" " " " " " "	"	10	"	0	4	4	William Adams & Co. Ltd.
2385A	" " " " " " " "	"		"	"	0	4	1
2386	1 1/2" " " " " " "	"	30	"	0	5	9	William Adams & Co. Ltd.
2386A	" " " " " " " "	"		"	"	0	5	2
2387	2" " " " " " " "	"	40	"	0	8	0	William Adams & Co. Ltd.
2387A	" " " " " " " "	"		"	"	0	7	6
	Galvanised, any type on price list, as ordered—							
2388	1/4" to 2" diameter, as ordered ...	N.S.W.	£1500	...	Percentage off Price List.			Stewarts & Lloyds (Aust.) Pty. Ltd.
2388A	" " " " " " " "	"		...	42 1/2%			McPherson's Pty. Ltd.
2389	2 1/2" to 6" " " " " " "	"		...	37 1/2%			Stewarts & Lloyds (Aust.) Pty. Ltd.
2389A	" " " " " " " "	"		...	38 1/4%			McPherson's Pty. Ltd.
2390	FITTINGS, malleable iron, bitumen lined, to specification, galvanised, any type or size on price list, as ordered	"	£2	...	10%			William Adams & Co. Ltd.
	FITTINGS, forged steel— Unions, ball jointed, with two bronze seats, "Rockwood" type, female or male and female, as ordered—							
2391	1/4" diameter	50	} Nil	
2392	3/8" " " " " " "	...	75		
2393	1/2" " " " " " "	...	150		
2394-2409—Nil								

SPRINGS

(Schedule No. 75)

*2410	Springs, catch box, 6.B.557, 4 1/2" long, 5/8" inside diameter, 16 coils, hardened and tempered spring steel wire 0.116" diameter. Compression load—35 to 40 lb. per inch, to reduce length by 1"	Vict.	40 doz.	dozen	0	5	0	} Henderson's Federal Spring Works Pty. Ltd.
*2411	Springs, check valve, 1 1/2" long, 1 1/4" outside diameter, 13 coils, hard phosphor bronze wire 0.0124" diameter	"	75 "	"	0	1	0	
*2412	Springs, point lever, W.S., to specification	"	15 "	"	1	16	0	
*2413	Springs, slide, 7/8" long, 3/32" inside diameter, 4 coils, hardened and tempered spring steel wire 0.116" diameter	"	5 "	"	0	3	0	Brown's Springs Pty. Ltd.
*2414	Springs, train stop, to blue print No. F. 3044, hardened and tempered square spring steel, to specification	"	5 "	"	0	9	0	Spicer's Spring Works
*2415	Springs, valve, inspection motor, 2 1/8" long, 1/8" inside diameter, 8 coils, hardened and tempered spring steel wire 0.092" diameter	"	20 "	"	0	4	0	Brown's Springs Pty. Ltd.
2416-2419—Nil								

GLUE, GUM AND INK
(Schedule No. 76)

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
†2420	Glue, cold water, in 28 lb. paper bags, "Casco No. 2404," or suitable alternative	...	10 cwt.	Nil
†2421	Glue, ground	Vict.	15 "	cwt.	2	17	6	Zwar Bros. Pty. Ltd.
	Glue, liquid—							
†2422	In ¾-oz collapsible tubes (in parcels of 1-gross)	N.S.W.	150 tubes	doz. tubes	†0	3	9	} Davis Gelatine Pty. Ltd.
†2423	In 1-lb. tins (in cases of 24 tins) ...	"	24 tins	doz. tins	†1	4	0	
†2424	In 56-lb. drums (in parcels of 1-cwt.)	"	5 cwt.	tins cwt.	†4	0	0	
†2425	Gum, liquid, in 10-gallon kegs with 1¼" bung-hole in head to take a treacle gate (see note)	Vict.	100 gals.	gal.	0	6	0	Spicers & Detmold Ltd.
†2426	Ink, for blank tickets, black, in 1-gallon containers	...	5 "	Nil
†2427	Ink, Indian, in 1-oz. bottles with quill fillers, any colour ordered, "Wiltshire's"	Vict.	300 bots.	bottle	0	0	10½	Wiltshire's Pty. Ltd.
†2428	Ink, metal stamp, in 1-oz. bottles, black or blue, as ordered, "Aussie"	"	80 "	"	0	0	10	} Deakin & Morris
†2429	Ink, rubber stamp, in 2-oz. bottles, black or purple, as ordered, "Aussie"	"	320 "	"	0	0	6	
	Ink, writing—							
†2430	Blue black, in sound casks with bung-hole in head to take a wooden tap (see note)	"	360 gals.	gal.	0	3	3	Spicers & Detmold Ltd.
†2431	Green, in 8-oz. bottles	30 bots.	Nil
†2432	Red, in 8-oz. bottles, "Commercial"	Vict.	800 "	bottle	0	0	5	} Angus & Co. Pty. Ltd.
†2433	Violet, in 12-oz. bottles, "	"	45 "	"	0	0	9	
†2434	Paste, office, in 10-oz. bottles, with cap and brush, "Glax" (see note)	"	800 "	gross bottles	2	17	6	A. J. Nettlefold & Sons
2435-2439	—Nil							

† { Items No. 2422 and 2423—Less 20% trade discount, and less a further 2½% for payment by end of month following month of delivery.
 † { Item No. 2424 —Less 2½% discount for payment by end of month following month of delivery.

CANDLES, SOAP, ETC.
(Schedule No. 77)

	Candles, stearine, short chamber, "Electrine"—							
†2440	In 1 lb. packets, 12's	Vict	1200 lb.	lb.	0	0	8½	} J. Kitchen & Sons Pty. Ltd.
†2441	In 50 lb. containers, 12's	"	1200 "	"	0	0	8½	
†2442	Glycerine, pure, in 4 gal. tins, "Apollo" ...	"	100 "	"	0	1	0·6	
†2443	Soap, abrasive paste, in approx. 20-oz. tins	...	10 doz.	Nil

CANDLES, SOAP, ETC.—continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor	
					£	s.	d.		
	Soap, liquid cleanser, for use in floor scrubbing, "Repeat"—								
{ P2444	In 40/45 gallon drums (see note) ...	Vict.	} 1500 gals.	gal.	£	0	1	6	} Kittle, Head & Co.
{ P2445	In 4-gallon tins ...	"		"	"	£	0	1	
†2446	Soap, powdered, in ½-lb. packets ...	"	8000 lb.	"	"	"	"	Nil	
†2447	Soap, sand, in boxes of 72 x 12 oz. bars, wrapped, "Pummaso"	Vict.	175 boxes	box	0	13	3	} J. Kitchen & Sons Pty. Ltd.	
†2448	Soap, "Solvof," in 6 oz. cakes, wrapped	"	350 doz.	doz.	0	2	6		
†P2449	Soap, soft, to specification, in casks 3 to 4 cwt. "Repeat" (see note)	"	5 tons	cwt.	£	1	8	0	Kittle, Head & Co.
†2450	Soap, toilet, in 3 oz. cakes, wrapped, "Buttermilk"	"	1300 lb.	lb.	0	0	4	Arthur Tilley	
†2451	Soap, toilet, coloured cream, perfumed, in ½ oz. tablets, approx. 2½" x 1½", branded "V.R.," unwrapped, "Kitchen's"	"	450 gross	gross	0	2	7½	} J. Kitchen & Sons Pty. Ltd.	
†2452	Soap, yellow, to specification, in bars 36 per cwt., unwrapped, in boxes of 1 cwt., "Prize Medal"	"	30 tons	cwt.	1	8	3		
2453	Soda, washing, crystals, in bags ...	"	25 "	"	0	8	9	Pearlite Manufacturing Co. Pty. Ltd.	
2454	Tapers, wax, thick, 22" long ...	"	40 lb.	"	"	"	"	Nil.	
2455-2459	—Nil								

† Less 1¼% special discount.

OFFICE REQUISITES.

(Schedule No. 79)

†2470	Bands, elastic, in boxes of 1 lb.— 1½" x 1½" x 1½"	...	Vict.	200 boxes	lb.	£	0	9	9	} Dunlop Rubber Aust. Ltd.
†2471	2½" x 1½" x 1½"	...	"	700 "	"	£	0	7	6	
†2472	3½" x 1½" x 1½"	...	"	300 "	"	£	0	5	9	
†2473	3½" x 1½" x 1½"	...	"	50 "	"	£	0	6	1	
†2474	Binders, paper, in boxes of 1 gross— No. 642	150 "	} Nil
†2475	No. 644	100 "	
†2476	Bodkins, with eye	50	
†2477	Bowls, glass, 3½" at top, with synthetic sponge	50	} Robertson & Mullens Ltd.
†2478	Clips, bulldog, 2½", "G.U.D."	...	Vict.	120 doz.	doz.	0	4	10½		
†2479	Clips, paper, glider type, in boxes of 1 gross— Large	300 boxes	} Nil
†2480	Small	400 "		
†2481	Crayons, pencil, solid, blue, crimson, green or yellow, as ordered	500 doz.	

† Items Nos. 2470 to 2473. Less 33¼% trade discount.

† All items less 2½% discount (in addition to any shown above), for payment by end of month following month of delivery.

OFFICE REQUISITES—continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
†2482	Crayons, school, white, in boxes of 1 gross, "Apex"	Vict.	150 boxes	box	0	1	2	R. E. Mustow
2483	Cylinders, Dictaphone, without cartons, in case lots of 100	U.S.A.	200	case of 100 doz.	16	10	0	The Dictaphone Co. (Aust.) Pty. Ltd.
†2484	Erasers, pencil, I.R., double bevel, "Red Gum"	Vict.	30 doz.		†0	1	7	
†2485	Erasers, pencil, I.R., small, No. 60	"	300 "	"	†0	0	6	Dunlop Rubber Aust. Ltd.
†2486	Erasers, typewriter, I.R., circular	"	50 "	"	†0	2	0	
†2487	Erasers, " " octagonal, triple edge	"	60 "	"	†0	2	0	
2488	Fasteners, paper, in boxes of 1 gross— R. 1	...	60 boxes	Nil
†2489	R. 3	...	400 "	
2490	R. 6	...	300 "	
*2491	Figures, I.R., in sets, in wooden holders	Vict.	50 sets	set	0	3	3	C. G. Roeszler & Son
*2492	Files, clip, foolscap	...	50	Nil
†2493	Gum, art, approx. 2½" x 1½" x 1½"	...	20 doz.	
†2494	Holdings, pen, small	Vict.	30 gross	gross	0	7	6	Robertson & Mullens Ltd.
*†2495	Holdings, pencil, paper	...	600 doz.	Nil
†2496	Inkstands, glass, round, 3½", with fixed metal top	...	300	
†2497	Nibs, pen, stainless steel, in boxes of 1 gross— "Hinks Wells No. 2778F" or equal	...	25 boxes	
†2498	"Hinks Wells No. 2789EF" or equal	...	25 "	
†2499	"Hinks Wells No. 2761F" or equal	...	Nil	
†2500	"Hinks Wells No. 2725" or equal	...	Nil	
†2501	"W. Mitchell No. G0945" or equal	...	Nil	
†2502	"W. Mitchell No. M0216" or equal	...	150 boxes	Nil	
†2503	Pads, blotting, 23" x 18", with corners	Vict.	30	each	0	3	0	Robertson & Mullens Ltd.
†2504	Pins, drawing, ½", in boxes of 1 gross, "Best Yet"	"	100 boxes	box	0	1	2½	
†2505	Pins, office, approx. 1", in packets of 1oz.	...	500 lb.	Nil
†2506	Rulers, flat, 15", brass edge	...	Nil	Nil
†2507	Sponges, india rubber, for 3½" bowls (see note)	Vict.	300	each	†0	0	7½	Dunlop Rubber Aust. Ltd.
†2508	Staples, wire, for "Acme" No. 2 machines, "Victory"	"	400,000	1000	0	1	9	Robertson & Mullens Ltd.
†2509	Staples, wire, for "Bates Model B.10" stapling machine	...	50,000	Nil
†2510	Staples, wire, No. 1A, for "Hotchkiss" machines, "Acorn"	Vict.	200,000	1000	0	1	1	Robertson & Mullens Ltd.
†2511	Staples, wire, size 2½ shanks, for No. 4A machines, "Victory"	"	80,000	"	0	1	11	
2512	Wax, bottling, black	...	75 lb.	Nil
2513	Wax, sealing, red, 7½" long	...	15 "	
2514-2519	—Nil							

† Less 2½% discount for payment by end of month following month of delivery.

TYPEWRITING AND DUPLICATING MATERIALS, ETC.
(Schedule No. 80)

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
†2520	Frames, for "Addressograph" machines, style "B" or "Q," as ordered	...	5000	} Nil	
†2521	Plates, for "Addressograph" machines, style "B"	...	35,000		
†2522	Plates, for "Addressograph" machines, style "Q"	...	45,000		
†2523	Ink, duplicating, black, first quality	N.S.W.	650 lb.	lb.	0	3	2	F. T. Wimble & Co. Ltd.
†2524	Pads, ink, for E.D. Mimeograph	...	200	Nil
†2525	Ribbons, "Addressograph" machine, black, "Reflex"	Vict.	120	each	0	1	6	} Ramsay & Hall Pty. Ltd.
	Ribbons, "Burrough's" adding machine, black, 12½' to 14½' long, "Reflex"—							
2526	No. 11, 2 1/16" wide	"	10	"	0	3	3	
2527	No. 13, 2 1/2" "	"	10	"	0	3	6	
2528	No. 15, 2 3/4" "	"	10	"	0	3	9	
2529	No. 17, 3 1/8" "	"	5	"	0	4	0	
†2530	Ribbons, "Burrough's" adding machine, No. 300 class, 7/16" wide, black or black and red, as ordered, "Reflex"	"	25	"	0	1	0	
†2531	Ribbons, "Ditto" machine, purple, "Columbia"	N.S.W.	30	"	0	1	10 1/2	Columbia Ribbon & Carbon Co. (Aust.)
†2532	Ribbons, "Elliott-Fisher" accounting machine, black and red, "Reflex"	Vict.	10 doz.	dozen	0	12	0	} Ramsay & Hall Pty. Ltd.
†2533	Ribbons, "Mercedes" accounting machine, "M" quality, superfine, record, black or black and red, as ordered, "Reflex"	"	20	each	0	1	3	
†2534	Ribbons, "Power's" machine, black, "Reflex"	"	30 doz.	dozen	1	4	0	
†2535	Ribbons, "Remington" accounting and book-keeping machine, 9/16" wide, black or red and blue, as ordered, "Reflex"	"	6 "	"	0	12	0	
†2536	Ribbons; typewriter, copying or non-copying, as ordered, one or two colours, as ordered, on spools to fit any standard machine, as ordered, "Reflex"	"	200 "	"	0	10	6	
†2537	Stencils, foolscap folio, indestructible, "Hallmark" cellulose	"	1000 qrs.	quire	0	6	0	
†2538	Tapes, ticket dating, black, record, 1 1/8" wide, 21 ft. long, "Reflex"	"	200 doz.	dozen	0	11	6	
†2539	Varnish, obliterating, for dry stencils, in 1-oz. bottle, with brush, "Hallmark"	"	100 bots.	bottle	0	0	10	
2540-2549	—Nil							

CARDS FOR POWERS MACHINES

(Schedule No. 81)

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
†2550	Cards, for " Powers " machines— Code No. 4 ...	N.S.W.	350,000	1000	0	9	3	Kalamazoo (Aust.) Ltd.
†2551	" 9 ...	"	60,000	"	0	9	3	
†2552	" 34 ...	Vict.	2,000,000	"	0	9	6	J. J. Miller Printing Co. Pty. Ltd.
†2553	" 50 ...	N.S.W.	2,700,000	"	0	9	3	Kalamazoo (Aust.) Ltd.
†2554	" 52 ...	Vict.	300,000	"	0	9	6	J. J. Miller Printing Co. Pty. Ltd.
†2555	" 54 ...	N.S.W.	150,000	"	0	9	3	Kalamazoo (Aust.) Ltd.
†2556	" 55 ...	"	200,000	"	0	9	3	
†2557	" 59 ...	"	160,000	"	0	9	3	
†2558	" 60 ...	"	120,000	"	0	9	3	
2559	Nil							

TELEGRAPH AND TELEPHONE MATERIAL

(Schedule No. 82)

†2560	Buzzers, electric, 2½" x 2½" x 10 ohms, " Federal B.R.I. "	Vict.	25	each	0	4	4	Howard Electrical & Radio Pty. Ltd.
†2561	Cells, dry, to specification, branded "Victorian Railways", "Diamond"	"	6000	"	0	2	8½	Widdis Diamond Dry Cells Pty. Ltd.
†2562	Cells, dry, 3-volts, movable terminal, 3½" x 2¾" x 1¼", "Diamond"	"	60	"	0	1	7	
†2563	Cells, dry, 1½-volts, "T" size, 1½" x 1½" x 5", "Diamond"	"	48	"	0	2	2	
†2564	Cord, transmitter, braided, 4-conductor	50 yds.	Nil
2565	Insulators, terminal, two part pothead, to P.M.G's. Dept., Commonwealth of Australia Specification No. 631 and drawing C. 808	...	600	
†2566	Pins, channel, tinned, to take 8 s.w.g. wire, to A.A.R. Signal Section Specification No. 23-39, Part 32 of A.A.R. Manual	...	10,000	
†2567	Pots, porous, Leclanche, to specification, to be branded "Victorian Railways"	...	700	
*2568	Refills, for "Neon" arresters	...	100	McPherson's Pty. Ltd.
*2569	Refills, for "Siemens" tube arresters, spark-over voltage to be not less than 300 R.M.S.	...	160	
*2570	Rods, stay, galvanised, to drawing, I.—F. 3251. 6' long, unfinned	Vict.	1000	each	0	5	3	
*2571	Spindles, insulator, galvanised, with pattern "B" lead head— Swan neck, to drawing 5.—F. 1465 ...	"	300	"	0	0	4	John Perry Pty. Ltd.
*2572	To drawing 10.—F. 1465 ...	"	100	"	0	0	4½	
†2573	Spindles, insulator, galvanised, with pattern "A" lead head, to drawing No. 3.—F. 1465	"	700	"	0	0	8½	John Perry Pty. Ltd.
†2574	Spindles, insulator, spotted gum, to drawing No. 1.—F. 2459 (amended) (see note)	N.S.W.	20,000	100	0	13	0	
2575	Spindles, terminal, trunk line, "J" type, ¾", to P.M.G's. Dept., Commonwealth of Australia Specification No. 398 and drawing C. 798	...	600	Nil
2576-2579	Nil							

FUSES AND SWITCHES
(Schedule No. 83)

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
	Fuses, cartridge, "Zed" type—					
†2580	4 amps, 230 volts	U.K.	10 doz.	doz.	0 7 5	} Siemens (Aust.) Pty. Ltd.
†2581	6 " 250 "	"	20 "	"	0 7 5	
†2582	10 " 250 "	"	5 "	"	0 7 5	
†2583	10 " 500 "	"	20 "	"	0 11 11	
†2584	15 " 250 "	"	10 "	"	0 10 1	
†2585	15 " 500 "	"	15 "	"	0 11 11	
†2586	25 " 500 "	"	25 "	"	0 13 8	
†2587	35 " 500 "	"	20 "	"	0 19 10	
	Fuses, factory type, with bases, back connected—					
†2588	5 amps, 250 volts, "T. & H."	Vict.	100 "	"	0 10 9	} British General Electric Co. Pty. Ltd.
†2589	15 " 500 " " "	"	25 "	"	1 5 11	
†2590	30 " 500 " " "	"	12 "	"	1 5 11	
†2591	60 " 500 " without studs, "Dee & See"	"	25 "	"	3 11 6	
	Fuses, ironclad—					
†2592	15 amps, 500 volts "Federal" ...	"	10 "	"	1 16 10	Lawrence & Hanson Electrical Pty. Ltd.
†2593	60 " 500 " "Standard" ...	N.S.W.	2 "	"	6 4 0	W. G. Watson & Co. Pty. Ltd.
†2594	100 " 500 " "Federal" ...	Vict.	1 "	"	10 18 10	Lawrence & Hanson Electrical Pty. Ltd.
	Fuses, replacement, complete with contacts and terminals, back connected, "Federal"—					
†2595	100 amps, 500 volts	"	2 "	each	0 11 11	} Lawrence & Hanson Electrical Pty. Ltd.
†2596	200 " 500 "	"	2 "	"	0 18 8	
	Switchboards, single circuit, 10 amps, mounted and framed, to specification—					
†2597	M.E.N. type	"	60	"	0 5 6	British General Electric Co. Pty. Ltd.
†2598	Non-M.E.N. type	"	36	"	0 6 7	Johnson & Phillips Ltd.
†2599	Switches, 2-way, "Crabtree" type, single pole, 5 amps, brass, florentine bronze oxidised	...	2 doz.	Nil
†2600	Switches, 2-way, 5 amps, 250 volts, "Ring Grip 22"	Vict.	5 "	doz.	0 16 9	Sun Electric Co. Pty. Ltd.
†2601	Switches, ceiling, 5 amps, 250 volts, "Standard A"	N.S.W.	20 "	"	1 4 0	British General Electric Co. Pty. Ltd.
†2602	Switches, fuse, "Crabtree" type, single pole, 5 amps, brass, florentine bronze oxidised	...	5 "	Nil

FUSES AND SWITCHES—continued.

Item No.	Description	Country of Manufacture	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
†2603	Switches, ironclad, single pole, 5 amps, "Rowco"— Tapped for $\frac{1}{2}$ " conduit ...	Vict.	3 doz.	doz.	3	0	0	H. Rowe & Co. Pty. Ltd.
†2604	Tapped for $\frac{3}{4}$ " conduit ...	"	3 "	"	3	0	0	
†2605	Tapped both ends for $\frac{3}{4}$ " conduit ...	"	3 "	"	3	3	0	
†2606	Switches, ironclad, double pole, "Federal"— 15 amps, 500 volts ...	"	5 "	each	0	5	5	Stewart J. Mathews
†2607	30 " 500 " ...	"	6 "	"	0	7	10	
†2608	60 " 500 " ...	"	2 "	"	0	18	0	
†2609	Switches, ironclad, 3 pole, "Federal"— 15 amps, 500 volts ...	"	2 "	"	0	7	3	Stewart J. Mathews
†2610	30 " 500 " ...	"	5 "	"	0	10	10	
†2611	60 " 500 " ...	"	1 "	"	1	5	0	
†2612	Switches, tumbler, single pole, bakelite— 5 amps, 250 volts, standard cover, "Clipsal"	S. Aust.	5 "	doz.	0	7	0	Siemens (Aust.) Pty. Ltd.
†2613	5 amps, 250 volts, industrial cover, "Ring-Grip 130"	Vict.	220 "	"	0	12	3	British General Electric Co. Pty. Ltd.
†2614	10 amps, 250 volts, standard cover, "Clipsal"	S. Aust.	25 "	"	0	9	9	Siemens (Aust.) Pty. Ltd.
†2615	Switches, tumbler, double pole, 10 amps, 250 volts, bakelite, "Ring Grip 133"	Vict.	48 "	"	1	12	6	Hartleys Ltd.
2616-2619	Nil							

REFLECTORS AND SHADES

(Schedule No. 84)

†2620	Reflectors, enamelled, conical— 10" diam. x $1\frac{1}{8}$ " hole, "Watric"	N.S.W.	175	each	0	2	3	W. G. Watson & Co. Pty. Ltd.
†2621	12" " x $1\frac{1}{8}$ " " ...	"	100	"	"	"	"	Nil
†2622	15" " x $1\frac{1}{8}$ " " ...	"	150	"	"	"	"	
†2623	Reflectors, vitreous enamelled— $6\frac{1}{2}$ " diameter, $1\frac{1}{8}$ " hole, (extensive), "Mazdalux," A.G.E., T.S. 130	N.S.W.	60	each	0	3	8	Australian General Electric Pty. Ltd.
†2624	$6\frac{1}{2}$ " diameter, $1\frac{1}{8}$ " hole, (horizontal), "Rowco," HP7	Vict.	60	"	0	4	9	H. Rowe & Co. Pty. Ltd.
†2625	$6\frac{1}{2}$ " diameter, 45° angle, $1\frac{1}{8}$ " hole, "Rowco," AP7	"	30	"	0	4	9	
†2626	9" diameter, 45° angle, B.C. holder, tapped $\frac{1}{2}$ " gas thread, (parabolic), "Mazdalux," A.G.E., T.S. 400	N.S.W.	36	"	0	12	3	Australian General Electric Pty. Ltd.
†2627	12" diameter, $1\frac{1}{8}$ " hole, (R.L.M.), "Rowco," D12	Vict.	12	"	0	5	9	H. Rowe & Co. Pty. Ltd.
†2628	14" diameter, E.S. holder, tapped $\frac{3}{4}$ " gas thread "Benjamin X type," No. 4962 (deep bowl dispersive), or suitable alternative	"	48	"	"	"	"	Nil
†2629	16" diameter, G.E.S. holder, tapped $\frac{3}{4}$ " gas thread, (deep bowl dispersive), "C.A. 1530"	Vict.	60	each	1	11	8	British General Electric Co. Pty. Ltd.
†2630	18" diameter, G.E.S. holder, tapped $\frac{3}{4}$ " gas thread, (deep bowl dispersive), "I.E. 1006"	"	48	"	2	5	0	
†2631	Elliptical angle type, tapped $\frac{1}{2}$ " gas thread, "Rowco," AEW13	"	20	"	0	18	9	H. Rowe & Co. Pty. Ltd.

REFLECTORS AND SHADES—continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
†2632	Shades, opal, conical, 9" diameter x 1½" hole	...	150	} Nil	
†2633	Shades, opal, enclosed, glassware only—10" diameter	...	120		
†2634	12" diameter, "Trojan, 5264 series"	Vict.	50	each	0	5 8	} Australian General Electric Pty. Ltd.	
†2634A	12" ,, "Crown Crystal, No. 17"	N.S.W.	30	„	0	7 4½		
†2635	14" diameter, "Trojan, 5264 series" ...	Vict.	50	„	0	7 3	} Australian General Electric Pty. Ltd.	
†2635A	14" ,, "Crown Crystal, No. 17" ...	N.S.W.	30	„	0	9 2½		
†2636	16" diameter ,, ,, ,, ... Shades, opal, enclosed, glassware only, "Superlite"—	„	80	„	0	12 7	} British General Electric Co. Pty. Ltd.	
†2637	10" diameter	5		
†2638	12" ,, ...	Vict.	20	each	0	19 9	} Lawrence & Hanson Electrical Pty. Ltd.	
†2639	14" ,, ... Galleries, 2-piece, ventilated, each complete with coverall canopy and 6' of chain, for No. 17 series, "Crown Crystal" opal shades—	„	5	„	1	4 6		
†2640	4" ...	„	300	„	0	3 4		
†2641	6" ...	„	160	„	0	3 7		
†2642	Galleries, deep, 2-piece, ventilated, each complete with coverall canopy and 6' of chain, for "Crown Crystal No. 1716" shades, with 500 watt lamps	„	80	„	0	5 10½	British General Electric Co. Pty. Ltd.	
2643-2649—Nil								

ELECTRICAL ACCESSORIES

(Schedule No. 85)

†2650	Adaptors, bayonet, "Ring Grip"	Vict.	50 doz.	doz.	0	4 0	Australian General Electric Pty. Ltd.
†2651	Bases and Shields, radiator, cruciform type, for "Hecla" standard radiators	„	120 sets	set	0	3 5	William Adams & Co. Ltd.
†2652	Bases, radiator, cruciform type, for "Hecla" standard radiators	„	4 doz.	doz.	0	16 0	Brooks, Robinson Pty. Ltd.
2653	Bells, loud ringing, to work off 110 or 220 volt A.C.	...	12	Nil
†2654	Blocks, base, wooden—3" diam.	Vict.	120 doz.	doz.	0	1 0½	Sun Electric Co. Pty. Ltd.
†2655	4" ,, ...	„	5 ,,	„	0	2 9	Siemens (Aust.) Pty. Ltd.
†2656	6" x 3" ...	„	50 ,,	„	0	2 10	William Adams & Co. Ltd.
†2657	9" x 3" ...	„	15 ,,	„	0	3 10	British General Electric Co. Pty. Ltd.
2658	Briquettes, for "Mox" soldering irons	80 ,,	Nil
*†2659	Clamps, cable, block type, for 7/18 cable, "F.S.C."	Vict.	40 ,,	doz.	0	5 3	Siemens (Aust.) Pty. Ltd.
†2660	Clips, battery, test, universal, 25 amp., without covers, "F.G.S."	N.S.W.	10 ,,	„	0	3 3	} Stewart J. Mathews
†2661	Clips, battery, "T" jaws, ½" spread, 50 amps., "F.G.S."	„	10 ,,	„	0	4 4	
†2662	Clips, link, for wiring systems, "Henley" type, "F.G.S."—Size No. 1	„	5000	1000	0	13 0	
†2663	„ „ 2	„	5000	„	0	15 7	
†2664	„ „ 4	„	1000	„	1	1 0	

ELECTRICAL ACCESSORIES—continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
2665	Coils, armature, T.4, in sets of 18	6 sets	Nil	
†2666	Compound, bituminous, class 3, medium hard grade, to British Standard Specification No. 688/1936	...	1 cwt.		
	Connectors, porcelain, for wiring systems, "Henley" type—							
†2667	1-way	25 doz.		
†2668	2-way	50 "		
†2669	3-way	5 "		
*2670	Elements, radiator, 375 volts, for operation 2 in series on 750 volts, to specification, "Hecla"	Vict.	50	each	†0	11 0	Lawrence & Hanson Electrical Pty. Ltd.	
	Elements, radiator, for "Hecla" standard radiator cones, wired complete—							
{ 2671	700 watt. rating at 110 volts ...	"	24	"	0	3 11	William Adams & Co. Ltd.	
{ 2672	700 " " 230 " ...	"	80	"	0	3 11		
† { 2673	700 " " 250 " ...	"	24	"	0	3 11		
{ 2674	1000 " " 230 ...	"	100	"	0	3 11		
{ 2675	1000 " " 250 ...	"	70	"	0	3 11		
	Elements, radiator, 'Ray-red' type—							
† { 2676	1000 watt, 230 volt ...	"	24	"	0	4 7	Siemens (Aust.) Pty. Ltd.	
† { 2677	1000 " 250 ...	"	36	"	0	4 7		
†2678	HOLDERS, lamp, batten. E.S., bakelite, "Ring Grip 56A"	"	10 doz.	doz.	0	14 6	Australian General Electric Pty. Ltd.	
	HOLDERS, lamp, batten, with shade carrier rings, B.C.—							
†2679	. Bakelite, "Ring Grip 30A" ...	"	30 "	"	0	9 3		
†2680	Brass, "Kerson" ...	U.K.	50 "	"	0	10 0	Stewart J. Mathews	
†2681	HOLDERS, lamp, cord grip, with shade carrier rings, B.C., bakelite, "Ring Grip 20A"	Vict.	100 "	"	0	6 0	A. J. Ferguson & Co.	
	HOLDERS, lamp, tapped, with shade carrier rings, B.C., bakelite, "Ring Grip"—							
†2682	½" brass thread ...	"	20 "	"	0	11 3	William Adams & Co. Ltd.	
†2683	⅝" " " ...	"	50 "	"	0	11 3		
	HOLDERS, lamp, for "Benjamin" reflectors, porcelain, tapped ½" gas thread, complete with hexagon cork washers, special lead washers and cast iron weatherproof screwed protective flanges known as the "6626 series"—							
†2684	G.E.S., "Benjamin" ...	U.K.	5 "	"	3	9 0	Siemens (Aust.) Pty. Ltd.	
2685	E.S., "Nilsen Cromie" ...	Vict.	15 "	each	0	5 11	Stewart J. Mathews	

† Less 37½% trade discount

ELECTRICAL ACCESSORIES—continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor	
					£	s.	d.		
	Holders, lamp, for No. 17 series " Crown Crystal " opal shades, brass, tapped $\frac{1}{2}$ " brass thread—								
†2686	G.E.S., " G E.C. S.1186 " ...	U.K.	10 doz.	doz.	2	0	0	British General Electric Co. Pty. Ltd. William Adams & Co. Ltd.	
†2687	E.S., " Ring Grip " ...	Vict.	20 "	"	0	17	6		
	Lamps, hand, portable, with skirted lamp holder, complete with reflectors and carrying straps, " Gluck "—								
†2688	B.C. holder ...	"	90	each	0	4	1	} Stewart J. Mathews	
†2689	E.S. " ...	"	90	"	0	4	10		
† {	Links, neutral, 5 hole, 5 amp., " T. & H. " ...	"	2690	60	"	0	0	8 $\frac{1}{2}$	} William Adams & Co. Ltd.
			2691	40	"	0	1	1 $\frac{1}{2}$	
2692	Matches, for " Mox " soldering irons ...	"	20 boxes	"	"	"	"	Nil	
2693	Meters, watt hour, house service type, single phase, 50 cycle, 10 amps., 240 volts, " Emmco " ...	N.S.W.	10	each	1	16	11	Electricity Meter Manufacturing Co. Pty. Ltd., c/o. William Begg & Sons	
†2694	Plugalls, for kettles, bakelite, metal sheathed, " H.P.M. " ...	"	10 doz.	doz.	0	6	3	Siemens (Aust.) Pty. Ltd.	
†2695	Plugs and Sockets, wall, flat pin, 3 pin, earthing, 10 amp., " Ring Grip 54 " ...	Vict.	100 "	"	0	11	9	Australian General Electric Pty. Ltd.	
	Roses, ceiling, bakelite, " H.P.M. "—								
†2696	2 plate ...	N.S.W.	50 "	"	0	3	5	} William Adams & Co. Ltd.	
†2697	3 " ...	"	5 "	"	0	5	3		
	Sockets, electric cable, pressed copper, tinned, to Australian Standard Specification No. C56-1936, " A.G.E. "—								
†2698	100 amps, Type 5T ...	"	10 "	"	0	2	5	} Australian General Electric Pty. Ltd.	
†2699	200 " " 8T ...	"	5 "	"	0	8	9		
	Staples, coppered, insulated, " Maspro "—								
† {	No. 1, $\frac{1}{2}$ " ...	"	2700	3000	1000	0	4	10	} Stewart J. Mathews
			2701	2000	"	0	4	10	
			2702	2000	"	0	4	10	
†2703	Taps, line, nut (bandage) type, " Electric Const. " ...	Q'land	20 doz.	doz.	0	6	0	British General Electric Co. Pty. Ltd.	
†2704	Tops only, bakelite, for 3 pin 10 amp. wall plugs, " Ring Grip 53 " ...	Vict.	10 "	"	0	5	9	Australian General Electric Pty. Ltd.	
2705-2719	—Nil								

CONDUIT PIPE AND FITTINGS
(Schedule No. 86)

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
Pipe, conduit, to specification—						
Plain, close jointed, enamelled, "Amalgamated Conduits"—						
† 2720	$\frac{5}{8}$ "	Vict.	25,000 feet	100 ft.	0 13 3	} Brooks, Robinson Pty. Ltd.
2721	$\frac{3}{4}$ "	"	4000 "	"	0 18 9	
2722	1"	"	2000 "	"	1 12 6	
2723	$1\frac{1}{4}$ "	"	500 "	"	2 11 9	
Welded, screwed, enamelled, "Amalgamated Conduits"—						
† 2724	$\frac{5}{8}$ "	"	8000 "	"	1 6 3	} Johnson & Phillips Ltd.
2725	$\frac{3}{4}$ "	"	30,000 "	"	1 13 6	
2726	1"	"	3000 "	"	2 9 3	
2727	$1\frac{1}{4}$ "	"	3000 "	"	3 9 8	
2728	$1\frac{1}{2}$ "	"	1000 "	"	5 7 4	
2729	2"	"	600 "	"	8 6 8	
† 2730	Welded, unenamelled, $\frac{5}{8}$ " "Amalgamated Conduits"	"	2500 "	"	1 5 6	William Adams & Co. Ltd.
Fittings, conduit, plain, to specification—						
Boxes, oblong, through, "Clipsal"—						
† 2731	$\frac{5}{8}$ "	S. Aust.	20 doz.	doz.	0 8 9	} Brooks, Robinson Pty. Ltd.
2732	$\frac{3}{4}$ "	"	3 "	"	0 9 6	
Couplers—						
† 2733	$\frac{5}{8}$ " "Ring Grip"	Vict.	120 "	"	0 1 8	} Hartleys Ltd.
2734	$\frac{3}{4}$ " " " "	"	45 "	"	0 2 6	
2735	1" " " "	"	10 "	"	0 4 10	
† 2736	$1\frac{1}{4}$ " "F. G. S."	N.S.W.	5 "	"	0 5 6	Siemens (Aust.) Pty. Ltd.
Elbows—						
† 2737	$\frac{5}{8}$ " "Ring Grip"	Vict.	300 "	"	0 1 11	A. J. Ferguson & Co.
† 2738	$\frac{3}{4}$ " " " "	"	50 "	"	0 3 3	} Hartleys Ltd.
2739	1" " " "	"	20 "	"	0 8 8	
† 2740	$1\frac{1}{4}$ " "F. G. S."	N.S.W.	5 "	"	0 10 2	Siemens (Aust.) Pty. Ltd.

CONDUIT PIPE AND FITTINGS—continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor	
Fittings, conduit, plain, to specification— continued—							
Saddles, "Ring Grip"—							
† { 2741	5/8" ...	Vict.	100 grs.	gross	0 1 1	Australian General Electric Pty. Ltd.	
2742	3/4" ...	"	50 "	"	0 1 4		
2743	1" ...	"	5 "	"	0 2 9	Stewart J. Mathews	
† { 2744	1 1/4" ...	"	5 "	"	0 4 4		
2745	1 1/2" ...	"	1 "	"	0 5 5		
Tees—							
2746	5/8", "Ring Grip" ...	"	110 doz.	doz.	0 2 8	Hartleys Ltd.	
† { 2747	3/4" " " ...	"	10 "	"	0 4 1		
2748	1" " " ...	"	3 "	"	0 12 6		
† 2749	1 1/4", "F. G. S." ...	N.S.W.	5 "	"	1 7 0	Siemens (Aust.) Pty. Ltd.	
Fittings, conduit, screwed, to specification— Bends, normal, internal threads, "T. & S."—							
2750	3/4" ...	"	40 "	"	0 7 6		
† { 2751	1" ...	"	5 "	"	0 11 8		
2752	1 1/4" ...	"	5 "	"	0 17 3		
2753	1 1/2" ...	"	5 "	"	1 11 3		
† 2754	Boxes, circular, "Federal"— 2-way, through, 5/8" ...	Vict.	5 "	"	0 7 4	W. G. Watson & Co. Pty. Ltd.	
2755	3-way, tee, 5/8" ...	"	2 "	"	0 7 8		
† { 2756	3-way, tee, 3/4" ...	"	60 "	"	0 7 8		
† 2757	Bushes, reducing, 1/2" to 3/8", "F.G.S." ...	N.S.W.	20 "	"	0 1 10	Siemens (Aust.) Pty. Ltd.	
Elbows, "T. & S."—							
2758	5/8" ...	"	60 "	"	0 3 3	British General Electric Co. Pty. Ltd.	
2759	3/4" ...	"	400 "	"	0 4 0		
† { 2760	1" ...	"	60 "	"	0 6 10		
2761	1 1/4" ...	"	20 "	"	0 11 8		
Elbows, inspection, "T. & S."—							
2762	3/4" ...	"	5 "	"	0 7 6	Siemens (Aust.) Pty. Ltd.	
† { 2763	1" ...	"	2 "	"	0 9 5		
Nuts, lock, "R. & W."—							
2764	5/8" ...	S. Aust.	20 "	"	0 0 11 1/4	Johnson & Phillips Ltd.	
2765	3/4" ...	"	250 "	"	0 1 0		
† { 2766	1" ...	"	10 "	"	0 1 5 1/2		
2767	1 1/4" ...	"	5 "	"	0 2 0 3/4		
Sockets, "T. & S."—							
2768	5/8" ...	N.S.W.	5 "	"	0 2 5	Johnson & Phillips Ltd.	
2769	3/4" ...	"	360 "	"	0 3 1		
† { 2770	1" ...	"	10 "	"	0 4 1		
2771	1 1/4" ...	"	20 "	"	0 5 8		
2772	1 1/2" ...	"	4 "	"	0 8 1		

CONDUIT PIPE AND FITTINGS—continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
Fittings, conduit, screwed, to specification— continued—						
Tees, "T & S"—						
† { 2773	5/8"	N.S.W.	10 doz.	doz.	0 4 0	} W. G. Watson & Co. Pty. Ltd.
2774	3/4"	"	160 "	"	0 5 6	
2775	1"	"	5 "	"	0 9 8	
2776	1 1/4"	"	2 "	"	0 17 3	
Bellmouths, bakelite, screwed, to specification, "B.B."—						
† { 2777	For 5/8" screwed conduit	"	20 "	"	0 1 9	} Stewart J. Mathews
2778	" 3/4" " "	"	10 "	"	0 1 10	
† 2779	Boxes, connection, mains, bakelite, to specification, 3 point, wall mounting design, for 3/4" and 1" screwed conduit, "Nilsen Cromie"	Vict.	5 "	"	1 2 0	Noyes Bros. (Melb.) Ltd.
Boxes, connection, mains, bakelite, to specification, 3 point, half sphere design, for wall mounting, "Servall"—						
† { 2780	For 5/8" screwed conduit	"	10 "	"	1 12 0	} Siemens (Aust.) Pty. Ltd.
2781	" 3/4" " "	"	1 "	"	1 19 6	
Bushes, metal, to specification, "Ring Grip"—						
† { 2782	For 5/8" plain conduit	"	20 grs.	gross	0 1 5 1/2	} Siemens (Aust.) Pty. Ltd.
2783	" 3/4" " "	"	3 "	"	0 1 5 1/2	
Connections, brass, for flexible conduit, to specification, "Wilco"—						
† { 2784	Tapped for 5/8" screwed conduit	"	10 doz.	dozen	0 8 11	} British General Elec- tric Co. Pty. Ltd.
2785	" " 3/4" " "	"	5 "	"	0 8 11	
2786-2789—Nil						

ELECTRODES AND WELDING WIRE

(Schedule No. 87)

Electrodes, for cor-ten steel, 12" long, to specification, "EMF."—						
† { 2790	No. 8 s.w.g.	Vict.	2000 feet	100 ft.	0 8 3	} Australian Oxygen & Industrial Gases Pty. Ltd.
2791	No. 10 "	"	500 "	"	0 7 3	
2792	No. 12 "	"	500 "	"	0 6 6	
Electrodes, mild steel, light coated, suitable for use on 25 cycle A.C. supply, to specification, (Arc Rods), "E.M.F."—						
† { 2793	No. 6 s.w.g.	"	35,000 "	"	0 5 1	} Australian Oxygen & Industrial Gases Pty. Ltd.
2794	No. 8 "	"	40,000 "	"	0 4 5	
2795	No. 10 "	"	10,000 "	"	0 3 10	

ELECTRODES AND WELDING WIRE—continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
Electrodes, for metallic arc welding of mild steel, to specification—						
2796	No. 0 s.w.g., "Supercord" ...	Tas.	1500 feet	100 ft.	0 19 2	Mephan Ferguson Pty. Ltd.
2797	No. 2 " " ...	"	3000 "	"	0 15 6	
2798	No. 4 s.w.g., "E.M.F.", New Era extra fluxed	Vict.	8000 "	"	0 11 7	Australian Oxygen & Industrial Gases Pty. Ltd.
2798A	No. 4 s.w.g., "E.M.F.", U.51, V.27, New Era S.R. or New Era G.P., as ordered				"	
2799	No. 6 s.w.g., "E.M.F.", New Era extra fluxed or New Era vertical, as ordered	"	150,000 "	"	0 8 6	
2799A	No. 6 s.w.g., "E.M.F.", General Purpose, U.51, V.27, Sheet Steel, New Era S.R. or New Era G.P., as ordered				"	
2800	No. 8 s.w.g., "E.M.F.", New Era extra fluxed or New Era vertical, as ordered	"	400,000 "	"	0 6 3	
2800A	No. 8 s.w.g., "E.M.F.", General Purpose, U.51, V.27, Sheet Steel, New Era S.R. or New Era G.P., as ordered				"	
2801	No. 10 s.w.g., "E.M.F.", New Era extra fluxed or New Era vertical, as ordered	"	350,000 "	"	0 5 0	
2801A	No. 10 s.w.g., "E.M.F.", General Purpose, U.51, V.27, Sheet Steel, New Era S.R. or New Era G.P., as ordered				"	
2802	No. 12 s.w.g., "E.M.F.", New Era extra fluxed or New Era vertical, as ordered	"	30,000 "	"	0 4 6	
2802A	No. 12 s.w.g., "E.M.F.", General Purpose, U.51, V.27, Sheet Steel, or New Era G.P., as ordered				"	
2803	No. 14 s.w.g., 12" long, "Citocord"	Tas.	5,000 "	"	0 3 8	Mephan Ferguson Pty. Ltd.
2803A	$\frac{3}{32}$ " diameter x 12" long, "Transweld"	N.S.W.	5,000 "	"	0 4 1	Stewarts & Lloyds (Aust.) Pty. Ltd.
Wire, high tensile steel, oxy-acetylene welding, in coils, to specification, "Rylands"—						
2804	$\frac{1}{8}$ " diameter ...	"	10 cwt.	cwt.	1 15 6	Australian Oxygen & Industrial Gases Pty. Ltd.
2805	$\frac{3}{16}$ " " ...	"	15 "	"	1 14 0	
2806	$\frac{1}{4}$ " " ...	"	10 "	"	1 14 0	
Wire, iron, oxy-acetylene welding, in coils, to specification, "Rylands"—						
2807	10 s.w.g. ...	"	10 "	"	1 6 0	Australian Oxygen & Industrial Gases Pty. Ltd.
2808	$\frac{1}{16}$ " diameter ...	"	5 "	"	1 15 0	
2809	$\frac{3}{16}$ " " ...	"	25 "	"	1 5 0	
2810	$\frac{1}{4}$ " " ...	"	35 "	"	1 5 0	
Wire, manganese bronze, oxy-acetylene welding, in 2' 6" or 3' lengths, to specification, "Austral Bronze"—						
2811	$\frac{1}{8}$ " diameter ...	"	10 "	"	11 5 8	Australian Oxygen & Industrial Gases Pty. Ltd.
2812	$\frac{3}{16}$ " " ...	"	50 "	"	10 4 8	
2813	$\frac{1}{4}$ " " ...	"	80 "	"	10 4 2	
Wire, mild steel, electric welding, in 15" and 18" lengths, to specification, "Rylands"—						
2814	$\frac{1}{8}$ " diameter ...	"	5 "	"	1 8 6	Australian Oxygen & Industrial Gases Pty. Ltd.
2815	$\frac{3}{16}$ " " ...	"	10 "	"	1 9 6	
2816-2819—Nil						

WELDING ACCESSORIES, Etc.
(Schedule No. 88)

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
	Gauges, pressure, acetylene—					
2820	50 lb.		10	} Nil
2821	500 lb.		5	
	Gauges, pressure, oxygen—					
2822	200 lb.		10	
2823	3000 lb.		30	
2824	Regulators, acetylene		2	
2825	Regulators, oxygen		30	
2826	Tips, cutting, Nos. 1 to 6 inclusive, as ordered, "Arnold" type, "Comweld"	Vict.	100	each	£ 10 10 0	Australian Oxygen & Industrial Gases Pty. Ltd.
2827-2829	—Nil					

† Less 12½% discount for payment by end of month following month of delivery.

"THERMIT" WELDING MATERIAL
(Schedule No. 89)

	"Thermit" welding material—					
2830	Files, rail, special	U.K.	50	each	£ 14 0 0	} R. Granowski
2831	Inserts, size 2 or 3, as ordered	"	50	"	£ 1 1 0	
2832	Mass, lining, crucible	N.S.W.	20 cwt.	lb.	£ 0 0 9	
2833	Matches, ignition	"	120 tins	tin	£ 0 5 0	
	Portions, welding, for combined process—					
2834	No. 5515, for 110 and 100 lb. rails, complete with closing portion, slag bridge and size 3 insert	"	} 3,500	each	£ 1 5 6	
2835	No. 515, for 90 lb. rails, complete with closing portion, slag bridge and size 3 insert	"		"	£ 1 5 0	
2836	No. 4515, for 80 and 75 lb. rails, complete with closing portion, slag bridge and size 3 or size 2 insert, as ordered	"		"	£ 1 4 6	
2837	Portions, welding, for fusion process, No. 520, for 80 and 90 lb. rails	"		"	£ 1 4 6	
2838	Stones, bottom, crucible	"	100	"	£ 0 5 0	
2839	Thimbles, crucible	"	300	"	£ 0 1 6	
2840-2849	—Nil					

† Rates are ex store, Sydney, and are subject to discount of 1½% for payment within 14 days of date of receipt of invoice.

WESTINGHOUSE BRAKE PARTS
(Schedule No. 90)

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
Westinghouse Brake Parts, to specification—								
2850	Bushes, discharge valve, steel, for 10" x 10 $\frac{3}{8}$ " air compressors (class K.L.), piece No. C. 780.	N.S.W.	75	each	£0	10	0	Westinghouse Brake (Australasia) Pty. Ltd.
2851	Bushes, large piston, .010" larger than standard for 8 $\frac{1}{2}$ "—150 cross compound compressors, piece No. C. 896	"	25	"	£0	13	4	
2852	Bushes, large main valve, only, for 10" x 10 $\frac{3}{8}$ " air compressors, piece No. 1369	"	25	"	£2	0	0	
2853	Bushes, main valve, D compressor, seat recess not less than $\frac{3}{8}$ " deep, piece No. 12083	"	100	"	£2	0	0	
2854	Bushes, small cylinder cover, .010" larger than standard, for 8 $\frac{1}{2}$ "—150 cross compound compressors, piece No. C. 919	"	40	"	£0	13	8	
2855	Bushes, suction valve, steel, for 10" x 10 $\frac{3}{8}$ " air compressors (class K.L.), piece No. C. 1454.	"	50	"	£0	8	11	
2856	Caps, discharge valve, steel, 1/16" larger screwing, for 10" x 10 $\frac{3}{8}$ " air compressors (class K.L.), piece No. C. 2553	"	20	"	£0	6	4	
2857	Caps, discharge valve, steel, for 10" x 10 $\frac{3}{8}$ " air compressors (class K.L.), piece No. C. 1993.	"	50	"	£0	6	4	
2858	Collectors, dust, centrifugal, $\frac{1}{2}$ ", piece No. C. 466.	"	200	"	£0	15	9	
2859	Collectors, dust, centrifugal, 1", with $\frac{1}{2}$ " drain cock, piece No. C. 606.	"	20	"	£1	8	11	
2860	Diaphragms, for C. 6 regulating feed valves, piece No. 2218	"	80 doz.	doz.	£0	3	0	
2861	Diaphragms, for M.3 regulating feed valves, piece No. C. 430	"	20 "	"	£0	4	2	
2862	Diaphragms, for No. 7 air compressor governors, piece No. 1811	"	10 "	"	£0	3	1	
2863	Diaphragms, for $\frac{1}{2}$ " diaphragm cocks, piece No. C. 1919	U.S.A.	50	each	£0	1	11	
2864	Diaphragms, for $\frac{3}{4}$ " diaphragm cocks, piece No. 86,582	"	50	"	£0	4	9	
2865	Gaskets, pipe bracket, for M. 3 feed valves, piece No. 78,000	"	250	"	£0	1	1	
2866	Governors, for air compressors, 8D, piece No. C. 1081	N.S.W.	10	"	£21	0	0	
2867	Governors, No. 7, for air compressors, piece No. C. 1178	"	20	"	£6	15	9	
Leathers, piston packing—								
+2868	6", piece No. 2806	"	50	"	£0	3	6	
+2869	8", " " 2826	"	300	"	£0	4	10	
+2870	10", " " 2841	"	50	"	£0	6	10	
+2871	13", " " 3143	"	100	"	£0	10	6	
+2872	15", " " 3153	"	75	"	£0	12	4	

{ Rates plus 12%.
 } Items Nos. 2855 to 2867—Plus 12%.
 } Items Nos. 2868 to 2872—Plus 19%.

WESTINGHOUSE BRAKE PARTS— continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor	
Westinghouse Brake Parts, to specification— continued—							
2873	Packing, piston rod, "Acme," 1½" diameter, for 8½"—150 cross compound compressors, piece No. C. 1437	N.S.W.	50 boxes	box	£0 6 1	Westinghouse Brake (Australasia) Pty. Ltd.	
2874	Pistons, main valve, complete, for 8½"—150 cross compound compressors No. 3, piece No. C. 3114	"	5	each	£5 5 0		
2875	Pistons, without rings, for M.3 feed valves, piece No. C. 337	"	10	"	£0 12 4		
2876	Rings, for M. 3 feed valves— No. 1, piece No. C. 1073	"	5	"	£0 2 1		
2877	No. 2, " " C. 1074	"	50	"	£0 2 1		
2878	No. 3, " " C. 1075	"	20	"	£0 2 1		
2879	No. 4, " " C. 1076	"	20	"	£0 2 1		
Rings, piston packing, lap joint, for 3½" improved triple valves—							
2880	No. 1, piece No. C. 1036	"	500	"	£0 2 5		
2881	No. 2, " " C. 1037	"	500	"	£0 2 5		
2882	No. 3, " " C. 1038	"	500	"	£0 2 5		
2883	No. 4, " " C. 1039	"	200	"	£0 2 5		
2884	No. 5, " " C. 1040	"	500	"	£0 2 5		
2885	No. 6, " " C. 1155	"	500	"	£0 2 5		
Rings, piston, for No. 7 air compressor governors—							
2886	No. 1, piece No. 6160	"	50	"	£0 1 5		
2887	No. 2, " " C. 1210	"	10	"	£0 1 5		
2888	Rings, piston, small valve, for 8½"—150 cross compound compressors, piece No. C. 1429	"	10	"	£0 0 9½		
2889	Seals, cage bush, for regulating valves of M. 3 feed valves, piece No. 81,012	U.S.A.	600	"	£0 0 7½		
2890	Seals, regulating valve bush, for M. 3 feed valves, piece No. 81,013	"	300	"	£0 0 7		
2891	Springs, for 1" bent cocks, piece No. 2425	N.S.W.	200 doz.	doz.	£0 4 0		
2892	Springs, piston, for C. 6 feed valves, piece No. 5553	"	1 "	"	£0 2 6		
2893	Springs, piston, for No. 7 governors, zinc sprayed, piece No. 6161	"	2 "	"	£0 2 6		
2894	Springs, regulating valve, for M.3 feed valves, piece No. C. 451	"	1 "	"	£0 8 11		
2895	Springs, slide valve, for C.6 regulating feed valves, piece No. 2252	"	30 "	"	£0 2 1		
2896	Springs, slide valve, for improved triple valves, piece No. 2358	"	50 "	"	£0 2 6		
2897	Springs, slide valve, for M.3 feed valves, piece No. C. 428	"	10 "	"	£0 5 6		
2898	Valves, air reducing, piece No. C. 567	"	20	each	£2 17 9		
2899	Valves, discharge, steel, for 10" x 10½" air compressors (class K.L.), piece C. 2012	"	120	"	£0 5 11		

* Rates plus 12%.
* Items Nos. 2873 to 2879—Plus 12½%.

WESTINGHOUSE BRAKE PARTS—continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
Westinghouse Brake Parts, to specification—continued—								
2900	Valves, feed, M.3, complete, piece No. C. 434	N.S.W.	10	each	9	1	9	Westinghouse Brake (Australasia) Pty Ltd.
2901	Valves, regulating, for M.3 feed valves, piece No. C. 427	"	10	"	0	2	3	
2902	Valves, reversing, $\frac{1}{8}$ " thicker than standard, for $8\frac{1}{2}$ "—150 cross compound compressors, piece No. C.3166	"	5	"	0	16	6	
2903	Valves, slide, for C.6 feed valves, piece No. 5990	"	100	"	0	8	11	
2904	Valves, triple, improved, with 6F. "A" bulbs, piece No. C. 2251	"	50	"	7	14	6	
2905	Valves, triple, improved, with 8F. "A" bulbs, piece No. C. 2260	"	100	"	7	14	6	
2906	Valves, suction, steel, for 10" x 10 $\frac{5}{8}$ " air compressors (class K.L.), piece No. C. 2009	"	100	"	0	6	10	
2907—2919	Nil							

⌘ Rates plus 12 $\frac{1}{4}$ %.

GAS COKE, COAL TAR AND CREOSOTE

(Schedule No. 91)

Coke, gas, to specification—									
2920	Loose, delivered free on rails at Pigott Street siding, West Melbourne	Vict.	1250 tons	ton	2	0	0	The Metropolitan Gas Co.	
2920A	Loose, delivered free on rails at Footscray, Loop "B" siding	"	1250 "	"	2	5	5	Colonial Gas Association Ltd.	
2921	Bagged, delivered free on rails at Pigott Street siding, West Melbourne	"	900 "	"	2	3	0	The Metropolitan Gas Co.	
2922	Bagged, delivered within a radius of one mile from the Spencer Street railway station (including the Electrical Depot and Laurens Street Depot Storehouses)	"		"	"	2	3		3
2923	Loose, delivered into bins at Ballarat North Workshops, or bagged, delivered to the Ballarat Refreshment Rooms	...	200 "	Nil (see note)	
2924	Loose, delivered into bins at Bendigo North Workshops, or bagged, delivered direct to the Bendigo Refreshment Rooms	Vict.	300 "	ton	2	7	6	The Bendigo Gas Co.	
2925	Bagged, delivered to the Ararat Refreshment Rooms, or into trucks at Ararat railway station for the Loco. Depot, Ararat	"	50 "	"	3	0	0	The Gas Supply Co. Ltd.	
2926	Creosote, for wood preservation purposes, to specification, in 40/44 gallon drums, delivered free on rails, Spencer Street or North Geelong	"	7000 gals.	gal.	0	0	11	Albion Quarrying Co. Pty. Ltd.	
Mixture, tar and pitch, to specification, delivered free on rails, Spencer Street or North Geelong—									
2927	In 4 gallon tins	"	120 "	"	0	2	3		
2928	In 1 gallon tins	"		"	"	0	2	3	

GAS COKE, COAL TAR AND CREOSOTE—continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
	Tar, coal, to specification, in 5 or 40/44 gallon drums, as ordered—					
	Delivered at the Contractor's works at—					
2929	Ararat, Stawell or Sale ...	Vict.	} 1000 gals.	gal.	0 0 7	} The Gas Supply Co. Ltd.
2929A	Bacchus Marsh ...	"		"	0 0 6	
2929B	Ballarat ...	"		"	0 0 6½	
2929C	Warracknabeal or Albury ...	"		"	0 0 8	
	Delivered free on rails at—					
2929D	Pigott Street siding, West Melbourne	"	} 1000 gals.	"	0 0 4.768	The Metropolitan Gas Co.
2929E	Spencer Street or North Geelong ...	"		"	0 0 5	Albion Quarrying Co. Pty. Ltd.
2929F	Ararat, Stawell or Sale ...	"		"	0 0 7¼	} The Gas Supply Co. Ltd.
2929G	Bacchus Marsh ...	"		"	0 0 6¼	
2929H	Ballarat ...	"		"	0 0 6¾	
2929J	Warracknabeal or Albury ...	"		"	0 0 8¼	
2930-2939	—Nil					

UNIFORM BUTTONS, LININGS, ETC.

(Schedule No. 92)

†2940	Buckles, strap, black japanned, for trousers and vests	...	100 gross	Nil
	Buttons—					
	Black bone—					
†2941	Trouser, large	...	Nil	
†2942	Trouser, small	...	Nil	
†2943	Vest	...	24 gross	Nil
	Gilt, to specification—					
*†2944	Large	Vict.	3 "	gross	1 16 0	} Stokes & Sons Pty. Ltd.
*†2945	Small	"	3 "	"	1 4 0	
*†2946	White metal, to specification—	"	100 "	"	0 10 0	
*†2947	Small	"	100 "	"	0 8 6	
	Cloth—					
†2948	Flexhair (Hymo), 31" wide	...	1500 l. yds.	} Nil
†2949	Italian, black, 54" wide	...	4000 "	
†2950	Pocketing, khaki drill, 28" wide	...	2500 "	
†2951	Silesia, black, 39" to 40" wide	...	5000 "	
†2952	Silesia, printed 39" to 40" wide	...	5000 "	
2953-2959	—Nil					

UNIFORM CLOTHING—continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
	Allowance for ALTERATIONS or ADJUSTMENTS to completed garments, as ordered—continued—							
3005	Lengthening sleeves	Vict.	...	each	0	2	3	Alfred Bowley & Co.
3005A	" "	"	...	"	0	2	3	David Lack Pty. Ltd.
3005B	" "	"	...	"	0	2	0	John Cohen & Co. Pty. Ltd.
3006	Lowering collar of coat	"	...	"	0	2	3	Alfred Bowley & Co.
3006A	" "	"	...	"	0	2	3	David Lack Pty. Ltd.
3006B	" "	"	...	"	0	1	9	John Cohen & Co. Pty. Ltd.
3007	Taking in chest and waist of coat	"	...	"	0	3	3	Alfred Bowley & Co.
3007A	" " "	"	...	"	0	4	6	David Lack Pty. Ltd.
3007B	" " "	"	...	"	0	3	6	John Cohen & Co. Pty. Ltd.
3008	Inserting dart in arm hole	"	...	"	0	2	0	Alfred Bowley & Co.
3008A	" "	"	...	"	0	2	3	David Lack Pty. Ltd.
3008B	" "	"	...	"	0	2	0	John Cohen & Co. Pty. Ltd.
3009	Alterations or adjustments to any particular vest	"	...	"	0	2	3	Alfred Bowley & Co.
3009A	" " "	"	...	"	0	2	6	David Lack Pty. Ltd.
3009B	" " "	"	...	"	0	2	3	John Cohen & Co. Pty. Ltd.
3010	Taking in waist of trousers	"	...	"	0	1	9	Alfred Bowley & Co.
3010A	" "	"	...	"	0	2	6	David Lack Pty. Ltd.
3010B	" "	"	...	"	0	2	0	John Cohen & Co. Pty. Ltd.
3011	Letting out waist of trousers	"	...	"	0	2	0	Alfred Bowley & Co.
3011A	" "	"	...	"	0	2	6	David Lack Pty. Ltd.
3011B	" "	"	...	"	0	2	3	John Cohen & Co. Pty. Ltd.
3012	Taking in seat of trousers	"	...	"	0	1	9	Alfred Bowley & Co.
3012A	" "	"	...	"	0	2	6	David Lack Pty. Ltd.
3012B	" "	"	...	"	0	1	9	John Cohen & Co. Pty. Ltd.
3013	Letting out seat of trousers	"	...	"	0	2	0	Alfred Bowley & Co.
3013A	" "	"	...	"	0	2	6	David Lack Pty. Ltd.
3013B	" "	"	...	"	0	2	0	John Cohen & Co. Pty. Ltd.
3014	Shortening legs of trousers	"	...	"	0	0	9	Alfred Bowley & Co.
3014A	" "	"	...	"	0	2	0	David Lack Pty. Ltd.
3014B	" "	"	...	"	0	1	6	John Cohen & Co. Pty. Ltd.
3015	Lengthening legs of trousers	"	...	"	0	1	3	Alfred Bowley & Co.
3015A	" "	"	...	"	0	2	0	David Lack Pty. Ltd.
3015B	" "	"	...	"	0	1	6	John Cohen & Co. Pty. Ltd.

UNIFORM CLOTHING—continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
	Allowance for ALTERATIONS or ADJUSTMENTS to completed garments, as ordered—continued—					
3016	Taking in legs of trousers	Vict.	...	each	0 1 6	Alfred Bowley & Co.
3016A	" " " " "	"	...	"	0 2 6	David Lack Pty. Ltd.
3016B	" " " " "	"	...	"	0 1 6	John Cohen & Co. Pty. Ltd.
3017	Inserting hip pocket in trousers	"	...	"	0 1 9	Alfred Bowley & Co.
3017A	" " " " "	"	...	"	0 2 3	David Lack Pty. Ltd.
3017B	" " " " "	"	...	"	0 1 9	John Cohen & Co. Pty. Ltd.
3018	Supplying and attaching gold crowns	"	...	pair	0 11 0	Alfred Bowley & Co.
3018A	" " " " "	"	...	"	0 11 6	David Lack Pty. Ltd.
3018B	" " " " "	"	...	"	0 11 3	John Cohen & Co. Pty. Ltd.
3019	Supplying and attaching $\frac{3}{4}$ " "V.R." gold or silver bullion badges	"	...	"	0 8 0	Alfred Bowley & Co.
3019A	" " " " "	"	...	"	0 8 6	David Lack Pty. Ltd.
3019B	" " " " "	"	...	"	0 8 3	John Cohen & Co. Pty. Ltd.
3020-3029	—Nil					

UNIFORM CLOTHING, STOCK SIZES

(Schedule No. 95)

	Garments, STOCK SIZES, made from serge, 20 oz. per lineal yard, to specification—					
	Coats—					
* { 3030	To sample No. 26 (worn by Porters, Rail Motor Drivers, Electric Suburban Guards, Electric Train Drivers, Vanmen and Tram Motormen)	Vict.	4000	each	2 0 6	David Lack Pty. Ltd.
3030A	" " " " "	"				
* { 3031	To sample No. 27 (worn by Goods Guards, Shunters, Watchmen, Licensed Luggage Porters and Number Takers)	"	2000	"	1 16 1	David Lack Pty. Ltd.
3031A	" " " " "	"				
	" " " " "	"		"	1 17 0	John Cohen & Co. Pty. Ltd.

UNIFORM CLOTHING—continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
	Garments, STOCK SIZES, made from serge, 20 oz. per lineal yard, to specification— continued— Coats—continued—					
* { 3032	To sample No. 28 (worn by Operating Porters and Porters-in-Charge)	Vict.	900	each	1 17 11	David Lack Pty. Ltd.
3032A	" " "	"		"	1 19 0	John Cohen & Co. Pty. Ltd.
* { 3033	To sample No. 29 (double breasted) (worn by 2nd class Ticket Checkers and Tram Conductors)	"	140	"	2 6 6	David Lack Pty. Ltd.
3033A	" " "	"		"	2 7 6	John Cohen & Co. Pty. Ltd.
	Vests—					
* { 3034	To sample No. 32 (worn by Porters, Rail Motor Drivers, Electric Suburban Guards, Electric Train Drivers, Vanmen, Watchmen, Licensed Luggage Porters, Operating Porters, Porters-in-Charge, 2nd class Ticket Checkers, Tram Conductors and Tram Motormen)	"	5000	"	0 11 1	David Lack Pty. Ltd.
3034A	" " "	"		"	0 11 6	John Cohen & Co. Pty. Ltd.
* { 3035	To sample No. 33 (worn by Goods Guards and Shunters)	"	1700	"	0 11 7	David Lack Pty. Ltd.
3035A	" " "	"		"	0 12 6	John Cohen & Co. Pty. Ltd.
	Trousers—					
* { 3036	To sample No. 35 (worn by Porters, Rail Motor Drivers, Electric Suburban Guards, Electric Train Drivers, Vanmen, Watchmen, Licensed Luggage Porters, Operating Porters, Porters-in-Charge, 2nd class Ticket Checkers, Tram Conductors, Tram Motormen, Goods Guards and Shunters)	"	8000	"	0 18 9	David Lack Pty. Ltd.
3036A	" " "	"		"	0 19 6	John Cohen & Co. Pty. Ltd.
	Extras on rates for items Nos. 3030 to 3036A for MADE TO MEASURE serge garments not provided for in stock sizes, as ordered—					
* { 3037	Coat	"	...	"	0 4 0	David Lack Pty. Ltd.
3037A	"	"	...	"	0 4 0	John Cohen & Co. Pty. Ltd.
* { 3038	Vest	"	...	"	0 2 0	David Lack Pty. Ltd.
3038A	"	"	...	"	0 2 0	John Cohen & Co. Pty. Ltd.
* { 3039	Trousers	"	...	"	0 2 6	David Lack Pty. Ltd.
3039A	"	"	...	"	0 2 6	John Cohen & Co. Pty. Ltd.
	Garments, STOCK SIZES, 4, 5, 6 or 7 as ordered, made from Tasmanian Bluey cloth, to specification—					
*3040	Aprons, to sample No. 37	200	} Nil
*3041	Coats, to sample No. 38	150	
*3042	Trousers, with bibs, to sample No. 39	200	

UNIFORM CLOTHING—continued

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
	Allowance for ALTERATIONS or ADJUSTMENTS to completed garments, as ordered—							
3043	Shortening braided coat ...	Vict.	...	each	0	5	6	John Cohen & Co. Pty. Ltd.
3044	Shortening plain coat ...	"	...	"	0	3	3	David Lack Pty. Ltd.
3044A	" " ...	"	...	"	0	3	6	} John Cohen & Co. Pty. Ltd.
3045	Lengthening braided coat ...	"	...	"	0	5	6	
3046	Lengthening plain coat ..	"	...	"	0	4	6	David Lack Pty. Ltd.
3046A	" " ...	"	...	"	0	3	6	John Cohen & Co. Pty. Ltd.
3047	Shortening sleeves ...	"	...	"	0	2	3	David Lack Pty. Ltd.
3047A	" " ...	"	...	"	0	1	6	John Cohen & Co. Pty. Ltd.
3048	Lengthening sleeves ...	"	...	"	0	2	3	David Lack Pty. Ltd.
3048A	" " ...	"	...	"	0	1	6	John Cohen & Co. Pty. Ltd.
3049	Lowering collar of coat ...	"	...	"	0	3	0	David Lack Pty. Ltd.
3049A	" " ...	"	...	"	0	1	6	John Cohen & Co. Pty. Ltd.
3050	Taking in chest and waist of coat ...	"	...	"	0	4	0	David Lack Pty. Ltd.
3050A	" " ...	"	...	"	0	3	0	John Cohen & Co. Pty. Ltd.
3051	Inserting dart in arm hole ...	"	...	"	0	2	3	David Lack Pty. Ltd.
3051A	" " ...	"	...	"	0	1	6	John Cohen & Co. Pty. Ltd.
3052	Alterations or adjustment to any particular vest	"	...	"	0	2	6	David Lack Pty. Ltd.
3052A	" " ...	"	...	"	0	2	0	John Cohen & Co. Pty. Ltd.
3053	Taking in waist of trousers ...	"	...	"	0	2	6	David Lack Pty. Ltd.
3053A	" " ...	"	...	"	0	1	6	John Cohen & Co. Pty. Ltd.
3054	Letting out waist of trousers ...	"	...	"	0	2	6	David Lack Pty. Ltd.
3054A	" " ...	"	...	"	0	1	6	John Cohen & Co. Pty. Ltd.
3055	Taking in seat of trousers ...	"	...	"	0	2	6	David Lack Pty. Ltd.
3055A	" " ...	"	...	"	0	1	6	John Cohen & Co. Pty. Ltd.
3056	Letting out seat of trousers ...	"	...	"	0	2	6	David Lack Pty. Ltd.
3056A	" " ...	"	...	"	0	1	0	John Cohen & Co. Pty. Ltd.
3057	Shortening legs of trousers ...	"	...	"	0	1	6	David Lack Pty. Ltd.
3057A	" " ...	"	...	"	0	1	0	John Cohen & Co. Pty. Ltd.
3058	Lengthening legs of trousers ...	"	...	"	0	2	0	David Lack Pty. Ltd.
3058A	" " ...	"	...	"	0	1	0	John Cohen & Co. Pty. Ltd.
3059	Taking in legs of trousers ...	"	...	"	0	2	6	David Lack Pty. Ltd.
3059A	" " ...	"	...	"	0	1	0	John Cohen & Co. Pty. Ltd.

UNIFORM CLOTHING—continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
	Allowance for ALTERATIONS or ADJUSTMENTS to completed garments, as ordered—continued—							
3060	Inserting hip pocket in trousers ...	Vict.	...	each	0	2	0	David Lack Pty. Ltd.
3060A	" " ...	"	...	"	0	1	6	} John Cohen & Co. Pty. Ltd.
3061	Supplying and attaching gold crowns ...	"	...	pair	0	11	0	
3062	Supplying and attaching $\frac{1}{2}$ " "V.R." silver bullion badges	"	...	"	0	6	6	David Lack Pty. Ltd.
3062A	" " ...	"	...	"	0	8	0	John Cohen & Co. Pty. Ltd.
3063-3069	—Nil							

ALUMINIUM, LEAD, ETC.

(Schedule No. 96)

3070	Aluminium, ingot, to specification	10 cwt.			} Nil
3071	Lead, antimonial, ingot, to specification	...	10 tons			
3072	Lead, antimonial, strip, 2" wide x .06" thick, to specification	Vict.	5 cwt.	cwt.	2	0	0	Walter Coop
3073	Lead, pig, soft (remelted), to specification	"	20 tons	ton	24	2	6	The Moreland Metal Co. Pty. Ltd.
3074	Lead, pig, soft, produced from new material, to specification	S. Aust.	2 "	"	26	2	6	} John McIlwraith & Co. Pty. Ltd.
3075	Lead, sheet, any thickness ordered, and cut to any size ordered, to specification	Vict.	10 "	"	34	10	0	
3076	Phosphor Copper, 15%, in slabs, to specification, "Alco"	"	20 cwt.	lb.	0	2	1 $\frac{3}{4}$	} Abel, Lemon & Co. Pty. Ltd.
3077	Zinc, electrolytic, ingot, to specification, E.Z.	Tas.	5 tons	ton	†25	10	0	
†3078	Zinc, sheet, perforated, to specification, 84 holes to the square inch, each hole 0.085" diameter, No. 6 zinc gauge (0.011"), in sheets 7' x 3' or 8' x 3', as ordered	...	100 sq. ft.			Nil
3079-3089	—Nil							

† The contract rate is subject to 2% trade discount if not less than the specified minimum quantity be ordered, but if a lesser quantity be ordered, the discount shall not apply.

BRASS PRODUCTS

(Schedule No. 97)

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor						
3090	Brass Rod, high speed machining quality, forging quality, or machining and bending quality, as ordered, to specification, in 6' to 8' lengths—	N.S.W.	15 tons	ton	§84 7 0	Austral Bronze Co. Pty. Ltd.						
	Hexagon, any of the following sizes ordered—											
							Width across flats		For nuts as under :			
							Min.	Max.				
							0.334"	0.338"	$\frac{1}{8}$ "			
							0.373"	0.375"	—			
							0.440"	0.445"	$\frac{3}{16}$ "			
							0.498"	0.502"	$\frac{1}{4}$ " R.S.A. Special			
							0.520"	0.525"	$\frac{1}{4}$ " Whitworth			
							0.595"	0.600"	$\frac{5}{16}$ " "			
							0.705"	0.710"	$\frac{3}{8}$ " "			
							0.750"	0.755"	—			
							0.815"	0.820"	$\frac{7}{16}$ " Whitworth			
							0.915"	0.920"	$\frac{1}{2}$ " "			
							1.002"	1.010"	$\frac{9}{16}$ " "			
							1.092"	1.100"	$\frac{5}{8}$ " "			
							1.192"	1.200"	$\frac{11}{16}$ " "			
							1.292"	1.300"	$\frac{3}{4}$ " "			
							1.382"	1.390"	$\frac{13}{16}$ " "			
							1.468"	1.480"	$\frac{7}{8}$ " "			
							1.658"	1.670"	1" "			
							1.845"	1.860"	$1\frac{1}{8}$ " "			
	2.035"	2.050"	$1\frac{1}{4}$ " "									
	2.200"	2.220"	$1\frac{3}{8}$ " "									
	2.390"	2.410"	$1\frac{1}{2}$ " "									
	2.555"	2.580"	$1\frac{5}{8}$ " "									
	2.735"	2.760"	$1\frac{3}{4}$ " "									
3091	Round, $\frac{3}{16}$ " to $1\frac{1}{2}$ " diameter, advancing by $\frac{1}{16}$ " and $1\frac{1}{8}$ " to 3" diameter, advancing by $\frac{1}{8}$ ", as ordered	"	10 tons	ton	§84 7 0							
3092	Square, $\frac{3}{8}$ " to $1\frac{1}{2}$ ", advancing by $\frac{1}{8}$ ", as ordered	"	2 cwt.	"	§84 7 0							

BRASS PRODUCTS—continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
	Brass Sheet, cold rolled, hard or soft (annealed), as ordered, to specification, "Austral"— In sheets 6' x 2', 4' x 2', or 4' x 1', as ordered—					
3093	16 s.w.g. or heavier, in even gauges, as ordered	N.S.W.	90 cwt.	lb.	\$0 1 3½	Austral Bronze Co. Pty. Ltd.
3094	18 or 20 s.w.g., as ordered	"		"	\$0 1 3¾	
3095	22 s.w.g.	"		"	\$0 1 4	
3096	24 ,,	"		"	\$0 1 4½	
3097	26 ,,	"		"	\$0 1 5½	
3098	30 ,,	"		"	\$0 1 8½	
3099	Extra on rates for items Nos. 3093 to 3096 for sheets 6' x 3'	"		"	\$0 0 1½	
	Brass Tubing (except boiler tubes), solid drawn, to specification, any lengths ordered—					
3100	¼" or ⅝" outside diameter x 24, 22, 20, 18 or 16 s.w.g., as ordered	"	15 "	"	\$0 2 7-6	George White & Co. Pty. Ltd.
3101	⅜" or ⅞" outside diameter x 20, 18, 16 or 14 s.w.g., as ordered	"		"	\$0 2 1-6	
3102	½", ⅝" or ⅞" outside diameter x 20, 18, 16, or 14 s.w.g., as ordered	"		"	\$0 1 11-6	
3103	¾", ⅞", 1", 1⅛", 1¼" or 1½" outside diameter x 20, 18, 16, 14, 12 or 10 s.w.g., as ordered (excluding 1¼" x 16 s.w.g.)	"		"	\$0 1 9-6	
3104	Brass Tubing, solid drawn, to specification, 1¼" outside diameter x 16 s.w.g., in random lengths from 12' to 18'	"	10 "	"	\$0 1 6-8	
3105-3109	—Nil					

COPPER PRODUCTS
(Schedule No. 98)

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
*3110	Copper Angle, for contactor tips ...	N.S.W.	10 cwt.	lb.	\$0 1 6 ³ / ₈	Austral Bronze Co. Pty. Ltd.
3111	Copper Rod, electrolytic, to specification, $\frac{3}{16}$ ", $\frac{1}{4}$ ", $\frac{5}{16}$ ", $\frac{3}{8}$ ", $\frac{1}{2}$ ", $\frac{5}{8}$ ", $\frac{3}{4}$ ", $\frac{7}{8}$ " or 1" diam., as ordered	"	10 "	"	\$0 1 0 ³ / ₈	
3112	Copper Rod, for loco. fire boxes, to specification, $\frac{3}{4}$ " to $1\frac{1}{2}$ " diameter, advancing by $\frac{1}{16}$ ", as ordered	"	15 tons	ton	\$115 7 0	
3113	Copper Sheet, cold rolled (hard or soft, as ordered) to specification, any size on price list, as ordered	"	50 cwt.	...	\$ As per price list	
3114	Copper Strip, annealed, to specification, in coils of approx. 50 lb.— 2" wide x .125" thick	3 "	Nil
3115	2" ,, x .06" ,,	1 "	
3116	Copper Strip, for pantographs, to specification and drawing No. F.690F	N.S.W.	2 tons	lb.	\$0 1 1 ³ / ₈	Austral Bronze Co. Pty. Ltd.
3117	Copper Strip, half moon, to specification and drawing No. F. 1131, in coils of approx. 80 or 112 lb.	...	2 cwt.	
3118	Copper Strip, hard drawn, 10 S.W.G., to specification— 2 $\frac{1}{4}$ " wide, in coils of 130 lb.	1 "	Nil
3119	1 $\frac{1}{2}$ " wide, in coils of 130 lb., or in straight lengths of not less than 12', as ordered	...	1 "	
3120	Copper Tubing, solid drawn, seamless, to specification, in 14' to 18' lengths— $\frac{1}{4}$ " outside diameter x 16 S.W.G.	2 "	
3121	$\frac{5}{16}$ " " x 16 "	2 "	
3122	$\frac{3}{8}$ " " x 16 "	20 "	
3123	$\frac{1}{2}$ " " x 16 "	2 "	
3124	$\frac{1}{2}$ " " x 14 "	50 "	
3125	$\frac{5}{8}$ " outside diameter x 18 S.W.G.	15 "	
3126	$\frac{5}{8}$ " " x 14 "	30 "	
3127	$\frac{3}{4}$ " " x 14 "	2 "	
3128	1" " x 12 "	40 "	
3129	1" " x 8 "	1 "	
3130	1 $\frac{1}{4}$ " " x 12 "	35 "	
3131	1 $\frac{1}{2}$ ", 1 $\frac{3}{4}$ ", 2", 2 $\frac{1}{4}$ " or 2 $\frac{1}{2}$ " outside diam., as ordered, x 10 S.W.G.	...	200 "	
3132	4 $\frac{1}{2}$ " outside diameter x $\frac{5}{16}$ " wall	200 "	
3133	5 $\frac{1}{2}$ " " x 6 B.W.G. wall	15 "	
3134	5 $\frac{1}{2}$ " " x 6 B.W.G. wall	30 "	
3135	6" " x $\frac{1}{4}$ " wall	2 "	
3136	6 $\frac{1}{2}$ " " x $\frac{1}{4}$ " "	15 "	
3137-3149	Nil					

MALLEABLE IRON CASTINGS.

(Schedule No. 99)

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor	
	Castings, malleable iron, black heart, to specification—						
3150	Up to 1 lb. in weight ...	Vict.	} 5 tons	lb.	0 1 3	} John Bunckle & Son Pty. Ltd.	
3151	Over 1 lb. up to 5 lb. in weight ...	"		"	"		0 1 3
3152	" 5 lb. " 15 lb. " ...	"		"	"		0 1 1
3153	" 15 lb. in weight ...	"		"	"		0 1 0
	Castings, malleable iron, black heart, dressed ready for galvanising, to specification—						
3154	Up to 1 lb. in weight ...	"	} 1 ton	"	0 1 5		
3155	Over 1 lb. up to 5 lb. in weight ...	"		"	"		0 1 5
3156	" 5 lb. " 15 lb. " ...	"		"	"		0 1 3
	Castings, malleable iron, black heart, galvanised, to specification—						
3157	Up to 1 lb. in weight ...	"	} 1 "	"	0 1 7		
3158	Over 1 lb. up to 5 lb. in weight ...	"		"	"		0 1 7
3159	" 5 lb. " 15 lb. " ...	"		"	"		0 1 5
3160-3169	—Nil						

CARBON STEEL CASTINGS.

(Schedule No. 100)

	Castings, carbon steel (grade "A," or "B"), as ordered, and as specified—						
3170	Weights under 2 lb. ...	Vict.	} 2 tons	cwt.	6 1 0	Thompsons Eng. & Pipe Co. Ltd.	
3170A	" " " " ...	"		"	"	6 1 0	Charles Ruwolt Pty. Ltd.
3170B	" " " " ...	"		"	"	6 1 0	Davies & Baird Pty. Ltd.
3170C	" " " " ...	"		"	"	6 1 0	The Steel Co. of Aust. Pty. Ltd.
3171	Weights, 2 lb. and up to 7 lb. ...	"	} 50 "	"	4 8 6	Thompsons Eng. & Pipe Co. Ltd.	
3171A	" " " " " ...	"		"	"	4 8 6	Charles Ruwolt Pty. Ltd.
3171B	" " " " " ...	"		"	"	4 8 6	Davies & Baird Pty. Ltd.
3171C	" " " " " ...	"		"	"	4 8 6	The Steel Co. of Aust. Pty. Ltd.
3172	Weights over 7 lb. and up to 14 lb. ...	"		"	"	3 14 9	Thompsons Eng. & Pipe Co. Ltd.
3172A	" " " " " ...	"		"	"	3 14 9	Charles Ruwolt Pty. Ltd.
3172B	" " " " " ...	"		"	"	3 14 9	Davies & Baird Pty. Ltd.
3172C	" " " " " ...	"	"	"	3 14 9	The Steel Co. of Aust. Pty. Ltd.	

CARBON STEEL CASTINGS—continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor	
Castings, carbon steel (grade "A," or "B"), as ordered and as specified—(continued)—							
3173	Weights over 14 lb. and up to 28 lb.	Vict.	} 120 tons	cwt.	3 8 8	Thompsons Eng. & Pipe Co. Ltd.	
3173A	" " " " ...	"		"	3 8 8	Charles Ruwolt Pty. Ltd.	
3173B	" " " " ...	"		"	3 8 8	Davies & Baird Pty. Ltd.	
3173C	" " " " ...	"		"	3 8 8	The Steel Co. of Aust Pty. Ltd.	
3174	Weights over 28 lb. and up to 1 cwt.	"		"	2 17 11	Thompsons Eng. & Pipe Co. Ltd.	
3174A	" " " " ...	"		"	2 17 11	Charles Ruwolt Pty. Ltd.	
3174B	" " " " ...	"		"	2 17 11	Davies & Baird Pty. Ltd.	
3174C	" " " " ...	"		"	2 17 11	The Steel Co. of Aust. Pty. Ltd.	
3175	Weights over 1 cwt. ...	"		} 50 "	"	2 16 11	Thompsons Eng. & Pipe Co. Ltd.
3175A	" " " " ...	"			"	2 16 11	Charles Ruwolt Pty. Ltd.
3175B	" " " " ...	"			"	2 16 11	Davies & Baird Pty. Ltd.
3175C	" " " " ...	"			"	2 16 11	The Steel Co. of Aust. Pty. Ltd.
Castings, carbon steel (grade "A" or "B" as ordered, moulded within the limits of gauges), as specified—							
3176	Axle Boxes, Car, Van, Wagon, and Engine Tender	"	} 40 "	"	3 4 4	Thompsons Eng. & Pipe Co. Ltd.	
3176A	" " " " ...	"		"	3 4 4	Charles Ruwolt Pty. Ltd.	
3176B	" " " " ...	"		"	3 4 4	Davies & Baird Pty. Ltd.	
3176C	" " " " ...	"		"	3 4 4	The Steel Co. of Aust. Pty. Ltd.	
3177	Axle Boxes, Engine, Engine Trailing Truck or Engine Bogie	"	} 20 "	"	2 17 11	Thompsons Eng. & Pipe Co. Ltd.	
3177A	" " " " ...	"		"	2 17 11	Charles Ruwolt Pty. Ltd.	
3177B	" " " " ...	"		"	2 17 11	Davies & Baird Pty. Ltd.	
3177C	" " " " ...	"		"	2 17 11	The Steel Co. of Aust. Pty. Ltd.	
Castings, carbon steel (grade "B," moulded within the limits of gauges), as specified—							
(a) Weights over 14 lb. up to 1 cwt.—							
3178	Back Stops to drawings Nos. I.Z. 45.7 and .8, 7611.8 (amended 3.1.35), 7636.13, 7643 (amended 10.11.39) or Q.N. 3.21 (amended 29.11.39)	"	} 3 "	"	2 15 11	Thompsons Eng. & Pipe Co. Ltd.	
3178A	" " " " ...	"		"	2 15 11	Charles Ruwolt Pty. Ltd.	
3178B	" " " " ...	"		"	2 15 11	Davies & Baird Pty. Ltd.	
3178C	" " " " ...	"		"	2 15 11	The Steel Co. of Aust. Pty. Ltd.	

CARBON STEEL CASTINGS—continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
Castings, carbon steel (grade "B," moulded within the limits of gauges), as specified—continued—						
(a) Weights over 14 lb. up to 1 cwt.—continued—						
3179	Carry Irons to drawings Nos. I.Z. 45·3 (amended 11.8.39), 7611·2 (amended 17.11.39) or 7636·15 (amended 15.2.20)	Vict.	} 2 tons	cwt.	3 4 4	Thompsons Eng. & Pipe Co. Ltd.
3179A	" " " " " "	"		"	3 4 4	Charles Ruwolt Pty. Ltd.
3179B	" " " " " "	"		"	3 4 4	Davies & Baird Pty. Ltd.
3179c	" " " " " "	"		"	3 4 4	The Steel Co. of Aust. Pty. Ltd.
(b) Weights over 1 cwt.—						
3180	Striking Plates, to drawings Nos. 7636·14, (amended 17.8.39), 7611·1, (amended 17.11.39), V. 45·11 (amended 10.11.39) or Q.R. 45·1 (amended 20.11.39)	"	} 2 "	"	3 5 1	Thompsons Eng. & Pipe Co. Ltd.
3180A	" " " " " "	"		"	3 5 1	Charles Ruwolt Pty. Ltd.
3180B	" " " " " "	"		"	3 5 1	Davies & Baird Pty. Ltd.
3180c	" " " " " "	"		"	3 5 1	The Steel Co. of Aust. Pty. Ltd.
3181	Centre Plates to drawings No. "□" sided M. car 31·66 or M. car 31·67	"	} 2 "	"	2 13 11	Thompsons Eng. & Pipe Co. Ltd.
3181A	" " " " " "	"		"	2 13 11	Charles Ruwolt Pty. Ltd.
3181B	" " " " " "	"		"	2 13 11	Davies & Baird Pty. Ltd.
3181c	" " " " " "	"	"	"	2 13 11	The Steel Co. of Aust. Pty. Ltd.
3182	Transition Coupler Shanks to drawings Nos. 7711 (amended 1.6.31) or 5191·13 (amended 27.8.37)	"	} 2 "	"	3 6 7	Thompsons Eng. & Pipe Co. Ltd.
3182A	" " " " " "	"		"	3 6 7	Charles Ruwolt Pty. Ltd.
3182B	" " " " " "	"		"	3 6 7	Davies & Baird Pty. Ltd.
3182c	" " " " " "	"	"	"	3 6 7	The Steel Co. of Aust. Pty. Ltd.
3183	Engine Coupler Pockets to drawing No. 5193·5 (amended 22.2.40)	"	} 1 "	"	3 4 4	Thompsons Eng. & Pipe Co. Ltd.
3183A	" " " " " "	"		"	3 4 4	Charles Ruwolt Pty. Ltd.
3183B	" " " " " "	"		"	3 4 4	Davies & Baird Pty. Ltd.
3183c	" " " " " "	"	"	"	3 4 4	The Steel Co. of Aust. Pty. Ltd.
Castings, carbon steel (grade "B," without machining), as specified—						
3184	Crossheads "A," "C," "D," "K," "N," "S," "X," "G," or "NA," as ordered	"	} 5 "	"	3 16 9	Thompsons Eng. & Pipe Co. Ltd.
3184A	" " " " " "	"		"	3 16 9	Charles Ruwolt Pty. Ltd.
3184B	" " " " " "	"		"	3 16 9	Davies & Baird Pty. Ltd.
3184c	" " " " " "	"		"	3 16 9	The Steel Co. of Aust. Pty. Ltd.

CARBON STEEL CASTINGS—continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
3185	Castings, carbon steel (grade "B"), as specified— Frame Stays	Vict.	15 tons	cwt.	3 16 9	Thompsons Eng. & Pipe Co. Ltd.
3185A	" " " " " " " "	"		"	3 16 9	Charles Ruwolt Pty. Ltd.
3185B	" " " " " " " "	"		"	3 16 9	Davies & Baird Pty. Ltd.
3185C	" " " " " " " "	"		"	3 16 9	The Steel Co. of Aust. Pty. Ltd.
3186	Rail Fishplates, with wearing surfaces	"		30 "	"	2 13 11
3187	Wheel Centres (grade "B," machined), as specified— To drawing No. 2419B (amended 1.9.38)—E. M. Coach	"	40	each	10 14 6	Thompsons Eng. & Pipe Co. Ltd.
3187A	" " " " " " " "	"		"	10 14 6	The Steel Co. of Aust. Pty. Ltd.
3188	To drawing, No. 7600 (amended 15.10.40) (I.Y. Wagons)	"	5	"	8 0 2	Thompsons Eng. & Pipe Co. Ltd.
3188A	" " " " " " " "	"		"	8 0 2	The Steel Co. of Aust. Pty. Ltd.
3189	To drawing No. 56E (amended 26.7.33) (Std. Car and Wagon)	"	250	"	8 0 2	Thompsons Eng. & Pipe Co. Ltd.
3189A	" " " " " " " "	"		"	8 0 2	The Steel Co. of Aust. Pty. Ltd.
3190	To drawing No. 7634 (amended 31.8.38)—V. LL., MM. and FF. Wagons	"	15	"	8 0 2	Thompsons Eng. & Pipe Co. Ltd.
3190A	" " " " " " " "	"		"	8 0 2	The Steel Co. of Aust. Pty. Ltd.
3191	To drawing No. 7617 (amended 31.8.38)—T.U. and E. Wagons	"	1000	"	8 0 2	Thompsons Eng. & Pipe Co. Ltd.
3191A	" " " " " " " "	"		"	8 0 2	The Steel Co. of Aust. Pty. Ltd.
3192—3199	Nil					

STEEL TYRES

(Schedule No. 101)

3200	TYRES, steel, machined, to specification— Tyre Item 1. ("A" and "S" leading and trailing wheels)	N.S.W.	200	each	22 17 6	Commonwealth Steel Co. Ltd.
3201	Tyre Item 1B. (Ditto, small bore) ...	"		"	{ f.o.r. Works 22 19 0	
3202	Tyre Item 2. ("A" and "S" driving wheels)	"		"	{ f.o.r. Works 23 0 0	
3203	Tyre Item 3. ("A" and "D" bogie, "D4" and "E" radial, "Y" tender, "S" and "X" trailing truck, all wheels of 5 ton shunting and 5, 7, 10 and 30 ton wrecking cranes)	Vict.	200	"	{ f.o.r. Works 12 1 6	Thompsons Eng. & Pipe Co. Ltd.
3204	Tyre Item 4. ("C," "D" and "X" leading and trailing, and "E" leading wheels)	N.S.W.	200	"	{ f.o.r. Works 20 15 0	Commonwealth Steel Co. Ltd.
3205	Tyre Item 4B. (Ditto, small bore) ...	"		"	{ f.o.r. Works 20 15 0	
3206	Tyre Item 5. ("D" driving, "C" and "X" intermediate and driving, and "E" driving and trailing wheels)	"		"	{ f.o.r. Works 20 15 0	
3207	Tyre Item 14. ("N" trailing truck, "S" bogie, "C," "K," "N" and "X" pony wheels)	Vict.	100	"	10 4 6	Thompsons Eng. & Pipe Co. Ltd.
3208	Tyre Item 18. ("K," "N" and "Y" leading and trailing wheels)	"	150	"	17 1 0	
3209	Tyre Item 18A (Ditto, small bore) ...	"		"	16 19 6	
3210	Tyre Item 19. ("K" and "N" intermediate and driving and "Y" driving wheels)	"		"	17 1 0	

STEEL TYRES—continued.

Item No.	Description	Country of Manufacture	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
	TYRES, steel, machined, to specification—continued—							
3211	Tyre Item 20. ("H", 1st driving and trailing wheels)	...	Nil		
3212	Tyre Item 21. ("H" 2nd driving and intermediate wheels)	...	Nil		
3213	Tyre Item 22. ("H" trailing truck wheels)	...	Nil		
3214	Tyre Item 23. ("H" bogie wheels)	Nil		
3215	Tyre Item 32. (Electric street cars 2' 2" diameter wheels)	Vict.	20	each	6	7	0	Thompsons Eng. & Pipe Co. Ltd.
3216	Tyre Item 33. (Electric street cars 2' 8 $\frac{7}{16}$ " diameter wheels)	"	5	"	6	15	0	
3217	Tyre Item 34. (Electric Motor and Electric Loco. Coach, all wheels and P.E.R.M. Nos. 56-64 driving bogie wheels)	"	800	"	9	11	0	
3218	Tyre Item 34A. (Ditto, small bore special)	"		"	9	8	0	
3219	Tyre Item 34B. (Ditto, small bore) ...	"		"	9	9	6	
3220	Tyre Item 41. ("G" intermediate wheels)	"		5	"	11	9	
3221	Tyre Item 42. ("G" leading and driving and "NA" leading and trailing wheels)	"	10	"	11	6	0	
3222	Tyre Item 43. ("NA" driving wheels)	"	5	"	13	12	6	
3223	Tyre Item 44. ("G" and "NA" pony, and "NA" trailing truck wheels)	"	15	"	11	16	0	
3224	Tyre Item 46. (3' 2 $\frac{1}{4}$ " car, van and wagon wheels, Gibson type)	"	5	"	9	4	0	
3225	Tyre Item 48. (3' 2 $\frac{1}{4}$ " car, van, wagon and "A," "C," "D," "K," "N" and "X" engine tender wheels, P.E.R.M. Nos. 56-64 non-driving bogie and P.E.R.M. trailer No. 25, all wheels)	"	2000	"	8	6	0	
3226	Tyre Item 49. (Narrow gauge car, van and wagon wheels)	"	2	"	11	8	6	
3227	Tyre Item 50. (3' 0 $\frac{1}{4}$ " car, van, wagon and "H" and "S" engine tender wheels, P.E.R.M. No. 55 (driving bogie), Brill R.M. No. 44 and trailer, all wheels)	"	1000	"	7	19	0	
3228	Tyre Item 54. (Leading and trailing wheels, 7-ton shunting crane)	...	Nil		
3229	Tyre Item 55. (Driving wheels 7-ton shunting crane)	...	Nil		
3230	Tyre Item 56A. (S.E.R.M. driving wheels and trailer, all wheels, small bore)	Vict.	10	each	8	14	6	Thompsons Eng. & Pipe Co. Ltd.
3231	Tyre Item 57A. (S.E.R.M. front wheels, small bore)	...	Nil		
3232	Tyre Item 58A. (D.E.R.M. driving bogie all wheels, small bore)	Vict.	6	each	9	7	0	Thompsons Eng. & Pipe Co. Ltd.
3233	Tyre Item 59. (P.E.R.M. trailer Nos. 26-30 all wheels)	...	Nil		
3234	Tyre Item 60. (Dodge Inspection Car cushioned wheels)	...	Nil		
3235	Tyre Item 61. (P.E.R.M. No. 55 non-driving bogie wheels)	...	Nil		
3236	Tyre Item 62A. (D.E.R.M. non-driving bogie wheels)	...	Nil		
3237	Tyre Item 63A. (Buick and Dodge mail car, all wheels)	...	Nil		
3238-3249	—Nil							

AUTOMATIC COUPLERS AND PARTS

(Schedule No. 102)

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
	COUPLERS, AUTOMATIC, "Alliance," to specification—				Ex Works			
3250	Top operated, 2 1/4" x 7" x 5" shank, fitted with clevis transition lugs, to drawing No. 44·2 (amended 20.6.36)	N.S.W.	600	each	7	5	8	Bradford, Kendall Ltd.
3251	Top operated, to drawing No. 5192 (amended 7.8.33)	"	60	"	7	16	1	
	Parts for "Alliance" automatic couplers, to specification—							
3252	Knuckles	"	300	"	1	10	2	
3253	Lifters, bottom	"	25	"	0	3	11	
3254	Lifters, top	"	50	"	0	3	5	
3255	Locks, to Bradford, Kendall Ltd., drawing No. M. 04770-L.	"	25	"	0	5	5	
3256	Pins, pivot, knuckle, to drawings Nos. 5192—44·11, 44·12, 44·13	"	100	"	0	3	5	
3257	Pins, pivot, knuckle, to drawings Nos. 44·1, 44·2, 44·10	"		"	0	4	7	
3258	Throwers, knuckle	"	25	"	0	4	5	
3259	Nil							

FRICITION DRAFT GEAR

(Schedule No. 103)

3260	GEAR, friction draft, "Gould 175 type," complete with one standard follower, to specification	N.S.W.	600	each	13	18	0	Knox, Schlapp & Co.
					Ex Works			
3261-3269	Nil							

ROLLED STEEL.
(Schedule No. 104)

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor	
					£	s.	d.		
MILD STEEL ANGLES, to specification No. 2—									
3270	2 united inches up to 3 united inches x $\frac{1}{8}$ " thick and over, in lengths 10' to 60', as ordered	Vict.	350 tons	to.	13	17	0	Melbourne Iron & Steel Mills Pty. Ltd.	
3271	Over 3 united inches up to 4 united inches x $\frac{1}{8}$ " thick and over, in lengths 10' to 60', as ordered			"	"	13	17		0
3272	Over 4 united inches up to 6 united inches by $\frac{1}{4}$ " thick and over, in lengths 10' to 60', as ordered			"	"	13	17		0
3273	Over 6 united inches up to 8 united inches by $\frac{3}{8}$ " thick and over, in lengths 10' to 60', as ordered			"	"	13	17		0
3274	5" x 3" x $\frac{1}{4}$ " thick and over, in lengths 10' to 40', as ordered, cold straightened	N.S.W.	350 tons	"	10	10	0	The Broken Hill Pty. Co. Ltd.	
3275	Over 8 united inches up to 12 united inches x $\frac{1}{8}$ " thick and over, in lengths 10' to 40', as ordered, cold straightened	"		"	10	10	0		
Extra on rates for items Nos. 3270 to 3273—									
3276	For cold straightening	Vict.	...	"	0	5	0	Melbourne Iron & Steel Mills Pty. Ltd.	
MILD STEEL CHANNELS, to specification No. 2, in lengths 10' to 40', as ordered—									
3277	3" x 1 $\frac{1}{2}$ "	N.S.W.	350 tons	"	12	10	0	The Broken Hill Pty. Co. Ltd.	
3278	4" depth up to, but not including, 6" depth	"		"	11	2	6		
3279	6" depth up to 15" depth	"		"	10	10	0		
MILD STEEL JOISTS, to specification No. 2, in lengths 10' to 40', as ordered—									
3280	4" depth up to, but not including, 6" depth (excluding 4" x 1 $\frac{1}{2}$ ")	"	50 "	"	11	0	0	The Broken Hill Pty. Co. Ltd.	
3281	6" depth up to 16" depth	"		"	10	10	0		
3282	Over 16" depth up to 20" depth	"		"	11	0	0		
3283	22" x 7" section	"		"	11	5	0		
3283A	24" x 7 $\frac{1}{2}$ " section	"	"	11	10	0			
MILD STEEL ROUND BARS, to specification No. 2—									
3284	$\frac{1}{2}$ " diam., in lengths 10' to 35', as ordered	"	50 "	"	12	10	0	Melbourne Iron & Steel Mills Pty. Ltd.	
3285	$\frac{5}{16}$ " diam., in lengths 10' to 35', as ordered	"		"	12	0	0		
3286	$\frac{3}{8}$ " diam., in lengths 10' to 35', as ordered	"		"	10	10	0		
3287	$\frac{1}{2}$ " diam. up to 4" diameter, as ordered	Vict.		"	13	2	0		
3288	MILD STEEL SQUARE BARS, to specification No. 2, $\frac{1}{2}$" square up to 3" square, as ordered (excluding dogspike steel under item No. 3295), any length ordered up to 50'	"	40 "	"	13	2	0		

† Rates are c.i.f., Melbourne, and are subject to 3 $\frac{1}{2}$ % discount.

ROLLED STEEL—continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
Extras on rates for items Nos. 3287 and 3288—						
3289	For LOW CARBON (INGOT IRON) QUALITY , to specification No. 7	Vict.	200 tons	ton	3 8 0	Melbourne Iron & Steel Mills Pty. Ltd.
3290	For BOILER RIVET QUALITY , to specification No. 6, in sizes $\frac{1}{4}$ " less in diameter than nominal sizes of rivets	"	50 "	"	0 15 0	
3291	For BOILER QUALITY , to specification No. 6	"	20 "	"	0 15 0	
3292	For BESCOM QUALITY, GRADE "A" OR "B," AS ORDERED , to specification No. 8	"	40 "	"	8 0 0	
SPECIAL ALLOY STEEL FOR GANG CAR AXLES, to specification No. 15—						
3293	1 $\frac{1}{4}$ " diameter x 6' long	"	25 cwt.	"	57 5 0	Melbourne Iron & Steel Mills Pty. Ltd.
3294	1 $\frac{7}{8}$ " diameter x 6' 2" long	"	10 "	"	57 5 0	
3295	MILD STEEL SQUARE BARS FOR THE MANUFACTURE OF DOG-SPIKES , to specification No. 2, $\frac{1}{2}$ " square section, in lengths 18' to 20'	N.S.W.	750 tons	"	110 10 0	The Broken Hill Pty. Co. Ltd.
3295A	" " "	Vict.		"	13 2 0	Melbourne Iron & Steel Mills Pty. Ltd.
3296	FISHBOLT STEEL ROUND BARS , to specification No. 12, $\frac{3}{4}$ " or 1" diameter, as ordered, in lengths 18' to 20'	N.S.W.	75 "	"	111 10 0	The Broken Hill Pty. Co. Ltd.
3297	CARBON SPRING STEEL ROUND BARS , to specification No. 5— $\frac{3}{8}$ " diameter up to and including 3" diameter, as ordered, any length ordered	"	100 "	"	115 17 6	
3297A	$\frac{1}{2}$ " diameter up to and including 3" diameter, as ordered, any length ordered	Vict.		"	19 0 0	Melbourne Iron & Steel Mills Pty. Ltd.
3298	SILICON CHROME STEEL ROUND BARS , to specification No. 14, $\frac{1}{2}$ " diameter and over, as ordered, any length ordered	"	5 "	"	25 18 0	
BESCOM QUALITY (GRADE "B") ROUND STEEL BARS, to specification No. 8, in lengths 16' to 18'—						
3299	4 $\frac{1}{4}$ " diameter	N.S.W.	20 "	"	16 7 6	The Broken Hill Pty. Co. Ltd.
3300	4 $\frac{1}{2}$ " diameter	"		"	16 7 6	
LOW CARBON (INGOT IRON) ROUND STEEL BARS, to specification, No. 7, in lengths 16' to 18'—						
3301	4 $\frac{1}{8}$ " diameter	"	20 "	"	"	Nil
3302	4 $\frac{3}{8}$ " "	"		"	"	

† Rates are c.i.f., Melbourne, and are subject to 3 $\frac{1}{2}$ % discount.

ROLLED STEEL—continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
	MILD STEEL FLAT BARS , to specification No. 2, any length ordered up to 60'—					
3303	$\frac{1}{2}$ " to 7" wide x $\frac{1}{8}$ " to $\frac{3}{16}$ " thick ...	Vict.	} 1000 tons	ton	15 2 0	} Melbourne Iron & Steel Mills Pty. Ltd.
3304	$\frac{1}{2}$ " to $\frac{7}{8}$ " wide x $\frac{1}{4}$ " thick ...	"		"	14 2 0	
3305	1" to 9" wide x $\frac{1}{4}$ " thick and over ...	"		"	13 2 0	
3306	$\frac{5}{8}$ " to $\frac{7}{8}$ " wide x $\frac{1}{16}$ " to $\frac{1}{2}$ " thick ...	"		"	13 12 0	
	MILD STEEL FLAT BARS , to specification No. 2, in lengths 10' to 35', as ordered—					
3307	Over 9" up to 12" wide x $\frac{1}{4}$ " to 1" thick ...	N.S.W.	}	"	†11 10 0	} The Broken Hill Pty. Co. Ltd.
3307A	Over 9" up to 12" wide x $1\frac{1}{4}$ " and $1\frac{1}{2}$ " thick	"		"	†12 0 0	
	Extra on rates for items Nos. 3303 to 3306—					
3308	For LOW CARBON (INGOT IRON) QUALITY , to specification No. 7	Vict.	50 "	"	3 8 0	Melbourne Iron & Steel Mills Pty. Ltd.
	CARBON STEEL FLAT BARS FOR LAMINATED SPRINGS , to specification No. 3, any length ordered—					
3309	$\frac{3}{4}$ " wide x $\frac{1}{2}$ " thick, square edge ...	N.S.W.	} 250 "	"	†15 7 6	} The Broken Hill Pty. Co. Ltd. Melbourne Iron & Steel Mills Pty. Ltd. The Broken Hill Pty. Co. Ltd. Melbourne Iron & Steel Mills Pty. Ltd.
3309A	" " " " ...	Vict.		"	19 10 0	
3310	1" to 6" wide x $\frac{3}{16}$ " thick and over, as ordered, round edge	N.S.W.		"	†15 7 6	
3310A	" " " " ...	Vict.		"	19 0 0	
3311	CARBON STEEL FLAT BARS FOR VOLUTE SPRINGS , to specification No. 5, 1" to 6" wide x $\frac{3}{16}$ " thick and over, as ordered, any length ordered	N.S.W.	} 25 "	"	†15 17 6	} The Broken Hill Pty. Co. Ltd.
3311A	" " " " ...	Vict.		"	19 0 0	
3312	SILICON CHROME STEEL FLAT BARS FOR VOLUTE SPRINGS , to specification No. 14, 1" to 6" wide x $\frac{3}{16}$ " thick and over, as ordered, any length ordered	"	60 "	"	25 18 0	} Melbourne Iron & Steel Mills Pty. Ltd.
3313	FLAT STEEL BARS FOR DRAFT KEYS , to drawing No. 7645 and specification No. 13, any length ordered up to 17' 6", 5" x $1\frac{1}{8}$ " round edge, or 5" x $1\frac{1}{4}$ " square edge, as ordered	"	25 "	"	18 0 0	
	NUT STEEL FLAT BARS , to specification No. 9, in lengths 18' to 20'—					
3314	$1\frac{1}{2}$ " x $\frac{5}{16}$ ", for $\frac{7}{8}$ " nuts ...	"	} 25 "	"	16 10 0	}
3315	$1\frac{3}{16}$ " x $1\frac{1}{4}$ ", for 1" nuts ...	"		"	16 10 0	
3316	Sections for nuts over 1", as ordered ...	"		"	16 10 0	

† Rates are c.i.f., Melbourne, and are subject to 3½% discount.

ROLLED STEEL—continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor	
					£	s.	d.		
	MILD STEEL TYRE RETAINING RING BARS , to specification No. 10, any length ordered—								
3317	To drawing No. 40·5 and gauge drawing No. 48·2	Vict.	25 tons	ton	25	0	0	Melbourne Iron & Steel Mills Pty. Ltd.	
3318	Channel, to drawing No. 40·6 and gauge drawing No. 48·1			„	22	0	0		
3319	To drawing No. 6748, amended 21.8.37			„	22	0	0		
3320	To drawing No. 7761, for 47B, 48B and 50B tyres			„	21	0	0		
3321	To drawing No. 7762, for 45B and 46B tyres			„	21	0	0		
*3322	MILD STEEL INTERLOCKING CHANNEL BARS , to specification No. 2, in 12' to 23' lengths, as ordered	„	175 „	„	18	5	0		
*3323	MILD STEEL FISHPLATE BARS FOR INTERLOCKING CHANNELS , to specification No. 2, any length ordered	„	10 „	„	18	5	0		
3324	MILD STEEL COPING , to specification No. 2, 1" or 1½" x ½", as ordered, any length ordered	„	5 „	„	18	0	0		
3325	REGULAR TRAPEZOIDAL SECTION CARBON STEEL BARS , 1½" wide at base, tapering to 1⅜" wide at top x 1½" high, for helical springs, to specification No. 5, any length ordered	N.S.W.	30 „	„	115	17	6		
	FORGING QUALITY (CLASS J, K, L, M OR P), AXLE QUALITY (CLASS T OR U) , all to specification No. 11—								
	STEEL BILLETS AND BLOOMS—								
3326	1½" to 12" square section ...	„	50 „	„	110	19	6	The Broken Hill Pty. Co. Ltd.	
3327	Over 12" up to 13" square section	„		„	111	9	6		
	STEEL SLABS—								
3328	2·25 to 144 sq. in. sectional area ...	„		„	110	19	6		
3329	Over 144 to 169 sq. in. sectional area	„		„	111	9	6		
3330	„ 169 to 196 „ „ „	„	„	111	19	6			
3331	„ 196 to 225 „ „ „	„	„	112	19	6			
	Extras on rates for items Nos. 3326, to 3331—								
3332	For BESCOM QUALITY, GRADE "A" OR "B" , as ordered, to specification No. 8	„	100 „	„	11	0	0		
3333	For CARBON SPRING STEEL QUALITY , to specification No. 4	„	25 „	„	10	10	0		

‡ Rates are c.i.f., Melbourne, and are subject to 3¼% discount.

ROLLED STEEL—continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor	
	MILD STEEL RECTANGULAR PLATES , to specification No. 2, in lengths up to 30' (subject to maximum sizes shown in specification No. 1), with minimum area of 12 sq. ft., and maximum weight of 3000 lb. each for plates up to 78" wide—						
3334	10 B.G. ($\frac{1}{8}$ " x 36" to 60" wide ...	N.S.W.	} 1200 tons	ton	£14 10 0	} The Broken Hill Pty. Co. Ltd.	
3335	$\frac{3}{16}$ " thick x 36" to 60" wide ..	"		"	£11 15 0		
3336	$\frac{1}{4}$ " " x 36" " 60" " ...	"		"	£11 10 0		
3337	$\frac{5}{16}$ " " x 36" " 66" " ...	"		"	£11 5 0		
3338	$\frac{3}{8}$ " " x 36" " 78" " ...	"		"	£11 0 0		
3339	$\frac{7}{16}$ " to 2" thick x 36" to 78" wide ...	"		"	£11 0 0		
	Extras on rate for item No. 3335—						
3340	For widths over 60" up to 66" ...	"	...	"	£10 15 0		
3341	" " 66" " 72" ...	"	...	"	£11 0 0		
3342	" " 72" " 78" ...	"	...	"	£11 10 0		
3343	" " 78" " 84" ...	"	...	"	£13 10 0		
	Extras on rate for item No. 3336—						
3344	For widths over 60" up to 66" ...	"	...	"	£10 5 0		
3345	" " 66" " 72" ...	"	...	"	£10 10 0		
3346	" " 72" " 78" ...	"	...	"	£10 15 0		
3347	" " 78" " 84" ...	"	...	"	£12 0 0		
	Extras on rate for item No. 3337—						
3348	For widths over 66" up to 72" ...	"	...	"	£10 5 0		
3349	" " 72" " 78" ...	"	...	"	£10 10 0		
3350	" " 78" " 84" ...	"	...	"	£11 15 0		
	Extra on rate for item No. 3338—						
3351	For widths over 78" up to 84" ...	"	...	"	£11 7 6		
	Extra on rate for item No. 3339—						
3352	For widths over 78" up to 84" ...	"	...	"	£11 0 0		
	Extras on rates for items Nos. 3334 to 3339 (subject to maximum sizes shown in specification No. 1)—						
3353	For widths under 36" down to 24"	} Nil	
3354	" " 24" " 18"		
3355	" " 18" down to, but not including 12"		
3356	For lengths over 30' up to 40'		

† Rates are c.i.f, Melbourne, and are subject to 3½% discount.

ROLLED STEEL—continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
Extras on rates for items Nos. 3334 to 3337—								
3357	For areas under 12 sq. ft. down to 8 sq. ft.	} Nil
3358	For areas under 8 sq. ft. down to 4 sq. ft.	
3359	For areas under 4 sq. ft. down to 2 sq. ft.	
3360	For areas under 2 sq. ft. down to 1 sq. ft.	
Extras on rates for items Nos. 3338 and 3339—								
3361	For areas under 12 sq. ft. down to 8 sq. ft.	} Nil
3362	For areas under 8 sq. ft. down to 4 sq. ft.	
3363	For areas under 4 sq. ft. down to 2 sq. ft.	
3364	For areas under 2 sq. ft. down to 1 sq. ft.	
Extra on rates for all plates up to 78" wide (in addition to extras for width, etc., under items Nos. 3340 to 3352, if ordered)—								
3365	If weight of finished plate exceeds 3000 lb.	N.S.W.	...	ton	†	1	0 0	} The Broken Hill Pty. Co. Ltd.
Extras on rates for items Nos. 3334 to 3339 (in addition to any other extras ordered)—								
3366	For BOILER QUALITY , to specification No. 6	"	50 tons	"	†	1	10 0	
3367	For FIREBOX QUALITY , to specification No. 16	"	30 "	"	†	3	10 0	
3368-3379	—Nil							

† Rates are c.i.f.. Melbourne, and are subject to 3½% discount.

EXPLOSIVES, ETC.

(Schedule No. 105)

3380	Cartridges, smokeless, auto. pistol, .32 calibre, in boxes of 25 or 50 as ordered	...	10,000	Nil
3381	Detonators, No. 6, in boxes of 100, delivered f.o.r. Laverton, "Nobel's" (see note)	Vict.	1000 boxes	1000	3	0 0	} Dalgety & Co. Ltd.
3382	Detonators, electric, No. 6, to specification, delivered f.o.r. Laverton, "Nobel's"	"	100,000	"	13	3 6	
3383	Fuse, single thread, in coils of 8 yards, in case lots of 300 coils, "Nobel's"	"	9000 coils	coil	0	0 6½	McMicking & Co.
3384	Gelignite, A.N. 50 per cent., in 50 lb. cases, delivered f.o.r. Laverton, "Nobel's" (see note)	"	100 cases	case	2	14 0	} Dalgety & Co. Ltd.
3385	Ajax, in 50 lb. cases, delivered f.o.r. Laverton, "Nobel's"	"	2000 "	"	2	12 0	

EXPLOSIVES, ETC.—continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
3386	Powder, blasting, nitrate of soda, in 50 lb. cases, delivered f.o.r. Laverton, "Nobel's"	Vict.	15 ,,	case	2	1	0	McMicking & Co.
	Extras on contract rates for delivery in Melbourne and suburbs—							
3387	Detonators (item No. 3381)— In lots under 500	lot	0	2	9	Dalgety & Co. Ltd.
3388	In lots 500 and over	"	0	3	9	
3389	Gelignite (item No. 3384)	case	0	2	9	
3390	Blasting Powder (item No. 3386)	"	0	2	3	McMicking & Co.
3391-3399	—Nil							

BROWN PAPER, TICKET BOARDS, ETC.

(Schedule No. 107)

†3410	Checks, manilla, luggage— Brown, to specification ...	Vict.	25,000	1000	0	7	3	Sands & McDougall Pty. Ltd.
†3411	Cerise, ,, ,, "Shell" ...	"	100,000	"	0	5	3	
†3412	Yellow, ,, ,, " " ...	"	300,000	"	0	5	3	Alex. Cowan & Sons Ltd.
†3413	White, ,, ,, " " ...	"	100,000	"	0	3	11	
*3414	6½" x 2½", printed one side (four stereotypes supplied), two perforations, 2 7/8" and 4 3/4" from foot of check, washed, in gangs of four, boxed in 1000's, "Union" (see note)	"	1,000,000	"	0	6	5	Spicers & Detmold Ltd.
*3415	Labels, linen, small, 2½" x 2"	"	12,000	"	0	8	6	Sands & McDougall Pty. Ltd.
†3416	Labels, manilla, in gangs of four and boxed— No. 5 ...	"	500,000	"	0	3	11	
†3417	No. 6, "Shell" ...	"	400,000	"	0	4	6	
†3418	7" x 3½", ,, ...	"	150,000	"	0	7	6	Alex. Cowan & Sons Ltd.
†3419	Paper, brown, M.F. finish— Kraft, Double Imperial, 54 lb., flat or folded	"	8 tons	ton	48	2	6	Australian Paper Manufacturers Ltd.
†3420	Kraft, Quad Imperial, 45" x 58", 140 lb.	"	15 reams	ream	3	0	1 3/4	
†3421	Kraft, in rolls, 18" wide, 28 lb. Double Crown substance	"	40 rolls	ton	48	2	6	
†3422	Kraft, in rolls, 30" wide, 80 lb. Double Imperial substance	"	250 ,,	"	48	2	6	
†3423	Paper, brown, M.F. Kraft, 17" x 27", 80 lb.	"	50 reams	ream	1	15	3 1/4	
†3424	Cloth lined Boards, 20" x 25", any standard colour ordered. Weight to be specified	...	2 gross	Nil
*3425	Manilla Ticket Boards, 22½" x 30¼", packed in bundles of 50	Vict.	7000 sheets	100	6	13	9	Australian Paper Manufacturers Ltd.
†3426	Postcard Boards, coated two sides, 22½" x 28½", 49 lb. per gross or nearest weight	...	40 gross	Nil
†3427	Royal Pasteboards, 20" x 25", packed in bundles of 1 gross, with label indicating thickness— 3 sheet, 21 lb. ...	Vict.	600 ,,	gross	0	10	3	Australian Paper Manufacturers Ltd.
†3428	6 sheet, 48 lb. ...	"	100 ,,	"	0	19	9	
†3429	Royal Pulp Boards, 20" x 25", 4 sheet, assorted light tints, 26/28 lb.	"	1000 ,,	"	0	12	6	

BROWN PAPER, TICKET BOARDS, ETC.—continued.

Item No.	Description	Country of Manufre	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
	Royal Surface Boards, 20" x 25", 4-sheet, 30 lb., packed in bundles of 1 gross, with label indicating colour—					
†3430	Blue, coated one side only ...	Vict.	10 gross	gross	1 5 0	Sands & McDougall Pty. Ltd.
†3431	Green, coated two sides ...	"	50 "	"	1 3 3	
†3431A	Red " " ...	"		"	1 9 2	
†3432	Yellow " " ...	"	50 "	"	1 3 5	
	Strawboard, plain—					
†3433	25" x 30", 12 oz. ...	"	50 cwt.	cwt.	1 0 6	Australian Paper Manufacturers Ltd.
†3433A	25" x 30", 16 oz. ...	"		"	1 4 3	
†3434	25" x 30", 24 oz. or 32 oz. as ordered	"	30 "	"	1 4 3	
†3435	30" x 40" x $\frac{3}{8}$ " ...	"	150 sheets	sheet	0 5 3	
†3436	30" x 40" x $\frac{1}{2}$ " ...	"	500 "	"	0 6 6	
†3437	30" x 40" x $\frac{1}{8}$ " ...	"	75 "	"	0 7 3	
†3438	Strawboard, double white lined, 16 oz. substance, 34" x 44", to caliper between .070" and .075"	...	40 cwt.	Nil
	System Boards, 25 $\frac{1}{2}$ " x 30 $\frac{1}{2}$ "—					
†3439	110 lb., white	100 reams	Nil
†3440	" tinted, any standard colour ordered	
†3441	138 lb. to 140 lb., white	25 "	
†3442	" " " tinted, any standard colour ordered	
†3443	170 lb., white	25 "	
†3444	" tinted, any standard colour ordered	
†3445	220 lb., white	5 "	
†3446	" tinted, any standard colour ordered	
	Ticket Boards, 23" x 25", to specification—					
*†3447	Blue or Buff, as ordered ...	Vict.	6 tons	ton	35 10 0	Australian Paper Manufacturers Ltd.
*†3448	Cerise or Green, as ordered ...	"	20 "	"	35 10 0	
*†3449	White ...	"	70 "	"	35 10 0	
*†3450	Yellow ...	"	1 "	"	35 10 0	
†3451	Wood Pulp Boards, 34" x 44", 50's, to caliper between .070" and .075"	...	4 "	Nil
†3452	Diaries, "Australian" ...	Vict.	£100	...	Percentage off Price List 47 $\frac{1}{8}$ %	Sands & McDougall Pty. Ltd.
3453-3459	—Nil					

PRINTING AND WRITING PAPERS, ETC.
(Schedule No. 108)

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
†3460	Paper, blotting, white, demy, to specification— 36 lb., folded	...	85 reams	Nil
†3461	46 lb., 1st quality, folded or flat, 500's	Vict.	30 „	ream	1	10	8 ⁷ / ₁₆	Australian Paper Manufacturers Ltd.
†3462	Paper, duplicating, hard sized, quad foolscap, 48 lb., to specification— White	...	2500 „	} Nil
†3463	Assorted light tints, (samples to be submitted of all colors offered)	...	30 „	
†3464	Paper, printing, to specification— Glazed Cap, 36" x 24", 45 lb.	Vict.	50 „	ream	1	1	1 ³ / ₄	} Australian Paper Manufacturers Ltd.
†3465	Kraft Brown, double royal, 40 lb., 480's	„	800 „	„	0	17	2 ¹ / ₄	
†3466	Manilla, carte, double crown, 100 lb., 500's	„	300 „	„	2	15	7	
†3467	Smooth Cartridge, royal, 40 lb.	...	200 „	
†3468	Paper, writing, azure laid, 17 ¹ / ₂ " x 40", guillotine trimmed all sides (quad foolscap azure, 56 lb. substance), 42 lb., 500 sheets per ream, to specification	...	1300 „	} Nil
†3469	Paper, writing, bank, to specification— Cerise, quad foolscap, 28 lb.	...	100 „	
†3470	Old Gold, double medium or double demy, 25 lb.	...	30 „	
†3471	Salmon, quad foolscap, 28 lb.	...	100 „	
†3472	White, double demy, 25 lb.	...	600 „	
†3473	White, double large post, 22 lb.	...	500 „	
†3474	White, double royal, 30 lb.	...	500 „	
†3475	White, quad foolscap, 28 lb.	...	2500 „	
3476-3479	—Nil							

BRAKE HOSE PIPES.

(Schedule No. 109)

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
Hosepipes, W.H.B., to specification—						
†3480	1½" inside dia. x 24" long	... Vict.	8000	each	0 6 6	Dunlop Rubber Aust. Ltd.
†3480A	" " " "	... "		"	0 6 6	Barnet Glass Rubber Co. Pty. Ltd.
†3480B	" " " "	... N.S.W.		"	0 6 6	The Goodyear Tyre & Rubber Co. (Aust.) Ltd.
†3480c	" " " "	... "		"	0 6 6	Hardie Rubber Co. Ltd.
3481-3489—Nil						

INDIA-RUBBER HOSE

(Schedule No. 110)

Hose, I.R., vulcanised, to specification—						
†3490	For compressed air, in 60' lengths— ¾" diameter x 5 ply (wrapped)	... Vict.	2280 feet	foot	†0 1 6	} Dunlop Rubber Aust. Ltd.
†3491	½" " x 5 " "	... "	2400 "	"	†0 2 3½	
†3491A	½" " x 3 braid, "Wingfoot"	... N.S.W.		"	"	†0 2 3½
†3492	¾" diameter x 4 ply (wrapped)	... Vict.	1080 "	"	†0 2 3½	Barnet Glass Rubber Co. Pty. Ltd.
†3493	For oxygen and acetylene, ¾" diameter x 3 ply, in 60' lengths (wrapped), "Kangaroo"	... N.S.W.	480 "	"	†0 1 3½	Hardie Rubber Co. Ltd.
†3494	For pantographs, ½" diameter x 6 ply, in 60' lengths	... Vict.	120 "	"	†0 2 8½	Barnet Glass Rubber Co. Pty. Ltd.
†3495	For Pintsch gas, ¾" diameter x 5 ply, armoured outside, in 40' lengths	... "	360 "	"	†0 3 3	Dunlop Rubber Aust. Ltd.
For radiators, 3 ply, in 3' lengths—						
3496	1¼" diameter	... N.S.W.	105 "	"	†0 1 10	} The Goodyear Tyre & Rubber Co. (Aust.) Ltd.
3497	1½" " "	... "		"	†0 2 0½	
3498	1½" " "	... "		"	†0 2 5	
†3499	2" " "	... "		"	†0 2 8½	
3500	2¼" " "	... "		"	†0 2 10½	
3501	2½" " "	... "		"	†0 3 1	
3502	3" " "	... "		"	†0 3 5½	

† Items Nos. 3490 to 3502.—Less 33½% trade discount and less a further 2½% for payment by end of month following month of delivery.

INDIA-RUBBER HOSE—continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
	Hose, I.R., vulcanised, to specification— continued— For steam—					
†3503	¾" diameter x 6 ply, armoured outside, in 60' lengths, "Kookaburra"	N.S.W.	120 feet	foot	†0 4 0½	Hardie Rubber Co. Ltd.
†3504	1½" diameter x 5 ply, any length ordered	Vict.	60 "	"	†0 4 10	Barnet Glass Rubber Co. Pty. Ltd.
†3505	For water— ½" diameter x 3 ply, in 60' lengths	"	2520 "	"	†0 0 9	
†3506	¾" diameter x 3 ply, in 60' lengths	"	7080 "	"	†0 0 11	Dunlop Rubber Aust. Ltd.
†3507	¾" diameter x 3 ply, armoured outside, in 60' lengths	"	240 "	"	†0 1 2	Barnet Glass Rubber Co. Pty. Ltd.
†3508	¾" diameter x 4 ply, in 60' lengths	"	1080 "	"	†0 1 1¼	Dunlop Rubber Aust. Ltd.
†3509	1" diameter x 3 ply, in 60' lengths,	"	2280 "	"	†0 1 1¾	Barnet Glass Rubber Co. Pty. Ltd.
†3510	1" diameter x 3 ply, armoured outside, in 60' lengths	"	120 "	"	†0 1 4¾	
†3511	2" diameter x 4 ply, in 40' lengths	"	720 "	"	†0 5 1	
†3512	2" diameter x 4 ply, with ¾" thick walls, in 30', 40' or 60' lengths, as ordered	"	600 "	"	†0 5 10	
†3513	2½" diameter x 4 ply, in 60' lengths, "Kookaburra"	N.S.W.	2160 "	"	†0 5 10	Hardie Rubber Co. Ltd.
†3514	Suction, smooth bore, armoured inside— 2" diameter x 4 ply, in 20' lengths, with plain ends 6" long	Vict.	20 lgths.	length	†7 9 6	Barnet Glass Rubber Co. Pty. Ltd.
†3515	2¾" diameter x 4 ply, in 3' 2" lengths, with plain ends 3" long, "Kookaburra"	N.S.W.	5 "	"	†1 12 1	Hardie Rubber Co. Ltd.
†3516	2¾" diameter x 4 ply, in 3' 7" lengths, with plain ends 3" long, "Kookaburra"	"	5 "	"	†1 15 7	
3517-3519	—Nil					

† { Items Nos. 3503, 3504 and 3511 to 3514.—Less 33½% trade discount.
 † { Items Nos. 3515 and 3516.—Less 25% trade discount.
 † { All Items.—Less 2½% discount (in addition to any shown above) for payment by end of month following month of delivery.

RUBBER BELTING.

(Schedule No. 111.)

†3520	Belting, motorcycle, V, rubber covered, ¾" wide at top x ⅜" thick, 10-12 ply, any length ordered up to 60'	Vict.	3600 lin. ft.	lin. ft.	†0 1 6½	Barnet Glass Rubber Co. Pty. Ltd.
†3521	Belting, rubberised canvas, 32 oz., high speed transmission, flat, to specification, any size on price list, as ordered, any length ordered, "Titan" or "Super Pliant"	"	£700	...	Percentage off Price List †less 33½% and 10%	Dunlop Rubber Aust. Ltd.
†3522	Belting, rubberised canvas, 32 oz., high speed transmission, flat, 2¼" x 3-ply, to specification, any length ordered	"	300 lin. ft.	lin. ft.	†0 1 2	Barnet Glass Rubber Co. Pty. Ltd.
	Belting, canvas duck, 32 oz., 4-ply, treated with rubber composition, unstitched, for train lighting dynamos, to specification—					
3523	3" wide, "Red Transmission" or "Titan"	"	£650	"	†0 1 9	
3524	4" wide, "Red Transmission" or "Titan"	"		"	†0 2 3	
3523A	3" wide, "Wingfoot"	N.S.W.		"	†0 1 9	
3524A	4" " "	"		"	†0 2 3	
†3525	Belts, V, endless, 40° angle, for multiple drives, to specification, any size on price list, as ordered, "Barnet Glass"	Vict.	1000 lin. ft.	...	Percentage off Price List †less 33½%	Barnet Glass Rubber Co. Pty. Ltd.
3526-3529	—Nil					

† { Items Nos. 3522 to 3524A.—Less 33½% and 10% trade discount.
 † { All items.—Less 2½% discount (in addition to any shown above) for payment by end of month following month of delivery.

INDIA-RUBBER GOODS, VARIOUS.

(Schedule No. 112)

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor	
†3530	Bands, I.R., acid resisting, 5" x ½" x ⅛" ...	Vict.	15 grs.	gross	†0 7 6	Barnet Glass Rubber Co. Pty. Ltd.	
3531	Boots, ankle, farmyard, I.R., any size ordered, "Progress"	N.S.W.	25 pairs	pair	0 11 6	} Progress Rubber Co. Pty. Ltd.	
3532	Boots, knee, I.R., any size ordered, "Progress"	"	80 "	"	0 14 9		
†3533	Boots, knee, I.R., with leather soles and heels, any size ordered, "Dunlop"	"	5 "	"	†1 14 6	Dunlop Rubber Aust. Ltd.	
3534	Boots, thigh, I.R., cleated sole, any size ordered, "Progress"	"	140 "	"	1 6 9	Progress Rubber Co. Pty. Ltd.	
*3535	Bumpers, door, I.R. ...	Vict.	10 doz.	doz.	†0 1 6	} Barnet Glass Rubber Co. Pty. Ltd.	
3536	Bumpers, sanitary seat, I.R., countersunk, M.M.B.W. standard	"	200 "	"	†0 0 4½		
*3537	Bumpers, sash, I.R., ⅝" ...	"	80 "	"	†0 2 2		
*3538	Covers, for Universal test clips, I.R., red or black, as ordered	"	10 "	"	†0 2 3½		
3539	Fingerettes, I.R., red, medium ...	"	10 "	"	†0 1 11	} Dunlop Rubber Aust. Ltd.	
†3540	Gloves, elbow length, I.R., acid resisting, for handling weed poisoning liquid, any size ordered	"	50 pairs	pair	†0 15 6		
†3541	Gloves, half gauntlet, I.R., dipped, reinforced thumb, for acid and accumulator work, any size ordered	"	150 "	"	†0 8 9	} Nil	
†3542	Goloshes, I.R., men's, any size ordered ...	"	30 "	"	...		
† {	3543	India-rubber Sheet, vulcanised, with canvas insertion— ⅜" thick ...	N.S.W.	20 lb.	lb.	†0 2 9	} The Goodyear Tyre & Rubber Co. (Aust.) Ltd.
	3544	⅛", ¼", ⅜" or ½" thick, as ordered ...	"	3600 "	"	†0 1 10	
† {	3545	India-rubber Sheet, brown— ⅜" thick ...	Vict.	50 "	"	†0 1 11½	} Barnet Glass Rubber Co. Pty. Ltd.
	3546	¼", ⅜", ½" or 1" thick, as ordered ...	"	900 "	"	†0 1 7½	
†3547	India-rubber Sheet (matting), brown, backed, ⅜" thick, 72" wide, to specification	"	100 l. yds.	l. yd.	†1 7 7½	} The Olympic Tyre & Rubber Co. Ltd	
† {	3548	India-rubber Stock, camel back, for full circle retreading— 7⅞" x 4¼" x ⅜"	"	50 lb.	lb.		†0 1 10
	3549	8¼" x 5¼" x ½", with ⅒" cushion rubber	"	85 "	"		†0 1 11
	3550	10" x 6¼" x ½" " " " "	"	500 "	"		†0 1 11
	3551	11½" x 7¼" x ⅜" " " " "	"	2000 "	"		†0 1 11
†3552	India-rubber Strip, for windscreens, No. 1	"	2500 ft.	"	...	Nil	
†3553	Plugs, I.R., red, with nickle-plated ring, bolt, nut and washer— 1⅜" (for lavatory basins, etc.) ...	Vict.	5 doz.	doz.	†0 4 11	} Barnet Glass Rubber Co. Pty. Ltd.	
	†3554	2½" (for baths, wash troughs, etc.)	"	10 "	"		†0 6 8
*3555	Rings, I.R., grey, 5" outside diameter x 4½" inside diameter x ⅛" thick	"	40 "	"	†0 0 10½	} Dunlop Rubber Aust. Ltd.	
†3556	Rings, packing, hose coupling, I.R., to blue print dated 31.8.34, for ¾" or 1" head, as ordered	"	1900 "	"	†0 1 6½		

† { Item No. 3533.—Less 2½% trade discount.
 Items Nos. 3540, 3543, 3544, 3553 and 3554.—Less 33½% trade discount.
 All items. Less 2½% discount (in addition to any shown above) for payment by end of month following month of delivery.

INDIA-RUBBER GOODS, VARIOUS—continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
†3557	Rollers, feed, I.R., for Edison Mimeograph	Vict.	250	each	†0 1 6	Barnet Glass Rubber Co. Pty. Ltd.
†3558	Solution, I.R., in 4-gal. tins ...	„	1200 lb.	lb.	0 1 0 ³ / ₄	Leggett Products Pty. Ltd.
†3559	Solution, vulcanising, in 5-gal. tins ...	„	3 tins	„	„	} Nil
	Stoppers, I.R., soft, grey—					
†3560	No. 1	„	1 gross	„	„	
†3561	No. 2	„	3 „	„	„	
†3562	No. 4	„	2 „	„	„	
†3563	No. 5	„	2 „	„	„	
†3564	Tips, finger, I.R., pinnacle type	Vict.	500 doz.	doz.	†0 0 7	Dunlop Rubber Aust. Ltd.
†3565	Tubing, I.R., ³ / ₈ " diameter x ¹ / ₈ " wall, for gas	„	50 ft.	foot	†0 0 3 ¹ / ₂	} Barnet Glass Rubber Co. Pty. Ltd.
†3566	Tubing, I.R., ¹ / ₄ " diameter x ¹ / ₈ " wall, for acid	„	100 „	„	†0 0 3	
*3567	Washers, cushion, I.R., 4" x 1 ¹ / ₈ " x 1 ¹ / ₈ " hole	„	10 doz.	doz	†1 16 0	
	Washers, gauge glass, I.R.—					
*†3568	Hexagonal, for "B. & W." boilers, 250 lb. pressure	„	20 „	„	†0 2 3	} Dunlop Rubber Aust. Ltd.
†3569	With canvas insertion, 1 ³ / ₈ " x ¹ / ₈ " x ¹ / ₈ " thick	„	60 „	„	†0 2 3	
†3570	Washers, Royle's union, ¹ / ₂ ", ³ / ₄ " or 1", as ordered	„	10 „	„	†0 1 9 ¹ / ₄	Barnet Glass Rubber Co. Pty. Ltd.
3571-3579	—Nil					

† { Item No. 3565.—Less 33¹/₄% trade discount.
 All items.—Less 2¹/₂% discount (in addition to that shown above) for payment by end of month following month of delivery.

PACKING, ETC.
(Schedule No. 113)

†3580	Gaskets, oval, for 3" "B. & W." header joints, "Cape Asbestos"	U.K.	30,000	100	0 13 6	} Gilbert Lodge & Co. Pty. Ltd.
†3581	Gaskets, oval, for 4" "B. & W." header joints, "Cape Asbestos"	„	300	„	1 1 6	
†3582	Gaskets, square, for super-heaters, "B. & W." boilers	„	1000	„	„	
*3583	Gaskets, manhole, woven asbestos, high pressure, Admiralty pattern— Large (for Newport Power Station) ...	„	10	„	„	} Nil
*3584	Small „ „ „	„	50	„	„	
*3585	Large (for State Coal Mine)	„	40	„	„	
*3586	Packing, asbestos cord, ¹ / ₈ " to 1" diameter, as ordered	N.S.W.	1500 lb.	lb.	0 1 11	Mica & Insulating Supplies Co.

PACKING, ETC.—continued.

Item No.	Description	Country of Manufre	Estimated Requirements	Rate per	Rate		Name of Contractor
					f	s. d.	
	Packing, asbestos graphite, compounded, suitable for superheat temperature, piston and valve spindle stuffing boxes, "Cape Asbestos"—						
† { 3587	3/8" diam.	U.K.	250 lb.	lb.	0	4 7	Gilbert Lodge & Co. Pty. Ltd.
3588	1/2" "	"	1800 "	"	0	4 7	
†3589	Packing, asbestos millboard, any thickness ordered, "Cape Asbestos"	"	10,000 "	"	0	0 6	Mica & Insulating Supplies Co.
†3590	Packing, asbestos rope, 1" diameter, in coils of 100 feet	N.S.W.	2000 ft.	100 feet	0	13 0	
†3591	Packing, asbestos tape, 1" wide x 15 mils. thick, "Turners"	U.K.	500 "	"	0	12 7	Mica & Insulating Supplies Co.
†3592	Packing, asbestos, for valve glands, "Dewrance" blue, marked "B," or any suitable alternative	...	100 lb.	
	Packing, cotton, white, braided covering—						Nil
† { 3593	1/2" diameter	...	100 ft.	
3594	5/8" "	200 "	
†3595	Packing, greasy hemp, square, 3/8" to 1 1/2", as ordered	N.S.W.	500 lb.	lb.	0	0 10 1/2	Mica & Insulating Supplies Co.
†3596	Packing, I.R., 1/8" thick, "Sunlight"	Vict.	200 "	"	†0	2 9	Barnet Glass Rubber Co. Pty. Ltd.
†3597	Packing, impregnated, square, "Glengarry" type, 1/4" or 1/2", as ordered	...	70 "	Nil
†3598	Packing, lead impregnated, square—	...	750 "	
†3599	3/4" "	200 "	
	Packing, patent, for use in joints of water, steam or air installations—						Barnet Glass Rubber Co. Pty. Ltd.
† { 3600	1/4" thick	U.K.	50 "	lb.	†0	1 7	
3601	3/8", 1/2" or 3/4" thick, as ordered	"	1200 "	"	†0	1 6	
†3602	Packing, patent, for use in joints of air, oil, motor spirit or benzol installations, 1/4", 3/8", 1/2" or 3/4" thick, as ordered, "Turners"	"	150 "	"	0	3 9	Mica & Insulating Supplies Co.
	Packing, "Paragon" type, square—						Barnet Glass Rubber Co. Pty. Ltd.
† { 3603	1/4"	Vict.	100 "	"	†0	4 3	
3604	5/16" "	"	50 "	"	†0	4 2	
† { 3605	3/8" "	"	50 "	"	†0	4 1	
3606	1/2" "	"	120 "	"	†0	3 8 1/2	
3607	5/8" "	"	20 "	"	†0	3 8 1/2	
†3608	3/4" and over	"	750 "	"	†0	3 1	Dunlop Rubber Aust. Ltd.
†3609	Packing, self-lubricating, square, 1/4", 3/8", 1/2", 5/8" or 3/4", as ordered, "Palmetto" type	N.S.W.	20 "	"	0	4 9	Mica & Insulating Supplies Co.
*†3610	Washers, asbestos, for safety lamps	Vict.	10 gross	gross	0	3 0	

3611-3619—Nil

† { Item No. 3596—Less 33 1/3% trade discount and less a further 2 1/2% 30 days.
 Items Nos. 3600, 3601 and 3603 to 3608—Less 2 1/2% 30 days.
 Note—2 1/2% 30 days means payment by end of month following month of delivery.

BEARING AND CYLINDER OILS FOR ROLLING STOCK, ETC.

(Schedule No 180)

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
†6000	Oil, bearing, axle, black, to specification, in 40/45 gallon drums, "B.817" Exchange factor, '090d. gal.	U.S.A.	(1 Year) 10,000 gals.	gal.	\$0	1	11 $\frac{3}{4}$	Vacuum Oil Co. Pty. Ltd.
†6001	Oil, bearing, axle, red, heavy, to specification, in 40/45 gallon drums, "X.L."	Vict. & U.S.A.	17,000 "	"	0	2	9 $\frac{1}{2}$	} Ramsay & Treganowan Ltd.
†6002	Oil, bearing, axle, red, light, to specification, in 40/45 gallon drums, "X.L."	"	80,000 "	"	0	2	5 $\frac{1}{2}$	
†6003	Oil, cylinder, locomotive, saturated steam, to specification, in 40/45 gallon drums, "Shell" Exchange factor, 95% of '135d. gal.	"	15,000 "	"	\$0	2	6 $\frac{1}{2}$	The Shell Co. of Aust. Ltd.
†6004	Oil, cylinder, locomotive, superheater steam, to specification, in 40/45 gallon drums— "C-796" Exchange factor, '159d. gal.	"	35,000 "	"	\$0	2	9 $\frac{1}{2}$	} Vacuum Oil Co. Pty. Ltd.
†6004A	"600-W" (for S.R. & W.S. Comm.) Exchange factor '22d. gal.	"	2,000 "	"	\$0	4	4 $\frac{1}{2}$	
†6005	Oil, cylinder, for Westinghouse brake cylinders and triple valves, to specification, "Socony T.N." Exchange factor '175d. gal.	U.S.A.	650 "	"	\$0	3	3 $\frac{1}{2}$	
6006-6008	—Nil							

BEARING OIL FOR LOCOMOTIVES

(Schedule No. 181)

†6009	Oil, bearing, locomotive, in 44 gallon drums, to specification, "Shell O" Exchange factor '182d. gal.	U.S.A.	(1 Year) 40,000 gallons	gal.	\$0	3	6 $\frac{1}{2}$	The Shell Co. of Aust. Ltd.
-------	--	--------	----------------------------	------	-----	---	-----------------	-----------------------------

GREASE, VARIOUS.

(Schedule No. 182).

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
†6010	Compound, lubricating, for use in the open gears of wheel lathes and other heavy machines, in 45 lb. pails, "Crater No. 2" Exchange factor .013d. lb.	U.S.A.	(1 Year) 2 cwt.	lb.	\$0 0 3½	Caltex Ltd.
†6011	Grease, antifriction, to specification, in 45 lb. pails, "Shell V.R."	Vict. (partly)	25 "	cwt.	1 2 6	The Shell Co. of Aust. Ltd.
†6012	Grease, compound, for locomotive crank and coupling rod pins, to specification, in barrels or drums	...	Nil	
†6013	Grease, cup, to specification, "Atlantic L.M."— No. 2, in 5 lb. tins ...	Vict. (partly)	6 cwt.	lb.	0 0 6	Atlantic Union Oil Co. Ltd.
†6014	No. 2, in 45 lb. pails ...	"	1 "	"	0 0 4½	
†6015	No. 2, in barrels or drums ...	"	55 "	"	0 0 3½	
†6016	No. 3, in 5 lb. tins ...	"	40 "	"	0 0 6½	
†6017	No. 3, in 45 lb. pails ...	"	35 "	"	0 0 4½	
†6018	No. 3, in barrels or drums ...	"	10 "	"	0 0 3½	
†6019	Grease, cup, to specification, No. 5, in 5 lb. tins, "Shell Compound"	N.S.W. (partly)	3 "	"	0 0 6½	The Shell Co. of Aust. Ltd.
†6020	Grease, gear, to specification, in barrels or drums, "Gargoyle C.N."	Vict. (partly)	200 "	"	0 0 2½	Vacuum Oil Co. Pty. Ltd.
†6021	Grease, for track lubricators, to specification, in barrels or drums, "904" Exchange factor .020d. lb.	U.S.A.	140 "	"	\$0 0 4½	Caltex Ltd
†6022	Lubricant, motor chassis, to specification— Light, in 45 lb. pails, "Shell Hi-pressure"	"	500 lbs.	"	0 0 5½	The Shell Co. of Aust. Ltd.
†6023	Medium, in 5 lb. tins, "Gg. Mobil-grease, No. 5" Exchange factor, .04d. lb.	Vict. (partly)	420 "	"	\$0 0 7½	Vacuum Oil Co. Pty. Ltd.
†6024	Medium, in 45 lb. pails, "Gg. Mobil-grease, No. 5" Exchange factor, .04d. lb.	"	100 "	"	\$0 0 5½	
6025-6029—Nil						

PETROLEUM JELLY

(Schedule No. 183.)

†6030	Petroleum Jelly (Amber), for use on accumulators and dynamo bearings, in 5 lb. tins, "Petrolatum 00" Exchange factor .017d. lb.	U.S.A.	(1 Year) 5 cwt.	lb.	\$0 0 4½	Vacuum Oil Co. Pty. Ltd.
†6031	Petroleum Jelly, for ambulance use, in 5 lb. tins, "Shell pale yellow" Exchange factor .020d. lb.	"	56 lb.	"	\$0 0 6½	The Shell Co. of Aust. Ltd.
†6032	Petroleum Jelly, for use in signal boxes, in 45 lb. pails, "Atlantic amber Petrolatum" Exchange factor .017d. lb.	"	1 cwt.	"	\$0 0 3½	Atlantic Union Oil Co. Ltd.
†6033	Petroleum Jelly, for tarpaulin dressing, to specification, in drums of approx. 375 lb., "Shell dark crude" Exchange factor .015d. lb.	"	70 "	"	\$0 0 2½	The Shell Co. of Aust. Ltd.
6034-6039—Nil						

PARAFFIN WAX, ETC.
(Schedule No. 184)

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
†6040	Wax, paraffin, for tarpaulin dressing, to specification, "Shell 135/40."	Burma or U.S.A.	60 tons	cwt.	3 11 9	The Shell Co. of Aust Ltd. Vacuum Oil Co. P Ltd.
†6041	Compound wax graphite, to specification, in 5 lb. ingots, "AS"	Vict.	1200 lb.	lb.	0 1 1½	
6042-6049	—Nil					

PAINTERS' SUNDRIES, ETC.

(Schedule No. 186)

†6110	Beeswax	Vict.	12 cwt.	lb.	0 3 0	W. & G. Dean Pty. Ltd.
	Celluloid, clear, in sheets 54" x 24"—					
†6111	20 mils thick	U.K.	30 sheets	sheet	0 8 6	
†6112	40 " "	"	30 "	"	0 17 6	
†6113	Cutters, glass, turret head, No. 1		250			Nil
	Dabs, gilders', bear hair, quill bound handles—					
†6114	No. 6		80			
†6115	No. 8		100			
†6116	No. 12		50			
	Fitches, hog hair, lining—					
†6117	¼"		15			
†6118	½"		5			
†6119	¾"		5			
†6120	1"		15			
6121	Gold Leaf, non-transfer, in books of 25 leaves		25 books			
†6122	Gold Leaf, transfer, in books of 25 leaves ...		400 "			
†6123	Knives, stopping, 6" blade, with riveted handles		200			

PAINTERS' SUNDRIES, ETC.—continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor	
Knives, stripping, 5" blade—							
†6124	1½" wide	...	300	} Nil	
†6125	2" "	...	200		
†6126	3" "	...	250		
Pencils, sable, best red, liners', quill handles—							
†6127	Lark	...	5	} Nil	
†6128	Crow, "Rigby Battock"	U.K.	5	each	0 1 3		
†6129	Duck " "	"	5	"	0 2 3		
Pencils, sable, best red, writers', quill handles, "Rigby Battock"—							
6130	Lark	"	20	"	0 0 8	} W. & G. Dean Pty. Ltd.	
6131	Crow	"	35	"	0 0 11		
6132	Duck	"	40	"	0 1 4		
6133	Goose	"	10	"	0 2 10		
Pencils, sable, best red, writers', wooden handles, with copper ferrules—							
6134	No. 1 (hair 13/16" out of ferrule)	...	20	} Nil	
6135	No. 2 " 13/16" " "	...	20		
6136	No. 3 " 1" " "	...	5		
6137	No. 4 " 1 1/8" " "	...	40		
†6138	No. 6 " 1 3/16" " "	...	60		
6139	No. 8 " 1 5/16" " "	...	5		
6140	No. 10 " 1 1/2" " "	...	20		
6141	No. 11 " 1 1/2" " "	...	5		
6142	No. 12 " 1 1/2" " "	...	50		
†6143	Plaster of Paris, in bags, 14 to the ton (see note)	Vict.	30 cwt.	ton	7 0 0		} The Colonial Sugar Refining Co. Ltd.
†6144	Wood, plastic, in 1 lb. tins	...	200 lb.		
†6145	Fluid, softening, for plastic wood, in pint tins	...	50 pts.		} Nil
Wool, steel, "Austral"—							
6146	No. 0	N.S.W.	800 lb.	lb.	†0 1 2	} R. H. Armstrong & Co. Pty. Ltd.	
6147	No. 1	"	500 "	"	†0 1 1 1/2		
6148	No. 3	"	400 "	"	†0 1 0 1/2		
6149-6159	—Nil						

† Less 3 1/4% discount for payment within 7 days of date of receipt of material at Newport, or 2 1/2% for payment by end of month following month of delivery.

BROOMS, BRUSHES, ETC.

(Schedule No. 187.)

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
BROOMS—								
†6160	Bass, 13", bored for No. 3 "Gyton's" holder	Vict.	3000	each	0	3	9	Excelsior Broom & Brush Co.
†6161	Bass, 15", bored for No. 2 "Gyton's" holder	"	200	"	0	4	0	
†6162	Bassine, 12", copper wire drawn ...	"	80	"	0	1	9	} Penal & Gaols Dept.
†6163	Bassine, 24", bored for No. 2 "Gyton's" holder	"	250	"	0	3	10	
†6164	Hair, 13", bored for No. 3 "Gyton's" holder	"	3500	"	0	4	3	Excelsior Broom & Brush Co.
†6165	Hair and Java, 24", bored for No. 2 "Gyton's" holder	"	650	"	0	7	0	} Penal & Gaols Dept.
†6166	Java Fibre, 24", bored for No. 2 "Gyton's" holder	"	650	"	0	4	3	
†6167	Millet and Cane ...	"	1500	"	10	2	6	Australian Broom Co. Pty. Ltd.
BRUSHES—								
†6168	Banister, bassine, 15" overall ...	"	70	"	0	1	3	Penal & Gaols Dept.
†6169	Banister, hair and Java, 17" overall ...	"	4200	"	"	"	"	Nil
†6170	Banister, Java, 12" overall ...	Vict.	75	each	0	1	4	Penal & Gaols Dept.
*†6171	Banister, wing, horschair, 14" overall ...	"	150	"	0	3	9	Gibaud & Son Pty. Ltd.
†6172	Bottle, twisted wire handle ...	"	70	"	0	0	4	Penal & Gaols Dept.
†6173	Distemper, bristle, flat, 6" wide ...	"	20	"	"	"	"	Nil
†6174	Distemper, fibre ...	Vict.	50	each	0	2	6	Gibaud & Son Pty. Ltd.
†6175	Driven Fibre ...	"	1000	"	"	"	"	Nil
†6176	Dusters, painters' ...	Vict.	350	each	0	4	8	Gibaud & Son Pty Ltd.
†6177	Fitches, white bristle, tin-bound, flat— 5/16" wide x 1/8" thick ...	"	700	"	"	"	"	} Nil
†6178	7/8" " x 3/8" " ...	"	400	"	"	"	"	
†6179	1" " x 1/2" " ...	"	1000	"	"	"	"	
†6180	Flue, twisted wire handle ...	Vict.	120	each	0	0	6	Penal & Gaols Dept.
†6181	Gum, 1/8" diameter ...	"	250	"	"	"	"	Nil
†6182	Louvre, washing ...	Vict.	200	each	0	0	10	Excelsior Broom & Brush Co.
†6183	Painters' 8/0 ...	"	100	"	"	"	"	Nil
†6184	Pan ...	Vict.	100	each	0	1	0	} Gibaud & Son Pty. Ltd.
†6185	Pick ...	"	15	"	0	1	7	
†6186	Point Cleaning, special ...	"	400	"	"	"	"	} Nil
†6187	Point Cleaning, standard ...	"	800	"	"	"	"	
Sash Tools—								
†6188	No. 1 ...	"	200	"	"	"	"	} Nil
†6189	No. 4 ...	"	500	"	"	"	"	
†6190	No. 5 ...	"	350	"	"	"	"	

† Less 2½% discount for payment by end of month following month of delivery.

BROOMS, BRUSHES, ETC.—continued.

Item No.	Description	Country of Manufacture	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
BRUSHES—continued—						
Sash Tools—continued—						
†6191	No. 6	200	} Nil
†6192	No. 8	500	
†6193	No. 12	100	
†6194	Scouring, hair ...	Vict.	250	each	0 2 0	Gibaud & Son Pty. Ltd.
†6195	Scrubbing, boat	1500	Nil
†6196	Scrubbing, hand, single wing ...	Vict.	2200	each	†0 1 0	Australian Broom Co. Pty. Ltd.
†6197	Sewer	150	Nil
†6198	Stencil, 1" ...	Vict.	400	each	0 1 0	} Gibaud & Son Pty. Ltd.
†6199	Stencil, 1½", tarpaulin ...	"	30	"	0 2 6	
†6200	Tar, handled ...	"	300	"	0 1 8	Penal & Gaols Dept.
†6201	Typewriter	40	} Nil
†6202	Varnish, black bristle, bevelled edge— 1" wide x ⅜" thick	1200	
†6203	2" " x ¼" "	2500	
†6204	3" " x ⅜" "	1400	
†6205	Wall, 3"	1700	
†6206	Weatherboard, 3½"	800	
†6207	Weatherboard, 4"	700	
†6208	Whisks, hand, standard ...	Vict.	2000	each	†0 1 0	
†6209	Whisks, hand, with 15" handles ...	"	50	"	†0 1 1	Australian Broom Co. Pty. Ltd.
BRUSHES, STEEL WIRE—						
†6210	Blacksmiths', large ...	"	150	} Nil
†6211	Blacksmiths', round, handled	50	
†6212	Boiler Tube, 1½" diameter	250	
†6213	Boiler Tube, 2" "	50	
†6214	Moulders'	150	
†6215	Oxy-Welders', flat	300	
†6216	Spark Arrester, flat, with 48" handles	800	
DUSTERS, FEATHER—						
†6217	No. 5 ...	Vict.	300	each	0 2 0	} Excelsior Broom & Brush Co.
†6218	No. 46 ...	"	1800	"	0 4 6	
†6219	No. 46, without wire binding ...	"	400	"	0 4 0	
†6220	Dusters, wool hide, with 2" soft end, "Flex Top" ...	"	280	"	0 1 5	W. H. Cowley
†6221	Mops, cotton, spiked, (heads only), 16-oz. ...	"	400 doz.	dozen	1 5 0	Downs & Son Pty. Ltd.
6222-6229	—Nil					

† Less 2½% discount for payment by end of month following month of delivery.

GLASS.
(Schedule No. 188)

Item No.	Description	Country of Manufre	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
	Glass to specification—							
6230	Amber, plain, 16 oz., any shade ordered	U.K.	100 sq. ft.	sq. ft.	0	4	0	Brooks, Robinson Pty. Ltd.
6231	Arctic, white	U.K. or N.S.W.	200 "	"	0	0	9½	} Silverwood & Beck Pty. Ltd.
6232	Arctic, coloured	"	100 "	"	0	1	3	
6233	Euston, white	"	150 "	"	0	0	9½	
6234	Flemish, white, large or small figure, as ordered	U.K.	800 "	"	0	0	9½	} Brooks, Robinson Pty. Ltd.
6235	Flemish, colours other than white as ordered, small figure	"	80 "	"	0	1	3	
6236	Trimidical	"	3000 "	"	0	1	0	
	Plate, clear, polished, level, free from blemishes—							
	⅓" thick—							
6237	Up to 7 square feet	"	200 "	"	0	4	3½	} Brooks, Robinson Pty. Ltd.
6238	Over 7 up to 15 square feet	"	50 "	"	0	4	6	
	⅜" thick—							
6239	Up to 10 square feet	"	3000 "	"	0	4	1½	} Silverwood & Beck Pty. Ltd.
6240	Over 10 up to 20 square feet	"	100 "	"	0	4	3½	
6241	" 20 " 30 " "	"	50 "	"	0	4	8¾	
	¼" thick—							
6242	Up to 10 square feet	"	4000 "	"	0	3	10¾	Brooks, Robinson Pty. Ltd.
6243	Over 10 up to 20 square feet	"	40 "	"	0	4	0	} Brooks, Robinson Pty. Ltd.
6244	" 20 " 40 " "	"	50 "	"	0	4	6	
	⅝" thick—							
6245	Up to 10 square feet	"	30 "	"	0	4	9½	} Silverwood & Beck Pty. Ltd.
6246	Over 10 up to 20 square feet	"	20 "	"	0	4	11½	
	Extras on rates for items Nos. 6239 to 6241, 6243 and 6244 for—							
6247	Cutting and grinding a 3" diameter hole in an indicated position	Vict.	...	each	0	4	5	} Brooks, Robinson Pty. Ltd.
6248	Cutting, grinding and polishing a 3" diameter hole in an indicated position	"	...	"	0	8	9½	
	Extras on rate for item No. 6242 for—							
6247A	Cutting and grinding a 3" diameter hole in an indicated position	"	...	"	0	4	5	} Brooks, Robinson Pty. Ltd.
6248A	Cutting, grinding and polishing a 3" diameter hole in an indicated position	"	...	"	0	8	9½	
	Plate, silvered, plain edge, ¼" thick—							
6249	Up to 7 square feet	U.K. & Vict.	300 sq. ft.	sq. ft.	0	4	10½	} Brooks, Robinson Pty. Ltd.
6250	Over 7 up to 15 square feet	"	20 "	"	0	5	0	

GLASS—continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
Glass, to specification—continued—								
Extras on rates for items Nos. 6239 to 6241, 6243 and 6244 for—								
6251	$\frac{3}{4}$ " bevel	Vict.	...	lin. ft.	0	0	9	Silverwood & Beck Pty. Ltd.
6252	1" bevel	"	...	"	0	1	0	
6253	Polished arriss	"	...	"	0	0	4 $\frac{1}{2}$	
6254	Ground edges	"	...	"	0	0	6 $\frac{1}{2}$	
Extras on rates for items Nos. 6242, 6249 and 6250 for—								
6251A	$\frac{3}{4}$ " bevel	"	...	"	0	0	9	Brooks, Robinson Pty. Ltd.
6252A	1" bevel	"	...	"	0	1	0	
6253A	Polished arriss	"	...	"	0	0	4 $\frac{1}{2}$	
6254A	Ground edges	"	...	"	0	0	6 $\frac{1}{2}$	
6255	Plate, silvered, plain cut edges, $\frac{1}{4}$ " thick, $6\frac{1}{4}$ " x $5\frac{1}{4}$ ", for tricycle mirrors	U.K. & Vict.	70	each	0	0	10	Silverwood & Beck Pty. Ltd.
6256	Plate, rolled, ribbed, $\frac{3}{16}$ " thick	N.S.W.	50 sq. ft.	sq. ft.	0	0	10 $\frac{1}{2}$	
6257	Plate, wire cast, $\frac{1}{4}$ " thick	"	10,000	"	0	1	3	
6258	Plate, wire rolled, $\frac{1}{4}$ " thick	U.K.	400	"	0	1	3	
Sheet, clear—								
16 oz.—								
6259	Up to 40 united inches	N.S.W.	1400	"	†0	0	6 $\frac{1}{2}$	E. L. Yencken & Co. Pty. Ltd.
6260	Over 40 up to 50 united inches	"	1600	"	†0	0	7	
21 oz.—								
6261	12" x 10"	"	100 sheets	sheet	†0	0	8 $\frac{1}{4}$	E. L. Yencken & Co. Pty. Ltd.
6262	16" x 12"	"	250	"	†0	1	1	
6263	16" x 14"	"	100	"	†0	1	3	
6264	18" x 12"	"	500	"	†0	1	3	
6265	Up to 40 united inches, excluding items Nos. 6261 to 6264	"	5000 sq. ft.	sq. ft.	†0	0	9 $\frac{1}{2}$	
6266	Over 40 up to 50 united inches	"	8000	"	†0	0	10 $\frac{1}{4}$	
6267	" 50 " 70	"	5500	"	†0	0	10 $\frac{1}{2}$	
6268	" 70 " 80	"	8000	"	†0	0	11	
6269	" 80 " 90	"	800	"	†0	0	11 $\frac{1}{2}$	
6270	" 90 " 100	"	100	"	†0	1	1 $\frac{1}{4}$	

† Less 2 $\frac{1}{2}$ % discount for payment by end of month following month of delivery.

GLASS—continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
6271	Glass, to specification—continued— Sheet, clear—continued— 26 oz.— Up to 40 united inches ...	N.S.W.	45,000 sq. ft.	sq. ft.	10	0	11½	Melbourne Glass Bevelling & Silvering Co. Pty. Ltd.
6272	Over 40 up to 50 united inches ...	"	40,000 "	"	10	0	11½	T. S. Gill & Son Ltd.
6273	" 50 " 70 " " ...	"	3000 "	"	10	1	0	} Brooks, Robinson Pty. Ltd.
6274	" 70 " 80 " " ...	"	250 "	"	10	1	1	
6275	" 80 " 90 " " ...	"	50 "	"	10	1	2	
6276	" 90 " 100 " " ...	"	200 "	"	10	1	3½	
6277	Extra on rates for cutting and grinding a 3" diameter hole in an indicated position— for items Nos. 6261 to 6270	Vict.	...	each	10	2	8½	E. L. Yencken & Co. Pty. Ltd.
6277A	" item No. 6271 ...	"	...	"	10	2	8½	Melbourne Glass Bevelling & Silvering Co. Pty. Ltd.
6277B	" " " 6272 ...	"	...	"	10	2	8½	T. S. Gill & Son Ltd.
6277C	" items Nos. 6273 to 6276 ...	"	...	"	10	2	8½	Brooks, Robinson Pty. Ltd.
6278	Sheet, ground— 21 oz. ...	U.K. or N.S.W.	100 sq. ft.	sq. ft.	10	1	2	} Melbourne Glass Bevelling & Silvering Co. Pty. Ltd.
6279	26 oz. ...	"	4000 "	"	10	1	3	
†6280	Sheet, signal green— 16 oz. ...	U.K.	150 "	"	10	5	7	} Brooks, Robinson Pty. Ltd.
†6281	21 oz. ...	"	350 "	"	10	6	10	
†6282	Sheet, signal red— 16 oz. ...	"	600 "	"	10	3	9	
†6283	21 oz. ...	"	400 "	"	10	5	4	
6284	Sheet, silvered, 21 oz., 4½" x 2½", plain edges, for motor mirrors	N.S.W. & Vict.	500	each	10	0	3½	} Silverwood & Beck Pty. Ltd.
6285	Sheet, silvered, 21 oz., to template, plain edges, for platform wall lamps	"	60 pairs	pair.	10	1	4½	
6286-6289	—Nil							

† Less 2½% discount for payment by end of month following month of delivery.

PLUMBERS' GOODS (VARIOUS).

(Schedule No. 189.)

6290	Balls, fire plug, ebonite, 3½" diameter	10	} Nil
	Bolts and Nuts, galvanised, rolled threads, mushroom slotted heads, square nuts—					
6291	¾" long x ¼" diameter	40 gross	
6292	1" " x ¼" "	80 "	
6293	1¼" " x ¼" "	12 "	
6294	1½" " x ¼" "	40 "	
6295	2" " x ¼" "	100 "	

PLUMBERS' GOODS (VARIOUS)—continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
	Clips, bracket, nickel plated, with 1½" shanks, "Ezy"—							
6296	For ½", ¾" or 1" copper pipe, as ordered	Vict.	36 doz.	doz.	1	1	0	John Danks & Son Pty. Ltd.
6297	For 1¼" copper pipe ...	"	1 "	"	1	7	6	
6298	For ½" galvanised steel pipe ...	"	30 "	"	1	1	0	
	Clips, hose, galvanised—							
6299	½" ...	"	24 "	"	0	1	3	John Danks & Son Pty. Ltd.
6300	¾" ...	"	20 "	"	0	1	6	
	Clips, hose, galvanised, double lap, "Ideal" pattern—							
6301	1¼" ...		30 doz.					Nil
6302	1½" ...							
6303	1¾" ...							
6304	2" ...							
6305	2¼" ...							
6306	2¾" ...							
6307	3" ...							
	Clips, pipe, beaded, galvanised, "Long-bottom"—							
6308	½" ...	U.K.	100 "	doz.	0	0	4	John Danks & Son Pty. Ltd.
6309	¾" ...	"	100 "	"	0	0	5	
6310	1" ...	"	50 "	"	0	0	7	
6311	Clips, vent, galvanised, for 1½" galvanised sheet iron pipe	Vict.	30 "	"	0	1	9	
	Hooks, pipe, galvanised, for galvanised steel pipe, "Somerville"—							
6312	½" ...	U.K.	160 "	"	0	1	2	John Danks & Son Pty. Ltd.
6313	¾" ...	"	120 "	"	0	1	4	
6314	1" ...	"	25 "	"	0	1	5	
6315	1½" ...	"	5 "	"	0	2	9	
6316	2" ...	"	10 "	"	0	3	1	
6317	Jointing, bitumen, "Albion" ...	Vict.	20 cwt.	cwt.	0	12	0	
	Menders, hose, perfect clinching—							
6318	½" or ¾", as ordered ...	S. Aust.	15 doz.	doz.	0	3	0	John Danks & Son Pty. Ltd.
6319	1" ...	"	10 "	"	0	9	0	

PLUMBERS' GOODS (VARIOUS)—continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
6320	Rivets, galvanised, cone head, $\frac{3}{8}$ " or $\frac{1}{2}$ " long as ordered x $\frac{3}{16}$ " diameter	...	250 lb.	} Nil	
Screws, galvanised, cone head—								
6321	2" x 12 G	...	60 "		
6322	2 $\frac{1}{4}$ " x 12 G	...	800 "		
6323	2 $\frac{1}{2}$ " x 12 G	...	400 "		
6324	3" x 12 G	...	300 "		
6325	3 $\frac{1}{2}$ " x 14 G	...	400 "		
6326	4" x 14 G	...	150 "		
†6327	Solder, resin cored, .08"	N.S.W.	100 "	lb.	0	2 8 $\frac{1}{2}$	Australian General Electric Pty. Ltd.	
†6328	Spelter, for brazing brass boiler tubes, No. 1, 2, 3 or 4, as ordered	U.K.	20 cwt.	,	0	3 3	John Danks & Son Pty. Ltd.	
6329	Spikes, galvanised, for spouting, 6" or 7" long, as ordered	...	500 doz.	} Nil	
6330	Tubes, galvanised, for spouting, 4 $\frac{1}{2}$ " or 5" long, as ordered	...	200 "		
Washers, galvanised, cut, round, $\frac{1}{8}$ " thick—								
6331	$\frac{5}{8}$ " outside diameter x $\frac{3}{8}$ " hole	...	1 cwt.		
6332	$\frac{3}{4}$ " " x $\frac{1}{4}$ " "	...	10 "		
6333	$\frac{3}{4}$ " " x $\frac{1}{4}$ " "	...	2 "		
6334-6339	—Nil							

ENAMELLED BATHS, ETC.

(Schedule No. 190)

Basins, lavatory, cast iron, white stainless acid resisting enamelled, 1st quality, with 1 $\frac{1}{4}$ " or 1 $\frac{1}{2}$ " plug and washer (M), as ordered, to specification—							
6340	22" x 16", flat back	...	Vict.	150	each	†2 10 6	} Metters K.F.B. Pty. Ltd.
6341	25" x 20", angle	...	"	120	"	†2 10 0	

† Less 32 $\frac{1}{2}$ % trade discount and less a further 2 $\frac{1}{2}$ % for payment by end of month following month of delivery

ENAMELLED BATHS, ETC.—continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
6342	Baths, flanged, cast iron, white stainless acid resisting enamelled, 5' 0" or 5' 6" as ordered, type 1 or 4 (as per blue print 692/37), right or left hand outlet, as ordered, right or left hand return flange, as ordered, to specification— 1st quality	Vict.	250	each	11	7	9	Metters K.F.B. Pty. Ltd.
6343	2nd "	
6344	Baths, rolled edge, cast iron, white stainless acid resisting enamelled, 1st quality, 5' 6", to specification	Vict.	50	each	10	14	6	Metters K.F.B. Pty. Ltd.
6345	Cisterns, cast iron, glass enamelled, 3 gallon, with cover, and ½" "Standard" ball cock, (M), to specification, "C.I.F."	"	120	"	2	8	10	E. L. Yencken & Co. Pty. Ltd.
6346	Screens, shower, plain galvanised sheet iron, white stove-enamelled, with arch stay at top and saddle piece at bottom shaped to fit any standard make of cast iron stainless enamelled bath, as ordered	..	50	Nil
†6347	Screens, shower, wired cast glass, 4' 6" x 2' 3", round section frames, reversible for right or left hand use, to specification, uncrated	Vict.	150	each	2	6	0	Southern Plating & Manufacturing Co. Pty. Ltd.
6348	Sinks, cast iron, white stainless acid resisting enamelled, 1st quality, to specification— 15" x 14", inside measurements	"	80	"	2	6	6	Metters K.F.B. Pty. Ltd.
6349	18" x 14" " " " "	"	120	"	2	8	6	
6350	24" x 13" " " " "	"	10	"	2	16	0	
6351-6359	—Nil							

† Less 32½% trade discount and less a further 2½% for payment by end of month following month of delivery.

EARTHENWARE CLOSET PANS, ETC.

(Schedule No. 191.)

6360	Basins, wash, oval, earthenware, for cars, to drawing No. 1950	Vict.	15	each	2	16	3	R. Fowler Ltd.
6361	(M) Pans, lavatory, earthenware, pedestal, class 6, white, P. or S. trap, as ordered, unvented, or right or left hand vent, as ordered, to specification	"	250	"	1	15	5	
6362	Pans, lavatory, earthenware, for cars, to drawing No. 6761, (amended 2/9/41), or to drawing No. 4072B, as ordered	"	150	"	3	1	11	
6363-6369	—Nil							

GENERAL HARDWARE, No. 1
(Schedule No. 192.)

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
6370	Basins, enamelled, washstand, 15 $\frac{3}{4}$ ", without waste outlet	...	180	} Nil	
†6371	Bottoms, chair, 3-ply, perforated, round, 16" diameter	...	100		
	Chain, jack, iron—							
6372	8 gauge	...	24 doz. yds.		
6373	10 "	...	20 "		
6374	12 "	...	20 "		
6375	14 "	...	25 "		
6376	16 "	...	40 "		
†6377	Extinguishers, fire, No. 0 size, complete, 1 quart, "Simplex," Auto. type	N.S.W.	72	each	1	12	6	Wormald Bros. Pty. Ltd.
	Ladles, for metal, wrought iron, 10 gauge, heavy type electric welded handle, "Plumb"—							
6378	4" ...	"	50	"	0	3	4	} McPherson's Pty. Ltd.
6379	6" ...	"	25	"	0	4	0	
6380	Metal, sheet, expanded, $\frac{3}{4}$ " mesh, 18 g.	1200 sq. ft.	Nil
	Plates, brass, etched with acid, to specification—							
*6381	Engine No., Cylinder Size, Crankshaft Size	Vict.	200	each	0	0	3 $\frac{1}{2}$	} C. G. Roeszler & Son
*6382	Fire Extinguisher	"	1100	"	0	1	5	
*6383	For Inspection car oil pump	"	200	"	0	0	3 $\frac{1}{2}$	
*6384	Motor Spirit—Highly Inflammable, 4 $\frac{1}{2}$ " x 2 $\frac{1}{2}$ "	"	150	"	0	1	0	
*6385	Victorian Railways, Ser. No., Volts, Amps.	"	300	"	0	0	3 $\frac{1}{2}$	
	Pulleys, galvanised, 2", universal type, for signal wires—							
*6386	Single	N.S.W.	50 doz.	"	0	2	3	} R. B. Davies Pty. Ltd.
*6387	Double	"	20 "	"	0	2	6	
*6388	Triple	"	20 "	"	0	4	0	
6389	Pumps, kerosene, closed top, with cutter	60	} Nil
†6390	Safes, meat, round, hanging, 18" diameter	...	80	
*6391	Shafts, pinion, for 56 lb. spring balances, with hole for cotter pin	...	50	
†6392	Shovels, cinder, size 2, with tubular steel handle	...	10 doz.	
†6393	Spiders, for Douglas type chairs	...	200	
6394	Wheels, navy barrow, with wrought iron rims of flat section, 16" diameter x 1 $\frac{1}{8}$ " wide x $\frac{1}{16}$ " thick, 6 No. $\frac{1}{2}$ " spokes, $\frac{3}{4}$ " spindles	Vict.	100	each	0	7	3	} A. G. Way & Co. Pty. Ltd.
*6395	Wheels, platform barrow, wrought iron, 18 $\frac{1}{2}$ " dia., with $\frac{7}{8}$ " turned spindle, 2 $\frac{1}{4}$ " rims x $\frac{5}{16}$ " thick	"	40	"	0	10	9	
6396-6399	—Nil							

POLISHES, CASE HARDENING—COMPOSITION, ETC.
(Schedule No. 194)

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
†6420	Composition, case hardening, fine ...	Vict.	15 tons	ton	20	12	6	Hart & Co. Pty. Ltd.
† { 6421	Dressing, belt, liquid, "Octopus," in tins of 1lb. (see note)	S. Aust.	150 lb.	lb.	0	2	4	} H. Perks & Co. Pty. Ltd.
				"	0	2	0	
6422	Dressing, belt, liquid, "Octopus," in tins of 2, 7 or 14 lb., as ordered, (see note)	"		"	0	2	0	
	Polish, boot, "Kiwi," in tins of 1½ oz. net—							
†6423	Black ...	Vict.	120 doz. tins	gross tins	†3	0	0	} The Kiwi Polish Co. Pty. Ltd.
†6424	Tan or Dark Tan, as ordered ...	"	60 "	"	†3	0	0	
†6425	Polish, cleanser, "Gibson Det No. 3," in casks of 80 lb.	"	5 casks	lb.	†0	0	5	A. B. Gibson & Sons Pty. Ltd.
†6426	Polish, furniture, wax, brown, in tins of approx. 12 oz. net.	...	40 doz. tins	Nil
†6427	Polish, lavatory cleaner, "Speddo" in tins of 16 oz. net.	Vict.	10 "	doz. tins	†0	9	4	William Fisher Pty. Ltd.
	Polish, metal cleaner—							
†6428	Liquid, for hot metal, in tins of 6½ fluid oz., "Pynerzone"	"	1800 tins	tin	†0	0	5½	A. B. Gibson & Sons Pty. Ltd.
†6429	Paste, for cold metal, in 3 oz. tins, "Metalsheen"	"	5300 "	"	†0	0	4	Greasgo Products
†6430	Renovator, oil, for exterior woodwork, in 4 gallon tins	"	100 gals.	gal.	0	3	3	Safeguard Chemical Co.
	Solvent, rust, "Castles"—							
† { 6431	In 15-oz. tins, with reversible spouts...	"	350 tins	tin	†0	1	2	} Greasgo Products
				gal.	†0	8	6	
6432	In 1-gallon tins ...	"	120 gals.	gal.	†0	8	6	
†6433	Stain, black, "Ezywurk," or suitable alternative, in approximately ½ pint tins	...	90 doz. tins	Nil
6434-6439	—Nil							

† Items Nos. 6425 and 6428.—Less 2½% discount for payment within 7 days of date of delivery.
 Items Nos. 6423 and 6424.—Less 3¾% discount for payment within 7 days of date of receipt of invoice, or 2½% 30 days.
 † Item No. 6427.—Less 5% discount for payment within 7 days of date of receipt of invoice, or 2½% 30 days.
 Items Nos. 6429, 6431 and 6432.—Less 5% discount for payment within 14 days of date of receipt of invoice, or 2½% 30 days.
 NOTE.—2½% 30 days means payment by end of month following month of delivery.

COPPER BOILERS, STOVES, ETC.

(Schedule No. 195.)

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
6440	Boilers, copper, blocked, 22 s.w. gauge, 14-gallon capacity (minimum weight 9½ lbs.)	Vict.	50	each	†1 15 6	John R. Bell & Co.
6441	Doors, furnace, with frames, for coppers, 10" x 8"	"	24	"	†0 3 3	Metters K.F.B. Pty. Ltd.
6442	Grates, company, 16"	"	150	"	0 8 0	A. H. Ryan & Irving Pty. Ltd.
	Ovens, camp, complete with lids—					
6443	12"	"	5	"	†0 12 0	} Metters K.F.B. Pty. Ltd.
6444	14"	"	5	"	†0 16 6	
6445	16"	"	15	"	†1 0 0	
6446	Ovens, Colonial, 24" x 12" x 16"	"	5	Nil
6447	Stands and Frames, for 14-gallon copper boilers, cast iron, complete with 5 feet of flue piping and ash pan for internal use (uncrated)	Vict.	100	each	†3 3 8	} Metters K.F.B. Pty. Ltd.
	Stoves, "Dumpy," without pipe—					
6448	No. 2	"	3	"	†1 8 9	
6449	No. 3	"	10	"	†1 13 3	
†6450	Stoves, one-fire, "Clarion," 30" x 27" x 18", complete with 7½ feet of flue piping, rake and poker	"	120	"	4 9 0	Galliers & Klaerr Pty. Ltd.
6451	Trays, ash, for "Federal" stoves, 11" x 7¾" x 1¼" deep	...	180	Nil
	Parts for "Clarion" Stoves—					
6452	Ashpan	Vict.	...	each	0 4 6	} Galliers & Klaerr Pty. Ltd.
6452A	Box, flue	"	...	"	0 6 6	
6452B	Cup	"	...	"	0 0 11	
6452C	Cover, fire	"	...	"	0 6 6	
6452D	Clip, fire door	"	...	"	0 0 11	

† Item No. 6440—Less 30% trade discount.

{ Items Nos. 6441, 6443 to 6445 and 6447 to 6449—Less 32½% trade discount.

{ All items less a further 2½% discount for payment by end of month following month of delivery.

COPPER BOILERS, STOVES, ETC.—continued.

Item No.	Description	Country of Manufacture	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
Parts for "Clarion" Stoves—continued—						
6452E	Damper, back	Vict.	...	each	0 1 1	Galliers & Klaerr Pty. Ltd.
6452F	Door, fire, complete	"	...	"	0 7 3	
6452G	Door, flue	"	...	"	0 1 1	
6452H	Door, oven	"	...	"	0 8 6	
6452J	Door, soot	"	...	"	0 0 11	
6452K	Front	"	...	"	0 15 0	
6452L	Grating, bottom	"	...	"	0 5 6	
6452M	Grating, side	"	...	"	0 3 0	
6452N	Knob	"	...	"	0 1 1	
6452P	Pipe, flue	"	...	foot	0 1 1	
6452R	Plate, back damper	"	...	each	0 1 11	
6452S	Shelf, oven	"	...	"	0 2 6	
6452T	Slide, damper, fire door	"	...	"	0 1 7	
6452U	Top	"	...	"	0 15 0	
6453-6459	—Nil					

GRINDSTONES, ABRASIVE WHEELS, ETC.

(Schedule No. 196)

† TRADE AND SETTLEMENT DISCOUNT.

Group No.	The contract rates for the undermentioned items are subject to trade and settlement discount. In column (1) is shown trade discount allowable on orders under net value of £50; column (2) shows trade discount allowable on orders of a net value of £50 or more; and settlement discount, which applies regardless of value of order, is shown in column (3). Items Nos.	Trade Discount.		Settlement discount, for payment by end of month following month of delivery. Applicable to (1) and (2).
		(1) Orders under £50 net value.	(2) Orders net value £50 or over.	
A	6472 to 6491, 6493 to 6498, 6500 to 6530, 6533 to 6558, 6573 to 6586, 6588 to 6590, 6592 to 6595, 6597 to 6599, 6601 to 6614, 6619 to 6623, 6628 to 6630, 6632 and 6633.	less 22½%, less 5%	less 30%, less 5%	2½%
B	6463 to 6465, 6492, 6499, 6531, 6532, 6562 to 6572, 6587, 6591, 6596, 6600, 6617, 6618, 6624 to 6627 and 6631.	less 2½%, less 5%	less 12½%, less 5%	2½%
C	6559 to 6561, 6615 and 6616	plus 2½%, less 5%	less 7½%, less 5%	2½%
D	6468 to 6471.	plus 10%, less 5%	less 5%	2½%

GRINDSTONES, ABRASIVE WHEELS, ETC.—continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Discount Group	Rate per	Rate			Name of Contractor
						£	s.	d.	
	WHEELS, ABRASIVE, to specification— continued— Plain—continued— Aluminous oxide, vitrified bond—con- tinued—								
6488	6" x 1/4" x 1/2", 60 L (L.B.)	N.S.W.	6	A	each	10	7	3	McPherson's Pty. Ltd.
6489	6" x 1/4" x 3/4", 80 L (L.B.)	"	2	A	"	10	7	3	
6490	6" x 1/2" x 1/2", 46 N (L.B.)	"	12	A	"	10	9	0	
6491	6" x 1/2" x 1/2", 50 I (L.B.)	"	24	A	"	10	9	0	
6492	6" x 1/2" x 1/2", 38100 IBE (L.B.)	"	6	B	"	10	9	0	
6493	6" x 1/2" x 5/8", 60 O (L.B.)	"	4	A	"	10	9	0	Eliza Tinsley Pty. Ltd.
6494	6" x 1/2" x 1 1/4", 60 LBE (L.B.)	"	6	A	"	10	9	0	
6495	6" x 3/4" x 3/4", 60 JBE (L.B.)	"	16	A	"	10	11	0	
6496	6" x 3/4" x 1 1/4", 50 O (L.B.)	"	12	A	"	10	11	0	
6497	6" x 1" x 1/2", 24 R (L.B.)	"	400	A	"	10	12	9	
6498	6" x 1" x 3/4", 46 L (L.B.)	"	2	A	"	10	12	9	
6499	8" x 3/8" x 1/2", 3846 J (L.B.)	"	4	B	"	10	11	9	
6500	8" x 3/8" x 1 1/2", 50 M (L.B.)	"	2	A	"	10	11	9	
6501	8" x 3/8" x 1 1/2", 60 O (L.B.)	"	2	A	"	10	11	9	
6502	8" x 1/2" x 3/4", 50 L (L.B.)	"	6	A	"	10	13	3	
6503	8" x 3/4" x 3/4", 36 P (L.B.)	"	4	A	"	10	16	6	
6504	8" x 3/4" x 3/4", 50 L (L.B.)	"	12	A	"	10	16	6	
6505	8" x 3/4" x 3/8", 50 O (L.B.)	"	2	A	"	10	16	6	
6506	8" x 1" x 3/4", 30 QBE (L.B.)	"	6	A	"	10	19	6	
6507	8" x 1" x 2", 46 K (L.B.)	"	4	A	"	10	19	6	
6508	8" x 1 1/4" x 3/4", 24 R (L.B.)	"	60	A	"	11	3	0	
6509	8" x 1 1/4" x 3/4", 36 QBE (L.B.)	"	4	A	"	11	3	0	McPherson's Pty Ltd.
6510	8 1/2" x 1 3/4" x 6", Special Shape No. 1021, 50 L	"	2	A	"	11	16	0	
6511	10" x 1/2" x 3/4", 50 NBE (L.B.)	"	2	A	"	10	13	6	
6512	10" x 1/2" x 7/8", 80 PBE (L.B.)	"	6	A	"	10	13	6	
6513	10" x 3/8" x 7/8", 46 K (L.B.)	"	4	A	"	10	16	3	
6514	10" x 3/8" x 7/8", 80 N (L.B.)	"	20	A	"	10	16	3	
6515	10" x 1/2" x 7/8", 50 NBE (L.B.)	"	2	A	"	10	18	6	
6516	10" x 1/2" x 7/8", 50 K (L.B.)	"	2	A	"	10	18	6	
6517	10" x 1/2" x 1 1/4", 46 L (L.B.)	"	2	A	"	10	18	6	
6518	10" x 3/4" x 7/8", 46 N (L.B.)	"	20	A	"	11	3	0	
6519	10" x 3/4" x 1 1/4", 46 L (L.B.)	"	2	A	"	11	3	0	
6520	10" x 1" x 7/8", 46 K (L.B.)	"	8	A	"	11	8	0	

GRINDSTONES, ABRASIVE WHEELS, ETC.—continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Discount Group	Rate per	Rate			Name of Contractor
						£	s.	d.	
WHEELS, ABRASIVE, to specification, continued—									
Plain—continued—									
Aluminous oxide, vitrified bond—continued—									
6521	10" x 1" x 7/8", 50 N (L.B.)	N.S.W.	12	A	each	†1	8	0	} McPherson's Pty. Ltd.
6522	10" x 1" x 1", 36 PBE (L.B.)	"	2	A	"	†1	8	0	
6523	10" x 1" x 1", 50 NBE (L.B.)	"	2	A	"	†1	8	0	
6524	10" x 1" x 1 1/8", 50 LBE (L.B.)	"	2	A	"	†1	8	0	
6525	10" x 1" x 1 1/4", 46 LBE (L.B.)	"	2	A	"	†1	8	0	
6526	10" x 1 1/2" x 1 1/4", 50 L (L.B.)	"	2	A	"	†1	18	0	
6527	10" x 2" x 1 1/4", 50 L	"	2	A	"	†2	9	0	
6528	12" x 1/4" x 2", 46 L (L.B.)	"	24	A	"	†0	17	3	
6529	12" x 1/2" x 2", 46 L (L.B.)	"	2	A	"	†1	3	0	
6530	12" x 1" x 2", 46 KBE (L.B.)	"	2	A	"	†1	16	0	
6531	12" x 1 1/4" x 5", 3846 J	"	8	B	"	†2	3	0	
6532	12" x 1 1/4" x 5", 3846 IBE	"	8	B	"	†2	3	0	
6533	12" x 1 1/2" x 1 1/2", 24 QBE (L.B.)	"	12	A	"	†2	9	0	
6534	12" x 1 1/2" x 1 1/2", 60 O (L.B.)	"	12	A	"	†2	9	0	
6535	12" x 2" x 1", 36 QBE (L.B.)	"	10	A	"	†3	2	0	
6536	12" x 2" x 2", 30 QBE (L.B.)	"	24	A	"	†3	2	0	
6537	12" x 2" x 2", 36 QBE (L.B.)	"	6	A	"	†3	2	0	
6538	12" x 2" x 2", 46 KBE (L.B.)	"	16	A	"	†3	2	0	
6539	14" x 2" x 1 1/2", 20 Q (L.B.)	"	60	A	"	†4	5	0	
6540	14" x 2" x 1 1/2", 50 O (L.B.)	"	6	A	"	†4	5	0	
6541	14" x 2" x 2", 24 QBE (L.B.)	"	12	A	"	†4	5	0	
6542	14" x 2" x 7", 36 J	"	2	A	"	†4	0	0	
6543	16" x 2" x 2", 20 R (L.B.)	"	4	A	"	†5	11	0	
6544	18" x 1 1/4" x 10", 36 JBE	"	2	A	"	†3	19	0	
6545	18" x 1 1/2" x 5", 50 L	"	4	A	"	†5	8	0	
6546	18" x 1 1/2" x 5", 46 K	"	2	A	"	†5	8	0	
6547	18" x 1 3/4" x 2 1/4", 24 QBE	"	6	A	"	†6	3	0	
6548	18" x 2" x 1 1/2", 20 R (L.B.)	"	4	A	"	†6	19	0	
6549	18" x 2" x 1 1/2", 24 QBE (L.B.)	"	24	A	"	†6	19	0	
6550	18" x 3" x 5", 50 LBE	"	6	A	"	†9	18	0	
6551	20" x 2 1/2" x 1 3/4", 16 R (L.B.)	"	70	A	"	†10	3	0	
6552	20" x 2 1/2" x 1 3/4", 24 QBE (L.B.)	"	70	A	"	†10	3	0	
6553	20" x 2 1/2" x 9", 24 QBE	"	8	A	"	†9	13	6	} Eliza Tinsley Pty Ltd.

GRINDSTONES, ABRASIVE WHEELS, ETC.—continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Discount Group	Rate per	Rate £ s. d.	Name of Contractor
WHEELS, ABRASIVE, to specification, continued—							
Plain—continued—							
Aluminous oxide, vitrified bond—continued—							
6554	20" x 2½" x 10", 24 QBE	N.S.W.	2	A	each	†8 19 6	Eliza Tinsley Pty. Ltd.
6555	24" x 1½" x 2½", 24 QBE	"	4	A	"	†10 19 0	
6556	24" x 3" x 2", 16 R (L.B.)	"	8	A	"	†17 10 0	
6557	24" x 3" x 2", 30 QBE (L.B.)	"	8	A	"	†17 10 0	
6558	26" x 1½" x 6", 36 JBE	"	2	A	"	†10 15 6	
Aluminous oxide, resinoid bond—							
6559	2½" x ¾" x ¾", 20 NT	"	400	C	"	†0 4 3	McPherson's Pty. Ltd.
6560	6" x 1" x ½", 14 QT (L.B.)	"	600	C	"	†0 12 9	
6561	6" x 1½" x ½", 14 QT (L.B.)	"	350	C	"	†0 14 9	
Silicon carbide, vitrified bond—							
6562	4" x 1" x ¾", 3730 I (L.B.)	"	2	B	"	†0 7 6	Eliza Tinsley Pty. Ltd.
6563	4" x 1" x ¾", 3760 L (L.B.)	"	2	B	"	†0 7 6	
6564	6" x ½" x 1½", 37120 I (L.B.)	"	8	B	"	†0 9 0	
6565	6" x 1" x ¾", 3730 I (L.B.)	"	2	B	"	†0 12 9	
6566	10" x 1" x 1½", 3746 L (L.B.)	"	2	B	"	†1 8 0	
6567	12" x 2" x 1½", 3724 R (L.B.)	"	8	B	"	†3 2 0	
6568	14" x 2" x 1½", 3724 S (L.B.)	"	8	B	"	†4 5 0	
6569	18" x 1½" x 5", 3746 K	"	2	B	"	†5 8 0	
6570	20" x 2½" x 1½", 3716 P (L.B.)	"	30	B	"	†10 3 0	
6571	24" x 3" x 2", 3720 R (L.B.)	"	4	B	"	†17 10 0	
6572	30" x 3" x 2½", 3720 R	"	2	B	"	†21 17 0	
Plain, with face "D" bevel edge—							
Aluminous oxide, vitrified bond—							
6573	10" x ¼" x ¾", 1946 MBE (L.B.)	"	2	A	"	†0 13 6	McPherson's Pty. Ltd.
6574	10" x ¾" x ¾", 1946 MBE (L.B.)	"	2	A	"	†0 16 3	
6575	10" x ¾" x ¾", 1946 MBE (L.B.)	"	2	A	"	†0 16 3	
6576	10" x ¾" x ¾", 80 P (L.B.)	"	4	A	"	†0 16 3	
6577	10" x ¾" x 1", 50 L (L.B.)	"	4	A	"	†0 16 3	

GRINDSTONES, ABRASIVE WHEELS, ETC.—continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Discount Group	Rate per	Rate £ s. d.	Name of Contractor	
	WHEELS, ABRASIVE, to specification, continued—							
	Plain, with face "D" bevel edge—continued—							
	Aluminous oxide, vitrified bond—continued—							
6578	10" x 1/2" x 3/4", 1946 MBE (L.B.) ...	N.S.W.	12	A	each	10 18 6	} McPherson's Pty. Ltd.	
6579	10" x 1/2" x 7/8", 1946 MBE (L.B.) ...	"	4	A	"	10 18 6		
6580	10" x 5/8" x 7/8", 1946 MBE (L.B.) ...	"	2	A	"	11 1 0		
6581	10" x 3/4" x 1", 46 L (L.B.) ...	"	4	A	"	11 3 0		
6582	10" x 3/4" x 1", 50 L (L.B.) ...	"	8	A	"	11 3 0		
6583	10" x 1" x 7/8", 46 K (L.B.) ...	"	2	A	"	11 8 0		
	Plain, with face "C" bevel edge—							
	Aluminous oxide, vitrified bond—							
6584	10" x 1/2" x 7/8", 80 P (L.B.) ...	"	2	A	"	10 18 6		
	Cone, shape No. 1784, aluminous oxide, vitrified bond—							
6585	3" x 5" x 3/4", 60 N (L.B.) ...	"	2	A	"	10 18 6		
	Straight Cup, aluminous oxide, vitrified bond—							
6586	4" x 2" x 3/4", 1/2" side and back walls, 46 KBE (L.B.)	"	24	A	"	10 11 9	} Eliza Tinsley Pty. Ltd.	
6587	5" x 1 1/2" x 1 1/4", 3/8" walls, ME 19243, 3860 IBE (L.B.)	"	6	B	"	10 12 9		
6588	6" x 2" x 3/4", 1/2" side and back walls, 46 KBE (L.B.)	"	24	A	"	11 0 0		
	Taper Cup, aluminous oxide, vitrified bond—							
6589	3"/2 1/4" x 1 1/4" x 1/2", 3/8" side wall, 7/16" back wall, ME 19239, 60 LBE (L.B.)	"	2	A	"	10 6 3	} McPherson's Pty. Ltd.	
6590	3 1/4"/2 3/8" x 1 1/4" x 1/2", ME 19235, 60 LBE (L.B.)	"	24	A	"	10 7 3		
6591	3 1/2"/2 3/8" x 1 1/2" x 1 1/4", AME 2000, 3860 IBE (L.B.)	"	8	B	"	10 8 0		
6592	6"/4 3/8" x 2" x 3/4", 1/2" side walls, ME 410, 60 LBE (L.B.)	"	6	A	"	11 0 0	} Eliza Tinsley Pty. Ltd.	
6593	12"/10" x 6" x 5 1/4", 1 3/8" side wall, 1 1/4" back wall, ME 14195, 30 N	"	6	A	"	18 4 6		
	Dish, aluminous oxide, vitrified bond—							
6594	4" x 1/2" x 3/4", ME 19226, 60 LBE (L.B.)	"	2	A	"	10 5 3		

GRINDSTONES, ABRASIVE WHEELS, ETC.—continued.

Item No.	Description	Country of Manufacture	Estimated Requirements	Discount Group	Rate per	Rate £ s. d.	Name of Contractor
WHEELS, ABRASIVE, to specification, continued—							
Recessed one side—							
Aluminous oxide, vitrified bond—							
6595	1" x 1/2" x 1/4", recessed 1/2" x 1/8", 46 LBE	N.S.W.	8	A	each	10 2 3	Eliza Tinsley Pty. Ltd.
6596	1" x 1/2" x 1/4", recessed 1/2" x 1/8", 3846 I	"	2	B	"	10 2 3	
6597	1" x 3/4" x 1/4", recessed 1/2" x 1/8", 46 LBE	"	12	A	"	10 2 9	Eliza Tinsley Pty. Ltd.
6598	1" x 3/4" x 1/4", recessed 1/2" x 1/8", 46 O...	"	12	A	"	10 2 9	
6599	1" x 1" x 1/2", recessed 3/4" x 1/8", 46 LBE	"	24	A	"	10 3 3	
6600	1" x 1" x 1/2", recessed 3/4" x 1/8", 3846 J	"	12	B	"	10 3 3	McPherson's Pty Ltd.
6601	1 1/2" x 1" x 1/4", recessed 1/2" x 3/8", 36 O ...	"	60	A	"	10 3 6	
6602	1 1/4" x 3/4" x 1/2", recessed 1" x 1/4", 46 LBE	"	12	A	"	10 3 0	Eliza Tinsley Pty. Ltd.
6603	1 1/4" x 3/4" x 1/2", recessed 1" x 1/4", 60 LBE	"	12	A	"	10 3 0	
6604	2 1/2" x 3/4" x 1/8", recessed 1 1/4" x 3/8", 50 LBE	"	2	A	"	10 4 3	
6605	6" x 1 1/4" x 1 1/2", recessed 3" x 1/2", 46 L (L.B.)	"	24	A	"	10 14 9	
6606	6" x 1 1/4" x 1/2", recessed 5" x 1", 60 LBE (L.B.)	"	2	A	"	10 16 6	
6607	6" x 2" x 1/2", recessed 3 1/2" x 1 1/4", 30 PBE (L.B.)	"	2	A	"	11 0 0	
6608	8" x 2" x 3/4", recessed 5 1/2" x 1 1/4", 100 LBE (L.B.)	"	2	A	"	11 12 0	
6609	8" x 2" x 3/4", recessed 5 1/2" x 1 1/4", 60 L (L.B.)	"	2	A	"	11 12 0	
6610	9 1/2" x 1 1/2" x 1 1/2", recessed 6 1/2" x 7/8", ME 203, 50 L (L.B.)	"	2	A	"	11 18 0	
6611	10" x 1" x 4 3/4", recessed 5 3/4" x 5/16", 60 K	"	2	A	"	11 8 0	
6612	10" x 1" x 4 3/4", recessed 5 3/4" x 5/16", 46 L	"	2	A	"	11 8 0	
6613	12" x 1 1/2" x 1 1/2", recessed 8" x 7/8", 50 N (L.B.)	"	2	A	"	12 9 0	
6614	18" x 3 3/4" x 7 1/8", recessed 12" x 3", 24 QBE	"	2	A	"	12 1 0	
Aluminous oxide, resinoid bond—							
6615	2" x 1 1/2" x 3/8", recessed 1 1/4" x 1", 60 NT	"	12	C	"	10 5 9	Eliza Tinsley Pty. Ltd.
6616	6" x 2" x 3/8", recessed 3 1/2" x 1 1/4", 16 QT (L.B.)	"	2	C	"	11 0 0	
Silicon carbide, vitrified bond—							
6617	2 1/2" x 3/4" x 1/8", recessed 1 1/4" x 3/8", 3746 J	"	4	B	"	10 4 3	Eliza Tinsley Pty. Ltd.
6618	3 1/2" x 1" x 1 3/8", recessed 2 3/8" x 1/8", 3746 J	"	8	B	"	10 6 6	

GRINDSTONES, ABRASIVE WHEELS, ETC.—continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Discount Group	Rate per	Rate £ s. d.	Name of Contractor
WHEELS, ABRASIVE, to specification, continued—							
Recessed both sides, aluminous oxide, vitrified bond—							
6619	10" x 1" x 7/8", recessed 9 1/4" x 1/4", 80 J (L.B.)	N.S.W.	4	A	each	†1 8 0	McPherson's Pty. Ltd.
6620	10" x 1" x 4 3/4", recessed one side 5 3/4" x 3/8", and other side 5 3/4" x 3/8", 46 L	"	12	A	"	†1 8 0	
6621	14" x 2" x 1 1/2", recessed 9" x 1/2", 50 LBE	"	8	A	"	†4 5 0	
6622	20" x 3" x 10", countersunk dovetail recessed 12 1/4" x 1/8", 30 N	"	2	A	"	†10 11 0	
6623	24" x 4" x 10", recessed 12" x 1/2", 20 T	"	4	A	"	†22 13 0	
Recessed both sides, silicon carbide, vitrified bond—							
6624	14" x 2" x 1 1/4", recessed 9" x 1/2", 3980 K	"	6	B	"	†4 5 0	Eliza Tinsley Pty Ltd.
6625	14" x 2" x 1 1/4", recessed 9" x 1/2", 39120 J	"	6	B	"	†4 5 0	
6626	14" x 3 1/2" x 5", recessed 10" x 1 1/4", 3980 K	"	4	B	"	†7 5 0	
6627	14" x 3 1/2" x 5", recessed 10" x 1 1/4", 39120 J	"	6	B	"	†7 5 0	
Recessed both sides, with face "E" bevel, 45°, type No. 972, aluminous oxide, vitrified bond—							
6628	24" x 2 3/4" x 10 1/2", recessed 13 1/2" x 5/8", 30 N	"	2	A	"	†16 5 0	McPherson's Pty. Ltd.
Saucer, aluminous oxide, vitrified bond—							
6629	4" x 1/2" x 3/4", ME 19226, 60 L (L.B.)	"	2	A	"	†0 5 3	Eliza Tinsley Pty Ltd.
6630	6" x 1/2" x 1/2", ME 19229, 60 LBE (L.B.)	"	2	A	"	†0 9 0	
6631	6" x 1/2" x 1 1/4", ME 19229, 3860 IBE	"	6	B	"	†0 9 0	
6632	6" x 1 1/8" x 1/2", 5° bevel, ME 232, 60 LBE (L.B.)	"	2	A	"	†0 11 0	McPherson's Pty. Ltd.
6633	6" x 3/4" x 1/2", ME 19230, 60 LBE (L.B.)	"	4	A	"	†0 11 0	
6634-6649	Nil						

BALL BEARINGS, ETC.
(Schedule No. 198.)

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
Bearings, ball, to specification—						
6690	($\frac{3}{4}$ " x 2" x $\frac{11}{16}$ "), " Hoffman," MS 8	U.K.	25	each	0 5 5	} Bearing Service Co. of Aust. Pty. Ltd.
6691	($1\frac{1}{4}$ " x $2\frac{3}{4}$ " x $\frac{11}{16}$ "), " Hoffman," LS 12	"	12	"	0 7 7	
6692	($1\frac{1}{4}$ " x $3\frac{1}{8}$ " x $\frac{7}{8}$ "), " Hoffman," MS 12	"	12	"	0 9 10	
6693	(20 mm x 72 mm x 19 mm), steel cage, " Fafnir," 404 K	U.S.A.	40	"	0 12 11	
6694	(25 mm x 62 mm x 17 mm), steel cage, " Fafnir," 305 K	"	150	"	0 10 6	
6695	(15 mm x 35 mm x 8 mm), " Fafnir," E 15	"	30	"	0 4 3	
Self-aligning type—						
6696	No. 1204 (20 mm x 47 mm x 14mm), " Norma Hoffman "	"	60	"	0 7 9	} E. A. Machin & Co. Pty. Ltd.
6697	No. L 304 (20 mm x 52 mm x 15 mm), " Fafnir "	"	200	"	0 10 9	
6698	No. 2607 (35 mm x 80 mm x 21 mm), " New Departure "	"	150	"	0 15 3	
6699	No. 2608 (40 mm x 90 mm x 23 mm), " New Departure "	"	200	"	0 17 3	
6700	No. U 130 W (30 mm x 62 mm x 20 mm), " Hoffman "	U.K.	25	"	0 9 5	Bearing Service Co. of Aust. Pty. Ltd.
Rigid, deep groove type, " New Departure"—						
6701	No. 3204 (20 mm x 47 mm x 14 mm)	U.S.A.	50	"	0 5 8	} National Automotive Service Co.
6702	No. 3205 (25 mm x 52 mm x 15 mm)	"	100	"	0 6 11	
6703	No. 3206 (30 mm x 62 mm x 16 mm)	"	50	"	0 8 8	
6704	No. 3209 (45 mm x 85 mm x 19 mm)	"	25	"	0 12 11	
6705	No. 3304 (20 mm x 52 mm x 15 mm)	"	100	"	0 7 7	
6706	No. 3306 (30 mm x 72 mm x 19 mm)	"	10	"	0 11 2	
6707	No. 6309 (45 mm x 100 mm x 25 mm)	...	5	} Nil
6708	Thrust, " S.K.F. No. 3709," or suitable alternative, (45 mm x 85 mm x 30 mm)	...	10	
*6709	Bearings, needle, universal joint, spline shaft	...	200	
Bearings, roller, flexible, " Hyatt"—						
6710	No. 18195 ($1\frac{1}{4}$ " bore x $2\frac{7}{16}$ " outside diameter)	U.S.A.	400	each	0 5 3	} National Automotive Service Co.
6711	No. 19250 ($1\frac{7}{16}$ " bore x $3\frac{1}{8}$ " outside diameter)	"	250	"	0 8 6	
Bearings, roller, single row, to specification—						
6712	No. R 525 R (25 mm x 80 mm x 21mm), " Hoffman "	U.K.	50	"	0 17 6	Bearing Service Co. of Aust. Pty. Ltd.
6713	No. A 1306 TS (30 mm x 72 mm x 19 mm), " Hyatt "	U.S.A.	50	"	0 12 7	E. A. Machin & Co. Pty. Ltd.
6714—6719	—Nil					

MOTOR ACCESSORIES.

(Schedule No. 199)

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor	
† { 6720	Belting, link, " Whittle" type, $\frac{5}{8}$ "	U.K.	100 feet	foot	0 3 9	} A. G. Healing Ltd.	
6721	" " " " $\frac{3}{4}$ "	"	10 "	"	0 4 6		
*6722	Bushes, bakelite, insulating, $1\frac{7}{16}$ " tapered to $1\frac{1}{4}$ " x $3\frac{5}{16}$ " long, to specification	...	250	Nil	
†6723	Cement, gasket, in 1-lb. tins	Vict.	100 tins	tin	0 1 9	} Invincible Motor Industries	
†6724	Chains, roller, " Reynolds'," or suitable alternative, $\frac{1}{2}$ " pitch x $\frac{1}{2}$ " wide x 4' 6" long	...	100		
†6725	Chains, roller, transmission, single, 1" pitch x '670" inside x '625" diameter roller, in lengths 6' 2", complete with connecting link and spring clip fastener	...	10		
	Cocks, priming, motor, brass—						
†6726	$\frac{1}{4}$ " gas thread	...	20		
†6727	$\frac{5}{8}$ " metric thread	...	300		
†6728	Fasteners, belt, for $\frac{3}{4}$ " " V" section rubber motor belting, " King Hook," or suitable alternative	...	100 doz.	} Nil	
	Fasteners, belt, " Gem," or suitable alternative—						
† { 6729	No. 4	...	50 boxes		
6730	No. 5	...	40 "		
†6731	Fasteners, belt, slotted button plate, size D, $\frac{1}{16}$ "	...	100 doz.		
6732	Keys, for size D slotted button plate belt fasteners	...	5 "		
*6733	Gaskets, copper asbestos, cylinder, for " S " motors	Vict.	20	each	0 2 6	} J. H. Farrer & Co. Pty. Ltd.	
*6734	Gaskets, copper asbestos, induction— For " S " motors	"	80	"	0 0 5 $\frac{1}{2}$		
*6735	For " K.S." motors	"	150	"	0 0 3 $\frac{1}{4}$		
†6736	Gaskets, copper asbestos, for spark plugs, $\frac{5}{8}$ " metric	"	10 doz.	doz.	0 0 6	Olympic Spark Plugs Pty. Ltd.	
†6737	Gaskets, copper asbestos, valve cap, $1\frac{1}{4}$ " internal diameter x 2" external diameter	"	60 "	"	0 2 6	J. H. Farrer & Co. Pty. Ltd.	
	Greasers, Alemite type—						
†6738	Angle, 45°, $\frac{1}{8}$ " gas thread, " Zac "	"	10 doz.	"	0 5 0	Slade, Allan & Co. Pty. Ltd.	
†6739	" " $\frac{1}{4}$ " " " " Lincoln Corp." Part No. 5210	U.S.A.	5 "	"	0 6 0	National Automotive Service Co.	
†6740	Angle, 90°, $\frac{1}{8}$ " gas thread, " Zac "	Vict.	10 "	"	0 4 9	} Slade, Allan & Co. Pty. Ltd.	
† { 6741	Straight, $\frac{1}{8}$ "	"	120 "	"	0 2 6		
6742	" $\frac{1}{4}$ "	"	15 "	"	0 3 9		

MOTOR ACCESSORIES—continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate f s. d.	Name of Contractor
†6743	Paste, valve grinding— Coarse, water mixed, in 4 oz. tins	Vict.	50 lb.	tin	†0 1 10 $\frac{3}{4}$	Leggett Products Pty. Ltd.
†6744	„ oil mixed, in 1 $\frac{1}{4}$ oz. tubes	„	360 tubes	tube	†0 1 0 $\frac{1}{2}$	
†6745	Fine, water mixed, in 4 oz. tins	„	50 lb.	tin	†0 1 10 $\frac{3}{4}$	
†6746	„ oil mixed, in 1 $\frac{1}{4}$ oz. tubes	„	300 tubes	tube	†0 1 0 $\frac{1}{2}$	
†6747	Punches, belt, hollow cutter type, for $\frac{3}{16}$ " hole, "Wyn Timmins"	U.K.	150	doz.	0 9 4	McPherson's Pty. Ltd.
†6748	Punches, belt, screw type, for $\frac{1}{8}$ " "V" section rubber motor belting	...	200	Nil
6749	Rings, piston, cast, for gang car engines, to specification, standard, No. 1, No. 2, No. 3, No. 4, No. 5 or No. 6 oversize, as ordered— For inspection motors	...	350	
6750	For "K" motors	...	250	
6751	For "K.S." motors	...	375	
6752	Rings, piston, cast, for "Sheffield" engines, to specification, standard, No. 1, No. 2, No. 3 or No. 4 oversize, as ordered	...	100	
6753	Rings, piston, 7 $\frac{1}{4}$ " external diameter x 6 $\frac{3}{4}$ " internal diameter x .1855" wide, to specification	Vict.	150	each	0 3 3	National Piston Ring Co.
†6754	Taps, petrol, push-pull type, $\frac{1}{4}$ " gas thread outlet, $\frac{1}{8}$ " gas thread inlet, with nut and tail, for $\frac{1}{4}$ " or $\frac{1}{8}$ " pipe, as ordered, "Zac"	„	75 doz.	„	0 1 10	Slade, Allan & Co. Pty. Ltd.
†6755	Tubing, phosphor bronze, solid drawn, in trade lengths, 1 $\frac{1}{8}$ " external diameter x $\frac{7}{8}$ " internal diameter	...	150 lb.	Nil
†6756	Tubing, steel, flexible, $\frac{1}{2}$ "	...	1500 ft.	
†6757	Tubing, steel, weldless, "H.T." quality, in random lengths, 5/20 ft., $\frac{1}{8}$ " external diameter x 12 i.s.w.g.	Sth. Aust.	180	„ foot	†0 1 3	Stewarts & Lloyds (Aust.) Pty. Ltd.
6758	Tubing, steel, weldless, "G.P." quality, in random lengths— $\frac{7}{8}$ " external diameter x 18 i.s.w.g.	„	50	„	†0 1 0	
6759	$\frac{7}{8}$ " „ „ x $\frac{5}{8}$ " internal dia.	„	150	„	†0 1 10 $\frac{1}{2}$	
6760	1" „ „ x 10 i.s.w.g.	„	100	„	†0 2 0 $\frac{1}{2}$	
6761	1 $\frac{1}{8}$ " „ „ x $\frac{7}{8}$ " internal dia.	„	800	„	†0 2 4	
6762	1 $\frac{1}{4}$ " „ „ x 10 i.s.w.g.	„	200	„	†0 2 7 $\frac{1}{2}$	
6763	1 $\frac{1}{4}$ " „ „ x 16 „	„	3000	„	†0 1 5 $\frac{1}{2}$	
6764	1 $\frac{1}{2}$ " „ „ x 10 „	„	300	„	†0 3 4	
6765	2" „ „ x 10 „	„	50	„	†0 4 5	

6766-6769—Nil

† Item No. 6757, less 31% trade discount.
 † Items Nos. 6758 to 6765, less 43 $\frac{1}{2}$ % trade discount.
 † All items. Less 2 $\frac{1}{2}$ % discount (in addition to any shown above) for payment by end of month following month of delivery.

MAGNETOS, SPARK PLUGS, ETC.

(Schedule No. 200)

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
*6770	Bowls, "Holley" carburetter, 18 g.	200	} Nil	
†6771	Carburetters, single cylinder engines, "Amal" type	...	50		
†6772	Carburetters, with strangler, "Solex type 26 F.V.," or suitable alternative	...	15		
†6773	Contacts, platinum, for "Bosch" magnetos, 75% platinum, 25% iridium, .145" diameter x .025" thick, thread 3.5 mm. x 6 mm., branded V Λ R, "Lorimier"	Vict.	20 pairs	pair	0	13	3	Thorne & Dean Pty. Ltd.
†6774	Contacts, platinum, for "M.L." magnetos, 90% platinum, 10% iridium, .145" diameter x .021" thick, thread 3.5 mm. x 6 mm., branded V Λ R, "Lorimier"	"	40	"	0	9	9	} Thorne & Dean Pty. Ltd.
†6775	Contacts, tungsten, for "B.T.H." magnetos, type K. 1, U.Z., .187" diameter x .050" thick, thread 4 B.A., branded V Λ R, "Lorimier"	"	40	"	0	3	9	
†6776	Contacts, tungsten, for "E.I.C." magnetos, type A. 1, .140" diameter x .050" thick, thread 7 B.A., branded V Λ R, "Lorimier"	"	10	"	0	3	0	
†6777	Contacts, tungsten, for "Lucas" magnetos, type K.A. 1, .187" diameter x .050" thick, thread 3 B.A., branded V Λ R, "Lorimier"	"	40	"	0	3	9	
†6778	Controls, Bowden, single lever, for magnetos	...	20	Nil
6779	Float and Lever Assembly, "Ford" part No. 6201	Canada	150	each	†0	3	8	E. A. Machin & Co. Pty. Ltd.
6780	Magnetos, high tension, anti-clockwise, for 4 h.p. single cylinder engines, fitted with standard tapered shaft, Woodruffe key and safety gap screw, suitable for Bowden control, "B.T.H., Type KD-1" (see note)	U.K.	50	"	4	13	0	} Australian General Electric Pty. Ltd.
6781	Magnetos, high tension, anti-clockwise, for 4 and 6 h.p. single cylinder engines, fitted with standard tapered shaft, Woodruffe key, safety gap screw and continuous metal slip ring, suitable for lever control, "B.T.H., Type KD-1" (see note)	"		"	4	13	0	
	Plugs, sparking, detachable or non-detachable, as ordered, branded V Λ R on hexagon portion of body—							
†6782	14 mm., "Olympic, JS"	Vict.	50	"	0	2	2	Olympic Spark Plugs Pty. Ltd.
†6782A	" "Firestone"	"		"	0	2	3	Disco Manufacturing Corporation Pty. Ltd.
†6782B	" "Leggetts"	"		"	†0	2	3	Leggett Products Pty. Ltd.

† Item No. 6779. Less 25% trade discount. Item No. 6782B. Less 2½% for payment by end of month following month of delivery.

MAGNETOS, SPARK PLUGS, ETC.—continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate	Name of Contractor
†6783	Plugs, sparking, detachable or non-detachable, as ordered, branded V A R on hexagon portion of body—continued— 18 mm., standard, "Olympic," No. 7	Vict.	1550	pair	0 2 2	Olympic Spark Plugs Pty. Ltd.
†6783A	" " "Firestone" ...	"		"	0 2 3	Disco Manufacturing Corp'ation Pty. Ltd.
†6783B	" " "Leggetts" ...	"		"	†0 2 3	Leggett Products Pty. Ltd.
†6784	½" taper (Ford), "Olympic X" ...	"	1000	"	0 2 2	Olympic Spark Plugs Pty. Ltd.
†6784A	" " "Firestone" ...	"		"	0 2 3	Disco Manufacturing Corp'ation Pty. Ltd.
†6784B	" " "Leggetts" ...	"		"	†0 2 3	Leggett Products Pty. Ltd.
†6785	¾", "S.A.E.," "Olympic 1 Com." ...	"	150	"	0 2 2	Olympic Spark Plugs Pty. Ltd.
†6785A	" " "Firestone" ...	"		"	0 2 3	Disco Manufacturing Corp'ation Pty. Ltd.
†6785B	" " "Leggetts" ...	"		"	†0 2 3	Leggett Products Pty. Ltd.
†6786	¾", "S.A.E.," long reach, small hexagon, "Olympic No. 6"	"	300	"	0 2 2	Olympic Spark Plugs Pty. Ltd.
†6786A	¾", "S.A.E.," long reach, small hexagon, "Firestone"	"		"	0 2 3	Disco Manufacturing Corp'ation Pty. Ltd.
†6786B	¾", "S.A.E.," long reach, small hexagon, "Leggetts"	"		"	†0 2 3	Leggett Products Pty. Ltd.
†6787	Spanners, magneto, in sets of 8, "Pope"	"	12 sets	set	†0 1 3	E. A. Machin & Co. Pty. Ltd.
†6788	Valves, needle, for "Amal" float chambers, universal length (for both new and old types)	...	40	} Nil
†6789	Wire, Bowden, carburetter, stranded, No 1, unfrayable	...	100 yds.	
†6790	Casing, for Bowden wire under item No. 6789	...	350 "	
6791-6799	—Nil					

† Item No. 6787. Less 10% trade discount. Items Nos. 6783B, 6784B, 6785B, and 6786B. Less 2½% discount for payment by end of month following month of delivery.

BRAKE LINING.
(Schedule No. 201.)

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
†6800	Lining, brake, woven, "Duron," any size on price list, as ordered, any length ordered	U.K.	£100	...	Percentage off Price List less 50% & 5%	Paton's Brake Replacements Pty. Ltd.
6801-6809	—Nil					

WIREWORK, ETC.
(Schedule No. 202)

Item No.	Description	Country of Manufacture	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
6810	Fabric, steel wire, in rolls or sheets, 90" wide, No. 10 i.s.w. gauge wire, 6" centre to centre transversely, and 6" centre to centre longitudinally	Vict.	3000 lin. yds.	l. yd.	0	1	10	A-R-C Engineering Co. Pty. Ltd.
*6811	Fasteners, dropper, fencing, galvanised steel wire, 2½" x 2¼" x 10g.	...	12 tons	} Nil
6812	Fencing, ring lock, 6" x 6" mesh, 10 g. wire, 36" wide, in rolls of 5 chains	...	12 rolls	
	Gates, galvanised iron, tubular frame, 1" internal diameter, with galvanised chain wire filling, 3' 5" or 3' 10" high, as ordered, to specification—	
6813	Double 8' wide hung, in two leaves, 5' and 3'	...	50 sets	
6814	Single, 3' wide hung	...	50	} Melbourne Wire Works
6815	Gauze, brass, any gauges and meshes ordered of standard stock light and medium weight qualities, not exceeding 100 meshes per lineal inch	Vict.	4000 sq. ft.	sq. ft.	0	1	6	
	Grips, spring—							} F.R.S. Ideal Spring Co. Ltd.
*6816	A	N.S.W.	200 gross	gross	0	12	0	
*6817	W	"	100 "	"	0	7	0	
*6818	Guards, galvanised wire, for booking windows	Vict.	200 sq. ft.	sq. ft.	0	4	11	P. Lummis & Sons
*6819	Guards, wire, complete with reflectors, for hand lamps	"	360	each	0	2	9	Melbourne Wire Works
6820	Mattresses, wire, 6' 6" x 2' 6" x 3 ply	...	100	Nil
6821	Net, fly wire, bronze, 1/16" mesh x 26 i.s.w. gauge, 24", 30" or 36" wide, as ordered	Vict.	1000 sq. ft.	sq. ft.	0	1	0½	} Melbourne Wire Works
6822	Net, fly wire, galvanised, 12 mesh x 26 g., 24", 30" or 36" wide, as ordered	"	4000 "	"	0	0	3½	
	Netting, chain wire, galvanised, double knuckled—							
6823	1½" mesh, 10 i.s.w. gauge, 3' to 6' wide, as ordered	"	2500 sq. yds.	sq. yd.	0	2	0	} Melbourne Wire Works
6824	1½" mesh, 12 i.s.w. gauge, 3' to 6' wide, as ordered	"	4000 "	"	0	1	6	
6825	2" mesh, 8 i.s.w. gauge, any width ordered up to 6'	"	50 "	"	0	2	6	
6826	2" mesh, 12 i.s.w. gauge, any width ordered up to 6'	"	300	"	0	1	3	

WIREWORK, ETC.—continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
	Netting, wire, galvanised, $\frac{1}{2}$ " mesh, 20 i.s.w. gauge, in rolls of 50 lin. yds.—					
6827	30" wide	...	5 rolls	}
6828	36" wide	...	75 "	
	Netting, wire, galvanised, $1\frac{1}{2}$ " mesh, 17 i.s.w. gauge, in rolls of 100 lin. yds.—					} Nil
6829	36" wide	...	100 "	
6830	42" wide	...	20 "	
6831	Sieves, brass, $\frac{1}{2}$ " mesh to 50 mesh as ordered, any diameter ordered	Vict.	1500 ins.	1" of dia.	0 0 5 $\frac{1}{2}$	Melbourne Wire Works
6832	Sieves, iron, $\frac{1}{2}$ " to $\frac{1}{16}$ " mesh as ordered, any diameter ordered	"	2400 "	"	0 0 3 $\frac{1}{2}$	} P. Lummis & Sons
6833	Sieves, iron, 24" diameter x 1" mesh, 12 i.s.w. gauge	"	10	each	0 11 0	
	Springs, steel, black—					
*6834	4" x 11 i.s.w. gauge (half)	N.S.W.	5 gross	gross	0 13 6	} F.R.S. Ideal Spring Co. Ltd.
*6835	5" x 8 " " "	"	12 "	"	1 5 0	
*6836	5" x 9 " " "	"	20 "	"	1 1 6	
*6837	5" x 11 " " "	"	20 "	"	0 14 9	
*6838	5" x 14 " " (full)	"	10 "	"	0 14 6	
*6839	6" x 11 " " (half)	"	25 "	"	0 16 3	
*6840	6" x 12 " " (full)	"	30 "	"	0 15 0	
*6841	7" x 11 " " (half)	"	120 "	"	0 17 3	
*6842	8" x 9 " " "	"	20 "	"	1 6 6	
*6843	9" x 9 " " "	"	10 "	"	1 11 3	
6844	Wire, woven, mild steel, for spark arresters, 10 i.s.w. gauge, 3' 4" wide, to specification	Vict.	3000 lin. ft.	lin. ft.	0 8 6	} Melbourne Wire Works
6845	Wire, woven, galvanised, $\frac{3}{8}$ " mesh, 16 i.s.w. gauge, 12" wide	"	600 "	"	0 0 8 $\frac{1}{2}$	
6846-6849	—Nil					

BLACK STEEL BOLTS AND NUTS.

(Schedule No. 203)

Item No.	Description	Country of Manufacture	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
*6850	Bolts and Nuts, black mild steel, fishplate, $\frac{1}{2}$ " diameter x 2" long	Vict.	5000	100	0	7	2	McPherson's Pty Ltd.
*6851	Bolts, black mild steel, gauge glass, cup head, without nuts— $\frac{5}{16}$ " diameter x $1\frac{1}{4}$ " long	"	6000	"	0	6	0	
*6852	$\frac{5}{16}$ " " x $1\frac{5}{8}$ " "	"	18,000	"	0	5	11	
6853	Bolts and Nuts (B.S.W.), black mild steel, to specification— Countersunk head, Nib neck, Hexagon nut, any size on price list, as ordered	"	£100	...	List price net			
6854	Countersunk head, Nib neck, 2 Hexagon nuts— $\frac{5}{8}$ " diameter x $3\frac{1}{2}$ " long ...	"	300	100	£	s.	d.	
6855	$\frac{3}{4}$ " " x 3" " ...	"	100	"	1	8	6	
6856	$\frac{3}{4}$ " " x $3\frac{1}{2}$ " " ...	"	500	"	1	8	9	
6857	$\frac{3}{4}$ " " x 4" " ...	"	700	"	1	9	9	
6858	Countersunk head, Square neck, Hexagon nut— $\frac{1}{4}$ " to $\frac{3}{4}$ " diameter x any length ordered, as per price list	"	£600	...	Percentage off Price List 17 $\frac{1}{2}$ %			
6859	$\frac{5}{16}$ " diameter x $10\frac{1}{2}$ " long	"	200	100	£	s.	d.	
6860	$\frac{1}{2}$ " " x $39\frac{1}{2}$ " " threaded 3"	"	2000	"	2	9	0	
6861	$\frac{7}{8}$ " " x $3\frac{1}{2}$ " "	"	100	"	1	18	9	
6862	1" " x 9" "	"	150	"	3	13	0	
6863	Cup head, Nib neck, Hexagon nut, any size on price list, as ordered	"	£300	...	List price net			
6864	Cup head, Square neck, Hexagon nut, $\frac{3}{16}$" to $\frac{3}{4}$" diameter, x any length ordered, as per price list	"	£5000	...	Percentage off Price List 36 $\frac{1}{2}$ %			
6865	Hexagon head, Round neck, Hexagon nut— $\frac{1}{4}$ " to 1" diameter x any length ordered, as per price list	"	£7000	...	37 $\frac{1}{2}$ %			
6866	$\frac{3}{8}$ " diameter x $12\frac{1}{2}$ " long	"	500	100	£	s.	d.	
6867	$\frac{7}{8}$ " " x 16" "	"	100	"	3	7	0	
6868	1" " x 14" "	"	100	"	3	19	0	
6869	$1\frac{1}{8}$ " " x $3\frac{1}{2}$ " "	"	100	"	2	13	9	
6870	$1\frac{1}{8}$ " " x $3\frac{3}{4}$ " "	"	150	"	2	15	0	
6871	$1\frac{1}{8}$ " " x 7" "	"	75	"	3	7	6	
6872	$1\frac{1}{8}$ " " x 9" "	"	50	"	3	17	6	
6873	Hexagon head, Round neck, 2 Hexagon nuts, $\frac{1}{4}$" to 1" diameter x any length ordered, as per price list	"	£400	...	Percentage off Price List 30%			
6874	Hexagon head, Round neck, 2 Hexagon nuts (1 thick and 1 thin), $\frac{3}{8}$" diameter x $2\frac{1}{4}$" long	"	10,000	100	£	s.	d.	

BLACK STEEL BOLTS AND NUTS—continued.

Item No.	Description	Country of Manufacture	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
6875	Bolts and Nuts (B.S.W.), black mild steel, to specification—continued— Square head, Round neck, Hexagon nut, $\frac{1}{2}$ " to $\frac{3}{4}$ " diameter x any length ordered, as per price list Square head, Round neck, 2 Hexagon nuts—	Vict.	£60	...	Percentage off Price List. 35%	
6876	$\frac{3}{8}$ " diameter x $2\frac{1}{4}$ " long	"	100	100	£ s. d. 1 0 3	
6877	$\frac{3}{8}$ " " x $9\frac{3}{8}$ " "	"	300	"	1 7 6	
6878	Square head, Round neck, Square nut— $\frac{1}{2}$ " to $\frac{3}{4}$ " diameter x any length ordered, as per price list	"	£2000	...	Percentage off Price List. 37½%	
6879	$\frac{7}{8}$ " diameter x 12" long	"	200	100	£ s. d. 2 3 6	
6880	$\frac{7}{8}$ " " x 13" "	"	100	"	2 5 9	
6881	$\frac{7}{8}$ " " x 14" "	"	400	"	2 7 9	
6882	$\frac{7}{8}$ " " x 15" "	"	100	"	2 9 9	
6883	$\frac{7}{8}$ " " x 16" "	"	1000	"	2 11 3	
6884	$\frac{7}{8}$ " " x 17" "	"	600	"	2 13 6	
6885	$\frac{7}{8}$ " " x 18" "	"	2000	"	2 15 6	
6886	$\frac{7}{8}$ " " x 19" "	"	1500	"	2 17 6	
6887	$\frac{7}{8}$ " " x 20" "	"	6000	"	2 18 9	
6888	$\frac{7}{8}$ " " x 21" "	"	6000	"	3 1 0	McPherson's Pty. Ltd.
6889	$\frac{7}{8}$ " " x 22" "	"	7000	"	3 2 6	
6890	$\frac{7}{8}$ " " x 23" "	"	7000	"	3 4 9	
6891	$\frac{7}{8}$ " " x 24" "	"	5000	"	3 7 0	
6892	$\frac{7}{8}$ " " x 25" "	"	1600	"	3 8 0	
6893	$\frac{7}{8}$ " " x 26" "	"	5000	"	3 10 0	
6894	$\frac{7}{8}$ " " x 27" "	"	1500	"	3 12 3	
6895	$\frac{7}{8}$ " " x 28" "	"	1500	"	3 14 0	
6896	$\frac{7}{8}$ " " x 29" "	"	500	"	3 16 0	
6897	$\frac{7}{8}$ " " x 30" "	"	800	"	3 18 3	
6898	Tee head, Round neck, Hexagon nut— $\frac{3}{8}$ " diameter x 1" long, screwed to head	"	1000	"	1 3 6	
6899	$\frac{1}{2}$ " " x $1\frac{1}{4}$ " "	"	50,000	"	0 9 9	
6900	$\frac{1}{2}$ " " x $1\frac{1}{2}$ " "	"	5000	"	0 14 0	
6901	$\frac{1}{2}$ " " x 2" "	"	5000	"	0 10 1	
6902	$\frac{1}{2}$ " " x $2\frac{1}{2}$ " "	"	600	"	0 11 0	
6903	$\frac{1}{2}$ " " x 3" "	"	500	"	0 12 7	
6904	$\frac{3}{8}$ " " x 2" "	"	600	"	1 5 3	
6905	$\frac{3}{8}$ " " x $2\frac{1}{4}$ " "	"	500	"	1 6 3	

BLACK STEEL BOLTS AND NUTS—continued.

Item No.	Description	Country of Manufacture	Estimated Requirements	Rate per	Rate			Name of Contractor	
					£	s.	d.		
	Bolts and Nuts (B.S.W.), black mild steel, to specification—continued— Tee head, Round neck, Hexagon nut—continued—								
6906	$\frac{5}{8}$ " diameter x $3\frac{1}{4}$ " long ...	Vict.	150	100	1	7	6	McPherson's Pty. Ltd.	
6907	$\frac{5}{8}$ " " x 6" " 2 hex. nuts ...	"	1000	"	1	11	6		
6908	$\frac{3}{4}$ " " x 3" " ...	"	1000	"	1	13	0		
†6909	Nuts, hexagon, black mild steel, (B.S.W.), tapped, to specification (except item No. 6909)— $\frac{3}{16}$ " ...	"	15,000	"	0	1	3		
6910	$\frac{1}{4}$ " ...	"	5000	"	0	1	3		
6911	$\frac{5}{16}$ " ...	"	1200	"	0	1	7		
6912	$\frac{3}{8}$ " ...	"	30,000	"	0	1	11½		
6913	$\frac{1}{2}$ " ...	"	120,000	"	0	2	7½		
6914	$\frac{5}{8}$ " ...	"	100,000	"	0	4	6½		
6915	$\frac{3}{4}$ " ...	"	150,000	"	0	6	11		
6916	$\frac{7}{8}$ " ...	"	50,000	"	0	10	5		
6917	1" ...	"	60,000	"	0	15	3		
6918	1½" ...	"	20,000	"	1	1	0		
6919	1¼" ...	"	2000	"	1	8	0		
6920	1⅝" ...	"	200	"	1	15	6		
6921	1½" ...	"	300	"	2	7	0		
6922	1¾" ...	"	700	"	5	12	0		
6923	2" ...	"	200	"	6	10	0		
	Nuts, hexagon, lock, black mild steel, (B.S.W.), tapped, to specification—								
6924	$\frac{1}{2}$ " ...	"	3000	"	0	2	10		
6925	$\frac{5}{8}$ " ...	"	15,000	"	0	4	7		
6926	$\frac{3}{4}$ " ...	"	10,000	"	0	6	10		
6927	$\frac{7}{8}$ " ...	"	3600	"	0	10	0		
6928	1½" ...	"	300	"	1	5	0		
6929	1¼" ...	"	2000	"	1	11	6		
6930-6939	—Nil								

BRIGHT STEEL BOLTS AND NUTS
(Schedule No. 204)

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
6940	Bolts and Nuts, hexagon, bright mild steel (B.S.W.), finished, to specification, $\frac{3}{16}$ " to 1" diameter x $\frac{3}{4}$ " to 6" long, as ordered, "D. & H."	N.S.W.	£100	...	List prices Plus 7½%	} McPherson's Pty. Ltd.
6941	Bolts and Nuts, hexagon, bright mild steel (S.A.E.), finished, to specification, $\frac{3}{16}$ " to $\frac{3}{4}$ " diameter x $\frac{3}{4}$ " to 6" long, as ordered, "D. & H."	"	£15	...	List prices Plus 7½%	
†6942	Nuts, hexagon, bright mild steel (B.S.W.), finished, to specification (except items Nos. 6942 to 6944), "D. & H."— $\frac{1}{8}$ "	"	50 gross	gross	£0 3 9	
†6943	$\frac{3}{16}$ "	"	2 "	"	£0 3 9	
†6944	$\frac{1}{16}$ " or $\frac{1}{4}$ ", as ordered	"	200 "	"	£0 4 3	
6945	$\frac{1}{16}$ "	"	200 "	"	£0 4 9	
6946	$\frac{3}{8}$ "	"	50 "	"	£0 6 0	
6947	$\frac{7}{16}$ "	"	15 "	"	£0 7 6	
6948	$\frac{1}{2}$ "	"	60 "	"	£0 8 9	
6949	$\frac{5}{8}$ "	"	350 "	"	£0 14 3	
6950	$\frac{3}{4}$ "	"	150 "	"	£1 1 0	
6951	$\frac{7}{8}$ "	"	70 "	"	£1 9 6	
6952	1"	"	50 "	"	£2 0 0	
6953	1½"	"	15 "	"	£2 19 0	
6954	1¼"	"	15 "	"	£4 16 0	
6955	Nuts, hexagon, bright mild steel (S.A.E.), finished, to specification, "D. & H."— $\frac{1}{4}$ "	"	20 doz.	"	£0 4 0	
6956	$\frac{5}{16}$ "	"	10 "	"	£0 4 3	
6957	$\frac{3}{8}$ "	"	600 "	"	£0 5 0	
6958	$\frac{7}{16}$ "	"	400 "	"	£0 6 6	
6959	$\frac{9}{16}$ "	"	15 "	"	£0 10 6	
6960	$\frac{5}{8}$ "	"	15 "	"	£0 11 6	
6961	Nuts, hexagon, lock, bright mild steel (B.S.W.), finished, to specification, "D. & H."— $\frac{1}{16}$ "	"	50 gross	"	£0 4 9	
6962	$\frac{1}{8}$ "	"	50 "	"	£0 8 6	
6963	$\frac{3}{16}$ "	"	50 "	"	£0 13 0	
6964	$\frac{1}{4}$ "	"	75 "	"	£1 0 0	
6965	$\frac{5}{8}$ "	"	30 "	"	£1 7 0	
6966	1"	"	50 "	"	£1 18 0	
6967	1½"	"	25 "	"	£2 11 0	
6968	1¼"	"	5 "	"	£4 10 0	

‡ Rates plus 7½%.

BRIGHT STEEL BOLTS AND NUTS—continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
†6969	Nuts, hexagon, bright mild steel (B.S.W.), pressed, for rolled thread screws— 1/8", "K. & W." ...	Vict.	75 gross	gross	0	0	7 1/4	McPherson's Pty. Ltd.
†6970	3/16", " " ...	"	120 "	"	0	0	9 1/2	
6971	1/4", to specification ...	"	20 "	"	"	"	"	Nil
6972	5/16", " " ...	"	25 "	"	"	"	"	
*6973	Nuts, hexagon, bright mild steel (B.S.W.), slotted, finished, 1", to specification	"	18 "	"	"	"	"	
†6974	Nuts, square, bright mild steel (B.S.W.), pressed, for rolled thread screws— 1/8" ...	"	25 "	"	"	"	"	
†6975	3/16" ...	"	50 "	"	"	"	"	
6976	1/4", to specification ...	"	40 "	"	"	"	"	
6977	5/16" " " ...	"	20 "	"	"	"	"	
6978, 6979	Nil							

‡ Rates plus 7 1/2%.

GALVANISED STEEL BOLTS AND NUTS, AND BRASS NUTS.

(Schedule No. 205)

Bolts and Nuts (B.S.W.), galvanised mild steel, hexagon head, round neck, hexagon nut, to specification—								
6980	3/8" diameter x 6" long ...	Vict.	200	100	0	10	9	McPherson's Pty. Ltd.
6981	3/8" " x 9" " ...	"	150	"	0	13	9	
6982	1/2" " x 4 1/2" " ...	"	1200	"	0	15	6	
6983	1/2" " x 5" " ...	"	2000	"	0	15	9	
6984	1/2" " x 14" " ...	"	250	"	1	7	9	
6985	1/2" " x 15" " ...	"	200	"	1	9	3	
6986	1/2" " x 16" " ...	"	150	"	1	10	9	
6987	5/8" " x 5" " ...	"	15,000	"	1	2	3	
6988	5/8" " x 8" " ...	"	500	"	1	7	0	
6989	3/4" " x 2 1/2" " ...	"	12,000	"	1	3	10	
6990	3/4" " x 3 1/2" " ...	"	100	"	1	6	6	
Bolts and Nuts (B.S.W.), galvanised mild steel, hexagon head, round neck, hexagon nut, to specification, each bolt complete with 2 square galvanised washers, 1 1/2" x 1/8" thick x 1/8" round hole—								
6991	5/8" diameter x 9" long ...	"	600	"	1	13	0	
6992	5/8" " x 10" " ...	"	1000	"	1	14	6	
6993	5/8" " x 11" " ...	"	1000	"	1	17	0	
6994	5/8" " x 12" " ...	"	200	"	1	19	3	
6995	5/8" " x 13" " ...	"	150	"	2	1	3	
6996	5/8" " x 14" " ...	"	100	"	2	3	9	
6997	5/8" " x 16" " ...	"	100	"	2	7	9	

GALVANISED STEEL BOLTS AND NUTS, AND BRASS NUTS—continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
6998	Bolts and Nuts (B.S.W.), galvanised mild steel, hexagon head, round neck, hexagon nut, to specification, each bolt complete with 1 square galvanised washer, $1\frac{1}{2}$ " x $\frac{1}{4}$ " thick x $\frac{11}{16}$ " round hole and 1 galvanised spring washer— $\frac{5}{8}$ " diameter x 5" long ...	Vict.	1000	100	1 8 3	} McPherson's Pty. Ltd.
6999	Bolts and Nuts (B.S.W.), galvanised mild steel, hexagon head, round neck, hexagon nut, to specification, each bolt complete with 1 galvanised spring washer— $\frac{3}{4}$ " diameter x $2\frac{1}{2}$ " long ...	"	1000	"	1 11 0	
†7000	Nuts, hexagon, brass, finished (B.S.W.), to specification (except items Nos. 7000 and 7001), "K. & W."— $\frac{1}{8}$ " ...	"	15 gross	gross	0 2 3	
†7001	$\frac{3}{16}$ " ...	"	30 "	"	0 4 0	
7002	$\frac{1}{4}$ " ...	"	50 "	"	0 5 8	
7003	$\frac{5}{16}$ " ...	"	5 "	"	0 7 9	
7004	$\frac{3}{8}$ " ...	"	15 "	"	0 13 3	
7005	$\frac{1}{2}$ " ...	"	2 "	"	1 7 0	
7006	$\frac{3}{4}$ " ...	"	10 "	"	4 2 6	
7007	$\frac{7}{8}$ " ...	"	5 "	"	6 4 6	
7008	Nuts, hexagon, brass, pressed (B.S.W.), to specification, "K. & W."— $\frac{3}{16}$ " ...	"	75 "	"	0 1 11	
7009	$\frac{1}{4}$ " ...	"	10 "	"	0 3 4	
7010	Nuts, wing (butterfly), brass— $\frac{1}{4}$ " ...	N.S.W.	30 "	"	0 16 6	
7011	$\frac{3}{8}$ " ...	"	30 "	"	1 5 6	
7012-7019	Nil					

STEEL AND BRASS WASHERS

(Schedule No. 206)

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
	Washers, black mild steel, round plate, with round hole, to specification—					
7020	1" x $\frac{1}{16}$ " x $\frac{1}{16}$ " hole ...	Vict.	5 cwt.	cwt.	3 2 6	} C. H. Stevens C. Ebeling & Sons Pty. Ltd.
7021	1" x $\frac{1}{8}$ " x $\frac{1}{16}$ " "	"	5 "	"	1 16 0	
7022	$1\frac{1}{4}$ " x $\frac{1}{8}$ " x $\frac{1}{16}$ " "	"	5 "	"	1 16 0	
7023	$1\frac{1}{4}$ " x $\frac{1}{4}$ " x $\frac{3}{8}$ " "	"	5 "	"	1 16 0	

STEEL AND BRASS WASHERS—continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
	Washers, black mild steel, round plate, with round hole, to specification— continued—					
7024	1½" x 1½" x 7/16" hole	Vict.	5 cwt.	cwt.	2 10 6	C. H. Stevens
7025	1½" x 1½" x 7/16" "	"	35 "	"	1 13 6	C. Ebeling & Sons Pty. Ltd.
7026	1½" x 1½" x 7/16" "	"	5 "	"	1 13 6	
7027	1½" x 1½" x 7/16" "	"	5 "	"	2 16 0	
7028	1½" x 1½" x 7/16" "	"	60 "	"	1 12 0	
7029	1½" x 1½" x 9/16" "	"	5 "	"	1 16 6	C. H. Stevens
7030	2" x 1½" x 9/16" "	"	5 "	"	1 13 0	C. Ebeling & Sons Pty. Ltd.
7031	1½" x 1½" x 11/16" "	"	50 "	"	1 12 6	
7032	2½" x 1½" x 11/16" "	"	15 "	"	1 13 6	
7033	2" x 1½" x 11/16" "	"	60 "	"	1 12 0	
7034	1½" x 1½" x 11/16" "	"	10 "	"	1 18 0	C. H. Stevens
7035	1½" x 1½" x 11/16" "	"	30 "	"	1 12 6	C. Ebeling & Sons Pty. Ltd.
7036	2½" x 1½" x 11/16" "	"	150 "	"	1 12 0	
7037	1½" x 1½" x 11/16" "	"	5 "	"	1 18 0	
7038	2" x 1½" x 11/16" "	"	25 "	"	1 13 0	
7039	3" x 1½" x 11/16" "	"	140 "	"	1 12 0	C. H. Stevens
7040	3" x 1½" x 11/16" "	"	25 "	"	1 16 0	C. Ebeling & Sons Pty. Ltd.
7041	2½" x 1½" x 1 1/16" "	"	40 "	"	1 16 6	
7042	2½" x 1½" x 1 1/16" "	"	10 "	"	1 16 0	
7043	2½" x 1½" x 1 1/16" "	"	5 "	"	1 16 6	
7044	2½" x 1½" x 1 1/16" "	"	20 "	"	1 16 6	C. H. Stevens
7045	2½" x 1½" x 1 1/16" "	"	10 "	"	1 17 6	
7046	2½" x 1½" x 1 1/16" "	"	5 "	"	1 17 6	
7047	2½" x 1½" x 1 1/16" "	"	10 "	"	1 17 6	
7048	4" x 1½" x 2 1/16" "	"	10 "	"	2 0 0	C. Ebeling & Sons Pty. Ltd.
7049	4" x 1½" x 2 1/16" "	"	5 "	"	3 0 0	
	Washers, black mild steel, round plate, with square hole, to specification—					
7050	1½" x 1½" x 7/16" hole	"	10 "	"	2 2 6	C. H. Stevens
7051	2" x 1½" x 7/16" "	"	10 "	"	2 0 0	
	Washers, black mild steel, square plate with round hole, to specification—					
7052	1½" x 1½" x 7/16" hole	"	5 "	"	1 0 0	McPherson's Pty. Ltd.
7053	2" x 1½" x 11/16" "	"	10 "	"	0 18 0	C. H. Stevens
7054	2" x 1½" x 11/16" "	"	20 "	"	0 19 3	McPherson's Pty. Ltd.
7055	2½" x 1½" x 1 1/16" "	"	15 "	"	0 17 0	C. H. Stevens

STEEL AND BRASS WASHERS—continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
7056	Washers, black mild steel, square plate, with square hole, to specification— 1½" x ¼" x 7/16" hole	Vict.	5 cwt.	cwt.	1	2	0	McPherson's Pty. Ltd.
7057	Washers, bright mild steel, round (B.S.W.), with round hole, to specification— 3/8"	...	80 gross	} Nil
7058	1/8"	...	80 "	
7059	1/4"	...	150 "	
7060	1/8"	...	80 "	
7061	3/8"	...	80 "	
7062	7/16"	...	25 "	
7063	1/2"	...	80 "	
7064	3/8"	...	10 "	
7065	1/4"	...	5 "	
†7066	Washers, brass, round, with round hole, to specification— 1/8"	...	5 "	
†7067	1/8"	...	150 "	
†7068	1/4"	...	100 "	
†7069	1/8"	...	5 "	
7070	Washers, galvanised, mild steel, square plate, 1½" x ¼" x 11/16" round hole, to specification	...	20 cwt.	
7071-7079	—Nil							

SPRING STEEL WASHERS

(Schedule No. 207)

7080	Washers, spring steel, round, flat section, to specification— 1/4" x 1/8" x 1/16"	Vict.	75 gross,	gross	0	0	7	} Central Spring Works
7081	1/8" x 1/4" x 1/16"	"	500 "	"	0	0	9	
7082	5/8" x 1/4" x 1/8"	"	20 "	"	0	3	6	
7083	11/16" x 1/4" x 1/8"	N.S.W.	120 "	"	10	9	6	
7084	Washers, spring steel, round, square section, to specification— 3/16" x 1/8"	Vict.	300 "	"	0	0	4	} Central Spring Works
7085	1/4" x 1/16"	"	500 "	"	0	0	4	

† Less 50% trade discount

SPRING STEEL WASHERS—continued

Item No.	Description.	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
Washers, spring steel, round, square section, to specification—continued—								
7086	$\frac{1}{4}$ " x $\frac{3}{32}$ " ...	N.S.W.	160 gross	gross	£	1	0	} F. R. S. Ideal Spring Co. Ltd.
7087	$\frac{1}{4}$ " x $\frac{1}{8}$ " ...	"	20 "	"	£	1	4	
7088	$\frac{5}{16}$ " x $\frac{1}{16}$ " ...	"	20 "	"	£	1	0	
7089	$\frac{5}{16}$ " x $\frac{3}{32}$ " ...	"	200 "	"	£	1	3	
7090	$\frac{5}{16}$ " x $\frac{1}{8}$ " ...	"	200 "	"	£	1	6	
7091	$\frac{3}{8}$ " x $\frac{3}{32}$ " ...	Vict.	40 "	"	0	0	9	} Central Spring Works
7092	$\frac{3}{8}$ " x $\frac{1}{8}$ " ...	N.S.W.	400 "	"	£	2	0	
7093	$\frac{7}{16}$ " x $\frac{1}{8}$ " ...	"	40 "	"	£	2	2	} F. R. S. Ideal Spring Co. Ltd.
7094	$\frac{1}{2}$ " x $\frac{1}{8}$ " ...	"	250 "	"	£	2	9	
7095	$\frac{1}{2}$ " x $\frac{3}{16}$ " ...	Vict.	100 "	"	0	2	6	} Central Spring Works
7096	$\frac{5}{8}$ " x $\frac{1}{8}$ " ...	"	250 "	"	0	1	5	
7097	$\frac{3}{4}$ " x $\frac{3}{16}$ " ...	N.S.W.	450 "	"	£	7	0	} F. R. S. Ideal Spring Co. Ltd.
7098	$\frac{7}{8}$ " x $\frac{3}{16}$ " ...	Vict.	50 "	"	0	4	5	
7099	$1\frac{1}{4}$ " x $\frac{1}{4}$ " ...	"	5 "	"	0	10	1	} Central Spring Works
7100	$1\frac{1}{4}$ " x $\frac{7}{16}$ " ...	N.S.W.	10 "	"	£	16	0	
7101	$1\frac{3}{8}$ " x $\frac{3}{8}$ " ...	"	5 "	"	£	2	8	} F. R. S. Ideal Spring Co. Ltd.
7102	$1\frac{1}{2}$ " x $\frac{3}{8}$ " ...	"	5 "	"	£	3	0	
7103	$1\frac{3}{4}$ " x $\frac{3}{8}$ " ...	"	5 "	"	£	3	12	
7104-7109	—Nil							

† Less 50% trade discount.

TOOL STEEL, ETC.

(Schedule No. 209).

7120	Steel, carbon, flat, for welded boiler tube ferrules, .40 to .50% carbon, $1\frac{1}{8}$ " wide x 8 gauge, in 10' to 12' lengths, to specification	N.S.W.	250 cwt.	cwt.	0	15	0	} Commonwealth Steel Co. Ltd.
7121	Steel, nickel, round, for case hardening, 3% nickel, in trade lengths, to specification, "Nycase"— $\frac{5}{16}$ to 1" diameter, advancing by $\frac{1}{16}$ ", as ordered	"	3 "	"	2	2	9	
7122	$1\frac{1}{8}$ " to $2\frac{1}{4}$ " diameter, advancing by $\frac{1}{8}$ ", as ordered	"	17 "	"	2	2	9	} The Eagle & Globe Steel Co. Ltd.
7123	Steel, nickel, round, not for case hardening, 3% nickel, in trade lengths, to specification, $1\frac{1}{8}$ " to $2\frac{1}{4}$ " diameter, advancing by $\frac{1}{8}$ ", as ordered, "Nyval"	"	20 "	"	2	2	9	

TOOL STEEL, ETC.—continued.

Item No.	Description	Country of Manufacture	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
	Steel, tool, tungsten, high speed, 18% tungsten, in 10' to 12' lengths, to specification, "Comsteel W-18"—continued—					
	Round—					
7148	¼" diameter	N.S.W.	} 30 cwt.	lb.	† 20 7 4½	} Commonwealth Steel Co. Ltd.
7148A	⅝" " " " " " "	"		"	† 20 6 9	
7149	⅜" or 7/16" diameter, as ordered	"		"	† 20 6 1½	
7149A	½" to 27/8" diameter, advancing by 1/8", as ordered	"		"	† 20 5 6	
7150	3" to 47/8" diameter, advancing by 1/8", as ordered	"		"	† 20 5 9½	
7150A	5" to 77/8", diameter, advancing by 1/8", as ordered	"		"	† 20 5 11	
	Square—					
7151	5/8" to 1¼", advancing by 1/8", as ordered	"	10 "	"	† 20 5 6	
7152	1½" to 2½" " " ¼" "	"	5 "	"	† 20 5 6	
7153-7159	Nil					

† Plus extras, then less 10% trade discount.

STEEL FOR HOT FORGING DIES
(Schedule No. 210)

	Steel, for hot forging dies, in standard lengths of 10' to 12', to specification, "W.9.B."—					
7160	Round, 4" diameter	N.S.W.	12 cwt.	lb.	† 0 4 10½	} Commonwealth Steel Co. Ltd.
7161	Square, 5½" " " " "	"	6 "	"	† 0 5 0	
7162-7169	Nil					

† Less 10% trade discount.

CLOTH OVERCOATS.
(Schedule No. 212)

	Overcoats, cloth, to specification, any size ordered—					
*7180	Single Breasted, to sample No. 1 (worn by Goods Guards, Electric Suburban Guards, Electric Train Drivers, Rail Motor Drivers, Tram Conductors and Tram Motormen)	Vict.	400	each	2 17 0	} John Cohen & Co. Pty. Ltd.
*7181	Single Breasted, to sample No. 2 (worn by Passenger Guards)	"	20	"	3 0 9	
*7182	Double Breasted, British warm type, with two faced slits, to sample No. 3 (worn by Ticket Checkers)	"	15	"	3 1 6	
	Allowances for alterations and adjustments to completed overcoats—					
7183	For shortening or lengthening coat	"	...	"	0 3 6	
7184	For shortening or lengthening sleeves	"	...	pair	0 3 0	
7185-7189	Nil					

UNIFORM CAPS.
(Schedule No. 213.)

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
	Caps, uniform, to specification, any size ordered—					
*7190	To sample No. 1 (worn by Stationmasters)	Vict.	180	each	0 18 9	} Max Borchardt Pty. Ltd.
*7191	To sample No. 2 (worn by Assistant Stationmasters and Clerks)	"	375	"	0 10 5	
*7192	To sample No. 3 (worn by Passenger Guards)	"	45	"	0 10 5	
*7193	To sample No. 4 (worn by Train Conductors, Head Porters, Senior Porters, Indicator Porters, Parcels' Foremen, Supervising Tram Motormen, 1st class Ticket Checkers and Luggage Checkers)	"	80	"	0 10 5	
*7194	To sample No. 5 (worn by Porters, Leading Porters, Goods Guards, Electric Suburban Guards, 2nd class Ticket Checkers, Electric Train Drivers, Rail Motor Drivers, Tram Conductors and Tram Motormen)	"	2200	"	0 9 8	
*7195	To sample No. 6 (worn by Licensed Luggage Porters)	"	60	"	0 9 6	
*7196	To sample No. 7 (worn by Motor Omnibus Drivers)	"	20	"	0 10 9	
*7197	To sample No. 8 (worn by Operating Porters and Porters-in-Charge)	"	350	"	0 13 6	
7198, 7199—	Nil					

FELT HATS.

(Schedule No. 214)

*7200	Hats, felt, to specification, any size ordered	Vict.	1350	each	0 13 5	Coronet Felts Pty. Ltd.
7201—7209—	Nil					

CHAMOIS SKINS AND CELLULOSE SPONGES.

(Schedule No. 216).

†7220	Skins, Chamois, "Evasopi," approx. 3½ sq. ft. each	Vict.	450	dozen	†1 3 6	C. J. Langford
†7221	Sponges, cellulose, approx. 4" x 6" x 2"	...	Nil	
7222—7229—	Nil					

† Less 2½% discount for payment by end of month following month of delivery.

DRAPERY, ETC.
(Schedule No. 217.)

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
†7230	Baize, green, 72" wide	Vict.	120 lin. yds.	l. yd.	0	6	0	Federal Felters Pty. Ltd.
†7231	Blanketing, dark grey, 63" wide	"	5000 lb.	lb.	0	4	0	Penal & Gaols Dept.
†7232	Blocks, felt, 8" x 3" x 7/8"	"	500	"	"	"	"	Nil
*†7233	Buttons, clinch, steel, black, 1 1/4", without washers	Vict.	500 gross	gross	0	5	6	} Stokes & Sons Pty. Ltd.
*†7234	Buttons, metal, black, large	"	1000 "	"	0	4	6	
†7235	Calico, signwriters', 36" wide	"	500 lin. yds	"	"	"	"	} Nil
†7236	Calico, unbleached, 36" wide, for French polishing	"	2000 "	"	"	"	"	
†7237	Calico, unbleached, 72" wide	"	2500 "	"	"	"	"	
†7238	Calico, white, 36" wide	"	2000 "	"	"	"	"	
†7239	Cloth, cheese, brown, 36" wide	"	1000 "	"	"	"	"	
†7240	Cloths, floor, 32" x 22"	"	150 doz.	"	"	"	"	
†7241	Drill, drab, 30" wide	"	500 lin. yds.	"	"	"	"	
	Duck, japanned, 1st quality, 50" wide, in pieces of 12 lin. yds., "Crocketts 1st"—							
†7242	Claret	U.K.	2400 "	l. yd.	0	11	2	} L. Neuendorf
†7243	Green	"	8000 "	"	0	11	2	
†7244	Dusters, check, 28" x 23"	"	60 doz.	"	"	"	"	} Nil
†7245	Elastic, white, 3/8" wide	"	40 doz. yds.	"	"	"	"	
†7246	Felt, air, "S.K. No. 3," or suitable alternative, 5' wide, in rolls 75' long	"	4 rolls	"	"	"	"	} Nil
†7247	Felt, vermin proof, mounted on hessian, 3/8" thick, 72" wide	Vict.	100 lin. yds.	l. yd.	0	7	6	
†7248	Felt, white, approx. 52" wide, any length ordered, 1/8", 1/4", 3/8", 1/2", 5/8", 3/4" or 1" thick, as ordered	N.S.W.	4000 lb.	lb.	0	6	6	Felt & Textiles of Aust. Ltd.
†7249	Hessian, for paperhanging, 72" wide, 18 oz.	"	600 lin. yds.	"	"	"	"	} Nil
†7250	Hessian, for upholstering, 72" wide	"	8000 "	"	"	"	"	
†7251	Hessian, flock lined, in pieces 60" x 40", "W. K. Thomson"	S. Aust.	2000 pieces	piece	0	1	6	Australian Felt Mills Pty. Ltd.
	Holland, 1st quality, beige, green or nigger brown, as ordered—							
†7252	36" wide	"	500 sq. yds.	"	"	"	"	} Nil
†7253	Widths other than 36"	"	1000 "	"	"	"	"	
†7254	Kapok, in bales	"	10 cwt.	"	"	"	"	} Nil
†7255	Muslin, butter, 36" wide, "Robinson & Sons Ltd."	U.K.	10,000 l. yds.	l. yd.	0	0	3 1/2	
†7256	Paper, felt, 72" wide, for use under Linoleum, in rolls 50 yds. long	"	15 rolls	"	"	"	"	Nil
†7257	Textile, black, for blinds, 50" wide, "Fabrex" Leathercloth, "D" quality, shade 70, grain R 33	Vict.	400 lin. yds.	l. yd.	0	6	2	Imperial Chemical Industries of A. & N.Z. Ltd. (Fabrex Division).

DRAPERY, ETC.—continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor.
†7258	Towels, sanitary, in cartons, 1½" diameter x 3" long, with pasted turn-in edges, "Pinc-bak"	Vict.	1000 doz.	doz.	0 2 0	Joubert & Joubert Pty. Ltd.
†7259	Velvet, Utrecht, green, 50" wide	...	200 lin. yds.	Nil
†7260	Wadding, cotton, in rolls 36" wide (folded to 18") x 12 yards long, "Valdura"—Bleached, suitable for French polishing	Vict.	15 rolls	roll	0 1 10	} Cotton Dressings Pty. Ltd.
†7261	Unbleached	"	800 "	"	0 3 5	
†7262	Wool, fingering, white	...	250 lbs.	Nil
7263-7269	—Nil					

OFFICE CHAIRS.

(Schedule No. 218.)

*†7270	Chairs, office, revolving, "Bendix new model C.404," to specification	Vict.	200	each	2 1 0	Bendix Steel Chair Co.
7271-7279	—Nil					

PENCILS

(Schedule No. 219)

Pencils, colored, thick core—						
†7280	Black, "Black Prince"	N.S.W.	2 gross	gross	0 19 6	} Robertson & Mullens Ltd.
†7281	Blue, "Briton"	"	50 "	"	0 14 6	
Pencils, copying, hexagon or round—						
†7282	Extra Hard, to take 2 or more carbons	...	Nil	} Nil
†7283	Blue	...	5 gross	
†7284	Green	...	5 "	
†7285	Red	...	40 "	
Pencils, drawing, "Royal Sovereign" or suitable alternative—						
†7286	B	...	Nil	} Robertson & Mullens Ltd.
†7287	BB	...	Nil	
†7288	HB	...	Nil	
†7289	F	...	Nil	
†7290	H	...	Nil	
†7291	HH	...	Nil	
†7292	HHH	...	Nil	
Pencils, office, "Popular"—						
†7293	HB, hexagon	N.S.W.	200 gross	gross	0 6 6	} Robertson & Mullens Ltd.
†7294	2H, to take 5 carbons, hexagon or round	"	25 "	"	0 6 6	
7295-7299	—Nil					

PARTS FOR ELECTRIC SAFETY CAP LAMPS—continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ a. d.	Name of Contractor
	Parts for "NIFE" electric safety cap lamps—continued—					
7345	Mouldings, bakelite, part No. 1003	250	Nil
7346	Nuts, connector, part No. 2104	Nil	
*7347	Nuts, steel, 6 B.A., part No. 2027	Nil	
7348	Pins, hinge, magnetic lock, part No. 3302	U.K.	15 doz.	dozen	0 1 1	} Masse Batteries (Vic.) Pty. Ltd.
*7349	Plates, contact, cable socket, part No. 2002	"	150 "	"	0 0 9½	
7350	Plungers, magnetic lock, part No. 3306	"	250	each	0 0 3	
7351	Reflectors, part No. 1006 ...	"	200	"	0 1 10	
7352	Rings, terminal, ebonite, black, part No. 2101	"	500	"	0 0 4	
7353	Rings, terminal, ebonite, red, part No. 2100	"	500	"	0 0 4	
7354	Rivets, clip, bezel, part No. 1034 ...	"	150	dozen	0 1 1	
*7355	Screws, round head, Whitworth, ½", part No. 1021	"	15 doz.	"	0 1 1	
*7356	Screws, round head, 6 B.A., long, part No. 1013	"	30 "	"	0 0 10	
7357	Screws, sealing, magnetic body, part No. 3304	"	250	each	0 0 3	
7358	Screws, terminal, part No. 2005 ...	"	1500	dozen	0 0 10	} Masse Batteries (Vic.) Pty. Ltd.
7359	Sheets, insulating, ebonite, red, part No. 3307	"	150	each	0 0 5	
7360	Sleeves, terminal, part No. 2004 ...	"	700 doz.	dozen	0 0 10	
*7361	Sockets, cable, part No. 2003 ...	"	300 "	"	0 1 7	
7362	Springs, bulb glass, part No. 1020 ...	"	150	each	0 0 10	
7363	Springs, magnetic lock, part No. 3305 ...	"	15 doz.	dozen	0 1 1	
7364	Switches, complete, part No. 1026 ...	"	300	each	0 2 7	
7365	Terminals, positive or negative, as ordered, part No. 2018	"	1200	"	0 0 5	
7366	Tubes, reinforcing, short, new type, part No. 2008	"	1000	"	0 0 9	
7367	Vents, steel, with rubber sleeve, part No. 2023	"	300	"	0 0 6½	
*7368	Washers, cable, gland, rubber, part No. 1038 (see note)	Vict.	18 doz.	dozen	† 0 0 9½	Dunlop Rubber Aust. Ltd.
7369	Washers, cable, gland, steel, part No. 1037	U.K.	25 "	"	0 1 1	Masse Batteries (Vic.) Pty. Ltd.
*7370	Washers, rubber, seating, for steel vent, part No. 2025 (see note)	Vict.	150 "	"	† 0 0 8½	Dunlop Rubber Aust. Ltd.
7371	Washers, seating, electrolyte level indicator, part No. 2106	U.K.	750	"	0 1 0	} Masse Batteries (Vic.) Pty. Ltd.
7372	Washers, reflector, part No. 1007 ...	"	500	each	0 0 9	
7373	Washers, steel, for terminals, part No. 2102	"	25 doz.	dozen	0 0 9	
7374-7379	—Nil					

† Less 2½% discount for payment by end of month following month of delivery.

SAWN TIMBER
(Schedule No. 224)

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
	Hoop Pine , sawn, to specification, as ordered, in random lengths 10' and over—			100 sup. ft. of 1" thick		
7380	12" wide x 1" or 1½" thick	Q'land	30,000	"	3 12 4	Wm. Cook Pty. Ltd.
7381	12" " x 1½" or 2" "	"		"	3 14 10	
7382	14" " x 1" or 1½" "	"		"	3 13 4	
7383	16" " x 1" or 1½" "	"		"	3 15 4	
7384	16" " x 1½" or 2" "	"		"	3 17 10	
7385	18" " x 1" or 1½" "	"		"	3 18 4	
7386	18" " x 1½" or 2" "	"		"	4 0 10	
	Kauri, Queensland , sawn, to specification, as ordered, in random lengths 10' and over—					
7387	12" wide x 1" thick	"	12,000	"	£4 11 8	John Sharp & Sons Pty. Ltd.
7387A	12" " x 1½" "	"		"	£4 13 9	
7388	12" " x 1½" or 2" thick	"		"	£4 15 10	
7389	14" " x 1" thick	"		"	£4 13 9	
7390	16" " x 1" "	"		"	£4 17 11	
7391	18" " x 1" "	"		"	£5 0 0	
7392	24" " x 1" "	"		"	£5 8 4	
7393	24" " x 1½" or 2" thick	"	"	"	Nil	
	Radiata Pine , sawn, kiln dried, to specification, 1", 1¼", 1½", 2", 2½" or 3" thick, as ordered, in random lengths 10' and over—			100 sup. ft. of 1" thick		
7394	9" wide	Vict.	25,000	"	1 17 6	Wm. Cook Pty. Ltd.
7395	10" "	"		"	1 18 0	
7396	12" "	"		"	2 0 6	
7397	14" "	"		"	2 5 0	
7398	Radiata Pine , sawn, to specification, 2" to 8" wide, 1" to 5" thick, as ordered, in random lengths	"	25,000	"	"	Nil
7399-7409	—Nil					

‡ Plus 5/6 per ton for cartage then less 2½% discount for payment by end of month following month of delivery.

MILLED TIMBER.
(Schedule No. 225.)

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
SHELVING.						
7410	Shelving, Hoop Pine, to specification, dressed four sides, in random lengths, 10' and up— 12" x ½" (finished sizes)	Q'land	Super ft. on face 1500	100 super ft. on face	3 5 0	
7411	12" x ¾" or 7⁄8" „ „ as ordered	„	6000	„	3 15 0	
FLOORING, LINING AND WEATHERBOARD.						
Milled Hoop Pine, select quality, to specification—						
†7412	Flooring, T. & G., 6" x 7⁄8", in random lengths, 10' and up	„	Lineal feet 18,000	100 lin. ft.	1 13 0	Wm. Cook Pty. Ltd.
†7413	Flooring, T. & G., 6" x ¾", in random lengths, 10' and up	„	2500	„	1 11 6	
†7414	Lining, T. & G. and V jointed, 6" x ½", in bundles of even lengths, 10' and up	„	3000	„	1 1 6	
†7415	Milled Jarrah, select quality, to specification— Flooring, T. & G., 3½" x 13⁄16", any length ordered	W.A.	20,000	„	1 4 0	
7416	Milled Mountain Ash, select quality, to specification— Flooring, T. & G., 4¼" x 13⁄16", in random lengths, 10' and up	Vict.	300,000	„	1 3 0	Evans Bros.
7417	Lining, T. & G. or rebated as ordered, V jointed, 3¼" x 13⁄16", in bundles of even lengths, 10' and up	„	250,000	„	0 13 9	
7418	Weatherboards, bullnosed, 6½" x 9⁄16", in bundles of even lengths, 10' and up	„	200,000	„	1 3 0	
†7419	Milled Murray Pine, first quality, to specification— Flooring, T. & G., 5½" x 7⁄8", in random lengths, 10' and up	N.S.W. & Vict.	40,000	„	0 18 0	
†7420	Flooring, T. & G., 4" x 7⁄8", in random lengths, 10' and up	„	20,000	„	0 13 0	
†7421	Lining, T. & G. and V jointed, 3½" x 9⁄16", in bundles of even lengths, 10' and up	„	2000	„	0 10 0	
†7422	Milled Radiata Pine, to specification— Flooring, T. & G., 6" x 7⁄8", in random lengths, 10' and up	Vict.	200,000	„	1 9 0	Wm. Cook Pty. Ltd.
†7423	Lining, T. & G. and beaded, 6" x ½", in bundles of even lengths, 10' and up	„	100,000	„	1 2 0	
†7424	Lining, T. & G. and V jointed, 6" x ½", in bundles of even lengths, 10' and up	„	30,000	„	1 2 0	
†7425	Weatherboards, square edge, 2 out of 7" x 1¼", in bundles of even lengths, 10' and up	„	25,000	„	1 2 6	
Milled Red Deal, Baltic, first quality, to specification—						
†7426	Flooring, T. & G., 6" x 7⁄8", in random lengths, 10' and up	„	Nil	„	„	
†7427	Lining, T. & G. and V jointed, 4" x 9⁄16", in bundles of even lengths, 10' and up	„	Nil	„	„	
7428-7429	Nil					

MOULDINGS (TIMBER)

(Schedule No. 226)

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
	Mouldings, Mountain Ash, Select Quality, to specification—					
	Architrave, sanitary or bullnosed, as ordered—		Lineal feet	100		
† { 7430	3" x 7/8"	Vict.	5000	lin. ft.	0 14 0	} Wm. Cook Pty. Ltd.
† { 7431	4" x 7/8"	"	8000	"	0 18 0	
† 7432	Bead, parting, 7/8" x 3/8" (finished sizes)	"	5000	"	0 5 0	
	Cover Strip, dressed all round—					
† { 7433	1 1/2" x 5/8" (finished sizes)	"	45,000	"	0 6 3	
† { 7434	2" x 5/8" " "	"	60,000	"	0 7 6	
† 7435	Picture Rail, 2 1/2" x 1/2"	"	5000	"	0 12 0	
	Scotia, plain—					
† { 7436	1/2" x 1/2" (finished sizes)	"	1000	"	0 5 9	
† { 7437	1" x 1" " "	"	1000	"	0 9 9	
† { 7438	1 1/2" x 1 1/2" " "	"	14,000	"	0 15 0	
† { 7439	1 3/4" x 1 3/4" " "	"	5000	"	0 16 0	
	Skirting, sanitary or bullnosed, as ordered—					
† { 7440	7" x 7/8"	"	6000	"	1 13 0	
† { 7441	9" x 7/8"	"	1000	"	2 11 0	
	Staff Bead—					
† { 7442	7/8" x 1/2" (finished sizes)	"	500	"	0 6 0	
† { 7443	1 1/2" x 1/2" " "	"	2000	"	0 7 0	
	Quad. Moulding—					
† { 7444	1/2" (finished size)	"	10,000	"	0 6 0	
† { 7445	1" " "	"	50,000	"	0 10 0	
† { 7446	1 1/2" " "	"	10,000	"	0 11 6	
7447-7449	—Nil					

CARBON BRUSHES.

(Schedule No. 228).

	BRUSHES, CARBON, to specification—					
*7470	Sample No. 1—Drawing No. F1763A (for AC slip rings of Siemens rotary converters, 3000, 1500 and 750 k.w.) "Morganite CM5H."	N.S.W. and U.K. or U.S.A.	100	each	0 8 10	Lawrence & Hanson Electrical Pty. Ltd.
*7471	Samples No. 2A or 2B—Drawings Nos. F256c or F1765B (for commutators of Siemens rotary converters, 3000, 1500 and 750 k.w.) "Battersea EG14/2"	"	500	"	0 4 0	H. Rowe & Co. Pty. Ltd.
*7472	Sample No. 3A—Drawing No. F1766A (for AC slip rings of Metropolitan-Vickers rotary converters, 2250 k.w.) "Acheson Graphite Standard"	Vict. and U.S.A.	200	"	0 6 11	O. H. O'Brien

CARBON BRUSHES—continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
*7473	BRUSHES, CARBON, to specification, continued— Sample No. 4—Drawing No. F1642b (for commutators of Metropolitan-Vickers rotary converters, 2250 k.w.) "Morgan HM3"	N.S.W. and U.K. or U.S.A.	1000	each	0 3 3	H. Rowe & Co. Pty. Ltd.
*7474	Sample No. 5b—Drawing No. F1772A (for AC slip rings of Metropolitan-Vickers rotary converters, 525 k.w.) "Acheson Graphite Standard"	Vict. and U.S.A.	50	"	0 5 6	O. H. O'Brien
*7475	Sample No. 6—Drawing No. F1640A (for commutators of Metropolitan-Vickers rotary converters, 525 k.w.) "Morgan HM5"	N.S.W. and U.K. or U.S.A.	50	"	0 7 9	} H. Rowe & Co. Pty. Ltd.
*7476	Sample No. 7—Drawing No. F1778B (for AC slip rings of General Electric rotary converters, 2250 k.w.) "Morganite CM 6994"	"	50	"	0 16 3	
*7477	Sample No. 8A—Drawing No. F2392 (for commutators of General Electric rotary converters, 2250 k.w.) "N.C.C. SA40"	Vict. and U.S.A.	100	"	0 5 7	} H. R. Hill & Sons Pty. Ltd.
*7478	Sample No. 9—Drawing No. F1780A (pilot brushes of General Electric rotary converters, 2250 k.w.) "N.C.C. SA40"	"	12	"	0 2 0	
*7479	Sample No. 10—Drawing No. F1663B (for AC slip rings of British Thompson Houston rotary converters, 1000 and 4500 k.w.) "Acheson Graphite Standard"	"	200	"	0 4 9	O. H. O'Brien
*7480	Sample No. 11A—Drawing No. F1666A (for commutators of British Thompson Houston rotary converters, 1000 and 4500 k.w.) "Battersea EG14/2"	N.S.W. and U.K. or U.S.A.	200	"	0 7 9	The Morgan Crucible Co. (Aust.) Pty. Ltd.
*7481	Sample No. 16—Drawing No. F1791B (for commutators of motor generator sets, 5 k.w.) "Battersea EG12"	"	12	"	0 2 10	Lawrence & Hanson Electrical Pty. Ltd.
*7482	Samples Nos. 23A or 23B—Drawing No. F1554B (for commutators of British Thompson Houston rotary converters, 3000 k.w.) "Battersea EG14/2"	"	200	"	0 4 6	H. Rowe & Co. Pty. Ltd.
*7483	Sample No. 101A—Drawing No. F2371 (for AC slip rings of turbo alternator sets at Newport Power Station) "Morganite HM6"	"	150	"	0 6 4	} Lawrence & Hanson Electrical Pty. Ltd.
*7484	Sample No. 104A—Drawing No. F1937 (for exciters of turbo alternator sets at Newport Power Station) "Morganite Link 1"	"	10	"	0 3 11	
7485-7489	Nil	"				

DIXIE CUPS AND FIBRE CARTONS.

(Schedule No. 231)

*7510	Cups, drinking, "Dixie" type, 5-oz., unglazed	...	200,000	Nil
	Cartons, solid fibre, printed in red—					
*7511	80—1 jute, 9½" square x 13¾" deep	Vict.	3000	each	10 0 10	} Corrugated Fibre Container Pty. Ltd.
*7512	100—1 jute, 14" long x 10" wide x 13¾" deep	"	500	"	10 1 3¼	
*7513	100—1 jute, 19" long x 9½" wide x 13¾" deep	"	1000	"	10 1 5	
*7514	100—2 jute, 19" long x 9½" wide x 13¾" deep	"	3000	"	10 1 5½	
7515-7519	Nil					

† Less 3½% discount for payment within 10 days of date of receipt of invoice, or 2½% for payment by end of month following month of delivery.

GOGGLES, RESPIRATORS, ETC.

(Schedule No. 232).

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
*7520	Discs, glass, clear, for "Durelex" Welding goggles, 44 mm. dia. x 12-oz. glass, not exceeding $\frac{1}{16}$ " thick	...	500	} Nil	
*7521	Discs, glass, clear, for "Duraweld" welding goggles, 50 mm. dia. x 12-oz. glass, not exceeding $\frac{1}{16}$ " thick	...	600		
*7522	Glasses, screen, $4\frac{1}{2}$ " x 2", to specification, for electric welders, "Protex"	U.K.	400	doz.	1	14	3	Gilbert Lodge & Co. Pty. Ltd.
†7523	Goggles, motor, dust, approx. 50% in dark brown fabric	...	4000 pairs	} Nil	
*7524	Lenses, clear, motor dust goggle	...	300		
*7525	Lenses, green, " " "	...	300		
	Lenses, protective, colored, "Protex," to specification, for oxy-acetylene welders—							
*7526	45 mm. dia. x 2 mm. thick, to fit "Durelex" goggles	U.K.	250	doz.	1	5	6	} Gilbert Lodge & Co. Pty. Ltd.
*7527	50 mm. dia. x 2 mm. thick, to fit "Duraweld" goggles	"	500	"	1	5	6	
†7528	Respirators, dustproof, "Arnold" type D. 28	Vict.	200	each	†0	13	6	} Australian Oxygen & Industrial Gases Pty. Ltd.
†7529	Pads, filter, for "Arnold" type D. 28 respirators, in boxes of 100	"	2500	100	†0	7	6	
†7530	Valves, exhaust, for "Arnold" type D. 28 respirators	"	5 gross	each	†0	1	6	
7531-7539	Nil							

† Less 12½% trade discount.

ENGRAVING PERIODICAL TICKETS.

(Schedule No. 233).

7540	Engraving periodical tickets, to specification	Vict.	800	en-graving	0	3	0	Harold A. Jones
------	--	-------	-----	------------	---	---	---	-----------------

