

[1403]



VICTORIA GOVERNMENT GAZETTE.

Published by Authority.

[Registered at the General Post Office, Melbourne, for transmission by post as a newspaper.]

No. 91]

WEDNESDAY, MAY 24.

[1944

No.	Number of Tenders.	Particulars of Contract.	Country of Manufacture or Production.	Amount.	Name of Contractor.
38	..	Railways Stores Suspense Account, Act 3759, Section 105— Supply and delivery of General Stores as ordered, during the period 1st January, 1944, to 31st December, 1945.	As per annex ..	Rates as per annex	As per annex

Melbourne, 26th April, 1944.

Schedule of Rates Contracts

FOR THE

SUPPLY OF STORES

TO THE

VICTORIAN RAILWAYS.

PERIOD—

1.1.1944 to 31.12.1945.

E. C. EYERS,

By Order of the Victorian Railways Commissioners.

SUPPLY AND DELIVERY OF STORES.

As ordered, from 1.1.1944 to 31.12.1945.

* Indicates that the stores shall be supplied to sample exhibited by the Corporation.

† Indicates that the stores shall be supplied to sample furnished by the Contractor.

‡ Indicates that the rate is subject to discount as shown.

§ Indicates that the rate is subject to fluctuation.

⸈ Indicates that the rate is subject to the extras shown.

All rates are exclusive of Sales Tax.

LINSEED OIL AND WHITE LEAD.
(Schedule No. 120)
(1st January, 1944, to 31st December, 1945)

Item No.	Description	Country of Manufacture	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
	Oil, linseed, raw, to specification—					
† { 4000	In 4 or 5 gallon drums ...	Vict.	2,000 gals.	gal.	0 8 5	Meggitt Ltd.
4001	Delivered by road tanker into the Corporation's tanks at Newport Workshops	"	16,000 "	"	0 7 7½	
4002	Delivered by road in the Corporation's drums at Oil, Cement and Bulk Storehouse, Newport	"		"	0 7 7½	
† { 4003	Oil, linseed, boiled, to specification— In 4 or 5 gallon drums ...	"	50 "	"	0 8 7	
4004	Delivered by road tanker into the Corporation's tanks at Newport Workshops	"	10,000 "	"	0 7 9½	
4005	Delivered by road in the Corporation's drums at Oil, Cement and Bulk Storehouse, Newport	"		"	0 7 9½	
† 4006	Lead, white, in oil, to specification, in 1-cwt. kegs, "Berger's" (see notes)	N.S.W.	60 tons	ton	† \$30 0 0 f.o.b. or f.o.r. Sydney	Lewis Berger & Sons (Aust.) Pty. Ltd.
4007-4009	—Nil					

† Less 3% discount for payment within 14 days of date of receipt of invoice, or 2½% for payment by end of month following month of delivery.

COLOURS, PIGMENTS AND DYES.
(Schedule No. 121)
(1st January, 1944, to 31st December, 1945)

† 4010	Aluminium, powder, in 1-lb. tins	Nil	
† 4011	Black, drop, dry, in bags of approx. 70 lbs., to specification	Vict.	80 cwt.	cwt.	1 15 0	Goodlass Wall & Co. Pty. Ltd.
† 4012	Black, vegetable, in 1-lb. packets, to specification	...	Nil	
† 4013	Blue, Prussian, in oil, in 1-lb. tins	
† 4014	Blue, ultramarine, dry, in 7 or 28-lb. pkgs., as ordered	Vict.	4 cwt.	lb.	0 1 3	Goodlass Wall & Co. Pty. Ltd.
† { 4015	Brown, Bismarck, dry, "R.L.S."— In 7-lb. pkgs. ...	U.K.	1 "	"	0 6 2	Imperial Chemical Industries of A. & N.Z. Ltd. (Dye- stuffs Section)
4015A	In 28-lb. pkgs. ...	"		"	0 5 11	
† 4016	Brown, Spanish, dry, in 7-lb. pkgs. ...	Vict.	4 "	cwt.	1 12 0	Goodlass Wall & Co. Pty. Ltd.
† 4017	Brown, Vandyke, dry, in 7-lb. pkgs.	4 "	Nil
† 4018	Chrome, dry, to specification, in 7 or 14-lb. pkgs., as ordered,— Lemon or middle, as ordered	Vict.	2 cwt.	lb.	0 1 5	Goodlass Wall & Co. Pty. Ltd.
† 4019	Orange	28 lbs.	Nil
† 4020	Chrome, in oil, lemon, middle or orange, as ordered, to specification, in 7-lb. tins	...	Nil	

COLOURS, PIGMENTS AND DYES—continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
	Green, Brunswick, dry, to specification, in 14-lb. pkgs.—					
†4021	Light, "E.B.L." ...	Vict.	42 lbs.	cwt.	11 5 0	Imperial Chemical Industries of A. & N.Z. Ltd. (Dye-stuffs Section) Goodlass Wall & Co. Pty. Ltd.
†4022	Middle, "E.F.N." ...	"	3 cwt.	"	11 5 0	
†4021A	Deep ...	"	42 lbs.	lb.	0 0 5	
	Green, oxide of chromium, dry, to specification—					
† { 4023	In 7 or 14-lb. pkgs., as ordered	Nil	
4024	In 1 cwt. casks	
†4025	Lead, red, dry, to specification, in 1 cwt. kegs	Vict.	16 tons	cwt.	1 19 6	Blyth Chemicals Ltd.
†4026	Ochre, red, dry, to specification, in 14-lb. pkgs., "Bendigo Mineral Earth"	"	3 cwt.	"	0 8 4	W. & G. Dean Pty. Ltd.
	Ochre, yellow, dry, to specification—					
† { 4027	In 1 cwt. bags	Nil	
4028	In 14-lb. packets	
†4029	Oxide of Iron, brown, dry, ground, to specification, in 1-cwt. bags	Vict.	60 tons	ton	3 0 0	Primary Producers Chemicals Pty. Ltd. Nil
†4030	Oxide, red, in oil, to specification, in 56-lb. drums	...	5 "	...	f.o.r. Ballarat	
†4031	Red, Indian, dry, to specification, in 28-lb. pkgs.	U.K.	15 cwt.	cwt.	1 18 0	Goodlass Wall & Co. Pty. Ltd.
†4032	Red, mail, dry, in 14 or 28-lb. pkgs., as ordered	Vict.	6 "	"	5 5 0	
†4033	Red, Venetian, in oil, in 28-lb. kegs	South Aust.	2 "	"	2 10 9	British Australian Lead Manufacturers Pty. Ltd.
	Sienna, burnt—					
† { 4034	In oil, to specification, in 1-cwt. pkgs., "Majora"	N.S.W.	1 ton	"	4 3 0	Norman Macleod & Co. Pty. Ltd.
4035	In oil, to specification, in 14-lb. pkgs., "Majora"	"		"	4 4 0	
†4036	In pulp, in 28-lb. pkgs. ...	Vict.	56 lbs.	lb.	0 0 4½	Goodlass Wall & Co. Pty. Ltd.
	Sienna, raw—					
† { 4037	In oil, to specification, in 1-cwt. pkgs.	South Aust.	30 cwt.	cwt.	2 17 10	British Australian Lead Manufacturers Pty. Ltd.
4038	" " " 14-lb. pkgs.	"		"	3 3 7	
†4039	In pulp, in 28-lb. pkgs. ...	"	2 "	"	1 18 3	
†4040	Umber, burnt, to specification— Dry, in 7 or 14-lb. pkgs., as ordered	Vict.	112 lbs.	lb.	0 0 4	Goodlass Wall & Co. Pty. Ltd.
† { 4041	In oil, in 1-cwt. pkgs., "Majora", Italian	N.S.W.	1 ton	cwt.	3 10 4	Norman Macleod & Co. Pty. Ltd.
4042	In oil, in 14-lb. pkgs., "Majora", Italian	"		"	3 14 8	
†4043	Vermilion, pure, deep, in 1 or 7 lb. tins, as ordered	...	2 cwt.	Nil
†4044	Whiting, (calcium carbonate), for manufacture of putty, to specification, in approx. 1-cwt. bags, "Gostlings"	U.K.	12 tons	cwt.	0 15 0	W. & G. Dean Pty. Ltd.
†4045	Whiting, (calcium carbonate), for ordinary purposes, in 1-cwt. bags ...	Vict.	40 cwt.	"	0 6 9	S. N. Rodda Pty. Ltd.
†4046	Zinc Oxide, (zinc white), in oil, to specification, in 1-cwt. kegs or drums	...	Nil	

COLOURS, PIGMENTS AND DYES—continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
DYES.						
†4047	Dye, to specification, in 10-lb. containers— Black, "Kul-A-Fin" ...	Vict.	800 lbs.	lb.	0 3 9	J. T. Dunstan Pty. Ltd.
†4047A	" " "Libra" ...	"		"	0 4 0	Dychem Trading Co. Pty. Ltd.
†4048	Blue	300 "	Nil
†4049	Blue—Greenish, "Libra" ...	Vict.	500 "	lb.	0 4 0	Dychem Trading Co. Pty. Ltd.
†4050	Claret, "Kul-A-Fin" ...	"	250 "	"	0 4 0	J. T. Dunstan Pty. Ltd.
†4050A	" " "Libra" ...	"		"	0 4 3	Dychem Trading Co. Pty. Ltd.
†4051	White, "Kul-A-Fin" ...	"	50 "	"	0 3 9	J. T. Dunstan Pty. Ltd.
†4051A	" " "Libra" ...	"		"	0 4 0	Dychem Trading Co. Pty. Ltd.
†4052	Yellow, "Kul-A-Fin" ...	"	1000 "	"	0 4 9	J. T. Dunstan Pty. Ltd.
†4052A	" " "Libra" ...	"		"	0 5 0	Dychem Trading Co. Pty. Ltd.
STAINS.						
†4053	Stain, wood, flat, French Polishers', in ½-gallon tins— Blackwood, Cedar or Walnut, as ordered	South Aust.	12 gals.	gal.	0 11 11	British Australian Lead Manufacturers Pty. Ltd.
4054—4069	Nil					

COTTON WASTE.

(Schedule No. 122)

(1st January, 1942, to 31st December, 1943)

(Portion extended to 31st December, 1945)

†4070	Waste, cotton, to specification— Grey, "Glyca" ...	U.K.	100 tons	ton	54 5 10	Gilbert Lodge & Co. Pty. Ltd.
†4071	White (see note)	...	Nil	
4072—4079	Nil					

CANE, COIR MATS, ETC.

(Schedule No. 123)

(1st January, 1944, to 31st December, 1945)

†4080	Cane, for firebeaters, in 6' lengths, to specification, "Tohiti," or suitable alternative	...	}	Nil	}	M. Donaghy & Sons Pty. Ltd.
†4081	Cane, for manufacture of plugs, 3/8" diameter		
†4082	Cane, for staff carrier handles, in 4' lengths, to specification, "Tohiti," or suitable alternative		
*4083	Mats, coir, skeleton, 2' 10" x 2' 0", "Kangaroo"	Vict.	300	each	0 18 0			
	Matting, coir, (see note)—							
4084	24" wide, in rolls 50/55 yds. long	"	}	200 l. yds.	1. yd.	0 2 9 1/2	}	Royal Victorian Institute for the Blind
4084A	" " in cut lengths, as ordered	"			"	0 3 0 1/2		
4085	27" " in rolls 50/55 yds. long	"	}	1,100 "	"	0 2 9 1/2		
4085A	" " in cut lengths, as ordered	"			"	0 3 0 1/2		
4086	36" " in rolls 50/55 yds. long	"	}	50 "	"	0 3 9		
4086A	" " in cut lengths, as ordered	"			"	0 4 1		
4087	Extra on rates for items Nos. 4084 to 4086A, for binding coir matting	foot	0 0 6			
4088, 4089	—Nil							

ROOFING FELT, ETC.

(Schedule No. 124)

(1st January, 1944, to 31st December, 1945)

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate	Name of Contractor
†4090	Cement, plastic— Black, in approx. 10-lb. containers, "Duraseal"	N.S.W.	20 cwt.	lb.	s. d. †0 9 733	Ormonoid Roofing & Asphalts Ltd.
†4091	White, in 1-gallon tins, "Selley's" ...	"	10 "	gal.	†12 0 f.o.b. or f.o.r. Sydney	Selley's Chemical Manufacturing Co. C/o Ernest S. Ryan & Shaw Pty. Ltd.
†4092	Felt, roofing, bituminous, 36" wide, in rolls of 72', to specification— 1-ply, with tacks and fixing cement, "Ormonoid"	"	200 rolls	roll	£ s. d. †1 6 7	Ormonoid Roofing & Asphalts Ltd.
†4093	3-ply, with fixing cement, "Bitumenoid"	"	350 "	"	1 10 1 f.o.b. or f.o.r. Sydney	Maxwell Porter & Son Ltd.
†4094	Pitch, roofing, in drums, "Mexphalte R. 85/25" (see note)	U.S.A.	20 tons	ton net wgt.	26 7 6	The Shell Co. of Aust. Ltd.
4095-4099	Nil					

† Items Nos. 4090 and 4092—Less 3% discount for payment within 7 days of date of receipt of invoice, or 2½% for payment by end of month following month of delivery. (see note)
 † Item No. 4091—Less 2½% discount for payment within 7 days of date of receipt of invoice.

SHIP CHANDLERY, ETC.

(Schedule No. 125)

(1st January, 1944, to 31st December, 1945)

	Buckles, brass, roller, ¾"—					
†4100	Single ...		12 grs.	} Nil
†4101	Double ...		10 "	
†4102	Buckles, nickel-plated, ¾", double		10 "	
*†4103	Buckles, " half military roll, 1"		30 doz.	
†4104	Buckles, " roller, 1", double		50 "	
†4105	Bunting, red or green, as ordered, 18" wide, all wool, double warp		2600 l. yds.	} W. & G. Dean Pty. Ltd.
†4106	Chalk, French, powdered	Vict.	112 lbs.	lb.	0 0 2	
†4107	Chalk, white, lump	"	75 cwt.	cwt.	0 8 0 (See note)	
†4108	Eyelets, brass— ⅝" end diameter x ¼" deep x ⅝" rim diameter, "E.100"	"	20 grs.	gross	0 2 0	} Eyelets Pty. Ltd.
†4109	⅝" end diameter x ⅝" deep x ½" rim diameter, "OB"	"	20 "	"	0 2 6	
*†4110	Eyelets and Brewsters, nickel-plated, double		5 "	Nil
*†4111	Eyelets and Rings, brass, with lugs, for wire terminals, ⅝" end diameter x ⅝" deep x ½" rim diameter, 29 s.w.g. brass	Vict.	200 "	gross	†0 7 3	} Eyelets Pty. Ltd.
†4112	Eyelets and Washers, brass— ⅝" diameter, "6B"	"	100 "	"	†0 4 11	
†4113	1" " "8B"	"	600 "	"	†0 6 7	
†4114	1½" " "9B"	"	720 "	"	†0 7 8	

† Less 10% trade discount.

SHIP CHANDLERY, ETC.—continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
	Felt, tarred—					
4115	In sheets approx. 32" x 40"	...	1000 sheets	} Nil
†4116	In strips, 36" x 4" x $\frac{3}{8}$ "	...	1000 strips	
4117	Rosin, common, (see note)	...	30 cwt.	
	Tar, Stockholm—					
†4118	In 1-gallon tins	...	40 gals.	
†4119	In 4-gallon tins	...	120 "	} Nil
	Thimbles, steel, galvanised, heart shaped—					
†4120	1" x 1½" outside, $\frac{5}{8}$ " x 1" inside x $\frac{3}{8}$ " wide	...	40 gross	
†4121	1¼" x 1½" ,, $\frac{7}{8}$ " x 1¼" ,, x $\frac{3}{8}$ " ,,	...	Nil	
†4122	3" x 4½" ,, 1½" x 3¼" ,, x 1½" ,,	...	2 gross	
4123-4129	—Nil					

BITUMINOUS EMULSION

(Schedule No. 126).

(1st January, 1944, to 31st December, 1945).

†4130	Emulsion, bituminous, to specification in 45-gallon drums, "Colas"	Vict.	100,000 gls.	gallon	0 1 2½	The Shell Co. of Aust. Ltd.
4131-4134	—Nil					

ASPHALTIC PAVING MATERIALS, ETC.

(Schedule No. 127)

(1st January, 1944, to 31st December, 1945).

4135	Asphalt, mastic, in blocks of approx. 51 lbs. (see note)	Vict.	20 tons	ton	8 7 3	} Neuchatel Asphalte Co. (A/asia) Pty. Ltd.
4136	Asphalt, Trinidad, in casks of approx. 522 lbs. gross weight (see note)	British West Indies	2 "	ton gross weight	22 11 11	
	Paint, bitumastic, black, for use as preliminary coat for items Nos. 4135 and 4136—					
4137	In 1 gallon tins	Vict.	} 80 gals.	gal.	0 9 0	
4138	In 4 " " "	"		"	0 8 3	

ASPHALTIC PAVING MATERIALS, ETC.—continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
	Metal, bluestone, 1½", asphaltic, premixed with bitumen—					
4139	f.o.r. Albion siding ...	Vict.	100 cubic yards	cubic yard	1 12 6	Albion Quarrying Co. Pty. Ltd.
4139A	Delivered within a radius of 10 miles from the Contractor's works (see note)	"		"	1 19 0	
	Metal, bluestone, 1", asphaltic, premixed with bitumen—					
4140	f.o.r. Albion siding ...	"	100 "	"	1 12 6	
4140A	Delivered within a radius of 10 miles from the Contractor's works (see note)	"		"	1 19 0	
	Screenings, bluestone, ¾", asphaltic, premixed with bitumen—					
4141	f.o.r. Stanley siding ...	"	1,200 "	"	1 10 0	The Stanley Quarries Pty. Ltd.
4141A	Delivered within a radius of 10 miles from the Contractor's works (see note)	"		"	1 14 0	
	Toppings, bluestone, ¾", asphaltic, premixed with bitumen—					
4142	f.o.r. Stanley siding ...	"	1,000 "	"	1 16 6	
4142A	Delivered within a radius of 10 miles from the Contractor's works (see note)	"		"	2 0 6	
	Metal, bluestone, 1½", asphaltic, premixed with horizontal tar—					
4143	f.o.r. Albion siding ...	"	100 "	"	1 4 6	Albion Quarrying Co. Pty. Ltd.
4143A	Delivered within a radius of 10 miles from the Contractor's works (see note)	"		"	1 11 0	
	Metal, bluestone, 1" asphaltic, premixed with horizontal tar—					
4144	f.o.r. Albion siding ...	"	120 "	"	1 4 6	
4144A	Delivered within a radius of 10 miles from the Contractor's works (see note)	"		"	1 11 0	
	Screenings, bluestone, ¾", asphaltic, premixed with horizontal tar—					
4145	f.o.r. Albion siding ...	"	1,600 "	"	1 6 0	Albion Quarrying Co. Pty. Ltd.
4145A	Delivered within a radius of 10 miles from the Contractor's works (see note)	"		"	1 12 6	
	Toppings, bluestone, ¾", asphaltic, premixed with horizontal tar—					
4146	f.o.r. Albion siding ...	"	1,600 "	"	1 11 0	
4146A	Delivered within a radius of 10 miles from the Contractor's works (see note)	"		"	1 17 6	
4147	Tar, distilled, horizontal, to specification, delivered in the Corporation's drums, at Spotswood General Storehouse, or f.o.r. Footscray "Loop B" siding, as ordered (see note)	"	3,000 gals.	gal.	0 0 8½	Duratar Pty. Ltd.
4148	Nil					

GRAVEL AND BUILDING SAND
(Schedule No. 131)
(1st January, 1944, to 31st December, 1945)

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
	Gravel, to specification, for roadways, delivered into railway trucks at—					
†4170	Glenrowan	Vict.	4000 c. yds.	c. yd.	0 3 0	Glenrowan Quarrying Co.
†4170A	Mangalore	"		"	0 4 0	J. C. Grattan
†4170B	White Hills or Epsom	"		"	0 3 9	R. E. Makepeace
†4170C	Great Western	"		"	0 6 3	I. A. Hurley
†4170D	Bet Bet	"		"	0 6 0	L. A. Akers
†4170E	Illabarook	"		"	0 4 3	A. J. Smith
†4170F	Seymour	"		"	0 6 0	Seymour Carrying Co. Pty. Ltd.
†4170G	Narracan	"		"	0 5 6	S. A. McLure
†4170H	Haddon	"		"	0 5 6	L. J. Waller
†4170J	Allendale	"		"	0 6 0	G. & E. Waller
	Gravel, to specification, for footpaths and platforms, delivered into railway trucks at—					
†4171	Narracan	"	3000 "	"	0 5 6	S. A. McLure
†4171A	Bet Bet	"		"	0 6 0	L. A. Akers
†4171B	Glenrowan	"		"	0 4 0	Glenrowan Quarrying Co.
†4171C	Avenel	"		"	0 4 0	J. C. Grattan
†4171D	White Hills or Epsom	"		"	0 3 9	R. E. Makepeace
†4171E	Great Western	"		"	0 6 3	I. A. Hurley
†4171F	Illabarook	"		"	0 4 3	A. J. Smith
†4171G	Seymour	"		"	0 5 0	Seymour Carrying Co. Pty. Ltd.
†4171H	Haddon	"		"	0 6 0	L. J. Waller
†4171J	Allendale	"		"	0 6 0	G. & E. Waller
	Gravel, to specification, for concrete, delivered into railway trucks at—					
†4172	Carisbrook	"	3000 "	"	0 4 0	A. G. Leech
†4172A	Haddon	"		"	0 5 6	L. J. Waller
†4172B	Bet Bet	"		"	0 6 6	L. A. Akers
†4172C	Allendale	"		"	0 6 6	G. & E. Waller
†4172D	Seymour	"		"	0 5 0	Seymour Carrying Co. Pty. Ltd.
	Sand, medium, to specification, for building, delivered into railway trucks at—					
†4173	Cranbourne	"	5000 c. yds.	"	0 2 6	Cranbourne Sand Pty. Ltd.
†4173A	Kelvin siding; Scaford	"		"	0 4 0	Frankston & Kelvin Sand Pits
†4173B	Eaglehawk	"		"	0 2 0	R. E. Makepeace

GRAVEL AND BUILDING SAND—continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
	Sand, medium, to specification, for building, delivered into railway trucks at— continued—					
†4173C	Coleraine (see note) ...	Vict.	5000 c. yds.	c. yd.	0 4 0	Permewan Wright Ltd.
†4173D	Ballarat, or direct to Ballarat Works Depot, as ordered	"		"	0 5 6	L. J. Waller
†4173E	Carisbrook ...	"		"	0 4 0	A. G. Leech
†4173F	Bet Bet ...	"		"	0 6 0	L. A. Akers
†4173G	Monca ...	"		"	0 2 9	J. C. Grattan
†4173H	Ballarat East ...	"		"	0 5 0	G. & E. Waller
†4173J	Seymour ...	"		"	0 5 0	Seymour Carrying Co. Pty. Ltd.
	Sand, coarse, to specification, for concrete, delivered into railway trucks at—					
†4174	Koo-Wee-Rup ...	"	8000 "	"	0 4 3	Plowright Albion Koo-Wee-Rup Washed Sand & Gravel Co. Pty. Ltd.
†4174A	Seymour ...	"		"	0 3 0	Seymour Carrying Co. Pty. Ltd.
†4174B	Pyalong ...	"		"	0 3 6	Newnham Bros.
†4174C	Coleraine (see note) ...	"		"	0 4 0	Permewan Wright Ltd.
†4174D	Ballarat, or direct to Ballarat Works Depot, as ordered	"		"	0 6 3	L. J. Waller
†4174E	Carisbrook ...	"		"	0 4 0	A. G. Leech
†4174F	Locksley ...	"		"	0 2 9	J. C. Grattan
†4174G	Bet Bet ...	"		"	0 6 0	L. A. Akers
†4174H	Ballarat ...	"		"	0 6 0	G. & E. Waller
4175-4179	Nil					

BUILDING BRICKS

(Country Districts.)

(Schedule No. 132).

(1st January, 1944, to 31st December, 1945).

	BENDIGO DISTRICT.					
4180	Bricks, building, to specification	Vict.	100,000	1000	4 11 0	Johnston & Andrew Bendigo Brick Co.
	BALLARAT DISTRICT.					
4181	Bricks, building, to specification	...	100,000	} Nil
	MARYBOROUGH DISTRICT.					
4182	Bricks, building, to specification	...	15,000	
4183-4188	Nil					

INFUSORIAL EARTH

(Schedule No. 133)

(1st January, 1944, to 31st December, 1945.)

†4189	Earth, infusorial, ground, in bags, to specification, "K. 2"	Vict.	40 tons	ton	7 2 0	S. N. Rodda Pty. Ltd.
-------	--	-------	---------	-----	-------	-----------------------

ASBESTOS CEMENT AND FIBROUS PLASTER SHEETS, ETC.

(Schedule No. 13†)

(1st January, 1944, to 31st December, 1945)

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
4190	...					
†4191	Fibrous Plaster Sheets, $\frac{3}{8}$ " thick, to specification, in following sizes, in 1-ft. rises in length, as ordered— 3' wide x 3' to 16' long 4', 4' 6", 5' and 5' 6" wide x 5' to 10' long 6' 6" wide x 6' to 12' long Asbestos Cement Plain Sheets, $\frac{1}{8}$ " thick, 3', 4', 5', 6', 7', 8', 9', or 10' long x 1', 1' 6", 2', 3', or 4' wide, as ordered, to specification—	Vict.	4,800 sq. yds.	sq. yd.	0 2 9½	Plasteroid Ceiling Co.
4192	"Durabestos" ...	"	8,000 "	"	†0 2 2	Wunderlich Ltd.
4192A	"Fibrolite" ... Asbestos Cement Corrugated Sheets, $\frac{7}{32}$ " thick x 2' 7½" wide (2' 4½" net cover). Corrugations to be 1" deep overall x 3" pitch, 5' to 10' long, as ordered, advancing by 6", to specification—	"		"	†0 2 2	James Hardie & Co. Pty. Ltd.
4193	"Durabestos" ...	"	500 "	"	†0 2 7	Wunderlich Ltd.
4193A	"Fibrolite Standard" ...	"		"	†0 2 7	James Hardie & Co. Pty. Ltd.
4194	Asbestos Cement Corrugated Sheets, approximately $\frac{1}{4}$ " thick x 3' 5½" wide (3' 3½" net cover). Corrugations to be 1½" deep overall x 5½" pitch, 5' to 10' long, as ordered, advancing by 6", to specification, "Durabestos" ...	"	3,000 "	"	†0 2 10	Wunderlich Ltd.
4194A	Asbestos Cement Corrugated Sheets, approximately $\frac{1}{4}$ " thick x 3' 5½" wide (3' 3½" net cover). Corrugations to be 2" deep overall x 5½" pitch, 5' to 10' long, as ordered, advancing by 6", to specification, "Fibrolite Super Six"	"		"	†0 2 10	James Hardie & Co. Pty. Ltd.
	Angle, asbestos cement, 2" x 2" x $\frac{1}{8}$ ", in 6', 7', 8', 9' or 10' lengths, as ordered, uncrated—					
4195	External, "Durabestos" ...	"	1,000 lin. ft.	100 lin. ft.	†1 3 0	Wunderlich Ltd.
4195A	"Fibrolite" ...	"		"	†1 3 0	James Hardie & Co. Pty. Ltd.
4196	Internal, "Durabestos" ...	"	5,000 "	"	†1 3 0	Wunderlich Ltd.
4196A	"Fibrolite" ...	"		"	†1 3 0	James Hardie & Co. Pty. Ltd.
	Ridging, two-piece, asbestos cement, 10" wings, in 6' lengths, uncrated—					
4197	"Durabestos" ...	"	70 lgths	foot	†0 1 0	Wunderlich Ltd.
4197A	"Fibrolite" ...	"		"	†0 1 0	James Hardie & Co. Pty. Ltd.
4198	...					
	Ridging, asbestos cement, approx. 9" wings, in lengths of 3' 6½" (3' 3½" net cover), suitable for corrugated sheets 3' 5½" wide, uncrated—					
4199	"Durabestos" ...	"	30 "	"	†0 1 0	Wunderlich Ltd.
4199A	"Fibrolite" ...	"		"	†0 1 0	James Hardie & Co. Pty. Ltd.

† Less 2½% discount for payment by end of month following month of delivery.

ASBESTOS CEMENT AND FIBROUS PLASTER SHEETS, ETC.—continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
	Strip, cover, asbestos cement, 2" x $\frac{1}{16}$ ", in 6', 7', 8', 9' or 10' lengths, as ordered, uncrated—					
4200	"Durabestos"	Vict.	10,000 lin. ft.	100 lin. ft.	£0 11 6	Wunderlich Ltd.
4200A	"Fibrolite"	"		"	£0 11 6	James Hardie & Co. Pty. Ltd.
	Washers, concave, galvanised steel—					
4201	For securing asbestos cement corrugated sheets supplied under item No. 4193	"	40 gross	gross	£0 1 11	Wunderlich Ltd.
4201A	For securing asbestos cement corrugated sheets supplied under item No. 4193A	"		"	£0 1 11	James Hardie & Co. Pty. Ltd.
4202	For securing asbestos cement corrugated sheets supplied under item No. 4194	"	50 "	"	£0 1 11	Wunderlich Ltd.
4202A	For securing asbestos cement corrugated sheets supplied under item No. 4194A	"		"	£0 1 11	James Hardie & Co. Pty. Ltd.
	Washers, "Rexlite"—					
4203	For securing asbestos cement corrugated sheets supplied under item No. 4193	"	20 "	"	£0 1 5	Wunderlich Ltd.
4203A	For securing asbestos cement corrugated sheets supplied under item No. 4193A	"		"	£0 1 5	James Hardie & Co. Pty. Ltd.
4204	For securing asbestos cement corrugated sheets supplied under item No. 4194	"	35 "	"	£0 1 5	Wunderlich Ltd.
4204A	For securing asbestos cement corrugated sheets supplied under item No. 4194A	"		"	£0 1 5	James Hardie & Co. Pty. Ltd.
	Extras on contract rates for packing in approved crates for transport by rail—					
4205	Angle, supplied under items Nos. 4195 and 4196	10% of value (minimum 5/-)	Wunderlich Ltd.
4205A	Angle, supplied under items Nos. 4195A and 4196A	10% of value (minimum 5/-)	James Hardie & Co. Pty. Ltd.
4206	Ridging, supplied under items Nos. 4197 and 4199	15% of value (minimum 7/6)	Wunderlich Ltd.
4206A	Ridging, supplied under items Nos. 4197A and 4199A	15% of value (minimum 7/6)	James Hardie & Co. Pty. Ltd.
4207	Cover Strip, supplied under item No. 4200	10% of value (minimum 5/-)	Wunderlich Ltd.
4207A	Cover Strip, supplied under item No. 4200A	10% of value (minimum 5/-)	James Hardie & Co. Pty. Ltd.

† Less 2½% discount for payment by end of month following month of delivery.

ASBESTOS CEMENT AND FIBROUS PLASTER SHEETS, ETC.—continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
	Extras on contract rates for delivery, uncrated, within an 18 mile radius of G.P.O., other than at Metro. Receiving Depot, f.o.r. Spencer St., or f.o.r. Contractor's siding—					
4208	Plain and corrugated sheets supplied under items Nos. 4192, 4193 and 4194	sq. yd.	0 0 1	Wunderlich Ltd.
4208A	Plain and corrugated sheets supplied under items Nos. 4192A, 4193A and 4194A	"	0 0 1	James Hardie & Co. Pty. Ltd.
4209-4229	Nil					

ASBESTOS CEMENT PIPES.

(Schedule No. 135).

(1st January, 1942, to 31st December, 1943).

(Extended to 31st December, 1945).

Uncoated pipes may be accepted less the following amounts :—

Items Nos.	Size	Amount per lin. ft. to be deducted from contract rate
4230 to 4234, 4242 to 4246, 4254 and 4260	1½", 2" 3" and 4"	½d.
4235, 4236, 4238, 4239, 4247, 4248, 4250, 4251, 4255, 4256, 4257, 4261, 4262 and 4263	6", 8" and 9"	½d.
4241, 4253, 4259 and 4265	12"	1d.

Pipes, asbestos cement, "Fibrolite," to specification— High pressure, with asbestos cement socket joint and rubber ring— 11' lengths—									
4230	1½" actual inside diam.	...	Vict.	lin. ft.	f.o.r. Brooklyn	0	0	9½	
4231	2" " " "	...	"	"		0	0	10½	
13' 2·4" lengths—									
4232	3" nom. (2½" act.) inside diam.	...	"	"		0	1	3	
4233	4" nom. (3·563" act.) inside diam.	...	"	"		0	1	4½	
4234	(M) 4" nom. (3·56" act.) " "	...	"	"		0	1	5½	
4235	6" nom. (5·5625" act.) " "	...	"	12,000 lin. ft.	"	0	2	5	James Hardie & Co. Pty. Ltd.
4236	(M) 6" nom. (5·56" act.) " "	...	"	"	"	0	2	7½	
4237	...								
4238	9" nom. (8½" act.) " "	...	"	"		0	4	2	
4239	(M) 9" nom. (8" act.) " "	...	"	"		0	4	7	
4240	...								
4241	12" actual inside diam.	...	"	"		0	6	6	

ASBESTOS CEMENT PIPES—continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
	Pipes, asbestos cement, "Fibrolite," to specification—(continued)—					
	High pressure, without joints, ends turned suitable for cast iron Gibault joints—					
	11' lengths—					
4242	1½" actual inside diam. ...	Vict.	} 200 lin. ft.	lin. ft.	0 0 8	James Hardie & C Pty. Ltd.
4243	2" " " " ...	"		"	0 0 9	
	13' 2·4" lengths—					
4244	3" nom. (27" act.) inside diam. ...	"	} 200	"	0 1 0	
4245	4" nom. (3·563" act.) inside diam. ...	"		"	0 1 1½	
4246	(M) 4" nom. (3·56" act.) " " ...	"	} 200	"	0 1 2½	
4247	6" nom. (5·5625" act.) " " ...	"		"	0 1 11½	
4248	(M) 6" nom. (5·56" act.) " " ...	"	} 200	"	0 2 1½	
4249	...	"		"		
4250	9" nom. (8½" act.) " " ...	"	} 200	"	0 3 6	
4251	(M) 9" nom. (8" act.) " " ...	"		"	0 3 10½	
4252	...	"	} 200	"		
4253	12" actual inside diam. ...	"		"	0 5 8	
	Medium pressure, with asbestos cement socket joint and rubber ring, 13' 2·4" lengths—					
4254	4" nom. (3·875" act.) inside diam. ...	"	} 10,000 "	"	0 1 3½	
4255	6" nom. (5·76" act.) " " ...	"		"	0 2 0	
4256	8" actual " " ...	"		"	0 3 0	
4257	9" nom. (8¾" act.) " " ...	"		"	0 3 9	
4258	...	"		"		
4259	12" actual " " ...	"		"	0 5 9	
	Medium pressure, without joints, ends turned suitable for cast iron Gibault joints, 13' 2·4" lengths—					
4260	4" nom. (3·875" act.) inside diam. ...	"	} 400 "	"	0 1 0½	
4261	6" nom. (5·76" act.) " " ...	"		"	0 1 7	
4262	8" actual " " ...	"		"	0 2 6	
4263	9" nom. (8¾" act.) " " ...	"		"	0 3 3	
4264	...	"		"		
4265	12" actual " " ...	"		"	0 4 11	
4266-4279	—Nil					

REINFORCED CONCRETE PIPES.

(Schedule No. 136)

(1st January, 1944, to 31st December, 1945)

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
	Pipes, reinforced concrete, to specification—					
4280	9" diameter x 4' or 6' long, as ordered, butt joints	Vict.	1,200 ft.	foot	0 2 6	Hume Pipe Co. (Aust.) Ltd.
4280A	9" diameter x 6' long, butt joints	"		"	0 2 6	The Reinforced Concrete & Monier Pipe Construction Co. Pty. Ltd.
4280B	9" diameter x 4' or 6' long, as ordered, butt joints	"		"	0 2 6	Rocla Ltd.
4281	9" diameter x 6' long, spigot and socket joints	"	2,500 "	"	0 2 7	Hume Pipe Co. (Aust.) Ltd.
4281A	" " " "	"		"	0 2 7	The Reinforced Concrete & Monier Pipe Construction Co. Pty. Ltd.
4281B	" " " "	"		"	0 2 7	Rocla Ltd.
4282	12" diameter x 4' or 6' long, as ordered, butt joints	"	3,000 "	"	0 3 4	Hume Pipe Co. (Aust.) Ltd.
4282A	" " " "	"		"	0 3 4	The Reinforced Concrete & Monier Pipe Construction Co. Pty. Ltd.
4282B	" " " "	"		"	0 3 4	Rocla Ltd.
4283	12" diameter x 4', 6' or 8' long, as ordered, spigot and socket joints	"	2,000 "	"	0 3 5½	Hume Pipe Co. (Aust.) Ltd.
4283A	12" diameter x 6' long, spigot and socket joints	"		"	0 3 5½	The Reinforced Concrete & Monier Pipe Construction Co. Pty. Ltd.
4283B	12" diameter x 4', 6' or 8' long, as ordered, spigot and socket joints	"		"	0 3 5½	Rocla Ltd.
4284	15" diameter x 4', 6' or 8' long, as ordered, butt or interlocking joints, as ordered	"	3,000 "	"	0 4 5	Hume Pipe Co. (Aust.) Ltd.
4284A	15" diameter x 4' or 8' long, as ordered, butt or interlocking joints, as ordered	"		"	0 4 5	The Reinforced Concrete & Monier Pipe Construction Co. Pty. Ltd.
4284B	15" diameter x 4', 6' or 8' long, as ordered, butt or interlocking joints, as ordered	"		"	0 4 5	Rocla Ltd.
4285	15" diameter x 4' or 8' long, as ordered, spigot and socket joints	"	400 "	"	0 4 7½	Hume Pipe Co. (Aust.) Ltd.
4285A	" " " "	"		"	0 4 7½	The Reinforced Concrete & Monier Pipe Construction Co. Pty. Ltd.
4285B	" " " "	"		"	0 4 7½	Rocla Ltd.

REINFORCED CONCRETE PIPES.—continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
	Pipes, reinforced concrete, to specification—continued—					
4286	18" diameter x 4', 6' or 8' long, as ordered, butt or interlocking joints, as ordered	Vict.	2,000 ft.	foot	0 5 4	Hume Pipe Co. (Aust.) Ltd.
4286A	18" diameter x 4' or 8' long, as ordered, butt or interlocking joints, as ordered,	"		"	0 5 4	The Reinforced Concrete & Monier Pipe Construction Co. Pty. Ltd.
4286B	18" diameter x 4', 6' or 8' long, as ordered, butt or interlocking joints, as ordered	"		"	0 5 4	Rocla Ltd.
4287	18" diameter x 4' long, spigot and socket joints	"	200 "	"	0 5 9	Hume Pipe Co. (Aust.) Ltd.
4287A	" " " "	"		"	0 5 9	The Reinforced Concrete & Monier Pipe Construction Co. Pty. Ltd.
4287B	" " " "	"		"	0 5 9	Rocla Ltd.
4288	21" diameter x 4' or 8' long, as ordered, butt or interlocking joints, as ordered	"	1,000 "	"	0 7 0	Hume Pipe Co. (Aust.) Ltd.
4288A	" " " "	"		"	0 7 0	The Reinforced Concrete & Monier Pipe Construction Co. Pty. Ltd.
4288B	" " " "	"		"	0 7 0	Rocla Ltd.
4289	21" diameter x 4' long, spigot and socket joints	"	50 "	"	0 7 7	Hume Pipe Co. (Aust.) Ltd.
4289A	" " " "	"		"	0 7 7	The Reinforced Concrete & Monier Pipe Construction Co. Pty. Ltd.
4289B	" " " "	"		"	0 7 7	Rocla Ltd.
4290	24" diameter x 4' or 8' long, as ordered, butt or interlocking joints, as ordered	"	5,000 "	"	0 8 5	Hume Pipe Co. (Aust.) Ltd.
4291	27" diameter x 4' or 8' long, as ordered, butt or interlocking joints, as ordered	"	2,000 "	"	0 11 0	
4292	30" diameter x 4' or 8' long, as ordered, butt or interlocking joints, as ordered	"	2,000 "	"	0 12 6	
4293	36" diameter x 4' or 8' long, as ordered, butt or interlocking joints, as ordered	"	2,000 "	"	0 17 0	
4294	42" diameter x 4' or 8' long, as ordered, butt or interlocking joints, as ordered	"	1,500 "	"	1 0 7	
4295	48" diameter x 4' or 8' long, as ordered, butt or interlocking joints, as ordered	"	2,000 "	"	1 6 0	
4296-4299	Nil					

STONEWARE PIPES AND FITTINGS.

(Schedule No. 137.)

(1st January, 1944, to 31st December, 1945)

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
4300	Salt glazed vitrified stoneware, to specification— (M) Basins, gully, No. 22 ...	Vict.	10	each	£0 9 9	The Hoffman Brick & Potteries Ltd.
4301	Bends— 4" ...	"	300	"	£0 1 8	Martin Stoneware Pipe Ltd.
4301A	4" ...	"		"	£0 1 8	G. D. Guthrie & Co. Pty. Ltd.
4301B	4" ...	"		"	£0 1 8	The Hoffman Brick & Potteries Ltd.
4302	(M) 4" ...	"		"	£0 3 7	
4303	6" ...	"	100	"	£0 3 2	Martin Stoneware Pipe Ltd.
4303A	6" ...	"		"	£0 3 2	G. D. Guthrie & Co. Pty. Ltd.
4303B	6" ...	"		"	£0 3 2	The Hoffman Brick & Potteries Ltd.
4304	(M) 6" ...	"	10	"	£0 7 3	
4305	9" ...	"	4	"	£0 6 6	Martin Stoneware Pipe Ltd.
4305A	9" ...	"		"	£0 6 6	G. D. Guthrie & Co. Pty. Ltd.
4305B	9" ...	"		"	£0 6 6	The Hoffman Brick & Potteries Ltd.
4306	Discs— 4" ...	"	400	"	£0 0 4	Martin Stoneware Pipe Ltd.
4306A	4" ...	"		"	£0 0 4	G. D. Guthrie & Co. Pty. Ltd.
4306B	4" ...	"		"	£0 0 4	The Hoffman Brick & Potteries Ltd.
4307	6" ...	"		"	£0 0 7	Martin Stoneware Pipe Ltd.
4307A	6" ...	"	150	"	£0 0 7	G. D. Guthrie & Co. Pty. Ltd.
4307B	6" ...	"		"	£0 0 7	The Hoffman Brick & Potteries Ltd.
4308	Elbows— 4" ...	"		"	£0 1 9	Martin Stoneware Pipe Ltd.
4308A	4" ...	"	4	"	£0 1 9	G. D. Guthrie & Co. Pty. Ltd.
4308B	4" ...	"		"	£0 1 9	The Hoffman Brick & Potteries Ltd.
4309	(M) Inlets, level, double, 4", No. 10	"	6	"	£0 13 6	
4310	(M) " " single, 4", No. 8	"	15	"	£0 7 6	The Hoffman Brick & Potteries Ltd.
4311	Junctions, single, square, oblique, 45 deg. or 60 deg., as ordered— 4" x 4" ...	"	150	"	£0 2 2	Martin Stoneware Pipe Ltd.
4311A	4" x 4" ...	"		"	£0 2 2	G. D. Guthrie & Co. Pty. Ltd.
4311B	4" x 4" ...	"		"	£0 2 2	The Hoffman Brick & Potteries Ltd.
4312	(M) 4" x 4" ...	"	600	"	£0 3 8	
4313	6" x 4" ...	"	40	"	£0 4 2	Martin Stoneware Pipe Ltd.
4313A	6" x 4" ...	"		"	£0 4 2	G. D. Guthrie & Co. Pty. Ltd.
4313B	6" x 4" ...	"		"	£0 4 2	The Hoffman Brick & Potteries Ltd.
4314	(M) 6" x 4" ...	"	50	"	£0 7 3	
4315	6" x 6" ...	"	60	"	£0 4 2	Martin Stoneware Pipe Ltd.
4315A	6" x 6" ...	"		"	£0 4 2	G. D. Guthrie & Co. Pty. Ltd.

* Rates plus 12½%

STONEWARE PIPES AND FITTINGS—continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
	Salt glazed vitrified stoneware, to specification—continued—					
	Junctions, single, square, oblique, 45 deg. or 60 deg., as ordered—continued—					
4315B	6" x 6"	Vict.	100	each	£0 4 2	The Hoffman Brick & Potteries Ltd.
4316	(M) 6" x 6"	"		"	£0 7 3	
4317	9" x 4"	"	20	"	£0 6 4	Martin Stoneware Pipe Ltd.
4317A	9" x 4"	"		"	£0 6 4	G. D. Guthrie & Co. Pty. Ltd.
4317B	9" x 4"	"		"	£0 6 4	The Hoffman Brick & Potteries Ltd.
4318	9" x 6"	"	16	"	£0 6 4	Martin Stoneware Pipe Ltd.
4318A	9" x 6"	"		"	£0 6 4	G. D. Guthrie & Co. Pty. Ltd.
4318B	9" x 6"	"		"	£0 6 4	The Hoffman Brick & Potteries Ltd.
4319	Pipes, drain— 3" diameter x 2' in length	"	10,000 ft.	foot	£0 0 7	Martin Stoneware Pipe Ltd.
4319A	3" " x 2' "	"		"	£0 0 7	G. D. Guthrie & Co. Pty. Ltd.
4319B	3" " x 2' "	"		"	£0 0 7	The Hoffman Brick & Potteries Ltd.
4320	4" " x 2' "	"		"	£0 0 7	Martin Stoneware Pipe Ltd.
4320A	4" " x 2' "	"		"	£0 0 7	G. D. Guthrie & Co. Pty. Ltd.
4320B	4" " x 2' "	"		"	£0 0 7	The Hoffman Brick & Potteries Ltd.
4321	(M) 4" diameter x 2' in length	"	3,000 "	"	£0 1 0	Martin Stoneware Pipe Ltd.
4322	6" diameter x 2' in length (or 3' if available), as ordered	"	30,000 "	"	£0 1 0	
4322A	6" diameter x 2' in length	"		"	£0 1 0	G. D. Guthrie & Co. Pty. Ltd.
4322B	6" " x 2' "	"	3,000 "	"	£0 1 0	The Hoffman Brick & Potteries Ltd.
4323	(M) 6" diameter x 2' in length	"		"	£0 1 10	
4324	9" diameter x 2' in length (or 3' if available), as ordered	"	6,000 "	"	£0 1 5	Martin Stoneware Pipe Ltd.
4324A	9" diameter x 2' or 3' in length, as ordered	"		"	£0 1 5	G. D. Guthrie & Co. Pty. Ltd.
4324B	9" diameter x 2' or 3' in length, as ordered	"		"	£0 1 5	The Hoffman Brick & Potteries Ltd.
	Tops, adjustable, for yard gullies—					
4325	(M) No. 24, oval inlet	"	4	each	£0 9 9	
4326	(M) No. 25, round inlet	"	4	"	£0 9 9	
	Tops, for boundary traps—					
4327	(M) 4" x 4", No. 27A	"	60	"	£0 3 4	
4328	(M) 6" x 4" or 6" x 6", as ordered, No. 26A	"	10	"	£0 7 3	
4329	(M) Tops, for silt traps, with perforated buckets, No. 17	"	6	"	£1 18 0	
4330	(M) Traps, boundary, 4", No. 15	"	6	"	£0 9 9	
4331	(M) Traps, boundary, 6", No. 16	"	4	"	£1 6 0	
4332	(M) Traps, disconnector, 4", No. 13	"	100	"	£0 7 6	
4333	(M) Traps, gully, No. 12	"	15	"	£0 10 3	
†4334	Urinals and channels	"	60	"	"	Nil
4335-4339	—Nil					

* Rates plus 12½%

CAST IRON WATER PIPES
(Schedule No. 138).
(1st January, 1944, to 31st December, 1945).

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
	Pipes, cast iron, water, to specification—					
4340	3" diameter x 9' lengths	...	3 tons	} Nil
4341	4" " x 9' "	...	20 "	
4342	4" " x 12' "	...	10 "	
4343	5" " x 9' "	...	2 "	
4344	6" " x 9' "	...	2 "	
4345	6" " x 12' "	...	2 "	
4346	9" " x 9' "	...	2 "	
4347	9" " x 12' "	...	16 "	
4348	10" " x 9' "	...	2 "	
4349	10" " x 12' "	...	2 "	

CAST IRON WATER FITTINGS.
(Schedule No. 139)
(1st January, 1944, to 31st December, 1945)

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
4350	Joints, Gibault, cast iron, complete with bolts and rings, for cast iron or asbestos cement pipes, to specification, "J. & T. M."— 1½"	Vict.	100	each	0 4 6	J. & T. Muir Pty. Ltd.
4351	2"	"	100	"	0 5 3	
4352	3"	"	150	"	0 5 10	
4353	4"	"	250	"	0 7 2	
4354	5"	"	50	"	0 10 8	
4355	6"	"	140	"	0 11 3	
4356	9"	"	60	"	0 17 0	
4357	Fittings, water supply, cast iron, standard Melbourne and Metropolitan Board of Works pattern, as set out hereunder, to specification, "J. & T. M." (Patterns to be provided by the Contractor)— Bends, 45°, spigot and socket— 3", 4", 5", 6", 7", 9", 12", 15" or 18" Bends, 90°, spigot and socket— 3", 4", 5", 6", 7", 9", 12", 15" or 18" Bends, footstep, or Washouts— 3", 4", 5", 6", 7", 9" or 12" Crosses, 2 No. 90° branches, socket ends— 4" x 2 No. 3" branches 4" x " 4" " 5" x " 4" " 6" x " 4" " 9" x " 6" " 10" x " 4" " 16" x " 6" " 18" x " 6" " Ends, blank— 3", 4", 5", 6", 9" or 15" Pieces, fire plug extension, 3" diameter— 6", 9" or 12" long Pieces, reducing, spigot and socket— 4" to 3" 7" to 6" 12" to 10" 5" to 4" 9" to 6" 15" to 12" 6" to 4" 9" to 7" 18" to 12" 6" to 5" 12" to 9" Pieces, distance, reducing, for 4" washouts or footstep bends— 4" to 3" Tees, fire plug, socket ends, with 3" flanged fire plug branch— 3", 4", 5", 6", 7", 9", 12", 15" or 18"	"	10 tons	ton	31 0 0	

CAST IRON WATER FITTINGS—continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
	List of fittings provided for under item No. 4357—continued— Tees, single, 90° branch, socket ends— 3" x 3" branch 18" x 4" branch 4" x 3" " 5" x 5" " 5" x 3" " 15" x 5" " 6" x 3" " 6" x 6" " 9" x 3" " 9" x 6" " 10" x 3" " 10" x 6" " 12" x 3" " 12" x 6" " 3" x 4" " 15" x 6" " 4" x 4" " 18" x 6" " 5" x 4" " 12" x 9" " 6" x 4" " 18" x 9" " 7" x 4" " 12" x 12" " 9" x 4" " 15" x 12" " 10" x 4" " 18" x 12" " 12" x 4" " 20" x 12" " 15" x 4" " 24" x 18" " Thimbles— 3", 4", 5", 6", 7", 8", 9", 10", 12", 14", 15", 16", 18", 20", 24", 27" or 30" Thimbles, hatch box— 4", 5" or 6", with or without tops; 7", 9", 10" or 12" with tops					
4358	Fittings, water supply, cast iron, special, other than fittings provided for under items Nos. 4350 to 4357, to specification, "J. & T. M." (Patterns to be provided by the Corporation, if required by the Contractor)	Vict.	4 tons	ton	36 5 0	J. & T. Muir Pty. Ltd.
4359	—Nil					

CAST IRON AND LEAD PLUMBERS' FITTINGS

(Schedule No. 140)

(1st January, 1944, to 31st December, 1945)

	Bends, soil pipe, cast iron, $\frac{5}{8}$ " metal, any angle ordered—					
4360	3" diameter	Vict.	20	each	0 6 6	} John Danks & Son Pty. Ltd.
4361	4" "	"	40	"	0 9 6	
	Branches, soil pipe, cast iron, $\frac{5}{8}$ " metal, looking up or down, any angle ordered—					
4362	3" diameter x 2" diameter	"	8	"	0 8 8	} J. & T. Muir Pty. Ltd.
4363	3" " x 3" "	"	4	"	0 8 8	
4364	4" " x 3" "	"	4	"	0 14 8	
4365	4" " x 4" "	"	10	"	0 14 8	
4366	Branches, soil pipe, cast iron, $\frac{5}{8}$ " metal, 45/90°, 4" diameter x 4" diameter	"	20	"	1 9 4	

CAST IRON AND LEAD PLUMBERS' FITTINGS—continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
4367	Covers, boundary top, cast iron— No. 197	Vict.	12	each	0 3 6	John Danks & Son Pty. Ltd.
4368	„ 198	„	12	„	0 9 0	
4369	„ 199	„	12	„	...	Nil
4370	„ 200	„	12	„	...	
	Gratings, cast iron, galvanised—					
4371	No. 24A, 6½", for gully basins ...	Vict.	50	each	0 1 9	John Danks & Son Pty. Ltd.
4372	No. 61, 6½", for disconnector traps ...	„	120	„	0 2 7	J. & T. Muir Pty. Ltd.
4373	For floor traps	„	4	„	0 2 7	
4374	For stoneware silt trap tops, round or square, as ordered	„	6	„	0 6 9	John Danks & Son Pty. Ltd.
4375	Inlets, level, cast iron, 2" diameter out of 4" diameter to 4" diameter out of 4" diameter, as ordered	„	24	„	0 11 1	
4376	Pieces, extension, cast iron, 4" diameter x 12" long	„	20	„	0 7 0	J. & T. Muir Pty. Ltd.
4377	Pieces, extension, closet, cast iron, 4" diameter x 12" long	„	6	„	0 7 0	
4378	Pipe, soil, cast iron, ⅝" metal— 3" diameter x 6' lengths ...	„	12 lengths	length	0 17 0	John Danks & Son Pty. Ltd.
4379	4" „ x 3' „ ...	„	30	„	0 15 0	
4380	4" „ x 3' „ with inspect- ion opening	„	24	„	1 2 6	J. & T. Muir Pty. Ltd.
4381	4" „ x 6' „ ...	„	24	„	1 2 3	John Danks & Son Pty. Ltd.
4382	4" „ x 9' „ ...	„	40	„	1 11 8	J. & T. Muir Pty. Ltd.
4383	Sockets, soil pipe, cast iron— 3" diameter	„	10	each	0 2 9	John Danks & Son Pty. Ltd.
4384	4" „	„	40	„	0 3 3	
4385	Tops, adjustable, cast iron, 2" diameter, out of 4" diameter to 4" diameter out of 4" diameter, as ordered	„	6	„	...	Nil
4386	Tops, gully, cast iron, square, No. 24A ...	„	4	„	...	
4387	Traps, silt, cast iron, 6", with 4" outlet, with bucket and round grating ...	Vict.	24	each	2 1 0	John Danks & Son Pty. Ltd.
4388	Traps, urinal, cast iron, 3", with spigot ends	„	4	„	1 0 9	J. & T. Muir Pty. Ltd.
4389	Cones, lead, No. 8	„	320	„	0 0 4½	John Danks & Son Pty. Ltd.
4390	„ „ No. 10	„	120	„	0 0 5½	
4391	Pipe, lead, any size ordered ...	„	2 tons	cwt.	2 1 6	John Danks & Son Pty. Ltd.
	Traps, lead, solid drawn, with wiped trap screws—					
4392	P., 1½"	„	20	each	0 3 1	John Danks & Son Pty. Ltd.
4393	P., 2"	„	20	„	0 4 3	
4394	S., 2"	„	10	„	0 5 3	
4395-4399	Nil					

BRASS AND BRAZED METAL PLUMBERS' FITTINGS

(Schedule No. 141)

(1st January, 1944, to 31st December, 1945)

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
BRASSWARE.						
4400	Bends, brass, plain, any angle ordered, to specification— (M) 1½"	Vict.	240	each	0 1 9	Galliers & Klaerr Pty. Ltd.
4401	(M) 1½"	"	80	"	0 2 1	
4402	(M) 2"	"	200	"	0 2 6	
4403	Bends, brass, with inspection opening, any angle ordered, to specification— (M) 1½"	"	400	"	0 2 1	
4404	(M) 1½"	"	75	"	0 2 6	
4405	(M) 2"	"	700	"	0 3 2	Nil
4406	Bushes, brass, 1" x ¾", brass threads, to specification	...	100	
4407	Caps and Linings, brass, with screwed tail pieces, to specification— (M) 1½"	Vict.	80	each	0 2 4	
4408	(M) 1½"	"	10	"	0 2 8	J. W. Kennedy & Sons
4409	(M) 2"	"	200	"	0 2 10	
4410	Connections, brass, lead to iron, to specification— (M) 1½"	"	10	"	0 3 6	Galliers & Klaerr Pty. Ltd.
4411	(M) 1½"	"	10	"	0 4 1	
4412	(M) 2"	"	20	"	0 4 11	
4413	Directors, water, brass, with nozzle only— ¾"	Nil	Nil
4414	¾"	30	
4415	1"	30	
*4416	Elbows, brass, 1", brass thread, to specification	Vict.	100	each	0 1 11	John Danks & Son Pty. Ltd.
*4417	(M) Fittings, brass, complete, to specification, including rubber plugs, for 2-compartment wash troughs	"	120 sets	set	0 10 6	J. W. Kennedy & Sons
*4418	(M) Gratings, urinal, brass, to specification	...	6	Nil
4419	Junctions, brass, plain, any angle ordered, to specification— (M) 1½" x 1½"	Vict.	60	each	0 3 1	Galliers & Klaerr Pty. Ltd.
4420	(M) 1½" x 1½"	"	4	"	0 3 4	
4421	(M) 1½" x 1½"	"	20	"	0 4 0	
4422	(M) 2" x 1½"	"	10	"	0 4 3	
4423	(M) 2" x 2"	"	20	"	0 4 10	
4424	Junctions, brass, with inspection opening, any angle ordered, to specification— (M) 1½" x 1½"	"	20	"	0 3 10	Galliers & Klaerr Pty. Ltd.
4425	(M) 1½" x 1½"	"	30	"	0 4 2	
4426	(M) 2" x 2"	"	12	"	0 5 0	

BRASS AND BRAZED METAL PLUMBERS' FITTINGS—continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
BRASSWARE—continued.						
Unions, hose, brass, Metropolitan Fire Brigade Standard, to blue print No. 205/09—						
4455	Female part only	Vict.	100	each	0 9 6	} John Danks & Son Pty. Ltd.
4456	Male part only	„	100	„	0 9 0	
4457	Unions, Royle's pattern, brass, without rubbers, $\frac{3}{4}$ ”, “Pope”	S. Aust.	50	„	0 1 6	} H. A. Barnard Pty. Ltd.
4458	(M) Wastes, floor, brass, cup pattern, 2”, screwed for lead floors, to specification	Vict.	24	„	0 6 4	
BRAZED METALWARE.						
Elbows, brazed metal, iron thread, to specification—						
4459	$\frac{3}{4}$ ”	„	100	„	0 0 11	} John Danks & Son Pty. Ltd.
4460	1”	„	70	„	0 1 5	
4461	1 $\frac{1}{2}$ ”	„	25	„	0 1 9	
Unions, brazed metal, iron thread, male and female, to specification—						
4462	1”	„	12	„	0 3 6	} H. A. Barnard Pty. Ltd.
4463	1 $\frac{1}{2}$ ”	„	24	„	0 4 6	
4464—4479	—Nil					

PLUMBERS' COPPER TUBING AND FITTINGS

(Schedule No. 142).

(1st January, 1944, to 31st December, 1945).

Tubing, copper, suitable for compression couplings, in trade lengths of 16' to 19', to specification—						
4480	(M) $\frac{1}{2}$ " outside diameter x 18 s.w.g.	N.S.W.	532 lbs.	lb.	0 1 8	H. A. Barnard Pty. Ltd.
4481	(M) $\frac{3}{4}$ " " " x 18 "	"	1160 "	"	0 1 6-9	
4482	(M) 1" " " x 18 "	"	676 "	"	0 1 6-6	
4483	(M) 1 $\frac{1}{2}$ " " " x 16 "	"	368 "	"	0 1 7-8	
4484	(M) 1 $\frac{3}{4}$ " " " x 16 "	"	134 "	"	0 1 7-4	
4485	(M) 2" " " x 16 "	"	120 "	"	0 1 7-4	

PLUMBERS' COPPER TUBING AND FITTINGS—continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
4486	Tubing, copper, suitable for screwed connections, in trade lengths of 16' to 19', to specification— (M) $\frac{1}{8}$ " outside diameter x 13 s.w.g.	N.S.W.	50 lbs.	lb.	0 1 7-4	H. A. Barnard Pty. Ltd.
4487	(M) $1\frac{1}{2}$ " " " x 13 " " " "	"	210 "	"	0 1 6-8	
4488	(M) $1\frac{1}{2}$ " " " x 12 " " " "	"	60 "	"	0 1 6-5	
4489	(M) $1\frac{1}{2}$ " " " x 12 " " " "	"	76 "	"	0 1 6	
4490	(M) $1\frac{1}{2}$ " " " x 12 " " " "	"	136 "	"	0 1 6	
4491	(M) $2\frac{1}{8}$ " " " x 11 " " " "	"	120 "	"	0 1 6	Nil
4492	Bends, copper alloy, male and female, to specification— (M) $\frac{1}{4}$ " " " " " " " "	"	10	"	"	
4493	(M) $\frac{3}{4}$ " " " " " " " "	"	60	"	"	
4494	(M) 1" " " " " " " "	"	50	"	"	
4495	Elbows, double union, compression, to specification— (M) $\frac{1}{4}$ " copper " " " " " "	Vict.	40	each	0 2 9	
4496	(M) $\frac{1}{4}$ " " " " " " " "	"	200	"	0 3 0	Galliers & Klaerr Pty. Ltd.
4497	(M) 1" " " " " " " "	"	60	"	0 4 8	
4498	(M) $1\frac{1}{2}$ " " " " " " " "	"	20	"	0 6 0	
4499	(M) $1\frac{1}{2}$ " " " " " " " "	"	20	"	0 9 6	
4500	(M) 2" " " " " " " "	"	10	"	0 14 0	
4501	Elbows, single union, compression, male or female, as ordered, to specification— (M) $\frac{1}{4}$ " iron x $\frac{1}{2}$ " copper " " " "	"	10	"	0 2 4	
4502	(M) $\frac{1}{4}$ " " x $\frac{3}{4}$ " " " " " " "	"	60	"	0 2 9	
4503	(M) $\frac{1}{4}$ " " x $\frac{3}{4}$ " " " " " " "	"	20	"	0 2 9	Nil
4504	(M) $\frac{1}{4}$ " " x 1" " " " " " "	"	10	"	0 4 0	
4505	(M) 1" " x 1" " " " " " "	"	10	"	0 4 3	
†4506	Roses, shower, 8" diameter, copper, nickel-plated, female connection, $\frac{1}{2}$ " or $\frac{1}{4}$ ", as ordered	"	300	"	"	Nil
4507	Tees, treble union, compression, plain, to specification— (M) $\frac{1}{2}$ " copper " " " " " "	Vict.	20	each	0 3 4	Galliers & Klaerr Pty. Ltd.
4508	(M) $\frac{3}{4}$ " " " " " " " "	"	40	"	0 4 0	
4509	(M) 1" " " " " " " "	"	10	"	0 6 2	
4510	(M) $1\frac{1}{2}$ " " " " " " " "	"	10	"	0 13 0	
4511	(M) 2" " " " " " " "	"	4	"	0 18 6	
4512	Tees, treble union, compression, reducing branch, to specification— (M) $\frac{3}{4}$ " copper x $\frac{1}{2}$ " copper " " " "	"	20	"	0 4 0	
4513	(M) 1" " x $\frac{1}{2}$ " " " " " " "	"	10	"	0 6 2	
4514	(M) 1" " x $\frac{3}{4}$ " " " " " " "	"	40	"	0 6 2	Galliers & Klaerr Pty. Ltd.
4515	(M) 2" " x $1\frac{1}{2}$ " " " " " " "	"	10	"	0 17 6	

PLUMBERS' COPPER TUBING AND FITTINGS—continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
4516	Unions, double, compression, to specification— (M) $\frac{1}{2}$ " copper x $\frac{1}{2}$ " copper ...	Vict.	30	each	0 1 11	Galliers & Klaerr Pty. Ltd.
4517	(M) $\frac{3}{4}$ " „ x $\frac{1}{2}$ " „ ...	„	20	„	0 2 5	
4518	(M) $\frac{3}{4}$ " „ x $\frac{3}{4}$ " „ ...	„	80	„	0 2 5	
4519	(M) 1" „ x $\frac{3}{4}$ " „ ...	„	10	„	0 3 2	
4520	(M) 1" „ x 1" „ ...	„	30	„	0 3 3	
4521	(M) 1 $\frac{1}{4}$ " „ x 1 $\frac{1}{4}$ " „ ...	„	10	„	0 4 3	
4522	(M) 1 $\frac{1}{2}$ " „ x 1 $\frac{1}{2}$ " „ ...	„	4	„	0 5 6	
4523	(M) 2" „ x 2" „ ...	„	4	„	0 8 3	
4524	Unions, single, compression, male or female, as ordered, to specification— (M) $\frac{1}{2}$ " iron x $\frac{1}{2}$ " copper ...	„	40	„	0 1 10	
4525	(M) $\frac{1}{2}$ " „ x $\frac{3}{4}$ " „ ...	„	100	„	0 2 3	
4526	(M) $\frac{1}{2}$ " „ x 1" „ ...	„	10	„	0 2 9	
4527	(M) $\frac{3}{4}$ " „ x $\frac{1}{2}$ " „ ...	„	10	„	0 2 3	
4528	(M) $\frac{3}{4}$ " „ x $\frac{3}{4}$ " „ ...	„	50	„	0 2 4	
4529	(M) $\frac{3}{4}$ " „ x 1" „ ...	„	100	„	0 2 10	
4530	(M) 1" „ x $\frac{3}{4}$ " „ ...	„	4	„	0 3 2	
4531	(M) 1" „ x 1" „ ...	„	30	„	0 3 3	
4532-4539	Nil					

COCKS, VALVES, ETC.

(Schedule No. 143.)

(1st January, 1944, to 31st December, 1945)

4540	(M) Cocks, ball, brass, automatic, $\frac{1}{2}$ ", to specification, "Shanks" ...	Vict.	24	each	0 15 6	Shanks & Co. Pty. Ltd.
	Cocks, ball, brass, high pressure, complete with ball, to specification—					
4541	(M) $\frac{1}{2}$ ", long lever	200	Nil
4542	(M) $\frac{1}{2}$ ", standard	25	
4543	Cocks, ball, brass, long or short lever, as ordered, to specification, (M) 1", Croydon pattern	Vict.	10	each	0 9 6	John Danks & Son Pty. Ltd.
	Cocks, ball, brass, Lambert's pattern, to specification—					
4544	(M) 2" ...	„	10	„	2 15 0	
4545	(M) 3" ...	„	10	„	4 12 0	

COCKS, VALVES, ETC.—continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
†4546	Cocks, bib or stop, as ordered, bonnetted, brass, chromium-plated, high pressure, labelled "Hot" or "Cold", as ordered, for iron, to specification— (M) $\frac{1}{2}$ " "Ensee" ...	Vict.	600	each	0	5	1	H. A. Barnard Pty Ltd.
†4547	(M) $\frac{3}{4}$ "	150	Nil
	Cocks, bib or stop, as ordered, brass, high pressure, to specification, "Willoughby"—							
4548	(M) $\frac{1}{2}$ " ...	Vict.	1000	each	0	2	5	Hardware Co. of Aust. Pty. Ltd.
4549	(M) $\frac{3}{4}$ " ...	"	1400	"	0	3	11	
4550	(M) 1" ...	"	120	"	0	7	2	H. A. Barnard Pty. Ltd.
	Cocks, fullway gate valve, brass, high pressure, to specification, "John 59M"—							
4551	(M) $\frac{1}{2}$ " ...	"	60	"	†0	7	2	McPherson's Pty. Ltd.
4552	(M) $\frac{3}{4}$ " ...	"	48	"	†0	8	9	
4553	(M) 1" ...	"	100	"	†0	10	7	
4554	(M) 1 $\frac{1}{4}$ " ...	"	40	"	†0	14	2	
4555	(M) 1 $\frac{1}{2}$ " ...	"	30	"	†0	17	3	
4556	(M) 2" ...	"	70	"	†1	2	9	
4557	(M) 3" ...	"	10	"	†3	3	0	
	Cocks, gas main, brass, male and female, "Esbe"—							
†4558	$\frac{3}{8}$ " tee head ...	S. Aust.	24	"	0	2	7	H. A. Barnard Pty. Ltd.
†4559	$\frac{1}{2}$ " " ...	"	96	"	0	2	0	
†4560	$\frac{1}{2}$ " " ...	"	150	"	0	3	0	
†4561	2", diamond head, without keys ...	Vict.	50	"	1	1	6	John Danks & Son Pty. Ltd.
4562	Cocks, mill, brass, to specification— (M) "A" design, to blue print No. 260/33	"	12	"	3	14	6	Davies Shephard Pty. Ltd.
4563	(M) "B" design, to blue print No. 1090/08	"	8	"	3	19	6	
4564	(M) "C" design, to blue print No. 1090/08	"	8	"	3	19	6	
†4565	(M) Cocks, pillar, bonnetted, brass, to specification, chromium-plated, $\frac{1}{2}$ ", high pressure, complete with nuts and tails, labelled "Hot" or "Cold", as ordered	"	500	"	0	7	6	John Danks & Son Pty. Ltd.
†4566	Cocks, plug, steam, brass, diamond head, with handles, female, $\frac{3}{4}$ "	...	80	Nil
†4567	Cocks, range, brass, with brass keys and nuts, $\frac{1}{2}$ " "Esbe"	S. Aust.	20	each	0	2	8	H. A. Barnard Pty. Ltd.
†4568	Cocks, range, brass, with brass keys, without nuts, $\frac{3}{4}$ "	Vict.	600	doz.	1	15	9	John Danks & Son Pty. Ltd.
	Cocks, stop, ferruled, bent, brass, with screwed tail pieces, for iron, to specification							
4569	(M) $\frac{1}{2}$ " "Willoughby" ...	"	10	each	0	4	0	H. A. Barnard Pty. Ltd.
4570	(M) $\frac{3}{4}$ " ...	"	80	"	0	6	0	John Danks & Son Pty. Ltd.
4571	(M) 1" ...	"	30	"	0	8	10	

† Less 17 $\frac{1}{2}$ % trade discount

COCKS, VALVES, ETC.—continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
4572	(M) Cocks, stop, brass, with unions, high pressure, $\frac{1}{2}$ ", to specification	Vict.	260	each	0 4 3	John Danks & Son Pty. Ltd.
†4573	Cocks, tank, brass, non-leak type, $\frac{3}{4}$ " ...	"	120	"	0 2 9	
	Gates, treacle, cast iron, japanned, gas thread—					
† { 4574	1"	24	Nil
4575	1½"	6	
4576	2"	24	
	Valves, retention, cast iron, spigot and socket or spigot and flange ends, M.M.B.W. standard—					
4577	3" ...	Vict.	4	each	4 17 6	John Danks & Son Pty. Ltd.
4578	4" ...	"	4	"	5 15 0	
4579	6" ...	"	2	"	8 15 0	
	Valves, sluice, cast iron, to specification, M.M.B.W. standard—					
4580	(M) 3" ...	"	10	"	3 11 0	G. P. Thick
4581	(M) 4" ...	"	36	"	4 11 0	
4582	(M) 6" ...	"	12	"	7 5 0	
	Valves, steam, brass, "Jenkin's" renewal disc type, "John 741"—					
† { 4583	$\frac{1}{2}$ " ...	"	10	"	0 7 7	Hardware Co. of Aust. Pty. Ltd.
4584	$\frac{3}{4}$ " ...	"	10	"	0 10 1	
4585	1" ...	"	8	"	0 12 8	
4586	Nil	
4587		
4588		
4589		
	Valves, steam, brass, with nickel alloy seats and valves, "Rosbin" type, gas thread, tested to 200 lbs. per square inch—					
†4590	$\frac{1}{2}$ " " M.B. John 742" ...	Vict.	300	each	0 11 10	Hardware Co. of Aust. Pty. Ltd.
†4591	$\frac{3}{4}$ " " " ...	"	120	"	0 16 5½	
†4592	1" ...	"	36	"	1 0 0	Ross, Robbins Pty. Ltd.
	Washers, fink, for bib cocks, hot water—					
4593	$\frac{1}{2}$ " ...	"	80 doz.	doz.	0 0 6	John Danks & Son Pty. Ltd.
4594	$\frac{3}{4}$ " " Mawby " ...	"	24	"	0 1 0	H. A. Barnard Pty. Ltd.
4595-4599	Nil					

GALVANISED IRONWARE AND TINWARE.

(Schedule No. 144)

(1st January, 1944, to 31st December, 1945)

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
†4600	Baths, galvanised iron, roll top, 5' 6", to specification	...	90	Nil
	Buckets, galvanised iron, to specification—					
*4601	12"	Vict.	2000	each	0 5 9	} A. G. Way & Co. Pty. Ltd.
*4602	14"	"	40	"	0 8 9	
*†4603	Containers, (tins), 1 gallon, with handles and press-down lids	...	250	Nil
4604	Cowls, educt, galvanised iron, 22g, 4", to specification	Vict.	40	each	0 1 9	W. E. Cash
*†4605	Lugs, bucket, small, mild steel, tinned, not less than 17 gauge finished thickness	"	600 doz.	doz.	0 1 2	} A. G. Way & Co. Pty. Ltd.
	Pans, closet, galvanised iron, to specification—					
*4606	Oval	"	260	each	0 9 9	
*4607	Round	"	360	"	0 9 3	} John Sharp & Sons Pty. Ltd.
	Pipe, down, galvanised iron, 24g, in 6' lengths, to specification—					
4608	2"	"	800 lgths.	lgth.	0 1 10	
4609	2½"	"	2400 "	"	0 1 11	
4610	3"	"	1500 "	"	0 2 2½	
4611	4"	"	600 "	"	0 2 7½	} John Danks & Son Pty. Ltd.
4612	Pipes, flush, galvanised iron, 1½", any projections ordered, M.M.B.W. standard, to specification, "Enticott"	"	100	each	0 4 6	
	Pipes, vent, galvanised iron, 20g, in 6' lengths, to specification—					
4613	(M) 3"	"	100 lgths.	lgth.	0 5 9	} W. E. Cash
4614	(M) 4"	"	200 "	"	0 6 11	
	Strainers, vent, galvanised iron, to specification—					
4615	1½"	"	120	each	0 0 6	} Nil
4616	2"	"	24	"	0 0 6	
*4617	Tins, sealed, 1-lb.	160 doz.	
*4618	" " 2-lb.	120 "	} Nil
4619-4629	Nil					

IRONMONGERY—TOOLS, ETC.
(Schedule No. 145)
(1st January, 1944, to 31st December, 1945)

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
4630	Bits, auger, "Ridgway's"— $\frac{1}{16}$ " ...	U.K.	1400	each	0 2 8 $\frac{3}{4}$	Briscoe & Co. Ltd.
4630A	$\frac{1}{4}$ ", $\frac{5}{16}$ ", $\frac{3}{8}$ ", $\frac{7}{16}$ " or $\frac{1}{2}$ ", as ordered	"		"	0 2 0 $\frac{1}{2}$	
4631	$\frac{3}{16}$ " ...	"	150	"	0 2 3 $\frac{1}{2}$	
4632	$\frac{5}{8}$ " ...	"	100	"	0 2 6	
† 4633	$\frac{11}{16}$ " ...	"	140	"	0 2 8 $\frac{3}{4}$	
4634	$\frac{3}{4}$ " ...	"	120	"	0 2 8 $\frac{3}{4}$	
4635	$\frac{13}{16}$ " ...	"	24	"	0 3 1	
4636	$\frac{7}{8}$ " ...	"	50	"	0 3 1	
4637	$\frac{15}{16}$ " ...	"	24	"	0 3 5	
† 4638	Bits, nail, German type, $\frac{1}{2}$ ", $\frac{5}{8}$ ", $\frac{3}{4}$ ", $\frac{7}{8}$ " or $\frac{3}{32}$ ", as ordered	600	Nil
† 4639	Bits, solid centre, coarse thread, 2" x $\frac{1}{2}$ " shank— 6" long, excluding shank, any size ordered	...	40 8ths.	
† 4640	12" long, " Bits, waggon, double twist, "Ridgway's"—	...	150 "	
† 4641	$\frac{1}{16}$ " ...	U.K.	12	each	0 5 1	Briscoe & Co. Ltd.
† 4642	$\frac{3}{16}$ " ...	"	12	"	0 5 3	
† 4643	Blades, scythe, "Tyzack's"— Bramble, 24" ...	"	160	"	0 12 9	
† 4644	Unbreakable point, 30" ...	"	50	"	0 11 4	McPherson's Pty. Ltd.
4645	Blocks, chain, worm geared type, with hand and lift chains for 20' lift, to specification— 10 cwt. ...	Vict.	4	"	9 3 0	
4646	20 cwt. ...	"	2	"	12 5 3	
† 4647	Braces, carpenters', ratchet, 12"	120	Nil
† 4648	Cans, oil, short spout, size No. 1 ($2\frac{5}{8}$ " dia.) Chisels, socket, handled—	...	300	
4649	$\frac{1}{2}$ "	24	
4650	$\frac{3}{4}$ "	36	
4651	$\frac{7}{8}$ "	24	
† 4652	1"	150	
4653	1 $\frac{1}{4}$ "	48	
4654	1 $\frac{1}{2}$ "	48	
† 4655	Feeders, oil, non-drip valve spout, approx. $\frac{1}{4}$ pint.	...	24	McPherson's Pty. Ltd.
† 4656	Feeders, oil, spring, solid steel, fixed spout— $\frac{1}{2}$ pint, "Rega No. 07" ...	N.S.W.	300	each	10 3 3	
† 4657	1 " " " No. 09 ...	"	300	"	10 4 9	
† 4658	Frames, hack saw, adjustable, pistol grip, "Acorn" ...	"	336	"	0 6 10	

† Less 25% trade discount.

IRONMONGERY—TOOLS; ETC.—continued:

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
† 4690	Snips, steel, tinman's; straight, "Cousin's"—10" ...	U.K.	24 pairs	pair	0 4 1	Briscoe & Co. Ltd.
† 4691	12" ...	"	20 "	"	0 5 11	
† 4692	14" ...	"	20 "	"	0 8 3	
† 4693	Strainers, wire, spring grip type, "Donald"	N.S.W.	24	each	1 2 6	Hardware Co. of Aust. Pty. Ltd.
† 4694	Tapes, measuring, steel, in bakelite cases, with flush handles, "Rabone's No. 515"—33 feet, in feet and decimal yards ...	U.K.	4	"	1 9 9	Briscoe & Co. Ltd.
† 4695	66 " " " " " ...	"	4	"	2 4 9	
† 4696	66 feet, in feet and links ...	"	50	"	1 18 11	
† 4697	Tapes, measuring, steel, in leather cases, with flush handles, "Rabone's No. 415"—33 feet, in feet and decimal yards ...	"	24	"	1 12 7	Briscoe & Co. Ltd.
† 4698	66 " " " " " ...	"	24	"	2 13 5	
† 4699	66 feet, in feet and links ...	"	120	"	2 4 9	
† 4700	Tapes, measuring, metallic, in bakelite cases, with flush handles, "Rabone's No. 481"—66 feet, in feet and decimal yards ...	"	20	"	1 5 5	Briscoe & Co. Ltd.
† 4701	66 feet, in feet and links ...	"	20	"	1 5 5	
† 4702	Tapes, measuring, metallic, in leather cases, with flush handles, "Rabone's No. 251"—66 feet, in feet and decimal yards ...	U.K.	80	each	1 4 10	
† 4703	66 feet, in feet and links ...	"	60	"	1 4 10	Briscoe & Co. Ltd.
† 4704	Refills, for metallic measuring tapes, "Rabone's No. 404"—66 feet, in feet and decimal yards ...	"	48	"	0 15 4	
† 4705	66 feet, in feet and links ...	"	48	"	0 15 4	
† 4706	Trowels, bricklayers', right hand, 12", "Brades No. 2031"	"	80	"	0 10 9	Briscoe & Co. Ltd.
† 4707	Trowels, plasterers', 11" x 4", "Brades No. 2202"	"	120	"	0 9 8	
† 4708	Trowels, pointing, 6" ...	"	Nil	"	"	
† 4709	Tubes, spirit level, "Rabone's No. 1619"—1½" x ½"	U.K.	20 doz.	doz.	0 9 1	Briscoe & Co. Ltd.
† 4710	2½" x ½"	"	18 "	"	0 10 1	
4711-4729	Nil					

SPANNERS AND WRENCHES

(Schedule No. 146)

(1st January, 1944, to 31st December, 1945)

Spanners, Clyburn, steel—									
†	4730	6" x $\frac{5}{16}$ "	nut size	280
	4731	8" x $\frac{3}{8}$ "	" "	200
	4732	10" x $\frac{1}{2}$ "	" "	220
	4733	12" x $\frac{5}{8}$ "	" "	220
	4734	14" x $\frac{3}{4}$ "	" "	100

SPANNERS AND WRENCHES—continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor	
Spanners, Clyburn, steel—continued—							
† { 4735	16" x $\frac{7}{8}$ " nut size	48	} Nil	
4736	18" x 1" „ „	96		
4737	21" x $1\frac{1}{8}$ " „ „	24		
4738	24" x $1\frac{1}{8}$ " „ „	80		
Spanners, Footprint, steel—							
4739	$5\frac{1}{2}$ "	48		
4740	7"	12		
† { 4741	9"	120		
4742	12"	40		
4743	14"	36		
Spanners, set, double ended, steel, drop forged—							
† 4744	$\frac{3}{8}$ " x $\frac{1}{2}$ " "Equip" ...	Vict.	1200	each	0 1 1 $\frac{1}{2}$	} McPherson's Pty. Ltd.	
† { 4745	$\frac{1}{2}$ " x $\frac{5}{8}$ " "Macson" ...	N.S.W.	600	„	0 3 3		
4746	$\frac{5}{8}$ " x $\frac{3}{4}$ " „ „ ...	„	800	„	0 4 7		
Spanners, set, single ended, steel, drop forged—							
4747	$\frac{1}{4}$ "	500	} Nil	
4748	$\frac{5}{16}$ "	500		
4749	$\frac{3}{8}$ "	700		
4750	$\frac{7}{16}$ "	20		
4751	$\frac{1}{2}$ "	300		
4752	$\frac{5}{8}$ "	300		
† { 4753	$\frac{3}{4}$ "	500		
4754	$\frac{7}{8}$ "	500		
4755	1"	400		
4756	$1\frac{1}{8}$ "	100		
4757	$1\frac{1}{4}$ "	200		
4758	$1\frac{3}{8}$ "	20		
4759	$1\frac{1}{2}$ "	10		
4760	$1\frac{3}{4}$ "	10		
Wrenches, pipe, chain—							
† { 4761	To take $\frac{1}{4}$ " to $2\frac{1}{2}$ " pipe	...	20	}	
4762	„ „ $\frac{3}{4}$ " to 4" „	...	6		
Wrenches, Stillson's type—							
† { 4763	14"	800	}	
4764	18"	200		
4765	24"	40		
4766-4769—Nil							

TWIST DRILLS
(Schedule No. 147)
(1st January, 1944, to 31st December, 1945)

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
†4770	Drills, flat, ribbed, for drilling railway rails— 7/8"	Nil	} Nil
†4771	1 1/8"	96	
†4772	1 1/4"	216	
†4773	Drills, twist, carbon, straight shank, to specification— Long series, any size on price list, as ordered	...	Nil	} Nil
4774	Wire gauge series— Any number up to 60, as ordered	...	} Nil	
4775	Any number from 61 to 80, as ordered	
4776	Drills, twist, carbon, square taper shank, to specification—for ratchet braces (size of shank—3/4" x 1/2" x 1 1/4"), any size on price list, as ordered	...	£80	Nil
4777	Drills, twist, high speed, straight shank, to specification, any size, letter or number on price list, as ordered, "P. & N."— Long series	Vict.	£30	...	List Price Less 30%	} McPherson's Pty. Ltd.
4778	Jobbers' series	"	£1400	...	Less 30%	
4779	Letter gauge series	"	£30	...	Less 30%	
4780	Wire gauge series	"	£700	...	Less 30%	
†4781	Drills, twist, high speed, taper shank, to specification— 3/4"	Nil	} Nil
†4782	1/8"	72	
†4783	5/16"	30	
†4784	3/2", "P. & N."	Vict.	96	each	{ 0 3 9 Less 30%	} McPherson's Pty. Ltd.
†4785	7/16"	"	144	"	{ 0 3 9 Less 30%	
4786	Any size on price list, as ordered, "P. & N."	"	£6000	...	List Price Less 30%	
4787-4789	Nil					

PRICE LISTS.

Item No. 4777—McPherson's Pty. Ltd.

Drills, twist, high speed, straight shank, long series, "P. & N."

Diameter	Rate each	Diameter	Rate each	Diameter	Rate each	Diameter	Rate each
1/8"	2/3	23/64"	6/-	37/64"	9/-	51/64"	18/-
9/64"	2/3	3/8"	6/-	19/32"	11/3	13/16"	18/-
5/32"	2/3	25/64"	6/9	39/64"	11/3	53/64"	21/-
11/64"	2/3	13/32"	6/9	5/8"	11/3	27/32"	21/-
3/16"	3/-	27/64"	7/6	41/64"	13/6	55/64"	21/-
13/64"	3/-	7/16"	7/6	21/32"	13/6	7/8"	21/-
7/32"	3/-	29/64"	7/6	43/64"	13/6	57/64"	24/-
15/64"	3/-	15/32"	7/6	11/16"	13/6	29/32"	24/-
1/4"	3/9	31/64"	8/3	45/64"	15/9	59/64"	24/-
17/64"	3/9	1/2"	8/3	23/32"	15/9	15/16"	24/-
9/32"	3/9	33/64"	9/-	47/64"	15/9	61/64"	27/-
19/64"	3/9	17/32"	9/-	3/4"	15/9	31/32"	27/-
5/16"	4/11	35/64"	9/-	49/64"	18/-	63/64"	27/-
21/64"	4/11	9/16"	9/-	25/32"	18/-	1"	27/-
11/32"	4/11						

TWIST DRILLS—continued.**PRICE LISTS—continued.**

Item No. 4778—McPherson's Pty. Ltd.

Drills, twist, high speed, straight shank, jobbers' series, "P. & N."

Diameter.	Rate per doz.	Diameter.	Rate per doz.	Diameter.	Rate per doz.	Diameter.	Rate per doz.
3/64"	—	11/64"	13/6	19/64"	27/-	13/32"	45/-
1/16"	—	3/16"	15/-	5/16"	29/3	27/64"	48/-
5/64"	—	13/64"	15/9	21/64"	31/6	7/16"	48/-
3/32"	10/6	7/32"	16/6	11/32"	33/9	29/64"	50/3
7/64"	10/6	15/64"	18/9	23/64"	39/-	15/32"	52/6
1/8"	11/3	1/4"	20/3	3/8"	40/6	31/64"	59/3
9/64"	12/-	17/64"	21/9	25/64"	42/9	1/2"	67/6
5/32"	12/9	9/32"	24/-				

NOTES—Prices for one only, where dozen rates are shown, are to be taken to nearest penny above. Example:—11/2 per dozen = 1/- each.

Output of 3/64", 1/16" and 5/64" is controlled by Directorate, Machine Tools & Gauges, on whom all orders should be placed.

Item No. 4779—McPherson's Pty. Ltd.

Drills, twist, high speed, straight shank, letter gauge series, "P. & N."

Letter.	Rate per doz.	Letter.	Rate per doz.	Letter.	Rate per doz.	Letter.	Rate per doz.
A	19/6	H	21/9	O	29/3	U	37/6
B	19/6	I	21/9	P	29/3	V	39/9
C	19/6	J	24/-	Q	31/6	W	42/-
D	20/3	K	24/-	R	31/6	X	44/3
E	20/3	L	26/3	S	33/9	Y	46/6
F	20/3	M	26/3	T	35/3	Z	48/-
G	21/9	N	29/3				

NOTE—Prices for one only, where dozen rates are shown, are to be taken to nearest penny above. Example:—11/2 per dozen = 1/- each.

Item No. 4780—McPherson's Pty. Ltd.

Drills, twist, high speed, straight shank, wire gauge series, "P. & N."

No. of Gauge.	Rate per doz.	No. of Gauge.	Rate per doz.	No. of Gauge.	Rate per doz.	No. of Gauge.	Rate per doz.
1	16/6	14	15/-	27	12/-	40	10/6
2	16/6	15	15/-	28	12/-	41	10/6
3	16/6	16	15/-	29	12/-	42	10/6
4	16/6	17	13/6	30	11/3	43	9/9
5	16/6	18	13/6	31	11/3	44	9/9
6	16/6	19	13/6	32	11/3	45	9/9
7	15/9	20	13/6	33	10/6	46	9/9
8	15/9	21	13/6	34	10/6	47	9/9
9	15/9	22	12/9	35	10/6	48	9/9
10	15/9	23	12/9	36	10/6	49	9/9
11	15/9	24	12/-	37	10/6	50	—
12	15/-	25	12/-	38	10/6	51	—
13	15/-	26	12/-	39	10/6	52	—

NOTES—Prices for one only, where dozen rates are shown, are to be taken to nearest penny above. Example:—11/2 per dozen = 1/- each.

TWIST DRILLS—continued.

PRICE LISTS—continued.

Item No. 4786—McPherson's Pty. Ltd.

Drills, twist, high speed, taper shank, "P. & N."

Diameter.	Rate each.	Diameter.	Rate each.	Diameter.	Rate each.	Diameter.	Rate each.
1/8"	3/9	33/64"	8/3	57/64"	22/6	1-17/64"	48/9
9/64"	3/9	17/32"	8/3	29/32"	22/6	1-9/32"	48/9
5/32"	3/9	35/64"	8/3	59/64"	22/6	1-19/64"	48/9
11/64"	3/9	9/16"	9/-	15/16"	22/6	1-5/16"	48/9
3/16"	3/9	37/64"	9/-	61/64"	25/6	1-21/64"	56/3
13/64"	3/9	19/32"	11/3	31/32"	25/6	1-11/32"	56/3
7/32"	3/9	39/64"	11/3	63/64"	25/6	1-23/64"	56/3
15/64"	3/9	5/8"	11/3	1"	25/6	1-3/8"	56/3
1/4"	4/6	41/64"	12/-	1-1/64"	28/6	1-25/64"	65/3
17/64"	4/6	21/32"	12/-	1-1/32"	28/6	1-13/32"	65/3
9/32"	4/6	43/64"	12/-	1-3/64"	30/-	1-27/64"	65/3
19/64"	4/6	11/16"	12/-	1-1/16"	30/-	1-7/16"	65/3
5/16"	4/11	45/64"	14/3	1-5/64"	33/9	1-29/64"	72/-
21/64"	4/11	23/32"	14/3	1-3/32"	33/9	1-15/32"	72/-
11/32"	4/11	47/64"	14/3	1-7/64"	33/9	1-31/64"	72/-
23/64"	5/3	3/4"	14/3	1-1/8"	33/9	1-1/2"	72/-
3/8"	5/3	49/64"	16/6	1-9/64"	37/6	1-9/16"	79/6
25/64"	5/8	25/32"	16/6	1-5/32"	37/6	1-5/8"	90/-
13/32"	5/8	51/64"	16/6	1-11/64"	37/6	1-11/16"	97/6
27/64"	6/-	13/16"	16/6	1-3/16"	37/6	1-3/4"	101/3
7/16"	6/-	53/64"	19/6	1-13/64"	41/3	1-13/16"	108/9
29/64"	6/9	27/32"	19/6	1-7/32"	41/3	1-7/8"	116/3
15/32"	6/9	55/64"	19/6	1-15/64"	41/3	1-15/16"	127/6
31/64"	7/6	7/8"	19/6	1-1/4"	41/3	2"	138/9
1/2"	7/6						

BUILDERS' IRONMONGERY

(Schedule No. 148)

(1st January, 1944, to 31st December, 1945)

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
*†4790	Bars, locking, iron, galvanised, 8", "Rossda"	N.S.W.	220	each	0 1 6	John Danks & Son Pty. Ltd.
†4791	Bolts, barrel, brass, "Rossda"—3"	"	400	"	0 0 8	Hardware Co. of Aust. Pty. Ltd.
†4792	4"	"	150	"	0 0 9	
†4793	Bolts, drop, iron, galvanised, 24"	...	36	Nil
†4794	Bolts, pad, iron, galvanised, "Watson"—(see note)—6" x 1/2" diameter	Vict.	400	doz.	0 6 11	John Sharp & Sons Pty. Ltd.
†4795	10" x 5/8" "	"	450	"	0 15 2	Hardware Co. of Aust. Pty. Ltd.
†4796	12" x 5/8" "	"	360	"	0 18 0	
†4797	Bolts, tower, iron, japanned, (wrought bolt) "Davies"—3"	N.S.W.	350	"	0 3 4	John Sharp & Sons Pty. Ltd.
†4798	4"	"	450	"	0 3 8	
†4799	6"	"	600	"	0 6 0	
†4800	8"	"	72	"	0 8 0	
†4801	10"	"	72	"	0 13 0	
†4802	12"	"	48	"	0 15 6	

BUILDERS' IRONMONGERY—continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
	Brackets, shelf, steel, japanned, "Osborn"—					
4803	8" x 6", stayless pattern ...	N.S.W.	220	doz.	0 5 10	E. L. Yencken & Co. Pty. Ltd.
4804	10" x 8" " " ...	"	96	"	0 7 8	
4805	12" x 10", stayed " ...	"	Nil	"	"	
	Buttons, cupboard, iron, japanned, "McMillans" or "Rossda"—					
4806	1½" ...	Vict. or N.S.W.	200	doz.	0 0 6½	John Danks & Son Pty. Ltd.
4807	2" ...	"	300	"	0 0 7½	
4808	Catches, cupboard, Florentine bronze, "J.M." ...	Vict.	1400	"	0 11 8	
4809	Catches, spring, for fly wire doors, "P.E. No. 108" ...	"	96	"	0 7 7	
	Chain, chandelier, brass—					
4810	Light, "Hipkiss" No. 983 ...	N.S.W.	14 doz. yds.	doz. yds.	0 4 9	E. L. Yencken & Co. Pty. Ltd.
4811	Heavy, "Hipkiss" No. 219L ...	"	24 "	"	0 5 4	
4812	Chain, iron, jack, 12 g., single bright, "Hipkiss" ...	"	18 "	"	0 2 2	
	Checks, door, liquid—					
4813	Light, "Dux B" ...	Vict.	48	each	1 8 10	
4814	Heavy, "Dux C" ...	"	16	"	1 16 8	
4815	Fasteners, sash, steel, oxidised, 2½", "Persin" ...	"	120 doz.	doz.	0 3 10	
4816	Hasps and Staples, steel, japanned—3½", "Rossda" ...	N.S.W.	400 sets	doz. sets	0 1 2	
4817	4", " " ...	"	400 "	"	0 1 5	
4818	5", " " ...	"	500 "	"	0 2 0	Briscoe & Co. Ltd.
4819	6", " " ...	"	600 "	"	0 2 2	
4820	7", "R.B.D. No. 354" ...	"	80 "	"	0 6 6	E. L. Yencken & Co. Pty. Ltd.
4821	6" x ½" ...	"	700 "	"	"	
4822	Hooks and Eyes, brass, 1" ...	"	20 doz. prs.	"	"	Nil
	Hooks, cup, brass, round—					
4823	¾" ...	"	20 doz.	"	"	
4824	1½" ...	"	16 "	"	"	
	Hooks, hat and coat, iron—					
4825	Japanned, "McMillans," No. 2, or suitable alternative ...	"	80 "	"	"	Briscoe & Co. Ltd.
4826	Oxidised, "U.E.M." No. 110 ...	Vict.	20 "	doz.	0 2 9	

BUILDERS' IRONMONGERY—continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
†4827	Knobs, brass, for rim locks, 2½", milled edge, complete with spindles, "Legge"	U.K.	300 sets	set	0 3 6	John Danks & Son Pty. Ltd.
†4828	Latches, gate, surface	80	Nil
†4829	Latches, Suffolk, No. 1	U.K.	120	doz.	1. 2 1	} Briscoe & Co. Ltd.
	Lifts, sash—					
†4830	Flush, brass, oxidised, 3½", "Weldon" ...	Vict.	4 doz.	"	0 3 0	
†4831	Hook pattern, oxidised, "Prestel"	"	60 "	gross	0 7 3	
†4832	Ring pattern, brass,	48 "	Nil
†4833	Pulleys, secret axle, 1½", "Rossda No. 70"	N.S.W.	160 "	doz.	0 3 11	John Danks & Son Pty. Ltd.
†4834	Pulls, drawer, steel, oxidised, "J.S.P." ...	Vict.	65 "	"	0 0 10	John Sharp & Sons Pty. Ltd.
†4835	Pulls, drawer, brass, "Peerless No. 114"	"	16 "	"	0 3 9	Briscoe & Co. Ltd.
	Rollers, blind, spring, wooden, complete—					
†4836	42" long x 1¼" diameter	1000	} Nil
†4837	48" " x 1¼" "	150	
†4838	72" " x 1½" "	100	
†4839	Sheaves, ball bearing, for cupboard doors, 1½" thick, "U.E.M. No. 88"	Vict.	350	each	0 0 4	Briscoe & Co. Ltd.
	Springs, door, spiral, "R.B.D."—					
† {	4840 10"	N.S.W.	150	doz.	0 7 7	} E. L. Yencken & Co. Pty. Ltd.
	4841 11"	"	24	"	0 10 0	
†4842	Springs, gate, tail, 24"	150	Nil
†4843	Staples, box, for rim locks, 6", right or left hand, as ordered	Vict.	12 doz.	doz.	0 12 0	Joseph W. Harris
†4844	Tracks, steel, coppered, for ball bearing sheaves under item No. 4839, in 10' lengths, "R. B. Davies"	N.S.W.	80 lengths	length	0 2 0	Briscoe & Co. Ltd.
†4845	Weights, sash, cast iron, "Phoenix," any weight ordered between 3 lbs. and 27 lbs., advancing by ½ lb., in diameters as under— 3 lbs. to 5½ lbs.—1½" diam. 6 lbs. to 9 lbs.—1½" or 1⅝" diam., as ordered 9½ lbs. to 12 lbs.—1⅝" diam. 12½ lbs. to 19 lbs.—1¾" diam. 20 lbs. to 27 lbs.—2" diam.	Vict.	8 tons	ton	17 13 0	E. L. Yencken & Co. Pty. Ltd.
4846-4869	—Nil					

HINGES
(Schedule No. 149)
(1st January, 1944, to 31st December, 1945)

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
	Hinges, back flap, steel, bright, "R.B.D." or "Osborn"—					
† { 4870	2"	N.S.W.	80 pairs	dozen pairs	0 3 3	} E. L. Yencken & Co. Pty. Ltd.
† { 4871	2½"	"	80 "	"	0 8 2	
† { 4872	3"	"	500 "	"	0 15 2	
	Hinges, butt, brass—					
† 4873	1", "Rossda"	"	80 "	"	0 3 9	John Danks & Son Pty. Ltd.
† { 4874	1½", "R.B.D."	"	200 "	"	0 4 5	} E. L. Yencken & Co. Pty. Ltd.
† { 4875	1½", " "	"	450 "	"	0 5 0	
† 4876	2", "Rossda"	"	500 "	"	0 6 3	John Danks & Son Pty. Ltd.
† { 4877	2½", "R.B.D."	"	600 "	"	0 9 0	} E. L. Yencken & Co. Pty. Ltd.
† { 4878	3", " "	"	450 "	"	0 13 9	
† 4879	4", "Rossda"	"	20 "	"	1 12 0	John Danks & Son Pty. Ltd.
	Hinges, butt, steel—					
† { 4880	2", "R.B.D."	N.S.W.	1000 pairs	dozen pairs	0 1 10	} E. L. Yencken & Co. Pty. Ltd.
† { 4881	2½", " "	"	1200 "	"	0 2 3	
† 4882	3", "Rossda"	"	1200 "	"	0 3 6	John Danks & Son Pty. Ltd.
† 4883	4", "R.B.D."	"	800 "	"	0 7 6	E. L. Yencken & Co. Pty. Ltd.
† 4884	Hinges, butterfly, single, nickel-plated	"	500 "	"	"	} Nil
	Hinges, gothic, steel, extra strong—					
† { 4885	10"	"	48 "	"	"	
† { 4886	12"	"	96 "	"	"	
† { 4887	14"	"	48 "	"	"	
† { 4888	16"	"	80 "	"	"	
† { 4889	18"	"	80 "	"	"	
† { 4890	20"	"	36 "	"	"	
† { 4891	22"	"	48 "	"	"	
† { 4892	24"	"	48 "	"	"	
† 4893	Hinges, spring, for fly wire doors, "Wells"	Vict.	200 "	dozen pairs	0 4 8	Hardware Co. of Aust. Pty. Ltd.

HINGES—continued.

Item No.	Description	Country of Manufre	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
	Hinges, strap, straight, steel, bright, "R.B.D." or "Osborn"—					
† { 4894	4"	N.S.W.	340 pairs	dozen pairs	0 4 8	E. L. Yencken & Pty. Ltd.
4895	6"	"	48 "	"	0 6 9	
4896	8"	"	450 "	"	0 8 9	
4897	10"	"	450 "	"	0 13 0	
4898	12"	"	24 "	"	0 18 8	
	Hinges, tee, steel, bright, "R.B.D." or "Osborn"—					
† { 4899	4"	"	80 "	"	0 3 3	E. L. Yencken & Pty. Ltd.
4900	6"	"	600 "	"	0 4 8	
4901	8"	"	1100 "	"	0 5 10	
4902	10"	"	200 "	"	0 8 2	
4903	12"	"	350 "	"	0 11 3	
4904	14"	"	200 "	"	0 17 6	
4905	16"	"	250 "	"	0 19 0	
4906	18"	"	200 "	"	1 1 7	
4907-4919—Nil						

OFFICE SAFES

(Schedule No. 150)

(1st January, 1944, to 31st December, 1945)

4920	Safes, office, 18" x 12" x 12" inside measurements, to specification	Vict.	12	each	13 9 0	J. L. Kelly
4921—Nil						

BEARING METAL

(Schedule No. 151)

(1st January, 1944, to 31st December, 1945)

4922	Metal, bearing, for use on turbines and pumps, "Hoyts No. 11"	Vict.	1000 lbs.	lb.	0 6 0	Hoyt's Metals (A. Pty. Ltd.
4923	Metal, bearing, for use on coal conveyors and electric motors, "Thermit"	N.S.W.	200 "	"	0 2 4½ (see note)	R. Granowski
4924—Nil						

PIG IRON

(Schedule No. 152)

(1st January, 1944, to 31st December, 1945)

	Iron, pig, to specification—					
4925	Standard softener, No. 1	N.S.W. or S. Aust.	1,500 tons	ton	{ 6 7 6 c.i.f. Melb.	The Broken Hill Co. Ltd.
4926	Standard foundry	"	1,000 "	"	{ 6 2 6 c.i.f. Melb.	

CHROMIUM CAST STEEL BAFFLE PLATES

(Schedule No. 153)

(1st January, 1944, to 31st December, 1945)

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
4927	Plates, baffle, to pattern A-O.189 and drawing No. 5354A, chromium cast steel, to specification (see note)	Vict.	800	each	1 13 0	Charles Ruwolt Pty. Ltd.
4928, 4929—	Nil					

TRACK JACK PARTS

(Schedule No. 154)

(1st January, 1944, to 31st December, 1945)

	Parts for "Trewhella" pattern track jacks—					
*4930	Pinions, ratchet, chrome steel, to specification	Vict.	300	lb.	0 1 1	Mason & Cox (Melb.) Pty. Ltd.
4931	Plates, side, right and left hand, parts Nos. 2 and 2A	...	20 prs.	Nil
*4932	Racks, steel forging, heat treated, part No. 1	Vict.	150	each	0 18 0	Trewhella Bros. Pty. Ltd.
4933—	4939—	Nil				

PILE SHOES AND SPIKES

(Schedule No. 155)

(1st January, 1944, to 31st December, 1945)

4940	Shoes, pile, mild steel, with cast iron tips, to specification	Vict.	200	each	0 9 0	West Footscray Eng. Works Pty. Ltd.
	Spiques, mild steel, round, cup head, cropped ends, to specification—(see note)—					
4941	4" x ½"	"	2 cwt.	cwt.	2 0 0	
4942	6" x ½"	"	35 "	"	1 5 0	
4943	8" x ½"	"	70 "	"	1 4 0	
4944	9" x ½"	"	155 "	"	1 3 0	
4945	10" x ½"	"	105 "	"	1 3 0	
4946	12" x ½"	"	15 "	"	1 3 0	
4947	10" x ¾"	"	50 "	"	1 1 0	
4948	16" x ¾"	"	15 "	"	1 1 0	
4949	19" x ¾"	"	105 "	"	1 0 0	
4950—	4969—	Nil				

STEEL RIVETS
(Schedule No. 156)
(1st January, 1944, to 31st December 1945)

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
	Rivets, mild steel, to specification—					
	Cup or pan head, as ordered—					
4970	$\frac{1}{4}$ " dia. x $\frac{3}{8}$ " long and over, as ordered	Vict.	10 cwt.	cwt.	1 16 3	} McPherson's Pty. Ltd.
4971	$\frac{5}{16}$ " " $\frac{1}{2}$ " " " " "	"	2 tons	"	1 14 9	
4972	$\frac{3}{8}$ " " $\frac{1}{2}$ " " " " "	"	6 "	"	1 12 3	
4973	$\frac{1}{2}$ " " $\frac{3}{4}$ " " " " "	"	30 "	"	1 11 6	
4974	$\frac{5}{8}$ " " 1" " " " "	"	15 "	"	1 6 9	
4975	$\frac{3}{4}$ " " 1" " " " "	"	100 "	"	1 3 9	
4976	$\frac{13}{16}$ " " 2" " " " "	"	10 "	"	1 3 9	
4977	$\frac{7}{8}$ " " 2" " " " "	"	15 "	"	1 3 3	
4978	$\frac{15}{16}$ " " 2 $\frac{1}{2}$ " " " " "	"	2 "	"	1 3 3	
4979	1" " 3" " " " "	"	2 "	"	1 3 3	
	Flat countersunk head—					
4980	$\frac{5}{8}$ " dia. x 1" long and over, as ordered	"	10 cwt	"	1 11 6	} McPherson's Pty. Ltd.
4981	$\frac{3}{4}$ " " 1" " " "	"	20 "	"	1 7 9	
4982	$\frac{7}{8}$ " " 2" " " "	"	4 "	"	1 5 9	
4983	1" " 3" " " "	"	4 "	"	1 5 9	
	Rounded countersunk head—					
4984	$\frac{13}{16}$ " dia. x 2" long and over, as ordered	"	60 "	"	1 10 0	} Nil
4985	$\frac{7}{8}$ " " 2" " " "	"	60 "	"	1 10 0	
4986-4999	Nil					

CHAIN, VARIOUS
(Schedule No. 157)
(1st January, 1944, to 31st December, 1945)

	Chain, coil, wrought iron, short link, self-coloured, to specification—					
†5000	$\frac{3}{16}$ " diameter, 16 links per foot	...	10 cwt.	} Nil
†5001	$\frac{1}{4}$ " diameter, 12 links per foot	...	20 "	
	Chain, crane, wrought iron or mild steel, short link, self-coloured, to specification—					
5002	$\frac{1}{4}$ " diameter, best best best quality	...	35 "	} Nil
5003	$\frac{5}{16}$ " " " " "	...	5 "	
5004	$\frac{3}{8}$ " " " " "	...	35 "	

CHAIN, VARIOUS—continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
5005	Chain, crane, Weldex mild steel, short link, tested, to specification— ½" diameter, hand forged ...	Q'land	220 cwt.	cwt.	f.o.b. Brisbane 5 8 6	Falkiner Machinery Co. Pty. Ltd.
5006	¾" " " " ...	"	180 "	"	4 5 0	
5007	¾" " electrically flash welded ...	"	50 "	"	4 9 0	
*†5008	Chain, for signalling purposes, to specification— 3/16" diameter, 16 links per foot	40 "	Nil
*†5009	½" diameter, 11 links per foot	150 "	
5010-5019	Nil					

FOUNDRY MATERIAL

(Schedule No. 158)

(1st January, 1944, to 31st December, 1945)

†5020	Blacking, moulders', in bags, "J. Cumming & Sons"	N.S.W.	10 tons	cwt.	0 11 6	Gilbert Lodge & Co. Pty. Ltd.
†5021	Cement, iron, in 7-lb. tins, "Agnew" ...	Vict.	56 lbs.	lb.	0 0 9	Hardware Co. of Aust. Pty. Ltd.
5022	Crucibles, "Morgan's No. FR 70 Super"	N.S.W.	50	each	4 11 11	H. B. Selby & Co. Pty. Ltd.
5023	Crucibles, "Morgan's No. FR 40 Super"	"	100	"	2 12 6	
5024	Crucibles, "Morgan's No. A 25" ...	U.K.	20	"	0 17 9	Felton, Grimwade & Duerdins Pty. Ltd.
5025	Crucibles, "Morgan's T.P. 901, A.P. Salamander Super"	N.S.W.	72	"	7 12 8	
5026	Crucibles, "Morgan's T.P. 902, A.P. Salamander Super" (see note)	U.K.	50	"	12 7 6	A. Noble & Son Ltd.
†5027	Dextrol, in drums of 2½ cwt or 3½ cwt. net.	Vict.	50 tons	cwt.	2 19 0	Abel, Lemon & Co. Pty. Ltd.
†5028	Facing, white, in bags, "J. Cumming & Sons"	N.S.W.	16 "	"	0 11 6	Gilbert Lodge & Co. Pty. Ltd.
†5029	Ferro Manganese, 70/75% manganese, 80% fist size and smaller, balance slightly larger, in 1-cwt. bags	South Aust.	60 "	ton	41 10 0	T. H. Bentley Pty. Ltd.
†5030	Graphite, compound, in 1-lb. tins (for Rolling Stock Branch), "J. Cumming & Sons"	N.S.W.	1,200 lbs.	lb.	0 1 9	Gilbert Lodge & Co. Pty. Ltd.
†5031	Graphite, compound, in 5-lb. tins (for Electrical Branch), "Dixon's"	"	250 "	"	0 2 7	W.D. & A.H. Grozier
†5032	Graphite, powdered, air floated, water mix, in 5-lb. tins, or dry, in 5-lb. pkts., as ordered, "Dixon's"	"	1,200 "	"	0 2 7	
†5033	Graphite, pure flake, in 5-lb. tins, "G.U.D."	Vict.	900 "	"	0 2 8	McPherson's Pty. Ltd.
†5034	Lining, furnace, "Silacene," in bags, (see note)	U.K.	14 tons	cwt.	0 16 6	A. Noble & Son Ltd.
†5035	Plumbago, fine, in bags, "J. Cumming & Sons"	N.S.W.	16 "	"	3 5 0	Gilbert Lodge & Co. Pty. Ltd.
	Wire, wax, on 1-lb. reels, "Norton" (see note)—					
5036	No. 3 ($\frac{1}{8}$ ")	Vict.	200 lbs.	lb.	0 4 10	A. Noble & Son Ltd.
† 5036A	" 4 ($\frac{1}{8}$ ")	"		"	0 4 4	
5036B	" 6 ($\frac{1}{8}$ ") or No. 8 ($\frac{1}{8}$ "), as ordered	"		"	0 4 2	
5037-5039—Nil						

PLATERS' MATERIAL

(Schedule No. 159)

(1st January, 1944, to 31st December, 1945)

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
5040	Anodes, cast nickel, 99 per cent. nickel, free from copper and zinc, "Canning," (see note)— 18"	U.K.	400 lbs.	lb.	0 4 9	A. G. Healing Ltd.
5041	24"	"	1200 "	"	0 4 9	
†5042	Bobs, felt 1½" thick— 6" diameter	"	12 "	"	...	Nil
†5043	9" "	"	20 "	"	...	
*†5044	Brushes, scratch, 553P, "Canning" ...	U.K.	24	each	0 8 3	A. G. Healing Ltd.
†5045	Lacquer, metal, clear, internal, in 1-gal. sealed tins	"	48 gals.	"	...	Nil
†5046	Mops, calico, with binding washers— 9" x 50B, grey	Vict.	300	each	0 6 6	A. G. Healing Ltd.
†5047	12" x 105H, white	"	200	"	0 18 7	
†5048	Mops, colored cloth— 9" x 1" section	"	50	"	0 1 11	
†5049	9" x 2" "	"	50	"	0 3 3	
†5050	Polish, compo— Crocus, No. 2, "Canning" ...	U.K.	200 lbs.	lb.	0 0 10	A. Noble & Son Ltd
†5051	Tripoli, "A" type grease bar, "J. Parsons"	Vict.	6 cwt.	cwt.	‡2 5 0	
†5052	White, in 30 oz. tins, "Canning"	U.K.	200 tins	tin	0 2 7	A. G. Healing Ltd.
†5053	Potassium Cyanide, 100 per cent., in 1-cwt. cases	"	6 cwt.	"	...	Nil
†5054	Salts, nickel, best double, "Canning"	U.K.	112 lbs.	lb.	0 0 10	A. G. Healing Ltd.
†5055	" " best single, "	"	224 "	"	0 0 10	
†5056	Thinners, lacquer, for item No. 5045, in 1-gal. sealed tins	"	60 gals.	gal.	...	Nil
†5057-5069	—Nil					

‡ Less 10% trade discount.

LAMPS AND LAMPWARE

(Schedule No. 160)

(1st January, 1944, to 31st December, 1945)

†5070	Lamps, burning-off, 1 pint, "Companion Sievert"	Vict.	60	each	1 12 0	McPherson's Pty. L.
†5071	Lamps, hurricane, complete, clear, "Lanora"	South Aust.	360	"	0 6 5½	Thos. Mitchell & Co. Pty. Ltd.
	Burners—					
*†5072	Adlake lamp, to drawing No. F.3283, and gauge supplied by the Corporation	Q'land	200 doz.	doz.	2 6 0	A. E. Appleton & Co.

LAMPS AND LAMPWARE—continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
Burners—continued—						
†5073	Barton type, without collars, with two adjusting wheels, to gauge supplied by the Corporation— 1"	Q'land	600 doz.	doz.	0 10 0	A. E. Appleton & Sons
†5074	3"	"	200 "	"	0 10 6	
†5075	Burning-off lamp	4 "	Nil
†5076	Cosmo, No. 14	25 "	
†5077	Duplex, 1" wick, without collars	4 "	
†5078	Hurricane lamp, suitable for "Lanora" lamps	6 "	A. E. Appleton & Sons
†5079	"Sun B" type, 1", without collars (see note) Q'land	Q'land	70 "	doz.	0 10 0	
†5080	Collars, brass, for 1" Sun "B" type burners (see note). "	"	10 "	"	0 3 0	
†5081	Wick— Ball, 7-ply, in ½-lb. balls, "Samson" Vict.	Vict.	16 cwt.	lb.	†0 2 6	Downs & Son Ltd.
†5082	Castor, 1" wide, in 12-yard rolls	40 rolls	Nil
†5083	Wicks, kerosene, cotton, 8" long, "Morgan Crossley"— 1" wide	U.K.	150 gross	gross	0 3 5½	Briscoe & Co. Ltd.
†5084	3" "	"	20 "	"	0 4 9	
†5085	5" "	"	4 "	"	0 6 9	
†5086	1½" "	"	12 "	"	0 8 10	
†5087	Cosmo, No. 14	Nil	A. E. Appleton & Sons
†5088	Wicks, long time burning, 7½" ong, for Adlake lamps Q'land	Q'land	300 doz.	doz.	0 2 9	
Parts for Coleman Quick-Lite "Scout" kerosene lanterns—						
*†5089	Blocks, eccentric, tip cleaner, part No. 242-304	Canada	50	each	0 0 6½	Coleman Quick Co. of ...
*†5090	Caps, burner, complete with screens, part No. 242-323	Canada or Vict.	200	"	0 2 0	
*†5091	Generators, part No. TK86	Canada	200	"	0 3 7	
*†5092	Globes, Pyrex, part No. 550	U.K.	300	"	0 4 1	
*†5093	Leathers, pump, new type, part No. 216-509	N.S.W.	15	doz.	0 2 6	
*†5094	Needles, part No. T33	Canada	200	each	0 1 3	
*†5095	Plugs, filler, part No. 242-140	"	10 "	"	0 2 6	
*†5096	Retarders, fuel, part No. 242K-219 ...	Vict.	60	"	0 0 7	
*†5097	Stems, tip cleaner, part No. 242K-353	Canada or N.S.W.	50	"	0 2 1	
*†5098	Tips, gas, part No. 242K-218	Canada	400	doz.	0 6 9	

† Less 2½% discount for payment by end of month following month of delivery.

LAMPS AND LAMPWARE—continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
	Parts for "Lux" lamps—					
*†5099	Burners, tube	30	} Nil
*†5100	Caps, iron, flame spreader	30	
*†5101	Cocks, nose, brass, $\frac{1}{2}$ "	30	
*†5102	Couplings, kerosene, female	140	
*†5103	" male	75	
*†5104	Nipples, 700 C.P.	30	
*†5105	Sockets, nipple	10	
*†5106	Spreaders, flame	15	
*†5107	Springs, steel, large	15	} Tilley Lamp Co.
*†5108	" small	15	
	Parts for "Tilley" lamps—					
*†5109	Buttons, silencer, part No. 213 ...	U.K.	72	each	†0 2 9	
*†5110	Filters, for "X" and "N" cocks, part No. 162 ...	"	48	"	†0 0 9	
*†5111	Globes, glass, clear, "Pyrex," part No. 192 ...	"	400	"	†0 6 0	
*†5112	Globes, lamp, O.L. 51 ...	"	100	"	†0 7 6	
*†5113	Heads, burner, part No. 200 ...	"	24	"	†1 12 6	
*†5114	Leathers, for pump, part No. 120 ...	West. Aust.	40	doz.	†0 2 0	
*†5115	Mantles, lamp, O.L. 51 ...	U.K.	100	"	†1 10 0	
*†5116	Reflectors, steel, enamelled, 12", part No. 207 ...	Vict.	10	each	†0 8 6	
*†5117	Spigots, brass ...	"	24	"	†0 3 0	
*†5118	Tubes, mixing, part No. 211 ...	"	24	"	†0 3 6	
*†5119	Vaporisers, complete, part No. 169 ...	U.K.	400	"	†0 6 6	
*†5120	Washers, clamp for pump, part No. 154 ...	Vict.	20	doz.	†0 3 6	
*†5121	" for release valve, part No. 168 ...	"	20	"	†0 2 0	
*†5122	" for vaporiser base, part No. 153 ...	"	10	"	†0 2 0	
*†5123	" valve, part No. 155 ...	"	200	"	†0 2 0	
*†5124	" part No. 153 ...	"	200	"	†0 2 0	
*†5125	" part No. 160 ...	"	200	"	†0 2 0	
5126-5139	—Nil					

† Less 15% trade discount

LAMP GLASSWARE
(Schedule No. 161)
(1st January, 1944, to 31st December, 1945)

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
†5140	Bowls, glass, large bland ...	Vict.	15 doz.	doz.	£0 6 10	Dott & Co. Pty. Ltd.
	Bowls, glass, Pintsch gas—					
†5141	6", clear ...	"	12 "	"	£1 0 0	
†5142	6", frosted ...	"	70 "	"	£1 2 5	
†5143	8", clear ...	"	120 "	"	£1 14 5	
†5144	8", wreath type, frosted 3½" from top, balance in clear glass	"	10 "	"	£1 16 4	
†5145	8", frosted 3½" from top, balance in clear glass	"	150 "	"	£1 16 4	
†5146	10", clear ...	"	100 "	"	£2 1 0	
†5147	10", frosted 4" from top, balance in clear glass	"	30 "	"	£2 3 6	
	Chimneys, lamp, glass—					
†5148	Adlake Lamp "A", to dwg. No. F3305, amended 23.8.43	"	1,500 "	"	£0 5 10	Dott & Co. Pty. Ltd.
†5149	Cosmo, No. 14 ...	"	36 "	"	£0 6 1	
†5150	Cosmo, short ...	"	160 "	"	£0 8 1	
†5151	For Duplex burner, 9¼" long, bottom diameter 2½", top diameter 1¾"	"	40 "	"	£0 6 6	
†5152	Large slip ...	"	350 "	"	£0 7 4	
†5153	Roof lamp ...	"	48 "	"	£0 4 10	
†5154	Glasses, lamp— Bent, clear, "Lux" lamp	30 "	Nil
	Bent, green, 21-oz., to specification and dwg. A.562—					
† { 5155	2½" external radius x 4½" long ...	Vict.	350 "	doz.	1 4 0	Brooks Robinson Pty. Ltd.
† { 5156	2½" " " x 5½" " ...	"	50 "	"	1 4 0	
	Bent, ruby, 21-oz., to specification and dwg. A.562—					
† { 5157	2½" external radius x 4½" long ...	"	250 "	"	1 3 0	
† { 5158	2½" " " x 4" " ...	"	100 "	"	1 3 0	
† { 5159	2½" " " x 5½" " ...	"	30 "	"	1 3 0	
	Front, for hand signal lamps, (toughened), with clean cut edges, to dwg. F.3383—					
†5160	5" diameter	300 "	Nil
†5161	5½" "	40 "	
†5162	Hurricane, ruby, 6½" high	10 "	
†5163	Hurricane, white, 6½" high ...	Vict.	36 "	doz.	£0 7 10	Dott & Co. Pty. Ltd.

* Rates plus 12½%

LAMP GLASSWARE—continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
	Lenses, concentric, inside corrugations, 5" diameter x 3½" focal—					
†5164	Clear	80 doz.	} Nil
†5165	Red, to specification	40 "	
	Lenses, solid, polished, clear—					
5166	2" diameter	150 "	
5167	3" "	30 "	
5168	4" "	150 "	
5169	6" "	60 "	} Nil
†5170	Lenses, solid, polished, red, 4" diameter, to specification	...	30 "	
5171-5189	—Nil					

CORD, ROPE, ETC.

(Schedule No. 164)

(1st January, 1944, to 31st December, 1945)

Extra for cut lengths.

Items Nos. 5451 to 5453, 5455, 5456, 5458 and 5459.

If cut lengths, or less than full coils, be ordered, the following extras shall apply:—

Items Nos. 5452, 5452A and 5453 ... 9/4 per cwt.

" " 5451, 5455, 5456, ... 9/6 " "

5458 and 5459.

†5440	Cord, blind, glace, white, cotton, 2½ lbs., "Emu", on ½ gross yd. reels	Vict.	400 doz. yds.	gross yds.	†0 9 9	Geo. Kinnear & Sons Pty. Ltd.
†5441	Cord, Holland blind, No. 3, "Samson", (see note)	"	350 "	"	†0 9 0	} Downs & Son Pty. Ltd.
†5442	Cord, marking (chalk), in 1 lb. reels, "Samson"	"	150 lbs.	lb.	†0 4 4	
†5443	Cord, nicking line, flax, ½" diameter, "Emu", on 1-lb. or 2-lb. reels, as ordered	"	150 "	"	†0 2 11	Geo. Kinnear & Sons Pty. Ltd.
	Cord, sash, jute, braided, "Lion", in coils—					
†5444	No. 6	"	50 "	"	†0 1 9½	} Downs & Son Pty. Ltd.
†5445	No. 8, 9 or 10, as ordered	"	2,000 "	"	†0 1 7	
†5446	Cord, whip, 24 ply, in hanks, "Samson"	"	50 "	"	†0 3 10	
	Marline (genuine)—					
†5447	2 cord, in 1-lb. hanks, "Anchor"	"	6 cwt.	"	0 1 8½	James Miller & Co. Pty. Ltd.
†5448	3 cord, on 1-lb. reels, "Emu"	"	4 "	"	†0 1 9	Geo. Kinnear & Sons Pty. Ltd.
†5449	Marline (genuine), 3 cord, in 14-lb. coils, "Anchor"	"	2 "	"	0 1 6½	James Miller & Co. Pty. Ltd.
†5450	Packing, flax, pure, "Emu"	"	10 "	"	†0 2 7½	Geo. Kinnear & Sons Pty. Ltd.
†5451	Rope, sisal, ¾" circ., (for State Coal Mine), "Anchor", (see note)	"	4 "	cwt.	5 1 3	James Miller & Co. Pty. Ltd.

† { Items Nos. 5440, 5443, 5448, 5450.—Less 2½% trade discount.

" " 5441, 5442 and 5444 to 5446.—Less 2½% discount for payment by end of month following month of delivery.

CORD, ROPE, ETC.—continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
5452	Rope, Europe (tarred), hemp, bolt quality, with blue worsted thread in one strand, "Emu"— Under $\frac{3}{4}$ " circ. as ordered ...	Vict.	4 tons	cwt.	£10 10 9	Geo. Kinnear & Sons Pty. Ltd.
† 5452A	$\frac{3}{4}$ " or $\frac{7}{8}$ " " " " ...	"		"	£9 6 9	
5453	1" circ. and over, as ordered ...	"		"	£8 18 0	
† 5454	Rope, lashing, 2-ply, fine jute, on 7-lb. reels, "Emu"	"	3 "	"	£6 13 0	
5455	Rope, sisal, 3-strand, fine and long fibre, with blue worsted thread in one strand, "Emu"— Under 1" circ., as ordered ...	"	12 "	"	£5 2 6	
† 5456	1" circ., and over, as ordered ...	"		"	£4 16 3	
† 5457	Rope, sisal, stretched, for power transmission, 4" circ., 3-strand, with one blue yarn in one strand, any length ordered, "Emu"	"	7 "	"	£5 15 9	
† 5458	Rope, sisal, 1" to 2" circ., as ordered, with one blue yarn in one strand, "Emu"	"	35 "	"	£4 16 3	
† 5459	Rope, sisal, 2½" to 3" circ., as ordered, with one blue yarn in each strand, "Emu"	"	150 "	"	£4 16 3	
5460	Rope, straw— ½", 680 feet per bundle ...	"	50 bdls.	bdle.	£10 2 3 f.o.r. Ballarat	J. A. Brown
5461	1", 340 " " " ...	"	150 "	"	£10 2 0 f.o.r. Ballarat	
† 5462	Spun yarn, jute, "Emu"	"	3 cwt.	cwt.	£4 14 6	Geo. Kinnear & Sons Pty. Ltd.
5463-5469	Nil					

† { Items Nos. 5452 to 5459 and 5462—Less 2½% trade discount.
 " " 5460 and 5461—Less 5% trade discount.

THREAD, TWINE, ETC.

(Schedule No. 165)

(1st January, 1944, to 31st December, 1945)

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
†5470	Thread, cotton, any colour ordered, any number ordered, on 400 yard reels, "Bonds"	N.S.W.	50 doz. reels	doz. reels	†0 6 10	Bryce & Duncan Pty. Ltd.
	Thread, machine, linen, soft, any colour ordered—					
{ 5471	No. 12, on 2-oz. reels, "Jas. Miller"	Vict.	1000 reels	reel	†0 1 8½	
† 5472	No. 18 „ „ „ „ „	„	200 „	„	†0 1 11	
{ 5473	No. 20 „ „ „ „ „	„	800 „	„	†0 2 2	
{ 5474	No. 30, on 2-oz. cops, "Miller" ...	U.K.	300 cops	cop	†0 2 2½	
† 5475	No. 40 „ „ „ „ „	„	10 „	„	†0 2 4½	
{ 5476	No. 50 „ „ „ „ „	„	400 „	„	†0 2 6	
	Thread, machine, pure linen, 5, 6 or 8 cord, as ordered, right or left-hand twist, as ordered, on 1 lb. cops—					
†5477	"Gold Label"	Vict.	8 tons	lb.	†0 10 3	Geo. Kinnear & Sons Pty. Ltd.
†5477A	"Blue Label"	„		„	†0 10 4	
†5478	Twine, fine, on 1 lb. reels, "Emu" ...	„	24 cwt.	„	†0 1 6	
†5479	Twine, medium, on 1 lb. reels, "Emu"	„	30 „	„	†0 1 5½	
†5480	Twine, coarse, on 1 lb. reels, "Emu" ...	„	6 „	„	†0 1 5½	
†5481	Twine, coarse, trimmers', on 1 lb. reels, (extra heavy Aust. flax), "Emu"	„	10 „	„	†0 2 1½	
†5482	Twine, jute, 5 ply, in ½ lb. hanks, "Emu"	„	6 tons	„	†0 1 4½	
†5483	Twine, mattress, No. 2, 4-ply, on 1 lb. reels, "Emu"	„	4 cwt.	„	†0 3 10½	
†5484	Twine, seaming, flax, 3-ply, in ½ lb. hanks, No. 53, "Emu"	„	25 „	„	†0 4 1	
5485-5489	—Nil					

† { Item No. 5477—Less 7½% special discount (see further discount below).
Items Nos. 5470 to 5477—Less 2½% discount for payment by end of
month following month of delivery.
„ „ 5477A to 5484—Less 2½% trade discount.

Published by Authority.

No. 92]

THURSDAY, MAY 25.

[1944

DETERMINATION OF THE CHAFF-CUTTERS BOARD.

IN accordance with the provisions of the Factories and Shops Acts, the Wages Board which since 18th July, 1938, has had the power to determine the lowest prices or rates which may be paid to any person or persons or classes of persons—

- has made the following Determination, namely :—

- 2.

ALLOWANCES.

- 3. To the amounts otherwise prescribed in this Determination shall be added the following :—**

- | | |
|---|--------------|
| (a) Driver of a motor vehicle fitted and operated with a charcoal gas producer unit— for each day or portion thereof upon which he is called upon to drive such vehicle | 1s. per day |
| (b) Such driver for each day or portion thereof upon which he is called upon to clean the hopper and/or final filter of such unit | An extra 1s. |
| (c) Driver of a motor vehicle to which a trailer is attached—for each day or portion thereof upon which he is called upon to drive such vehicle | 1s. per day |

4.

TIME OF BEGINNING AND ENDING WORK.

	Time of Beginning.	Time of Ending.		
		Five Days in the Week.		The Day the Half-holiday is Usually Observed.
		Within the Metropolitan District.	Outside the Metropolitan District.	
Employees on a travelling chaffcutter or a travelling straw or fodder press	7.30 a.m.	5.30 p.m.	5.30 p.m.	12 noon
Carters	7.45 a.m.	5.30 p.m.	5.30 p.m.	12 noon
All other employees	7.45 a.m.	5.30 p.m.	5.30 p.m.	12 noon

STANDING OFF TIME.

5. Any employee who on any day between the times of beginning and ending work as set out in this Determination, works beyond the ordinary daily hours usually worked in his employer's establishment shall not, in order that his weekly hours may be adjusted so as not to exceed 44, be stood off for any time by his employer on any day other than the day usually observed as the half holiday.

OVERTIME.

6. The following rates shall be paid for overtime—

	Persons Compressing Fodder.	Persons on Other Work.
Outside the time of beginning and ending work—		
Between 12 noon and midnight on the day on which the half holiday is usually observed	Time and a half	Time and a half
Between 5.30 p.m. and midnight on the other working days	" "	" "
Between midnight and 7.45 a.m. on any day	" "	" "
Within the time of beginning and ending work in excess of the hours fixed as a week's work	" "	" "

SPECIAL RATES.

7. Double time shall be the rate for all work done on Sundays, New Year's Day, Australia Day, Good Friday, Easter Saturday, Easter Monday, Labour Day, King's Birthday, Christmas Day, Boxing Day, Fuel and Fodder Picnic Day (only within the Metropolitan District as defined in the Factories and Shops Act and Order in Council thereunder, and the Shires of Keilor, Kyneton and Melton), Melbourne Cup Day (also only within the areas specified for Fuel and Fodder Picnic Day, and the Shires of Corio and Werribee) and Werribee District Farmers' Picnic Day (within the Shires of Corio and Werribee) until the termination of the war, when time and a half shall be the rate payable for the aforementioned holidays. If any other day be by Act of Parliament or Proclamation substituted for any of the above-named holidays, the special rate shall only be payable for work done on the day so substituted.

PAYMENT FOR HOLIDAYS.

8. All employees shall be entitled to the following holidays without any deduction in pay:—New Year's Day, Australia Day, Good Friday, Easter Saturday, Easter Monday, Labour Day, King's Birthday, Christmas Day, Boxing Day, Fuel and Fodder Picnic Day (only those employed within the Metropolitan District as defined in the Factories and Shops Act and Order in Council thereunder, and the Shires of Keilor, Kyneton and Melton), Melbourne Cup Day (also only within the areas specified for Fuel and Fodder Picnic Day and the Shires of Corio and Werribee) and Werribee District Farmers' Picnic Day within the Shires of Corio and Werribee.

TIME WAGES.

9. Any person employed on time wages for less than the number of hours fixed for an ordinary week's work shall for each hour worked up to thirty hours, be paid at the ordinary wages rate with an addition of thirty-three and a third per centum, and for each hour worked beyond the aforesaid thirty hours shall be paid the ordinary wages rate up to but not exceeding ordinary wages rates for an ordinary week's work.

TERMINATION OF EMPLOYMENT.

10. Seven days' notice of termination of employment shall be given by either employer or worker.

SICK LEAVE.

11. No deduction shall be made from the wages of any employee unavoidably absent through illness for not more than four days in any year, commencing on 27th September annually, provided he has submitted within 24 hours of the commencement of such absence satisfactory evidence that the same is not the result of his own misconduct.

ANNUAL LEAVE.

12. Any employee who has been in the service of an employer continuously for a period of not less than twelve months shall be granted one week's holiday (exclusive of the holidays mentioned in clause 8) in each year on full pay, and such holiday shall be given within two months of the completion of twelve months' service.

Provided that should any employee leave or be dismissed for any reason other than misconduct at any time (i) after his first six months' service with an employer but before the completion of his first twelve months' qualifying period of such service, or (ii) before the completion of any subsequent twelve months' qualifying period of service, he shall be entitled to pro rata holidays or payment for same.

FIRST AID OUTFIT.

13. Each employer shall provide a properly equipped first aid chest. Such chest shall comply, as to its contents, with the requirements of the Factories and Shops Acts.

PIECE-WORK.

14. The lowest piece-work prices payable to any person employed on a travelling plant shall be—

(a)	Where three persons (including feeder, band cutter, pitcher, or baggers) are employed.	Where four persons (including feeder, band cutter, pitcher, or baggers) are employed.	Where five or six persons (including feeder, band cutter, pitcher, or baggers) are employed.	Where more than six persons (including feeder, band cutter, pitcher, or baggers) are employed.	Where more than four persons (including feeder, band cutter, pitcher, or baggers) are employed.
	PER TON. s. d.	PER TON. s. d.	PER TON. s. d.	PER TON. s. d.	PER TON. s. l.
Hay chaff-cutting, on machines with mouthpieces over 11 inches ..	2 9½	2 2½	1 8½	1 6½	..
Straw chaff-cutting, on machines with mouthpieces over 11 inches ..	3 9½	2 11½	2 6½	2 0½	..
Hay chaff-cutting, on machines with mouthpieces 11 inches or under ..	3 1½	2 6½	2 6½
Straw chaff-cutting, on machines with mouthpieces 11 inches or under ..	3 9½	2 11½	2 6½

- (b) Baling sheaf hay, meadow hay and lucerne hay by any power-driven press s. d.
 Baling straw by any power-driven press { (i) Where up to and including four persons are employed .. 2 2½ per ton.
 (ii) Where more than four persons are employed .. 1 9½ per ton.

PERIODICAL ADJUSTMENT OF WAGES.

15. The wages rates set out in clause 2 are based upon the following basic wage and pursuant to and in accordance with the provisions of section 21 of the *Factories and Shops Act* 1934, the Board hereby determines that such rates shall be automatically increased or decreased by the same amount, and at the same time as such basic wage. Provided that the wages of improvers and apprentices set out in clause 2 shall be adjusted proportionately to adjustments of the basic wage, such adjustments to be to the nearest 3d., half or less than half of 3d. to be disregarded. Provided also that piece-work prices shall be increased or decreased by an amount of ¼d. per ton for every increase or decrease respectively of 1s. in the basic wage.

The basic wage shown hereunder shall be adjusted as prescribed in Clause (16).

BASIC WAGE.

Place.	Basic Wage.	Additional Constant Loading.	Index Number Set Assigned.
	£ s. d.	s. d.	
Within the area to which this Determination applies	4 11 0	6 0	Five towns, Victoria

ADJUSTMENT OF BASIC WAGE.

16. (a) Until the beginning of the first pay period to commence in August, 1944, the amount of the basic wage shall be as prescribed in clause 15.

(b) During each future successive period beginning with the first pay period to commence in an August, a November, a February, or a May, the amount of the basic wage shall be adjusted by the following method according to the position and fluctuations (if any) of the Commonwealth Statistician's "All Items" retail price index numbers.

For the purposes of this Determination the expression "Commonwealth Statistician's retail price index numbers" or any like expression means the numbers stated to be such index numbers in any document purporting, and not proved to be wrongly so purporting, to be printed by the Commonwealth Government Printer or to be signed by or on behalf of the Commonwealth Statistician:—

- (1) The index number set to be applied to a place is that assigned to Five Towns, Victoria.
- (2) The index number for the calendar quarter next preceding the period of or near a quarter for which the adjustment is made to be ascertained.
- (3) The amount assigned in the following table (or in any extension thereof) to the index number division comprising that number is to be ascertained.
- (4) The basic wage shall be of that assigned amount during such successive period plus the additional constant loading as prescribed in clause 15.

Table.

Index Number Divisions.	Basic Wage.	Index Number Divisions.	Basic Wage.
	£ s. d.		£ s. d.
994-1006	4 1 0	1118-1129	4 11 0
1007-1018	4 2 0	1130-1141	4 12 0
1019-1030	4 3 0	1142-1154	4 13 0
1031-1043	4 4 0	1155-1166	4 14 0
1044-1055	4 5 0	1167-1179	4 15 0
1056-1067	4 6 0	1180-1191	4 16 0
1068-1080	4 7 0	1192-1203	4 17 0
1081-1092	4 8 0	1204-1216	4 18 0
1093-1104	4 9 0	1217-1228	4 19 0
1105-1117	4 10 0	1229-1240	5 0 0

Any extension of this table must be of the same construction as the table.

P. A. RANGLES, J.P., Chairman.

J. V. WILLOX, Secretary.

Melbourne, 20th May, 1944.

