

[2371]



VICTORIA GOVERNMENT GAZETTE.

Published by Authority.

[Registered at the General Post Office, Melbourne, for transmission by post as a newspaper.]

No. 118]

MONDAY, SEPTEMBER 10.

[1945

No.	Number of Tenders.	Particulars of Contract.	Country of Manufacture or Production.	Amount	Name of Contractor
1	..	Railways Stores Suspense Account, Act 3759, Section 105— Supply and delivery of General Stores as ordered, during the period 1st January, 1945, to 31st December, 1946.	As per annex ..	Rates as per annex	As per annex

Melbourne, 11th July, 1945.

Schedule of Rates Contracts

FOR THE

SUPPLY OF STORES

TO THE

VICTORIAN RAILWAYS.

PERIOD—

1.1.1945 to 31.12.1946.

E. C. EYERS,

By Order of the Victorian Railways Commissioners.

SUPPLY AND DELIVERY OF STORES.

As ordered, from 1.1.1945 to 31.12.1946.

* Indicates that the stores shall be supplied to sample exhibited by the Corporation

† Indicates that the stores shall be supplied to sample furnished by the Contractor.

‡ Indicates that the rate is subject to discount as shown.

§ Indicates that the rate is subject to fluctuation as shown.

• Indicates that the rate is subject to the extras shown.

All rates are exclusive of Sales Tax.

ADZES, AXES, ETC.
(Schedule No. 1).
(1st January, 1945, to 31st December, 1946).

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
	Adzes, carpenters', "Brades"—							
1	No. 2, pin pole, "No. 382" ...	U.K.	24	each	0	6	10	} Briscoe & Co. Ltd.
2	No. 3 " " " " ...	"	24	"	0	7	3	
3	No. 2, plain pole, "No. 396" ...	"	48	"	0	8	7	
4	No. 3 " " " " ...	"	180	"	0	9	1	
†5	Axes, handled, 4½ lb., "Cockatoo" ...	"	1000	"	0	14	11	
6	Hatchets, axe, No. 2, handled, "Brades No. 372" ...	"	360	"	0	3	8	
†7	Hooks, fern, No. 59, size 2, without handles, "Trojan" ...	Vict.	96	"	0	4	1	Scott & Son Pty. Ltd.
†8	Mattocks, grubbing, 4½ lb., without handles, "Plumb" ...	N.S.W.	60	"	0	7	4	McMicking & Co.
†9	Slashers, double edge, No. 217BA, straight handle, "Trojan" ...	Vict.	48	"	0	9	2	Scott & Son Pty. Ltd.
10-19	—Nil							

SAWS AND HACK SAW BLADES
(Schedule No. 2)
(1st January, 1945, to 31st December, 1946)

†20	Blades, hack saw— 9" x ½" x 23 gauge, 18 teeth per inch	4 gross	Nil	
†21	10" x ½" x 23 gauge, 18 teeth per inch, "Eclipse" ...	U.K.	} 450 "	gross	1	3	0	McPherson's Pty. Ltd.
†21A	10" x ½" x 23 gauge, 18 teeth per inch, "Elk" ...	N.S.W.		"	"	1	8	3
†22	10" x ½" x 23 gauge, 22 or 32 teeth per inch, as ordered, "Eclipse" ...	U.K.	} 40 "	"	1	3	0	McPherson's Pty. Ltd.
†22A	10" x ½" x 23 gauge, 22 or 32 teeth per inch, as ordered, "Elk" ...	N.S.W.		"	"	1	8	3
†23	12" x ½" x 23 gauge, 18 teeth per inch "Eclipse" ...	U.K.	} 25 "	"	1	7	6	McPherson's Pty. Ltd.
†23A	12" x ½" x 23 gauge, 18 teeth per inch, "Elk" ...	N.S.W.		"	"	1	13	9
†24	12" x ⅝" x 23 gauge, 14 teeth per inch, for use with hand frame for cutting railway rails	50 gross	Nil	
†25	17" x 1" x 18 gauge, 10 teeth per inch, high speed, approx. 18% tungsten, for cutting railway rails, "Ding Dong" ...	U.K.	12 "	gross	28	7	6	H. A. Barnard Pty. Ltd.
26	Saw, band, any length ordered up to 108'— ¼" x 21 gauge x 6 teeth per inch	400 feet	} Nil	
27	⅜" x 21 " " x 5 " "	100 "		
28	⅜" x 26 " " x 7 " "	2000 "		
29	½" x 21 " " x 5 " "	100 "		
30	⅝" x 21 " " x 5 " "	150 "		
31	¾" x 19 " " x 5 " "	Nil		
32	1" x 20 " " x 4 " "	450 feet	Nil	
33	1½" x 19 " " x 4 " "	Nil		

SAWS AND HACK SAW BLADES—continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
34	Saw, band, flexible back, 1" wide x 20 gauge, 12 teeth per inch, to specification	...	2000 feet	} Nil
35	Saws, circular, crosscut teeth, 11 gauge, 22" diameter, 60 No. teeth	...	3	
† { 36 37 38 39	Saws, crosscut, back 4 gauges thinner than teeth, peg tooth, 1" to 1½" pitch, with fast and lever tangs and handles, "Ashton's No. 801A"—	U.K.	60	each	1 12 8	} Briscoe & Co. Ltd.
	5'	"	60	"	1 15 9	
	5' 6"	"	48	"	1 18 9	
	6'	"	400	"	0 11 9	
40-49	—Nil					

AUGERS.

(Schedule No. 3).

(1st January, 1945, to 31st December, 1946).

Augers, screw, for hardwood, with cutting edges sharpened, "Ridgway"—						
† { 50 51 52 53 54 55	¾", 7/16" or ½" dia., as ordered	U.K.	90 dozen	dozen	1 15 3	} Briscoe & Co. Ltd.
	5/8" or ¾" " " "	"	60 "	"	1 19 9	
	¾" dia., 8 threads per inch on lead screw	"	60 "	"	2 8 0	
	¾" " " "	"	500 "	"	2 8 0	
	11/8" or 7/8" dia., as ordered	"	30 "	"	2 15 0	
56-59	—Nil					

SCREWS AND SPLIT PINS

(Schedule No. 4)

(1st January, 1945, to 31st December, 1946).

Screws, brass, for wood, any size on price list, as ordered, "Nettlefolds"—						
60	Countersunk head	Vict.	£600	...	List Price ‡less 5%	} Hardw. Co. of Aust. ty. Ltd.
61	Raised head	"	£20	...	‡plus 5%	
62	Round head	"	£150	...	‡less 5%	
Screws, steel, for wood, any size on price list, as ordered, "Nettlefolds"—						
63	Countersunk head	"	£1500	...	‡less 27½%	} Hardw. Co. of Aust. ty. Ltd.
64	Raised head	"	£30	...	‡less 12½%	
65	Round head, japanned	"	£20	...	‡less 20%	
66	Screws, steel, for wood, recessed countersunk head, any size on price list, as ordered	...	£15	Nil

‡ Items Nos. 60 to 62. Less 3% discount for payment within 7 days of date of receipt of invoice, or 2½% 30 days.

‡ less " " 63 to 65. Plus 2½% surcharge, then less 3% 7 days (as above) or 2½% 30 days.

NOTE.—2½% 30 days means 2½% discount for payment by end of month following month of delivery.

SCREWS AND SPLIT PINS—continued.

Item No.	Description	Country of Manuf'rs	Estimated Requirements	Rate per	Rate		Name of Contractor
					£	s. d.	
67	Screws, brass, Whitworth rolled thread (stove), round, countersunk or cheese head, as ordered, any size on price list, as ordered, "Nettlefolds" or "Cokes"	Vict	£40	...	†less 57½%	Hardware Co. of Aust. Pty. Ltd.	
68	Screws, steel, Whitworth rolled thread (stove), round or countersunk head, as ordered, any size on price list, as ordered, "Nettlefolds" or "Cokes"	"	£350	...	†less 60%		
	Screws, coach, square head, gimlet point, any size on price list, as ordered—						
69	Sizes up to and including 4" long x up to and including ⅜" diameter	"	£100	...	‡less 32½%	McPherson's Pty. Ltd.	
70	Sizes over 4" long or over ⅜" diameter	"		...	‡less 35%		
	Screws, coach, square head, gimlet point, galvanised, any size on price list, as ordered—				Percentage off Price List for Items Nos 69 & 70		
71	Sizes up to and including 4" long x up to and including ⅜" diameter	"	£20	...	‡less 32½% then plus 10/- per cwt. for galvanising		
72	Sizes over 4" long or over ⅜" diameter	"		...	‡less 35% then plus 10/- per cwt. for galvanising		
	Screws, coach, square head, patent point, to specification—						
73	½" diameter x 2½" long ...	"	24 cwt.	cwt.	‡2 3 9		
74	½" " x 5" " ...	"	1 "	"	‡2 1 6		
75	½" " x any other length ordered	"	2 "	"	‡2 3 9		
76	⅝" " x 4" long ...	"	4 "	"	‡1 19 6		
77	⅝" " x 4½" " ...	"	60 "	"	‡1 16 9		
78	⅝" " x any other length ordered	"	10 "	"	‡1 17 6		
79	¾" " x 5" long ...	"	140 "	"	‡1 11 0		
80	¾" " x any other length ordered	"	1 "	"	‡1 16 0		
81	Screws, set, black, hexagon head, Whitworth head and thread, ⅝" diameter and over, any size on price list, as ordered, to specification	...	Nil		
82	Screws, set, bright, hexagon head, Whitworth head and thread, any size on price list, as ordered, to specification	...	Nil		
	Pins, split, steel, any size on price list, as ordered—						
83	Up to ⅜" diameter ...	Vict.	£1200	...	†less 65%	A. E. & F. Tame	
84	Over ⅜" " ...	"		...	†less 55%		
85-89	Nil						

† Item No. 67. Less 3% discount for payment within 7 days of date of receipt of invoice, or 2½% 30 days.
 ‡ { " " 68. Plus 2½% surcharge on Nettlefolds manufacture only, then less 3% 7 days (as above) or 2½% 30 days on both manufacturers' products.
 ‡ { Items Nos. 69 and 70. Plus 7.6% surcharge.
 " " 71 and 72. Then plus 7.6% surcharge.
 " " 73 to 80. Plus 2/9 per cwt. surcharge.
 † " " 83 and 84. Less 3% discount for payment within 10 days of date of receipt of invoice or 2½% 30 days.

NOTE.—2½% 30 days means 2½% discount for payment by end of month following month of delivery.

SCREWS AND SPLIT PINS—continued

PRICE LISTS.

Item No. 60.—Screws, brass, for wood, countersunk head.

PRICE PER GROSS.

(Hardware Co. of Aust. Pty. Ltd.—Less 5%)

Length. Inch	SCREW GAUGE.																							
	2/0	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	18	20	22	24		
1/4	1/8	1/7	1/6	1/6	1/6	1/6	1/7	1/9																
5/16				1/6																				
3/8	1/8	1/7	1/6	1/6	1/6	1/6	1/7	1/9	2/-	2/3														
7/16																								
1/2		1/7	1/6	1/6	1/6	1/6	1/7	1/9	2/-	2/3	2/6	2/9												
5/8			1/8	1/8	1/8	1/8	1/10	2/-	2/3	2/5	2/8	3/-		3/8										
3/4				1/10	1/10	1/10	2/-	2/3	2/6	2/8	3/-	3/4	3/10	4/4	4/10	5/9								
7/8						2/9	2/9	2/9	3/-	3/4	3/8	4/1	4/6	5/-										
1					2/9	2/9	2/9	2/9	3/-	3/4	3/8	4/1	4/6	5/-	5/7	6/3								
1 1/8										4/-		4/11												
1 1/4					3/3	3/3	3/3	3/3	3/7	4/-	4/5	4/11	5/5	6/-	6/8	7/5		9/2	11/6					
1 1/2						4/-	4/-	4/-	4/4	4/8	5/2	5/9	6/4	7/-	7/9	8/7		10/6	13/-					
1 3/4								5/3	5/3	5/6	5/11	6/7	7/3	8/-	8/10	9/9		11/10						
2							6/3	6/3	6/3	6/3	6/9	7/5	8/2	9/-	9/11	10/11		13/2	16/-	19/2				
2 1/4										7/-	7/6	8/3	9/1	10/-	11/-	12/1		14/6						
2 1/2										10/-	10/-	10/6	10/6	11/-	12/1	13/3	14/6	15/10	19/-	22/6	26/5			
2 3/4														13/-		14/5		17/2						
3										14/6	14/6	14/6	14/6	14/6	15/-	15/7		18/6	22/-	25/10				
3 1/4																								
3 1/2										16/6		16/6		16/6		18/-	20/-	22/-	26/-	30/-				
4														22/6		22/6		25/-	29/-	33/6		45/-		
4 1/2																		30/-						
5																		34/6	37/-	40/6	47/-			
5 1/4																								
6																		60/-						

SCREWS AND SPLIT PINS—continued.

PRICE LISTS.

Item No. 64.—Screws, steel, for wood, raised head.

PRICE PER GROSS. (Hardware Co. of Aust. Pty. Ltd.—Less 12½%).
(Plus 2½% surcharge)

Lgth. Inch.	SCREW GAUGE.																	
	0	1	2	3	4	5	6	7	8	9	10	12	14	16	18	20	22	24
¼	9½	9	9	9	9													
⅜		9	9	9	9	9½	11	1/-	1/1									
½			9	9	9	9½	11	1/-	1/1		1/3							
⅝			10	10	10	11	1/-	1/1	1/2	1/3	1/4	1/8						
¾			11	11	11	1/-	1/1	1/1½	1/2½	1/3	1/4	1/8						
7/8							1/2½	1/3	1/3½	1/4½	1/6½	1/10						
1					1/1	1/1½	1/2½	1/3	1/3½	1/4½	1/6½	1/10	2/3					
1¼							1/5	1/5½	1/6½	1/7½	1/9	2/1	2/8					
1½							1/6½		1/8½	1/9	1/11	2/4	3/-	3/8	4/9			
1¾									1/11½	2/-	2/2	2/8	3/4	4/-	5/2			
2									2/1	2/2	2/4	3/-	3/8	4/5	5/6	6/4	7/1	
2¼											2/8	3/4	4/-					
2½											3/-	3/8	4/5	5/2	6/4	7/4		10/6
3												4/5	5/2	6/6	8/7	10/2	11/8	
3½																		13/8
4																	14/4	16/6

Item No. 65.—Screws, steel, for wood, round head, japanned.

PRICE PER GROSS. (Hardware Co. of Aust. Pty. Ltd.—Less 20%)
(Plus 2½% surcharge)

Lgth. Inch.	SCREW GAUGE.															
	0	1	2	3	4	5	6	7	8	9	10	11	12	14	16	
¼	11	10	10	10	10											
⅜		10	10	10	10	11	1/-	1/1	1/2							
½			11	11	11	1/-	1/1	1/2	1/3	1/4	1/6					
⅝				1/-	1/-	1/1	1/1	1/2	1/3	1/5	1/6		1/9			
¾					1/1	1/2	1/3	1/4	1/5	1/7	1/8	1/10	2/-	2/7		
7/8						1/6	1/6	1/7	1/8	1/9	1/11	2/1	2/4	3/-		
1					1/6	1/6	1/6	1/7	1/8	1/9	1/11	2/1	2/4	3/-	4/-	
1¼						1/9	1/9	1/9	1/10	1/11	2/1	2/4	2/8	3/4	4/5	
1½							2/-	2/-	2/-	2/2	2/4	2/8	3/-	3/8	4/9	
1¾								2/2	2/2	2/2	2/4	2/8	3/-	3/4	4/-	5/2
2								2/8	2/8	2/8	2/8	3/-	3/4	3/8	4/5	5/6
2¼										3/4		3/4	3/8	4/-	4/9	5/11
2½										4/-		4/-	4/-	4/5	5/2	7/-
3										7/2		7/2		7/2	7/2	9/8
3½										10/8		10/8		10/8	10/8	10/8

SCREWS AND SPLIT PINS—continued

PRICE LISTS.

Item No. 67.—Screws, brass, Whitworth rolled thread (stove):—

PRICE PER GROSS.

(Hardware Co. of Aust. Pty. Ltd.—Less 57½%)

Length Inch.	ROUND HEAD.						COUNTERSUNK HEAD.						CHEESE HEAD.					Length Inch.
	¼"	5/32"	3/16"	¼"	5/16"	¾"	¼"	5/32"	3/16"	¼"	5/16"	¾"	¼"	5/32"	3/16"	¼"	5/16"	
½	2/1	2/6	2/11				1/11	2/3					2/5	2/11	3/4			½
⅝	2/2	2/8	3/2	5/6			1/11	2/5	2/10	4/11			2/6	3/1	3/8			⅝
¾	2/3	2/10	3/6	6/-	10/6		2/-	2/7	3/2	5/5	9/5		2/7	3/3	4/-	6/11	12/1	¾
⅞	2/4	3/-	4/-	6/6	11/6		2/1	2/8	3/7	5/10	10/4			3/5	4/7	7/6	13/3	⅞
1	2/5	3/2	4/4	7/-	12/6	19/-	2/2	2/10	3/11	6/4	11/3	17/1		3/8	5/-	8/1	14/4	1
1 ¼								3/1	4/2	6/11								1 ¼
1 ½	2/9	3/8	5/-	8/4	15/-	22/-	2/6	3/4	4/6	7/6	13/6	19/10			5/9	9/7		1 ½
1 ¾	3/-	4/-	6/-	9/8	17/2	26/-	2/9	3/7	5/5	8/8	15/5	23/5						1 ¾
2	3/4	4/6	7/-	11/-	19/8	30/-	3/-	4/1	6/4	9/11		27/-						2
2 ¼	4/-	5/3	8/-							11/8								2 ¼
2 ½	5/-	6/-	9/-	15/-	26/-	38/-	4/6	5/5	8/1	13/6	23/5							2 ½
2 ¾			11/6	19/-	34/-				10/4	17/1								2 ¾
3			14/9	26/-						23/-								3

Item No. 68.—Screws, steel, Whitworth rolled thread (stove):—

PRICE PER GROSS.

(Hardware Co. of Aust. Pty. Ltd.—Less 60%)

(Plus 2½% surcharge. Nettlefolds only).

Length Inch.	ROUND HEAD.								Length Inch.	COUNTERSUNK HEAD.								
	¼"	5/32"	3/16"	7/32"	¼"	5/16"	¾"	¼"		5/32"	3/16"	¼"	5/16"	¾"	¼"			
½	1/1	1/3	1/7					½	1/1	1/3	1/7							½
⅝	1/2	1/4	1/8					5/16		1/4	1/8							⅝
¾	1/2	1/4	1/8		2/5			¾	1/2	1/4	1/8	2/5						¾
⅞	1/3	1/5	1/9	2/1	2/7	3/8	5/7	⅞	1/3	1/5	1/9	2/7	3/8	5/7				⅞
1	1/4	1/6	1/10		2/9	3/10	5/11	1	1/4	1/6	1/10	2/9	3/10	5/11				1
1 ¼	1/5	1/7	1/11		2/11	4/-	6/3	1 ¼	1/5	1/7	1/11	2/11	4/-	6/3	17/3			1 ¼
1 ½	1/6	1/8	2/-		3/2			1 ½			2/-	3/2	4/2					1 ½
1 ¾	1/7	1/9	2/1		3/8	4/4	6/10	1	1/7	1/9	2/1	3/8	4/4	6/10	17/3			1 ¾
2	1/9	2/1	2/4		4/1	4/10	7/4	1 ¾	1/9	2/1	2/4	4/1	4/10	7/4	19/3			2
2 ¼	2/1	2/5	2/8		4/6	5/4	8/3	2	2/1	2/5	2/8	4/6	5/4	8/3	21/6			2 ¼
2 ½	2/5	2/9	3/-		5/-	6/-	9/3	2 ½	2/5	2/9	3/-	5/-	6/-	9/3	23/6			2 ½
2 ¾	2/9	3/1	3/8		5/6	7/-	10/-	2	2/9	3/1	3/8	5/6	7/-	10/-	25/3			2 ¾
3		3/10	4/2		6/-			2 ¾		3/10	4/2	6/-	8/-					3
3 ¼		4/1	4/8		7/-	9/-	12/-	3		4/1	4/8	7/-	9/-	12/-	30/9			3 ¼
3 ½								3 ½				8/9	11/-					3 ½
3 ¾			7/9		10/-			3			7/9	10/-	12/6	15/6				3 ¾

SCREWS AND SPLIT PINS—continued.

PRICE LISTS.

Items Nos. 69 and 70.—Screws, coach, square head, gimlet point :—

(McPherson's Pty. Ltd.—

Up to and including 4" long, and up to and including $\frac{3}{8}$ " diameter—Less 32½%.Over 4" long or over $\frac{3}{8}$ " diameter—Less 35%.

PRICE PER 100 No.

(Plus 7·6% surcharge)

Length Inch.	DIAMETER.					
	$\frac{1}{4}$ "	$\frac{5}{16}$ "	$\frac{3}{8}$ "	$\frac{1}{2}$ "	$\frac{5}{8}$ "	$\frac{3}{4}$ "
1½	7/-	7/4	9/-	10/-	—	—
2	7/2	7/9	9/9	11/-	16/6	—
2½	7/4	8/3	10/6	12/-	17/6	22/-
3	7/6	8/9	11/3	13/-	18/6	23/-
3½	8/5	9/3	12/3	14/-	19/6	24/6
4	9/-	9/9	13/6	15/-	21/-	26/-
4½	—	—	14/-	16/6	22/6	27/6
5	—	—	14/6	18/-	24/-	29/6
5½	—	—	15/-	19/-	25/6	31/6
6	—	—	15/6	20/-	27/6	33/6
6½	—	—	17/6	21/-	29/6	35/-
7	—	—	17/6	22/-	31/6	36/6
7½	—	—	19/6	23/-	33/-	38/-
8	—	—	21/-	24/-	34/6	40/-
8½	—	—	22/6	25/6	36/-	42/-
9	—	—	24/-	26/6	37/6	44/-

SCREWS AND SPLIT PINS—continued

PRICE LISTS.

Items Nos. 83 and 84.—Pins, split, steel.

PRICE PER GROSS. (A. E. & F. Tame—Up to $\frac{5}{32}$ " dia.—Less 65%. Over $\frac{5}{32}$ " dia.—Less 55%.)

Length Inch.	DIAMETER.												
	1/16"	5/64"	3/32"	1/8"	5/32"	3/16"	7/32"	1/4"	9/32"	5/16"	3/8"	7/16"	1/2"
$\frac{1}{4}$	1/1		1/1										
$\frac{1}{2}$	1/1		1/1										
$\frac{3}{4}$	1/1	1/1	1/1	1/2									
$\frac{7}{8}$			1/1										
1	1/1	1/1	1/1	1/2	1/4	1/6	2/-	2/4					
1 $\frac{1}{4}$	1/2	1/2	1/2	1/3	1/5	1/8	2/3	2/7	3/4				
1 $\frac{1}{2}$	1/4	1/4	1/4	1/5	1/7	1/10	2/6	2/11	3/8	7/-			
1 $\frac{3}{4}$	1/6	1/6	1/6	1/7	1/9	2/-	2/9	3/3	4/-	7/6			
2	1/8	1/8	1/8	1/9	1/11	2/2	3/-	3/6	4/6	8/-	9/8		
2 $\frac{1}{4}$	1/10	1/10	1/10	1/11	2/1	2/4	3/3	3/9	5/-	8/6	10/4		
2 $\frac{1}{2}$	2/-	2/-	2/-	2/1	2/3	2/6	3/6	4/-	5/6	9/-	11/-	12/8	17/9
2 $\frac{3}{4}$	2/2	2/2	2/2	2/3	2/5	2/9	3/9	4/4	6/-	9/8	11/8	13/8	
3	2/4	2/4	2/4	2/5	2/7	3/-	4/-	4/8	6/6	10/4	12/4	14/6	20/9
3 $\frac{1}{4}$					2/9	3/3	4/4	5/-	7/-	11/-	13/-	15/4	
3 $\frac{1}{2}$				2/9	3/-	3/6	4/8	5/6	7/6	11/8	13/8	16/-	23/9
3 $\frac{3}{4}$						3/9	5/-	5/10	8/-	12/6	14/4	16/8	
4				3/2	3/6	4/-	5/4	6/3	8/6	13/4	15/-	17/4	27/3
4 $\frac{1}{4}$							6/-	7/3	9/6	14/8	16/4	18/8	30/9
5							6/8	8/-	10/6	16/-	17/8	20/-	33/9
5 $\frac{1}{4}$							7/4	8/9	11/6	17/4	19/-	21/4	37/9
6							8/-	9/9	12/6	18/8	20/-	22/8	40/9
7												25/4	47/9

NAILS, ETC.

(Schedule No. 5)

(1st January, 1945, to 31st December, 1946)

PRICE LISTS.

**Item No. 129—Rivets, Copper,
with washers.**
Rate per lb. net.

**Item No. 131—Rivets, Copper,
without washers.**
Rate per lb. net.

Length Inch.	GAUGE				Length Inch.	GAUGE			
	6	8	9	10		6	8	9	10
$\frac{1}{4}$	$2/4\frac{1}{2}$	$2/4\frac{1}{2}$	$2/4\frac{1}{2}$	$2/5\frac{1}{2}$	$\frac{1}{4}$	$1/8\frac{3}{4}$	$1/8\frac{3}{4}$	$1/8\frac{3}{4}$	$1/8\frac{3}{4}$
$\frac{5}{16}$	—	$2/3\frac{1}{4}$	—	—	$\frac{5}{16}$	—	$1/8$	—	—
$\frac{3}{8}$	$2/3$	$2/3\frac{1}{2}$	$2/3\frac{1}{2}$	$2/4\frac{1}{2}$	$\frac{3}{8}$	$1/8\frac{3}{4}$	$1/7\frac{1}{2}$	$1/8\frac{1}{2}$	$1/8\frac{1}{2}$
$\frac{1}{2}$	$2/2\frac{1}{2}$	$2/2\frac{3}{4}$	$2/2\frac{3}{4}$	$2/3\frac{3}{4}$	$\frac{1}{2}$	$1/8$	$1/7\frac{1}{2}$	$1/8$	$1/8\frac{1}{2}$
$\frac{5}{8}$	$2/1\frac{1}{2}$	$2/2$	$2/2\frac{1}{2}$	$2/2\frac{3}{4}$	$\frac{5}{8}$	$1/7\frac{1}{2}$	$1/7\frac{1}{2}$	$1/7\frac{1}{2}$	$1/8$
$\frac{3}{4}$	$2/1\frac{1}{2}$	$2/1\frac{1}{2}$	$2/1\frac{1}{2}$	$2/2\frac{3}{4}$	$\frac{3}{4}$	$1/7\frac{1}{2}$	$1/7\frac{1}{2}$	$1/7\frac{1}{2}$	$1/7\frac{1}{2}$
$\frac{7}{8}$	—	$2/0\frac{1}{2}$	$2/1\frac{1}{2}$	$2/1\frac{1}{2}$	$\frac{7}{8}$	—	$1/7\frac{1}{2}$	$1/7\frac{1}{2}$	$1/7\frac{1}{2}$
1	$2/0\frac{3}{4}$	$2/0\frac{1}{2}$	$2/0\frac{3}{4}$	$2/1\frac{3}{4}$	1	$1/7\frac{3}{4}$	$1/7\frac{1}{2}$	$1/7\frac{1}{2}$	$1/7\frac{3}{4}$
$1\frac{1}{4}$	$1/11\frac{3}{4}$	$2/0\frac{1}{2}$	—	—	$1\frac{1}{4}$	$1/7\frac{1}{2}$	$1/7\frac{1}{2}$	—	—
$1\frac{1}{2}$	$1/11\frac{3}{4}$	—	—	—	$1\frac{1}{2}$	$1/7$	—	—	—

Item No. 134—Rivets, Timmens, galvanised.

Rate per cwt.—plus $2\frac{1}{2}\%$.

Size	Rate	Size	Rate
4 ...	68/3	12 ...	61/3
5 ...	68/3	13 ...	59/9
6 ...	68/3	14 ...	59/9
7 ...	65/3	15 ...	59/9
8 ...	65/3	16 ...	58/3
9 ...	65/3	17 ...	57/9
10 ...	64/3	18 ...	56/9
11 ...	64/3	20 ...	56/9

NAILS, ETC.—continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
90	Brads, finishing, wire, $\frac{3}{4}$ " x 17 gauge, to specification	...	56 lbs.	Nil	
†91	Brads, moulders', 4", to specification, "Bentley"	Vict.	60 cwt.	cwt.	2	16	0	T. H. Bentley Pty. Ltd.
†92	Chaplets (stangies)— 8" x $\frac{1}{4}$ ", "Clyde" ...	U.K.	12 gross	gross	1	11	0	} H. A. Barnard Pty. Ltd.
†93	8" x $\frac{3}{8}$ ", not pointed, "Bentley" ...	Vict.	12 "	"	3	0	0	
94	Nails, clout, steel, countersunk, to specification— 2 $\frac{1}{4}$ " x 3 gauge	...	} 5 cwt.	} Nil	
95	2 $\frac{3}{8}$ " x 2 "		
96	3" x 1 "		
97	Nails, clout, wire, bright, to specification— $\frac{3}{4}$ ", $\frac{7}{8}$ ", 1" or 1 $\frac{1}{8}$ ", as ordered, x 12 gauge, in 1-cwt cases	Vict.	12 "	cwt.	†2	0	9	Sidney Cooke Pty. Ltd.
98	$\frac{1}{2}$ " x 13 gauge	...	2 "	Nil	
99	Nails, clout, wire, galvanised, to specification, 12 gauge, in 1-cwt. cases— $\frac{3}{4}$ "	Vict.	} 50 "	cwt.	†2	16	3	} John R. Bell & Co.
100	1", 1 $\frac{1}{4}$ " or 1 $\frac{1}{2}$ ", as ordered ...	"		"	"	†2	14	
†101	Nails, dogspikes, "Clyde" pattern, 2 $\frac{1}{2}$ " x $\frac{5}{16}$ "	"	25 tons	ton	†25	10	0	McPherson's Pty Ltd.
*†102	Nails, furniture, oxidised, to specification, $\frac{1}{2}$ " long x $\frac{7}{16}$ " diameter head, in boxes of 1000	...	10 boxes	Nil	
†103	Nails, horse-shoe, full counters, to specification, in boxes of 25-lbs.— No. 6, "Capewell" ...	U.K.	15 "	box	1	19	6	} Briscoe & Co. Ltd.
†104	No. 8, 10 or 12, as ordered, "Horse Nail Co."	"	20 "	"	1	12	6	
105	Nails, roofing, springhead, spiral type, galvanised, to specification, in 1-cwt. cases, 2", 2 $\frac{1}{4}$ " or 2 $\frac{3}{8}$ ", as ordered, x 9 gauge	...	6 tons	Nil	
106	Nails, slaters', copper, clout head, round shank, to specification, 1 $\frac{1}{4}$ " or 1 $\frac{1}{2}$ ", as ordered, x 12 gauge, in 14-lb. or 28-lb. bags, as ordered	Vict.	6 cwt.	lb.	†0	1	11	Sidney Cooke Pty. Ltd.
†107	Nails, steel, corrugated, black, to specification, 4", 5", 6", 7" or 8", as ordered, x $\frac{3}{8}$ " diameter, in 1-cwt. cases	"	30 tons	cwt.	†1	7	9	} John R. Bell & Co.
†108	Nails, steel, corrugated, galvanised, to specification, 3" x 1 gauge, in 1-cwt. cases	"	1 ton	ton	†44	15	0	
109	Nails, wire, bullet head, any length ordered, to specification, in 1-cwt. cases— 4, 5, 6, 7 or 8 s.w. gauge, as ordered ...	"	30 tons	cwt.	†1	4	3	
110	9 s.w. gauge	"	14 "	"	†1	4	9	

† { Items Nos. 97 and 106. Less 2 $\frac{1}{2}$ %—30 days.
 " " 99, 100 and 107 to 110. Less 3% discount for payment within 10 days of date of receipt of invoice, or 2 $\frac{1}{2}$ %—30 days.

‡ Item No. 101. Plus £2/15/- per ton surcharge.

NOTE—2 $\frac{1}{2}$ %—30 days means 2 $\frac{1}{2}$ % discount for payment by end of month following month of delivery.

NAILS, ETC.—continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
	Nails, wire, bullet head, any length ordered, to specification, in 1-cwt cases—continued—					
111	10 s.w. gauge	Vict.	12 tons	cwt.	‡1 5 3	John R. Bell & Co.
112	11 ,,	„	6 ,,	„	‡1 6 3	
113	12 ,,	„	18 ,,	„	‡1 6 9	
114	13 ,,	„	2 ,,	„	‡1 7 9	
115	14 ,,	„	2 ,,	„	‡1 9 9	
116	15 ,,	„	1 ,,	„	‡1 12 3	
	Nails, wire, flat head, to specification, in 1-cwt. cases—					
117	1" or 1½", as ordered, x 15 s.w. gauge ...	„	40 cwt.	„	‡1 12 3	Sidney Cooke Pty. Ltd.
118	2" x 12 s.w. gauge	„	30 ,,	„	‡1 6 9	
119	Pins, escutcheon, brass, ⅝" x 16 gauge, to specification, in 14-lb. or 28-lb. bags, as ordered	„	56 lbs.	lb.	‡0 1 8¼	
	Pins, gimp, wire, blued, to specification—					
120	½" x 17 gauge, in 14-lb. or 28-lb. bags, as ordered	„	1000 ,,	„	‡0 0 6¼	Sidney Cooke Pty. Ltd.
121	⅝" or ¾", as ordered, x 18 gauge ...	„		„	„	
	Pins, panel, countersunk, to specification—					
122	½" or 1", as ordered, x 20 gauge	„	200 ,,	„	„	Nil
123	½", ⅝" or 1", as ordered, x 17 gauge ...	„	900 ,,	„	„	
124	⅝" x 19 gauge	„	500 ,,	„	„	
125	¾" or 1", as ordered, x 18 gauge, ... in 14-lb. or 28-lb. bags, as ordered	Vict.	650 ,,	cwt.	‡3 1 9	Sidney Cooke Pty. Ltd.
126	1¼" or 1½", as ordered, x 16 gauge, ... in 14-lb. or 28-lb. bags, as ordered	„	1200 ,,	„	‡1 18 3	
127	1½" x 15 gauge, in 14-lb. or 28-lb. bags, as ordered	„	650 ,,	„	‡1 15 6	
128	2" x 14 gauge, in 14-lb. or 28-lb. bags, as ordered	„	200 ,,	„	‡1 12 6	
129	Rivets, copper, with washers, any size on price list, as ordered, in 1-lb. pkts.	„	900 ,,	„	List Price ‡ Net	
130	Nil	„	„	„	„	
131	Rivets, copper, without washers, any size on price list, as ordered, in 1-lb. pkts.	Vict.	85 lbs.	„	List Price ‡ Net	Sidney Cooke Pty. Ltd.
132	-133 Nil	„	„	„	„	
†134	Rivets, Tinmens, galvanised, any size on price list, as ordered, in 14-lb. or 28-lb. bags, as ordered	Vict.	3800 lbs.	„	List Price ‡ plus 2½% surcharge	Sidney Cooke Pty. Ltd.
135	-141 Nil	„	„	„	„	

† { Items Nos. 111 to 118. Less 3% discount for payment within 10 days of date of receipt of invoice or 2½%—30 days.
 { Items Nos. 119, 120, 125 to 129, 131 and 134. Less 2½%—30 days.

NOTE. 2½%—30 days means 2½% discount for payment by end of month following month of delivery.

NAILS, ETC.—continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
142	Staples, wire, galvanised— ½" x 14 gauge (see note) ...	Vict.	56 lbs.	cwt.	†2 1 3	John R. Bell & Co.
143	¾" x 12 ,, in 1-cwt. cases ...	"	8 cwt.	"	†1 12 3	
144	1" x 10 ,, ,, ,, ,, ...	"	2 ,,	"	†1 10 3	
145	1½" x 8 ,, ,, ,, ,, ...	"	18 ,,	"	†1 8 3	
146	Studs, moulders', single, "Bentley"— ¾" to 1", advancing by ⅛", as ordered ...	"	12 gross	gross	0 14 0	H. A. Barnard Pty. Ltd.
147	1⅝" to 1½", ,, ,, ,, ...	"	4 ,,	"	0 16 0	
148	1⅝" ...	"	2 ,,	"	0 16 0	
149	Tacks, copper, wire, ½", ⅝", ¾" or 7⁄8", as ordered, x 15 gauge, in 14-lb. or 28-lb. bags, as ordered	"	1800 lbs.	lb.	†0 1 9	Sidney Cooke Pty. Ltd.
150	Tacks, cut, blued, fine, 16 gauge— ¼" ...	"	20 ,,	"	"	Nil
151	¾", in 1-cwt. cases ...	Vict.	300 ,,	cwt.	†4 2 0	Sidney Cooke Pty. Ltd.
152	½", ,, ,, ,, ...	"	3000 ,,	"	†3 6 3	
153	⅝", ,, ,, ,, ...	"	250 ,,	"	†3 5 3	
154	Tacks, cut, tinned, fine, 16 gauge— ½" ...	"	300 ,,	"	"	Nil
155	¾" ...	"	450 ,,	"	"	
156	Tacks, double pointed, copper coated, ½"	"	20 ,,	"	"	
157	Tacks, No. 10, for Gerrard wire-tying machines, in boxes of 25,000	Vict.	75,000	1000	0 1 8	Gerrard Wire Tying Machines Co. Pty. Ltd.
158-169	Nil					

† Items Nos. 142 to 145. Less 3% discount for payment within 10 days of date of receipt of invoice, or 2½%—30 days.
 † Items Nos. 149 and 151 to 153. Less 2½%—30 days.

NOTE. 2½%—30 days means 2½% discount for payment by end of month following month of delivery.

DIES, TAPS, ETC.

(Schedule No. 6)

(1st January, 1945, to 31st December, 1946).

Dies, adjustable, 2-⅜" diameter, Whitworth thread (excluding guides), to specification, "P. & N."—						
170	⅝", ¾", ⅞" or 1", as ordered ...	Vict.	20	each	†0 10 10	H. A. Barnard Pty. Ltd.
171	½" ...	"	25	"	†0 10 10	
172	⅝" ...	"	20	"	†0 13 1	
173	¾" ...	"	20	"	†0 13 10	
174	⅞" ...	"	15	"	†0 15 4	
175	1" ...	"	15	"	†0 16 10	
Dies, British Association standard, ⅞" or 1" dia., as ordered, to specification, "P. & N."—						
176	Sizes 0 to 8, as ordered ...	"	150	"	†0 2 3	
177	Sizes 9 or 10, ,, ,, ...	"	25	"	†0 3 0	

† Less 30% trade discount.

DIES, TAPS, ETC.—continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
	Dies, high speed steel, for "Herbert" patent self-opening die heads, style "C," in sets of four, to specification, "P. & N."—							
178	For 1" die head, Whitworth thread, sizes $\frac{3}{8}$ " to 1", as ordered	Vict.	100 sets	set	1	8	8	McPherson's Pty. Ltd.
179	For 1 $\frac{1}{4}$ " die head, Whitworth thread, sizes $\frac{7}{8}$ " to 1 $\frac{1}{4}$ ", as ordered	"	150 "	"	1	17	6	
180	For 1 $\frac{1}{2}$ " die head, 11 threads per inch, sizes 1 $\frac{1}{8}$ ", 1 $\frac{1}{4}$ ", 1 $\frac{3}{8}$ " or 1 $\frac{1}{2}$ ", as ordered	"	10 "	"	2	4	0	
181	For 2" die head, 11 threads per inch, sizes 1 $\frac{1}{8}$ ", 1 $\frac{1}{4}$ ", 1 $\frac{3}{8}$ ", 1 $\frac{1}{2}$ " or 1 $\frac{5}{8}$ ", as ordered	"	20 "	"	3	3	0	
	Dies, high speed steel, for "Landis" rotary die heads, to specification— Style "F," Whitworth thread, in sets of four—							
182	For $\frac{1}{2}$ " die head, sizes $\frac{3}{8}$ " to $\frac{1}{2}$ ", as ordered	"	40 "	"	1	14	0	The Sutton Tool & Gauge Mfg. Co. Pty. Ltd.
183	For 1" die head, sizes $\frac{1}{4}$ " to 1 $\frac{1}{2}$ ", as ordered	"	150 "	"	2	2	0	
184	For 3" die head, sizes 1 $\frac{1}{4}$ " or 2 $\frac{1}{4}$ ", as ordered	"	2 "	"	6	0	0	
185	To drawing No. N.Z. 18, for 3" die head, Whitworth thread, any number of threads per inch ordered, "P. & N."	"	15 "	"	4	19	0	McPherson's Pty. Ltd.
186	Dies for 1 $\frac{1}{4}$ " "Landmatic" die head, tangential, to drawing No. N.Z. 24, in sets of four, sets to be interchangeable, any size ordered, to specification, "P. & N."	"	12 "	"	2	15	0	
	Dies, nut, cast steel, hexagon, Whitworth thread, hardened and tempered, to specification, "P. & N."—							
187	$\frac{3}{8}$ "	"	40	each	†	0	2 8	H. A. Barnard Pty Ltd.
188	$\frac{1}{2}$ "	"	30	"	†	0	3 2	
189	$\frac{5}{8}$ "	"	80	"	†	0	4 0	
190	$\frac{3}{4}$ "	"	50	"	†	0	4 7	
191	$\frac{7}{8}$ "	"	50	"	†	0	5 6	
192	1"	"	10	"	†	0	6 5	
193	Taps, hand working, British Association standard, taper, intermediate or plug, as ordered, to specification, "P. & N."— Sizes 0 to 6, as ordered	"	150 doz.	dozen	†	0	9 0	
194	Size 7	"	10 "	"	†	0	9 0	
195	" 8	"	15 "	"	†	0	9 0	
196	" 9	"	4 "	"	†	0	12 0	
197	" 10	"	60 "	"	†	0	15 0	
	Taps, hand working, gas thread, standard engineers' pattern, in sets comprising one taper and one plug tap, to specification, "P. & N."—							
198	$\frac{1}{8}$ "	"	40 sets	set	†	0	3 10	
199	$\frac{1}{4}$ "	"	25 "	"	†	0	4 6	
200	$\frac{3}{8}$ "	"	5 "	"	†	0	6 9	

† Less 30% trade discount.

DIES, TAPS, ETC.—continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
201	Taps, hand working, gas thread, standard engineers' pattern, in sets comprising one taper and one plug tap, to specification, "P. & N."—continued— 1/2"	Vict.	50 sets	set	†0 8 3	H. A. Barnard Pty. Ltd.
202	3/4"	"	6 "	"	†0 12 0	
203	1"	"	6 "	"	†0 16 6	
204	Taps, hand working, Whitworth standard, cut thread, taper, intermediate or plug, as ordered, to specification, "P. & N."— 1/8", 3/16" or 1/4", as ordered	"	3500	doz.	†0 7 6	H. A. Barnard Pty. Ltd.
205	7/32" or 1/4", as ordered	"	600	"	†0 9 0	
206	1/16"	"	500	"	†0 11 3	
207	3/8"	"	800	"	0 9 11	McPherson's Pty. Ltd.
208	7/16"	"	150	"	†0 18 0	H. A. Barnard Pty. Ltd.
209	1/2"	"	250	"	†1 2 6	
210	5/16"	"	36	"	†1 7 0	
211	3/4"	"	600	each	†0 3 0	H. A. Barnard Pty. Ltd.
212	1 1/8"	"	36	"	†0 3 9	
213	3/4"	"	120	"	†0 3 9	
214	1 1/8"	"	36	"	†0 4 6	H. A. Barnard Pty. Ltd.
215	7/8"	"	120	"	†0 4 6	
216	1"	"	100	"	†0 6 0	
217	Taps, "National" nut tapping machine, Whitworth thread, to drawing No. 8920-1, and specification— 3/8"	"	150	"	1 11 0	The Sutton Tool & Gauge Mfg. Co. Pty. Ltd.
218	1"	"	72	"	1 14 6	
219	1 1/8"	"	2	"	2 3 6	
220	Taps, "National" nut tapping machine, 11 threads per inch, to drawing No. 8920-2, and specification— 1 1/4"	"	10	"	2 13 6	The Sutton Tool & Gauge Mfg. Co. Pty. Ltd.
221	1"	"	6	"	1 14 6	
222	1 1/8"	"	12	"	2 3 6	
223	1 3/16"	"	20	"	2 10 6	The Sutton Tool & Gauge Mfg. Co. Pty. Ltd.
224	1 1/4"	"	20	"	2 13 6	
225	1 1/2"	"	2	"	3 13 0	
226	Reamers, spiral, with chip breaker, high speed steel, to specification and drawing N.X. 1A— 1/8" diameter	"	72	"	0 18 0	The Sutton Tool & Gauge Mfg. Co. Pty. Ltd.
227	1 1/8" "	"	72	"	1 11 3	
228	1 1/8" "	"	25	"	1 13 3	
229-239	—Nil					

† Less 30% trade discount.

PORCELAIN INSULATORS, ETC.

(Schedule No. 7)

(1st January, 1945, to 31st December, 1946)

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
	(See also concurrent Items Nos. 240A to 260A).							
	Bases, porcelain, to specification—							
†240	For lightning arrestors, (Siemens Q. 213c), to drawing No. 5.A.45 (amended 7.9.43)	Vict.	500	each	£	0	5½	Sunshine Porcelain Potteries Pty. Ltd.
†241	For fuses, to drawing No. 1.A.45 (amended 7.9.43)	...	Nil	
†242	For R.S.A. terminal, to drawing No. 2.A.2 (amended 8.11.43)	Vict.	4500	each	£	0	4½	
†243	Variable resistance, to drawing No. 2.B.351 (amended 16.5.40)	"	450	"	£	0	9	
†244	Bobbins, porcelain, resistance, to drawing No. 2.F.1956	"	800	"	£	0	6½	
	Insulators, porcelain—							
†245	Brush Holder Yoke, to drawing No. F.2104A	"	300	"	£	0	2 6	Sunshine Porcelain Potteries Pty. Ltd.
†246	Button, 1½" x 1½" x ¾" hole	"	1000	"	£	0	0 2½	
247	Catenary Centres, to drawing No. F.2299B and specification	"	750	"	£	0	3 11	
248	Catenary Ends, to drawing No. F.2300B and specification	"	750	"	£	0	3 0	
†249	Cleat, 2½" x 1" (two wires)	"	3000 pairs	pair	£	0	0 3½	
†250	Knob, 2½" x 1½" x 7/8" hole	"	1000	each	£	0	0 7½	
†251	Pin type, conference, No. 600/0·1	"	300	"	£	0	0 7½	
†252	Pin type, conference, No. 600/0·0	"	400	"	£	0	0 6½	
253	Pin type, to drawing No. 1.A.405 and specification, packed in cases of 50	"	20,000	"	£	0	0 11½	
†254	Reel	"	1000	"	£	0	0 6½	
255	Resistance Box, traction, to drawing No. F.3253 and specification	"	250	"	£	0	0 11½	
*†256	Shackle, 2½" diameter x 1½" high x ¾" hole	"	6000	"	£	0	0 5½	
*†257	Shackle, low tension, 3½" diameter x 3" high x ¾" hole	"	200	"	£	0	0 7½	
*†258	Shackle, 4" diameter x 3" high x ¾" hole	"	2500	"	£	0	1 1	
259	Transposition, to drawings Nos. F.2317 and 1.A.405, and specification, packed in cases of 20	"	1200	"	£	0	4 6	
260	80D type, to drawing No. F.2077A and specification	"	500	"	£	0	4 9	

* Rates plus 4%

PORCELAIN INSULATORS, ETC.—continued

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
	(See also concurrent Items Nos. 240, 242 to 253 and 255 to 260).					
	Bases, porcelain, to specification—					
†240A	For lightning arrestors, (Siemens Q.213c), to drawing No. 5.A.45 (amended 7.9.43)	Vict.	} See Items Nos. 240 to 260	each	£0 0 5½	} Australian Porcelain Insulator Co. Pty. Ltd.
†242A	For R.S.A. terminal, to drawing No. 2.A.2 (amended 8.11.43)	"		"	£0 0 4	
†243A	Variable resistance, to drawing No. 2.B.351 (amended 16.5.40)	"		"	£0 0 9	
†244A	Bobbins, porcelain, resistance, to drawing No. 2.F.1956	"		"	£0 0 6½	
	Insulators, porcelain—					
†245A	Brush Holder Yoke, to drawing No. F.2104A	"		"	£0 2 5	
†246A	Button, 1¼" x 1½" x ⅜" hole	"		"	£0 0 2½	
247A	Catenary Centres, to drawing No. F.2299B and specification	"		"	£0 3 11	
248A	Catenary Ends, to drawing No. F.2300B and specification	"		"	£0 3 1	
†249A	Cleat, 2½" x 1" (two wires)	"		pair	£0 0 3¾	
†250A	Knob, 2¼" x 1⅜" x ⅞" hole	"		each	£0 0 7½	
†251A	Pin type, conference, No. 600/0.1	"		"	£0 0 7¼	
†252A	Pin type, conference, No. 600/0.0	"		"	£0 0 6¼	
253A	Pin type, to drawing No. 1.A.405 and specification, packed in cases of 50	"		"	£0 1 1	
255A	Resistance Box, traction, to drawing No. F.3253 and specification	"		"	£0 0 11¼	
*†256A	Shackle, 2½" diameter x 1¾" high x ¾" hole	"		"	£0 0 5½	
*†257A	Shackle, low tension, 3½" diameter x 3" high x ¾" hole	"		"	£0 0 7½	
*†258A	Shackle, 4" diameter x 3" high x ⅝" hole	"		"	£0 1 1	
259A	Transposition, to drawings Nos. F.2317 and 1.A.405, and specification, packed in cases of 20	"		"	£0 4 8	
260A	80D type, to drawing No. F.2077A and specification	"		"	£0 4 8½	
261-269	—Nil					

⚡ Rates plus 4%.

LOW VOLTAGE LAMPS AND TORCH ACCESSORIES

(Schedule No. 8)

(1st January, 1945, to 31st December, 1946)

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
†270	Batteries, torch, dry cells, cylindrical, to B.S.S. No. 397/1933, "Eveready No. 950" or "Diamond DR2"	N.S.W. or Vict.	60,000	doz.	0 4 4½	Eveready (Aust.) Pty. Ltd.
271	Electrolyte, dry, for Edison batteries, in No. 10 tins of 9·67 lbs. net, "Edison"	U.S.A.	10 cwt.	tin	2 10 3 f.o.b. or f.o.r. Sydney	Charles M. Terry Pty. Ltd.
†272	Lamps, electric, for automobiles— 6V., 3W., S.B.C., single or double contact, as ordered	
†273	6V., 3W., S.C.C., single contact	
†274	6V., 3W., M.C.C., "Mazda No. 55" or suitable alternative, single contact	
†275	6V., 6W., A.S.C.C., single contact	
†276	6V., 18 W., S.B.C., "V" filament, single or double contact, as ordered	
†277	6V., 18 W., A.S.C.C., "V" filament, single or double contact, as ordered	
†278	6V., 32/32 C.P., A.S.B.C., double "V" filament, "Mazda No. 1000," or suitable alternative	
†279	6V., 32/32 C.P., pre-focus, double "V" filament, "Mazda No. 2330," or suitable alternative	
†280	6V., 35 W., A.S.C.C., "V" filament, single contact	
†281	12V., 3W., S.B.C., double contact	...	Nil	
†282	12V., 3W., S.C.C., single contact,	
†283	12V., 15W., S.B.C., 25 m.m. diameter bulb, "Philips No. 12402" or suitable alternative, single or double contact, as ordered	
†284	12V., 25 W., S.B.C., "V" filament, single contact	
†285	12V., 25 W., "V" filament, double contact	
†286	12V., 35 W., S.B.C., "V" filament, single contact	
†287	12V., 35 W., S.C.C., "V" filament, double contact	
†288	12V., 36/36W., S.B.C., double "V" parallel filaments	
†289	12V., 12W., gas filled, pearl, bus lamps with ordinary B.C., 38 m.m. diameter bulb, "Osram No. S7562" or suitable alternative, double contact	
290	Lamps, electric, clear, for hand torches, focus type, "Mazda"— 2·5 volts	U.K. or U.S.A.	2000	100	1 15 6	} Australian General Electric Pty. Ltd.
291	3·5 " " " " " " " "	"	5000	"	1 15 6	
†292	Lamps, electric, switchboard, pencil type, 6 volts, designated 2-6V in B.S.S. 105	...	200	Nil
†293	Torches, hand, electric, with lamps, but without cells, focus type— 2-cell, "Contact"	N.S.W.	500	each	0 3 11	Sun Electric Co. Pty. Ltd.
†294	3-cell	...	Nil	

295-309—Nil

ACCUMULATOR CELLS, BATTERIES, ETC.

(Schedule No. 9)

(1st January, 1945, to 31st December, 1946)

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor	
Train Lighting Accumulators, etc.—							
Cells, accumulator, complete, to specification—							
310	13 plate, Demi-plante	N.S.W.	144	each	5 12 6	} Coates & Co. Pty. Ltd.	
311	9 " " " " " " " "	"	144	"	4 10 0		
312	Bolts and Nuts, for cell connectors, to specification	"	1000	"	0 0 10		
Boxes, accumulator cell, complete with lids, to specification—							
313	For 19 plate Standard Tonum Cells, (wood and lead lined)	"	24	"	3 6 3		
314	For 13 plate Demi-plante cells, with bottom blocks (hard rubber)	"	24	"	1 11 9		
315	For 11 plate Standard Tonum cells or 9 plate Demi-plante cells, with bottom blocks (hard rubber)	"	240	"	1 7 9		
316	For 13 plate Demi-plante cells (hard rubber), without parts	"	240	"	1 6 9		
317	For 11 plate Standard Tonum cells or 9 plate Demi-plante cells (hard rubber) without parts	"	2000	"	1 4 0		
Connectors, cell, flexible, to specification—							
†318	Double, 12" long	"	100	"	0 1 0½		
†319	" 18" " " " " " "	"		"	0 1 2		
†320	Single, 12" " " " " " "	"	800	"	0 0 9		
†321	" 18" " " " " " "	"		"	0 0 10½		
322	Floats, accumulator, to specification ...	"	600 doz.	"	0 1 2		
323	Floats, No-wash cell, to specification ...	"	600	"	0 1 1		
Lids, accumulator cell, complete, excluding porcelain gaskets, to specification—							
324	For 19 plate Standard Tonum cells (wooden)	"	24	"	0 17 6		
325	For 13 plate Demi-plante cells (hard rubber)	"	96	"	0 6 6		
326	For 11 plate Standard Tonum cells or 9 plate Demi-plante cells (hard rubber)	"	144	"	0 5 3		
327	Plates, positive, Demi-plante or "K" type, as ordered, complete, to specification	"	24	"	0 4 2		
328	Plates, negative, pasted type, complete, to specification	"	24	"	0 3 1		
Sections, negative, box or pasted type, as ordered, complete, to specification—							
329	For 19 plate Standard Tonum cells ...	"	24	"	1 18 6		
330	" 11 " " " " " " "	"	288	"	1 4 6		
331	" 13 " " Demi-plante cells ...	"	144	"	1 7 0		
332	" 9 " " " " " " "	"	600	"	1 0 6		

ACCUMULATOR CELLS, BATTERIES, ETC.—continued.

Item No.	Description.	Country of Manuf're.	Estimated Requirements.	Rate per	Rate. £ s. u.	Name of Contractor.	
Train Lighting Accumulators, etc.—							
continued—							
333	Sections, positive, complete, to specification— For 19 plate Standard Tonum cells ...	N.S.W.	12	each	2 10 0	} Coates & Co. Pty. Ltd.	
334	„ 11 „ „ „ „ „ ...	„	500	„	1 9 3		
335	„ 13 „ Demi-plate cells ...	„	200	„	1 14 3		
336	„ 9 „ „ „ „ „ ...	„	500	„	1 3 6		
337	Separators, fork, ebonite, Demi-plate, to specification	„	6 doz.	doz.	0 5 9		
338	Sheets, bottom, ebonite, 19 B.W.G., to specification— 13 plate, 8 $\frac{1}{8}$ " x 5 $\frac{1}{2}$ " ...	„	} Nil	„	„		} Coates & Co. Pty. Ltd.
339	11 or 9 plate, 5 $\frac{1}{2}$ " x 5 $\frac{1}{2}$ " ...	„		„	„	„	
340	Sheets, side, ebonite, 19 B.W.G., to specification— 13 plate, 11 $\frac{1}{2}$ " x 8 $\frac{1}{8}$ " ...	„		„	„	„	
341	11 or 9 plate, 11 $\frac{1}{8}$ " x 5 $\frac{1}{8}$ " ...	„		„	„	„	
342	Tubes, cell testing, ebonite, to specification	N.S.W.	12 doz.	doz.	0 5 6	} Coates & Co. Pty. Ltd.	
343	Wedges, ebonite, for 11 plate Standard Tonum cells, to Stones' dwg. No. 2799 and specification	„	500	each	0 0 4 $\frac{1}{2}$		
344	Wedges, ebonite, for 9 plate Demi-plate cells, to Stones' dwg. No. 2574 and specification	„	500	„	0 0 5		
345	Pulleys, dynamo, Stones' T.3, cat. 2270	Vict.	50	„	1 5 0		
346	Pulleys, dynamo, Stones' T.4, cat. 2300	„	50	„	1 8 0		
BATTERIES, ETC.							
Batteries, "Exide"—							
347	6 volt, 13 plate, "3XC13-A Hycap"	N.S.W.	6	each	1 19 5	} A. P. Sutherland	
348	6 „ 15 „ „ "3XC15-A Hycap"	„	15	„	2 3 11		
349	6 „ 17 „ „ "3XC17-A Hycap"	„	6	„	2 8 5		
350	6 „ 19 „ „ "3XC19-A Hycap"	„	16	„	2 15 4		
351	12 „ 9 „ „ "6XC9-A Hycap"	„	6	„	2 16 6		
352	12 „ 11 „ „ "6XCM11-A Hycap"	„	6	„	3 5 6		
Covers, lead insert type—							
353	For 6 volt, 11 plate batteries	„	40	„	0 0 6 $\frac{1}{2}$	} A. P. Sutherland	
354	„ 6 „ 13 „ „	„	60	„	0 0 8		
355	„ 6 „ 15 „ „	„	20	„	0 0 9		
356	„ 6 „ 17 „ „	„	20	„	0 0 10		
357	„ 6 „ 19 „ „	„	4	„	0 1 0		
358	Hydrometers, battery testing	„	48	„	0 4 3		
Posts, strap, lead insert type—							
359	Positive	„	350	doz.	0 3 4	} A. P. Sutherland	
360	Negative	„	300	„	0 3 4		

ACCUMULATOR CELLS, BATTERIES, ETC.—continued

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate		Name of Contractor
					£	s. d.	
BATTERIES, ETC.—continued.							
Sections, group, negative, suitable for replating "Exide" batteries—							
361	For 9 plate batteries	N.S.W.	75	each	0	4	0
362	„ 11 „ „ „	„	50	„	0	4	8
363	„ 13 „ „ „	„	50	„	0	5	4
364	„ 15 „ „ „	„	50	„	0	6	0
365	„ 17 „ „ „	„	50	„	0	7	0
366	„ 19 „ „ „	„	75	„	0	7	8
Sections, group, positive, suitable for replating "Exide" batteries—							
367	For 9 plate batteries	„	75	„	0	3	6
368	„ 11 „ „ „	„	50	„	0	4	4
369	„ 13 „ „ „	„	50	„	0	5	2
370	„ 15 „ „ „	„	50	„	0	5	10
371	„ 17 „ „ „	„	50	„	0	6	8
372	„ 19 „ „ „	„	75	„	0	7	4
373	Separators, battery, wooden ...	„	1000	100	0	10	8
374	Separators, battery, rubber ...	„	1500	„	1	15	0
375-379	Nil						

INSULATED CABLE AND WIRE

(Schedule No. 10)

(1st January, 1945, to 31st December, 1946)

† {	380	Cable, aerial, hard drawn, triple braided, to specification, "Kembla"—	N.S.W.	15,000 yds.	1000 yds.	‡12	2	9	} Australian General Electric Pty. Ltd.					
	381	7/·036								7500 „	„	‡15	19	0
†	382	Cable, lighting, automobile, aluminium armoured, to specification—	} Nil	}	}	}	}	}						
	383	Single core, 35/·012												
† {	384	Twin, 14/·012												
	385	Three core, one 14/·012 and two 35/·012												
†	386	Cable, miners' cap lamp, flexible, twin, 40/·0076, to specification	N.S.W.	36,000 yds.	100 yds.	1	7	9		} H. Rowe & Co. Pty. Ltd.				
†	387	Cable, shot-firers', twin, 4/·018, 1000 yards per drum, to specification	Vict.	1000 „	„	‡3	4	8						
†	388	Cable, tough rubber sheathed, red or black, as ordered, 7/·036, to specification, "Olympic"	„	7500 „	„	‡3	2	9		} Gilbert Lodge & Co. Pty. Ltd.				
†	389	Cable, weatherproof, 7/·036, to specification, "Olympic"	„	1000 „	„	‡21	10	4						
		Cable, welding, flexible, ·06 square inch nominal area, 551/·012, to specification, "Olympic"												

‡ Plus 17% surcharge, if applicable. (See note).

† Less 15% and 5% trade discount.

INSULATED CABLE AND WIRE—continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
†390	Wire, heater, flexible, asbestos covered, to specification— Twin, 40/0076.	3000 yds.	} Nil
†391	Three core, 40/0076, all cores insulated.	...	1000 „	
†392	Wire, ignition, automobile, high tension, 16/012, 7 mm. outside diameter, to specification	N.S.W.	1000 „	100 yds.	1 13 3	W. T. Henley's Telegraph Works Co. Ltd.
†393	Wire, lighting, office, flexible, two cores, twisted, to specification, "Olympic"— 9/012	Vict.	10,000 „	„	†1 13 1	} Gilbert Lodge & Co. Pty. Ltd.
†394	16/012	„	10,000 „	„	†2 2 5	
†395	Wire, oil-proofed, flexible, single core, 44/012, to specification	N.S.W.	600 „	„	3 0 9	The Liverpool Electric Cable Co. Ltd.
†396	Wire, single core, flexible, 23/0076 or 9/012, to specification	„	2000 „	„	0 15 11	W. T. Henley's Telegraph Works Co. Ltd.
†397	Wire, tough rubber sheathed, to specification, "Olympic"— Twin, 1/044, oval section	Vict.	2000 „	„	†2 7 9	} Gilbert Lodge & Co. Pty. Ltd.
†398	Twin, 3/036, oval section	„	2000 „	„	†3 19 11	
†399	Twin, 9/012	„	6000 „	„	†3 3 0	
†400	Twin, 16/012	„	6000 „	„	†3 13 8	
†401	Three core, 9/012	„	3000 „	„	†3 18 9	
†402	Three core, 16/012	„	2500 „	„	†4 14 2	
†403	Wire, workshops, flexible, twin, circular, 40/0076 or 16/012, to specification. (Ref. 9052)	N.S.W.	500 „	„	2 4 5	Siemens (Aust.) Pty. Ltd.
404-419	—Nil					

† Less 15% and 5% trade discount.

RESISTANCE AND WINDING WIRES.

(Schedule No. 11)

(1st January, 1945, to 31st December, 1946)

420	Wire, copper, annealed, double cotton covered, "Kembla"—(see note)— 10 s.w. gauge	N.S.W.	224 lbs.	lb.	‡0 1 5-9	} Australian General Electric Pty. Ltd.
421	12 „	„	156 „	„	‡0 1 6-2	
422	13 „	„	448 „	„	‡0 1 6-5	
423	14 „	„	720 „	„	‡0 1 6-9	
424	15 „	„	360 „	„	‡0 1 7-4	
†425	16 „	„	112 „	„	‡0 1 8	
426	17 „	„	784 „	„	‡0 1 8-8	
427	18 „	„	224 „	„	‡0 1 9-6	
428	19 „	„	224 „	„	‡0 1 10-4	
429	20 „	„	224 „	„	‡0 1 11-4	
430	22 „	„	56 „	„	‡0 2 2-5	
431	26 „	„	14 „	„	‡0 2 10-9	

‡ Plus 17% surcharge, if applicable. (See note)

RESISTANCE AND WINDING WIRES—continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor							
† { 432	Wire, copper, strip, annealed, double cotton covered, "Kembla"—(see note) ·375" wide x ·1875" thick	N.S.W.	7 cwt.	lb.	0 1 7·2	} British Insulated Cables Ltd.							
							† { 433	·375" " x ·125" "	"	2 "	"	0 1 7·8	
† {	Wire, copper, annealed, double silk covered—	"	"	"	"		}						
								434	23 s.w. gauge	56 lbs.	"	"	
								435	28 "	28 "	"	"	
								436	28 "	14 "	"	"	
								437	30 "	28 "	"	"	
								438	34 "	14 "	"	"	
								439	36 "	28 "	"	"	
								440	37 "	14 "	"	"	
						441		38 "	28 "	"	"		
						442		39 "	14 "	"	"		
						443		40 "	7 "	"	"		
† {	Wire, copper, annealed, enamelled, to B.S.S. No. 156/1932—	"	"	"	"	} Nil							
							444	16 s.w. gauge	156 lbs.	"	"		
							445	18, 19 or 20 s.w. gauge, as ordered	28 "	"	"		
							446	21 s.w. gauge	56 "	"	"		
							447	22 "	312 "	"	"		
							448	24 "	156 "	"	"		
							449	25, 26 or 27 s.w. gauge, as ordered	28 "	"	"		
							450	28 or 29 " " "	224 "	"	"		
							451	30 s.w. gauge	156 "	"	"		
							452	31 "	7 "	"	"		
							453	32 or 33 s.w. gauge, as ordered	56 "	"	"		
							454	34 s.w. gauge	7 "	"	"		
							455	35 "	7 "	"	"		
							456	36 "	28 "	"	"		
							† {	" " " " " " " " " " " "	U.K.	"	"	lb.	} Australian General Electric Pty. Ltd.
458	38 " " " " " " " " " " " "	14 "	0 3 4										
459	40 " " " " " " " " " " " "	28 "	0 3 9½										
460	42 " " " " " " " " " " " "	56 "	0 4 5½										
† {	Wire, copper, annealed, tinned (fuse)—	"	"	"	"	} Nil							
							461	16 s.w. gauge	28 "	"	"		
							462	18 "	56 "	"	"		
							463	20 "	56 "	"	"		

‡ Plus 17% surcharge, if applicable. (See note.)

RESISTANCE AND WINDING WIRES—continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor	
Wire, copper, annealed, tinned (fuse)— <i>continued—</i>							
464	22 s.w. gauge	...	42 lbs.	} Nil	
465	24 "	...	56 "		
466	29 "	...	56 "		
467	36 "	...	14 "		
Wire, nickel chromium, suitable for continuous service at 1100° C., specific resistance 103 microhms per cubic centimetre, "Super Brightray"—							
468	12 s.w. gauge	U.K.	14 "	lb.	†0 14 1	} Johnson & Phillips Ltd.	
469	13 "	"	7 "	"	†0 14 3		
470	14 "	"	14 "	"	†0 14 8		
471	16 "	"	14 "	"	†0 15 3		
472	18 "	"	14 "	"	†0 16 3		
473	20 "	"	14 "	"	†0 17 6		
474	21 "	"	14 "	"	†0 18 2		
475	22 "	"	14 "	"	†0 19 2		
476	23 "	"	3 "	"	†1 0 5		
477	24 "	"	3 "	"	†1 1 8		
478	25 "	"	3 "	"	†1 3 1		
479	26 "	"	7 "	"	†1 5 0		
480	27 "	"	14 "	"	†1 7 3		
481	28 "	"	14 "	"	†1 8 7		
482	29 "	"	3 "	"	†1 9 6		
483	30 "	"	14 "	"	†1 10 5		
484	32 "	"	14 "	"	†1 13 7		
Wire, nickel copper, suitable for continuous service at 550° C., specific resistance 48 microhms per cubic centimetre, "Ferry"—							
485	18 s.w. gauge	"	20 "	"	†0 6 1		
486	21 "	"	20 "	"	†0 6 8		
487	22 "	"	20 "	"	†0 6 10		
488	23 "	"	20 "	"	†0 7 0		
489	24 "	"	20 "	"	†0 7 3		
490	27 "	"	20 "	"	†0 8 5		
491	30 "	"	20 "	"	†0 9 9		
492	34 "	"	20 "	"	†0 12 1		
493-509	Nil						

† Less 33 1/3% trade discount.

BARE COPPER CABLE AND WIRE

(Schedule No. 12)

(1st January, 1945, to 31st December, 1946)

Extras for Small Quantities.

The contract rates for items Nos. 510 to 513, 515 to 517 and 519 to 522 are based on minimum quantities of 3 cwt. being ordered under any one item and shall be subject to the following extras per lb. if quantities of less than 3 cwt. be ordered:—

	Items Nos. 516 and 517.	Items Nos. 510 to 513, 515, and 519 to 522.
Under 336 lbs. to 200 lbs.	1-5d.	1-5d.
" 200 " " 100 "	2-0d.	2-5d.
" 100 " " 50 "	3-5d.	4-0d.
" 50 " " 25 "	4-5d.	6-0d.
" 25 " " 10 "	5-5d.	8-5d.
" 10 " " 5 "	10-0d.	14-5d.

NOTE—These extras are also subject to surcharge, when applicable.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
	Cable, copper, stranded, hard drawn, to specification, "Kembla"—					
510	7/-036, 0-007 square inch area ...	N.S.W.	2000 lbs.	lb.	£0 1 3-3	British Insulated Cables Ltd.
511	7/-048, 0-0125 " " " ...	"	8000 "	"	£0 1 2-6	
512	7/-064, 0-0225 " " " ...	"	5000 "	"	£0 1 2-4	
513	Cable, copper, stranded, annealed, flexible, 91/-044, 0-14 square inch area, to specification, "Kembla"	"	20,000 "	"	£0 1 4-1	
514	Cable, copper, stranded, annealed, bare, 7/-029, "Kembla"	"	2000 "	"	£0 1 4-4	Australian General Electric Pty. Ltd.
†515	Cord, sash, copper, annealed, 49/-018, "Kembla"	"	500 "	"	£0 2 2-1	British Insulated Cables Ltd.
	Wire, copper, annealed (soft drawn), "Kembla"—					
516	½" diameter ...	"	1120 "	"	£0 1 2-1	Australian General Electric Pty. Ltd.
517	6 s.w. gauge ...	"	3360 "	"	£0 1 2-1	
518	14 " " ...	"	224 "	"	£0 1 2-4	
519	16 " " ...	"	1792 "	"	£0 1 2-5	British Insulated Cables Ltd.
520	18 " " ...	"	896 "	"	£0 1 2-7	
521	Wire, copper, contact, hard drawn, bare, 0-25 square inch, to drawing No. F. 1460 and specification, "Kembla"	"	60,000 "	"	£0 1 2-8	
522	Wire, copper, dropper, hard drawn, bare, 0-193" diameter, to specification, "Kembla"	"	4500 "	"	£0 1 2-3	
523	Wire, copper, hard drawn, bare, 8 s.w. gauge, "Kembla"	"	500 "	"	£0 1 1-9	Australian General Electric Pty. Ltd.
524-529	—Nil					

‡ Plus 17% surcharge, if applicable. (see note)

WIRE, VARIOUS

(Schedule No. 13)

(1st January, 1945, to 31st December, 1946)

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
Wire, brass, hard or soft drawn, as ordered—						
530	6 or 8 s.w. gauge, as ordered ...	Vict.	112 lbs.	lb.	0 1 5	}
531	10 s.w. gauge ...	"	1344 "	"	0 1 5	
532	11, 12 or 14 s.w. gauge, as ordered ...	"	280 "	"	0 1 6	
533	16 s.w. gauge ...	"	56 "	"	0 1 6	
Wire, iron, charcoal—						
534	8 s.w. gauge ...	"	9 cwt.	cwt.	1 3 0	} Greer & Ashburner
535	12 " " ...	"	10 "	"	1 4 6	
536	14 " " ...	"	1 "	"	1 5 6	
537	16 " " ...	"	35 "	"	1 7 0	
538	Wire, iron, Tinman's, 6 to 14 s.w. gauge, as ordered	"	45 "	"	1 4 6	
†539	Wire, mild steel, hard, black, 6 b.w. gauge (203), for spark arresters, to specification	...	7 tons	}
Wire, steel, hard, polished, for mechanical purposes—						
540	11 s.w. gauge	224 lbs.	} Nil
†541	12 " "	224 "	
542	13 " "	112 "	
543	14 " " "Waratah" ...	N.S.W.	224 "	lb.	0 1 3	} F.R.S. Ideal Spring Co. Ltd.
544	15 " " " " ...	"	112 "	"	0 1 5	
545	16 " " " " ...	"	224 "	"	0 1 6	
546	18 " " " " ...	"	224 "	"	0 1 9	
†547	19 " " " " ...	"	224 "	"	0 1 10	
548	20 " " " " ...	"	28 "	"	0 2 1	
549	22 " " " " ...	"	14 "	"	0 2 4	
550	23 " " " " ...	"	7 "	"	0 2 7	
551	24 " " " " ...	"	14 "	"	0 2 10	
Wire, steel, spring, hard drawn, "Waratah"—						
552	5 s.w. gauge ...	N.S.W.	784 lbs.	lb.	0 0 4½	} F.R.S. Ideal Spring Co. Ltd.
553	6 " " ...	"	1120 "	"	0 0 4½	
554	10 " " ...	"	560 "	"	0 0 5	
555	14 " " ...	"	560 "	"	0 0 5½	
556	16 " " ...	"	448 "	"	0 0 5½	

WIRE, VARIOUS—continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
557	Wires, for tying on labels, 26 s.w. gauge, in bundles of 1 lb., 6" or 9" long, as ordered	...	4,000,000	} Nil
†558	Seals, lead, truck, with approx. 25 or 26 s.w. gauge wire	...	550,000	
†559	Seals, lead, truck, without wires	...	15,000	
560-579	—Nil					

GALVANISED STEEL WIRE
(Schedule No. 14)
(1st January, 1945, to 31st December, 1946)

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
	Wire, steel, galvanised, to specification—					
580	12 s.w. gauge	...	30 cwt.	} Nil
581	14 "	...	10 "	
582	16 "	...	80 "	
583	20 "	...	1 "	
584	Wire, steel, galvanised, for point and signal operation, No. 8 s.w. gauge, to specification	...	Nil	} Nil
585	Wire, steel, galvanised, E.B.B. Bonding, No. 8 b.w.g., to specification	...	12 cwt.	
586	Wire, steel, galvanised, fencing, barbed, 12 s.w. gauge, with 14 s.w. gauge barbs, to specification	...	20 tons	
587	Wire, steel, galvanised, fencing, plain, 8 s.w. gauge, to specification	...	70 "	
588	Wire, steel, galvanised, stranded, signal, 7/17, to specification	N.S.W.	25 "	ton	48 8 9	} The Australian Wire Rope Works Pty. Ltd.
589	Wire, steel, galvanised, stranded, to specification— 7/080	"	5 "	"	51 0 0	
590	7/144	"	10 miles	"	37 2 0	
591	Wire, steel, galvanised, telegraph, to P.M.G. specification No. 3A— 400 lbs. per mile	"	20 tons	"	{ 22 10 6 c.i.f.e. Melb.	} Rylands Bros. (Aust.) Pty. Ltd.
592	200 " " "	"	2 "	"	{ 22 1 6 c.i.f.e. Melb.	
593-599	—Nil					

STEEL WIRE ROPE
(Schedule No. 15)
(1st January, 1942, to 31st December, 1942)
(Extended to 31st December, 1946)

Item No.	Description				Country of Manuf're	Estimated Requirements	Rate per	Rate	Name of Contractor
Rope, steel wire, flexible, galvanised, best patent steel, 90 tons per square inch, hemp main core only, to specification—									
	Circum-ference	Construction	Actual breaking strain	Aggregate breaking strain					
			Cwts.	Cwts.				s. d.	
600	¼"	6/7	3½	—	N.S.W.	2000 feet	foot	£10 1-125	James Munday & Co.
600A	"	"	"	—	"		"	£10 1-125	Inglis Smith & Co. Pty. Ltd.
601	½"	6/19	14	—	"	8000 "	"	£10 2-15	James Munday & Co.
601A	"	"	"	—	"		"	£10 2-15	Inglis Smith & Co. Pty. Ltd.
602	¾"	6/19	22	—	"	10,000 "	"	£10 2-25	James Munday & Co.
602A	"	"	"	—	"		"	£10 2-25	Inglis Smith & Co. Pty. Ltd.
603	1"	6/19	32	—	"	4000 "	"	£10 2-25	James Munday & Co.
603A	"	"	"	—	"		"	£10 2-25	Inglis Smith & Co. Pty. Ltd.
604	1"	6/19	58	66	"	1500 "	"	£10 2-4	James Munday & Co.
604A	"	"	"	"	"		"	£10 2-4	Inglis Smith & Co. Pty. Ltd.
605	1½"	6/19	90	102	"	3000 "	"	£10 2-8	James Munday & Co.
605A	"	"	"	"	"		"	£10 2-8	Inglis Smith & Co. Pty. Ltd.
Rope, steel wire, flexible, galvanised, best patent steel, 90-100 tons per sq. inch (for tail ropes), to specification—									
	Circum-ference	Construction	Actual breaking strain	Aggregate breaking strain					
			Tons	Tons					
606	2¾"	6/12	14.8	16.5	"	6000 "	"	£10 6-85	James Munday & Co.
606A	"	"	"	"	"		"	£10 6-85	Inglis Smith & Co. Pty. Ltd.
607	2¼"	6/19	15.4	17.5	"	500 "	"	£10 6-8	James Munday & Co.
607A	"	"	"	"	"		"	£10 6-8	Inglis Smith & Co. Pty. Ltd.
Rope, steel wire, extra flexible, galvanised, best patent steel, 90-100 tons per sq. inch, hemp main and strand cores (for use on lifting cranes), to specification—									
	Circum-ference	Construction	Actual breaking strain	Aggregate breaking strain					
			Tons	Tons					
608	¾"	6/24	1.5	—	"	750 "	"	£10 2-75	James Munday & Co.
608A	"	"	"	—	"		"	£10 2-75	Inglis Smith & Co. Pty. Ltd.
609	1"	6/24	2.8	3.3	"	10,000 "	"	£10 2-75	James Munday & Co.
609A	"	"	"	"	"		"	£10 2-75	Inglis Smith & Co. Pty. Ltd.
610	1½"	6/24	4.3	4.9	"	8,000 "	"	£10 3-3	James Munday & Co.
610A	"	"	"	"	"		"	£10 3-3	Inglis Smith & Co. Pty. Ltd.

£1 Rates plus 3/9 per cwt., then less 15% special discount.

STEEL WIRE ROPE—continued.

Item No.	Description				Country of Manuf're	Estimated Requirements	Rate per	Rate	Name of Contractor
Rope, steel wire, extra flexible, galvanised, best patent steel, 90-100 tons per sq. inch, hemp main and strand cores (for use on lifting cranes), to specification—continued—									
	Circumference	Construction	Actual breaking strain Tons	Aggregate breaking strain Tons				s. d.	
611	1½"	6/24	6.0	6.8	N.S.W.	15,000 feet	foot	£10 3-8	James Munday & Co.
611A	"	"	"	"	"		"	£10 3-8	Inglis Smith & Co. Pty. Ltd.
612	1¾"	6/24	8.5	9.7	"	4000 "	"	£10 4-85	James Munday & Co.
612A	"	"	"	"	"		"	£10 4-85	Inglis Smith & Co. Pty. Ltd.
613	2"	6/24	10.9	12.4	"	15,000 "	"	£10 5-65	James Munday & Co.
613A	"	"	"	"	"		"	£10 5-65	Inglis Smith & Co. Pty. Ltd.
614	2¼"	6/24	14.2	16.2	"	10,000 "	"	£10 6-85	James Munday & Co.
614A	"	"	"	"	"		"	£10 6-85	Inglis Smith & Co. Pty. Ltd.
615	2½"	6/24	17.2	19.7	"	20,000 "	"	£10 7-75	James Munday & Co.
615A	"	"	"	"	"		"	£10 7-75	Inglis Smith & Co. Pty. Ltd.
616	4"	6/24	43.6	49.8	"	2000 "	"	£11 9	James Munday & Co.
616A	"	"	"	"	"		"	£11 9	Inglis Smith & Co. Pty. Ltd.
Rope, steel wire, flexible, black, patent steel, 80-90 tons per sq. inch (for use on lifts), to specification—									
	Circumference	Construction	Actual breaking strain Tons	Aggregate breaking strain Tons					
617	1¾"	6/19	8.1	9.3	"	750 "	"	£10 5-75	James Munday & Co.
617A	"	"	"	"	"		"	£10 5-75	Inglis Smith & Co. Pty. Ltd.
618	2"	6/19	11.1	12.7	"		"	£10 6-35	James Munday & Co.
618A	"	"	"	"	"		"	£10 6-35	Inglis Smith & Co. Pty. Ltd.
619	2¼"	6/19	13.9	15.9	"		"	£10 7-55	James Munday & Co.
619A	"	"	"	"	"		"	£10 7-55	Inglis Smith & Co. Pty. Ltd.
620	2½"	6/19	17.0	19.5	"		"	£10 8-55	James Munday & Co.
620A	"	"	"	"	"		"	£10 8-55	Inglis Smith & Co. Pty. Ltd.
Wire, stranded, seizing, galvanised, annealed, for serving splices, etc.—									
621	7/18, 0.144" overall diameter				...	5000 "	} Nil
622	7/21, 0.096" " " "				...	1000 "	
623-629	—Nil								

£1 Rates plus 3/9 per cwt., then less 15% special discount.

GALVANISED IRON SHEETS
(Schedule No. 16)
(1st January, 1945, to 31st December, 1946)

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
	Iron, galvanised sheet, to specification, "Lysaght's"— (See also concurrent items Nos. 630A, 631A, 633A to 635A and 640A to 642A)							
	Corrugated, 26 gauge, "Blue Orb" or "Red Orb," as ordered—							
630	6', 7' or 8' long, as ordered	N.S.W.	20 tons	ton	£26	7	6	Elder, Smith & Co Ltd.
631	9' long	"	8 "	"	£26	17	6	
632	10' long	"	Nil	"	£4	5	0	
	Corrugated, 24 gauge, "Orb"—							
633	5', 6', 7' or 8' long, as ordered	N.S.W.	40 tons	ton	£25	0	0	Elder, Smith & Co Ltd.
634	9' long	"	15 "	"	£25	10	0	
635	10' long	"	10 "	"	£26	0	0	
	Corrugated, 24 gauge, special quality for tank making (each sheet to be branded "Tank Making")—							
636	8' long	"	Nil	"	£4	5	0	
637	9' long	"		"	£26	0	0	
638	11' long	"		"	£4	5	0	
639	Plain, 28 gauge, 6' long x 2', 2' 6" or 3' wide, as ordered (see note)	"	5 tons	"	£28	0	0	Nil
640	Plain, 26 gauge, 6' long x 2' 6" or 3' wide, as ordered, "Queen's Head"	N.S.W.	12 "	ton	£28	0	0	Elder, Smith & Co Ltd.
641	Plain, 24 gauge, 6' long x 2' 6" or 3' wide, as ordered, "Queen's Head"	"	60 "	"	£26	12	6	
642	Plain, 22, 20, 18 or 16 gauge, 6' long x 2' 6" or 3' wide, as ordered, "Queen's Head"	"	70 "	"	£26	12	6	
	(See also concurrent items Nos. 630, 631, 633 to 635, and 640 to 642)							
	Corrugated, 26 gauge, "Blue Orb" or "Red Orb," as ordered—							
630A	6', 7' or 8' long, as ordered	"	See items 630 to 642	"	£26	7	6	Briscoe & Co. Ltd.
631A	9' long	"		"	£26	17	6	
	Corrugated, 24 gauge, "Orb"—					£4	5	
633A	5', 6', 7' or 8' long, as ordered	"	"	"	£25	0	0	
634A	9' long	"	"	"	£25	10	0	
635A	10' long	"	"	"	£26	0	0	
640A	Plain, 26 gauge, 6' long x 2' 6" or 3' wide, as ordered, "Queen's Head"	"	"	"	£28	0	0	
641A	Plain, 24 gauge, 6' long x 2' 6" or 3' wide, as ordered, "Queen's Head"	"	"	"	£26	12	6	
642A	Plain, 22, 20, 18 or 16 gauge, 6' long x 2' 6", or 3' wide, as ordered, "Queen's Head"	"	"	"	£26	12	6	
643-659	—Nil							

† Less 2½% discount for payment by end of month following month of delivery.

BLACK STEEL SHEETS
(Schedule No. 17)
(1st January, 1942, to 31st December, 1942)
(Extended to 31st December, 1946).

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
	BLACK STEEL RECTANGULAR SHEETS, "SUNSTAR," to specification, any length ordered from 60" to 96" inclusive, by any width ordered from 21" to 37" inclusive, subject to the maximum sizes shown in clause 9 of specification—					
660	$\frac{3}{16}$ " 8 B.G. (.157") or 9 B.G. (.140"), as ordered	N.S.W.	} 1000 tons	ton	£19 12 6	} John Lysaght (Aust.) Pty. Ltd. (As agents for Lysaght's Newcastle Works Pty. Ltd.)
661	10 B.G. (.125") to 20 B.G. (.039"), as ordered	"		"	£19 12 6	
662	21 B.G. (.035") to 24 B.G. (.025"), as ordered	"		"	£19 17 6	
663	25 B.G. (.022") or 26 B.G. (.019"), as ordered	"		"	£20 12 6	
664	27 B.G. (.017") or 28 B.G. (.016"), as ordered	"		"	£22 2 6	
665	29 B.G. (.014") or 30 B.G. (.012"), as ordered	"		"	£24 2 6	
	Extras on rates for items Nos. 660 to 665 (subject to maximum sizes shown in clause 9 of specification)—					
666	For lengths 6" to 10" ...	"	...	"	£1 17 6	
667	" " 11" to 18" ...	"	...	"	£1 5 0	
668	" " 19" to 30" ...	"	...	"	£0 12 6	
669	" " 31" to 59" ...	"	...	"	£0 10 0	
670	" " 97" to 108" ...	"	...	"	£0 10 0	
671	" " 109" to 120" ...	"	...	"	£1 0 0	
672	" " 121" to 132" ...	"	...	"	£1 10 0	
673	" " 133" to 144" ...	"	...	"	£2 0 0	
674	For widths 3" to 8" ...	"	...	"	£1 5 0	
675	" " 9" to 12" ...	"	...	"	£0 12 6	
676	" " 13" to 20" ...	"	...	"	£0 10 0	
677	" " 38" to 42" ...	"	...	"	£0 15 0	
678	" " 43" to 48" ...	"	...	"	£1 0 0	
	Extras on rates for items Nos. 660 to 665 (in addition to extras under items 666 to 678, if ordered)—					
679	For reshearing to exact size (plus or minus $\frac{1}{16}$ ")	"	...	"	£1 5 0	
680	For cropping (cutting off flattening machine grip marks)	"	...	"	£1 10 0	
681	For fully reshearing (cropping and reshearing)	"	...	"	£2 0 0	
682-689	—Nil					

† Less 2½% discount for payment by end of month following month of delivery. Then plus 3/9 per ton for cartage.

BRIGHT STEEL BARS.

(Schedule No. 19)

(1st January 1945, to 31st December, 1946)

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
	Steel, bright, round bars, to specification, grade 2 or grade 4 (free cutting), as ordered, in trade lengths, "H. V. McKay, Massey-Harris"—					
710	$\frac{3}{16}$ " diameter	Vict.	5 cwt.	cwt.	2 0 9·6	Dane Taylor & Co. Pty. Ltd.
711	$\frac{1}{4}$ " " " " " "	"	40 "	"	1 18 9·6	
712	$\frac{5}{16}$ " " " " " "	"	40 "	"	1 14 9·6	
713	$\frac{3}{8}$ " " " " " "	"	100 "	"	1 11 9·6	
714	$\frac{7}{16}$ " " " " " "	"	20 "	"	1 9 9·6	
715	$\frac{1}{2}$ " " " " " "	"	300 "	"	1 8 9·6	
716	$\frac{5}{8}$ " " " " " "	"	50 "	"	1 7 3·6	
717	$\frac{3}{4}$ " to $2\frac{1}{2}$ " diameter, advancing by $\frac{1}{16}$ ", as ordered	"	5000 "	"	1 3 9·6	
718	$2\frac{3}{8}$ " to 4" diameter, advancing by $\frac{1}{8}$ ", as ordered	"	400 "	"	1 3 9·6	
	Steel, bright, hexagon bars, to specification, grade 2 or grade 4 (free cutting), as ordered, in trade lengths, "Brunton's"—					
719	0·600" width across flats, for $\frac{5}{16}$ " nuts	Vict.	60 cwt.	cwt.	1 9 3·6	Dane Taylor & Co. Pty. Ltd.
720	0·710" " " " " $\frac{3}{8}$ " "	"	150 "	"	1 8 3·6	
721	0·820" " " " " $\frac{7}{16}$ " "	"	50 "	"	1 7 3·6	
722	0·920" " " " " $\frac{1}{2}$ " "	"	150 "	"	1 6 3·6	
723	1·100" " " " " $\frac{5}{8}$ " "	"	100 "	"	1 6 3·6	
724	1·300" " " " " $\frac{3}{4}$ " "	"	400 "	"	1 6 3·6	
725	1·480" " " " " $\frac{7}{8}$ " "	"	700 "	"	1 6 3·6	
726	1·670" " " " " 1" "	"	800 "	"	1 6 3·6	
727	1·860" " " " " $1\frac{1}{8}$ " "	"	300 "	"	1 6 3·6	
728	2·050" " " " " $1\frac{1}{4}$ " "	"	200 "	"	1 6 3·6	
729-739	—Nil.					

IRON PISTON CASTINGS.

(Schedule No. 20)

(1st January, 1945, to 31st December, 1946)

740	Castings, piston, iron, to specification—"K.S." type, for 2 cycle water cooled engines, app. $3\frac{3}{4}$ " diameter x $4\frac{1}{8}$ " long	Vict.	200	each	0 5 9	C.B.D. Piston Co.
741	"K" type, for 2 cycle water cooled engines, app. $4\frac{1}{2}$ " diameter x 6" long	"	100	"	0 9 4	
742	"Inspection" type B, for single cylinder air cooled engines, app. $3\frac{3}{8}$ " diameter x 3" long	"	300	"	0 3 8	
743	"Sheffield" 40 B type, for 4 cycle twin opposed air cooled engines, app. $4\frac{1}{4}$ " diameter x 5" long	"	100	"	0 7 8	
744-749	—Nil					

BRASS LOCK CASTINGS.

(Schedule No. 21)

(1st January, 1945, to 31st December, 1946)

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor	
					£	s.	d.		
	Castings, yellow brass, unmachined, to specification, (to pattern supplied by the Corporation)—								
*750	1½" padlock, body, "S.S." or plain, as ordered	Vict.	4000 sets	lb.	0	1	7	James Coppell Lee Pty. Ltd.	
*751	2" padlock, body and parts, to pass ...	"	4000 "	set	0	1	8		
*752	Switch padlock, body and parts ...	"	1750 "	"	0	2	2		
	Parts for 2" padlocks—								
*753	Body	"	6000	each	0	0	7		
*753A	Back	"		"	"	0	0		5
*753B	Bow	"		"	"	0	0		4
*753C	Bolt	"		"	"	0	0		2
*753D	Tumbler	"		"	"	0	0		2
	Parts for switch padlocks—								
*754	Body	"		"	"	0	0		9
*754A	Back	"	"	"	0	0	6		
*754B	Bow	"	"	"	0	0	5		
*754C	Bolt	"	"	"	0	0	2		
*754D	Tumbler	"	"	"	0	0	2		
*754E	Cover	"	"	"	0	0	2		
755-759	Nil								

FIRE BRICKS, ETC.

(Schedule No. 22)

(1st January, 1945, to 31st December, 1946)

†760	Bricks, "Bauxite," 9" x 4½" x 3"	Vict.	6000	each	0	0	9	The Ordish Fire-brick Co. Pty. Ltd.
†761	Clay, fire, machine ground, to specification	"	250 tons	ton	2	15	0	
†762	Clay, fire, extra fine ground	"	25 "	"	3	0	0	
†763	Composition, boiler covering, soft setting, (see note)	"	6 "	"	17	0	0	H. Perks & Co. Pty. Ltd.

FIRE BRICKS, ETC.—continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
764	Bricks, fire, locomotive, to drawing No. 1524 (amended 7.7.39) and specification— No. 1, Ordinary	Vict.	120,000	100	1	10	0	The Ordish Fire-brick Co. Pty. Ltd. South Yarra Fire-brick Co. Pty. Ltd.
764A	" " "	"		"	1	5	0	
765	No. 1A, Ordinary	"	15,000	"	1	2	6	The Ordish Fire-brick Co. Pty. Ltd.
766	No. 2, Side Carrier	"	30,000	"	2	5	0	
766A	" " "	"		"	1	7	0	South Yarra Fire-brick Co. Pty. Ltd.
767	No. 3, Front Centre	"	30,000	"	2	5	0	The Ordish Fire-brick Co. Pty. Ltd. South Yarra Fire-brick Co. Pty. Ltd.
767A	" " "	"		"	1	6	0	
768	Bricks, fire, for " N " class engines, to drawing No. 5343 (amended 16.7.30) and specification— No. 4, Side Carrier, R.H.	"	1000	"	2	5	0	The Ordish Fire-brick Co. Pty. Ltd. South Yarra Fire-brick Co. Pty. Ltd.
768A	" " "	"		"	1	7	0	
769	No. 5, Side Carrier, L.H.	"	1000	"	2	5	0	The Ordish Fire-brick Co. Pty. Ltd. South Yarra Fire-brick Co. Pty. Ltd.
769A	" " "	"		"	1	7	0	
770	No. 6, Front	"	2500	"	2	5	0	The Ordish Fire-brick Co. Pty. Ltd. South Yarra Fire-brick Co. Pty. Ltd.
770A	" " "	"		"	1	6	0	
771	Bricks, fire, for " S " class engines, to drawing No. S. 21.24-25 (amended 16.2.38) and specification, Mark " A," " B," " C," or " D," as ordered	"	5000	"	11	5	0	The Ordish Fire-brick Co. Pty. Ltd.
772	Bricks, fire, for " X " class engines, to drawing No. S. 21.25 (amended 16.2.38) and specification, Mark " E," " F," or " G," as ordered	"	3000	"	10	0	0	
773	Bricks, fire, to amended drawing No. MN 170.1-76 (Rolling Stock Branch) and specification— No. 9, Cone Block	"	300	"	5	0	0	The Ordish Fire-brick Co. Pty. Ltd.
774	No. 11, Circle	"	1250	"	0	18	0	
775	No. 12, Straight	"	2500	"	2	10	0	South Yarra Fire-brick Co. Pty. Ltd.
775A	" " "	"		"	1	10	0	
776	No. 13, Cone Block	"	200	"	2	10	0	The Ordish Fire-brick Co. Pty. Ltd.
777	No. 15, Feeder	"	600	"	1	0	0	
778	No. 16, Straight, 9" x 4½" x 3"	"	100,000	"	0	18	0	The Ordish Fire-brick Co. Pty. Ltd.
779	No. 16A, Straight, large, 9"	"	1500	"	1	12	0	
780	No. 17, Nose	"	100	"	8	15	0	The Ordish Fire-brick Co. Pty. Ltd.
781	No. 18, Circle	"	7500	"	1	17	6	
781A	" " "	"		"	1	10	0	South Yarra Fire-brick Co. Pty. Ltd.
782	No. 19, Feeder	"	500	"	1	0	0	The Ordish Fire-brick Co. Pty. Ltd.
783	No. 20, Feeder	"	250	"	1	0	0	
784	No. 23, Burner	"	12	each	0	12	6	

FIRE BRICKS, ETC.—continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
	Bricks, fire to amended drawing No. MN 170-1-76 (Rolling Stock Branch) and specification—continued—							
784A	No. 23, Burner	Vict.	12	each	0	12	6	South Yarra Fire-brick Co. Pty. Ltd.
785	No. 25, Circle	"	6000	100	1	17	6	
785A	" "	"		"	"	1	11	0
786	No. 26, Key	"	2500	"	0	18	0	
787	No. 27, Wedge	"	400	"	0	18	0	
788	No. 27A, Wedge	"	1500	"	0	18	0	The Ordish Fire-brick Co. Pty. Ltd.
789	No. 28, Brick, 9" x 4½" x 2"	"	10,000	"	0	18	0	
790	No. 29, Circle	"	1000	"	2	10	0	
790A	" "	"		"	"	1	10	0
791	No. 33, Wedge	"	4000	"	0	18	0	
792	No. 33A, Wedge	"	1000	"	0	18	0	The Ordish Fire-brick Co. Pty. Ltd.
793	No. 34, Brick, 1½"	"	15,000	"	0	18	0	
793A	" " "	"		"	"	0	18	0
794	No. 35, Circle	"	2500	"	2	10	0	
794A	" "	"		"	"	1	10	0
795	No. 36, Burner	"	50	each	0	15	0	
796	No. 39, Wedge	"	2000	100	0	18	0	
797	No. 39A, Wedge	"	2500	"	0	18	0	The Ordish Fire-brick Co. Pty. Ltd.
798	No. 40, Feather Edge	"	3000	"	0	18	0	
799	No. 41, Brick, 9" x 4½" x 1"	"	10,000	"	0	18	0	
799A	" " "	"		"	"	0	18	0
800	No. 42, Bullnose	"	500	"	0	18	0	
801	No. 43, Door Brick	"	50	"	5	0	0	
802	No. 44, Door End, R.H.	"	50	"	5	0	0	The Ordish Fire-brick Co. Pty. Ltd.
803	No. 45, Door End, L.H.	"	40	"	5	0	0	
804	No. 46, Slabs	"	20	each	0	7	6	
804A	" "	"		"	"	0	7	6
805	No. 47, Block	"	30	"	0	15	0	
805A	" "	"		"	"	0	12	6
806	No. 48, Small, 9" x 3" x 2¼"	"	7500	100	0	18	0	
807	No. 48A, Small, 9" x 3" x 3"	"	5000	"	0	18	0	The Ordish Fire-brick Co. Pty. Ltd.
808	No. 49, Small, 9" x 3" x 1"	"	10,000	"	0	18	0	
808A	" " "	"		"	"	0	18	0

FIRE BRICKS, ETC.—continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
809	Bricks, fire, to amended drawing No. MN 170.1--76 (Rolling Stock Branch) and specification—continued— No. 50, Cupola	Vict.	1500	100	1	12	0	The Ordish Fire-brick Co. Pty. Ltd.
809A	" " " " " " " "			"	1	10	0	
810	No. 50A, Cupola	"	1000	"	2	0	0	The Ordish Fire-brick Co. Pty. Ltd.
810A	" " " " " " " "			"	1	15	0	
811	No. 51, Arch	"	500	"	0	18	0	The Ordish Fire-brick Co. Pty. Ltd.
812	No. 53, Burner Block		50	each	0	2	6	
813	No. 54, Vent	"	10	100	5	0	0	The Ordish Fire-brick Co. Pty. Ltd.
814	No. 55, Vent		10	"	5	0	0	
815	No. 56, Top	"	20	"	2	10	0	The Ordish Fire-brick Co. Pty. Ltd.
816	No. 57, Slab		20	each	0	10	0	
817	No. 58, Burner Block	"	20	"	0	6	0	South Yarra Fire-brick Co. Pty. Ltd.
817A	" " " " " " " "			"	0	6	0	
818	No. 60, Burner Block	"	20	"	0	10	0	The Ordish Fire-brick Co. Pty. Ltd.
818A	" " " " " " " "			"	0	8	0	
819	No. 65, Burner Block	"	100	"	0	2	6	The Ordish Fire-brick Co. Pty. Ltd.
820	No. 66, Burner Block		4	"	0	7	6	
821	No. 67, Welch Arch Bricks	"	1000	100	1	5	0	South Yarra Fire-brick Co. Pty. Ltd.
821A	" " " " " " " "			"	1	2	6	
822	No. 69, Burner Block	"	50	each	0	12	6	The Ordish Fire-brick Co. Pty. Ltd.
823	No. 70, Slab		4	"	0	6	0	
824	No. 71, Slab	"	4	"	0	5	0	The Ordish Fire-brick Co. Pty. Ltd.
825	No. 72, Slab		100	"	0	6	0	
826	No. 73, Slab	"	10	"	0	3	0	The Ordish Fire-brick Co. Pty. Ltd.
827	No. 74, Bauxite Brick		5000	100	3	15	0	
828	No. 75, Orcell or other light type firebrick	"	50	"	4	0	0	The Ordish Fire-brick Co. Pty. Ltd.
829	No. 76, Combustion Arch Brick		3000	"	1	0	0	
830	Bricks, fire, to drawing No. L. 3607 (Newport Power Station) and specification— No. 1, Ordinary, 9" x 4½" x 3"	"	50,000	"	0	18	0	The Ordish Fire-brick Co. Pty. Ltd.
831	No. 2, Ordinary, 9" x 4½" x 2½"		600	"	0	18	0	
832	No. 3, Lump, 12" x 7" x 1"	"	400	"	3	15	0	The Ordish Fire-brick Co. Pty. Ltd.
833	No. 4, Arch G		14,000	"	0	18	0	
834	No. 5, Arch H	"	4000	"	1	4	0	The Ordish Fire-brick Co. Pty. Ltd.
835	No. 6, Arch T		200	"	0	18	0	
836	No. 9, Side and Rack Wall Y	"	10,000	"	0	18	0	

FIRE BRICKS, ETC.—continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
	Bricks, fire, to drawing No. L. 3607 (Newport Power Station) and specification—continued—							
837	No. 10, Baffle K	Vict.	200	100	5	0	0	The Ordish Fire-brick Co. Pty. Ltd.
838	No. 12, Baffle F	„	400	„	5	0	0	
839	No. 18, Guillotine 204	„	200	„	5	0	0	
840	No. 19, Soot Blower Wedge 7	„	200	„	0	18	0	
841	No. 20, Soot Blower Tile 4	„	200	„	7	10	0	
842	No. 21, Soot Blower Tile 5	„	200	„	7	10	0	
843	No. 22, Soot Blower Tile 6	„	400	„	8	15	0	
844	No. 23, Ash Hopper Tile, 24" x 24" x 3"	„	700	each	0	9	6	
	Bricks, fire, to amended drawing No. 342/37 (Way and Works Branch)—(patterns to be supplied with each order)—	„						
845	No. 1, Oil Furnace	„	10	„	0	4	0	
846	No. 2, Soldering Iron Heater	„	50 prs.	pair	0	3	0	
847	No. 3, Brass Furnace	„	200	each	0	0	6	
848-859	—Nil							

FOUNDRY COKE.

(Schedule No. 23)

(1st January, 1943, to 31st December, 1944)

(Extended to 31st December, 1946.)

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
860	Coke, foundry, purified, to specification, "Mt. Pleasant" or "Federal"— Delivered in railway trucks at Williamstown Pier or Victoria Dock— Ex Pymont Ex Port Kembla f.o.r. North Wollongong, N.S.W.	N.S.W. " "	2500 tons	ton " "	4 4 2½ 4 1 2½ 2 3 5¼	Melbourne Steamship Co. Ltd.

PORTLAND CEMENT

(Schedule No. 24)

(1st January, 1945, to 31st December, 1946)

861	Cement, Portland, "Arc", to specification	Vict.	6000 tons	ton	{ 3 8 0 f.o.r. Pyansford	} Australian Cement Ltd.
862	Cement, Portland, rapid hardening, "Quikardo," to specification	"	15 "	"	{ 5 3 6 plus cartage	

CONCRETE TROUGHS

(Schedule No. 25)

(1st January, 1945, to 31st December, 1946.)

	Troughs, reinforced concrete, to blue print No. 293/39, uncrated—					f.o.r. Springvale	
863	6' long, for cattle, type "A" ...	Vict.	12	each		3 7 0	} Rocla Ltd.
864	" " " type "B" ...	"	6	"		4 0 6	
865	8' long, for pigs, type "C" ...	"	10	"		2 6 8	
866	" " " type "D" ...	"	6	"		3 4 9	
867-869	—Nil						

BOOKS, ETC.
(Schedule No. 26)
(1st January, 1945, to 31st December, 1946)

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
	Binders, instantaneous, "Riven"—							
†870	Foolscap, 13½" x 8½" ...	N.S.W.	400	each	0	3	9½	} Spicers & Detmold Ltd.
†871	Large Quarto, 11" x 8½" ...	"	20	"	0	3	7	
	Books, copying, "Crompton's" paper—							
*†872	Crown Folio, leaf size 14¼" x 9¾", 500 leaves, not paged, no index, ¼ basil	Vict.	10	"	0	15	9	} Sands & McDougall Pty. Ltd.
*†873	Crown Folio, leaf size 14¼" x 9¾", 750 leaves, paged, with index, ¼ basil	"	30	"	1	6	9	
*†874	Large Post Folio, leaf size 16¼" x 10¼", 750 leaves, paged, with index, ¼ basil	"	10	"	1	16	0	
*†875	Large Post Folio, leaf size 16¼" x 10¼", 750 leaves, not paged, no index, ¼ basil	...	Nil	
	Books, foolscap, leaf size 13" x 8", ruled feint—							
*†876	2 quires, 96 leaves, writing paper, ¼ cloth	Vict.	2000	each	0	1	4-64	} Redmond, Inglis & Co. Pty. Ltd.
*†877	2 quires, 96 leaves, azure book paper, ½ basil	"	250	"	0	6	3	
*†878	3 quires, 144 leaves, writing paper, full cloth, cut flush	"	200	"	0	2	8-25	} Redmond, Inglis & Co. Pty. Ltd.
*†879	3 quires, 144 leaves, azure book paper, ½ basil	"	150	"	0	7	3	
*†880	4 quires, 192 leaves, azure book paper, ½ basil	"	100	"	0	8	6	} D. K. Reade-Watts
*†881	4 quires, 192 leaves, azure book paper, ½ basil, single or double cash, paged or folioed, as ordered	"	24	"	0	9	3	
	Books—							
*†882	Manifold, 5" x 8", bound on 5" edge, 100 leaves, in duplicate, to specification	"	600 doz.	dozen	0	7	8½	} Redmond, Inglis & Co. Pty. Ltd.
*†883	Manifold, 14¼" x 9", bound on 14¼" edge, 100 leaves in triplicate, to specification	"	6	"	0	7	6	
†884	Manifold, 9¾" x 8", "Koala," 100 leaves in duplicate, with 2 special pen nibs and 2 sheets of pen carbon paper, to specification	"	30	"	0	17	6	} Redmond, Inglis & Co. Pty. Ltd.
*†885	Memo., foolscap 8vo, 6½" x 4", 8 sheet, 64 leaves, ruled two sides, American cloth	"	700	"	0	4	10½	
*†886	Memo., Post 8vo, 7" x 4½", 18 sheet, 144 leaves, ruled two sides, full rexine	"	100	"	0	13	10	
*†887	Memo., Post 8vo, 7" x 4½", 18 sheet, 144 leaves, ruled two sides, round cornered on opening edge, full rexine, indexed throughout	"	30	"	0	16	7½	
†888	Shorthand Note, 5" x 8", 100 leaves, ruled two sides, limp cover	"	120	"	0	5	1½	
†889	Files, flat, "Pioneer," (Shackleton type) ...	"	120	each	0	0	7½	} Spicers & Detmold Ltd.
	Indices, foolscap, 13¼" x 8¼"—							
*†890	One leaf to a letter, marble cover	72	Nil
{ 891	One leaf to a letter, ¼ basil, cloth sides turned in	Vict.	6	each	0	4	9	} D. K. Reade-Watts
{ 892	Two leaves to a letter, ¼ basil, cloth sides turned in	"	50	"	0	5	3	
{ 893	Four leaves to a letter, ¼ basil, cloth sides turned in	"	100	"	0	6	0	

PAPER BAGS, DRAWING PAPER, ETC.
(Schedule No. 27)
(1st January, 1945. to 31st December, 1946)

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
†900	Bags, paper, brown, long— 1 lb. ...	Vict.	1,000,000	1000	1	0	5 3	} Edwards Dunlop & Co. Ltd.
†901	2 ,, ...	„	1,500,000	„	1	0	6 11	
†902	3 ,, ...	„	750,000	„	1	0	9 7	
†903	4 ,, ...	„	1,000,000	„	1	0	11 9	
†904	6 ,, ...	„	300,000	„	1	0	14 1	
†905	8 ,, ...	„	150,000	„	1	0	18 1	
†906	Bags, paper, brown, kraft, heavy— 1 lb. ...	„	10,000	cwt.	1	3	6 0	
†907	2 ,, ...	„	7000	„	1	3	6 0	
†908	3 ,, ...	„	5000	„	1	3	6 0	
†909	4 ,, ...	„	5000	„	1	3	6 0	
†910	6 ,, ...	„	3600	„	1	3	6 0	
†911	8 ,, ...	„	9000	„	1	3	6 0	
†912	10 ,, ...	„	1200	„	1	3	6 0	
†913	12 ,, ...	„	5000	„	1	3	6 0	
†914	16 ,, ...	„	2000	„	1	3	6 0	
†915	Bags, paper, confectionery— 4 oz. ...	„	120,000	1000	1	0	3 5	} Andrew Jack, Dyson & Co. Pty. Ltd. Sands & McDougall Pty. Ltd.
†916	8 ,, ...	„	200,000	„	1	0	4 4	
†917	16 ,, ...	„	100,000	„	1	0	5 8	
†918	Bags, paper, coin, 6½" x 4½"	„	20,000	„	10	6	6 6	} Andrew Jack, Dyson & Co. Pty. Ltd. Sands & McDougall Pty. Ltd.
†919	Boxes, cardboard, 7½" x 4" x 2½" inside	„	80 doz.	doz.	0	1	10	
†920	Cards, visiting, in boxes of 50— Round corners	„	} 350 boxes	„	„	„	„	} Nil
†921	Square corners	„		„	„	„	„	
*†922	Cartons, library book— Single	Vict.	1000	each	0	0	4	Sands & McDougall Pty. Ltd.
†923	Double, 5½" x 4" x 8"	„	} 1500	„	10	0	5½	} Corrugated Fibre Container Pty. Ltd.
*†923A	„ 5½" x 3" x 8"	„		„	„	10	0	
†924	Cloth, tracing, pencil, single dull, "Imperial," 30" wide, in rolls of 24 yards	U.K.	90 rolls	roll	3	8	0	} W. & G. Dean Pty. Ltd.
*†925	Cloth, tracing, "Sagars," in rolls of 24 yards— 30" wide	„	50	„	3	8	0	
*†926	36"/38" wide	„	20	„	3	18	0	

† { Items Nos. 900 to 905. Plus 10%, less 20% (see note) }
 † { " " 906 to 914. Less 5%, plus 8/2 per cwt. } Less 2½%—30 days.
 † { " " 915 to 917. Plus 7%, less 20% (see note) }
 † { Item No. 918. Less 3½% discount for payment within 7 days of date of receipt of invoice, or 2½%—30 days. }
 † { Items Nos. 923 and 923A. Less 3½% discount for payment within 10 days of date of receipt of invoice, or 2½%—30 days. }

NOTE—2½%—30 days means 2½% discount for payment by end of month following month of delivery.

PAPER BAGS, DRAWING PAPER, ETC.—continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
Envelopes—						
Note, white, first quality—						
927	5½" x 3½"	40,000	Nil
†928	5½" x 3½"	Tas.	150,000	1000	0 7 4	Sands & McDougall Pty. Ltd.
†929	Pence, M.G. manilla, 3" x 2½" ...	Vict.	130,000	„	†0 6 10	Spicers & Detmold Ltd.
†930	Pocket, glazed manilla, 5½" x 3½", No. 5	„	70,000	„	0 8 3	Sands & McDougall Pty. Ltd.
†931	Paper, "Barrett's" adding machine, 2⅝" wide, in rolls of approx. 80 yards	„	300 rolls	100 rolls	†3 7 6	} Edwards Dunlop & Co. Ltd.
†932	Paper, "Burroughs" adding machine, 3⅞" wide, in rolls of approx. 80 yards	„	750 „	„	†4 3 3	
Paper, brown, 60 lb. substance, gummed—						
†933	⅞" wide, in rolls of approx. 625 ft. ...	„	500 lbs.	doz. lb.	†0 14 0	Spicers & Detmold Ltd.
†934	"Bulldog" " " 125 ft. ...	„	400 „	lb.	†0 1 2	Gumleaf Paper Goods
†935	2" " " " 550 ft. ...	„	750 „	doz. lb.	†0 14 0	Spicers & Detmold Ltd.
†936	Paper, drawing, cartridge, 60" wide, continuous, in rolls of 50 yards, "Leighton"	U.K.	50 rolls	roll	2 13 6	W. & G. Dean Pty. Ltd.
†937	Paper, oiled, "Hallade" recording machine, 3⅞" wide, in rolls of 60 yards, securely attached to former	...	150 „	} Nil
*†938	Paper, tabulating, newsprint quality, for "Power's" machines, 17½" wide, in rolls of 50 yards, approx. 3" in diameter, strawboard core centre with ⅝" centre hole	...	5000 „	
*†939	Paper, tape, M.F. quality, for telegraph instruments, ½" wide, in rolls of approx. 300 yards	Vict.	1500 lbs.	roll	†0 1 0	Spicers & Detmold Ltd.
Paper, tracing, unoled, continuous, in rolls of 50 yards, "Leighton 52"—						
†940	30" wide	U.K.	30 rolls	„	1 0 0	} W. & G. Dean Pty. Ltd.
†941	40" „	„	60 „	„	1 10 0	
†942	Paper, tracing, "Duralax," 30" wide, in rolls of 20 yards	„	40 „	„	1 5 6	J. Creffield Pty. Ltd.
†943	Paper, white news, 12" wide, in rolls of 50 yards	...	1000 „	Nil
944-959	—Nil					

† { Items Nos. 929, 931, 932 and 939. Less 2½%—30 days:
 „ „ 933 and 935. Less 7½% trade discount and less a further 2½%—30 days.
 Item No. 934. Less 3½% discount for payment within 7 days of date of receipt of invoice or 2½%—30 days;

NOTE—2½%—30 days means 2½% discount for payment by end of month following month of delivery.

CARBON PAPER.

(Schedule No. 28)

(1st January, 1945, to 31st December, 1946).

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
	Paper, carbon, "Reflex", to specification—							
†960	"Addressograph" machine, black, 10" x 4"	Vict.	5000 sh'ts	100 sheets	0	2	5	Ramsay & Hall Pty. Ltd.
†961	Billing, blue, 16" x 13"	"	24,000 "	"	0	4	7	
†962	"Ditto" machine, blue, 39" x 26", (Hectograph)	"	1800 "	"	5	10	0	
*†963	"Hallade" recording machine, 3 $\frac{3}{8}$ " wide, in 25-yard rolls, securely attached to former	"	30 rolls	roll	0	5	0	
	Pen—							
{ 964	18 $\frac{1}{2}$ " x 16 $\frac{1}{2}$ "	"	3500 sh'ts	100 sheets	0	9	2	
{ 965	17 $\frac{1}{2}$ " x 10"	"	2500 "	"	0	4	7	
{ 966	17 $\frac{1}{2}$ " x 7 $\frac{1}{2}$ "	"	2500 "	"	0	3	9	
	Pencil, blue, coated two sides on 20-lb. paper, extra rich—							
{ 967	17 $\frac{1}{2}$ " x 11 $\frac{1}{4}$ "	"	7500 "	"	0	7	11	
{ 968	13 $\frac{1}{2}$ " x 8 $\frac{1}{2}$ "	"	1200 "	"	0	3	11	
	Pencil, blue, coated one side on 9-lb. paper, to produce 5 copies—							
{ 969	27" x 5"	"	5000 "	"	0	3	7	
{ 970	24" x 4 $\frac{1}{2}$ "	"	6000 "	"	0	3	1	
{ 971	19" x 9"	"	15,000 "	"	0	4	6	
{ 972	18" x 5 $\frac{1}{2}$ "	"	17,500 "	"	0	2	8	
{ 973	17" x 12 $\frac{1}{2}$ "	"	17,000 "	"	0	5	9	
{ 974	15" x 5"	"	7500 "	"	0	2	2	

CARBON PAPER—continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor.	
					£	s.	d.		
Paper, carbon, "Reflex," to specification—continued—									
Pencil, blue, coated one side on 9 lb. paper, to produce 5 copies—continued—									
975	15" x 9"	Vict.	1200 sh'ts	100 sheets	0	4	5	Ramsay & Hall Pty. Ltd.	
976	15" x 8"	"	1200 "	"	0	3	10		
977	13" x 8"	"	250,000 "	"	0	2	8		
978	13" x 5"	"	26,000 "	"	0	1	7		
† 979	12" x 5"	"	120,000 "	"	0	1	7		
980	11½" x 11½"	"	9000 "	"	0	3	9		
981	11" x 9"	"	5000 "	"	0	3	1		
982	11" x 6"	"	20,000 "	"	0	1	11		
983	8" x 4"	"	2000 "	"	0	1	11		
Typewriting, black—									
To produce 20 copies, (corner to be cut off each sheet)—									
† 984	16" x 13"	"	15,000 "	"	0	4	3		
985	13" x 8"	"	80,000 "	"	0	2	1		
To produce 10 copies—									
† 986	17" x 13"	"	2500 "	"	0	4	3		
987	13" x 8"	"	5000 "	"	0	2	1		
To produce 6 copies, (corner to be cut off each sheet)—									
† 988	16" x 13"	"	36,000 "	"	0	4	5		
989	13" x 8"	"	160,000 "	"	0	2	2		
To produce 3 copies—									
990	17½" x 10"	"	10,000 "	"	0	3	10		
991	17½" x 7½"	"	8000 "	"	0	3	0		
† 992	11" x 7½"	"	12,000 "	"	0	2	0		
993	10" x 8"	"	60,000 "	"	0	1	6		
† 994	Typewriting, blue, to produce 3 copies, 12" x 12"	"	36,000 "	"	0	3	5		
† 995	Typewriting, for "Fanfold" machine, blue, standard weight, 16" x 8¾", on 5" plain paper	"	1200 "	"	0	10	6		
Paper, carbon, typewriting, for "Parafold" attachment, black—									
† 996	3 part sets	"	500 sets	set	0	0	5	Lamson Paragon Ltd.	
† 997	6 part sets	"	Nil	"	"	"	"		
† 998	7 part sets	Vict.	900 sets	set	0	0	11	Lamson Paragon Ltd.	

SANITARY PAPER

(Schedule No. 29)

(1st January, 1945, to 31st December, 1946)

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
†1010	Paper, sanitary, toilet, to specification— Round, in 10-oz. rolls, 4½" x 6", "Ajax", in tea chests of 1-gross rolls, (see note)	Vict.	400 gross rolls	gross rolls	‡3	11	0	Andrew Jack, Dyson & Co. Pty. Ltd.
†1011	Oval, in 8-oz. slotted rolls, 4" x 13¼", "Marillo,"	N.S.W.	500 "	100 rolls	‡2	7	0	British Patent Perforated Paper Co. Pty. Ltd.
†1012	Refills, in packets, folded singly, "Safix".	"	300 gross pkts.	gross pkts.	‡4	7	0	
1013-1019	Nil							

† { Item No. 1010. Less 3½% discount for payment within 7 days of date of receipt of invoice, or 2½%—30 days.
Items Nos. 1011 and 1012. Less 2½%—30 days.

NOTE—2½%—30 days means 2½% discount for payment by end of month following month of delivery.

PRINTERS' INK, ETC.

(Schedule No. 30)

(1st January, 1945, to 31st December, 1946.)

†1020	Compound, "Exstatic"	Vict.	36 lbs.	lb.	0	4	3	Sidney Cooke Pty. Ltd.
†1021	Cord, page, in 4-oz. balls or suitable alternative	...	18 doz. balls	Nil
†1022	Dryers, cobalt elastic	Vict.	60 lbs.	lb.	0	4	6	Sidney Cooke Pty. Ltd.
†1023	Glue, flexible	"	600 "	"	0	0	7	R. Collie & Co. Pty. Ltd.
†1024	Ink, printing, letterpress, to specification— Black	"	1200 "	"	0	1	0	Sidney Cooke Pty. Ltd.
†1025	" half tone, "Excelsior Set-fast"	"	600 "	"	0	3	6	R. Collie & Co. Pty. Ltd.
†1026	Blue, Celestial	"	40 "	"	0	4	6	Sidney Cooke Pty. Ltd.
†1027	Bronze Blue, in 1-lb. tins	"	4 "	"	0	4	6	
†1028	Green, Veredene	"	150 "	"	0	4	0	R. Collie & Co. Pty. Ltd.
†1029	Yellow, mid, "No. 551"	"	60 "	"	0	2	6	
†1030	Lemon, yellow, "No. 550"	"	12 "	"	0	2	6	

PRINTERS' INK, ETC.—continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
	Ink, printing, letterpress, to specification— continued—					
†1031	Persian Orange	Vict.	12 lbs.	lb.	0 5 0	Sidney Cooke Pty. Ltd.
†1032	Quick drying, 1st quality, half-tone dense black, "Process No. 1"	"	600 "	"	0 5 3	
†1033	Quick drying, 1st quality, half-tone mid photo brown red shade	"	45 "	"	0 5 0	} Sidney Cooke Pty. Ltd.
†1034	Red, middle	"	14 "	"	0 3 0	
†1035	Red, Victor	"	450 "	"	0 3 6	
†1036	Violet	"	8 "	"	0 5 0	
†1037	Violet, copying, in 1-lb. tins	"	Nil	"	...	
	Ink, ticket printing, letterpress, flat, smooth, to specification—					
*1038	Blue, No. 22	Vict.	160 lbs.	lb.	0 2 6	} Sidney Cooke Pty. Ltd.
*1039	Blue, Pale	"	160 "	"	0 2 6	
*1040	Brown	"	160 "	"	0 2 6	
*1041	Buff	"	80 "	"	0 2 6	
*1042	Cerise	"	800 "	"	0 2 6	
*1043	Green	"	800 "	"	0 2 6	
*1044	Grey, No. 23	"	200 "	"	0 2 6	
*1045	Maroon	"	10 "	"	0 3 6	
*1046	Orange	"	900 "	"	0 2 6	
*1047	Red	"	150 "	"	0 3 6	
*1048	Violet	"	140 "	"	0 3 6	
*1049	Yellow	"	200 "	"	0 2 6	
*1050	Paper, manilla, oiled, cylinder, 44" wide, in rolls of approx. 100 lb.	"	40 rolls	"	...	Nil
†1051	Preparation, transparent tint	Vict.	10 lbs.	lb.	0 3 0	} Sidney Cooke Pty. Ltd.
†1052	Solution, lye, in 1-gallon jars	"	6 gals.	gal.	0 5 0	
†1053	Solution, roller wash, in 4-gallon drums	"	1000 "	"	0 3 3	
†1054	Solution, "Sprayomatic"	"	50 "	"	0 10 0	
†1055	Varnish, letterpress, lowering	"	30 "	"	0 11 6	
	Wire, stapling, in 4-lb. coils—					
†1056	19 gauge	"	2240 lbs.	"	...	} Nil
†1057	22 "	"	1120 "	"	...	
†1058	26 "	"	560 "	"	...	
1059-1069	—Nil					

RUBBER STAMPS ETC.

(Schedule No. 31)

(1st January, 1945, to 31st December, 1946)

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
	Faces, I.R., for stamps, to specification, lettered—					
*1070	“ V.R., cancelled ”	200	Nil
*1071	“ Week-end ”	Nil	
*1072	“ Goods Clean Receipt ”	48	} Nil
*1073	“ Goods more or less Receipt ”	24	
†1074	Pads, self-inking, purple or black, as ordered, No. 1, 4½" x 2¾", "Lightning"	N.S.W.	600	each	0 0 11	Excelsior Supply Co. Pty. Ltd.
	Refacing self-inking I.R. stamps, including supply of new felt pad, inked with violet ink, and new cushion pad for impression, any style of type ordered, to specification—					
1075	Oblong, up to 2" in length, as ordered	...	250 lines	} Nil
1076	Oblong, over 2" in length, as ordered	...	50 ins. of line	
1077	Extra on rates for items Nos. 1075 and 1076, for reconditioning of stamp frames	
	Stamps, dating, "Acme"—					
†1078	No. 1½	N.S.W.	60 doz.	doz.	0 18 0	} Excelsior Supply Co. Pty. Ltd.
†1079	No. 2	"	3 "	"	1 4 0	
	Stamps, I.R., oblong, wooden handle, with wooden back, any style of type ordered, to specification—					
i {	1080 Up to 2" in length, as ordered	...	1000 lines	} Nil
	1081 Over 2" in length, as ordered	...	1200 ins. of line	
	Stamps, I.R., circular or oval, as ordered, wooden handle, with wooden back, any style of type ordered, to specification—					
i {	1082 Up to 1½" in length, as ordered	...	12	} Nil
	1083 Over 1½" in length, as ordered	...	15 ins.	
1084-1089	—Nil					

BOTTLES, TUMBLERS, ETC.
(Schedule No. 32)
(1st January, 1945, to 31st December, 1946)

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
1090	Beakers, "Pyrex," squat, 600 ccs. ...	N.S.W.	20 doz.	doz.	1	13	0	E. P. Keogh Pty. Ltd.
*1091	Bottles, glass, clear, (see note)— 2 dram, vial, round, to specification	...	15 "	Nil
1092	2 oz., French, square, "J.282" ...	Vict.	70 "	doz.	†0	1	1½	} Australian Glass Manfrs. Co. Pty. Ltd.
1093	6 oz., French, round, for ink, "L.175" ...	"	99 "	"	†0	1	7½	
1094	5 oz., round, for gum, "M.649" ...	"	56 "	"	†0	1	5	
1094A	10 oz. " " " " "M.650" ...	"	60 "	"	†0	1	10	
1095	8 oz., flat, dispensing, "L.981" ...	"	46 "	"	†0	1	9½	
1096	Bottles, glass, angular, coloured (poison)— 1 oz.	...	20 "	} Nil
1097	2 oz.	...	24 "	
*1098	Bottles, glass, French, 3 oz., round, M.800, (see note)	Vict.	240 "	doz.	†0	1	2½	Australian Glass Manfrs. Co. Pty. Ltd.
*1099	Bottles, stoneware— 1 quart	...	140 doz.	} Nil
1100	1 pint	...	150 "	
1101	10 oz.	...	150 "	
1102	Decanters, glass, 1½ pint	...	6 "	
*1103	Jars, glass, Leclanche, outer, for No. 2 porous pots	...	100 "	} Nil
*1104	Tumblers, glass, unbadged, 10 oz., No. 108 type	N.S.W.	3500 "	doz.	0	3	9	
1105-1109	Nil							

† Rates less 3½ %

CORKS, BUNGS, ETC.
(Schedule No. 33)
(1st January, 1945, to 31st December, 1946)

Corks—								
*†1110	Axle-box, large quart and extra tapers	Vict.	2000 gross	gross	†0	3	3	} H. A. Waxman & Co. Pty. Ltd.
*1111	Axle-box, small	...	24 "	
*1112	Bungs, 1" tapered to ¾" x 1¼" long	...	4 "	} H. A. Waxman & Co. Pty. Ltd.
*1113	Bungs, 1½" tapered to 1⅜" x 1¼" long...	Vict.	48 "	gross	†0	11	0	
*1114	Bungs, 1¾" for 5-gal. drums	...	24 "	} Nil
*1115	Phial	...	100 "	
*1116	Roof Lamp, 1¼" tapered to 1½" x 1¼" long	...	5 "	} Nil
*1117	Shrive, 1¼" tapered to 1½" x ¾" long	...	12 "	
†1118	Cork, granulated, sheet, 3' x 2' x ⅛"	...	50 sheets	} Nil
1119-1129	Nil							

† Less 2½ % discount for payment within 14 days of date of receipt of invoice.

CHEMICALS, ETC.

(Schedule No. 34)

(1st January, 1945, to 31st December, 1946)

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
1130	Acetone, in 1-gallon containers	35 gals.	Nil	
	Acid—							
1131	Acetic, glacial, chemically pure, in winchester quarts, "I.C.I."	Vict.	100 lbs.	lb.	0	2	6	Henry H. York & Co. Pty. Ltd.
1132	Hydrochloric, chemically pure, to specification, in winchester quarts	"	360 "	"	0	1	6	Imperial Chemical Industries of A. & N.Z. Ltd. (Industrial Chemicals Section)
	Hydrochloric, Muriatic, or Spirits of Salts, commercial, to specification, "I.C.I."—							
1133	In winchester quarts ...	"	40 cwt.	cwt.	1	7	6	Henry H. York & Co. Pty. Ltd.
1134	In 3-gal. jars, in lots of 6 or less ...	"	1 "	"	1	4	0	
1135	" " " 7 to 18 ...	"	30 "	"	1	3	6	
1136	" " " 19 to 49 ...	"	400 "	"	1	3	0	
1137	" " " 50 or over	"		"	"	1	2	
1138	Nitric, chemically pure, to specification, in winchester quarts, "C.F.C."	"	450 lbs.	lb.	0	1	9	
	Nitric, commercial, to specification, "C.F.C."—							
1139	In winchester quarts ...	"	150 "	"	0	0	9	Henry H. York & Co. Pty. Ltd.
1140	In 3-gal. jars ...	"	30 cwt.	"	0	0	7½	
1141	Oxalic, in 1 cwt. bags, "Commercial" ...	U.K.	14 "	"	0	2	4½	Robert Bryce & Co. Pty. Ltd.
1142	Sulphuric, chemically pure, to specification, in ½-gal. stoppered bottles, each containing 9 lb., "C.F.C."	Vict.	630 lbs.	"	0	1	6	Henry H. York & Co. Pty. Ltd.
	Sulphuric, commercial, to specification, "C.F.C."—							
1143	In winchester quarts ...	"	56 "	"	0	0	3	
1144	In 3-gal. jars, (in lots of 40 jars or over)	"	60 cwt.	ton	10	6	6	Commonwealth Fertilisers & Chemicals Ltd.
	Sulphuric, for storage batteries to specification, in 3-gal. jars—							
1145	S.G. 1-100 to 1-215, in lots of 52 jars and over	"	20 tons	cwt.	0	11	3	
	S.G. 1-216 to 1-300—							
1146	In lots of 6 to 11 jars ...	"	6 "	"	0	18	8	
1147	" 12 to 35 "	"		"	"	0	16	4
1148	" 36 to 51 "	"		"	"	0	12	11
1149	Alum, powdered, in 140 lb. double bags, "Sulphates Pty. Ltd."	"	56 lbs.	lb.	0	0	3	W. & G. Dean Pty. Ltd.
	Ammonia, liquid, S.G. .890—							
1150	Commercial, in winchester quarts, "R. J. Fletcher"	"	500 "	"	0	0	5½	Henry H. York & Co. Pty. Ltd.
1151	Chemically pure, in winchester quarts	250 "	Nil
†1152	Borax, lump, in 1 cwt. bags	25 cwt.	
†1153	Borax, powdered, in 1 cwt. bags ...	U.S.A.	8 "	cwt.	2	4	0	E. P. Keogh Pty. Ltd.

‡ Item No. 1146. No charge for cartage is included in the contract rate. For lots of less than 12 jars in one delivery a cartage charge of 3/6 per delivery will be made.

CHEMICALS, ETC.—continued

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
†1154	Carbon Di-sulphide, in 5-gal. drums, in crates	N.S.W. or Vict.	760 gals.	drum	2	6	9	Imperial Chemical Industries of A. & N.Z. Ltd. (Agricultural/Zanic Section)
1155	Carbon Tetra-chloride, to specification, in 5-gal. drums— Clear	N.S.W.	Item No. 1155 1 ton	
1156	Coloured Red	"	Item No. 1156 1 ton	
1155A	Clear, "Dow Technical"	U.S.A.	Item No. 1156 3 tons	lb.	0	0	10½	
1156A	Coloured Red, "Dow Technical"	"		"	0	0	10½	Robert Bryce & Co. Pty. Ltd.
1157	Compound, "Agral L," in 28-lb. tins Compound, degreasing—	Vict.	2500 lbs.	"	†0	4	0	Ramsay & Treganowan Ltd.
†1158	"Colosyl W.X. Special"	"	85 tons	ton	†56	0	0	F. V. Richards
†1158A	"Hart's," in drums of approx. 3-cwt.	"		"	"	48	0	0
1159	Mercury, in 7-lb. bottles	Canada	112 lbs.	lb.	0	14	6	E. P. Keogh Pty. Ltd.
1160	Muriate of Ammonia, (sal ammoniac), fine, in 2-cwt. kegs, to specification	...	2 tons	Nil
†1161	Muriate of Ammonia, (sal ammoniac), lump, in 1-cwt. kegs	...	10 cwt.	
†1162	Shellac, brown, in 90-lb. bags, "T.N. No. 1"	India	6 "	lb.	0	2	9	Robert Bryce & Co. Pty. Ltd.
†1163	Shellac, button, for french polishing, in 164-lb. bags, "Ranby"	"	5 "	"	0	2	9	
†1164	Silver Nitrate, crystal, in 25 or 50 oz. bottles, as ordered, "Kodak"	Vict.	72 lbs.	oz.	0	2	2	Kodak (A/asia) Pty. Ltd.
†1165	Soda Ash, for electroplaters' use, in bags of 186½ lbs.	South Aust.	2 cwt.	avoird. ton	†18	6	0	
1166	Soda, caustic, liquid, 41.3% NaOH, to specification— In drums, 16 to the ton	Vict.	55 tons	"	11	7	6	Imperial Chemical Industries of A. & N.Z. Ltd. (Alkali/Phosphate Section)
1167	In 3-gallon jars	"		"	11	7	6	
1168	Soda, caustic, flake, 98/99 % NaOH, "Greenbank"— In 1-lb. tins, in case lots of 70	South Aust.	3500 tins	tin	0	0	8½	David Stone & Co.
1169	In 2-lb. tins, " " " 36	"	5300 "	"	0	1	3¼	
1170	In 7-lb. tins " " " 12	"	72 "	"	0	3	10½	
1171	In 14-lb. tins	"	4 "	"	0	7	6	
1172	In 56-lb. tins	"	5 cwt.	cwt.	2	13	0	
1173	In 1½-cwt. drums	...	3 tons	Nil
1174	Soda, caustic, powdered, for soda cells, to specification	...	Nil
†1175	Sodium Bi-carbonate, in bags of approx. 190-lbs., "I.C.I."	South Aust.	15 cwt.	cwt.	0	18	6	Henry H. York & Co. Pty. Ltd.
1176	Sodium Metasilicate, in 1 cwt. bags (in 1-ton lots), "Ardesy,"	N.S.W.	60 "	ton	26	15	0	Ramsay & Treganowan Ltd.
1177	Sulphur, flowers of, in 28-lb. packages, "Commonwealth"	Vict.	140 lbs.	lb.	0	0	3	W. & G. Dean Pty. Ltd.

† Item No. 1157—Less 10% trade discount.

† Item No. 1158—Less 5% trade discount and less a further 2½% for payment within 14 days of date of receipt of invoice.

◆ Item No. 1165—Plus cartage.

CHEMICALS, ETC.—continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
†1178	Tri-Sodium Phosphate, in 140-lb. bags (in 1 ton lots of 16 bags) Tubes, glass, charged with 90% sulphuric acid, to litho. No. 148-25, amended 21/8/28—	Vict.	10 tons	ton	42 0 0	Imperial Chemical Industries of A. & N.Z. Ltd. (Alkali/Phosphate Section)
1179	Blue bead, for conical fire extinguishers	...	600	} Nil
1180	Red bead, for cylindrical fire extinguishers	...	300	
1181-1192	—Nil					

HELIOGRAPHIC PROCESS MATERIALS, ETC.

(Schedule No. 35)

(1st January, 1945, to 31st December, 1946)

†1210	Carbons, for arc lamps, 12" long x 13 m.m. diameter, solid, "National"	Canada	1000	100	3 10 0	Max Wurcker (1930) Pty. Ltd.
†1211	Linen, dyeline, 1st quality, including developer, in rolls of 20 yards, "Oce"—30" wide	Vict.	50 rolls	roll	2 18 0	} Oce Sensitizing Co.
†1212	40" ,,	"	50 "	"	3 12 5	
†1213	Linen, ferro prussiate, in rolls of 20 yards, "Arcus"—30" wide	"	80 "	"	2 2 9	} Max Wurcker (1930) Pty. Ltd.
†1214	40" ,,	"	60 "	"	2 10 5	
†1215	Paper, acute, transparent, in rolls of 20 yards—30" wide	...	20 "	} Nil
†1216	40" ,,	...	10 "	
†1217	Paper, dyeline, medium, 110 grams, including developer, in rolls of 20 yards, "Oce A"—31" wide	Vict.	1600 "	roll	0 11 8	} Oce Sensitizing Co.
†1218	40" ,,	"	400 "	"	0 14 7	
†1219	Paper, ferro prussiate, air mail, 55 grams, 30" wide x 20 yards long, "Arcus"	"	20 "	"	0 8 10	Max Wurcker (1930) Pty. Ltd.
†1220	Paper, ferro prussiate, base, smooth finish, 30"/31½" wide	...	7 tons	Nil
†1221	Paper, heliographic, 150 gr., water bath, 30" wide x 20 yards long, "Arcus"	Vict.	30 rolls	roll	0 15 6	Max Wurcker (1930) Pty. Ltd.

HELIOGRAPHIC PROCESS MATERIALS, ETC.—Continued

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
†1222	Paper, reprints, 20 yards long— 30" wide, "Oce" ...	Vict.	25 rolls	roll	0 15 9	Oce Sensitizing Co.
†1223	40" ,, "Alliance" ... Paper, sepia, thin, negative, in rolls of 20 yards, "Highlite"—	"	20 "	"	0 14 7	Harding & Halden Pty. Ltd.
†1224	30" wide ...	"	100 "	"	1 7 0	} Blue Printing Pty. Ltd.
†1225 1226-1229—Nil	40" ,, ...	"	4 "	"	1 13 9	

PHOTOGRAPHIC MATERIALS

(Schedule No. 36)

(1st January, 1945, to 31st December, 1946)

1230	Acid, Boric, crystals, chemically pure	...	50 lbs.	Nil
1231	Acid, Citric, in 1-lb. bottles, "Kodak"	N.S.W.	20 "	lb.	†0 3 6	} Kodak (A'asia) Pty. Ltd.
1232	Acid, Pyrogallic, in 1-lb. bottles, "Kodak"	U.K.	8 "	"	†1 3 3	
1233	Albums, 12 leaves, loose leaf, 9½" x 6½", "Kodak"	Vict.	25	each	†0 3 1	
1234	Amylum, (starch), pulverised, in paper packets	...	60 lbs.	Nil
†1235	Chrome, Alum, in 1-lb. bottles, "Kodak"	U.S.A.	112 "	lb.	†0 2 9	Kodak (A'asia) Pty. Ltd.
1236	Ferri-Ammon-Citrate, (green scales)	...	224 "	Nil
1237	Hydroquinone, in 1-lb. bottles, "Kodak"	U.S.A.	56 "	lb.	†0 9 1	} Kodak (A'asia) Pty. Ltd.
1238	Metol, in 1-lb. bottles, "Kodak"	"	28 "	"	†1 0 2	
1239	Opaque, "Kodak," No. 1 size or suitable alternative	...	20 tubes	} Nil
1240	Para-formaldehyde	...	6 lbs.	
1241	Potassium Bichromate, in paper packets	...	224 "	
1242	Potassium Bromide, in paper packets	...	Nil	
1243	Potassium Carbonate, in paper packets	U.K.	50 lbs.	lb.	0 2 6	E. P. Keogh Pty. Ltd
1244	Potassium Ferricyanide, in 1-lb. bottles, "Kodak"	"	336 "	"	†0 8 10	} Kodak (A'asia) Pty. Ltd.
1245	Soda Bisulphite, in 28-lb. tins, "Kodak"	"	336 "	"	†0 2 0	

† Less 2½% discount for payment by end of month following month of delivery.

PHOTOGRAPHIC MATERIALS.—continued

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
1246	Soda Carbonate, anhydrous, in paper packets	...	600 lbs.	Nil	
1247	Soda Hyposulphite, in 1-cwt. boxes, "Kodak"	Vict.	60 cwt.	cwt.	£1	11	5	Kodak (A'asia) Pty. Ltd.
1248	Soda Sulphide, in 1-lb. bottles, "Kodak"	U.K.	28 lbs.	lb.	£0	5	6	
1249	Soda Sulphite, anhydrous, in 28-lb. sealed tins	...	560 "	Nil	
1250	Covers, glass, for lantern slides, "Kodak"— 3½" x 3½" ...	U.K.	150	dozen	£0	0	11	Kodak (A'asia) Pty. Ltd.
1251	4" x 3½"	100	Nil	
1252	Film— Cine, panchromatic, in 100' rolls, including processing, "Eastman Kodak"	Vict.	50 rolls	roll	£1	13	9	Kodak (A'asia) Pty. Ltd.
1253	Cine, Kodachrome, 16 m.m., regular or type "A," as ordered, in 100' rolls, including processing, "Eastman Kodak"	"	90 "	"	£2	19	3	
1254	Cut, "Super Green Hyperchrome"— 4½" x 3½" ...	"	1 gross	gross	£1	10	9	
1255	5" x 4" ...	"	4 "	"	£2	9	6	
1256	6½" x 4½" ...	"	12 "	"	£3	4	6	
1257	12 c.m. x 9 c.m. ...	"	1 "	"	£2	4	3	
1258	Pack, "Panatomic X" or "Super XX," as ordered— 4½" x 3½" ...	"	100 pkts.	pkt.	£0	5	3½	
1259	12 c.m. x 9 c.m. ...	"	50 "	"	£0	6	1½	
1260	"Panatomic X" or "Super XX," as ordered— 4½" x 3½" ...	"	1 gross	dozen	£0	3	0	
1261	5" x 4" ...	"	4 "	"	£0	4	3½	
1262	6½" x 4½" ...	"	8 "	"	£0	6	0	
1263	12 c.m. x 9 c.m. ...	"	1 "	"	£0	3	10½	
1264	Process, panchromatic, "Kodak"— 6½" x 4½" ...	"	70 "	"	£0	6	0	
1265	8½" x 6½" ...	"	1 "	"	£0	11	7½	
1266	Special process, "Kodak"— 6½" x 4½" ...	"	14 "	"	£0	5	4½	
1267	8½" x 6½" ...	"	1 "	"	£0	9	11½	
1268	Sheet, process, "Kodak"— 12" x 10" ...	"	1 "	"	£1	4	6½	
1269	15" x 12" ...	"	1 "	"	£2	5	3½	
1270	20" x 16" ...	"	1 "	"	£4	6	3	
1271	24" x 20" ...	"	1 "	"	£6	9	4½	
1272	30" x 24" ...	"	1 "	"	£9	14	0½	

† Less 2½% discount for payment by end of month following month of delivery.

PHOTOGRAPHIC MATERIALS.—continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
Film—continued—						
Spools, photographic roll, "Verichrome"—						
1273	2¼" x 3¼", 8 exposures, No. 120 ...	Vict.	300 rolls	roll	£0 1 2½	Kodak (A'asia) Pty. Ltd.
1274	2½" x 4¼", 8 " No. 116 ...	"	240 "	"	£0 1 5	
1275	3¼" x 4¼", 6 " No. 118 ...	"	96 "	"	£0 1 10	
1276	3¼" x 5½", 6 " No. 122 ...	"	420 "	"	£0 2 1½	
1277	5" x 4", 6 " No. 153 ...	"	12 "	"	£0 2 1½	
1278	Globes, flash light, "Sashalite" ...	U.K.	150	each	£0 1 9	Kodak (A'asia) Pty. Ltd.
1279	Globes, flash light, "Super" or suitable alternative	...	200	
Measures, glass—						
1280	2 oz., graduated in drams	12	Nil
1281	10 oz., graduated in ounces	24	
1282	16 oz., " " " ...	Vict.	12	each	£0 2 10	
1283	Mounting Tissue, dry, 24" x 20", "Kodak"	"	6 reams	ream	£4 5 0	Kodak (A'asia) Pty. Ltd.
1284	Mounts, 10 sheet, 31" x 25" board, round edge, grade BX, brown, grey, white or cream, as ordered, "Kodak"	"	400	100	£4 13 6	
1285	Mounts, 4 sheet, 30" x 24", cream, white, or brown, as ordered, "Kodak"	"	800	"	£3 19 0	
Paper, bromide, single weight, any surface ordered, "Kodak"—						
1286	25' long x 25" wide ...	"	72 rolls	roll	£1 3 9	Kodak (A'asia) Pty. Ltd.
1287	25' " x 30" " ...	"	24 "	"	£1 8 0½	
1288	25' " x 40" " ...	"	12 "	"	£1 17 9	
1289	6½" x 4½" ...	"	150 gross	gross	£0 13 3½	
1290	8½" x 6½" ...	"	200 "	"	£1 3 11½	
1291	10" x 8" ...	"	300 "	"	£1 14 6	
1292	12" x 10" ...	"	12 "	"	£2 11 9	
1293	15" x 12" ...	"	12 "	"	£3 17 7½	
1294	20" x 16" ...	"	2 "	"	£6 18 0	
Paper, bromide, double weight, any surface ordered, "Kodak"—						
1295	25' long x 25" wide ...	"	80 rolls	roll	£1 7 4½	
1296	25' " x 30" " ...	"	30 "	"	£1 12 4½	
1297	25' " x 40" " ...	"	15 "	"	£2 3 1½	
1298	6½" x 4½" ...	"	1 gross	gross	£0 15 3½	
1299	8½" x 6½" ...	"	6 "	"	£1 7 7½	

Less 2½% discount for payment by end of month following month of delivery.

PHOTOGRAPHIC MATERIALS—continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
1300	Paper, bromide, double weight, any surface ordered, "Kodak"—continued— 10" x 8"	Vict.	10 gross	gross	11	19	8½	Kodak (A'asia) Pty. Ltd.
1301	12" x 10"	"	4 "	"	12	19	6	
1302	15" x 12"	"	20 "	"	14	9	3	
1303	18" x 16"	"	15 "	"	17	2	10½	
1304	20" x 16"	"	15 "	"	17	18	8½	
1305	25" x 14½"	"	2 "	"	18	19	9½	
1306	28" x 16"	"	20 "	"	11	2	2½	
1307	28" x 18"	"	10 "	"	12	10	0	
1308	Paper, Bromide, "Linotone," 39" wide x 60' long	"	10 rolls	roll	14	8	3	
1309	Paper, Photostat, 18" wide x 350' long, "Kodak"	"	100 "	"	18	18	3	
1310	Paper, Bromide, post cards, "Kodak"	"	300 gross	gross	10	9	11	
1311	Paper, "Linotone," 39" wide x 100' long,	"	100 rolls	roll	17	7	1½	
1311A	" " 41" " " "	"		"	"	17	14	
1312	Plates, lantern, "Austral," 3¼" x 3¼"	"	4 gross	dozen	10	2	3	
1313	Plates, photographic, backed, for "Ilford" auto. filter, ¼ plate size	...	10 dozen	Nil
1314	Plates, photographic, dry, orthochromatic backed, "Austral"— 6½" x 4¾"	Vict.	20 "	dozen	10	5	7½	Kodak (A'asia) Pty. Ltd.
1315	8½" x 6½"	"	10 "	"	10	10	1½	
1316	Plates, process, "Austral"— 6½" x 4¾"	"	10 "	"	10	4	10½	
1317	8½" x 6½"	"	10 "	"	10	9	4½	
1318	12" x 10"	"	12 "	"	11	3	5½	
1319	15" x 12"	"	12 "	"	12	6	10½	
1320	20" x 16"	"	12 "	"	14	7	0	
1321	24" x 20"	"	12 "	"	17	7	0	
1322	Plates, process, panchromatic, "Austral"— 8½" x 6½"	"	5 "	"	10	11	7½	
1323	12" x 10"	"	2 "	"	11	8	0½	
1324	15" x 12"	"	2 "	"	12	11	11½	
1325	Plates, backed, "Panatomic X," "Super XX" or "Ortho X," as ordered— 5" x 4"	"	3 "	"	10	4	8½	
1326	6½" x 4¾"	"	200 "	"	10	6	9	
1327	8½" x 6½"	"	30 "	"	10	12	4½	
1328	12 cm. x 9 cm.	"	6 "	"	10	4	3	
1329-1339	Nil							

‡ Less 2½% discount for payment by end of month following month of delivery.

DISINFECTANTS

(Schedule No. 37)

(1st January, 1945, to 31st December, 1946)

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
†1340	Candles, sulphur, 1½ oz.	6 dozen	Nil
†1341	Disinfectant, liquid— Eucalyptus, 40% B.P., in 4 gallon tins, "Ortlands"	Vict.	800 gals.	Imp. gal.	0 6 10	S. C. Ortland Pty. Ltd.
†1342	Formalin, 40%, in 3 gal. jars Low Grade, to specification, "Valcol"—	...	4 cwt.	Nil
†1343	In the Corporation's 40/45 gallon drums	Vict.	6000 gals	Imp. gal.	†0 1 2	} Arthur Vale & Co. Pty. Ltd.
†1344	In the Corporation's 4 or 5 gallon drums	"	2200 "	"	†0 1 2	
†1345	Oil, for use in urinals, in 4 gallon tins, "Ortlands"	"	240 "	"	0 3 0	S. C. Ortland Pty. Ltd.
†1346	Pine Oil, soluble, in 4 gallon tins	...	900 "	Nil
1347-1349	—Nil					

† Less 2½% discount for payment within 14 days of date of receipt of invoice.

METHYLATED SPIRITS, TURPENTINE, ETC.

(Schedule No. 38)

(1st January, 1945, to 31st December, 1946)

†	1350	Spirits, methylated, to specification— In Contractor's 4, 5 or 6 gall. drums	Vict.	} 1800 gals.	gal.	0 4 4	} J. L. Lennard Pty. Ltd.					
						†		1351	In Corporation's 4, 5 or 6 gall. drums	"	"	0 3 8½
						1352		In Contractor's 44 gallon drums	"	"	†0 3 8½	
†	1353	Thinner, paint, "Shell H200" or suitable alternative, to specification— In 4 gallon tins	...	} 100 "	} Nil					
						†		1354	" 4 " drums	"	"	...
						†		1355	" 40/45 " "	"	"	Nil
†	1356	Turpentine Substitute, volatile mineral spirit, paint thinners, to specification— "Shell"— In 4 gallon tins	U.S.A.	} 10,000 gals.	gal.	0 2 5	} The Shell Co. of Aust. Ltd.					
						†		1357	" 4 " drums	"	"	0 2 6½
						1358		" 44 " "	"	"	0 1 11½	
†	1356A	"Petropine"— In 4 gallon tins	"	}	"	0 2 5	} Vacuum Oil Co. Pty. Ltd.					
						†		1357A	" 4 " drums	"	"	0 2 6½
						1358A		" 40/45 " "	"	"	0 1 11½	
†	1356B	"Atlantic"— In 4 gallon tins	"	}	"	0 2 5	} Atlantic Union Oil Co. Ltd.					
						†		1357B	" 4 " drums	"	"	0 2 6½
						1358B		" 44 " "	"	"	0 1 11½	
†	1356C	"Caltex"— In 4 gallon tins	"	}	"	0 2 5	} Caltex Ltd.					
						†		1357C	" 4 " drums	"	"	0 2 6½
						1358C		" 40/45 " "	"	"	0 1 11½	
1359	—Nil											

† See note "Packages."

INDUSTRIAL GASES AND CALCIUM CARBIDE

(Schedule No. 39)

(1st January, 1945, to 31st December, 1946)

No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor	
					£	s.	d.		
1360	Air, compressed, in cylinders of 200 cubic feet, to specification (see note)	Vict.	4000 c. ft.	100 c. ft.	0	3	3	Australian Oxygen & Industrial Gases Pty. Ltd.	
1361	Calcium Carbide, lump, 2" to 3" size, or granulated, $\frac{3}{8}$ " to $\frac{1}{2}$ " size, as ordered, to specification, in approx. 2 cwt. drums, "I.X.L."	Tas.	} 300 tons	ton	28	15	0	Thos. Mitchell & Co. Pty. Ltd.	
1361A	" " " " " " " " " " " " " "	"		"	"	28	15	0	Miller & Co. (Machinery) Pty. Ltd.
1361B	" " " " " " " " " " " " " "	"		"	"	28	15	0	Noyes Bros. (Melb.) Ltd.
1362	Gas, carbonic acid, in steel cylinders, to specification—(see note)— In the Contractor's cylinders, each containing 50 lbs. of gas	Vict.	10,000 lbs.	lb.	0	0	3 $\frac{1}{2}$	} Australian Oxygen & Industrial Gases Pty. Ltd.	
1363	In the Corporation's cylinders, each containing 40 lbs. of gas	"	5000 "	"	0	0	3 $\frac{1}{4}$		
1364	Hydrogen, in cylinders of 50, 100 or 200 cubic feet, as ordered, to specification (see note)	"	15,000 c. ft.	100 c. ft.	0	10	0		
1365-1369	—Nil								

ACETYLENE AND OXYGEN

(Schedule No. 40)

(1st January, 1945, to 31st December, 1946)

(Extended to 31st December, 1946)

1420	Acetylene, dissolved, to specification	Vict.	80,000 lbs.	lb.	0	1	6	} Australian Oxygen & Industrial Gases Pty. Ltd.
1421	Oxygen, not less than 99%, to specification	"	8,000,000 c.ft.	100 c. ft.	0	3	3	
1422-1429	—Nil							

TAPES AND WEBBING

(Schedule No. 42)

(1st January, 1945, to 31st December, 1946)

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
	Tape, cotton, red, in packets of 2 dozen knots, 9 yards per knot—					
†1430	No. 16	...	Nil	
†1431	No. 24, "Cheadle" (see note)	U.K.	150 doz. knots	doz. knots	0 4 1	Sands & McDougall Pty. Ltd.
	Tape, cotton, Egyptian, fine, natural colour, 7 mils thick, to specification—					
†1432	$\frac{3}{8}$ " wide, in reels of 1000 yards	..	1000 yds.	1000 yds.	2 5 0	Mica & Insulating Supplies Co.
†1433	$\frac{1}{2}$ " " " 1000 yards	...	Nil	
†1434	$\frac{3}{4}$ " " " 72 yards, "Castle"	U.K.	1700 gross yds.	gross yds.	0 6 10	R. E. Jeffries & Co.
†1435	1" " " 1000 yards	..	10,000 yds.	1000 yds.	3 2 0	
	Tape, cotton, Indian, white, 9 mils thick, in rolls of 72 yards, to specification—					
†1436	$\frac{3}{8}$ " wide	..	20 gross yds.	gross yds.	0 6 8	Mica & Insulating Supplies Co.
†1437	1" " "	..	85 " "	" "	0 8 0	
	Tape, linen, white, 10 mils thick, in rolls of 72 yards—					
†1438	$\frac{3}{8}$ " wide	...	10 " "	
†1439	$\frac{1}{2}$ " " "	...	5 " "	Nil
†1440	$\frac{3}{4}$ " " "	...	12 " "	
†1441	1" " "	...	50 " "	
†1442	Tape, silk, varnished, straight cut, $\frac{1}{8}$ " wide x 4 mils thick, in rolls of 50 yards	U.K.	10 rolls	roll	0 10 0	
	Webbing, cotton, natural colour, in rolls of 72 yards, to specification—					
†1443	$\frac{3}{8}$ " wide x 12 mils thick	..	2 gross yds.	gross yds.	0 10 0	Mica & Insulating Supplies Co.
†1444	1" " x 12 " "	..	50 " "	" "	0 11 6	
†1445	1 $\frac{1}{4}$ " " x 12 " "	..	15 " "	" "	0 16 0	
†1446	1 $\frac{1}{2}$ " " x 12 " "	..	15 " "	" "	1 0 0	
†1447	1 $\frac{1}{2}$ " " x 30 " "	...	120 " "	
	Webbing, linen, natural colour—					
†1448	1" wide x 20 mils thick, in rolls of 24 yards	...	25 " "	Nil
†1449	1 $\frac{1}{4}$ " wide x 22 mils thick, in rolls of 72 yards	U.K.	5 " "	gross yds.	1 18 6	Paul & Gray Ltd.
†1450	1 $\frac{1}{2}$ " wide x 30 mils thick, in rolls of 72 yards	...	120 " "	Nil
†1451	Webbing, linen, straining, upholsterers', 2" wide	...	10 " "	
1452-1459	Nil					

LEATHER GLOVES

(Schedule No. 44).

(1st January, 1945, to 31st December, 1946)

Item No.	Description	Country of Manuf'ro	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
*†1500	Gloves, chrome tanned leather palm, with canvas back, all leather thumb, "No. 7"	S. Aust. or N.S.W.	30,000 pairs	pair	£0	1	9½	A. S. Horne Ltd.
*†1501	Gloves, chrome tanned leather palm, with canvas back, leather fingers, with double row of stitching, (for use at Reclamation Depot)	Vict.	800 "	"	£0	3	0	Robert S. Don Pty. Ltd.
†1502	Gloves, mitten, all chrome tanned leather, with inturned seams and inside stitching, with central thumb, "No. 169-1 piece"	S. Aust. or N.S.W.	12,250	each	0	1	3	A. S. Horne Ltd.
1503-1509	—Nil							

† Less 2½% discount for payment by end of month following month of delivery.

WOOL YARN PADS AND SKEINS

(Schedule No. 45)

(1st January, 1945, to 31st December, 1946)

*†1510	Pads, wool yarn, to specification, 5" long x 2" diameter to 10" long x 4" diameter, as ordered	Vict.	20 tons	lb.	0	1	9½	} Eagley Mills
*†1511	Wool Yarn, in skeins, to specification, 24" long	"	3 "	"	0	1	7½	
1512	—Nil							

PNEUMATIC AND SOLID TYRES

(Schedule No. 48)

(1st January 1945, to 31st December, 1946)

Item No.	Description	Country	Estimated Requirements	Rate per	Percentage off price list.			Name of Contractor
					£	s.	d.	
1520	Tyres and Tubes, pneumatic, to specification, for motor cars, trucks and buses, as ordered— "Dunlop", as per price list No. 261, effective 1/2/43	Vict.	} £2000	...	£31	%	Dunlop Rubber Aust. Ltd.	
1520A	"Barnet Glass", as per "Dunlop" price list No. 261, effective 1/2/43	"		...	£31	%	Barnet Glass Rubber Co. Pty. Ltd.	
1520B	"Olympic", as per price list No. 17, effective 1/2/43	"		...	£31	%	The Olympic Tyre & Rubber Co. Ltd.	
1521	Tyres, solid rubber, to specification, to be moulded on rims, for industrial trucks— 6¼" dia. x 6¼"	"	} 80	each	£2	14	9	} Dunlop Rubber Aust. Ltd.
1522	6½" " x 5"	"		"	£1	18	10	
1523	11¼" " x 4¼"	"		"	£2	8	7	
1524	14¾" " x 3"	"		"	£3	0	8	
1525	14¾" " x 4"	"		"	£3	6	6	
1526	16" " x 4"	"		"	£3	15	4	
1527	17¾" " x 3½"	"		"	£4	12	2	
1528	17¾" " x 5"	"		"	£4	5	4	
1529	20" " x 3½"	"	"	£4	12	11		
1530-1539	—Nil							

† Less a further 2½% discount for payment by end of month following month of delivery.

CORRUGATED JOINTING RINGS

(Schedule No. 49)

(1st January, 1945, to 31st December, 1946)

Item No.	Description	Country of Manufre	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
	Rings, jointing, corrugated, brass (for Newport Loco. Workshops)—					
*1540	By-pass Valves to Cylinder, C., K., N. and X engines	Vict.	500	each	0 0 10	William Black
*1541	By-pass Valves to Cylinder, A and D engines	„	750	„	0 0 9	
*1542	Blower Mountings in smoke box, engines in general	„	750	„	0 0 8	
*1543	Injectors, A and C engines	„	350	„	0 1 6	
*1544	Injectors, D, K, N and G engines	„	500	„	0 1 6	
*1545	Safety Valves, engines in general	„	750	„	0 0 9	
*1546	Blow-off Cocks, engines in general	„	2000	„	0 0 10	
*1547	Klinger Gauge Cock Mountings, engines in general	„	600	„	0 0 7	
*1548	Chime Whistle Flanged Base, engines in general	„	400	„	0 0 9	
	Rings, jointing, corrugated, brass (for Newport Power Station)—					
*1549	1½" hole, 2" outside diameter, small corrugations, to sample No. 223	„	24	„	0 0 6	
*1550	1½" hole, 2½" outside diameter, small corrugations, to sample No. 225	„	400	„	0 0 6	
*1551	2½" hole, three-cornered, small corrugations, to sample No. 228	„	100	„	0 1 0	
*1552	2½" hole, to sample No. 229	„	40	„	0 0 9	
*1553	2½" hole, small corrugations, to sample No. 230	„	100	„	0 0 9	

CORRUGATED JOINTING RINGS—continued.

Item No.	Description	Country of Manufacture	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
	Rings, jointing, corrugated, brass (for Newport Power Station)—continued—							
*1554	4" hole, 6½" outside diameter, to sample No. 232	Vict.	10	each	0	1	0	William Black
*1555	4" hole, 6½" outside diameter, to sample No. 233	"	30	"	0	1	1	
*1556	4½" hole, 7½" outside diameter, small corrugations, to sample No. 234	"	10	"	0	1	4	
*1557	5" hole, 8½" outside diameter, to sample No. 237	"	10	"	0	2	2	
*1558	Oblong, 2⅞" x 4⅞" inside, 7" x 9" outside, small corrugations, to sample No. 256	"	10	"	0	6	0	
*1559	Oblong, 2⅞" x 3⅞" inside, 5¼" x 6" outside, small corrugations, to sample No. 257	"	10	"	0	5	0	
*1560	Oblong, 2½" x 4⅞" inside, 6½" x 8⅞" outside, small corrugations, to sample No. 259	"	10	"	0	6	0	
	Rings, jointing, corrugated, steel (for Newport Power Station)—							
*1561	½" hole, 4" outside diameter, small corrugations, to sample No. 273	"	250	"	0	0	6	
*1562	¾" hole, 4" outside diameter, to sample No. 274	"	400	"	0	0	6	
*1563	1" hole, 5" outside diameter, to sample No. 275	"	200	"	0	0	7	
*1564	1¼" hole, 5" outside diameter, to sample No. 276	"	200	"	0	0	7½	
*1565	1½" hole, 5¼" outside diameter, to sample No. 277	"	200	"	0	0	8	
*1566	1⅞" hole, 4½" outside diameter, small corrugations, to sample No. 278	"	50	"	0	0	7	
*1567	2" hole, 6" outside diameter, to sample No. 279	"	600	"	0	0	9	
*1568	2¼" hole, 3½" outside diameter, spigot, small corrugations, to sample No. 281	"	10	"	0	0	6	
*1569	2½" hole, 4½" outside diameter, to sample No. 282	"	100	"	0	0	6	
*1570	2¾" hole, 7" outside diameter, to sample No. 283	"	200	"	0	1	0	
*1571	3" hole, 8" outside diameter, to sample No. 286	"	350	"	0	1	2	
*1572	3½" hole, 9" outside diameter, to sample No. 287	"	50	"	0	1	3	
*1573	4" hole, 9" outside diameter, to sample No. 288	"	150	"	0	1	3	
*1574	5" hole, 11" outside diameter, to sample No. 291	"	10	"	0	1	6	
*1575	6" hole, 12" outside diameter, to sample No. 292	"	80	"	0	2	6	
*1576	6½" hole, 10¼" outside diameter, to sample No. 294	"	20	"	0	2	0	
*1577	7" hole, 13" outside diameter, to sample No. 296	"	25	"	0	2	9	
*1578	8" hole, 14½" outside diameter, to sample No. 298	"	10	"	0	3	0	
*1579	9" hole, 12½" outside diameter, small corrugations, to sample No. 300	"	10	"	0	5	0	
*1580	10" hole, 15" outside diameter, to sample No. 302	"	10	"	0	3	0	
*1581	10" hole, 15¼" outside diameter, to sample No. 303	"	10	"	0	3	0	

CORRUGATED JOINTING RINGS—continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
Rings, jointing, corrugated, steel (for Newport Power Station)—continued—						
*1582	12" hole, 17" outside diameter, steam traps, to sample No. 306	Vict.	10	each	0 3 9	William Black
*1583	12" hole, 17" outside diameter, to sample No. 307	"	10	"	0 3 9	
*1584	12" hole, 19½" outside diameter, to sample No. 308	"	30	"	0 4 0	
*1585	13" hole, 20½" outside diameter, to sample No. 310	"	10	"	0 6 6	
*1586	14" hole, 22" outside diameter, to sample No. 312	"	10	"	0 8 0	
*1587	19" hole, 26½" outside diameter, to sample No. 316	"	10	"	0 9 0	
*1588	19½" hole, 25½" outside diameter, to sample No. 318	"	10	"	0 9 0	
*1589	19½" hole, 25½" outside diameter, to sample No. 319	"	10	"	0 8 6	
*1590	For Master Sooting Valve No. 1, to sample No. 323	"	12	"	0 6 0	
*1591	For Master Sooting Valve, No. 2, to sample No. 324	"	40	"	0 5 0	
*1592	Oblong, 6½" x 15½" inside, 12¾" x 21½" outside, to sample No. 329	"	10	"	0 12 0	
*1593	Oblong, 5½" x 10¾" inside, 11½" x 16½" outside, to sample No. 330	"	10	"	0 12 0	
*1594	Oblong, 9" x 5" inside, 15" x 11" outside, to sample No. 333	"	12	"	0 11 6	
*1595	Oval, 3¾" x 5" inside, 5½" x 7" outside, to sample No. 334	"	20	"	0 2 6	
*1596	Spigot, 6¼" x 2", to sample No. 345 ...	"	30	"	0 0 8½	
1597-1599—Nil.						

CRUDE SALT

(Schedule No. 50.)

(1st January, 1945, to 31st December, 1946)

†1600	Salt, crude, in bags, for the eradication of weeds (see note)	Vict.	1000 tons	ton	1 15 6 f.o.r. Mystic Park	Mystic Salt Co. Pty. Ltd.
†1601	Salt, in bags, for use in brine tanks in the manufacture of ice	...	6 "	Nil
1602-1605—Nil						

STEEL LOCKERS

(Schedule No. 53)

(1st January, 1945, to 31st December, 1946)

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
1620	Lockers, steel, type "A", flat top, with louvre doors, to specification, "Brownbuilt"— Single	Vict.	} 100 lockers	each	1 19 4	} E. T. Brown Ltd.
1621	In nests of 2 lockers	"		nest	3 13 1	
1622	" " 3 "	"		"	5 8 8	
1623	" " 4 "	"		"	7 3 5	
1624	" " 5 "	"		"	8 18 1	
1625	" " 6 "	"		"	10 12 9	
1626	Lockers, steel, type "B", sloping top, with perforated doors, to specification, "Duff"— Single	"	} 220 "	each	2 2 6	} Duff Steel Systems Co.
1627	In nests of 2 lockers	"		nest	4 1 6	
1628	" " 3 "	"		"	6 0 6	
1629	" " 4 "	"		"	7 19 6	
1630	" " 5 "	"		"	9 18 6	
1631	" " 6 "	"		"	11 17 6	
1632-1636	—Nil					

STEEL FOOD LOCKERS

(Schedule No. 53A)

(1st January, 1945, to 31st December, 1946)

1637	Lockers, food, steel, flat top, to specification— In nests of 2 compartments	...	25 nests	} Nil
1638	" " " 3 " "	...	25 "	
1639	" " " 4 " " "Brownbuilt"	Vict.	50 "	nest	2 12 9	E. T. Brown Ltd.

LOCKS AND KEYS

(Schedule No. 54)

(1st January, 1945, to 31st December, 1946)

	Locks, straight, cupboard, brass, 3", 2 lever, to specification—					
† 1640	To differ (type V.R. 60), with one key, "Jacksons"	Tas.	300	each	†0 3 8	} Boyes Bros.
1641	To pass Contractor's series (type V.R. 60) with one key, "Jacksons"	"	48	"	†0 4 1	
† 1642	To pass Departmental series, key No. 52 (ambulance boxes), (type S. 130); without keys	Vict.	12	"	0 3 3	Joseph W. Harris

† Less 10% trade discount.

LOCKS AND KEYS—continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
	Locks, mortice— Heavy pattern, reversible, 4", 2 lever, 2 bolts, with one key, to specification. To differ—							
†1643	Complete with solid brass furniture, oxidised or brass finish, as ordered (type V.R. 31)	...	24	}	Nil	
†1644	Without furniture, (type V.R. 31)	...						
†1645	Light pattern, reversible, 3½", 2 bolts, with one key, and complete furniture, to specification, to differ, (type V.R. 30), "Lane's No. 7511"	N.S.W.	250	each	0 2 11½		Hardware Co. of Aust. Pty. Ltd.	
†1646	For platform gates, single bolt, spring action, unlocking by carriage key, complete with locking plate, one-way or two-way closing, as ordered (type S. 153)	Vict.	250	"	0 5 0		Joseph W. Harris	
†1647	Locks, rim, reversible, 6", 2 bolts, with one key and complete furniture, to specification, to differ, (type V.R. 40), "Lane's No. 1933"	N.S.W.	1600	"	0 2 1½		Hardware Co. of Aust. Pty. Ltd.	
	Locks, till, brass, "Hobb's" pattern, 4 lever, to specification—							
†1648	2½", to differ, (type V.R. 53), with one key	Vict.	120	"	0 3 9	}	Joseph W. Harris	
†1649	2½", to pass Contractor's series, (type V.R. 52), with one key	"	150	"	0 3 9			
†1650	3", to differ, (type V.R. 51), with one key	"	250	"	0 4 0			
†1651	3", to pass Contractor's series, (type V.R. 50) with one key	"	100	"	0 4 0			
†1652	3", to pass Departmental series, key No. 53 (staff instruments and staff boxes), (type S. 120), without keys	"	50	"	0 3 9			
†1653	Locks, box, brass, 4-lever, with duplicate keys, 2½", to differ, (type V.R. S.152), to specification, "Jacksons"	Tas.	50	"	10 5 4		Boyes Bros.	
	Night Latches, cylinder action, 3½" x 2½", complete, to specification, with duplicate "Yale" pattern paracentric keys, to sample No. 32—							
†1654	Standard, to differ, (type V.R. 20)	Vict.	300	"	0 8 0	}	W. R. Poole	
†1655	Without bolt catch, to differ, (type V.R. 23)	"	250	"	0 7 8			
†1656	Night Latches, cylinder action, 3½" x 2½", complete, to specification, without keys, pin combination to suit key No. L.S. 22, (type V.R. 22)	"	20	"	0 7 0			
*1657	Padlocks, brass, for powder vans, complete with locking plates, to pass Departmental series (type "A"), 3", without keys, (type V.R. 8P), to specification	...	18	}	Nil	
†1658	Padlocks, mild steel, galvanised, 2", spring shackle, 6 lever, with double bitted duplicate keys, to specification. (type V.R. 9P)	...	168			
*1659	Keys, cut— Paracentric, for night latches, to sample No. L.S. 22	Vict.	6 doz.	doz.	0 12 0		W. R. Poole	

† Less 10% trade discount.

INSULATING MATERIALS
(Schedule No. 55).
(1st January, 1945, to 31st December, 1946)

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate f s. d.	Name of Contractor	
	Arc-chutes and parts, Zelemite, to specification—						
1710	Arc-chutes, interlock blow-out coil, large, item 1, to dwg. No. F.3679	Sth Aust.	150	each	0 0 8	Ellis & Clark Ltd., c/- William Begg & Sons	
1711	Arc-chutes, interlock blow-out coil, small, item 2, to dwg. No. F.3679	"	250	"	0 0 6		
1712	Arc-chutes, master controller, to dwg. No. F.3680	"	250	"	0 3 6		
1713	Blocks, line breaker, grooved type, distance piece, to dwg. No. F.3681	"	800	"	0 1 0		
1714	Pieces, distance, moulded, contactor with insert, to dwg. No. F.3684	"	100	"	0 2 7		
1715	Pieces, distance, moulded, check line breaker, to dwg. No. F.3682	"	500	"	0 3 6		
1716	Pieces, side, line breaker, to dwg. No. F.3683	"	300	"	0 1 3		
1717	Plates, cover, contactor, terminal, with insert, to dwg. No. F.3267	"	Nil	"	"		
1718	Sides, plate, contactors, to dwg. No. F.3685	Sth Aust.	800	each	0 1 3		Ellis & Clark Ltd., c/- William Begg & Sons
1719	Bases, air compressor governor, to dwg. No. Q.2079 (mouldings only)	"	50	"	0 7 6		
1720	Plates, rear MS., 87B switches, to dwg. No. F.3686 (hand cut)	"	25	"	0 1 6		
1721	Sides, MS., 87B switches, to dwg. No. F.3511	"	75	"	0 1 9½		
	Bakelite, rod, round, plain, black, non-brittle, best quality, "National Vulcanised Fibre Co."—						
1722	¾" diameter	U.S.A.	7 lbs.	ft.	0 2 3	British General Electric Co. Pty. Ltd.	
1723	½" "	"	14 "	"	0 3 3		
1724	¾" "	"	7 "	"	0 4 6½		
1725	¾" "	"	14 "	"	0 5 11½		
1726	1" "	"	28 "	"	0 9 1		
1727	1½" "	"	28 "	"	0 11 1		
1728	1½" "	"	7 "	"	0 12 11		
1729	1½" "	"	112 "	"	0 18 1		
	"Canvas Bakelite," for electrical purposes, in sheets—						
1730	½" thick	"	112 "	"	"	Nil	
1731	¾" "	"	400 "	"	"		
1732	1" "	"	672 "	"	"		
1733	¾" to 1" thick, as ordered	"	1008 "	"	"		
	"Canvas Bakelite," for track insulation purposes—						
1734	In sheets, ½" thick	"	4000 "	"	"	Moulded Products (Asia.) Ltd.	
1735	In sheets, 27" x 27", ⅜" thick, "Laminite," Grade "C"	Vict.	4000 "	lb.	0 5 9		
1736	Tubing, 1½" external diameter x 1¼" internal diameter, in trade lengths 30" to 32"	"	3500 ft.	"	"		

INSULATING MATERIALS—continued.

Item No.	Description	Country of Manufre	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
	Cloth, empire, yellow, to specification, in rolls, 36" wide—							
†1737	5 mils. thick, in rolls of 100 yds., "Symite"	U.K.	500 yards	l. yd.	0	2	2	Johnson & Phillips Ltd.
†1738	7 mils. thick, in rolls of 50 yds.	"	150 "	"	0	3	0	Mica & Insulating Supplies Co.
†1739	10 " " " " " " " " " " " "	"	200 "	"	0	3	7	
†1740	15 " " " " " " " " " " " "	"	100 "	"	0	4	6	Johnson & Phillips Ltd.
†1741	Compound, "Chattertons"	"	350 lbs.	lb.	0	4	0	British General Electric Co. Pty. Ltd.
	Ebonite, rod, round, to specification—							
†1742	3/8" dia., in lengths approx. 2' 6"	Vict.	5 "	ft.	0	0	7 1/2	Mica & Insulating Supplies Co.
†1743	1/2" " " " " " of 3', (oil finish)	"	25 "	lb.	10	6	10	Dunlop Rubber Aust. Ltd.
†1744	3/8" dia., in lengths approx. 2' 6"	"	25 "	ft.	0	1	1	Mica & Insulating Supplies Co.
†1745	1/2" " " " " " " " " " " "	"	10 "	"	0	1	6 1/2	
†1746	1" " " " " " " " " " " "	"	25 "	"	0	1	10 1/2	
†1747	1 1/8" " " " " " " " " " " "	"	25 "	"	0	2	11	
†1748	1 1/4" " " " " " " " " " " "	"	5 "	"	0	3	4	
†1749	1 1/2" " " " " " " " " " " "	"	10 "	"	0	3	9 1/2	
†1750	Ebonite, sheet, polished both sides, approx. 3' x 2', 1/2" or 5/8" thick, as ordered	N.S.W.	1250 "	lb.	10	3	10	Dunlop Rubber Aust. Ltd.
	"Elephantide," grade 4, polished finish, in rolls—							
†1751	5 mils. thick, 50" to 54" wide, "Whitleys"	U.K.	150 "	"	0	2	0 1/2	British General Electric Co. Pty. Ltd.
†1752	10 " " " " " " " " " " " "	"	750 "	"	0	1	11	
†1753	15 " " " " " " " " " " " "	"	150 "	"	0	1	9 1/2	
†1754	20 " " " 36" wide	"	200 "	"	0	1	8	O. H. O'Brien (Melb.)
†1755	"Elephantide," grade 3, polished finish, in sheets 6' x 4', 1/32" thick, "Whitley's"	"	50 sheets	"	0	1	10 1/2	British General Electric Co. Pty. Ltd.
	Fibre, rod, round, red, grey or black, as ordered—							
†1756	1/2" diameter, "Nat. Vulc. Fibre Co."	U.S.A.	28 lbs.	"	0	13	8	Mica & Insulating Supplies Co.
†1757	3/8" " " " " " " " " " " "	"	7 "	"	0	12	4	
†1758	3/4" " " in lengths approx. 4' to 6'	"	28 "	"	0	12	7	Mica & Insulating Supplies Co.
†1759	1" " " "Nat. Vulc. Fibre Co."	"	56 "	"	0	13	6	British General Electric Co. Pty. Ltd.
†1760	1 1/4" " " " " " " " " " " "	"	28 "	"	0	16	0	
†1761	1 1/2" " " in lengths approx. 4' to 6'	"	28 "	"	1	0	0	Mica & Insulating Supplies Co.

† Less 2 1/2% discount for payment by end of month following month of delivery.

INSULATING MATERIALS—continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
† { 1762 1763 1764 1765 1766	Fibre, sheet, red, grey or black, as ordered (see note)— 1/8" to 3/8" thick, as ordered, "Nat. Vulc. Fibre Co."	U.S.A.	1000 lbs.	lb.	0 2 6 1/2	British General Electric Co. Pty. Ltd.
	3/32" to under 3/8" thick, as ordered	"	112 "	"	0 2 7 1/2	
	3/8" thick	"	336 "	"	0 2 8 1/2	
	1/2" "	"	250 "	"	0 2 10	
	3/4" "	"	250 "	"	0 3 3	
† { 1767 1768	7/8" thick, 35" x 29", "Laminex"	Vict.	14 "	"	0 3 8	Johnson & Phillips Ltd.
	1" "	"	500 "	"	0 3 8	
† { 1769 1770	Fibre, vulcanised, in rolls 36" wide, any length ordered, "Leatheroid" (Armite) "Spaulding"— 5 mils thick	U.S.A.	100 "	"	0 3 13 3/4	R. E. Jeffries & Co.
	10 or 15 mils thick, as ordered	"		"	0 2 8 1/4	
† { 1771 1772 1773	Fibre, vulcanised, natural grey, for electrical insulation between rail joints, for track signalling purposes, "Castle"— Sheet, 3/8" thick, approx. 6' 3" x 3' 6" ...	U.K.	336 "	"	0 1 11	R. E. Jeffries & Co.
	" 3/16" " " 6' 3" x 3' 6" ...	"	6000 "	"	0 1 11	
	" 3/32" " " 6' 3" x 3' 6" ...	"	6000 "	"	0 1 11	
† 1774	Tubing, 1 1/8" external diameter x 7/8" internal diameter, in trade lengths Insulation, sheet, ebony, unpolished, No. 2, 4' x 3', 5' x 2' or 5' x 3' as ordered, "Zelemite", to specification—		Nil			
† { 1775 1776 1777 1778 1779 1780	1" thick (6 m.m.)	South Aust.	500 sq. ft.	sq. ft.	0 1 9	Lawrence & Hanson Electrical Pty. Ltd.
	3/4" " (10 ")	"	500 "	"	0 2 1 1/2	
	1/2" " (12 ")	"	500 "	"	0 2 7	
	5/8" " (16 ")	"	150 "	"	0 3 4	
	3/4" " (20 ")	"	250 "	"	0 4 0	
	3/4" " (20 ") in sheets 36" x 24", cut exactly to size	"	10 sheets	sheet	1 5 0	
1781	Extras on rates for items Nos. 1775 to 1779— For cutting exactly to any size ordered ...	"	...	% on contract rate	plus 20%	
1782	For 1/4" bevel across face ...	"	...	lin. ft.	0 0 3 1/2	
1783	For 1/4" x 1/4" bevel ...	"	...	"	0 0 4	
† { 1784 1785	Insulation, sheet, grey, 4' x 3' or 5' x 2', as ordered, to specification— 1/4" thick	"	96 sq. ft.	sq. ft.	0 1 7	British General Electric Co. Pty. Ltd.
	5/16" "	"	72 "	"	0 1 9	
† { 1786 1787 1788 1789	Pressboard, to specification, in sheets, approx. 72" x 36"— 12 mils. thick		Nil			
	30 " "					
	40 " "					
	60 " "			450 lbs.		

INSULATING MATERIALS—continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor					
† { 1790	Tape, adhesive, black, in rolls of 8 oz. gross weight— ½" wide	Vict.	2000 lbs.	doz. rolls	†0 12 5	Barnet Glass Rubber Co. Pty. Ltd.					
							1791	¾" "	5000 "	"	†0 12 5
†1792	Tape, adhesive, brown, for armature winding, ¾" wide, in rolls of 8 oz. gross weight x approx. 29 yards, wrapped in tinfoil	"	500 "	lb.	†0 2 7	Dunlop Rubber Aust. Ltd.					
†1793	Tape, empire, yellow, bias cut, in rolls of 72 yards, to specification— ½" wide, 7 mils. thick, seamless,	U.K.	20 grs. yds.	gross yds.	0 6 4	Johnson & Phillips Ltd.					
							†1794	¾" " 7 " " seamed	220 "	"	0 12 0
† { 1795	¾" " 7 " " seamless,	"	200 "	"	0 12 8	Johnson & Phillips Ltd.					
							1796	1" " 7 " " "	220 "	"	0 16 9½
							1797	1" " 15 " " " "	100 "	"	0 14 9
1798	1½" " 7 " " "	"	Nil	"	"	"					
†1799	1½" " 15 " " "	U.K.	100 grs. yds.	gross yds.	1 4 0	Johnson & Phillips Ltd.					
†1800	2" " 7 " " "	"	} 20 "	"	"	} Nil					
†1801	2" " 7 " " seamed	"		"	"						
†1802	Tape, rubber, pure, ½" wide, in ½ lb. rolls, of approx. 110 ft., in cartons	Vict.	50 lbs.	lb.	†0 6 9 less 33¼%	Dunlop Rubber Aust. Ltd.					
1803-1809—Nil											

† Less 2½% discount for payment by end of month following month of delivery.

MICA AND MICA PRODUCTS

(Schedule No. 56)

(1st January, 1945, to 31st December, 1946)

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate f s. d.	Name of Contractor
†1810	Mica Sheet, Muscovite, cut to size— Clear ruby, 6" x 4"	360 lbs.	} Nil
†1811	" " 8" x 4½"	10 "	
†1812	Spotted, 3" x 2" ...	India or Central Aust.	250 "	lb.	0 10 0	} B. Brazzale
†1813	" " 4" x 4" ...	"	50 "	"	2 13 6	
†1814	Mica Sheet, Phlogopite, clear amber, to specification— 6" x 4", cut to size	} 50 "	Nil
†1815	In sheets selected to cut 6" x 4", grade 1 (24 to 36 sq. in.)	Central Aust.		lb.	1 18 3	E. C. Menzies Elect. Pty. Ltd.
†1816	Mica Tape, flexible, in 25 yard rolls, to specification— ¾" wide x 5 mils. thick, paper one side only	Vict.	2,000 yds.	100 yds.	0 10 6	} Mica & Insulating Supplies Co.
†1817	1¼" wide x 4 mils. thick, paper both sides	"	100,000 "	"	0 11 0	
†1818	Mica Washers, with outside edges polished, at least ⅝" thick— 1⅜" outside diameter x ⅜" hole	350 lbs.	} Nil
†1819	2¼" " " x ⅞" "	448 "	
†1820	Micanite Sheet, commutator plate type, 36" x 18" x 30 mils. thick, to specification	Vict.	100 "	lb.	0 7 9½	} British General Electric Co. Pty. Ltd.
†1821	Micanite Sheet, hard moulding, shellac bound— 15 mils. thick, 36" x 18", milled to precise thickness	"	25 "	"	0 6 11½	
†1822	30 mils. thick, 36" x 18", milled to precise thickness	"	100 "	"	0 6 8	
†1823	75 mils. thick, to specification, approx. 36" x 24"	"	100 "	"	0 6 3	
†1824	Micanite Sheet, flexible, 40" x 40" x 7 mils. thick	U.K.	250 "	"	0 6 3	E. C. Menzies Elect. Pty. Ltd.
†1825	Micanite Tubes; ⅝" x ⅜" x 17" long ...	Vict.	2000	each	0 1 9	Mica & Insulating Supplies Co.
1826-1829	—Nil					

VARNISHES, ETC.

(Schedule No. 57)

(1st January, 1945, to 31st December, 1945)

†1830	Drier, liquid Japan (Terebine), to specification, in 1 gallon tins, "Spartan"	Vict.	1750 gals.	gal.	0 6 9	Hardie Trading Pty. Ltd.
†1831	Oil, hardwood, "Solpah" or suitable alternative, in 1 gallon tins	...	Nil	
†1832	Polish, French, brown, to specification, in 1 gallon tins, "Goodlass"	Vict.	1000 gals.	gal.	0 12 9	Goodtass Wall & Co. Pty. Ltd.

VARNISHES, ETC.—continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
†1833	Varnish— Bronzine, in 1 gallon tins, "Bergers" ...	N.S.W.	100 gals.	gal.	†0	11	3	Lewis Berger & Sons (Aust.) Pty. Ltd.
†1834	Copal, to specification, in 1 gallon tins "Goodlass"	Vict.	100 "	"	0	10	6	Goodlass Wall & Co. Pty. Ltd.
†1835	Egg Shell Gloss, in 1 gallon tins, "Taubmans"	N.S.W.	50 "	"	0	12	9	Taubmans Pty. Ltd.
†1836	Gold Size, to specification, in 1 gallon tins, "Spartan"	Vict.	1200 "	"	0	9	9	Hardie Trading Pty. Ltd.
†1837	Insulating, quick air-drying, to specifi- cation, in 1 gallon tins, "Taubmans"— Black, "E7086" ...	N.S.W.	380 "	"	0	9	3	} Taubmans Pty. Ltd.
†1838	Clear, "E7502" ...	Vict.	5 "	"	0	12	10	
†1839	Insulating, stoving, black, to specifi- cation, in 44 gal. drums, "Taubmans" "E6121"	N.S.W.	2400 "	"	0	10	11	
†1840	Japan, black, in 1 gallon tins, "Goodlass"	Vict.	150 "	"	0	9	7	Goodlass Wall & Co. Pty. Ltd.
†1841	Knotting, to specification, in 1 gallon tins	...	Nil	
†1842	Oak, to specification, in 1 gallon tins, "Spartan"	Vict.	50 gals.	gal.	0	11	3	Hardie Trading Pty. Ltd.
†1843	Paper, to specification, in 1 gallon tins	...	5 "	Nil
†1844	Spirit, white, to specification, in 1 gallon tins	...	Nil	
1845-1859	—Nil	

† Less 3% discount for payment within 7 days of date of receipt of invoice, or 2½% for payment by
end of month following month of delivery.

ENAMEL, LACQUER, ETC.

-(Schedule No. 58)

(1st January, 1945, to 31st December, 1946)

Item No.	Description	Country of Manufacture	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
†1860	Enamel, any colour ordered, in 1 quart tins, to specification, "Spartan"	Vict.	200 gals.	gal.	0 19 10	Hardie Trading Pty. Ltd.
†1861	Enamel, black, for use on locomotives, in 1 gal. tins, to specification, "Taubmans J 6777"	N.S.W.	1200 "	"	0 18 0	Taubmans Pty. Ltd.
†1862	Enamel, undercoating, for use with enamel under item No. 1861, in 1 gallon tins, to specification, "Taubmans J 6778"	"	480 "	"	0 16 6	
	Enamel, synthetic, brushing quality, to specification—					
	Black, "Taubmans J 6779"—					Taubmans Pty. Ltd.
†1863	In 1 gallon tins ...	"	350 "	"	0 18 0	
†1864	In 1 pint tins ...	"		"	1 2 0	
	Clear, "Taubmans E 7494"—					
†1865	In 1 gallon tins ...	"	1250 "	"	0 14 6	Taubmans Pty. Ltd.
†1866	In 1 quart tins ...	"		"	0 16 6	
†1867	Suburban Red, in 1 gallon tins, "Spartan"	Vict.	1800 "	"	0 19 9	Hardie Trading Pty. Ltd.
†1868	Victoria Red, in 1 gallon tins, "Taubmans J 4543"	N.S.W.		"	1 3 0	Taubmans Pty. Ltd.
	Any other standard colour ordered—					
†1869	In 1 gallon tins ...	"	750 "	"		Nil
†1870	In ½ gallon tins ...	"		"		
†1871	In 1 pint tins ...	"		"		
	Velvet finish, any standard colour ordered, including ivory—					
†1872	In 1 gallon tins ...	"	10 "	"		Nil
†1873	In ½ gallon tins ...	"		"		
†1874	In 1 quart tins ...	"		"		
	Ground Coat, for synthetic enamel, brushing quality, to specification, "Glazebrooks"—					
†1875	Suburban Red or Victoria Red, as ordered, in 1 gallon tins	Vict.		gal.	0 12 0	Glazebrooks (Aust.) Pty. Ltd.
	Any other standard colour ordered—					
†1876	In 1 gallon tins ...	"	500 "	"	0 12 0	
†1877	In ½ gallon tins ...	"	"	"	0 12 9	
†1878	In 1 pint tins ...	"	"	"	0 14 9	

ENAMEL, LACQUER, ETC.—continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor	
					f	s.	d.		
†1879	Primer, for synthetic enamel, brushing quality, for lead coated panels, to specification, in 1 gallon tins	...	Nil			
†1880	Primer, grey, for synthetic enamel, brushing quality, for galvanised iron sheets, to specification, in 1-quart tins	...	Nil			
	Primer, oil base, for synthetic enamel, brushing quality, to specification— Red Oxide, "PX 272C/44"—								
† { 1881	In 1 gallon tins	N.S.W.	400 gals	gal.	0	10	5	} British Australian Lead Manufacturers Pty. Ltd.	
1882	In 1 quart tins	"							"
† { 1881A	In 1 gallon tins	Vict.	400 gals	"	0	12	6		} Glazebrooks (Aust.) Pty. Ltd.
1882A	In 1 quart tins	"							
†1883	Putty, for use with synthetic enamel, to specification, in 7-lb. tins, "Taubmans J 6788"	N.S.W.	1000 lbs.	lb.	0	1	2	Taubmans Pty. Ltd.	
†1884	Surfacer, for synthetic enamel, brushing quality, to specification, any standard colour ordered, including Grey, White, Cream and Red Oxide, in 1 gallon tins, "Spartan"	Vict.	800 gals.	gal.	0	12	4	Hardie Trading Pty. Ltd.	
†1885	Thinners, for putty, for use with synthetic enamel, to specification, in 1 gallon tins, "S 8057"	N.S.W.	40 "	"	0	4	9	} British Australian Lead Manufacturers Pty. Ltd.	
†1886	Zinc Dust, metallic, pure, for use with synthetic enamel, in 14 lb. tins	"	168 lbs.	cwt.	3	12	0		
	Lacquer, car quality, free from benzol, spraying quality, to specification— Black, "Spartan"—								
† { 1887	In 1 gallon tins	Vict.	40 gals	gal.	1	1	6	} Hardie Trading Pty. Ltd.	
1888	In 1 quart tins	"							"
†1889	Royal Blue, in 1 gallon tins, "286-041"	N.S.W.	50 "	"	1	4	6		} British Australian Lead Manufacturers Pty. Ltd.
†1890	White, in 1 gallon tins, "286-026"	"	30 "	"	1	4	6		
	Thinners, lacquer, "T602", to specification, for use with items Nos. 1887 to 1890—								
† { 1891	In 4 gallon tins or drums	"	250 "	"	0	8	3	} British Australian Lead Manufacturers Pty. Ltd.	
1892	In 1 gallon tins	"							"
1893-1899	Nil								