

[5751]



VICTORIA
GOVERNMENT GAZETTE.

Published by Authority.

[Registered at the General Post Office, Melbourne, for transmission by post as a newspaper.]

No. 923]

WEDNESDAY, SEPTEMBER 15.

[1948

No.	Number of Tenders.	Particulars of Contract.	Country of Manufacture or Production.	Amount.	Name of Contractor.
23	..	Railways Stores Suspense Account, Act 3759, Section 105— Supply and delivery of General Stores as ordered, during the period 1st January, 1948, to 31st December, 1949.	As per annex ..	Rates as per annex	As per annex

Melbourne, 25th August, 1948.

Schedule of Rates Contracts

FOR THE

SUPPLY OF STORES

TO THE

VICTORIAN RAILWAYS.

PERIOD—

1.1.1948 to 31.12.1949.

B. KELLY,

By Order of the Victorian Railways Commissioners.

SUPPLY AND DELIVERY OF STORES.

As ordered, from 1.1.1948 to 31.12.1949.

* Indicates that the stores shall be supplied to sample exhibited by the Corporation.

† Indicates that the stores shall be supplied to sample furnished by the Contractor.

§ Indicates that the rate is subject to fluctuation as shown.

‡ Indicates that the rate is subject to discount as shown.

‡ Indicates that the rate is subject to the extras shown.

All rates are exclusive of Sales Tax.

LINSEED OIL AND WHITE LEAD

(Schedule No. 120)

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate		Name of Contractor
					£	s. d.	
4000	Oil, linseed, raw, to specification, delivered by road tanker into the Corporation's tanks at Newport Workshops	Vict.	12,000 gals.	gal.	1	5 0½	Meggitt Ltd.
4001	Oil, linseed, boiled, to specification, delivered by road tanker into the Corporation's tanks at Newport Workshops	"	10,000 "	"	1	5 2½	
4002	Lead, white, in oil, to specification, in 1-cwt. kegs. (see notes)	N.S.W.	50 tons	ton	†\$	{57 9 0	British Australian Lead Manfrs. Pty. Ltd.
4002A	" " " "	"		"	"	†\$	

† Less 3% discount for payment within 14 days of date of receipt of invoice, or 2½% for payment by end of month following month of delivery.

COLOURS, PIGMENTS AND DYES

(Schedule No. 121)

†4011	Black, drop, dry, in bags of approx. 70 lbs., to specification, "Goodlass"	Vict.	120 cwt.	cwt.	1	15 0	Goodlass, Wall & Co. Pty. Ltd.
†4013	Blue, Prussian, in oil, in 1-lb. tins, "Aeon"	Vict.	1 "	lb.	0	5 0	Charles Atkins & Sons Pty. Ltd.
†4014	Blue, ultramarine, dry, in 7-lb. or 28-lb. pkgs., as ordered, "Champions"	U.K.	6 "	"	0	1 4½	W. & G. Dean Pty. Ltd.
†4017	Chrome, dry, middle, to specification, in 7-lb. pkgs., "Aeon"	Vict.	1 "	cwt.	7	8 0	Charles Atkins & Sons Pty. Ltd.
†4019	Chrome, in oil, to specification, in 7-lb. tins— Middle, "Aeon" ...	Vict.	5 "	cwt.	8	0 0	Charles Atkins & Sons Pty. Ltd.
†4020	Green, Middle Brunswick, dry, to specification, in 14-lb. pkgs., "Goodlass"	"	1 "	"	2	9 0	W. & G. Dean Pty. Ltd.
†4022	Ochre, golden, in oil, to specification, in 14-lb. tins, "Aeon"	Vict.	5 cwt.	cwt.	9	19 0	Charles Atkins & Sons Pty. Ltd.
†4023	Ochre, red, dry, to specification, in 14-lb. pkgs., "Rodda"	"	2 "	"	0	11 6	W. & G. Dean Pty. Ltd.
†4024	Ochre, yellow, dry, to specification, in 1 cwt. bags, "Minerals"	N.S.W.	120 "	"	0	11 9	
4027	Oxide, red, in oil, to specification, in 56-lb. drums, "Aeon"	Vict.	5 "	cwt.	4	10 0	Charles Atkins & Sons Pty. Ltd.
†4029	Red, mail, dry, in 14-lb. or 28-lb. pkgs., as ordered, "Goodlass 437A"	Vict.	3 "	cwt.	7	0 0	Goodlass, Wall & Co. Pty. Ltd.
†4030	Sienna, burnt, "Aeon"— In oil, to specification, in 1-cwt. pkgs.	"	5 "	"	9	0 0	Charles Atkins & Sons Pty. Ltd.
†4031	" " " " " " 14-lb. "	"		"	"	9	
†4036	Umber, burnt, to specification— Dry, in 7-lb. pkgs. "Church" ...	U.K.	112 lbs.	lb.	0	0 7	W. & G. Dean Pty. Ltd.
†4039	Vermilion, pure, deep, in 1-lb. pkgs. ...	U.K.	1 "	lb.	†1	3 6	Lewis Berger & Sons (Aust.) Pty. Ltd.
†4040	Whiting, (calcium carbonate), for manufacture of putty, to specification, in approx. 1-cwt. bags, "Omya", (see note)	France	12 tons	cwt.	0	13 6	Charles Atkins & Sons Pty. Ltd.
†4041	Whiting, (calcium carbonate), for ordinary purposes, in 1-cwt bags	Vict.	40 cwt.	"	0	9 1	S. N. Rodda Pty. Ltd.

† Less 3% discount for payment within 14 days of date of receipt of invoice, or 2½% for payment by end of month following month of delivery.

COLOURS, PIGMENTS AND DYES—continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
DYES.						
	Dye, to specification, in 9-lb. containers, "Kul-A-Fin"—					
†4042	Black	Vict.	500 lbs.	lb.	0 4 0	} J. T. Dunstan Pty. Ltd.
†4043	Blue	"	300 "	"	0 4 0	
†4045	Claret	Vict.	100 "	lb.	0 5 0	} J. T. Dunstan Pty. Ltd.
†4046	White	"	40 "	"	0 4 0	
†4047	Yellow	"	1000 "	"	0 5 0	
STAINS.						
†4048	Stain, wood, flat, French Polishers', in ½-gallon tins, blackwood, mahogany or walnut, as ordered, "Apex"	"	6 gals.	gal.	0 13 9	W. & G. Dean Pty. Ltd.

COTTON WASTE

(Schedule No. 122)

†4060	Waste, cotton, to specification— Grey, "Glyca"	U.K.	100 tons	ton	89 15 0	Gilbert Lodge & Co. Pty. Ltd.
†4061	White, "Type 2"	N.S.W.	10 "	"	117 19 0	Federal Cotton Co. Pty. Ltd.

ROOFING FELT, ETC.

(Schedule No. 124)

Cement, plastic—						
†4090	Black, in 1-gal. tins of 10-lbs., "Laykold"	Vict.	10 cwt.	lb.	0 0 8	} W. B. Carr Constructions
†4091	White, in 10-lb. to 30-lb. containers, "Elastite"	"	2 "	"	0 1 6	
†4093	Damp Course, black, in 1-cwt. bags	"	150 bags	bag	0 7 0	} Nonporite Pty. Ltd.
Felt, roofing, bituminous, 36" wide, in rolls of 72', "Malthoid", to specification—						
†4094	1-ply, with tacks and fixing cement	N.S.W.	200 rolls	roll	†1 6 0	} Pabco Products Pty Ltd.
†4095	3-ply, " " " " "	"	150 "	"	†1 13 0	
†4096	Pitch, roofing, in drums, "Caltex No. 35 Asphalt," in lots of 1-ton and over, f.o.r. Spencer Street, or delivered within the Metropolitan area	U.S.A.	10 tons	ton	20 3 10	Caltex Oil (Aust.) Pty. Ltd.

† Less 3% discount for payment within 7 days of date of receipt of invoice, or 2½% for payment by end of month following month of delivery. (See note).

SHIP CHANDLERY, ETC.

(Schedule No. 125)

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
†4105	Bunting, green or red, as ordered, 18" wide, all wool, double warp	...	2000 yds.	
†4106	Chalk, French, powdered	Vict.	200 lbs.	lb.	0 0 1½	} E. L. Yencken & Co. Pty. Ltd.
4107	Chalk, white, lump	"	60 cwt.	cwt.	0 8 6	
	Eyelets, brass—					
†4108	⅜" end diameter x ¼" deep x ⅜" rim diameter	"	7000	1000	0 3 2½	George Tucker Eyelet Co. of Aust.
†4109	½" end diameter x ⅜" deep x ½" rim diameter	"	25 gross	gross	0 2 9	Eyelets Pty. Ltd.
*†4111	Eyelet Rings, with lugs, brass, to suit eyelets ⅜" end diameter x ¼" deep x ⅜" rim diameter	Vict.	50 "	gross	0 5 8	} Eyelets Pty. Ltd.
*†4112	Eyelet Rings, with lugs, brass, to suit eyelets ½" end diameter x ⅜" deep x ½" rim diameter	"	40 "	"	0 5 6	
	Eyelets and Washers, brass—					
†4113	⅞" diameter	N.S.W.	20 "	"	0 4 9½	George Tucker Eyelet Co. of Aust.
†4114	1" " "8B"	Vict.	100 "	"	{ 0 7 5	} Eyelets Pty. Ltd.
†4115	1½" " "9B"	"	1000 "	"	{ less 10% 0 8 7½ less 10%	

BITUMINOUS EMULSION

(Schedule No. 126)

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate	Name of Contractor
†4130	Emulsion, bituminous, to specification, in the Corporation's 45 gallon drums— " Colfix "	Vict.	} 80,000 gls.	gallon	0 1 5	W. B. Carr
†4130A	" Emoleum "	"		"	0 1 5	Constructions Emoleum (Aust.) Ltd.
†4130B	" Colas "	"		"	0 1 5	The Shell Co. of Aust. Ltd.
†4130c	" Colbion "	"		"	0 1 5	Albion Quarrying Co. Pty. Ltd.

INCOMBUSTIBLE DUST.
(Schedule No. 128).

Item No.	Description	Country of Manufre	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
†4149	Dust, incombustible, limestone, to specification	Vict.	120 tons	ton	1	8	8	David Mitchell Estate

LIME AND LIMESTONE
(Schedule No. 129)

†4150	Lime, for Pintsch gas purification, to specification, "Kawa," in bags of approx. 140 lbs. delivered Pintsch Gas Depot, Spencer Street	Vict.	750 bags	bag	0	5	3	P. Alkemade & Sons
†4151	Lime, hydrated, to specification, in bags of approx. 50 lbs., delivered Melbourne	"	4000 "	"	0	2	7	David Mitchell Estate
†4152	Lime, quick, to specification, "Kawa," in bags of approx. 140 lbs. f.o.r. Kawarren	"	700 "	"	0	4	9	P. Alkemade & Sons
†4153	Limestone, marble, pure, to specification, f.o.r. Lilydale	"	450 tons	ton	0	18	0	David Mitchell Estate

LOCOMOTIVE AND MOULDING SAND
(Schedule No. 130)

†4160	Sand, to specification, for locomotives— f.o.r. Eaglehawk (Selected) ...	Vict.	} 4000 c. yds	cubic yard	0	5	0	R. E. Makepeace	
†4160A	" Coleraine ...	"		"	"	0	4	6	W. J. Cody
†4160B	" Avenel ...	"		"	"	0	7	0	J. E. Lewis
†4161	Sand, to specification, for brass moulding purposes, f.o.r. Cranbourne	"	500 "	"	0	13	6	R. E. Adams	
	Sand, sea, fine, to specification, f.o.r. Kelvin siding, Seaford—								
†4162	For blacksmiths' use ...	"	30 "	"	0	5	0	} R. W. McCulloch & Co.	
†4163	For foundry use ...	"	700 "	"	0	5	0		

GRAVEL AND BUILDING SAND
(Schedule No. 131)

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
	Gravel, to specification, for roadways, delivered into railway trucks at—					
†4170	Stawell or Armstrong ...	Vict.	} 5000 c. yds.	c. yd.	0 5 9	W. R. Hamilton
†4170A	Mangalore or Avenel ...	"		"	0 4 3	J. C. Grattan
†4170B	Smythesdale ...	"		"	0 6 0	G. & E. Waller
†4170C	Great Western ...	"		"	0 6 3	I. A. Hurley
†4170D	Bet Bet or Dunolly ...	"		"	0 6 0	S. G. Akers
†4170E	Illabarook ...	"		"	0 4 6	A. J. Smith
†4170F	Haddon ...	"		"	0 6 3	L. J. Waller
	Gravel, to specification, for footpaths and platforms, delivered into railway trucks at—					
†4171	Koo-Wee-Rup (see note) ...	"	} 5000 "	"	0 5 0	Plowright Albion Koo-Wee-Rup Washed Sand & Gravel Co. Pty. Ltd.
†4171A	Bet Bet or Dunolly ...	"		"	0 6 0	S. G. Akers
†4171B	Stawell or Armstrong ...	"		"	0 5 9	W. R. Hamilton
†4171C	Mangalore or Avenel ...	"		"	0 4 3	J. C. Grattan
†4171D	Great Western ...	"		"	0 6 3	I. A. Hurley
†4171E	Illabarook ...	"		"	0 4 6	A. J. Smith
†4171F	Haddon ...	"		"	0 6 3	L. J. Waller
†4171G	Smythesdale ...	"		"	0 6 0	G. & E. Waller
†4171H	Lyndhurst ...	"		"	0 10 0	S. E. & W. S. Sheppard Bros.
	Gravel, to specification, for concrete, delivered into railway trucks at—					
†4172	Carisbrook ...	"	} 5000 "	"	0 6 0	A. G. Leech
†4172A	Haddon ...	"		"	0 6 6	L. J. Waller
†4172B	Bet Bet or Dunolly ...	"		"	0 6 6	S. G. Akers
†4172C	Allendale ...	"		"	0 7 0	G. & E. Waller
†4172D	Langi Logan, Great Western or Armstrong ...	"		"	0 6 0	W. R. Hamilton
†4172E	Beaufort ...	"		"	0 7 3	A. Gist
†4172F	Allendale ...	"		"	0 7 0	J. Svanosia
	Sand, medium, to specification, for building, delivered into railway trucks at—					
†4173	Kelvin siding, Seaford ...	"	} 3000 "	"	0 5 0	R. W. McCulloch & Co.
†4173A	Coleraine ...	"		"	0 4 6	W. J. Cody
†4173B	Eaglehawk ...	"		"	0 3 6	R. E. Makepeace
†4173C	Langi Logan ...	"		"	0 7 0	W. R. Hamilton
†4173D	Ballarat, or direct to Ballarat Works Depot, as ordered ...	"		"	0 5 6	L. J. Waller
†4173E	Carisbrook ...	"		"	0 5 6	A. G. Leech
†4173F	Bet Bet or Dunolly ...	"		"	0 6 0	S. G. Akers
†4173G	Mangalore or Avenel ...	"		"	0 4 3	J. C. Grattan
†4173H	Ballarat East ...	"		"	0 5 0	G. & E. Waller

GRAVEL AND BUILDING SAND—continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor	
					£	s.	d.		
†4174	Sand, coarse, to specification, for concrete, delivered into railway trucks at— High Camp, Koo-Wee-Rup or Pyalong, as ordered	Vict.	} 8,000 cub. yards	c. yd.	0	5	0	Plowright Albion Koo-Wee-Rup Washed Sand & Gravel Co. Pty. Ltd.	
†4174A	Bairnsdale	"		"	0	8	0		A. J. Henham
†4174B	Coleraine	"		"	0	4	6		W. J. Cody
†4174C	Ballarat, or direct to Ballarat Works Depot, as ordered	"		"	0	5	6		L. J. Waller
†4174D	Dobie or Stawell	"		"	0	7	0		W. R. Hamilton
†4174E	Mangalore or Avenel	"		"	0	4	3		J. C. Grattan
†4174F	Bet Bet or Dunolly	"		"	0	6	0		S. G. Akers
†4174G	Ballarat	"		"	0	7	0		G. & E. Waller

BUILDING BRICKS

(Country Districts)

(Schedule No. 132)

4180	BENDIGO DISTRICT. Bricks, building, to specification, f.o.r. Bendigo	Vict.	100,000	1000	6	2	6	Johnston & Andrew Bendigo Brick Co.
BALLARAT AND MARYBOROUGH DISTRICTS.								
4181	Bricks, building, to specification— Ex. Contractor's works, Ballarat North	"	} 150,000	"	5	9	6	} James Selkirk Pty. Ltd.
4182	f.o.r. Contractor's siding, Ballarat North	"		"	5	11	6	

INFUSORIAL EARTH.

(Schedule No. 133)

†4189	Earth, infusorial, ground, in bags, to specification, "K. 2"	Vict.	40 tons	ton	9	2	1	S. N. Rodda Pty. Ltd.
-------	--	-------	---------	-----	---	---	---	-----------------------

ASBESTOS CEMENT AND FIBROUS PLASTER SHEETS, ETC.

(Schedule No. 134)

†4190	Fibrous Plaster Sheets, $\frac{3}{8}$ " thick, to specification, in lengths 5', 6', 7', 8', 9' or 10' x widths 3', 4', 4' 6", 5', 6' or 6' 7", as ordered	Vict.	7,000 sq. yds.	sq. yd.	0	3	3½	Zuleika Fibro Plaster Pty. Ltd.	
Asbestos Cement Plain Sheets, $\frac{3}{8}$ " thick, 3', 4', 5', 6', 7', 8', 9', or 10' long x 3' or 4' wide, as ordered, to specification—									
4191	" Durabestos "	"	} 4,000 "	"	‡	0	2	4½	Wunderlich Ltd.
4191A	" Fibrolite "	"		"	‡	0	2	4½	James Hardie & Co. Pty. Ltd.

‡ Base rates plus 5½% surcharge (see note).

† Less 2½% discount for payment by end of month following month of delivery.

ASBESTOS CEMENT AND FIBROUS PLASTER SHEETS, ETC.—continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
4192	Asbestos Cement Corrugated Sheets, $\frac{7}{8}$ " thick x 2' 7 $\frac{1}{2}$ " wide. Corrugations to be 1" deep overall x 3" pitch, 5' to 10' long, as ordered, advancing by 6", to specification— "Durabestos"	Vict.	} 3,000 sq. yards	sq. yd.	‡10 2 11	Wunderlich Ltd.
4192A	"Fibrolite"	"		"	‡10 2 11	James Hardie & Co. Pty. Ltd.
4193	Asbestos Cement Corrugated Sheets, approximately $\frac{1}{4}$ " thick x 3' 5 $\frac{1}{4}$ " wide. Corrugations to be 1 $\frac{7}{8}$ " deep overall x 5 $\frac{3}{4}$ " pitch, 5' to 10' long, as ordered, advancing by 6", to specification, "Durabestos"	"	} 4,000 "	"	‡10 3 2 $\frac{1}{2}$	Wunderlich Ltd.
4193A	Asbestos Cement Corrugated Sheets, approximately $\frac{1}{4}$ " thick x 3' 5 $\frac{1}{4}$ " wide. Corrugations to be 2" deep overall x 5 $\frac{3}{4}$ " pitch, 5' to 10' long, as ordered, advancing by 6", to specification, "Fibrolite"	"		"	‡10 3 2 $\frac{1}{2}$	James Hardie & Co. Pty. Ltd.
4194	Angle, asbestos cement, 2" x 2" x $\frac{5}{8}$ ", in 6', 7', 8', 9' or 10' lengths, as ordered, uncrated— External, "Durabestos"	"	} 750 lin. ft.	100 lin. ft.	‡1 3 0 less 10%	Wunderlich Ltd.
4194A	"Fibrolite"	"		"	‡1 3 0 less 10%	James Hardie & Co. Pty. Ltd.
4195	Internal, "Durabestos"	"	} 4,000 "	"	‡1 3 0 less 10%	Wunderlich Ltd.
4195A	"Fibrolite"	"		"	‡1 3 0 less 10%	James Hardie & Co. Pty. Ltd.
4196	Ridging, two-piece, asbestos cement, 10" x 10" width, 6' 6" length, cover 6', uncrated— "Durabestos"	"	} 100 lgths	foot	‡10 1 0	Wunderlich Ltd.
4196A	"Fibrolite"	"		"	‡10 1 0	James Hardie & Co. Pty. Ltd.
4197	Ridging, asbestos cement, approx. 9" wings, in lengths of 3' 7 $\frac{1}{2}$ " (for 2" side lap fixing, 3' 3 $\frac{1}{4}$ " net cover), suitable for corrugated sheets 3' 5 $\frac{1}{4}$ " wide, uncrated— "Durabestos"	"	} 300 "	"	‡10 1 6	Wunderlich Ltd.
4197A	"Fibrolite"	"		"	‡10 1 6	James Hardie & Co. Pty. Ltd.
4198	Strip, cover, asbestos cement, 2" x $\frac{1}{8}$ ", in 6', 7', 8', 9' or 10' lengths, as ordered, uncrated— "Durabestos"	"	} 10,000 lin. ft.	100 lin. ft.	‡0 12 6 less 10%	Wunderlich Ltd.
4198A	"Fibrolite"	"		"	‡0 12 6 less 10%	James Hardie & Co. Pty. Ltd.
4199	Washers, concave, galvanised steel— For securing asbestos cement corrugated sheets supplied under item No. 4192	"	} 20 gross	gross	‡0 1 11	Wunderlich Ltd.
4199A	For securing asbestos cement corrugated sheets supplied under item No. 4192A	"		"	‡0 1 11	James Hardie & Co. Pty. Ltd.
4199B	For securing asbestos cement corrugated sheets supplied under item No. 4193	"	} 100 "	"	‡0 1 11	Wunderlich Ltd.
4199C	For securing asbestos cement corrugated sheets supplied under item No. 4193A	"		"	‡0 1 11	James Hardie & Co. Pty. Ltd.

‡ Base rates plus 5 $\frac{1}{2}$ % surcharge (see note).

† Less 2 $\frac{1}{4}$ % discount for payment by end of month following month of delivery.

ASBESTOS CEMENT AND FIBROUS PLASTER SHEETS, ETC.—continued

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
4200	Washers, "Rexlite"— For securing asbestos cement cor- rugated sheets supplied under item No. 4192	Vict.	} 15 gross	gross	‡0 1 5	Wunderlich Ltd.
4200A	For securing asbestos cement cor- rugated sheets supplied under item No. 4192A	"		"	‡0 1 5	James Hardie & Co. Pty. Ltd.
4200B	For securing asbestos cement cor- rugated sheets supplied under item No. 4193	"	} 100 "	"	‡0 1 5	Wunderlich Ltd.
4200C	For securing asbestos cement cor- rugated sheets supplied under item No. 4193A	"		"	‡0 1 5	James Hardie & Co. Pty. Ltd.
Extras on contract rates for packing in crates for transport by rail—						
4201	Angle, supplied under items Nos. 4194 and 4195	18% of value (minimum 12/-)	Wunderlich Ltd.
4201A	Angle, supplied under items Nos. 4194A and 4195A	18% of value (minimum 12/-)	James Hardie & Co. Pty. Ltd.
4202	Ridging, supplied under items Nos. 4196 and 4197	18% of value (minimum 12/-)	Wunderlich Ltd.
4202A	Ridging, supplied under items Nos. 4196A and 4197A	18% of value (minimum 12/-)	James Hardie & Co. Pty. Ltd.
4203	Cover Strip, supplied under item No. 4198	18% of value (minimum 12/-)	Wunderlich Ltd.
4203A	Cover Strip, supplied under item No. 4198A	18% of value (minimum 12/-)	James Hardie & Co. Pty. Ltd.

‡ Less 2½% discount for payment by end of month following month of delivery.

ASBESTOS CEMENT PIPES AND BENDS

(Schedule No. 135)

Pipes, asbestos cement, coated, "Fibro- lite," to specification—							
High pressure, with asbestos cement socket joint and rubber ring—							
Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor	
4232	13' 2-4" lengths— 3" nom. (27½" act.) inside diam. ...	Vict.	} 15,000 lin. ft.	lin. ft.	f.o.r. Brooklyn ‡‡0 1 5½	} James Hardie & Co. Pty. Ltd.	
4232A	(M) 3" nom. (27½" act.) " " ...	"		"	‡‡0 1 7½		
4233	4" nom. (3-563" act.) " " ...	"		"	‡‡0 1 11½		
4234	(M) 4" nom. (3-56" act.) " " ...	"		"	‡‡0 1 11½		
4235	6" nom. (5-5625" act.) " " ...	"		"	‡‡0 3 4¼		
4236	(M) 6" nom. (5-56" act.) " " ...	"		"	‡‡0 3 3¼		

‡‡ { Orders for less than 1000 lin. ft.—Less 10% discount.
 " " 1000 lin. ft. and over—Less 10% and 5% discount.
 All transactions plus 5½% surcharge, less 2½% discount for payment by end of month following month of
 delivery. (See note).

ASBESTOS CEMENT PIPES AND BENDS—continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor	
Pipes, asbestos cement, coated, "Fibrolite," to specification—(continued)—							
High pressure, without joints, ends turned suitable for cast iron Gibault joints—							
13' 2.4" lengths—							
4242	3" nom. (2 $\frac{7}{8}$ " act.) inside diam. ...	Vict.	} 200 lin. ft.	lin. ft.	f.o.r. Brooklyn £10 1 2 $\frac{1}{2}$	} James Hardie & Co. Pty. Ltd.	
4242A	(M) 3" nom. (2 $\frac{3}{4}$ " act.) " " ...	"		"	"		£10 1 4 $\frac{1}{2}$
4243	4" nom. (3.563" act.) " " ...	"		"	"		£10 1 8 $\frac{1}{2}$
4244	(M) 4" nom. (3.56" act.) " " ...	"		"	"		£10 1 8 $\frac{1}{2}$
4245	6" nom. (5.5625" act.) " " ...	"		"	"		£10 2 10 $\frac{1}{4}$
4246	(M) 6" nom. (5.56" act.) " " ...	"		"	"		£10 2 9 $\frac{1}{2}$
Medium pressure, with asbestos cement socket joint and rubber ring, 13' 2.4" lengths—							
4250	4" nom. (3.875" act.) inside diam. ...	Vict.	} 500 lin. ft.	lin. ft.	f.o.r. Brooklyn £10 1 8 $\frac{1}{2}$	} James Hardie & Co. Pty. Ltd.	
4251	6" nom. (5.76" act.) " " ...	"		"	"		£10 3 0 $\frac{1}{2}$
Bends, asbestos cement, coated, "Fibrolite", 3" nominal (2 $\frac{7}{8}$ " actual) inside diameter, with plain ends, 13' 2.4" lengths—							
4255	45° to Drg. No. 2F. 3841 ...	Vict.	50	lin. ft.	f.o.r. Brooklyn £10 1 10	} James Hardie & Co. Pty. Ltd.	
4256	90° " " " 3F. 3841 ...	"	400	"	£10 1 10		

† { Orders for less than 1000 lin. ft.—Less 10% discount.
 " " 1000 lin. ft. and over—Less 10% and 5% discount.
 All transactions plus 5 $\frac{1}{2}$ % surcharge, less 2 $\frac{1}{2}$ % discount for payment by end of month following month of delivery. (See note).

REINFORCED CONCRETE PIPES

(Schedule No. 136)

Item No.	Description	Country of Manufre	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
Pipes, reinforced concrete, to specification—								
4280	9" diameter x 4' or 6' long, as ordered, butt joints	Vict.	2,000 ft.	foot	£	2	5½	Hume Pipe Co. (Aust.) Ltd.
4280A	9" diameter x 6' long, butt joints	"		"	£	2	5½	The Reinforced Concrete & Monier Pipe Construction Co. Pty. Ltd.
4280B	9" diameter x 4' or 6' long, as ordered, butt joints	"		"	£	2	5½	Rocla Ltd.
4281	9" diameter x 4' or 6' long, as ordered, spigot and socket joints	"	2,000 "	"	£	2	6½	Hume Pipe Co. (Aust.) Ltd.
4281A	9" diameter x 6' long, spigot and socket joints	"		"	£	2	6½	The Reinforced Concrete & Monier Pipe Construction Co. Pty. Ltd.
4281B	9" diameter x 4' or 6' long, as ordered, spigot and socket joints	"		"	£	2	6½	Rocla Ltd.
4282	12" diameter x 4' or 6' long, as ordered, butt joints	"	2,000 "	"	£	3	2½	Hume Pipe Co. (Aust.) Ltd.
4282A	" " " "	"		"	£	3	2½	The Reinforced Concrete & Monier Pipe Construction Co. Pty. Ltd.
4282B	12" diameter x 4' or 8' long, as ordered, butt joints	"		"	£	3	2½	Rocla Ltd.
4282C	12" diameter x 4' long, butt joints ...	"	1,500 "	"	0	3	8	Benalla Concrete Works
4283	12" diameter x 4', 6' or 8' long, as ordered, spigot and socket joints	"		"	£	3	5	Hume Pipe Co. (Aust.) Ltd.
4283A	12" diameter x 6' long, spigot and socket joints	"		"	£	3	5	The Reinforced Concrete & Monier Pipe Construction Co. Pty. Ltd.
4283B	12" diameter x 4' or 8' long, as ordered, spigot and socket joints	"	3,000 "	"	£	3	5	Rocla Ltd.
4284	15" diameter x 4', 6' or 8' long, as ordered, butt or interlocking joints, as ordered	"		"	£	4	4½	Hume Pipe Co. (Aust.) Ltd.
4284A	15" diameter x 4' or 8' long, as ordered, butt or interlocking joints, as ordered	"		"	£	4	4½	The Reinforced Concrete & Monier Pipe Construction Co. Pty. Ltd.
4284B	15" diameter x 4' or 8' long, as ordered, butt or interlocking joints, as ordered	"	500 "	"	£	4	4½	Rocla Ltd.
4284C	15" diameter x 4' long, butt joints ...	"		"	0	4	10½	Benalla Concrete Works
4285	15" diameter x 4' or 8' long, as ordered, spigot and socket joints	"		"	£	4	8½	Hume Pipe Co. (Aust.) Ltd.
4285A	" " " "	"	"	£	4	8½	The Reinforced Concrete & Monier Pipe Construction Co. Pty. Ltd.	
4285B	" " " "	"	"	£	4	8½	Rocla Ltd.	

‡ Rates plus 5%.

REINFORCED CONCRETE PIPES.—continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
Pipes, reinforced concrete, to specification—continued—						
4286	18" diameter x 4', 6' or 8' long, as ordered, butt or interlocking joints, as ordered	Vict.	4,000 ft.	foot	£0 5 3½	Hume Pipe Co. (Aust.) Ltd.
4286A	18" diameter x 4' or 8' long, as ordered, butt or interlocking joints, as ordered,	"		"	£0 5 3½	The Reinforced Concrete & Monier Pipe Construction Co. Pty. Ltd.
4286B	18" diameter x 4' or 8' long, as ordered, butt or interlocking joints, as ordered	"		"	£0 5 3½	Rocla Ltd.
4286C	18" diameter x 4' long, butt joints ...	"		"	0 5 11½	Benalla Concrete Works
4287	18" diameter x 4' long, spigot and socket joints	"	50 "	"	£0 5 8	Hume Pipe Co. (Aust.) Ltd.
4287A	" " " "	"		"	£0 5 8	The Reinforced Concrete & Monier Pipe Construction Co. Pty. Ltd.
4287B	18" diameter x 4' or 8' long, as ordered, spigot and socket joints	"		"	£0 5 8	Rocla Ltd.
4288	21" diameter x 4' or 8' long, as ordered, butt or interlocking joints, as ordered	"	1,500 "	"	£0 7 0½	Hume Pipe Co. (Aust.) Ltd.
4288A	" " " "	"		"	£0 7 0½	The Reinforced Concrete & Monier Pipe Construction Co. Pty. Ltd.
4288B	" " " "	"		"	£0 7 0½	Rocla Ltd.
4288C	21" diameter x 4' long, butt joints ...	"		"	0 8 2½	Benalla Concrete Works
4289	21" diameter x 4' long, spigot and socket joints	"	20 "	"	£0 7 6½	Hume Pipe Co. (Aust.) Ltd.
4289A	" " " "	"		"	£0 7 6½	The Reinforced Concrete & Monier Pipe Construction Co. Pty. Ltd.
4289B	21" diameter x 4' or 8' long, as ordered, spigot and socket joints	"		"	£0 7 6½	Rocla Ltd.
4290	24" diameter x 4', 6' or 8' long, as ordered, butt or interlocking joints, as ordered (see note)	"	6,000 "	"	£0 8 6	Hume Pipe Co. (Aust.) Ltd.
4291	27" diameter x 4' or 8' long, as ordered, butt or interlocking joints, as ordered (see note)	"	2,500 "	"	£0 11 3	
4292	30" diameter x 4' or 8' long, as ordered, butt or interlocking joints, as ordered (see note)	"	3,000 "	"	£0 12 7½	
4293	36" diameter x 4' or 8' long, as ordered, butt or interlocking joints, as ordered (see note)	"	1,500 "	"	£0 17 0	
4294	42" diameter x 4' or 8' long, as ordered, butt or interlocking joints, as ordered (see note)	"	750 "	"	£1 0 7	
4295	48" diameter x 4' or 8' long, as ordered, butt or interlocking joints, as ordered (see note)	"	500 "	"	£1 5 11½	

⌘ Rates plus 5%.

STONEWARE PIPES AND FITTINGS

(Schedule No. 137)

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
4300	Salt glazed vitrified stoneware, to specification— (M) Basins, gully, No. 22	Vict.	10	each	£0	9	9	The Hoffman Brick & Potteries Ltd.
4301	Bends— 4"	"	150	"	£0	1	8	Martin Stoneware Pipe Ltd.
4301A	4"	"		"	£0	1	8	Bendigo Pottery Pty. Ltd.
4301B	4"	"		"	£0	1	8	
4302	(M) 4"	"		400	"	£0	3	7
4303	6"	"	50	"	£0	3	2	Martin Stoneware Pipe Ltd.
4303A	6"	"		"	£0	3	2	Bendigo Pottery Pty. Ltd.
4303B	6"	"		"	£0	3	2	
4304	(M) 6"	"	6	"	£0	7	3	The Hoffman Brick & Potteries Ltd.
4305	9"	"	15	"	£0	6	6	Martin Stoneware Pipe Ltd.
4305A	9"	"		"	£0	6	6	Bendigo Pottery Pty. Ltd.
4305B	9"	"		"	£0	6	6	
4306	Discs— 4"	"	300	"	£0	0	4	The Hoffman Brick & Potteries Ltd.
4306A	4"	"		"	£0	0	4	Martin Stoneware Pipe Ltd.
4306B	4"	"		"	£0	0	4	
4307	6"	"		200	"	£0	0	7
4307A	6"	"	"		£0	0	7	Martin Stoneware Pipe Ltd.
4307B	6"	"	"		£0	0	7	
4308	Elbows— 4"	"	5		"	£0	1	9
4308A	4"	"		"	£0	1	9	Martin Stoneware Pipe Ltd.
4308B	4"	"		"	£0	1	9	
4309	(M) Inlets, level, double, 4", No. 10	"		4	"	£0	13	6
4310	(M) " " single, 4", No. 8 Junctions, single, square, oblique, 45 deg. or 60 deg., as ordered—	"	10	"	£0	7	6	
4311	4" x 4"	"	100	"	£0	2	2	Martin Stoneware Pipe Ltd.
4311A	4" x 4"	"		"	£0	2	2	Bendigo Pottery Pty. Ltd.
4311B	4" x 4"	"		"	£0	2	2	
4312	(M) 4" x 4"	"	500	"	£0	3	8	The Hoffman Brick & Potteries Ltd.
4313	6" x 4"	"	30	"	£0	4	2	Martin Stoneware Pipe Ltd.
4313A	6" x 4"	"		"	£0	4	2	Bendigo Pottery Pty. Ltd.
4313B	6" x 4"	"		"	£0	4	2	
4314	(M) 6" x 4"	"	20	"	£0	7	3	The Hoffman Brick & Potteries Ltd.
4315	6" x 6"	"	30	"	£0	4	2	Martin Stoneware Pipe Ltd.
4315A	6" x 6"	"		"	£0	4	2	Bendigo Pottery Pty. Ltd.

⌘ Rates plus 26.6% and items Nos. 4300, 4302, 4304, 4309, 4310, 4312 and 4314 plus a further 2% for testing.

STONEWARE PIPES AND FITTINGS—continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate		Name of Contractor
					£	s. d.	
	Salt glazed vitrified stoneware, to specification—continued—						
	Junctions, single, square, oblique, 45 deg. or 60 deg., as ordered—continued—						
4315B	6" x 6"	Vict.	50	each	£	4 2	The Hoffman Brick & Potteries Ltd.
4316	(M) 6" x 6"	"		"	£	7 3	
4317	9" x 4"	"	10	"	£	6 4	Martin Stoneware Pipe Ltd.
4317A	9" x 4"	"		"	£	6 4	
4318	9" x 6"	"	5	"	£	6 4	Martin Stoneware Pipe Ltd.
4318A	9" x 6"	"		"	£	6 4	
	Pipes, drain—						
4319	3" diameter x 2' in length	"	10,000 ft.	foot	£	0 7	Bendigo Pottery Pty. Ltd.
4319A	3" " x 2' "	"		"	£	0 7	The Hoffman Brick & Potteries Ltd.
4320	4" " x 2' "	"		"	£	0 7	Martin Stoneware Pipe Ltd.
4320A	4" " x 2' "	"		"	£	0 7	Bendigo Pottery Pty. Ltd.
4320B	4" " x 2' "	"	3000 "	"	£	0 7	The Hoffman Brick & Potteries Ltd.
4321	(M) 4" diameter x 2' in length	"		"	£	1 0	
4322	6" diameter x 2' in length	"	30,000 "	"	£	1 0	Martin Stoneware Pipe Ltd.
4322A	6" " x 2' "	"		"	£	1 0	Bendigo Pottery Pty. Ltd.
4322B	6" " x 2' "	"		"	£	1 0	
4323	(M) 6" diameter x 2' in length	"	1000 "	"	£	1 10	The Hoffman Brick & Potteries Ltd.
4324	9" diameter x 2' in length	"	4000 "	"	£	1 5	Martin Stoneware Pipe Ltd.
4324A	9" " x 3' "	"		"	£	1 5	Bendigo Pottery Pty. Ltd.
4324B	9" diameter x 2' or 3' in length, as ordered	"		"	£	1 5	
	Tops, adjustable, for yard gullies—						
4325	(M) No. 24, oval inlet	"	4	each	£	9 9	The Hoffman Brick & Potteries Ltd.
4326	(M) No. 25, round inlet	"	8	"	£	9 9	
	Tops, for boundary traps—						
4327	(M) 4" x 4", No. 27A	"	50	"	£	3 4	The Hoffman Brick & Potteries Ltd.
4328	(M) 6" x 4" or 6" x 6", as ordered, No. 26A	"	10	"	£	7 3	
4329	(M) Tops, for silt traps, with perforated buckets, No. 17	"	4	"	£	1 18 0	
4330	(M) Traps, boundary, 4", No. 15	"	6	"	£	9 9	
4331	(M) Traps, boundary, 6", No. 16	"	4	"	£	1 6 0	
4332	(M) Traps, disconnecter, 4", No. 13	"	100	"	£	7 6	
4333	(M) Traps, gully, No. 12	"	16	"	£	10 3	
†4334	Urinals and channels	"	50 sets	set	£	8 19 6	The Australian Tesselated Tile Co. Pty. Ltd.

‡ Rates plus 26.6% and items Nos. 4316, 4321, 4323 and 4325 to 4333 plus a further 2% for testing.

PLUMBERS' CAST IRON AND LEAD FITTINGS—continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
4389	Traps, silt, cast iron, 6", with 4" outlet, with bucket and round grating	Vict.	10	each	1 2 13 3	} John Danks & Son Pty. Ltd.
4390	Cones, lead, No. 8	"	300	doz.	0 5 7	
4391	" " No. 10	"	250	"	0 6 4	
4392	Pipe, lead, any size ordered	"	2 tons	cwt.	2 1 6	
	Traps, lead, solid drawn, with wiped trap screws—					
4393	P., 1½"	"	20	each	1 0 4 7	
4394	P., 2"	"	15	"	1 0 6 3	
4395	S., 2"	"	5	"	1 0 8 0	

* Item No. 4392—Plus 6½%.
 * { " " 4389—Less 10%, plus 7½%.
 * { " " 4393 to 4395—Less 30%, plus 6½%.

PLUMBERS' BRASS AND BRAZED METAL FITTINGS

(Schedule No. 141)

BRASSWARE.						
	Bends, brass, plain, any angle ordered, to specification—					
4400	(M) 1½"	Vict.	150	each	0 2 9	} Galliers & Klaerr Pty. Ltd.
4401	(M) 1½"	"	30	"	0 3 3	
4402	(M) 2"	"	150	"	0 4 1½	
	Bends, brass, with inspection opening, any angle ordered, to specification—					
4403	(M) 1½"	"	200	"	0 3 3	
4404	(M) 1½"	"	50	"	0 3 10½	
4405	(M) 2"	"	300	"	0 4 9½	
4407	Caps and Linings, brass, fullway, screwed tail piece, male, 2" with 2½" nut, to specification	Vict.	50	each	0 4 7	} Galliers & Klaerr Pty. Ltd.
	Caps and Linings, brass, with screwed tail pieces, to specification—					
4408	(M) 1½"	"	200	"	0 3 7	
4409	(M) 1½"	"	50	"	0 3 10	
4410	(M) 2"	"	400	"	0 4 7	
	Connections, brass, lead to iron, to specification—					
4411	(M) 1½"	"	5	"	0 5 5	
4412	(M) 1½"	"	5	"	0 6 1	
4413	(M) 2"	"	5	"	0 7 8	
	Directors, water, brass, with nozzle only—					
4414	½"	"	40	"	0 2 8	} John Danks & Son Pty. Ltd.
4415	1"	"	20	"	0 5 0	
*4416	Elbows, brass, 1", brass thread, to specification	"	50	"	0 2 6	
*4417	(M) Fittings, brass, complete, to specification, including rubber plugs, for 2-compartment wash troughs	"	120 sets	set	0 15 2	J. W. Kennedy & Sons

PLUMBERS' BRASS AND BRAZED METAL FITTINGS—continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
BRASSWARE—continued.						
Junctions, brass, plain, any angle ordered, to specification—						
4418	(M) 1½" x 1½", 45° ...	Vict.	15	each	0 5 1	} Galliers & Klaerr Pty. Ltd.
4418A	" " " 75/90° ...	"		"	"	
4419	(M) 1½" x 1½", 45° ...	"	5	"	0 5 2	
4419A	" " " 75/90° ...	"		"	"	
4420	(M) 1½" x 1½", 45° ...	"	10	"	0 5 5	
4420A	" " " 75/90° ...	"		"	"	
4421	(M) 2" x 1½", 45° ...	"	5	"	0 6 8	
4421A	" " " 75/90° ...	"		"	"	
4422	(M) 2" x 2", 45° ...	"	5	"	0 7 2	
4422A	" " " 75/90° ...	"		"	"	
Junctions, brass, with inspection opening, any angle ordered, to specification—						
4423	(M) 1½" x 1½", 45° ...	"	30	each	0 6 0	} Galliers & Klaerr Pty. Ltd.
4423A	" " " 75/90° ...	"		"	"	
4424	(M) 1½" x 1½", 45° ...	"	5	"	0 6 7	
4424A	" " " 75/90° ...	"		"	"	
4425	(M) 2" x 2", 45° ...	"	15	"	0 8 10	
4425A	" " " 75/90° ...	"		"	"	
Junctions, brass, plain, 45/90°, to specification—						
4426	(M) 1½" x 1½"	Nil	
4427	(M) 1½" x 1½" ...	Vict.	5	each	0 8 3	} Galliers & Klaerr Pty. Ltd.
4428	(M) 2" x 1½" ...	"	25	"	0 10 3	
4429	(M) 2" x 1½"	Nil	
4430	(M) 2" x 2"	Nil	
Nipples, brass, brass or iron thread, as ordered, to specification—						
4431	½", plain ...	Vict.	50	each	0 0 6	} John Danks & Son Pty. Ltd.
4432	½", hexagon ...	"	200	"	0 0 9	
4433	¾", plain ...	"	20	"	0 0 7½	
4434	¾", hexagon ...	"	120	"	0 0 11	
4435	Nuts, brass, range cock, ¾" ...	"	50	"	0 0 6	
Nuts, Rings and Tails, brass, in sets—						
4436	½" ...	"	100 sets	doz. sets	1 4 2	
4437	¾" ...	"	50 "	"	1 8 8	
4438	1" ...	"	100 "	set	0 3 6	

PLUMBERS' BRASS AND BRAZED METAL FITTINGS—continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
BRASSWARE—continued.						
4441	Rings, hose, brass, for bib cocks— ½"	Vict.	20	dozen	0 10 3	} John Danks & Son Pty. Ltd.
4442	1"	"	150	"	0 15 0	
*4443	Screws, trap, brass, complete with ring and leather washer, to drawing No. 208—40 and specification	"	200 doz.	"	0 18 0	
*4446	Tees, brass, 1", brass thread, to specification	Vict.	5	each	0 2 6	} John Danks & Son Pty. Ltd.
*4447	Tees, brass, reducing, 1" brass x 1" brass x 1" gas thread, to specification	"	20	"	0 3 0	
Traps, P, brass, with brass trap screw, to specification—						
4448	(M) 1½"	Vict.	100	each	0 6 2	} Galliers & Klaerr Pty. Ltd.
4449	(M) 1½"	"	40	"	0 6 6	
4450	(M) 2"	"	350	"	0 9 11½	
Unions, barrel, brass, female, conical ground-in joint, to specification—						
4451	⅜", iron thread	"	10	"	0 1 5	} John Danks & Son Pty. Ltd.
4452	½" " "	"	50	"	0 1 8	
4453	¾" " "	"	20	"	0 2 0	
Unions, hose, brass, Metropolitan Fire Brigade Standard, to blue print No. 205/09—						
4454	Female part only	"	200	"	0 12 6	} John Danks & Son Pty. Ltd.
4455	Male part only	"	150	"	0 11 6	

PLUMBERS' COPPER TUBING AND FITTINGS

(Schedule No. 142)

Tubing, copper, suitable for compression couplings, in trade lengths of 16' to 19', to specification—							
4480	(M) ½" outside diameter x 18 s.w.g.	N.S.W.	336 lbs.	lb.	s. d. 2 6-99	} Stewarts & Lloyds (Aust.) Pty. Ltd.	
4481	(M) ¾" " " x 18 " "	"	560 "	"	2 5-33		
4482	(M) 1" " " x 18 " "	"	448 "	"	2 4-95		
4483	(M) 1¼" " " x 16 " "	"	112 "	"	2 3-89		
4484	(M) 1½" " " x 16 " "	"	112 "	"	2 3-37		
4485	(M) 2" " " x 16 " "	"	56 "	"	2 3-32		
Tubing, copper, suitable for screwed connections, in trade lengths of 16' to 19', to specification—							
4486	(M) ⅝" outside diameter x 13 s.w.g.	"	56 "	"	2 3-19		
4487	(M) 1½" " " x 13 " "	"	112 "	"	2 2-45		
4488	(M) 1⅝" " " x 12 " "	"	112 "	"	2 2-1		
4489	(M) 1¾" " " x 12 " "	"	56 "	"	2 1-83		
4490	(M) 1⅞" " " x 12 " "	"	112 "	"	2 1-84		
4491	(M) 2⅞" " " x 11 " "	"	112 "	"	2 1-81		

PLUMBERS' COPPER TUBING AND FITTINGS—continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
	Bends, copper alloy, male and female, or female and female, as ordered, to specification—				£ s. d.	
4492	(M) ½"	Vict.	40	doz.	£1 0 3	John Danks & Son Pty. Ltd.
4493	(M) ¾"	"	200	"	£1 8 6	
4494	(M) 1"	"	200	"	£2 2 0	
4495	Connections, basin, copper, ½" x 12" long, "Eise"	"	100	"	2 7 3	Stewarts & Lloyds (Aust.) Pty. Ltd.
	Elbows, double union, compression, plain or reducing, as ordered, to specification—(see note)—					
4496	(M) ½" copper	"	40	each	0 4 9½	Galliers & Klaerr Pty. Ltd.
4497	(M) ¾" "	"	100	"	0 5 10	
4498	(M) 1" "	"	40	"	0 8 8½	
4499	(M) 1¼" "	"	10	"	0 11 1½	
4500	(M) 1½" "	"	15	"	0 14 5	
4501	(M) 2" "	"	5	"	1 2 4	
	Elbows, single union, compression, male or female, as ordered, plain or reducing, as ordered, to specification—(see note)—					
4502	(M) ½" iron x ½" copper	Vict.	10	each	0 4 0	Galliers & Klaerr Pty. Ltd.
4503	(M) ¾" " x ¾" "	"	20	"	0 4 8½	
	Tees, treble union, compression, plain or reducing, as ordered, to specification—(see note)—					
4509	(M) ½" copper	Vict.	10	each	0 6 8	Galliers & Klaerr Pty. Ltd.
4510	(M) ¾" "	"	50	"	0 7 5½	
4511	(M) 1" "	"	35	"	0 10 4	
4512	(M) 1¼" "	"	10	"	0 13 7	
4513	(M) 1½" "	"	10	"	0 19 6½	
4514	(M) 2" "	"	14	"	1 2 0	
	Unions, double, compression, plain or reducing, as ordered, to specification—(see note)—					
4515	(M) ½" copper x ½" copper	"	10	"	0 3 5½	Galliers & Klaerr Pty. Ltd.
4516	(M) ¾" " x ¾" "	"	40	"	0 4 2	
4517	(M) 1" " x 1" "	"	20	"	0 5 5	
4518	(M) 1¼" " x 1¼" "	"	10	"	0 9 2	
4519	(M) 1½" " x 1½" "	"	4	"	0 10 9	
4520	(M) 2" " x 2" "	"	4	"	0 15 7	

‡ Rates plus 6¼%, plus 1/5 per doz., for testing.

PLUMBERS' COPPER TUBING AND FITTINGS—continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
	Unions, single, compression, male or female, as ordered, plain or reducing, as ordered, to specification—(see note)—							
4521	(M) ½" iron x ½" copper	Vict.	10	each	0	3	11	} Galliers & Klaerr Pty. Ltd.
4522	(M) ¾" " x ¾" "	"	45	"	0	4	10½	
4523	(M) 1" " x 1" "	"	50	"	0	6	2½	
4524	(M) 1¼" " x 1¼" "	"	10	"	0	8	11	
4525	(M) 1½" " x 1½" "	"	10	"	0	12	4	
4526	(M) 2" " x 2" "	"	4	"	0	16	4	

COCKS, VALVES, ETC.

(Schedule No. 143)

4540	(M) Cocks, ball, brass, automatic, ½", to specification	Vict.	15	each	1	3	0	} Shanks & Co. Pty. Ltd.
4541	Cocks, ball, brass, high pressure, complete with ball, to specification— (M) ½", long lever	"	150	"	0	10	10	
4543	Cocks, ball, brass, Lambert's pattern, to specification— 2"	Vict.	10	each	£3	18	9	} John Danks & Son Pty. Ltd.
4544	3"	"	15	"	£6	15	0	

‡ Items Nos. 4543 and 4544—Plus 6½%.

COCKS, VALVES, ETC.—continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
†4545	Cocks, bib or stop, as ordered, bonneted, brass, chromium-plated, high pressure, labelled "red" or "green", as ordered, for iron, to specification— (M) ½"	Vict.	750	each	0 7 6	John Danks & Son Pty. Ltd.
4547	Cocks, brass, high pressure, to specification— (M) ½", bib or stop, as ordered	Vict.	750	doz.	1 19 9	
4548	(M) ¾", bib	"	400	"	3 12 0	John Danks & Son Pty. Ltd.
4549	(M) ¾", stop	"	350	"	3 3 0	
4550	(M) 1", bib	"	200	"	6 11 3	
4551	(M) 1", stop	"	40	"	4 19 0	
4552	Cocks, fullway gate valve, brass, high pressure, to specification— (M) ½", "John" Fig. 59M	"	50	each	0 8 0	Hardware Co. of Aust. Pty. Ltd.
4553	(M) ¾", " " " "	"	4	"	0 9 9	
4554	(M) 1", " " " 54M	"	100	"	0 11 8	H. A. Barnard Pty. Ltd.
4555	(M) 1½", " " " 59M	"	15	"	0 15 8½	Hardware Co. of Aust. Pty. Ltd.
4556	(M) 1½", " " " "	"	40	"	0 19 0½	
4557	(M) 2", " " " "	"	80	"	1 5 0	
4558	(M) 3", " " " "	"	30	"	3 3 0	Stewarts & Lloyds (Aust.) Pty. Ltd.
†4559	Cocks, gas main, brass, male and female— ½", tee head, "Scott Bonnar"	S. Aust.	400	"	0 2 6	H. A. Barnard Pty. Ltd.
4560	½", " " " " "	"	120	doz.	1 11 6	Stewarts & Lloyds (Aust.) Pty. Ltd.
†4561	¾", " " " " (medium)	"	75	"	1 19 6	
4562	1", " " " " "	"	20	"	2 7 0	
†4563	2", diamond head, without keys	Vict.	15	each	1 9 3	John Danks & Son Pty. Ltd.
4564	Cocks, mill, brass, to specification— (M) "A" design, to blue print No. 260/33	"	10	"	4 3 9	Davies, Shephard Pty. Ltd.
4565	(M) "B" design, to blue print No. 1090/08	"	20	"	4 9 6	
4566	(M) "C" design, to blue print No. 1090/08	"	30	"	4 9 6	
†4567	(M) Cocks, pillar, bonneted, brass, chromium-plated, ½", high pressure, complete with nuts and tails, labelled "red" or "green", as ordered, to specification	"	300	"	0 10 8	John Danks & Son Pty. Ltd.
†4568	Cocks, plug, steam, brass, diamond head, without handles, female, ¾", "John Fig. 3A"	"	25	"	0 8 1	Stewarts & Lloyds (Aust.) Pty. Ltd.
†4569	Cocks, range, brass, with brass keys and nuts, ½", "Scott Bonnar"	S. Aust.	50	"	0 3 4	H. A. Barnard Pty Ltd.
†4570	Cocks, range, brass, with brass keys, without nuts, ¾", "Scott Bonnar"	"	600	doz.	1 14 3	Stewarts & Lloyds (Aust.) Pty. Ltd.

* { Items Nos. 4545, 4547, 4548 and 4550.—Plus 4¼%, plus 1/11 per doz., for testing.
 " " 4549 and 4551.—Plus 4¼%, plus 1/8 per doz., for testing.
 " " 4563.—Plus 4¼%.
 " " 4567.—Plus 4¼%, plus 9d. per doz., for testing.

† { Item No. 4558.—Plus 8%, less 2½%, plus 8d. each for testing.
 " " 4568.—Plus 8%, less 2½%.

COCKS, VALVES, ETC.—continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
4573	(M) Cocks, stop, brass, with unions, high pressure, $\frac{1}{2}$ " , to specification	Vict.	120	each	0	6	6	John Danks & Son Pty. Ltd.
†4574	Cocks, tank, brass, non-leak type, $\frac{3}{4}$ " ...	"	80	doz.	2	9	6	
4578	Valves, retention, cast iron, spigot and socket or flanged ends, as ordered, 4", M.M.B.W. standard	Vict.	5	each	6	8	0	John Danks & Son Pty. Ltd.
Valves, sluice, cast iron, to specification—								
4579	(M) 3" ...	"	10	"	4	3	6	John Danks & Son Pty. Ltd.
4580	(M) 4" ...	"	20	"	5	9	0	
4581	(M) 6" ...	"	5	"	9	0	0	
Valves, steam, brass, "Jenkin's" renewal disc type, "Rosbin"—								
4582	$\frac{1}{2}$ " ...	"	10	"	0	8	6	John Danks & Son Pty. Ltd.
4583	$\frac{3}{4}$ " ...	"	20	"	0	11	0	
4584	1" ...	"	10	"	0	13	0	
Valves, steam, brass, with nickel alloy seats and valves, "Rosbin" type, gas thread, tested to 200 lbs. per square inch—								
4585	$\frac{1}{2}$ " ...	"	300	"	0	12	9	Ross Robbins Pty. Ltd.
4586	$\frac{3}{4}$ " ...	"	200	"	0	17	9	
4587	1" ...	"	100	"	1	1	0	
4588	1 $\frac{1}{2}$ " ...	"	40	"	1	14	9	
4589	2" ...	"	50	"	2	17	9	
Washers, fink, for bib cocks, hot water—								
4590	$\frac{1}{2}$ " ...	"	100 doz.	doz.	0	0	6 $\frac{1}{2}$	John Danks & Son Pty. Ltd.
4591	$\frac{3}{4}$ " ...	"	40 "	"	0	0	9	

† { Item No. 4573.—Plus 4 $\frac{1}{4}$ %, plus 1/8 per doz., for testing.
 " " 4574.—Plus 4 $\frac{1}{4}$ %.
 Items Nos. 4578 to 4589.—Plus 12 $\frac{1}{2}$ %.

GALVANISED IRONWARE AND TINWARE

(Schedule No. 144)

*4601	Buckets, galvanised iron, to specification— 12" ...	Vict.	1500	each	0	7	3 $\frac{3}{4}$	A. G. Way & Co. Pty. Ltd.	
*4602	14" ...	"	40	"	0	10	8 $\frac{1}{4}$		
4604	Cowls, educt, galvanised iron, 22g, 4", to specification	Vict.	30	each	0	2	9	W. E. Cash	
*†4605	Lugs, bucket, small, mild steel, tinned, not less than 17 gauge finished thickness	"	200 doz.	doz.	0	1	3 $\frac{1}{2}$	A. G. Way & Co. Pty. Ltd.	
Pans, closet, galvanised iron, to specification, (see note)—									
*4606	Oval ...	"	200	each	0	11	9		
*4607	Round ...	"	500	"	0	11	0		

GALVANISED IRONWARE AND TINWARE—continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate f s. d.	Name of Contractor
	Pipe, down, galvanised iron, 24g, in 6' lengths, to specification—					
4608	2"	Vict.	900 lgths.	lgth.	0 2 3½	} W. E. Cash
4609	2½"	"	1800 "	"	0 2 5½	
4610	3"	"	1800 "	"	0 2 10	
4611	4"	"	600 "	"	0 3 5	
4612	Pipes, flush, galvanised iron, 1½", any projections ordered, M.M.B.W. standard, to specification	"	100	each	0 5 5	
	Pipes, vent, galvanised iron, 20g, in 6' lengths, to specification—					
4613	(M) 3"	"	180 lgths.	lgth.	0 7 3	
4614	(M) 4"	"	200 "	"	0 8 8	
	Strainers, vent, galvanised iron, to specification—					
4615	1½"	"	50	each	0 0 9	
4616	2"	"	50	"	0 0 9	

IRONMONGERY—TOOLS, ETC.

(Schedule No. 145)

†4643	Blade, scythe— Unbreakable point, 30", "Tyzack"	U.K.	50	each	0 10 11	} McPherson's Ltd.
†4644	Braces, carpenters', ratchet, 12", "Tough"	West Aust.	120	"	1 5 8	
	Feeders, oil, spring, solid steel, fixed spout—					
† { 4652	½ pint, "Rega No. 07"	N.S.W.	300	each	0 2 8	} McPherson's Ltd.
4653	1 " " "Rega No. 09"	"	120	"	0 3 11	
†4654	Frames, hack saw, adjustable, pistol grip, "Acorn"	"	350	"	0 6 2	
†4655	Hammers, claw, carbon tool steel, 1½ lb., handled, "Miller"	Vict.	500	"	0 8 2½	
	Hammers, engineers, carbon tool steel, (heads only), "Miller Cyclone"—					
† { 4656	1½-lb.	Vict.	750	"	0 4 10	} McPherson's Ltd.
4657	2-lb.	"	1500	"	0 5 9	
†4658	Hammers, sledge, double faced, (heads only), 10-lb., "Hyttest"	N.S.W.	350	"	0 10 11½	
	Irons, soldering, forged, handled "Trojan"— (see note)—					
† { 4659	½-lb. (approx.)	Vict.	100	dozen	1 7 0	} Scott & Son Pty. Ltd.
4660	2-lb. "	"	100	"	3 14 3	
4661	2½-lb. "	"	50	"	4 11 3	
†4662	Knives, shoemakers', "Diamond"	"	300	each	0 1 2	McPherson's Ltd.

SPANNERS AND WRENCHES—continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
†4744	Spanners, set, double ended, steel, drop forged— 3/8" x 1/2" "Equip"	Vict.	1200	each	0	1	11 1/2	} McPherson's Ltd.
4745	1/2" x 5/8" "Gregory"	"	600	"	0	3	3	
4746	1/2" x 5/8" " "	"	50	"	0	3	3	
4747	5/8" x 3/4" " "	"	600	"	0	6	9	
4748	3/4" x 7/8" " "	"	100	"	0	7	5	
4749	Spanners, set, single ended, steel, drop forged— 1/2", "Equip"	"	300	"	0	1	5	
4750	5/16" " "	"	50	"	0	1	8	
4751	3/8" " "	"	600	"	0	2	0	
4752	1/2" " "	"	300	"	0	2	8	
4753	5/8", "Gregory"	"	300	"	0	3	5	
4754	3/4" " "	"	500	"	0	3	11 1/2	
4755	7/8" " "	"	400	"	0	6	4	
4756	1" " "	"	250	"	0	7	5	
4757	1 1/8" " "	"	100	"	0	10	5	
4758	1 1/4" " "	"	100	"	0	14	3	
4759	1 3/8" " "	"	20	"	0	17	6	
4760	1 1/2" " "	"	10	"	1	10	0	
†4761	1 3/4" " "	"	Nil	"	"	"	"	
4764	Wrenches, Stillson's type, "Fairfax"— 14"	N.S.W.	500	each	0	18	6	
4765	18"	"	200	"	1	0	10	

TWIST DRILLS

(Schedule No. 147)

Drills, twist, high speed, straight shank, to specification, any size, letter or number on price list, as ordered, "P. & N."—		Country	Price	Rate	Discount	Net Price
Item No.	Description					
4774	Long series	Vict.	£10	...	Less 31 1/2%	} McPherson's Ltd.
4775	Jobbers' series	"	£750	...	Less 31 1/2%	
4776	Letter gauge series	"	£50	...	Less 31 1/2%	
4777	Wire gauge short series	"	£200	...	Less 31 1/2%	

TWIST DRILLS—continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor			
4778	Drills, twist, high speed, taper shank, to specification "P. & N."—	Vict.	75	each	†0 3 9	} McPherson's Ltd.			
4779							1/8"	50	†0 3 9
4780							3/32"	25	†0 3 9
4781							7/64"	£2500	List Price Less 31 1/4%
	Any size on price list, as ordered	„							

† Rates less 31 1/4%.

PRICE LISTS.

Item No. 4774—Drills, twist, high speed, straight shank, long series, "P. & N."

Diameter	Rate each	Diameter	Rate each	Diameter	Rate each	Diameter	Rate each
1/8"	2/3	23/64"	6/-	37/64"	9/-	51/64"	18/-
9/64"	2/3	3/8"	6/-	19/32"	11/3	13/16"	18/-
5/32"	2/3	25/64"	6/9	39/64"	11/3	53/64"	21/-
11/64"	2/3	13/32"	6/9	5/8"	11/3	27/32"	21/-
3/16"	3/-	27/64"	7/6	41/64"	13/6	55/64"	21/-
13/64"	3/-	7/16"	7/6	21/32"	13/6	7/8"	21/-
7/32"	3/-	29/64"	7/6	43/64"	13/6	57/64"	24/-
15/64"	3/-	15/32"	7/6	11/16"	13/6	29/32"	24/-
1/4"	3/9	31/64"	8/3	45/64"	15/9	59/64"	24/-
17/64"	3/9	1/2"	8/3	23/32"	15/9	15/16"	24/-
9/32"	3/9	33/64"	9/-	47/64"	15/9	61/64"	27/-
19/64"	3/9	17/32"	9/-	3/4"	15/9	31/32"	27/-
5/16"	4/11	35/64"	9/-	49/64"	18/-	63/64"	27/-
21/64"	4/11	9/16"	9/-	25/32"	18/-	1"	27/-
11/32"	4/11						

Item No. 4775—Drills, twist, high speed, straight shank, jobbers' series, "P. & N."

Diameter.	Rate per doz.	Diameter.	Rate per doz.	Diameter.	Rate per doz.	Diameter.	Rate per doz.
3/64"	9/9	11/64"	13/6	19/64"	27/-	13/32"	45/-
1/16"	9/9	3/16"	15/-	5/16"	29/3	27/64"	48/-
5/64"	9/9	13/64"	15/9	21/64"	31/6	7/16"	48/-
3/32"	10/6	7/32"	16/6	11/32"	33/9	29/64"	50/3
7/64"	10/6	15/64"	18/9	23/64"	39/-	15/32"	52/6
1/8"	11/3	1/4"	20/3	3/8"	40/6	31/64"	59/3
9/64"	12/-	17/64"	21/9	25/64"	42/9	1/2"	67/6
5/32"	12/9	9/32"	24/-				

Item No. 4776—Drills, twist, high speed, straight shank, letter gauge series, "P. & N."

Letter.	Rate per doz.	Letter.	Rate per doz.	Letter.	Rate per doz.	Letter.	Rate per doz.
A	19/6	H	21/9	O	29/3	U	37/6
B	19/6	I	21/9	P	29/3	V	39/9
C	19/6	J	24/-	Q	31/6	W	42/-
D	20/3	K	24/-	R	31/6	X	44/3
E	20/3	L	26/3	S	33/9	Y	46/6
F	20/3	M	26/3	T	35/3	Z	48/-
G	21/9	N	29/3				

NOTE—Rates for one only, where dozen rates are shown, are to be taken to nearest penny above. Example:—11/2 per dozen = 1/- each.

TWIST DRILLS—continued.

PRICE LISTS—continued.

Item No. 4777—Drills, twist, high speed, straight shank, wire gauge short series, "P. & N."

No. of Gauge.	Rate per doz.	No. of Gauge.	Rate per doz.	No. of Gauge.	Rate per doz.	No. of Gauge.	Rate per doz.	No. of Gauge.	Rate per doz.
1	16/6	14	15/-	27	12/-	40	10/6	53	9/9
2	16/6	15	15/-	28	12/-	41	10/6	54	9/9
3	16/6	16	15/-	29	12/-	42	10/6	55	9/9
4	16/6	17	13/6	30	11/3	43	9/9	56	9/9
5	16/6	18	13/6	31	11/3	44	9/9	57	9/9
6	16/6	19	13/6	32	11/3	45	9/9	58	9/9
7	15/9	20	13/6	33	10/6	46	9/9	59	9/9
8	15/9	21	13/6	34	10/6	47	9/9	60	9/9
9	15/9	22	12/9	35	10/6	48	9/9		
10	15/9	23	12/9	36	10/6	49	9/9		
11	15/9	24	12/-	37	10/6	50	9/9		
12	15/-	25	12/-	38	10/6	51	9/9		
13	15/-	26	12/-	39	10/6	52	9/9		

Item No. 4781—Drills, twist, high speed, taper shank, "P. & N."

Diameter.	Rate each.	Diameter.	Rate each.	Diameter.	Rate each.	Diameter.	Rate each.
1/8"	3/9	33/64"	8/3	57/64"	22/6	1-17/64"	53/6
9/64"	3/9	17/32"	8/3	29/32"	22/6	1-9/32"	53/6
5/32"	3/9	35/64"	8/3	59/64"	22/6	1-19/64"	53/6
11/64"	3/9	9/16"	9/-	15/16"	22/6	1-5/16"	53/6
3/16"	3/9	37/64"	9/-	61/64"	25/6	1-21/64"	61/9
13/64"	3/9	19/32"	11/3	31/32"	25/6	1-11/32"	61/9
7/32"	3/9	39/64"	11/3	63/64"	25/6	1-23/64"	61/9
15/64"	3/9	5/8"	11/3	1"	25/6	1-3/8"	61/9
1/4"	4/6	41/64"	12/-	1-1/64"	31/3	1-25/64"	71/9
17/64"	4/6	21/32"	12/-	1-1/32"	31/3	1-13/32"	71/9
9/32"	4/6	43/64"	12/-	1-3/64"	33/-	1-27/64"	71/9
19/64"	4/6	11/16"	12/-	1-1/16"	33/-	1-7/16"	71/9
5/16"	4/11	45/64"	14/3	1-5/64"	37/-	1-29/64"	79/3
21/64"	4/11	23/32"	14/3	1-3/32"	37/-	1-15/32"	79/3
11/32"	4/11	47/64"	14/3	1-7/64"	37/-	1-31/64"	79/3
23/64"	5/3	3/4"	14/3	1-1/8"	37/-	1-1/2"	79/3
3/8"	5/3	49/64"	16/6	1-9/64"	41/3	1-9/16"	87/6
25/64"	5/8	25/32"	16/6	1-5/32"	41/3	1-5/8"	99/-
13/32"	5/8	51/64"	16/6	1-11/64"	41/3	1-11/16"	107/3
27/64"	6/-	13/16"	16/6	1-3/16"	41/3	1-3/4"	111/3
7/16"	6/-	53/64"	19/6	1-13/64"	45/3	1-13/16"	119/6
29/64"	6/9	27/32"	19/6	1-7/32"	45/3	1-7/8"	127/9
15/32"	6/9	55/64"	19/6	1-15/64"	45/3	1-15/16"	140/-
31/64"	7/6	7/8"	19/6	1-1/4"	45/3	2"	152/6
1/2"	7/6						

NOTE—Rates for one only, where dozen rates are shown, are to be taken to nearest penny above. Example:—11/2 per dozen = 1/- each.

BUILDERS' IRONMONGERY

(Schedule No. 86)

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
*†4790	Bars, locking, iron, galvanised, 9", "R.B.D." No. 355	N.S.W.	150	doz.	1 3 8	John Sharp & Sons Pty. Ltd.
	Bolts, barrel, brass, "Rossda"—					
† { 4791	3"	"	300	each	0 0 9	} John Danks & Son Pty. Ltd.
4792	4"	"	100	"	0 0 11	
	Bolts, pad, iron, galvanised, padlock hole maximum $\frac{1}{2}$ ", bolt hook gap maximum width $\frac{1}{8}$ ", "Rossda"—					
† { 4794	6" x $\frac{1}{2}$ " diameter	N.S.W.	300	doz.	0 10 5	} John Danks & Son Pty. Ltd.
4795	10" x $\frac{3}{8}$ "	"	400	"	1 0 9	
4796	12" x $\frac{3}{8}$ "	"	450	"	1 5 4	
	Bolts, tower, iron, japanned, "Rossda"—					
† { 4797	3"	"	350	"	0 3 7	} John Danks & Son Pty. Ltd.
4798	4"	"	200	"	0 3 11	
† { 4799	6"	"	400	"	0 5 10	
4800	8"	"	100	"	0 8 1	
4801	10"	"	50	"	0 11 9	
4802	12"	"	30	"	0 15 7	
	Brackets, shelf, steel, japanned, "Rossda"—					
† { 4803	5" x 4", stayless pattern	N.S.W.	100	doz. prs.	0 4 2	} John Danks & Son Pty. Ltd.
4804	8" x 6"	"	200	"	0 8 5	
4805	10" x 8"	"	50	"	0 10 9	
4806	12" x 10"	"	100	"	0 18 2	
	Buttons, cupboard, iron, japanned, "Rossda"—					
† { 4807	1 $\frac{1}{2}$ "	"	700	doz.	0 0 9	} John Danks & Son Pty. Ltd.
4808	2"	"	200	"	0 0 11	
†4809	Catches, cupboard, "M.P."	Vict.	1500	"	0 9 9	
†4810	Catches, spring, for fly wire doors, Snappy pattern, "Perfect"	N.S.W.	300	"	0 15 5	John Sharp & Sons Pty. Ltd.
	Checks, door, liquid—					
†4813	Light, "Dux B"	Vict.	50	each	1 16 9	} John Danks & Son Pty. Ltd.
†4814	Heavy, "Dux C"	"	50	"	2 11 6	
†4815	Fasteners, sash, steel, oxidised, 2 $\frac{1}{2}$ ", "M.P."	"	60 doz.	doz.	0 5 1	
	Hasps and Staples, steel, japanned—					
† { 4816	3 $\frac{1}{4}$ ", "Osborne No. 920"	N.S.W.	150 sets	doz. sets	0 1 4	} John Sharp & Sons Pty. Ltd.
4817	4",	"	100 "	"	0 1 8	
4818	5",	"	300 "	"	0 2 7	
4819	6",	"	300 "	"	0 3 0	

BUILDERS' IRONMONGERY—continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
†4820	7", "Rosdda" ...	N.S.W.	100 sets	doz.	0	8	1	} John Danks & Son Pty. Ltd.
†4821	6" x ½", "Rosdda" ...	"	300 "	"	0	7	6	
†4824	Hooks, hat and coat, iron, oxidised, "Rosdda"	"	50 "	doz.	0	3	11	} John Danks & Son Pty. Ltd.
†4826	Latches, gate, surface, "McMillan" ...	Vict.	200	each	0	1	2	
†4827	Latches, thumb, Suffolk type, "Rosdda"	N.S.W.	100	"	0	1	5	} John Danks & Son Pty. Ltd.
†4828	Lifts, sash— Flush, brass, oxidised, 3½", "J.S." ...	Vict.	5 doz.	doz.	0	4	6	
†4829	Hook pattern, oxidised, "M.P. No. 144"	"	50 "	gross	0	12	6	} E. L. Yencken & Co. Pty. Ltd.
†4830	Ring pattern, brass	"	30 "	"	
†4831	Pulleys, axle, 1½", "R.B.D. No. 73"	N.S.W.	300 "	doz.	0	6	0	} E. L. Yencken & Co. Pty. Ltd.
†4832	Pulls, drawer, steel, oxidised, "Rosdda" ...	"	30 "	"	0	1	7	
†4838	Springs, door, spiral— 10", "Rosdda" ...	N.S.W.	150	each	0	0	11	} John Danks & Son Pty. Ltd.
†4839	11", "R.B.D." ...	"	120	doz.	0	14	8	
†4840	Springs, gate, tail, 2½"	Vict.	100	each	0	15	0	} Henderson's Federal Spring Works Ltd.
†4841	Staples, box, for rim locks, 6", right or left hand, as ordered	"	10 doz.	doz.	0	12	0	
†4842	Tracks, steel, for ball bearing sheaves ½" thick, for cupboard doors, in 10' lengths	"	100 lengths	100 ft.	0	14	11	} John Sharp & Sons Pty. Ltd.

‡ Plus 7½%

HINGES

(Schedule No. 149)

Hinges, back flap, steel, bright, "Rosdda"—									
†	4870	1½"	N.S.W.	20 pairs	dozen pairs	0	3	7	} John Danks & Son Pty. Ltd.
	4871	2"	"	50 "	"	0	4	7	
	4872	2½"	"	20 "	"	0	11	4½	
	4873	3"	"	400 "	"	1	0	10	
Hinges, butt, brass, "Rosdda"—									
†	4874	1"	"	20 "	"	0	5	2½	
	4875	1½"	"	200 "	"	0	6	2	
	4876	1½"	"	500 "	"	0	6	10	
	4877	2"	"	400 "	"	0	8	5	
	4878	2½"	"	300 "	"	0	12	0	
	4879	3"	"	600 "	"	0	18	2	
Hinges, butt, steel, "Rosdda"—									
†	4880	2"	"	1500 "	"	0	2	7	
	4881	2½"	"	900 "	"	0	2	11	
	4882	3"	"	500 "	"	0	4	3	
	4883	4"	"	500 "	"	0	9	1	

HINGES—continued.

Item No.	Description	Country of Manufacture	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
†4892	Hinges, spring, for fly wire doors, "Weldon"	Vict.	250 pairs	dozen pairs	0 8 0	John Danks & Son Pty. Ltd.
	Hinges, strap, straight, steel, bright, "Rossda"					
4893	4"	N.S.W.	400 "	"	0 6 6	
4894	6"	"	50 "	"	0 9 5	
† 4895	8"	"	100 "	"	0 12 8	
4896	10"	"	200 "	"	0 18 3	
4897	12"	"	50 "	"	1 6 4	
	Hinges, tee. steel, bright, "Rossda"—					
4898	4"	"	250 "	"	0 4 11	
4899	6"	"	500 "	"	0 6 10	
4900	8"	"	300 "	"	0 8 5	
4901	10"	"	500 "	"	0 12 0	
† 4902	12"	"	50 "	"	0 16 7	
4903	14"	"	100 "	"	1 5 8	
4904	16"	"	150 "	"	1 8 0	
4905	18"	"	50 "	"	1 11 2	

OFFICE SAFES

(Schedule No. 150)

4920	Safes, office, 18" x 12" x 12" inside measurements, to specification	Vict.	5	each	19 15 0	J. L. Kelly
------	--	-------	---	------	---------	-------------

BEARING METAL

(Schedule No. 151)

4922	Metal, bearing, for use on turbines and pumps, "Hoyts No. 11D"	Vict.	1000 lbs.	lb.	0 6 6	McPherson's Ltd.
4923	Metal, bearing, for use on coal conveyors and electric motors, "Thermit"	N.S.W.	750 "	"	0 2 6	Toroid Industrial Supplies Pty. Ltd.

‡ Plus packing and cartage charges at cost.

PIG IRON

(Schedule No. 152)

	Iron, pig, to specification—					
4925	Standard softener, No. 1 ...	N.S.W. or S. Aust.	1500 tons	ton	{ 7 7 6 c.i.f. Melb.	The Broken Hill Pty. Co. Ltd.
4926	Standard foundry ...	"	1000 "	"	{ 7 2 6 c.i.f. Melb.	

STEEL RIVETS—continued

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
4980	Rivets, mild steel, to specification—continued— Flat countersunk head— $\frac{5}{16}$ " dia. x $\frac{7}{8}$ " long	Vict.	5 cwt	cwt.	2 2 6	} McPherson's Ltd.
4981	$\frac{5}{8}$ " ,, 1" ,, and over, as ordered	"	40 "	"	1 13 1	
4982	$\frac{3}{4}$ " ,, 1" ,, ,, "	"	10 "	"	1 9 2	
4983	$\frac{7}{8}$ " ,, 2" ,, ,, "	"	10 "	"	1 7 0	
4984	Rounded countersunk head— $\frac{11}{16}$ " dia. x 2" long and over, as ordered	"	25 "	"	1 11 6	
4985	$\frac{1}{2}$ " ,, 2" ,, ,, "	"	10 "	"	1 11 6	

CHAIN AND SPLIT LINKS

(Schedule No. 157)

5007	Chain, crane, Weldex mild steel, electrically flash welded, short link, tested, to specification— $\frac{5}{8}$ " diameter	Q'land	75 "	cwt.	f.o.b. Brisbane 4 8 0	} Falkiner Machinery Co. Pty. Ltd.
5008	$\frac{3}{4}$ " ,,	"	100 "	"	4 2 0	

⚡ Rates plus 7½%

FOUNDRY MATERIAL

(Schedule No. 158)

†5020	Blacking, moulders', in bags	Vict.	5 tons	cwt.	0 11 0	} Proud Bros. Pty. Ltd.
†5021	Cement, iron, in 7-lb. tins	"	56 lbs.	lb.	0 1 6	
5022	Crucibles, "Morgan's No. FR 40 Super"	N.S.W.	75	each	3 0 0	H. B. Selby & Co. Pty. Ltd.
5023	Crucibles, "Morgan's No. A 25"	"	10	"	1 0 10	} Felton, Grimwade Duerdins Pty. L.
5024	Crucibles, "Morgan's No. T.P. 901,"	"	50	"	8 15 6	
†5025	Dextrol, in drums of 2½ cwt. or 4½ cwt. net.	Vict.	20 tons	cwt.	5 14 0	} Abel, Lemon & Co Pty. Ltd.
†5026	Ferro Manganese, 70% to 80% manganese, crushed to size 1¼" x ½" with not more than 10% under ½", in 1-cwt. bags	N.S.W.	20 "	"	2 6 6	
†5027	Graphite, compound, in 1-lb. tins, (for Rolling Stock Branch)	Vict.	1200 lbs.	lb.	0 2 5	G.U.D. Manufacturing Co. Pty. L.
†5029	Graphite, powdered, air floated, water mix, in 5-lb. tins	Vict.	300 "	lb.	0 1 3	Proud Bros. Pty. L.
†5030	Graphite, pure flake, in 5-lb. tins	"	450 "	"	0 2 0	G.U.D. Manufacturing Co. Pty. L.
†5034	Lining, furnace, "Silacent," in bags, (see note)	U.K.	15 tons	cwt.	0 18 3	A. Noble & Son L.
†5035	Plumbago, fine, in bags	Vict.	20 "	"	3 2 0	Foundry Supplies C
5036	Powder, parting, with silica and silicates below 3%	"	2 "	"	1 5 0	Proud Bros. Pty. L.

⚡ Rates plus 1¼%.

FOUNDRIY MATERIAL—continued.

Item No.	Description	Country of Manufacture	Estimated Requirements	Rate per	Rate			Name of Contractor	
					£	s.	d.		
	Wire, wax, on 1-lb. reels, "Norton"—								
5037	No. 3 ($\frac{1}{8}$ ")	Vict.	150 lbs.	lb.	0	4	10	T. H. Bentley Pty. Ltd.	
5038	" 4 ($\frac{3}{16}$ ")	"		"	"	0	4		4
5039	" 6 ($\frac{1}{4}$ ") or No. 8 ($\frac{5}{16}$ "), as ordered	"		"	"	0	4		2

PLATERS' MATERIAL

(Schedule No. 159)

†5046	Lacquer, metal, clear, internal, in 1-gal. sealed tins, "Spartan "	Vict.	30 gals.	gal.	1	0	3	Spartan Paints Pty. Ltd.
†5059	Thinners, metal lacquer, in 1-gal. sealed tins, "Spartan "	Vict.	25 gals.	gal.	0	9	6	Spartan Paints Pty. Ltd.

LAMPS AND LAMPWARE

(Schedule No. 160)

†5070	Lamps, burning-off, 1 pint, "Companion"	Vict.	75	each	1	8	9	McPherson's Ltd.
Burners—								
*†5072	Adlake lamp, to drawing No. F.3283, and gauge supplied by the Corporation	Q'land	120 doz.	doz.	{ 2 10 0	A. E. Appleton Pty. Ltd.		
	Barton type, without collars, with two adjusting wheels, to gauge supplied by the Corporation—				{ f.o.r. Brisbane			
†5073	$\frac{1}{4}$ "	Q'land	600 doz.	doz.	{ 0 10 11	A. E. Appleton Pty. Ltd.		
†5074	$\frac{3}{8}$ "	"	100 "	"	{ 0 11 6			
	Wick—				{ f.o.r. Brisbane			
†5080	Ball, 7-ply, in $\frac{1}{2}$ -lb. balls, "Samson No. 200"	Vict.	15 cwt.	lb.	†0	3	1	Downs & Son Pty. Ltd.
Wicks, kerosene, cotton, 8" long—								
†5082	$\frac{1}{4}$ " wide	U.K.	120 gross	gross	{ 0 8 8	A. E. Appleton Pty. Ltd.		
†5083	$\frac{3}{8}$ " "	"	20 "	"	{ 0 9 2			
†5087	Wicks, long time burning, 7 $\frac{1}{2}$ " long, for Adlake lamps	Q'land	400 doz.	doz.	{ 0 3 0	A. E. Appleton Pty. Ltd.		
					{ f.o.r. Brisbane			

† Item No. 5080—Less 2 $\frac{1}{2}$ % discount for payment by end of month following month of delivery.

LAMPS AND LAMPWARE—continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
Parts for Coleman Quick-Lite "Scout" kerosene lanterns—						
5088	Blocks, eccentric, tip cleaner, part No. 242-304	Canada	25	each	10 0 10	} Coleman Quick-Lite Co. of Aust.
5089	Caps, burner, complete with screens, part No. 242-323	Canada or N.S.W.	50	"	10 3 4	
5090	Generators, part No. TK66	Canada	500	"	10 4 11	
5091	Globes, Pyrex, part No. 550	U.K.	200	"	10 6 11	
5092	Leathers, pump, new type, part No. 216-509	N.S.W.	40	"	10 0 8	
5093	Needles, part No. T33	Canada	20	"	10 1 9	
5094	Plugs, filler, part No. 242-140	"	5	"	10 4 11	
5095	Retarders, fuel, part No. 242K-219	Vict.	30	"	10 0 10	
5096	Stems, tip cleaner, part No. 242K-353	Canada or N.S.W.	20	"	10 2 1	
5097	Tips, gas, part No. 242K-218	Canada	250	"	10 0 10	
Parts for "Tilley" lamps—						
†5107	Buttons, silencer, part No. 213	U.K.	100	doz.	0 8 3	} John Danks & Son Pty. Ltd.
†5108	Filters, for "X" and "N" cocks, part No. 162	"	10	"	0 6 11	
†5109	Globes, glass, clear, "Pyrex," part No. 192	Vict.	800	each	10 6 0	} T. S. Nettlefold & Sons Pty. Ltd.
†5110	Globes, lamp, O.L. 51	"	100	"	10 7 6	
†5111	Heads, burner, part No. 210	U.K.	75	"	0 10 5	} John Danks & Son Pty. Ltd.
†5112	Leathers, for pump, part No. 120	"	300	doz.	0 1 4	
†5113	Reflectors, steel, enamelled, 12", part No. 207	Vict.	20	each	10 8 6	} T. S. Nettlefold & Sons Pty. Ltd.
†5114	Spigots, brass, part No. 707	U.K.	20	doz.	0 9 6	
†5115	Torches, without bottle, part No. 151	"	100	each	0 3 7	} John Danks & Son Pty. Ltd.
†5116	Tubes, mixing, part No. 211	"	20	doz.	0 14 4	
†5117	Vaporisers, complete, part No. 169	"	1000	each	0 5 0	
†5118	Washers, clamp, for pump, part No. 154	"	200	doz.	0 2 9	
†5119	" for release valve, part No. 168	Vict.	100	"	10 1 6	} T. S. Nettlefold & Sons Pty. Ltd.
†5120	" for vaporiser base, part No. 153	U.K.	150	"	0 1 4	
†5121	" valve, part No. 155	"	2000	"	0 1 4	} John Danks & Son Pty. Ltd.
†5122	" part No. 160	"	2000	"	0 1 4	

† { Items Nos. 5088 to 5097—Less 32% discount.
 { Items Nos. 5109, 5110, 5113 and 5119—Less 15% discount

LAMP GLASSWARE

(Schedule No. 161)

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor	
					£	s.	d.		
Bowls, glass, train lighting—									
†5140	6", clear	Vict.	10 doz.	doz.	1	3	1	Dott & Co. Pty. Ltd.	
†5141	6", frosted	"	40 "	"	1	5	10		
†5142	8", clear	"	40 "	"	1	19	9		
†5143	8", wreath type, frosted 3½" from top, balance in clear glass	"	250 "	"	2	1	11		
†5144	10", clear	"	100 "	"	2	7	4		
†5145	10", frosted 4" from top, balance in clear glass	"	50 "	"	2	10	2		
Chimneys, lamp, glass—									
†5146	Adlake Lamp "A", to dwg. No. F3305, amended 23.8.43	"	400 "	"	0	6	9	Dott & Co. Pty. Ltd.	
†5147	Cosmo, No. 14, 10"	"	Nil	"					
†5148	Cosmo, short, 7½"	Vict.	120 doz.	doz.	0	9	4		
†5149	For Duplex burner, 9¼" long, bottom diameter 2½", top diameter 1¾"	"	50 "	"	0	7	6		
†5150	Large slip	"	400 "	"	0	8	6		
Glasses, lamp—									
Bent, green, 21-oz., to specification and Drawing A.562—									
† { 5152	2½" external radius x 4½" long ...	U.K. & Vict.	250 doz.	doz.	†1	4	0	Brooks, Robinson Pty. Ltd.	
5153	2½" " " x 5½" " ...	"	15 "	"	†1	4	0		
Bent, ruby, 21-oz., to specification and Drawing A.562—									
† { 5154	2½" external radius x 4½" long ...	"	50 "	"	†1	3	0		
5155	2½" " " x 4" " ...	"	100 "	"	†1	3	0		
5156	2½" " " x 5½" " ...	"	50 "	"	†1	3	0		
†5160	Hurricane, white, 6½" high ...	Vict.	20 "	doz.	0	9	1	Dott & Co. Pty. Ltd.	

† Less 2½% discount for payment by end of month following month of delivery.

CORD, ROPE, ETC.

(Schedule No. 164)

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor	
					£	s.	d.		
†5440	Cord, blind, glace, white, cotton, 2½ lb., on 72 yard reels, "Anchor"	Vict.	50 doz. yds.	gross yds.	†0	11	8	James Miller & Co. Pty. Ltd.	
†5441	Cord, Holland blind, green or nigger brown, as ordered, "Samson No. 3"	"	200 "	"	†0	10	0		
†5442	Cord, marking (chalk), on 1 lb. reels, "Samson"	"	200 lbs.	lb.	†0	5	0½	Downs & Son Pty. Ltd.	
†5443	Cord, nicking line, flax, ½" diameter, on 1-lb. reels, "Anchor"	"	200 "	"	†0	4	3½		
†5444	Cord, sash, cotton, braided, No. 8, in coils of approx. 18-lbs., "Security"	"	2500 "	"	†0	3	5	Downs & Son Pty. Ltd.	
†5445	Cord, whip, 24 ply, in hanks of approx. 1-lb., "Samson"	"	20 "	"	†0	4	4		
†5446	Hemp, white, in 2-oz balls, "Anchor"	"	25 "	"	†0	4	11½	James Miller & Co. Pty. Ltd.	
Marline, (genuine), in 1-lb. spools—									
†5447	2 cord, "Emu"	"	5 cwt.	"	†0	2	3¾	Geo. Kinnear & Sons Pty. Ltd.	
†5448	3 cord (house-line), "Anchor" ...	"	3 "	"	†0	2	2½	James Miller & Co. Pty. Ltd.	
†5449	Marline (genuine), 3 cord, in 14-lb. coils, "Emu"	"	3 "	"	†0	2	1¾	Geo. Kinnear & Sons Pty. Ltd.	
†5450	Packing, flax, pure, in coils of approx. 16-lbs., "Anchor"	"	3 "	"	†0	3	4¼	James Miller & Co. Pty. Ltd.	
Rope, Europe (tarred), hemp, bolt quality, with blue worsted thread in one strand, "Anchor"—									
{ 5451	Under ¾" circ., as ordered ...	"	} 2 tons	cwt.	†13	6	0	James Miller & Co. Pty. Ltd.	
† 5452	¾" or ¾" circ., as ordered ...	"		"	†12	2	0		
{ 5453	1" circ. and over, as ordered ...	"		"	†11	13	3		
†5454	Rope, lashing, 2-ply, fine TJ, on 7-lb. reels, "Anchor"	"	5 "	"	†10	0	6		
Rope, No. 1 sisal, 3 strand, with one blue yarn in one strand, "Anchor"—									
{ 5455	Under 1" circ., as ordered ...	"	} 40 "	"	†8	4	0		
† 5456	1" circ., and over, as ordered ...	"		"	†7	17	9		
†5457	Rope, sisal, stretched, for power transmission, 4" circ., 3-strand, with one blue yarn in one strand, any length ordered, "Anchor"	"	4 "	"	†8	17	0		
†5458	Rope, No. 1 sisal, 2" circ., 3 strand, right hand lay, with not less than 14 yarns in each strand, with one jute yarn in one strand, "Anchor"	"	50 "	"	†7	17	9		
Rope, straw—									
5459	½", 680 feet per bundle ...	"	40 bdls.	bdle.	{ 0	3	3	J. A. Berriman & Sons	
5460	1", 340 " " " ...	"	300 "	"	{ 0	3	0		
†5461	Spunyarn, jute, in 28-lb. coils, "Anchor"	"	2 cwt.	cwt.	†10	12	6	James Miller & Co. Pty. Ltd.	

† Less 2½% discount for payment by end of month following month of delivery.

THREAD AND TWINE

(Schedule No. 165)

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
†5470	Thread, cotton, any colour ordered, any number ordered, on 1000 yard reels, "Bond's Capital"	N.S.W.	20 doz. reels	doz. reels	†0 18 6	Bryce & Duncan Pty. Ltd.
	Thread, machine, linen, soft, any colour ordered—					
{ 5471	No. 12, on 2-oz. cops, "Pink Label"	"	1000 cops	cop	†0 1 5½	Frank & Bryce Bentley Pty. Ltd.
† 5472	No. 18, " " " "	"	400 "	"	†0 1 7¼	
{ 5473	No. 20, " " " "	"	800 "	"	†0 1 7¼	
{ 5474	No. 25, on 2-oz. reels or cops, "Milton"	U.K.	120 reels or cops	reel or cop	†0 1 8½	
† 5475	No. 30, " " " "	"	200 "	"	†0 1 9¼	
{ 5476	No. 40, " " " "	"	10 "	"	†0 2 0½	Bryce & Duncan Pty. Ltd.
{ 5477	No. 50, " " " "	"	400 "	"	†0 2 3	
†5478	Thread, machine, best quality, pure linen, 3, 4, 5, 6 or 8 cord, as ordered, right or left-hand twist, as ordered, on 1 lb. cops, Miller's "Gold Label"	Vict.	6 tons	lb.	†0 10 4	Bryce & Duncan Pty. Ltd.
†5479	Twine, jute, fine, on 1 lb. reels, "Anchor"	"	20 cwt.	"	†0 2 10½	James Miller & Co. Pty. Ltd.
†5480	Twine, jute, medium, on 1 lb. reels, "Anchor"	"	20 "	"	†0 2 10	
†5481	Twine, jute, coarse, on 1 lb. reels, "Anchor"	"	10 "	"	†0 2 9¾	
†5482	Twine, jute, coarse, trimmers', on ½ lb. reels, "Kangaroo"	"	10 "	"	†0 2 10	M. Donaghy & Sons Pty. Ltd.
†5483	Twine, mattress, No. 2, 4-ply, on 1 lb. reels, "Kangaroo"	"	5 "	"	†0 5 7	
†5484	Twine, seaming, flax, 3-ply, on ½ lb. reels, "Anchor"	"	10 "	"	†0 5 7	James Miller & Co. Pty. Ltd.

† Less 2½% discount for payment by end of month following month of delivery.

BLACK LUSTRE UNIFORM COATS

(Schedule No. 167)

COATS, UNIFORM, BLACK LUSTRE, to specification and sample—							
Sample No. 30 (with Crowns)—							
* { 5496	Stock sizes	...	Vict.	500	each	2 17 3	Commonwealth Govt. Clothing Factory.
{ 5497	Made-to-measure	...	"	100	"	2 19 3	
Sample No. 31 (with letters V.R.)—							
* { 5498	Stock sizes	...	"	850	"	2 14 3	
{ 5499	Made-to-measure	...	"	100	"	2 16 3	

REFRACTIVE CEMENT AND MORTAR

(Schedule No. 168)

†5500	Cement, Refractite, special, in drums of 84 lbs.	Vict.	25 tons	cwt.	{ 1 15 0 loss 5%	Nonporite Pty. Ltd.
†5501	Mortar, Refractite, for firebox floors, in drums of 84 lbs.	"	12 "	"	0 17 6	

