

VICTORIA GOVERNMENT GAZETTE.

Bublished by Authority.

[Registered at the General Post Office, Melbourne, for transmission by post as a newspaper.]

No. 256]

THURSDAY, MARCH 23.

[1950

Prices Regulation Acts. PRICES REGULATION ORDER No. 146.

FIBROUS PLASTER.

IN pursuance of the powers conferred upon me by the Prices Regulation Acts, I, John Francis Waldron, Prices Decontrol Commissioner, hereby make the following Order:—

Citation.

- 1. This Order may be cited as Prices Regulation Order No. 146. Definitions.
- 2. In this Order, unless the contrary intention appears-
 - "Metropolitan Area" means all that area comprised within a radius of 20 miles from the General Post Office, Melbourne.

Fixation of Maximum Prices and Rates.

- 3. (1) I fix and declare the maximum price at which any fibrous plaster products specified in the First Schedule to this Order may be sold by any person to be the price specified in that Schedule.
- (2) I fix and declare the maximum rate at which any service specified in the Second and Third Schedules to this Order may be supplied by any person to be the rate specified in those Schedules.

Delivery of Invoices.

- 4. Any person who sells any fibrous plaster products or supplies any service in connexion therewith shall deliver with those fibrous plaster products or on completion of the service in connexion therewith an invoice or docket specifying the following particulars:—
 - (a) The name and address of the seller or supplier;
 - (b) the name and address of the purchaser;
 - (c) the address at which those fibrous plaster products are delivered or at which the service in connexion therewith is supplied;
 - (d) the date of the sale of those fibrous plaster products or the supply of such service;
 - (e) a full description of those fibrous plaster products including thickness or width or dimensions as the case may be;
 - (f) the quantity of each thickness, width or dimension of fibrous plaster products sold or used;

- (g) full particulars of any service supplied in connexion with the fixing of fibrous plaster products, including total measurements charged for and the rate at which such measurements are charged;
- (h) full particulars of any service of cartage supplied in connexion with the sale or supply of fibrous plaster products, including the rate at which such service is supplied and the total amount charged therefor.

Fixation of Maximum Prices or Rates by Notice-Specified Persons.

5. Notwithstanding the foregoing provisions of this Order, I declare the maximum price or rate at which any fibrous plaster products specified in a notice in writing given in pursuance of this clause or any service in connexion with the sale of those fibrous plaster products so specified may be sold or supplied by any person to whom such notice is given to be such price or rate as is fixed by the Commissioner by notice in writing to that person.

THE FIRST SCHEDULE.

MAXIMUM PRICES.

Fibrous Plaster Products-Supply.

()	Description. Fibrous Plaster Plain Sheets, true, flat and free	Maximum Prices.
(a)	from blemish—	
	(i) not less than 3 inch minimum thickness throughout	3s. 0d. per sq. yard.
	(ii) not less than 7/16 inch minimum thickness throughout	3s. 6d. per sq. yard.
	(iii) less than { inch minimum thickness	2s. 3d. per sq. yard.
(b)	Fibrous Plaster Rebated Sheets	The appropriate price set out in sub-paragraphs (i), (ii), or (iii) of paragraph (a) above (as the case requires) plus 3d. per square yard.
(c)	Fibrous Plaster Tile Pattern Dado Sheets, with capping mould, not less than 7/16 inch minimum thickness	4s. 2d. per sq. yard.
(d)	Fibrous Plaster Applied Panels and Baffle Plates—	
	(i) up to 2 square feet in area	5s. 6d. each.
	(ii) over 2 square feet up to 4 square feet	6s. 6d, each.
	in area (iii) over 4 square feet up to 1 square yard	os. ou, each.
	in area	11s. 6d. each.
	(iv) over 1 square yard up to 2 square yards in area (v) over 2 square yards in area	20s. 0d. each. To be charged at the rate of 1s. 3d. per square foot.
		Plain. Ornamental. per ft. per ft. s. d. s. d.
(e)	Fibrous Plaster Cornice Moulding-	
	(i) Total face contour not exceeding 3 inches	0 41 0 7
	(ii) Total face contour not exceeding 4 inches	0 6 0 8
	(iii) Total face contour not exceeding 5 inches	0 7 0 9
	(iv) Total face contour not exceeding 6 inches (v) Total face contour not exceeding 7 inches	0 8 0 10 0 9 0 11½
	(vi) Total face contour not exceeding 7 inches	0 10 1 1
	(vii) Total face contour not exceeding 9 inches	0 10 1 2
	(viii) Total face contour not exceeding 10	
	inches (ix) Total face contour not exceeding 11	1 0 1 3
	inches (x) Total face contour not exceeding 12	1 2 1 5
	inches (xi) Total face contour exceeding 12 inches	1 3 1 6 To be charged at the rate of 2d. per inch.

THE FIRST SCHEDULE—continued. MAXIMUM PRICES—continued. Fibrous Plaster Products—Supply—continued. Description of Service. Maximum Rate. Plain. Ornamen

Dog replied of Service.		Plain.	Ornamental.			
		per ft.	per ft.			
(f) Fibrous Plaster Cover Mouldings—		s. d.	8. d.			
(i) up to 2 inches wide(ii) over 2 inches up to 2½ inches wide	• •	0 3 0 34	0 4 0 41			
(iii) over 2½ inches wide		0 4	ŏ 5			
(g) Fibrous Plaster Picture Mould		6d. per	foot.			
(h) Fibrous Plaster Ventilators—						
(i) not exceeding 144 square inches	••	9s. per				
(ii) exceeding 144 square inches	••	rates	charged at the applicable to ed panels and			
(i) Fibrous Plaster Curtain Pelmets		To be o	plates. charged at the of 1s. 6d. per			
(j) Fibrous Plaster Fire Surrounds		foot. £3 each	ı .			
	• •	10s. per				
	• •		per yard.			
(-) G-1- M1	••	1s. 9d. 1	_			
(a) Coir Teased (b) Clouts and Nails—	••	1s. 6d. j	per 10.			
(I) 1 imply malerant-1		1s. per	lh			
(21) 11 2111		1s. per	lb.			
	٠.	1s. per	lb.			
	٠.	9d. per	ID.			
(p) (i) Battens 2 inches by 1 inch kiln dried har wood (dressed one face)	· · ·	11s. 6	d. per 100			
		lineal				
(ii) Battens 2 inches by 1 inch oregon (dress one face)	ed 	21s. pe	r 100 lineal			
		feet.				
Fibrous Plaster—Supplying and Fixing. Description of Service. (1) Supplying and fixing fibrous plaster sheets to the ceilings of any building; the area shall be calculated as the actual yardage of sheeting applied except that the area of any opening or panel of less than 10 square feet shall be added to the yardage. The maximum rates shall include the cost of stopping all nail holes, fixing sheets to joists and fixing						
the ceilings of any building; the area shall be calc lated as the actual yardage of sheeting applied e cept that the area of any opening or panel of le than 10 square feet shall be added to the yardag The maximum rates shall include the cost of stoppin all nall holes, fixing sheets to joists and fixing	u- ex- ess ge. ng					
the ceilings of any building; the area shall be calc lated as the actual yardage of sheeting applied e cept that the area of any opening or panel of le than 10 square feet shall be added to the yardag The maximum rates shall include the cost of stoppir all nail holes, fixing sheets to joists and fixing cornice—	u- ex- ess ge. ng					
the ceilings of any building; the area shall be calc lated as the actual yardage of sheeting applied ecept that the area of any opening or panel of lethan 10 square feet shall be added to the yardag. The maximum rates shall include the cost of stoppir all nail holes, fixing sheets to joists and fixing cornice— (a) Where the sheeting used is—	eu- ex- ess ge. ng					
the ceilings of any building; the area shall be calc lated as the actual yardage of sheeting applied e cept that the area of any opening or panel of le than 10 square feet shall be added to the yardag The maximum rates shall include the cost of stoppir all nail holes, fixing sheets to joists and fixing cornice— (a) Where the sheeting used is— (i) less than \$\mathbb{1}\$ inch minimum thicknes cover moulding applied, but not in	eu- ex- ess ge. ng ng					
the ceilings of any building; the area shall be calc lated as the actual yardage of sheeting applied ecept that the area of any opening or panel of lethan 10 square feet shall be added to the yardag. The maximum rates shall include the cost of stoppir all nail holes, fixing sheets to joists and fixing cornice— (a) Where the sheeting used is— (i) less than \(\) inch minimum thicknes cover moulding applied, but not in cluding the price of the moulding	ex- exs ge. ng ng ss, n-	4s. per s	quare yard.			
the ceilings of any building; the area shall be calce lated as the actual yardage of sheeting applied e cept that the area of any opening or panel of le than 10 square feet shall be added to the yardag The maximum rates shall include the cost of stoppin all nail holes, fixing sheets to joists and fixing cornice— (a) Where the sheeting used is— (i) less than \$ 1 \$ inch minimum thicknes cover moulding applied, but not in cluding the price of the moulding (ii) less than \$ 1 \$ inch minimum thicknes all sheets flush jointed	ex- exs ge. ng ng ss, n- 	_	- ·			
the ceilings of any building; the area shall be calc lated as the actual yardage of sheeting applied e cept that the area of any opening or panel of le than 10 square feet shall be added to the yardag The maximum rates shall include the cost of stoppir all nail holes, fixing sheets to joists and fixing cornice— (a) Where the sheeting used is— (i) less than \(\) inch minimum thicknes cover moulding applied, but not in cluding the price of the moulding (ii) less than \(\) inch minimum thicknes all sheets flush jointed (iii) not less than \(\) inch minimum thicknes inch minimum thicknes all sheets flush jointed	eu- ex- ess ge. ng ng ss, n- 	_	quare yard. quare yard.			
the ceilings of any building; the area shall be calce lated as the actual yardage of sheeting applied e cept that the area of any opening or panel of le than 10 square feet shall be added to the yardag The maximum rates shall include the cost of stoppin all nail holes, fixing sheets to joists and fixing cornice— (a) Where the sheeting used is— (i) less than \(\frac{1}{2} \) inch minimum thicknes cover moulding applied, but not in cluding the price of the moulding all sheets flush jointed (iii) not less than \(\frac{1}{2} \) inch minimum thicknes all sheets flush jointed (iiii) not less than \(\frac{1}{2} \) inch minimum thicknes, cover mouldings applied, but not including the price of the sheet flush jointed	eu- ex- ess ge. ng ng ss, k- ut	5s. per s	quare yard.			
the ceilings of any building; the area shall be calclated as the actual yardage of sheeting applied e cept that the area of any opening or panel of le than 10 square feet shall be added to the yardag The maximum rates shall include the cost of stoppin all nail holes, fixing sheets to joists and fixing cornice— (a) Where the sheeting used is— (i) less than \(\frac{1}{2} \) inch minimum thicknes cover moulding applied, but not in cluding the price of the moulding (ii) less than \(\frac{1}{2} \) inch minimum thicknes all sheets flush jointed (iii) not less than \(\frac{1}{2} \) inch minimum thick ness, cover mouldings applied, but not including the price of the moulding	eu- ex- ess ess, ess, ess, ss, 	_	- ·			
the ceilings of any building; the area shall be calce lated as the actual yardage of sheeting applied e cept that the area of any opening or panel of le than 10 square feet shall be added to the yardag The maximum rates shall include the cost of stoppin all nail holes, fixing sheets to joists and fixing cornice— (a) Where the sheeting used is— (i) less than \(\frac{1}{2} \) inch minimum thicknes cover moulding applied, but not in cluding the price of the moulding all sheets flush jointed (iii) not less than \(\frac{1}{2} \) inch minimum thicknes all sheets flush jointed (iiii) not less than \(\frac{1}{2} \) inch minimum thicknes, cover mouldings applied, but not including the price of the sheet flush jointed	eu- ex- ess ess, ess, ess, ss, 	5s. per s5s. 9d. yard.6s. 8d.	quare yard.			
the ceilings of any building; the area shall be calce lated as the actual yardage of sheeting applied e cept that the area of any opening or panel of le than 10 square feet shall be added to the yardag The maximum rates shall include the cost of stoppir all nail holes, fixing sheets to joists and fixing cornice— (a) Where the sheeting used is— (i) less than \$\frac{1}{2}\$ inch minimum thicknes cover moulding applied, but not in cluding the price of the moulding (ii) less than \$\frac{1}{2}\$ inch minimum thicknes all sheets flush jointed (iii) not less than \$\frac{1}{2}\$ inch minimum thicknes not including the price of the moulding (iv) not less than \$\frac{1}{2}\$ inch minimum thicknes all sheets flush jointed	eu- ex- ess ess ess ess ess ess ess ess ess es	5s. per s 5s. 9d. yard.	quare yard.			
the ceilings of any building; the area shall be calcled as the actual yardage of sheeting applied e cept that the area of any opening or panel of le than 10 square feet shall be added to the yardag The maximum rates shall include the cost of stoppin all nail holes, fixing sheets to joists and fixing cornice— (a) Where the sheeting used is— (i) less than \(\frac{1}{2} \) inch minimum thicknes cover moulding applied, but not including the price of the moulding (ii) less than \(\frac{1}{2} \) inch minimum thicknes all sheets flush jointed (iii) not less than \(\frac{1}{2} \) inch minimum thickness, cover mouldings applied, but not including the price of the moulding (iv) not less than \(\frac{1}{2} \) inch minimum thickness, all sheets flush jointed (v) not less than \(7/16 \) inch minimum thickness, cover mouldings applied, but not less, cover mouldings applied, but not less than \(7/16 \) inch minimum thickness, cover mouldings applied, but not less than \(7/16 \) inch minimum thickness, cover mouldings applied, but not less than \(7/16 \) inch minimum thickness.	eu- ex- ess ess ess ess ess ess ess ess ess es	5s. per s5s. 9d. yard.6s. 8d.	quare yard. per square per square			
the ceilings of any building; the area shall be calcled as the actual yardage of sheeting applied e cept that the area of any opening or panel of le than 10 square feet shall be added to the yardag The maximum rates shall include the cost of stoppin all nail holes, fixing sheets to joists and fixing cornice— (a) Where the sheeting used is— (i) less than \(\frac{1}{2} \) inch minimum thicknes cover moulding applied, but not including the price of the moulding in the price of the moulding all sheets flush jointed (iii) not less than \(\frac{1}{2} \) inch minimum thicknes all sheets flush jointed (iv) not less than \(\frac{1}{2} \) inch minimum thicknes, cover mouldings applied, but not including the price of the moulding (iv) not less than \(\frac{1}{2} \) inch minimum thickness, all sheets flush jointed (v) not less than \(7/16 \) inch minimum thickness, cover mouldings applied, but not including the price of the cover mouldings applied, but not including the price of the cover mouldings applied, but not including the price of the cover mouldings applied, but not including the price of the cover discover mouldings applied, but not including the price of the cover discover mouldings applied, but not including the price of the cover discover mouldings applied, but not including the price of the cover discover mouldings applied, but not including the price of the cover discover mouldings applied, but not including the price of the cover discover mouldings applied, but not including the price of the cover mouldings applied, but not including the price of the cover discover mouldings applied, but not including the price of the cover mouldings applied, but not including the price of the cover mouldings applied, but not including the price of the cover mouldings applied.	eu- ex- ess ess ess ess ess ess ess ess ess es	5s. per s5s. 9d. yard.6s. 8d. yard.	quare yard. per square per square			
the ceilings of any building; the area shall be calcled as the actual yardage of sheeting applied e cept that the area of any opening or panel of le than 10 square feet shall be added to the yardage. The maximum rates shall include the cost of stoppin all nail holes, fixing sheets to joists and fixing cornice— (a) Where the sheeting used is— (i) less than \(\frac{1}{2} \) inch minimum thicknes cover moulding applied, but not in cluding the price of the moulding. (ii) less than \(\frac{1}{2} \) inch minimum thicknes all sheets flush jointed. (iii) not less than \(\frac{1}{2} \) inch minimum thicknes not including the price of the moulding. (iv) not less than \(\frac{1}{2} \) inch minimum thickness, all sheets flush jointed. (v) not less than \(\frac{1}{2} \) inch minimum thickness, all sheets flush jointed. (v) not less than 7/16 inch minimum thickness, cover mouldings applied, but not including the price of the moulding. (vi) not less than 7/16 inch minimum thickness, cover mouldings applied, but not including the price of the moulding. (vi) not less than 7/16 inch minimum thickness, cover mouldings applied, but not including the price of the moulding.	eu- ex- ex- ex- ex- ex- ex- ex- ex- ex- ex	5s. per s5s. 9d. yard.6s. 8d. yard.6s. 2d. yard.	quare yard. per square per square			
the ceilings of any building; the area shall be calcled as the actual yardage of sheeting applied e cept that the area of any opening or panel of le than 10 square feet shall be added to the yardag The maximum rates shall include the cost of stoppin all nail holes, fixing sheets to joists and fixing cornice— (a) Where the sheeting used is— (i) less than \(\frac{1}{2} \) inch minimum thicknes cover moulding applied, but not in cluding the price of the moulding (ii) less than \(\frac{1}{2} \) inch minimum thicknes all sheets flush jointed. (iii) not less than \(\frac{1}{2} \) inch minimum thicknes, cover mouldings applied, but not including the price of the moulding. (iv) not less than \(\frac{1}{2} \) inch minimum thickness, cover mouldings applied, but not including the price of the moulding. (v) not less than \(7/16 \) inch minimum thickness, cover mouldings applied, but not including the price of the moulding. (vi) not less than \(7/16 \) inch minimum thickness, cover mouldings applied, but not including the price of the moulding. (vi) not less than \(7/16 \) inch minimum thickness than \(7/16 \) inch minimum thic	su- ex- ess ge, gng ss, nng ss, k- the	5s. per s5s. 9d. yard.6s. 8d. yard.6s. 2d.	quare yard. per square per square			
the ceilings of any building; the area shall be calcled as the actual yardage of sheeting applied e cept that the area of any opening or panel of le than 10 square feet shall be added to the yardage. The maximum rates shall include the cost of stoppin all nail holes, fixing sheets to joists and fixing cornice— (a) Where the sheeting used is— (i) less than \(\frac{1}{2} \) inch minimum thicknes cover moulding applied, but not in cluding the price of the moulding. (ii) less than \(\frac{1}{2} \) inch minimum thicknes all sheets flush jointed. (iii) not less than \(\frac{1}{2} \) inch minimum thicknes not including the price of the moulding. (iv) not less than \(\frac{1}{2} \) inch minimum thickness, all sheets flush jointed. (v) not less than \(\frac{1}{2} \) inch minimum thickness, all sheets flush jointed. (v) not less than 7/16 inch minimum thickness, cover mouldings applied, but not including the price of the moulding. (vi) not less than 7/16 inch minimum thickness, cover mouldings applied, but not including the price of the moulding. (vi) not less than 7/16 inch minimum thickness, cover mouldings applied, but not including the price of the moulding.	su-	5s. per s 5s. 9d. yard. 6s. 8d. yard. 6s. 2d. yard. 7s. 2d. yard. Plain.	per square per square per square per square per square per square Ornamental per ft.			
the ceilings of any building; the area shall be calcled as the actual yardage of sheeting applied e cept that the area of any opening or panel of le than 10 square feet shall be added to the yardage The maximum rates shall include the cost of stoppin all nail holes, fixing sheets to joists and fixing cornice— (a) Where the sheeting used is— (i) less than \(\frac{a}{2} \) inch minimum thicknes cover moulding applied, but not in cluding the price of the moulding (ii) less than \(\frac{a}{2} \) inch minimum thicknes all sheets flush jointed. (iii) not less than \(\frac{a}{2} \) inch minimum thicknes shan \(\frac{a}{2} \) inch minimum thicknes including the price of the moulding. (iv) not less than \(\frac{a}{2} \) inch minimum thickness, sall sheets flush jointed (v) not less than \(7/16 \) inch minimum thickness, cover mouldings applied, but not including the price of the moulding. (vi) not less than \(7/16 \) inch minimum thickness, all sheets flush jointed (vi) not less than \(7/16 \) inch minimum thickness, all sheets flush jointed (b) Supplying and fixing Fibrous Plaster Cover	su-	5s. per s 5s. 9d. yard. 6s. 8d. yard. 6s. 2d. yard. 7s. 2d. yard.	per square per square per square per square per square per square			
the ceilings of any building; the area shall be calcled as the actual yardage of sheeting applied e cept that the area of any opening or panel of le than 10 square feet shall be added to the yardag The maximum rates shall include the cost of stoppin all nail holes, fixing sheets to joists and fixing cornice— (a) Where the sheeting used is— (i) less than \(\frac{1}{2} \) inch minimum thickness cover moulding applied, but not including the price of the moulding (ii) less than \(\frac{1}{2} \) inch minimum thickness all sheets flush jointed . (iii) not less than \(\frac{1}{2} \) inch minimum thickness, cover mouldings applied, but not including the price of the moulding . (iv) not less than \(\frac{1}{2} \) inch minimum thickness, all sheets flush jointed (v) not less than \(7/16 \) inch minimum thickness, cover mouldings applied, but not including the price of the moulding . (vi) not less than \(7/16 \) inch minimum thickness, cover mouldings applied, but not including the price of the moulding . (vi) not less than \(7/16 \) inch minimum thickness, all sheets flush jointed . (b) Supplying and fixing Fibrous Plaster Cover Moulding— (i) up to \(2 \) inches wide .	su-	5s. per s 5s. 9d. yard. 6s. 8d. yard. 6s. 2d. yard. 7s. 2d. yard. Plain.	per square per square per square per square per square per square Ornamental per ft.			
the ceilings of any building; the area shall be calcled as the actual yardage of sheeting applied e cept that the area of any opening or panel of le than 10 square feet shall be added to the yardag The maximum rates shall include the cost of stoppin all nail holes, fixing sheets to joists and fixing cornice— (a) Where the sheeting used is— (i) less than \(\frac{1}{2}\) inch minimum thicknes cover moulding applied, but not in cluding the price of the moulding in less than \(\frac{1}{2}\) inch minimum thicknes all sheets flush jointed (ii) not less than \(\frac{1}{2}\) inch minimum thicknes, cover mouldings applied, but not including the price of the moulding (iv) not less than \(\frac{1}{2}\) inch minimum thickness, all sheets flush jointed (v) not less than \(7/16\) inch minimum thickness, cover mouldings applied, but not including the price of the moulding (vi) not less than \(7/16\) inch minimum thickness, cover mouldings applied, but not including the price of the moulding (vi) not less than \(7/16\) inch minimum thickness, all sheets flush jointed (b) Supplying and fixing Fibrous Plaster Cover Moulding— (i) up to \(2\) inches wide (ii) over \(2\) inches wide (iii) over \(2\) inches wide (iii) over \(2\) inches wide	su- su- sus- sus- sus- sus- sus- sus- s	5s. per s 5s. 9d. yard. 6s. 8d. yard. 6s. 2d. yard. 7s. 2d. yard. Plain. per ft. s. d.	per square per square per square per square per square per square Ornamental per ft. s. d. 0 4 0 44			
the ceilings of any building; the area shall be calce lated as the actual yardage of sheeting applied e cept that the area of any opening or panel of le than 10 square feet shall be added to the yardage. The maximum rates shall include the cost of stoppin all nail holes, fixing sheets to joists and fixing cornice— (a) Where the sheeting used is— (i) less than \(\frac{1}{2} \) inch minimum thicknes cover moulding applied, but not including the price of the moulding. (ii) less than \(\frac{1}{2} \) inch minimum thicknes all sheets flush jointed. (iii) not less than \(\frac{1}{2} \) inch minimum thicknes cover mouldings applied, but not including the price of the moulding. (iv) not less than \(\frac{1}{2} \) inch minimum thickness, all sheets flush jointed. (v) not less than \(\frac{7}{16} \) inch minimum thickness, cover mouldings applied, but not including the price of the moulding. (vi) not less than \(\frac{7}{16} \) inch minimum thickness, cover mouldings applied, but not including the price of the moulding. (vi) not less than \(\frac{7}{16} \) inch minimum thickness, all sheets flush jointed. (b) Supplying and fixing Fibrous Plaster Cover Moulding— (i) up to \(2 \) inches wide	su-	5s. per s 5s. 9d. yard. 6s. 8d. yard. 6s. 2d. yard. 7s. 2d. yard. Plain. per ft. s. d.	per square per square per square per square per square per square Ornamental per ft. s. d.			
the ceilings of any building; the area shall be calcled as the actual yardage of sheeting applied e cept that the area of any opening or panel of le than 10 square feet shall be added to the yardag The maximum rates shall include the cost of stoppin all nail holes, fixing sheets to joists and fixing cornice— (a) Where the sheeting used is— (i) less than \(\frac{1}{2}\) inch minimum thicknes cover moulding applied, but not in cluding the price of the moulding in less than \(\frac{1}{2}\) inch minimum thicknes all sheets flush jointed (ii) not less than \(\frac{1}{2}\) inch minimum thicknes, cover mouldings applied, but not including the price of the moulding (iv) not less than \(\frac{1}{2}\) inch minimum thickness, all sheets flush jointed (v) not less than \(\frac{1}{2}\) inch minimum thickness, cover mouldings applied, but not including the price of the moulding (vi) not less than \(\frac{7}{16}\) inch minimum thickness, cover mouldings applied, but not including the price of the moulding (vi) not less than \(\frac{7}{16}\) inch minimum thickness, all sheets flush jointed (b) Supplying and fixing Fibrous Plaster Cover Moulding— (i) up to 2 inches wide (ii) over \(2\) inches wide (iii) over \(2\) inches wide (iiii) over \(2\) inches wide	su- ex- ex- ex- ex- ex- ex- ex- ex- ex- ex	5s. per s 5s. 9d. yard. 6s. 8d. yard. 6s. 2d. yard. 7s. 2d. yard. Plain. per ft. s. d.	per square per square per square per square per square per square Ornamental per ft. s. d. 0 4 0 44			
the ceilings of any building; the area shall be calce lated as the actual yardage of sheeting applied e cept that the area of any opening or panel of le than 10 square feet shall be added to the yardage The maximum rates shall include the cost of stoppin all nail holes, fixing sheets to joists and fixing cornice— (a) Where the sheeting used is— (i) less than \(\frac{1}{2} \) inch minimum thicknes cover moulding applied, but not in cluding the price of the moulding (ii) less than \(\frac{1}{2} \) inch minimum thicknes all sheets flush jointed (iii) not less than \(\frac{1}{2} \) inch minimum thick ness, cover mouldings applied, but not including the price of the moulding (iv) not less than \(\frac{1}{2} \) inch minimum thick ness, all sheets flush jointed (v) not less than \(\frac{1}{2} \) inch minimum thick ness, cover mouldings applied, but not including the price of the moulding (vi) not less than 7/16 inch minimum thick ness, cover mouldings applied, but not including the price of the moulding (vi) not less than 7/16 inch minimum thick ness, all sheets flush jointed (b) Supplying and fixing Fibrous Plaster Cover Moulding— (i) up to 2 inches wide (ii) over 2 inches wide (c) Supplying and fixing Fibrous Plaster Cornice Moulding— (i) total face contour not exceeding inches (ii) total face contour not exceeding inches	eu-ex-segengg ss	5s. per s 5s. 9d. yard. 6s. 8d. yard. 6s. 2d. yard. 7s. 2d. yard. Plain. per ft. s. d.	per square per square per square per square per square per square Ornamental per ft. s. d. 0 4 0 44			
the ceilings of any building; the area shall be calcled as the actual yardage of sheeting applied e cept that the area of any opening or panel of le than 10 square feet shall be added to the yardage The maximum rates shall include the cost of stoppin all nail holes, fixing sheets to joists and fixing cornice— (a) Where the sheeting used is— (i) less than \(\frac{a}{2}\) inch minimum thicknes cover moulding applied, but not in cluding the price of the moulding (ii) less than \(\frac{a}{2}\) inch minimum thicknes all sheets flush jointed. (iii) not less than \(\frac{a}{2}\) inch minimum thicknes shan \(\frac{a}{2}\) inch minimum thicknes all sheets flush jointed. (iv) not less than \(\frac{a}{2}\) inch minimum thickness, solver mouldings applied, but not including the price of the moulding. (v) not less than \(7/16\) inch minimum thickness, cover mouldings applied, but not including the price of the moulding. (vi) not less than \(7/16\) inch minimum thickness, all sheets flush jointed. (vi) not less than \(7/16\) inch minimum thickness, all sheets flush jointed. (b) Supplying and fixing Fibrous Plaster Cover Moulding— (i) up to \(2\) inches wide (ii) over \(2\) inches wide (iii) over \(2\) inches wide (iv) total face contour not exceeding	su-ex-signing sin-instruction with the second single singl	5s. per s 5s. 9d. yard. 6s. 8d. yard. 6s. 2d. yard. 7s. 2d. yard. Plain. per ft. s. d. 0 3 0 31 0 4	per square per square per square per square per square per square Ornamental per ft. s. d. 0 4 0 41 0 5			
the ceilings of any building; the area shall be calcled as the actual yardage of sheeting applied e cept that the area of any opening or panel of le than 10 square feet shall be added to the yardag The maximum rates shall include the cost of stoppin all nail holes, fixing sheets to joists and fixing cornice— (a) Where the sheeting used is— (i) less than \(\frac{1}{2}\) inch minimum thicknes cover moulding applied, but not in cluding the price of the moulding in the price of the moulding all sheets flush jointed. (ii) less than \(\frac{1}{2}\) inch minimum thicknes all sheets flush jointed. (iii) not less than \(\frac{1}{2}\) inch minimum thicknes, cover mouldings applied, but not including the price of the moulding. (iv) not less than \(\frac{1}{2}\) inch minimum thickness, all sheets flush jointed. (v) not less than \(7/16\) inch minimum thickness, cover mouldings applied, but not including the price of the moulding. (vi) not less than \(7/16\) inch minimum thickness, all sheets flush jointed. (b) Supplying and fixing Fibrous Plaster Cover Moulding— (i) up to 2 inches wide (ii) over \(2\) inches wide (iii) over \(2\) inches wide (iii) over \(2\) inches wide (iv) total face contour not exceeding inches (iv) total face contour not exceeding inches (iii) total face contour not exceeding inches	sur-sessing sing sing sing sing sing sing sing	5s. per s 5s. 9d. yard. 6s. 8d. yard. 6s. 2d. yard. 7s. 2d. yard. Plain. per ft. s. d. 0 3 0 31 0 4	per square per square per square per square per square Ornamental per ft. s. d. 0 4 0 41 0 5			

THE SECOND SCHEDULE—continued. MAXIMUM RATES—continued.

Fibrous Plaster—Supplying and Fixing—continued.

Fibr	ous Plaster—S	upplying	ana Fixin	<i>g</i> c	ontinuea	•	
D	escription of S	Service.			Maxim	um Rat	e.
					Plain. er ft.	Ornam per	
(iv) to	tal face conto	our not	exceeding		s. d.	8.	d.
	inches tal face conto	our not	exceeding		0 8	0 :	
	inches tal face conto	our not	exceeding		0 9	0 :	111
	inches tal face conto				0 10	1	1
	inches tal face conto				0 11	1	2
	inches tal face conto				1 0	1	3
	inches tal face conto			٠.	1 2	1	5
	inches tal face contou				1 3 To be ch	1 narged : f 2d. per	
(d) Wall-ceilir	ng Junction—				rate of	L Zu. pc.	1110111
	here the wall-c jointed or the is flush jointe for this jointir	Bėam ce d, the m ng shall l	iling juncti aximum ra be	on	8d. per t	foot-rur	ı .
. (11) 11	angle irons a at these junc rate shall be				10d. per	foot-r	un.
(e) Higher Fl		. 4	huana wlast	· an			
shee abo	num rates fixe eting may be ve ground fl ows:—	increased	l for ceilir	ıgs			
F F	or ceilings at fi or ceilings at s or ceilings at or ceilings at	econd flo third floo	or room le or room le	vel vel	3d. per s 6d. per s 9d. per s	quare y	ard.
	vel or higher nels and Baffle	Plates—			1s. per s	quare y	ard.
	num rates shal						
) up to 2 squa				3s. each	•	
	i) over 2 squa square fe	et			4s. each		
(iv	i) over 4 squa square ya v) over 1 squar	rd e yard	• •	::	5s. each 5s. each		d. per
(2) (a) Supple to the walls of culated at the except that the square feet sharates include the finishing walls a supply of all supply of all supply of the set out hereund a picture rail hother person—	actual yardage area of any of all be added the cost of sto so continuous shories, but sha ernal or exterrier shall apply las been supplias	e of sheepening of the ypping the teeting are li not incal angle notwith ded and	eting applifies than ardage. The nail hold include the clude the cast The rastanding the	ed, 10 he es, he ost tes			
	e sheeting use						
(i) co	ntinuous shee inch minimum				4s. 9d.	per :	square
(ii) co	ontinuous sheet inch minimum height, then co less than } inc to ceiling or	n thickr ontinuous ch minim	ness to do s sheeting r num thickn	or	yard. 5s. 1d.	per :	square
(iii) co	ontinuous sheet inch minimum	ing not l	ess than 7/		yard. 5s. 3d.	-	square
(iv) co	ntinuous shee provided for	ting not	hereinbefo	ore	yard. / 4s. per	square	vard.
(b) Dadoes ar	nd Capping						- "
7/16ths capping the may such da yard of	le pattern dad of an inch mi mould are it ximum rate for do and capping dado and capp	inimum t ncluded r supplyi g shall b	thickness a in any wa ng and fixi e, per squa	nd all, ing	7s. 2d.		
(c) Internal A	angies— aximum rate v	vhich ma	y be charg	ed			
for	correctly fini				6d. per	foot ru	n.

THE SECOND SCHEDULE—continued.

MAXIMUM RATES—continued.

Fibrous Plaster—Supplying and Fixing—continued.

Fibrous Plaster—Supplying and Fixing—	continued.
Description of Service.	Maximum Rate.
(ii) the maximum rate which may be charged for correctly finishing internal angles when such angles are reinforced with metal strips shall be	8d. per foot run.
(d) External Angles—	
The maximum rate which may be charged for correctly finishing external angles shall be	8d. per foot run.
The rates set out under paragraphs (c) and (d) above are additional to sheeting rates for walls shown in paragraph (a) above and the dado and capping rate shown in paragraph (b) above.	
(e) Picture Rail Jointing-	
(i) the maximum rate which may be charged where wall sheeting is flush jointed at picture rail height and no rail is fitted shall be	8d. per foot run.
(ii) the maximum rate for the supplying and fixing of plaster picture rail shall be	1s. per foot.
(f) Ventilators—	
(i) the maximum rate which may be charged for fixing ventilators not 'exceeding 144 square inches in area in walls or ceilings shall be—	
(a) faced (b) flushed	1s. 6d. each. 2s. 3d. each.
(ii) where the area is greater than 144 square inches the maximum rates shall be—	
(a) up to 2 square feet	3s. each.
(b) over 2 square feet and up to 4	
square feet (c) over 4 square feet and up to 1	4s. each.
square yard	5s. each.
(d) over 1 square yard	5s. each plus 6d. per square foot.
(g) Beam Casing— The maximum rates which may be charged for beam casing are as set out below, but in no case shall the cost of beam casing exceed 3s. 6d. per foot run. The rates shall be deemed to include all flush jointing and jointing between fascias and soffits, but not jointing with ceiling which shall be the rates set out for wall-ceiling junction in paragraph (d) of clause 1 of this Schedule— Fascias—Plain Ornamental	1½d. per inch. 2½d. per inch.
Soffits—Plain Ornamental	2d. per inch. 3d. per inch.
Where beam is isolated from the ceiling, the maximum rates for fascias and soffits shall not exceed 3d. per inch.	
(h) Curtain Pelmets— The maximum rate for fixing curtain pelmets	
shall be	2s. 2d. per foot of pelmet run.
(i) Fire Surrounds— The maximum rate for fixing fire surrounds shall be	£1 10s. per surround.
(j) Small Recesses—	<u>.</u>
The maximum rate for recesses shall be determined at the rate of 1s. per foot for each finished internal or external angle included therein, but in respect of any small recess as to which the amount may be charged therefor when calculated at the aforesaid amounts to less than 10s., then the sum of 10s. may be charged therefor.	
(k) Large Recesses—	
The maximum rate for recesses with a volume greater than 4 cubic feet shall be the rate fixed by the Order for wall and ceilings, as applicable, plus the appropriate rate for internal and/or external angles.	
(1) Bulk Heads—	
The maximum rate for bulk heads shall be those fixed by this Order in this Schedule for walls and ceilings, drops at wall rates, soffits at ceiling rates.	

THE SECOND SCHEDULE-continued.

MAXIMUM RATES-continued.

Fibrous Plaster-Supplying and Fixing-continued.

Description of Scrvice.

Maximum Rate.

(m) Window Reveals-

The maximum rate for window reveals shall be 9d. per running foot

of finished reveal.

(n) Building Paper-

The maximum rate for supplying and fixing building papers in ceilings and/or walls shall be

1s. per square yard of building paper

(o) Battens-

....

The maximum rate for the supplying and fixing of battens in conjunction with ceiling and/or wall sheets shall be—

(i) 2 inches by 1 inch kiln dried hardwood battens

1s. 11d. per square yard. s. 7d. per square

yard.

(ii) 2 inches by 1 inch oregon battens \dots

The above rates apply where battens are not more than 18 inches

apart between centres.

THE THIRD SCHEDULE.

MAXIMUM RATES.

Fibrous Plaster-General.

Description.

Maximum Rate.

(1) Delivery-

- (a) The maximum prices and rates shown in this Order are for delivery free within the Metropolitan Area, for a seller or supplier whose place of business is situ-ated within the Metropolitan Area.
- (b) Where the seller's or supplier's place of business is situated outside the Metro-politan Area, the maximum prices and rates set out in this Order shall include delivery within a radius of 20 miles of the manufacturer's or trader's place of business. business.
- (c) Where the distance from the seller's or supplier's place of business to the point

(2) Where the seller's or supplier's place of business is situated beyond the Metropolitan Area, the following surcharges may be added to the prices and/or rates set out in paragraph (a) of the First Schedule or paragraphs (a) and (b) of clause 1 of the Second Schedule as the case requires:—

4½d. per ton-mile plus 10s. per ton (for loading and un-loading).

Surcharge per

square yard.

1d. 24d. 3d. 31d. 4d. 4⅓d. 5d.

Distance from Melbourne.

(3) Demolition Work-

The maximum rate for demolition work on old walls or ceilings shall be

s. per square yard for demolition and removal of refuse.

(4) Scaffold-

The prices and rates set out in this Order shall be deemed to include the cost of providing and transporting all necessary scaffolding for fixing work.

(5) Material to specified detail-

Material to specified detail shall be charged at the rates set out in this Order,

-**** £ ۵

THE THIRD SCHEDULE-continued MAXIMUM RATES-continued. Fibrous Plaster-General-continued.

Description.

Maximum Rate.

(6) Small jobs-

Where the aggregate price for any one job of supplying and fixing fibrous plaster products, computed under the rates set out in this Order, is less than £25, a surcharge of 20 per cent. may be added to the aggregate price to which, but for this clause, would be the maximum price chargeable under this Order for that supply and service.

(7) Board and Lodging for Employees-

Board and Lodging for Employees—

In any case where persons are necessarily employed for the purpose of fixing fibrous plaster products, and the employer is required by the terms of any statute, regulation, award or determination to provide board and lodging for such persons or to pay to them an allowance in lieu of board and lodging, he may charge, in addition to any charges which elsewhere under this Order he is entitled to make, the cost of so providing board and lodging or the amount of the allowances so paid, but, where board and lodging is supplied, the cost thereof charged under this clause shall not exceed the cost of the cheapest board and lodging which, of the cheapest board and lodging which, under the terms of the statute, regulation, award or determination in question, he is bound to provide, and, where an allowance is paid the amount thereof so charged shall not exceed the amount of the minimum allowance which he is so bound to pay.

Dated this 17th day of March, 1950.

J. F. WALDRON, Prices Decontrol Commissioner.

Prices Regulation Acts.

PRICES REGULATION ORDER No. 147.

BOOT AND SHOE REPAIRS-VICTORIA.

pursuance of the powers conferred upon me by the Prices Regulation Acts, I, John Francis Waldron, Prices Decontrol Commissioner, hereby make the following Order:-

Citation.

1. This Order may be cited as Prices Regulation Order No. 147.

Revocation.

2. Prices Regulation Order No. 114 issued under the Prices Regulation Acts is hereby revoked.

Maximum Rates.

3. I fix and declare the maximum rates at which the services specified in the Schedule to this Order may be supplied in Victoria to be the rates specified therein.

Exhibition of Price List.

4. Every person who supplies or offers to supply any of the services specified in the Schedule to this Order, the maximum rate for which is fixed by or under the provisions of this Order, shall exhibit in a prominent position in his place of business, or if he has more than one place of business, in each of his places of business, particulars of the maximum rates fixed by or under the provisions of this Order for the supply by him of those services.

Fixation of Maximum Rates by Notice.

5. Notwithstanding the foregoing provisions of this Order, I declare the maximum rate at which any service the maximum rate for the supply of which is fixed by the foregoing provisions of this Order and which is specified in a notice given in pursuance of this paragraph may be supplied in Victoria by any person to whom such notice is given to be such rate as is fixed by the Commissioner by notice in writing to that person.

THE SCHEDULE.

THE SCHED	ULE.		
Kind of Service.			Maximum Rate Per Pair. s. d.
Men's (sizes 4 to 9 inclusive)-			o. u.
Half soled and heeled—			
Hand sewn			
Machine sewn or cemented	• •	• • • •	ο ο
Riveted	• •	• • •	. 90
Three-quarter soled and heeled— Hand sewn			. 16 4
Machine sewn or cemented			10 4
Riveted			10 0
Half soled only—			
Hand sewn			
Machine sewn or cemented Riveted	• •	••	
	• •	••	
Three-quarter soled only— Hand sewn			. 14 3
Machine sewn or cemented			
Riveted			40 D
Full soled and heeled—			
Hand sewn	• •		
Machine sewn or cemented Riveted			
	••		. 10 0
Men's (sizes 10 and over)	(-1	4 40 0 in	
The rates herein specified for men's clusive), plus 7d. in each case.	(sizes	4 to 9 in	-
· =			
Men's heavy work boots-	(-:	4 40 N in	
The rates herein specified for men's clusive), or men's (sizes 10 and over	(Sizes	4 to 9 in-	- 7
be, plus 7d. in each case.	, us tir	cusc maj	
Men's pumps			
The rates herein specified for men's	(sizes	4 to 9 in-	_
clusive) machine sewn, plus 1s. 3d. ir			
Men's all sizes (including pumps and heav	v work	boots)	
Heeled only (top piece and skivers)			. 29
Women's (all sizes over 2)—			
Half soled and heeled—			
Sewn or cemented			. 83
Riveted			C 11
Pumps	• •		. 10 0
Half soled only—			
Sewn or cemented	• •	••	- 0
Riveted Pumps			0 0
Full soled and heeled—			
Sewn or cemented			. 13 4
Wedgees			
Heeled only (top piece and skivers)	• •	••	. 17
Youths' (sizes 3 and 4)—			
Half soled and heeled—			
Sewn or cemented	• •	••	. 711. . 68
Riveted Half soled only—	• •	••	. • •
Cours on comented			6 5
Riveted Heeled only (top piece and skivers)			4 11
Heeled only (top piece and skivers)			
Youths' (sizes 1 and 2)—			
Half soled and heeled—			
Riveted	• •	••	. 60
Half soled only-			
			4 0
Heeled only (top piece and skivers)			
Maids' (sizes 1 and 2)-		•	
Half soled and heeled—			•
Sewn or cemented	.:		
Riveted	• •		. 65
Pumps	••	•• • •	. 95
Half soled only—			6 5
Sewn or cemented Riveted			. 65 . 411
Pumps			
Full soled and heeled-			
Sown or cemented			. 12 7
Wedgees	••	•• •	
Heeled only (top piece and skivers)	••	••	. 17

THE SCHEDULE—continued.

TH	E SCI	HEDULE—C	ontinue	1.			
Kind	of Se	ervice.				Per P	
Children's (sizes 10 to 13)— Half soled and heeled—			•			8.	α.
Sewn or cemented						6	8
Riveted						5	4
Half soled only—							
Sewn or cemented							4
Riveted						3 :	11
Heeled only (top piece	and	skivers)				1	7
Children's (sizes 9 or smalle	r)						
Half soled and heeled—	• ,						
Sewn or cemented				•		5	9
Riveted						4	3 .
	•	• •		• •	••	-	•
Half soled only—							-
Sewn or cemented		• •	• •	• •	• •	4 3	7 5
Riveted			• •	• •	• •		
Heeled only (top piece	and	skivers)	• •	• •	• •	1	4
Extras						eac	ch
Insoles						0	
New seats						0	11
Whole back linings .						0	
Lifts						0	
Stitching uppers .			• •		• •	0	8
						per p	pair
Quarter rubber or iron	heel	tips				0 :	
Heel or toe plates .		:•				-	4
Heel or toe plates (extra	a hear	vy)	• •	• •		0	5
						per i	nch
Welting, new or restit	ching					0	4
						per p	pair
Slipsoles, large						1	4
Slipsoles, small .						0 :	11
Veldschoen						0	8
Sprigged soles						ō	8
						3	5
= -			• •	• •	• •	2	0
Toe caps, others		• •	• •	• •	• •	0	8
Stretching	•	• •	• •	• •	• •	v	0
Pieces-							
Men's full pieces across-	_						
Sewn or cemented						5	0
Riveted						4	3
Men's side pieces-							
Sewn or cemented						3	8
Riveted						3	0
Men's toe pieces-							
Sewn or cemented						3	0
Riveted						2	4
Youths' full pieces acros	ss—						
Sewn or cemented						4	3
Riveted						3	8
Youths' side pieces-							
Sewn or cemented						3	5
Riveted						2	9
Youths' toe pieces-							
Sewn or cemented						2	9
Riveted						2	0
Women's, maids', or chi	ldren	's full pi	eces acr	oss—			
Sewn or cemented						3	8
Riveted						3	0
Women's, maids', or chi		's side p	ieces—				
Sewn or cemented						3	0
Riveted						2	4
Women's, maids', or chil		s toe piec	es—				
Sewn or cemented						2	4 .
Riveted						1	7

The above Schedule applies to all repairs whether leather, rubber, or any other substance is used, with the exception of rubber or other substitute repairs which are cemented, in which case the rates specified shall be reduced by 1s. 6d. per pair.

Dated this 17th day of March, 1950.

J. F. WALDRON,
Prices Decontrol Commissioner.

Prices Regulation Acts.

PRICES REGULATION ORDER No. 148.

GALVANIZED CORRUGATED IRON-SALES BY RETAIL.

IN pursuance of the powers conferred upon me by the Prices Regulation Acts, I, John Francis Waldron, Prices Decontrol Commissioner, hereby make the following Order:—

Citation.

1. This Order may be cited as Prices Regulation Order No. 148.

$Part\ Amendment.$

2. Prices Regulation Order No. 119 is hereby amended by omitting The Schedule thereto and inserting in its stead the Schedule to this Order, which Schedule may be cited as The Schedule to Prices Regulation Order No. 119.

THE SCHEDULE.

(Which Schedule shall be substituted for and may be cited as The Schedule to Prices Regulation Order No. 119.)

Case or Bundle lots or lots of one-half ton or more. Maximum price ex-Stora.

Branded galvanized corrugated iron, 18 gauge to	
Branded galvanized corrugated iron, 26 gauge	£46 16 8 per ton. £47 16 8 per ton.
Unbranded galvanized corrugated iron, 18 gauge to 24 gauge	£45 6 8 per ton.
Unbranded galvanized corrugated iron, 26 gauge	£46 6 8 per ton.
Brande per She	
Galvanized Corrugated Iron in Broken Lots. s. d	s. d.
Sheets, 5 feet long, 26 gauge, 8 x 3 inch corrugations 4 1	<u>.</u> 40 ·
Sheets, 6 feet long, 26 gauge, 8 x 3 inch corrugations 5 0	-
Sheets, 7 feet long, 26 gauge, 8 x 3 inch	
Sheets, 8 feet long, 26 gauge, 8 x 3 inch	•
corrugations 6 8 Sheets, 9 feet long, 26 gauge, 8 x 3 inch	6 6
corrugations 7 7 Sheets, 10 feet long, 26 gauge, 8 x 3 inch	7 4
corrugations 8 7 Sheets, 11 feet long, 26 gauge, 8 x 3 inch	8 4
corrugations 9 5	9 13
Sheets, 12 feet long, 26 gauge, 8 x 3 inch corrugations	å 10 1
Sheets, 5 feet long, 24 gauge, 8 x 3 inch corrugations 5 9	5 7
Sheets, 6 feet long, 24 gauge, 8 x 3 inch corrugations 6 11	
Sheets, 7 feet long, 24 gauge, 8 x 3 inch	··
Sheets, 8 feet long, 24 gauge, 8 x 3 inch	
Sheets, 9 feet long, 24 gauge, 8 x 3 inch	å 9 1
corrugations 10 9 Sheets, 10 feet long, 24 gauge, 8 x 3 inch	10 5
corrugations 11 11 Sheets, 11 feet long, 24 gauge, 8 x 3 inch	11 61
	12 91
corrugations 14 4	· 13 11
Sheets, 5 feet long, 26 gauge, 10 x 3 inch corrugations 5 1	3 4 113
Sheets, 6 feet long, 26 gauge, 10 x 3 inch corrugations 6 1	5 11
Sheets, 7 feet long, 26 gauge, 10 x 3 inch corrugations 7 2	· · · · · · · · · · · · · · · · · · ·
Sheets, 8 feet long, 26 gauge, 10 x 3 inch	
Sheets, 9 feet long, 26 gauge, 10 x 3 inch	8 0
Sheets, 10 feet long, 26 gauge, 10 x 3 inch	90
corrugations 10 7 Sheets, 11 feet long, 26 gauge, 10 x 3 inch	10 33
corrugations 11 7 Sheets, 12 feet long, 26 gauge, 10 x 3 inch	11 3
	53 12 1
corrugations 7 1	. 6 11
Sheets, 6 feet long, 24 gauge, 10 x 3 inch corrugations 8	5å 83
Sheets, 7 feet long, 24 gauge, 10 x 3 inch corrugations 9 11	là 98
Sheets, 8 feet long, 24 gauge, 10 x 3 inch	13 11 0
,,	

THE SCHEDULE—continued.

	Branded per Sheet.	Unbranded per Sheet.
Galvanized Corrugated Iron in Broken Lots.	s. d.	s. d.
Sheets, 9 feet long, 24 gauge, 10 x 3 inch corrugations	13 1	 12 8
Sheets, 10 feet long, 24 gauge, 10 x 3 inch corrugations Sheets, 11 feet long, 24 gauge, 10 x 3 inch	14 91	 14 4
corrugations	16 3	 15 9
Sheets, 12 feet long, 24 gauge, 10 x 3 inch corrugations	17 5	 16 11

Dated this 17th day of March, 1950.

J. F. WALDRON, Prices Decontrol Commissioner.

· • .