



[4411]

PUBLISHED BY AUTHORITY

Victoria Government Gazette

No. 147—Monday, 17 December 1984

CONTRACTS ACCEPTED

(SERIES 1984-85)

SUPPLY

OF

PHOTOGRAPHIC/X-RAY MATERIALS AND EQUIPMENT (CAMERAS, ETC.)

FOR

STATE DEPARTMENTS

FROM

1 DECEMBER 1984 TO 30 NOVEMBER 1986

J. M. PAWSON
Secretary to the Tender Board

SCHEDULE No. 1/55

PHOTOGRAPHIC/X-RAY MATERIALS AND EQUIPMENT (CAMERAS, ETC.)

1984/517—Aarque Systems Pty. Ltd., 236 Adderley Street, West Melbourne, Vic. 3023 Telephone 329 8144
 1984/520—Agfa-Gevaert Limited, 372 Whitehorse Road, Nunawading, Vic. 3131 Telephone 875 0222
 1984/523—Bond Colour Laboratories, 4 Gwynne Street, Richmond, Vic. 3121 Telephone 429 1299
 1984/524—Du Pont (Australia) Ltd. 636 St. Kilda Road, Melbourne 3004 Telephone 529 2033
 1984/525—Hanimex Pty. Ltd., 108 Old Pittwater Road, Brookvale, N.S.W. Telephone 938 0400
 1984/527—Ilford (Australia) Pty. Ltd., P.O. Box 144, Mt. Waverley, Vic. 3149 Telephone 541 4555
 1984/528—Kodak (Australasia) Pty. Ltd., 173 Elizabeth Street, Coburg, Vic. 3058 Telephone 350 1222
 1984/529—Mark's Industrial Photographic Sales, 87-91 Queensbridge St. South Melbourne, Vic. 3205 Telephone 614 4744
 1984/530—3M Australia Pty. Ltd., Box 338 P.O. Mt. Waverley, Vic. 3149 Telephone 543 2655
 1984/532—Oce-Reprographics Ltd., 49 Queensbridge Street, South Melbourne, Vic. 3205 Telephone 62 0721
 1984/535—Teds Camera Stores Pty. Ltd., 239 Elizabeth Street, Melbourne, Vic. 3000 Telephone 67 6141

Item No.	Description	Unit of Measurement	Rate	Name of Contractor	
\$					
GROUP 1—PHOTOGRAPHIC REQUIREMENTS					
<i>Papers, Black and White</i>					
Bromide Type in Single weight. 'Kodak Polyfibre'					
Paper Surfaces F—white smooth glossy, N—white semi matt					
Processing Time 1.5 minutes					
1	12.7 cm. × 17.8 cm. box of 100 sheets	per box	9.04	Kodak (Australasia) Pty. Ltd. Purchase (Regulation 84)	
2	20.3 cm. × 25.4 cm. box of 100 sheets	do.	20.61		
3	30.5 cm. × 40.6 cm. box of 100 sheets	do.	..		
Resin coated (polythene) type. 'Kodak Kodabrom II'					
Paper Surfaces F—white smooth glossy N—white semi-matt					
Processing Time 1.5 minutes					
4	8.9 cm. × 14.0 cm. box of 100 sheets	per box	6.44	Kodak (Australasia) Pty. Ltd.	
5	12.7 cm. × 17.8 cm. box of 100 sheets	do.	11.05		
6	16.5 cm. × 21.6 cm. box of 100 sheets	do.	16.75		
7	20.3 cm. × 25.4 cm. box of 100 sheets	do.	24.00		
8	25.4 cm. × 25.4 cm. box of 250 sheets	do.	64.63		
9	24.0 cm. × 25.4 cm. box of 250 sheets	do.	61.03		
10	24.0 cm. × 30.5 cm. box of 50 sheets	do.	17.29		
11	25.4 cm. × 35.6 cm. box of 50 sheets	do.	20.61		
12	30.5 cm. × 40.6 cm. box of 50 sheets	do.	28.51		
13	40.6 cm. × 50.8 cm. box of 50 sheets	do.	46.99		
14	50.8 cm. × 61.0 cm. box of 10 sheets	do.	17.17		
15	40" × 100' Rolls	per roll	123.85		
Resin coated (polythene) type, multigrade. 'Kodak Polycontrast RC II'					
Paper Surfaces F—smooth glossy N—smooth semi-matt					
Processing Time 1.5 minutes					
16	8.9 cm. × 14.0 cm.	per box	5.85	Kodak (Australasia) Pty. Ltd.	
17	12.7 cm. × 17.8 cm.	do.	10.73		
18	16.5 cm. × 21.6 cm.	do.	16.41		
19	16.5 cm. × 21.6 cm. Box of 250 sheets	do.	36.24		
20	20.3 cm. × 25.4 cm. Box of 100 sheets	do.	23.40		
21	20.3 cm. × 25.4 cm. } Box of 250 sheets	do.	51.12		
22	24.0 cm. × 25.4 cm. } ..	do.	59.80		
23	24.0 cm. × 30.5 cm. } ..	do.	16.54		
24	30.5 cm. × 40.6 cm. } Box of 50 sheets	do.	27.95		
25	40.6 cm. × 50.8 cm. } ..	do.	45.89		
Various Papers as specified—					
26	Stabilization paper, 76.2 cm. × 30 m. rolls	per roll	..	Purchase (Regulation 84)	
Dyeline, matt, medium weight—box of 100 sheets					
27	24" × 30"	per box	..		
28	210 mm. × 297 mm.	do.	..		
29	297 mm. × 420 mm.	per box	..		
30	420 mm. × 594 mm.	do.	..		
31	594 mm. × 841 mm. Bow of 100 sheets "Aarque"	do.	14.75	Aarque Systems Pty. Ltd. Purchase (Regulation 84)	
32	762 mm. × 25 metres	per roll	..		
33	762 mm. × 50 metres "Aarque"	do.	9.46	Purchase (Regulation 84) Aarque Systems Pty. Ltd.	
34	1016 mm. × 10 metres	do.	..		
35	1016 mm. × 50 metres "Aarque"	do.	12.61		
Dyeline, glossy contrast, medium weight—					
36	1070 mm. × 10 metres "Oce"	do.	49.00	Oce Reprographics Ltd.	
Resin coated (polythene) type for printing from negative suitable for EP2 process—					
37	20.3 cm. × 25.4 cm. } "Kodak Ektacolor 2524"	per box	26.45	Kodak (Australasia) Pty. Ltd.	
Box of 100 sheets					
38	24.0 cm. × 25.4 cm. }	do.	31.13		
39	27.9 cm. × 35.6 cm. Box of 50 sheets "Kodak Ektacolor 2524"	do.	25.97		

CONTRACTS ACCEPTED—continued

Item No.	Description	Unit of Measurement	Rate	Name of Contractor
			\$	
	Resin coated (Polythene) type for printing from negative, suitable for process 91 and 92—			
40	8" × 10" Box of 50 sheets	per box	..	Purchase (Regulation 84)
41	8" × 10" } ..	do.	27.08	Agfa-Gevaert Ltd.
42	9½" × 10" } Box of 100 sheets, "Agfa Type 7"	do.	32.00	
43	12" × 16" } ..	do.	36.23	
44	16" × 20" } Box of 50 sheets "Agfa Type 7"	do.	59.85	
45	16" × 20" Packet of 10 sheets "Agfa Type 7"	per pkt	12.60	
46	20" × 24" Box of 10 sheets	per box	..	Purchase (Regulation 84)
	<i>Colour Display Material</i>			
	Positive Base, Dye destruction process, amateur quality			
47	20-3 cm. × 25-4 cm. Boxes of 50 sheets pearl "Cibachrome AII" CRC-A 44 M	do.	40.60*	Ilford (Australia) Pty. Ltd.
	20-3 cm. × 25-4 cm. Boxes of 25 sheets gloss CPS-A1K "Cibachrome AII"	do.	27.94*	
48	30-5 cm. × 40-6 cm. Boxes of 10 sheets gloss "Cibachrome AII" CPS-A1K	per box	28.18*	Ilford (Australia) Pty. Ltd.
	30-5 cm. × 40-6 cm. Boxes of 10 sheets pearl CRC-A44M "Cibachrome AII"	do.	21.48*	
	Sensometric Test strips for testing chemicals in Process 91 and 92			
49	Packet of 10 sheets	per pkt	..	Purchase (Regulation 84)
50	Packet of 25 sheets Agfa P92/EP2	..	24.31	
	High Sensitive Colour Reversal Material on P.E.T. Base on Matt Surface—			
51	12-7 cm. × 17-8 cm. } "Agfachrome Speed"	per box	9.15	Agfa-Gevaert Limited
	Box of 10 sheets			
52	20-3 cm. × 25-4 cm. }			
53	30-5 cm. × 45-7 cm. Box of 25 Sheets Agfachrome Speed	do.	141.13	
	Sensometric Test strips for testing chemicals in Process EP2			
54	Packet of 10 sheets	per pkt	..	Purchase (Regulation 84)
55	Packet of 30 sheets "Kodak EP2"	do.	19.80*	Mark's Industrial Photographic Sales
	<i>Film, Aerial</i>			
	Black and White, Stable Base, Spooled for "Wild" 8, 9 and 10 Cameras "Kodak Plus-X 2402 Aero"			
56	9½" × 250' rolls suitable for high level mapping Cat. No. "162 0608"	per roll	312.93	Kodak (Australasia) Pty. Ltd.
57	9, ½" × 250' rolls suitable for medium and low level mapping "Agfa Aviphot Pan 200"	per roll	316.80	Agfa-Gevaert Limited
	Colour Negative Film, Stable Base, Spooled for "Wild" 8, 9 and 10 Cameras			
58	24-1 cm × 61-0 m rolls "Kodak Aero Col. Neg 2445 Cat. No. 1711894"	do.	905.60	Kodak (Australasia) Pty. Ltd.
	Stable Base unbacked duplicating film, blue sensitive, continuous tone emulsion, suitable for photogrammetric plotting—			
59	10" × 10" × .007" thick Box of 50 "Kodak Aero Dup. 4421" Cat. No. 1202449	per box	75.69	
60	75 cm. x 101-6 cm. x 0-18 cm. thick Box of 25 sheets	do.	..	Purchase (Regulation 84)
	<i>Film, Black and White</i>			
	Panchromatic, fine grain with a 50 ASA speed rating			
61	35 mm. x 30 m. Roll "Pan F"	per roll	17.04*	Ilford (Australia) Pty. Ltd.
62	35 mm. cassette, 36 exposure "Pan F"	each	2.28*	
63	120 Roll—Packet of 10 rolls "Pan F"	per roll	1.74*	
	Panchromatic, fine grain with a 125 ASA speed rating			
64	220 Roll, boxes of 10 "FP-4"	per box	31.23*	Ilford (Australia) Pty. Ltd.
65	120 Roll, boxes of 10 "FP-4"	do.	16.99*	
66	5" x 4" sheets, boxes of 50 sheets "FP-4"	do.	18.26*	
67	35 mm. roll 30 metre lengths "FP-4"	per roll	17.04*	
68	35 mm. cassette 36 Exposure (boxes of 10) (pro-pack) "FP-4"	per box	22.37*	
69	35 mm. cassette 20 Exposure "FP-4"	each	1.64*	

*Settlement discount 2½%. 30 days.

CONTRACTS ACCEPTED—continued

Item No.	Description	Unit of Measurement	Rate	Name of Contractor
	Panchromatic, fine grain, with incorporated grey dye, with a 125 ASA speed rating, professional quality		\$	
70	220 Roll, boxes of 5 "Kodak Plus x Pan" Cat. No. 1674837	per pack	16.24†	Kodak (Australasia) Pty. Ltd.
71	120 Roll, boxes of 5 "Kodak Plus x Pan" Cat. No. 3522265	do.	8.24†	
72	35 mm. Cassettes, 36 Exposure (boxes of 20) "Kodak Plus x Pan" Cat. No. 3508249	per roll	2.21‡	
73	35 mm. Cassettes, 20 Exposure (boxes of 20) "Kodak Plus x Pan" Cat. No. 3034360	do.	1.57‡	
	Panchromatic, fine grain with a 400 ASA speed rating			
74	220 Roll, boxes of 10 "HP-5" Pro-pack	per box	31.23*≠	Ilford (Australia) Pty. Ltd.
75	120 Roll, boxes of 10 "HP-5" Pro-pack	do.	16.99*	
76	5" x 4" sheets, boxes of 100 sheets "Kodak Tri x Pan" Cat. No. 1430198	do.	33.68	Kodak (Australasia) Pty. Ltd.
77	35 mm. Roll, 30 metre lengths "HP-5"	per roll	17.04*	
78	35 mm. Roll, 150' lengths "R625" (daylight loading)/R615 (cores)	do.	24.55*	Ilford (Australia) Pty. Ltd.
79	35 mm. Cassette, 36 (boxes of 10) (pro-pack) "HP-5"	per box	22.37*	
80	35 mm. Cassette, 20 Exposure "HP-5"	each	1.64*	
	Panchromatic, fine grain, with an ASA range of 50-1600			
81	120 Roll "XP-1"	per roll	1.97*	Ilford (Australia) Pty. Ltd.
82	35 mm. Cassette, 36 Exposure "XP-1"	each	2.52*	
83	35 mm. Cassette, 20 Exposure "XP-1"	do.	1.84*	
	Panchromatic, medium grain, with a 1250 ASA speed rating			
84	120 Roll "Kodak Royal x Pan" Cat. No. 1712173	per roll	2.32‡	Kodak (Australasia) Pty. Ltd.
	Panchromatic, ultra fine grain with a 50 ASA speed rating			
85	35 mm. Cassette, 36 Exposure "Pan F"	each	2.28*	Ilford (Australia) Pty. Ltd.
86	35 mm. Cassette, 20 Exposure "Pan F"	do.	1.64*	
87	120 Roll "Pan F"	per roll	1.74*	
88	35 mm. Cassette, 20 Exposure "Pan F"	each	1.64*	Ilford (Australia) Pty. Ltd.
89	35 mm. Cassette, 36 Exposure "Pan F"	do.	2.28*	
	Infra Red Sensitive emulsion with emulsion speed of 25 ASA or higher without filtration "Kodak High Speed Infrared Film"			
90	5" x 4" sheet, boxes of 25 sheets Cat. No. 1713051	per box	12.28	Kodak (Australasia) Pty. Ltd.
91	35 mm. Cassette, 20 Exposure Cat. No. 1692086	each	3.92‡	
92	High Contrast copy emulsion for document and general copy work "Kodak Tech. Pan. 2415" 35 mm Cassette, 36 Exposure Cat. No. 1297563	do.	2.72‡	
	Black and White self processing			
93	Polaroid type 51 or equivalent	do.	28.80*	Mark's Industrial Photographic Sales.
94	Polaroid type 52 or equivalent	do.	27.02*	
95	Polaroid type 55 or equivalent	do.	31.52*	
96	Polaroid type 57 or equivalent	do.	27.58*	
97	Polaroid type 105 or 665 or equivalent	each	6.32*	Mark's Industrial Photographic Sales
98	Polaroid type 107 or 667 or equivalent	do.	5.84*	
99	Polaroid type 87 or equivalent	do.	5.25*	
	Blue Sensitive (colour blind) "Kodak Commercial 4127"			
100	5" x 4" sheets, boxes of 50 sheets Cat. No. 1682228	per box	20.16	Kodak (Australasia) Pty. Ltd.
101	Blue Sensitive high contrast film, polyester base, interleaved 10" x 8" sheets, boxes of 50 sheets Cat. No. 1976661	do.	66.80	
102	Professional Copy Film "Kodak Prof. Copy 4125" 10-2 x 12-7 sheets, boxes of 25 sheets Cat. No. 1714062	do.	14.28	
103	Ortho Line "Kodalith Ortho 2556" 5" x 4" sheets, boxes of 50 sheets Cat. No. 1652965	do.	9.95	
	Ortho Line, Fine Grain, Highlight contrast control, Tungsten and Quartz Speed, 12 ASA			
104	12-1 cm. x 16-5 cm., boxes of 100 sheets	do.	..	Purchase (Regulation 84)
	Film, Colour			
	Colour, negative, with 100 ASA speed rating, Amateur			
105	35 mm. Cassette, 24 Exposure "XR 100"	each	1.67	Agfa-Gevaert Limited
106	35 mm. Cassette, 36 Exposure "XR 100"	do.	2.25	
107	110 Cartridges, 24 Exposure "XR 100"	do.	1.67	
108	110 Cartridges, 12 Exposure "XR 100"	do.	1.25	
109	126 Cartridges 12 Exposure "XR 100"	do.	1.25	
109	126 Cartridges 24 Exposure "XR 100"	do.	1.67	
	Colour, negative, with an 80 ASA speed rating, long exposure Professional			

* Settlement Discount 2½%, 30 days.

≠ Delivery 16 weeks from receipt of order.

† Minimum/Multiple order quantity 4 packs

‡ Minimum/Multiple order quantity 20 rolls

CONTRACTS ACCEPTED—continued

Item No.	Description	Unit of Measurement	Rate	Name of Contractor
			\$	
110	5" x 4" sheets, boxes of 10 sheets "N 80L"	per box	13.20*	Mark's Industrial Photographic Sales Kodak (Australasia) Pty. Ltd.
111	120 Roll, boxes of 5 rolls Kodak Vericolor Type L" Cat. No. 1980291	do.	11.04†	
112	Colour, negative, High contrast, with an 80 ASA speed rating 120 Roll "80s"	each	2.00*	Mark's Industrial Photographic Sales
	Colour, negative, High contrast, with a 100 ASA speed rating, Commercial Quality "Kodak Veri. Comm."			
113	120 Roll, Packet of 10 Cat. No. 1140789	per roll	2.32‡	Kodak (Australasia) Pty. Ltd.
114	10.2 x 12.7 sheets, boxes of 10 sheets Cat. No. 1586817	per box	13.60	
	Colour, negative, with a 100 ASA speed rating, Professional "Kodak Vericolor S"			
115	220 Roll, Packet of 5 Cat. No. 1556497	per pkt	21.00†	Agfa-Gevaert Limited
116	120 Roll, Packet of 5 Cat. No. 4452066	do.	10.88†	
117	35 mm. Cassette, 36 Exposure "XR100"	each	2.25	Agfa-Gevaert Limited
118	5" x 4" sheets, boxes of 10 sheets "NIOOS"	per box	12.38	
	Colour, negative, with a 200 ASA speed rating, Amateur "Kodak Kodacolor VR200"			
119	35 mm. Cassette, 36 Exposure Pkt of 20—Cat. No. 4450557	per roll	2.59‡	Kodak (Australasia) Pty. Ltd.
120	35 mm. Cassette, 24 Exposure Pkt of 20—Cat. No. 4450235	do.	1.92‡	
	Colour, negative, with a 400 ASA speed rating "Kodak Kodacolor VR400"			
121	120 Roll, Packet of 20 Cat. No. 1391275	do.	1.89‡	Purchase (Regulation 84)
122	35 mm. Cassette, 12 Exposure	do.	2.01	
123	35 mm. Cassette, 24 Exposure "XR 400"	do.	2.84	Agfa-Gevaert Limited
124	35 mm. Cassette, 36 Exposure "XR 400"	do.	1.94*	
	Colour, negative with a 1000 ASA speed rating "Kodak VR1000"			
125	35 mm. Cassette, 12 Exposure	each	2.48*	Mark's Industrial Photographic Sales
126	35 mm. Cassette, 24 Exposure	do.	3.49*	
127	35 mm. Cassette, 36 Exposure	do.	1.94*	Purchase (Regulation 84)
	Colour, Internegative Film			
128	35 mm. x 24-4 m. Roll	per roll	..	Purchase (Regulation 84)
129	5" x 4" sheets, boxes of 10 sheets	per box	..	
130	10" x 8" sheets, boxes of 10 sheets	do.	..	
	Colour for positive transparency with a 25 ASA speed rating (including processing) "Kodak Kodachrome 25"			
131	35 mm. Cassette, 20 Exposure Pkt of 20—Cat. No. 4169512	per roll	4.37‡	Kodak (Australasia) Pty. Ltd.
132	35 mm. Cassette, 36 Exposure Pkt. of 20—Cat. No. 4169561	do.	6.61‡	
	Colour for positive transparency with a 50 ASA speed rating "Agfachrome 505"—Excluding Processing			
133	120 Roll, boxes of 10	per box	22.50	Agfa-Gevaert Limited
134	35 mm. Roll, 30 metre lengths	per roll	37.50	
135	5" x 4" sheets, boxes of 10 sheets	per box	13.50	
	Colour for positive transparency with a 50 ASA speed rating (daylight) professional quality "Agfachrome 50s"—Excluding Processing.			
136	120 Roll	each	2.25	Agfa-Gevaert Limited.
137	35 mm. Cassette, 36 Exposure	do.	4.50	
	Colour for positive transparency with a 50 ASA speed rating (including processing) "Agfachrome CT18"—Including Processing.			
138	35 mm. Cassette, 20 Exposure	do.	4.13	Agfa-Gevaert Limited.
139	35 mm. Cassette, 36 Exposure	do.	6.02	
	Colour for positive transparency with a 50 ASA speed rating, tungsten, Professional "Agfachrome 50L".			
140	120 Roll	do.	2.25	Purchase (Regulation 84)
141	35 mm. Cassette	do.	4.50	
142	5" x 4" sheets, boxes of 10 sheets	per box	..	
	Colour for positive transparency with a 64 ASA speed rating General quality "Kodak Ektachrome 64"			
143	120 Roll, Packet of 20 Cat. No. 1280254	per roll	2.10‡	Kodak (Australasia) Pty. Ltd.
144	35 mm. Cassette, 20 Exposure pkt. of 20—Cat. No. 4454468	each	2.62‡	
145	35 mm. Cassette, 36 Exposure pkt. of 20—Cat. No. 4450128	do.	3.78‡	
	Colour for positive transparency with a 64 ASA speed rating Professional Quality "Kodak Ektachrome 64 Prof."			
146	120 Roll, pack of 5, Cat. No. 1229137	per pack	12.40†	Purchase (Regulation 84)
147	35 mm. Cassette, 36 Exposure, pack of 20, Cat. No. 1602754	per roll	5.00‡	
148	5" x 4" sheets, boxes of 25 sheets	per box	..	

* Settlement Discount 2½%, 30 days

† Minimum/Multiple order quantity 4 packs

‡ Minimum/Multiple order quantity 20 rolls

CONTRACTS ACCEPTED—continued

Item No.	Description	Unit of Measurement	Rate	Name of Contractor
			\$	
	Colour for positive transparency with a 64 ASA speed rating (including processing)—"Kodak Kodachrome 64"			
149	35 mm. Cassette, 20 Exposure, pack of 20, Cat. No. 4169793	each	4.37†	Kodak (Australasia) Pty. Ltd.
150	35 mm. Cassette, 36 Exposure, pack of 20, Cat. No. 4169835	do.	6.61†	
	35 mm. Cassette, 36 Exposure, Prof. Cat. No. 3516598	do.	8.11†	
	Colour for positive transparency with a 160 ASA speed rating, Tungsten, Professional Quality "Kodak Ektachrome 160 Prof."			
151	120 Roll, boxes of 5 Cat. No. 1229178	per box	14.96†	Kodak (Australasia) Pty. Ltd.
152	35 mm. Cassette, 36 Exposure, pack of 20, Cat. No. 1813724	each	5.92†	
	Colour for positive transparency with a 200 ASA speed rating, Professional Quality "Kodak Ektachrome 200 Prof."			
153	120 Roll, boxes of 5 Cat. No. 1229194	per box	14.96†	Kodak (Australasia) Pty. Ltd.
154	35 mm. Cassette, 36 Exposure "Agfachrome 200 Prof." (excluding Processing)	each	5.25	
155	35 mm. × 30.5 m. Roll	per roll		Agfa-Gevaert Limited Apply Tender Board
	Colour for positive transparency with a 1000 ASA speed rating, Professional Quality "Kodak Ektachrome P800/1000 EES"			
156	35 mm. Cassette, 36 Exposure Cat. No. 1027341	each	6.88†	Kodak (Australasia) Pty. Ltd.
157	Colour for positive transparency with a 400 ASA speed rating, "Kodak Ektachrome 400"			
158	120 Roll Cat. No. 1655639	per roll	3.80†	
159	35 mm. Cassette, 20 Exposure, pack of 20, Cat. No. 3496742	do.	3.39†	Kodak (Australasia) Pty. Ltd.
	35 mm. Cassette, 36 Exposure, pack of 20, Cat. No. 3488590	do.	4.83†	
	Colour Self Processing Materials			
160	Polaroid Type 59 or equivalent	each	50.31*	Mark's Industrial Photographic Sales
161	Polaroid Type 108 or 668 or equivalent	do.	8.11*	
162	Polaroid Type 809 or equivalent	do.	81.52*	
163	Polaroid Type 88 or equivalent	do.	6.96*	
164	Polaroid Type 600 or equivalent	do.	9.35*	
165	Polaroid Type SX 70 or equivalent	do.	9.35*	
166	Polaroid Type 891 or equivalent	do.	119.65*	
167	Polachrome 35 mm. film and processing pack, 36 Exposure	do.	15.12*	Purchase (Regulation 84)
168	Kodak Type RT 10 or equivalent	do.		
	Colour for making large colour transparencies from colour negative originals "Kodak Vericolor Print Film 4111"			
169	20.3 × 25.4 Sheets, boxes of 10 sheets Cat. No. 1221373	per box	27.80	Kodak (Australia) Pty. Ltd.
170	35 mm. × 30.5 m. Roll Cat. No. 1221217	per roll	55.36	
	Colour reversal film for making colour slides from original transparencies—"Kodak Ektachrome Dupl. 5071"			
171	35 mm. × 30.5 m. Roll Cat. No. 1629476	do.	31.60	Kodak (Australia) Pty. Ltd.
	<i>Film, Graphic Arts</i>			
	-004", Stable Base, projection speed drafting film, high contrast, negative to positive "Agfa PL1PM"			
172	76.2 cm. × 101.6 cm. sheets, boxes of 50 sheets	per box		Purchase (Regulation 84)
173	75 cm. × 30 metre roll	per roll	249.48	
174	107 cm. × 30 metre roll	do.	349.29	Agfa-Gevaert Limited
	-004", Stable Base, Dupe film, high speed, drafting base, positive to positive—"Agfa RD1PM"			
175	76.2 cm. × 101.6 cm. sheets, boxes of 50 sheets	per box	455.17	Agfa-Gevaert Limited
176	76.2 cm. × 30 m. Roll	per roll	272.07	
177	106.6 cm. × 30 m. Roll	do.	382.32	
	-004", Stable Base, high speed duplicating clear film (30 sec. exp. at 6 ft. 18 v. point source light), positive to positive			
178	76.2 cm X 101.6 cm sheets, boxes of 50 sheets	per box		Purchase (Regulation 84)
179	30" X 100' Roll } "Agfa RD610P"	per roll	280.24	
180	42" X 100' Roll }	do.	392.36	Agfa-Gevaert Limited
	-004", Stable Base, high contrast, orthochromatic lith emulsion			
181	76.2 cm X 101.6 cm sheets, boxes of 75 sheets "COS-4X75"	per box	494.77*	Du Pont (Aust.) Ltd.
182	100 cm X 100 m Roll	per roll		
183	30 cm X 60 m Roll	do.		Purchase (Regulation 84)
184	50 cm X 60 m Roll	do.		
185	75 cm X 60 m Roll	do.		
186	30" X 100' Roll "Agfa 0711P"	do.	183.13	Agfa-Gevaert Limited
187	42" X 100' Roll "Agfa 0711P"	do.	256.35	

* Settlement Discount 2½%, 30 days.

† Minimum/Multiple order quantity 4 packs.

‡ Minimum/Multiple order quantity 20 rolls.

CONTRACTS ACCEPTED—continued

Item No.	Description	Unit of Measurement	Rate	Name of Contractor
			\$	
	-004", Stable Base, high contrast, orthochromatic, duplicating film, boxes of 50 sheets			
188	24 cm X 30 cm	per box	..	} Purchase (Regulation 84)
189	30 cm X 40 cm	do.	..	
190	40 cm X 50 cm	do.	..	
191	50 cm X 60 cm	do.	..	
192	75 cm X 100 cm	do.	..	
	-004", Daylight Film, Contact Speed, Ortho, Negative to Positive, Clear Base "Agfa DL515P"			
193	75 cm X 30 m Roll	per roll	227.20	} Agfa-Gevaert Limited
194	107 cm X 30 m Roll	do.	315.69	
195	-004", Daylight Film, Duplicating, Clear Base "Agfa D1510P"			
196	75 cm X 30 m Roll	do.	261.54	
	-004", Continuous Tone Film, Camera Speed, Blue Sensitive			
197	762 mm X 1016 mm	per box	..	Purchase (Regulation 84)
	High contrast line, self adhesive stripping emulsion			
198	24 cm X 30 cm sheets, boxes of 100 sheets "Agfa 08215"	per box	136.72	Agfa-Gevaert Limited
	-007", Continuous Tone Film, Camera Speed, Blue Sensitive, in boxes of 50 sheets			
199	107 cm X 30 m Roll "CT-7"	per roll	553.50*	} Du Pont (Aust.) Ltd.
200	762 mm X 1016 mm "CT-7"	per box	701.55*	
	-007", Stable Base, Ortho "S", boxes of 50 sheets			
201	40 cm X 50 cm	do.	..	} Purchase (Regulation 84)
202	50 cm X 60 cm	do.	..	
	-003", Stable Base, Matt/Clear ammonia, diazo film, black			
203	760 mm X 20 m Roll	per roll	43.00	} Aarque Systems Pty. Ltd.
	Sensitised Film (Dyeline)			
204	762 mm X 10 metres X 3-5 double matt	do.	21.53	
205	1016 mm X 10 metres X 3-5 double matt	do.	28.70	
	<i>Film, Cine</i>			
	16 mm Colour, suitable for VNF-1 & ME-4 processing "Fujicolor Reversal Film type 8427, RT 125 mute"			
206	100 ft	per roll	16.12+	} Hanimex Pty. Ltd.
207	400 ft	do.	59.95+	
	Super 8, with sound			
208	processing included	per roll	..	Purchase (Regulation 84)
	Super 8, without sound			
209	processing included "Agfa Moviechrome 40"	do.	5.54	Agfa-Gevaert Ltd.
210	processing not included	do.	..	Purchase (Regulation 84)
	<i>Chemicals</i>			
	Developers, black and white, powder to make			
211	25 litre, suitable for use with bromide paper	per pkt.	..	Purchase (Regulation 84)
				Mark's Industrial Photo-graphic Sales.
212	5 litre, suitable for use with bromide paper "Ilford Bromophen"	do.	3.77*	} Ilford (Australia) Pty. Ltd.
213	25 litre, suitable for use with fine grain film "ID-11"	do.	9.94*	
214	5 litre, suitable for use with fine grain film "ID-11"	do.	2.86*	
215	5 litre, capable of increasing film speed "Microphen"	do.	3.16*	
216	25 litre, capable of increasing film speed "Microphen"	per pkt.	13.03*	
217	5 litre, suitable for use with ultra-fine grain film	do.	..	Purchase (Regulation 84)
	Developers, black and white, liquid			
218	5 litre bottle for use with resin coated paper "Ilfospeed"	per btle.	12.18*	Mark's Industrial Photo-graphic Sales
	5 litre bottle for use with continuous machine processing "Ilfospeed 2000 Dev."			
219		do.	13.92*	Ilford (Australia) Pty. Ltd.
220	5 litre bottle of A and B Solutions for processing lith paper	do.	..	} Purchase (Regulation 84)
221	5 litre bottle of A and B Solutions for processing lith film	do.	..	
222	5 litre bottle suitable for use with Multigrade paper "Multigr."	do.	12.18*	
	Developer Kit, liquid, for use with black and white films with a 50 to 1600 ASA speed rating			
223	2 litre kit "X-P-I Kit"	per kit	9.67*	Mark's Industrial Photo-graphic Sales
	Developer, Liquid, General Purpose			
224	5 litre bottle "PQ"	per btle.	10.00*	
225	Developer, Highly Concentrated, one-off in liquid form for fine grain negatives, 400 ml. bottle "Rodinal"	do.	3.38	Agfa-Gevaert Limited
	Developer, liquid, for fine grain work "Kodak HC110 Dev."			
226	7-6 litre bottle Cat. No. 4455234	do.	6.48	Kodak (Australasia) Pty. Ltd.
	Replenisher, liquid, for use with above item.			
227	250ml. bottle "New Ilfosol-s"	per btle.	2.27*	Ilford (Australia) Pty. Ltd.
228	Developer, to be compatible with Item No. 92 "Kodak Tech. Dev."			
	3 U.S. pint satchets Cat. No. 1010628	each	4.84	Kodak (Australasia) Pty. Ltd.

* Settlement discount 2½%, 30 days.

+ Orders less than \$80.00 subject to \$5.00 surcharge per order/per delivery point.

CONTRACTS ACCEPTED—continued

Item No.	Description	Unit of Measurement	Rate	Name of Contractor
			\$	
229	Developer, to be compatible with Item Nos. 27 to 36			
	1 litre	per pack	2.16	Aargue Systems Pty. Ltd.
230	5 litre	do.	10.56	
	Developer, to be compatible with Item Nos. 172 to 205			
231	1 litre	do.	..	Purchase (Regulation 84)
232	5 litres	do.	..	
	Base Developer for machine processing using a blender system			
233	Part A, per 5 Gallon drum "B865 RA"	per drum	51.50	Agfa-Gevaert Limited
234	Part B, per 5 Gallon drum "B865 RB"	do.	51.50	
235	Part E, per 5 Gallon drum "B865 RE"	do.	51.50	
	Developer Systems, Cleaner, suitable for removing calcium-silver scale from tanks, rollers and re-circulating systems			
236	45 litre bottles	per bottle.	..	Purchase (Regulation 84)
	Developer Kits, complete, or listed separate components, to be compatible with the following colour processes "Kodak"			
237	"C41"—5 litre kit Cat No. 4155297	each	22.39	Kodak (Australasia) Pty. Ltd.
238	—listed components	As Ordered	List 1.3.84 Less 18%	
239	"Agfa 70"—5 litre kit	each	28.32*	
240	—listed components	As Ordered	List 14.5.84 Less 20%	
	Replenisher for use with components of "C41" process	As Ordered	..	Purchase under Item No. 238
242	"E6"—2 litre kit Cat. No. 4423208	each	21.57	Kodak (Australasia) Pty. Ltd.
243	—listed components	As Ordered	List 1.3.84 Less 18%	
244	"P30"—5 litre kit "P30"	each	23.85*	
245	—listed components	As Ordered	Ilford List 16.4.84 Less 15%	
	"EP2"—listed components	As Ordered	List 1.3.84 Less 18%	Kodak (Australasia) Pty. Ltd.
247	"Process 91"—2 x 10 litre kits "Agfa P91"	each	47.25	Agfa-Gevaert Limited
248	"Process 91", listed components as detailed "Agfa AP91"	As Ordered	List	
249	"Process 92", listed components "Agfa AP92/EP2"	do.	14.5.84 Less 25%	
250	"Process 88"—5 litre kit	each	..	Purchase (Regulation 84)
251	Developer, liquid, compatible with Item Nos. 51-53, 3 x 5 litre bottle "Agfa ACS Activator"	do.	24.13	Agfa-Gevaert Limited
252	C41 Process control strip, 35 mm x 30.5 m Roll "C41 Strip"	per roll	84.60*	Mark's Industrial Photographic Sales
253	E6 Process control Box 35 mm x 13.5 cm E-6 Strip	each	34.20*	
254	Colour Processor tank cleaner, suitable for all tanks in colour processors, to make 9 litres	do.	12.40*	
	Fixers, Black and White, powder to make 5 litre, without hardener, for use with paper and film			
255	"Acidofix"	per pkt.	2.63	Agfa-Gevaert Limited
256	Fixers, Liquid			
	5 litre bottle, for rapid fixing of films "Ilford Hypam"	per btle.	11.29*	Mark's Industrial Photographic Sales
257	25 litre bottle, for rapid fixing of films "Ilford Hypam"	do.	43.52*	
258	500 ml. bottle, hardener for Item No. 257	per btle	2.24*	Mark's Industrial Photographic Sales
259	5 litre bottle, suitable for continuous machine processing Cat. No. 4151627 "Veribrom fixer replenisher"	do.	18.12	Kodak (Australasia) Pty. Ltd.
260	5 litre bottle, suitable for R.C. paper, dish processing "Ilfospeed fixer"	do.	11.29*	Mark's Industrial Photographic Sales
261	Concentrated Photographic Wetting Agent, 500 ml.	do.	2.73*	
262	Photographic Film Cleaner, 500 m. Cat. No. 4055984	do.	6.89	Kodak (Australasia) Pty. Ltd.
	Dry mounting tissue suitable for use with resin coated paper—			
263	30.5 cm. x 40.6 cm. sheets, boxes of 100 sheets "Ademcol DS13"	per box	25.93*	Mark's Industrial Photographic Sales

*Settlement Discount, 2½%, 30 days.

CONTRACTS ACCEPTED—continued

Item No.	Description	Unit of Measurement	Rate	Name of Contractor
			\$	
264	40.6 cm. x 50.8 cm. sheets, boxes of 100 sheets	do.	..	Purchase (Regulation 84)
265	Adhesive Spray for use with resin coated paper 200 g. can "Ilford Photo Mountant"	per can	2.88*	Ilford (Australia) Pty. Ltd.
266	Adhesive Spray for use with resin coated paper 400 g. can "Ilford Mountant"	do.	3.54*	Mark's Industrial Photographic Sales
267	Photo Surface Spray for Matte and Glossy Finish (approx. 200 g. can)	do.	..	Purchase (Regulation 84)
GROUP 2—MICROFILM REQUIREMENTS				
Microfilm, Silver Halide, Neg., Unperforated, Black and White, Fine Grain, High resolution with antihalation undercoating, Pancromatic, compatible with high temperature, rapid processors, emulsion speed 80 ASA—				
268	Triacetate Clear Base—5 mil. 16 mm. x 100 ft. Roll "Fuji"	per roll	5.35	} Hanimex Pty. Ltd.
269	Triacetate Clear Base—5 mil. 35 mm. x 100 ft. Roll "Fuji"	do.	9.85	
270	Polyester Clear Base—2.5 mil. 16 mm. x 215 ft. Roll "Fuji"	do.	9.85	
Microfilm, Silver Halide Unperforated, Black and White, for Direct-Image duplicating with conventional processing, Orthochromatic—				
271	Polyester Clear Base—5.2 mil. 16 mm. x 1000 ft. Roll Cat. No. 1222033	do.	33.71	} Kodak (Australasia) Pty. Ltd.
272	Polyester Clear Base—5.2 mil. 35 mm. x 1000 ft. Roll Cat. No. 1290519	do.	65.56	
Microfilm, Silver Halide, Unperforated, Black and White, Contact Positive—				
273	Triacetate Clear Base—5.2 mil. 16 mm. x 1000 ft. Roll	per roll	..	Purchase (Regulation 84)
274	Polyester Clear Base—5.2 mil. 35 mm. x 2000 ft. Roll Cat. No. 1614593	do.	115.00	} Kodak (Australasia) Pty. Ltd.
275	Phenidone-Hydroquinone Concentrated Developer compatible with high temperature processors (Cordell Models 400 and 642) "Special Purpose Dev."	per 5 litre	15.55*	
276	Fixer (Ammonium Thiosulphate type) for rapid fixing "Hypam R/Fix"	do.	11.30*	
277	Microfilm Jackets, 148 x 105 mm.—5 Channels, Plain 16 mm (boxes of 1000) 'Kodak Cat. No. 442 7258'	per box	128.00	Kodak (Australasia) Pty. Ltd.
278	Microfilm Jackets, 148 x 105 mm.—2 Channels, Plain 35 mm (boxes of 1000)	do.	..	Purchase (Regulation 84)
Film, Diazo, Cut sheets and rolls, Blue or Black, Compatible with Aqueous or Anhydrous Ammonia high temperature high pressure development systems. D Max: 1.85 to D Min: 0.05 Clear Base, density determination by use of Macbeth TD528 Densitometer using Wratten No. 106 Visual Filter—"Kodak Diazo".				
279	Cut Sheets—A6 (148 x 105 mm.), Plain, Polyester Base, 7 ml. (boxes of 500) Cat. No. 1550516	do.	22.80	} Kodak (Australasia) Pty. Ltd.
280	Cut sheets—A6 (148 x 105 mm.), Colour Striped, Polyester Base, 7 ml. (boxes of 500)	do.	26.32*	
281	Roll Film, 25 mm. x 1000 ft. Roll, Acetate or Polyester Base, 7 ml.	per roll	33.40	} Aarque Systems Pty. Ltd.
282	Roll Film, 16 mm. x 1000 ft. Roll, Polyester Base, 7 ml.	do.	9.90	
283	Roll Film, 16 mm. x 2000 ft. Roll, Polyester Base, 2.5 ml.	do.	13.12	
284	Copy Aperture Cards, 35 mm. (boxes of 2000) 'Aarque'	per box	83.32	
Paper, Cut Sheets and rolls, Electrostatic, compatible for use S.M.A.—OK Processor Camera/Printer and Ricoh 600 Reader Printers—				
285	Rolls, 457 mm. x 120 m. roll "Ricoh"	per roll	42.25	} Hanimex Pty. Ltd.
286	Cut Sheets, A0 (pkt of 100) "SMA-ZNO"	per pkt.	88.00	
287	Cut sheets, A1 (pkt. of 200) "SMA-ZNO"	do.	88.00	
288	Cut sheets, A2 (pkt. of 1000) "SMA-ZNO"	do.	196.00	
289	Cut Sheets, A3 (pkt. of 1250) "SMA-ZNO"	do.	125.00	
290	Developer for use with above cut paper (Ctns. of 12 x 1 litre) "SMA-ZNO"	per ctn.	108.00	
291	Developer for use with 457 mm. x 120 m. rolls (Dispersant kits) "RICOH CO"—(Ctns. 6 x 1 litre and 1 x 80cc toner)	do.	44.00	
292	S.M.A. Camera Cards in Cassettes of 250 cards (Ctns 8 x 250 cards) "S.M.A."	do.	320.00	
293	35 mm. Aperture Cards for Engineering Date Micro-reproduction to Def. (Aust.) 209 Specs. (boxes of 2000)	per box	..	Apply Tender Board
294	16 mm. Cartridges, compatible with 3MR/Printers	per 100	253.00\$	3M Australia Pty. Ltd.

\$Minimum order value \$200.

*Lead time 6–8 weeks then ex-stock.

*Settlement Discount, 30 days

CONTRACTS ACCEPTED—continued

Item No.	Description	Unit of Measurement	Rate	Name of Contractor	
\$					
GROUP 3—X-RAY REQUIREMENTS					
Chemicals—"Kodak"					
295	Fixer, Liquid, X-Ray, concentrated, special rapid with hardener, to make 20 litres Cat. No. 4051611	each	8.87	Kodak (Australasia) Pty. Ltd.	
296	Fixer, Liquid, X-Ray, to make 2, ½ litres 500ml—Cat. No. 4058418	do.	2.07		
297	Developer, Liquid, to make 25 litres Cat. No. 4051298	per btle	8.87		
298	Developer, Liquid, to make 2, ½ litres Cat. No. 4058400	do.	2.07		
299	Liquid Developer Replenisher, 5 litres Cat. No. 4051264	do.	2.44		
Chemicals for use with Automatic X-Ray Processors "Kodak X-Omat R.P."					
300	R.P. X-Ray Developer Starter, 1 litre Cat. No. 4051843	each	3.24		
301	R.P. X-Ray Developer Replenisher to make 2 x 20 litres Cat. No. 4455424	do.	30.72		
302	R.P. X-Ray Fixer and Replenisher to make 2 x 20 litres Cat. No. 4457057	do.	17.96		
Film					
X-Ray, Special, Various "Kodak Dental"					
303	Dental, singles, children (boxes of 100) Cat. No. 1228840	per box	17.01	Apply Tender Board Purchase (Regulation 84)	
304	Dental, singles, standard (boxes of 100) Cat. No. 1658194	do.	22.14		
305	Dental, singles, Special Occlusal, 7 cm X 5 cm (boxes of 25) Cat. No. 1666163	do.	18.81		
306	Dental, pairs, Ultraspeed (boxes of 25) Cat. No. 1666122	do.	24.93		
307	Duplicating Film, 25 cm X 43 cm (boxes of 50)	do.	..		
308	Duplicating Film, 35 cm X 43 cm (boxes of 50)	do.	..		
309	Duplicating Film, 24 cm X 30 cm (boxes of 100) "Kodak RP X-Omat Dup." Cat. No. 1637966	do.	118.03		Kodak (Australasia) Pty. Ltd.
Fluorographic, spooled and cut film, for use in "Odelca" mirror camera units—type 70 mm and 100 mm "Agfa Scopix RP2"					
310	in 150 feet rolls for type 70 mm above	per roll	53.91		Agfa-Gervart Ltd.
311	in 45 metre rolls for type 100 mm above	do.	96.88		
312	100 mm X 100 mm in boxes of 50	per box	13.36		
X-Ray, R.P. Film, for use with screens, Alternate leaved "Kodak X-Omat RP XRP5"					
313	10" X 8", in lots of 100 Cat. No. 4088316	per lot	58.90	Kodak (Australasia) Pty. Ltd.	
314	12" X 10", in lots of 100 Cat. No. 4083937	do.	86.18		
315	15" X 12", in lots of 100 Cat. No. 4088027	do.	127.68		
316	30 cm X 40 cm, in lots of 100 Cat. No. 4077400	do.	131.65		
317	8, 1/2" X 6, 1/2", in lots of 25	do.	..		Purchase (Regulation 84)
X-Ray, for use with screen (metric range) "Kodak X-Omat RP XRP1"					
318	15 cm X 30 cm, in lots of 100 Cat. No. 4081303	per lot	51.79	Kodak (Australasia) Pty. Ltd.	
319	24 cm X 30 cm, in lots of 100 Cat. No. 4075933	do.	76.58		
320	35 cm X 35 cm, in lots of 100 Cat. No. 4075974	do.	131.46		
321	35 cm X 43 cm, in lots of 100 Cat. No. 4088092	do.	162.16		
322	18 cm X 24 cm, in lots of 500 Cat. No. 4423695	do.	229.46		
323	18 cm X 43 cm, in lots of 500 Cat. No. 4424131	do.	397.08		
324	24 cm X 30 cm, in lots of 500 Cat. No. 4423737	do.	371.43		
325	30 cm X 40 cm, in lots of 500 Cat. No. 4423778	do.	606.64		
326	35 cm X 35 cm, in lots of 500 Cat. No. 4423869	do.	637.12		
327	35 cm X 43 cm, in lots of 500 Cat. No. 4423604	do.	786.51		
Instant Development Radiographic, transparent, high speed film capable of being used in an intensifying screen					
328	20.3 cm X 25.4 cm, Packet of 15	per pkt.	..	Purchase (Regulation 84)	
Group 4—Equipment, etc.					
329	Camera, 35 mm full frame, zone focusing, automatic with override shutter. (Note: Zone focusing means no range finder, focusing by symbol)	each	..	Purchase (Regulation 84)	
330	Camera, with inbuilt flash, automatic focus, automatic exposure and capable of accepting a high speed instant colour film, 8 cm X 8 cm, with battery, 'Polaroid Sun 660'	do.	74.50*	Marks Industrial Photographic Sales	
331	Camera, 35mm full frame, focal plane shutter, single lens metering, capable of taking interchangeable lenses with a minimum standard lens requirement of 1.8 (rate includes standard lens, case, strap and battery)—'Praktica MTL5'	do.	108.16	Hanimex Pty. Ltd.	
Lenses to suit above camera					
332	Wide Angle 'Hanimex f 2.8/28mm'	do.	46.60		
333	Standard 'Hanimex'	do.	40.98	Purchase (Regulation 84)	
334	Short Telephoto with macro focusing	do.	..		

* Settlement Discount 2 ½, 30 days

CONTRACTS ACCEPTED—continued

Item No.	Description	Unit of Measurement	Rate	Name of Contractor
			\$	
335	Medium Telephoto with macro focusing	each	..	Purchase (Regulation 84)
336	Zoom, 28mm-80mm with macro focusing 'Hanimex'	do.	108.15	Hanimex Pty. Ltd.
337	Zoom, 80mm-200mm with focusing 'Makinon'	do.	80.00	Ted's Camera Store Pty. Ltd.
338	Flash Bars—to suit self processing cameras	do.	..	} Purchase (Regulation 84)
339	Flash Bulbs—to suit self processing cameras—boxes of 12	per box	..	
	Compressed Air, for cleaning photographic equipment			
340	14oz cans with variable control air gun "Jason"	per can	18.00*	} Mark's Industrial Photo-graphic Sales
341	12 oz refill cans, in cartons of 12 "Ilford"	per ctn.	44.00*	
	Developing tanks complete with columns, lids and spools			
342	Capable of processing one 220 film	each	..	} Purchase (Regulation 84)
343	Capable of processing three 220 films	do.	..	
344	Capable of processing five 220 films	do.	..	
345	Capable of processing one 35 mm film	do.	..	
346	Capable of processing six sheets 5" x 4" film	do.	..	} Apply Tender Board
347	Slide Mounts, 24 mm x 36 mm, plastic glassless ctns. of 100	per ctn.	..	
	Negative Preservers, suitable for printing negatives inside preservers—			
348	6 x 6 cm, 3 strips of 4 exposures, boxes of 500 sheets "Kilian"	per box	31.00*	} Mark's Industrial Photo-graphic Sales
349	35 mm—7 strips of 6 exposures, boxes of 500 sheets "Kilian"	do.	36.22*	
	<i>Group 5—Services</i>			
	PROCESSING—PROFESSIONAL STANDARD, COLOUR CORRECTED			
350	Colour, proofing and printing, with a pick up and delivery service.	As Ordered	} *Bond Colour Labs Pty. Ltd. 1982 Price List less 20%	} Bond Colour Labs Pty. Ltd.
351	Black and White, proofing and printing with a pick up and delivery service.	do.		
	PROCESSING—AMATEUR STANDARD, UNCORRECTED			
352	Colour, printing, with a pick up and delivery service.	As Ordered	†	Marks Industrial Photo-graphic Sales
353	Black and White, printing with a pick up and delivery service.	do.	..	Purchase (Regulation 84)

* Settlement discount 2½%, 30 days.

† \$8.50 for developing and printing up to 36 exposure, less 25% (other services) Hanimex List 9.7.84.

Approved—R. A. Jolly, Treasurer—28.11.84

