



VICTORIA

GOVERNMENT GAZETTE

Published by Authority.

[Registered at the General Post Office, Melbourne, for transmission by post as a newspaper.]

No. 23.]

THURSDAY, FEBRUARY 4.

[1909]

Factories and Shops Acts.

DETERMINATION OF THE TINSMITHS BOARD.

IN accordance with the provisions of the Factories and Shops Acts, the Special Board appointed to determine the lowest prices or rates of payment payable to any person or persons or classes of persons employed in the process, trade, or business of preparing or manufacturing articles made of tin plate or other sheet metal, including the japanning of such articles, has made the following Determination, namely :—

That all previous determinations of the Tinsmiths Board shall be cancelled and annulled from and after the date upon which this present determination comes into force and is operative.

DEFINITION.

That for the purposes of this determination "Sheet Metal" shall mean sheet metal 10 gauge or lighter.

DIVISION I.—GENERAL SHEET METAL WORK.

That the lowest prices or rates of payment payable to any person or persons or classes of persons employed in the process, trade, or business of preparing manufacturing or repairing articles made of tin plate or other sheet metal shall be :—

- (1) General tinsmiths sheet metal workers or repairers (not otherwise provided for), 48s. per week of 48 hours.
- (2) Persons over the age of 21 years (not otherwise provided for) employed preparing manufacturing or repairing articles made of sheet iron in spouting and ridging works, 48s. per week of 48 hours.
- (3) Persons over the age of 21 years employed on heavy work on power heavy stamping machines or presses or employed on heavy work on lathes (burnishing and spinning), 48s. per week of 48 hours.
- (4) Persons over the age of 21 years employed on light work on power heavy stamping machines or presses or employed on light work on lathes (burnishing and spinning), or soldering down pipes, or attending drop hammer stamper or any other machine, 43s. 6d. per week of 45 hours.

- (5) Persons under 21 years of age, not being apprentices or improvers, using all machines in general tinsmith's factory, or employed soldering down pipes, or repairing leaks in sheet metal ware—

For the 1st year's experience ...	6s. per week of 48 hours.
" 2nd "	8s. "
" 3rd "	11s. "
" 4th "	15s. "
" 5th "	19s. "
" 6th "	23s. "
" 7th "	27s. "

Provided that no such persons under 21 years of age employed on lathe work (burnishing and spinning) or on work on power stamping machines or presses, or assisting at rollers for forming down pipes, curving machines, spouting and ridging machines, or guillotines for cutting spouting and ridging shall be paid at a lower rate than 15s. per week of 48 hours; or employed repairing leaks in sheet metal ware at a lower rate than 19s. per week of 48 hours; or employed soldering down pipes at a lower rate than 23s. per week of 48 hours.

DIVISION 2.—CANISTER WORK (including Tins for Food Products).

That the lowest prices or rates of payment payable to any person or persons or classes of persons employed in the process, trade, or business of preparing, manufacturing, or repairing canisters shall be:—

- (1) Persons over the age of 21 years (not otherwise provided for) employed preparing, manufacturing, or repairing canisters, 46s. per week of 48 hours.
- (2) Persons over the age of 21 years employed on machines (except such persons as are hereinafter specified), 41s. 6d. per week of 48 hours.
- (3) Persons over the age of 21 years employed attending to the metal pot on any power automatic body forming and seam soldering machine, or to the metal pot on any power automatic end soldering machine, 44s. per week of 48 hours.
- (4) Persons under the age of 21 years, not being apprentices or improvers, employed on machines—

For the 1st year's experience ...	6s. per week of 48 hours.
" 2nd "	8s. "
" 3rd "	11s. "
" 4th "	15s. "
" 5th "	19s. "
" 6th "	23s. "
" 7th "	27s. "

Provided that no such persons under 21 years of age employed on power stamping machines or presses, feeding or taking off in connexion with power automatic body forming and seam soldering machines or power automatic end-soldering machines, shall be paid at a lower rate than 15s. per week of 48 hours.

- (5) Persons under the age of 21 years, not being apprentices or improvers, employed soldering other than seams, tops or bottoms—

For the 1st year's experience ...	6s. per week of 48 hours.
" 2nd "	10s. "
" 3rd "	15s. "
" 4th "	20s. "
" 5th "	25s. "
" 6th "	30s. "
" 7th "	35s. "

DIVISION 3.—JAPANNING.

That the lowest prices or rates of payment payable to any person or persons or classes of persons employed in the process, trade, or business of japanning shall be:—

- (1) Persons over the age of 21 years employed at coating or brush work of every description, polishing or preparing ground work for finishing, 38s. per week of 48 hours.
- (2) Persons over the age of 21 years employed on graining, lining, writing, or filleting, 44s. per week of 48 hours.
- (3) Ornamental pencil workers, gold workers, designers, and artistic workers, 48s. per week of 48 hours.
- (4) Persons under the age of 21 years, not being apprentices or improvers, doing coating work, assisting polishing, scouring, cleaning, and general rough work:—

For the 1st year's experience ...	6s. per week of 48 hours.
" 2nd "	8s. "
" 3rd "	11s. "
" 4th "	15s. "
" 5th "	19s. "
" 6th "	23s. "
" 7th "	27s. "

**DIVISION 4.—POLISHING AND CLEANING SHEET METAL WARE, AND OTHER WORK
MENTIONED UNDER THIS DIVISION.**

That the lowest prices or rates of payment payable to any person or persons or classes of persons under 17 years of age, not being apprentices or improvers, employed tapping tips, polishing and cleaning sheet metal ware, testing to detect leaks in sheet metal ware, making spouting tubes, making wire handles, cutting hoop-iron and wire, blackening or tarring furnace frames, shovels, closet pans, and sewerage pipes, carrying and moving work, cleaning workshop, and lighting and attending fires, shall be:—

For the 1st year's experience ...	6s. per week of 48 hours.
" 2nd "	8s. "
" 3rd "	11s. "

DIVISION 5.—APPRENTICES.

Wages.

That the lowest prices or rates of payment payable to apprentices employed in the process, trade, or business of preparing, manufacturing or repairing articles made of tin plate or other sheet metal, including the japanning of such articles, shall be as follows:—

For the 1st year's experience ...	6s. per week of 48 hours.
" 2nd "	8s. "
" 3rd "	10s. "
" 4th "	13s. "
" 5th "	16s. "
" 6th "	20s. "
" 7th "	24s. "

And thereafter the minimum wage.

DIVISION 6.—IMPROVERS.

Number.

That the number or proportion of improvers who may be employed within any factory or work-room or shop, or place, shall be in proportion to the number of persons employed in such factory or workroom, or shop, or place, in the process, trade, or business of preparing, manufacturing or repairing articles made of tin plate or other sheet metal, including the japanning of such articles, and receiving not less than 3s. per week, or being over 21 years of age working piece-work at the rates fixed in the schedules to this Determination, as follows:—

One improver to every four such persons or fraction thereof.

Wages.

That the lowest prices or rates of payment payable to improvers employed in the process, trade, or business of preparing, manufacturing, or repairing articles made of tin plate or other sheet metal, including the japanning of such articles, shall be as follows:—

For the 1st year's experience ...	6s. per week of 48 hours.
" 2nd "	10s. "
" 3rd "	14s. "
" 4th "	17s. "
" 5th "	20s. "
" 6th "	23s. "
" 7th "	27s. "

And thereafter the minimum wage.

DIVISION 7.—OVERTIME.

That any male person over the age of sixteen years employed in the process, trade, or business of preparing, manufacturing or repairing articles made of tin plate or other sheet metal, including the japanning of such articles, who works for any time in excess of the maximum number of 48 hours per week shall be paid for such extra time his ordinary rate, and in addition thereto one-fourth of his ordinary rate.

DIVISION 8.—PIECE-WORK RATES.

That the lowest price or rate of payment payable to any person for wholly or partly preparing or manufacturing any article described in the following Schedules (which Schedules shall form part of this Determination) shall be the prices or rates mentioned in such Schedules.

That wherever the quantity to be given out is stated in the Schedules the prices or rates mentioned apply only when the articles are given out in quantities not less than those mentioned in the Schedule.

That the Schedules of prices apply to new material only, but in the case of articles to be painted or galvanized any previously unused material may be utilized.

That (except where otherwise provided) where the sizes of articles made under these Schedules do not exactly correspond with the sizes stated then the price or rate fixed for the next nearest size shall apply; but where the size is half-way between two sizes then the next highest price or rate shall apply.

SCHEDULE A.—GENERAL SHEET METAL WORK.
PIECE-WORK RATES.

Articles.	Material.	Size.	When given out in the under- mentioned Quantities or more.	Prices or Rates.
I. BASINS.				
WASH-HAND BASINS, hand-made (including blocking of bottoms)				
" " "	1C tin plate {	13 inches ...	3 dozen ...	3s. 3d. per doz.
" " "		16 " ...	3 " ...	3s. 9d. "
" " "		18 " ...	2 " ...	5s. "
" " "		13 " ...	3 " ...	3s. 9d. "
" " "		16 " ...	2 " ...	4s. 3d. "
" " "		18 " ...	2 " ...	5s. 9d. "
" " "		20 " ...	1½ " ...	7s. 6d. "
" " "		22 " ...	1 " ...	7s. 6d. "
If bottoms supplied for 13 in. basins	4d. per doz. deducted
" " 16 and 18 in. basins	6d. " "
" " 20 and 22 in. basins	1s. " "
If handles 6 gauge wire or under supplied for basins		1s. 6d. per gross handles deducted
If handles over 6 gauge wire supplied for basins		2s. per gross handles deducted
2. BATHS.				
FOOT BATHS, oval, moulded ...		16 inches ...	6 articles	14s. per doz.
" " "		18 " ...	6 " ...	15s. 3d. "
" " "		20 " ...	6 " ...	16s. 3d. "
" " "	Bodies 26-gauge iron	24 "	6 " ...	17s. 6d. "
" " "	or steel or lighter	26 "	6 " ...	18s. 6d. "
" " "	wired	28 "	6 " ...	19s. 6d. "
" " "		30 "	6 " ...	21s. 9d. "
" " "		16 "	1 dozen ...	23s. "
" " "		18 "	1 " ...	6s. "
" " "	Bottoms 24-gauge iron	20 "	1 " ...	7s. "
" " "	or steel or lighter	22 "	1 " ...	7s. 6d. "
" " "		24 "	1 " ...	8s. 9d. "
" " "		26 "	1 " ...	10s. "
" " "		28 "	1 " ...	11s. "
" " "		30 "	1 " ...	12s. "
FRAME BATHS, galvanized iron, up to 6 feet long, up to 22 inches wide, and up to 22 inches deep. (Assistance to be given for knocking up) ...	26-gauge iron	...	3 articles	3s. 6d. each
" " " "	24 "	...	3 " ...	3s. 6d. "
" " " "	22 "	...	2 " ...	5s. "
PLUNGE BATHS, moulded ...		Up to 4ft. 6in.	2 " ...	14d. per inch
" " " with raised backs ...	24-gauge iron or lighter	Over 4ft. 6in.	1 article ...	1½d. per inch and 9d. each bath extra
" " " "		Up to 4ft. 6in.	2 articles	14d. per inch and 9d. each bath extra
" " " "		Over 4ft. 6in.	1 article ...	14d. per inch and 9d. each bath extra
SITZ BATHS ...		No. 1	2 articles	3s. 3d. each
" " "	24-gauge iron or lighter	" 2	2 " ...	3s. 9d. "
" " "		" 3	2 " ...	4s. 6d. "
" " "		" 4	2 " ...	5s. "
HIP BATHS ...		" 1	2 " ...	5s. "
" " "	24-gauge iron or lighter	" 2	2 " ...	6s. "
" " "		" 3	2 " ...	7s. "
" " if bottoms and elbow-rests supplied blocked ...		" 4	2 " ...	8s. "
CHILD'S BATHS ...	24-gauge iron or lighter	...	3 articles	6d. each bath deducted 1½d. per inch
If galvanized iron used for beads for Plunge, Sitz, Hip, or Child's Baths		9d. each bath extra
3. BINS.				
FLOUR BINS, with body wired, back-lapped, and swedged; bottom knocked up and hooped or studded (4 studs); lid with a rim not less than 2½ inches deep; top blocked and paned on to rim; hasp and hinge on cover; and three wire oval handles	IXX tin plate {	25 lbs. ...	6 articles	1s. 4d. each
" " " "		50 " ...	6 " ...	1s. 8d. "
" " " "		75 " ...	4 " ...	2s. "
FLOUR BINS, with body wired, back-lapped, and swedged, for galvanized hoop; hoop about 20 gauge and 1½ inches wide; bottom knocked up; lid with a rim not less than 2½ inches deep; top blocked and paned on to rim; hasp and hinge on cover; and three wire oval handles	Galv. or lead-coated iron, 24-gauge or lighter	100 lbs. ...	3 articles	3s. 3d. "
" " " "		200 " ...	3 " ...	3s. 6d. "
" " " "		250 " ...	2 " ...	4s. "

PIECE-WORK RATES—*continued.*

Articles.	Material.	Size.	When given out in the under- mentioned Quantities or more	Prices or Rates.
4. BOILERS.				
TIN BOILERS, oval, with pitched covers...		3 gallons...	1 dozen ...	7s. per doz.
" " "		4 "	1 " ...	8s. "
" " "		5 "	1 " ...	8s. "
" " "		7 "	6 articles	10s. 6d. "
" " "		10 "	6 " ...	12s. 6d. "
" oval, with blocked covers		3 "	1 dozen ...	9s. "
" " "		4 "	1 " ...	10s. "
" " "	IX tin plate or lighter	5 "	1 " ...	10s. "
" " "		7 "	6 articles	13s. "
" " "		10 "	6 " ...	15s. "
" oval, with stamped covers		3 "	1 dozen ...	6s. "
" " "		4 "	1 " ...	7s. "
" " "		5 "	1 " ...	7s. "
" " "		7 "	6 articles	9s. "
" " "		10 "	6 " ...	11s. "
If copper bottoms are used—Tinning same		2s. 6d. per doz. extra
5. BOTTLES.				
Oil BOTTLES, round with plain necks and knocked up bottoms, paned on breast		1 quart ...	3 dozen ...	3s. per doz.
" " " "		2 quarts ...	3 " ...	3s. 6d. per doz.
" " " "		4 "	2 " ...	4s. "
" " " "		8 "	2 " ...	5s. 6d. "
" " " with stamped nozzles		3d. per doz. deducted
" " " with patent screws (spouts supplied)	IX tin plate or lighter	1 quart ...	3 " ...	3s. per doz.
" " " "		2 quarts ...	3 " ...	3s. 6d. "
" " " "		4 "	2 " ...	4s. "
" " " "		8 "	2 " ...	5s. 6d. "
" " " with slipped on bottoms and breasts		4d. per doz. deducted
Tea BOTTLES, oval, with slipped on bottoms and breasts		1 pint ...	3 dozen ...	3s. 3d. per doz.
" " " "		1½ pints ...	3 " ...	3s. 6d. "
" " " "		2 "	3 " ...	4s. "
" " " "	IC tin plate	3 "	2 " ...	4s. 6d. "
" " " "		4 "	2 " ...	4s. 9d. "
" " " with stamped nozzles		6 "	2 " ...	5s. 6d. "
...		3d. per doz. deducted
6. BOXES.				
BONNET BOXES, round or oval, including hasp		13 inches ...	3 dozen ...	6s. per doz.
" " " "		14 "	3 " ...	6s. "
" " " "		15 "	3 " ...	6s. 6d. "
" " " "		16 "	3 " ...	6s. 6d. "
" " " "		17 "	3 " ...	7s. 6d. "
" " " hasp supplied		18 "	3 " ...	7s. 6d. "
" " " "		13 "	3 " ...	7s. "
" " " "		14 "	3 " ...	7s. "
" " " "	28-gauge steel	15 "	3 " ...	7s. 6d. "
" " " "		16 "	3 " ...	7s. 6d. "
" " " "		17 "	3 " ...	8s. "
" " " "		18 "	3 " ...	8s. "
" " " flat top or stamped top (hasp supplied)		20 "	3 " ...	10s. "
" " " "		13 "	3 " ...	7s. 9d. "
" " " "		14 "	3 " ...	7s. 9d. "
" " " "	26-gauge steel	15 "	3 " ...	8s. 3d. "
" " " "		16 "	3 " ...	8s. 3d. "
" " " "		17 "	3 " ...	8s. 9d. "
" " " "		18 "	3 " ...	8s. 9d. "
" " " with front handles		20 "	3 " ...	10s. 6d. "
If wire handles and plates supplied for bonnet boxes		all gauges ...	all sizes ...	6d. per doz. extra
...	8 and 10-gauge wire	1½d. per doz. boxes deducted
If handles and plates supplied for bonnet boxes	½ inch iron rod or under	2½d. " "
CASH BOXES ...		6 inches ...	1 dozen ...	12s. per doz.
" " " "		7 "	1 " ...	13s. "
" " " "	IXX tin plate or lighter	8 "	1 " ...	14s. 6d. "
" " " "		9 "	1 " ...	16s. "
" " " "		10 "	1 " ...	18s. "
" " " (beadings supplied)		11 "	1 " ...	19s. 6d. "
" " " "	IC tin plate	12 "	1 " ...	21s. "
PEPPER BOXES, common (tops and bottoms supplied)	IC tin plate	all sizes	1s. 6d. per doz. boxes deducted
SPICE BOXES, round, with six compartments and loose grater	IX tin plate or lighter	6 inches ...	6 articles	14s. per doz.
" " " "		7 "	6 " ...	15s. "
" " " "		8 "	6 " ...	17s. "
SUGAR BOXES, wired inside and swedged	No. 1	3 dozen ...	3s. 6d. per doz.	
" " " "	IX tin plate or lighter	" 2	3 " ...	3s. 9d. "
" " " "		" 3	3 " ...	4s. 3d. "
" " " "		" 4	3 " ...	4s. 6d. "
" " " "		" 5	3 " ...	5s. "

PIECE-WORK RATES—*continued.*

Articles.	Material.	Size.	When given out in the under- mentioned Quantities or more.	Prices or Rates.
BOXES—continued.				
SUGAR BOXES, wired inside and swedged ...	IX tin plate or lighter	No. 6	3 dozen ...	5s. 6d. per doz.
" " "(made in two pieces) ...				7s. 6d. per doz.
TRUNKS, common, moulded (cutting out, top and body edging, moulding, and wiring supplied)				7s. 6d. per doz. (3d. per doz. extra)
" " " " " ...				20 inches ... 1 " ... 7s. 6d. per doz.
" " " " " ...				22 " ... 1 " ... 7s. 6d. "
" " " " " ...				24 " ... 1 " ... 8s. "
" " " " " ...				26 " ... 1 " ... 9s. "
" " " " " ...				28 " ... 1 " ... 11s. "
" " " " " ...				30 " ... 1 " ... 12s. "
" " " " " ...				33 " ... 6 articles 22s. 6d. "
moulded, strapped (cutting out, top and body edging, moulding, and wiring supplied)	24-gauge steel or lighter	20 " ... 1 dozen ... 17s. "		
" " " " " ...			22 " ... 1 " ... 17s. "	
" " " " " ...			24 " ... 1 " ... 18s. "	
" " " " " ...			26 " ... 1 " ... 19s. "	
" " " " " ...			28 " ... 1 " ... 21s. "	
" " " " " ...			30 " ... 1 " ... 23s. "	
" " " " " ...			33 " ... 6 articles 28s. "	
" " " " " ...			36 " ... 6 " ... 34s. "	
common, moulded (moulding and wiring supplied)			24-gauge steel or lighter	20 " ... 1 dozen ... 11s. "
" " " " " ...				
" " " " " ...	24 " ... 1 " ... 12s. "			
" " " " " ...	26 " ... 1 " ... 13s. "			
" " " " " ...	28 " ... 1 " ... 15s. 6d. "			
" " " " " ...	30 " ... 1 " ... 16s. 6d. "			
" " " " " ...	33 " ... 6 articles 28s. "			
" " " " " ...	36 " ... 6 " ... 45s. "			
moulded, strapped (moulding and wiring supplied)	24-gauge steel or lighter	20 " ... 1 dozen ... 20s. 6d. "		
" " " " " ...				
" " " " " ...			24 " ... 1 " ... 22s. "	
" " " " " ...			26 " ... 1 " ... 23s. "	
" " " " " ...			28 " ... 1 " ... 25s. 6d. "	
" " " " " ...			30 " ... 1 " ... 27s. 6d. "	
" " " " " ...			33 " ... 6 articles 36s. "	
" " " " " ...			36 " ... 6 " ... 45s. "	
common, wired (cutting out, top and body edging, and top and body wiring supplied)			24-gauge steel or lighter	20 " ... 1 dozen ... 11s. 6d. "
" " " " " ...				
" " " " " ...	24 " ... 1 " ... 12s. "			
" " " " " ...	26 " ... 1 " ... 13s. "			
" " " " " ...	28 " ... 1 " ... 15s. "			
" " " " " ...	30 " ... 1 " ... 16s. "			
" " " " " ...	33 " ... 6 articles 26s. 6d. "			
" " " " " ...	36 " ... 6 " ... 45s. "			
wired, strapped (cutting out, top and body edging, and top and body wiring supplied)	24-gauge steel or lighter	20 " ... 1 dozen ... 21s. "		
" " " " " ...				
" " " " " ...			24 " ... 1 " ... 22s. "	
" " " " " ...			26 " ... 1 " ... 23s. "	
" " " " " ...			28 " ... 1 " ... 25s. "	
" " " " " ...			30 " ... 1 " ... 27s. "	
" " " " " ...			33 " ... 6 articles 34s. "	
" " " " " ...			36 " ... 6 " ... 42s. "	
common (top wiring supplied)			24-gauge steel or lighter	20 inches ... 1 dozen ... 15s. 6d. "
" " " " " ...				
" " " " " ...	24 " ... 1 " ... 16s. "			
" " " " " ...	26 " ... 1 " ... 17s. 6d. "			
" " " " " ...	28 " ... 1 " ... 19s. 6d. "			
" " " " " ...	30 " ... 1 " ... 21s. "			
" " " " " ...	33 " ... 6 articles 32s. 6d. "			
" " " " " ...	36 " ... 6 " ... 45s. "			
strapped (top wiring supplied)	24-gauge steel or lighter	20 " ... 1 dozen ... 24s. "		
" " " " " ...				
" " " " " ...			24 " ... 1 " ... 25s. "	
" " " " " ...			26 " ... 1 " ... 27s. "	
" " " " " ...			28 " ... 1 " ... 29s. "	
" " " " " ...			30 " ... 1 " ... 32s. "	
" " " " " ...			33 " ... 6 articles 41s. "	
" " " " " ...			36 " ... 6 " ... 51s. "	
wired, strapped, complete			24-gauge steel or lighter	20 " ... 1 dozen ... 24s. "
" " " " " ...				
" " " " " ...	24 " ... 1 " ... 26s. "			
" " " " " ...	26 " ... 1 " ... 28s. "			
" " " " " ...	28 " ... 1 " ... 30s. "			
" " " " " ...	30 " ... 1 " ... 33s. "			
" " " " " ...	33 " ... 6 articles 42s. "			
" " " " " ...	36 " ... 6 " ... 52s. "			

February, 4, 1909

PIECE-WORK RATES—*continued.*

PIECE-WORK RATES—*continued.*

Articles.	Material.	Size.	When given out in the under- mentioned Quantities or more.	Prices or Rates.
7. BUCKETS.				
BLACK IRON BUCKETS, common, stamped or forged ears, two rivet holes		11 inches ...	6 dozen ...	2s. 6d. per doz.
" " " " " "		12 " ...	6 " ...	2s. 6d. "
" " " " " "		13 " ...	6 " ...	2s. 9d. "
" " " " " "	28-gauge iron or lighter	14 " ...	6 " ...	3s. 3d. "
BLACK IRON BUCKETS, common, stamped or forged ears, three rivet holes		11 " ...	3 " ...	2s. 9d. "
" " " " " "		12 " ...	3 " ...	2s. 9d. "
" " " " " "		13 " ...	3 " ...	3s. "
" " " " " "		14 " ...	3 " ...	3s. 6d. "
BLACK IRON BUCKETS, strapped sides, and bottoms		11 " ...	2 " ...	8s. 9d. "
" " " " " "		12 " ...	2 " ...	3s. 9d. "
" " " " " "		13 " ...	2 " ...	4s. "
" " " " " "		14 " ...	2 " ...	4s. 6d. "
BLACK IRON BUCKETS, strapped, wrought ears, two rivet holes		11 " ...	2 " ...	3s. 6d. "
" " " " " "	26-gauge iron or lighter	12 " ...	2 " ...	3s. 6d. "
" " " " " "		13 " ...	2 " ...	3s. 9d. "
" " " " " "		14 " ...	2 " ...	4s. 3d. "
BLACK IRON BUCKETS, strapped, wrought ears, three rivet holes		11 " ...	2 " ...	3s. 9d. "
" " " " " "		12 " ...	2 " ...	3s. 9d. "
" " " " " "		13 " ...	2 " ...	4s. "
" " " " " "		14 " ...	2 " ...	4s. 6d. "
MILK BUCKETS, tin, with bails, hollow bottoms, and tin hoops, (bails supplied)		No. 1—11 inches diameter x 9 inches deep	4 " ...	3s. 3d. "
" " " " " "		No. 2—13 inches diameter x 9 inches deep	4 " ...	3s. 6d. "
" " " " " "		No. 3—11 inches diameter x 9 inches deep	4 " ...	3s. 3d. "
" " " " " "		No. 4—13 inches diameter x 9 inches deep	4 " ...	3s. 6d. "
" " " " " "		No. 1 deep—11 inches diameter x 11 inches deep	3 " ...	3s. 9d. "
" " " " " "	IX tin plate or lighter	No. 2 deep—13 inches diameter x 11 inches deep	3 " ...	4s. 6d. "
" " " " " "		No. 1 extra deep—11 inches diameter x 18 inches deep	1 " ...	4s. 6d. "
" " " " " "		No. 2 extra deep—12 inches diameter x 18 inches deep	1 " ...	5s. 0d. "
STRAINER MILK BUCKETS, tin, part-covered, with lips and brass wire strainers, hollow bottoms, and tinned or galvanized hoops and bails, (bails supplied)		No. 3—11 inches diameter x 9 inches deep	1 " ...	7s. "
" " " " " "		No. 4—13 inches diameter x 9 inches deep	1 " ...	7s. 6d. "
STRAINER MILK BUCKETS, as above, with back shell handles		All sizes	1s. per doz. extra
MILK BUCKETS, tin—Making bails for		All sizes	3d. "
" " " " " tin (if stamped bottom supplied)		"	4d. per doz. deducted
TIN BUCKETS, with flat bottoms and stamped ears	1C tin plate	11 inches diameter x 9 inches deep	6 dozen ...	2s. 9d. per doz.

PIECE-WORK RATES—*continued.*

Articles.	Material.	Size.	When given out in the under- mentioned Quantities or more.	Prices or Rates.
BUCKETS—<i>continued.</i>				
TIN BUCKETS, with tin hoop and stamped ears ...	IC tin plate ...	13 inches dia- meter x 9 inches deep	6 dozen ...	3s. 3d. per doz.
" with 1½-in. or 1¾-in. hoop and strap	IC tin plate ...	" "	2 " "	4s. 3d. "
" with 1½-in. hoop and strap	IX tin plate ...	" "	2 " "	4s. 9d. "
" with 1½-in. hoop and strap	IXX tin plate ...	" "	2 " "	5s. 6d. "
If bails supplied for strapped tin buckets	3d. per doz. deducted
8. CAGE BOTTOMS.				
OCTAGON CAGE BOTTOMS	26-gauge iron ...	12 inches ...	1 dozen ...	7s. 6d. per doz.
" " "	or lighter, or	14 " "	1 " "	8s. 3d. "
" " "	IX tin plate ...	16 " "	1 " "	9s. "
" " "	or lighter	18 " "	1 " "	9s. 9d. "
" " "		20 " "	1 " "	10s. 9d. "
ROUND CAGE BOTTOMS		9 " "	6 " "	1s. 6d. "
" " "		12 " "	4 " "	2s. 3d. "
" " "	IC tin plate ...	14 " "	4 " "	2s. 6d. "
" " "		16 " "	4 " "	2s. 9d. "
" " "		18 " "	4 " "	3s. "
" " "		20 " "	2 " "	4s. "
9. CANISTERS.				
ROUND CANISTERS, with slipped on bottle neck		½ lb. ...	4 dozen ...	2s. 3d. per doz.
" " "	IC tin plate ...	1 " "	4 " "	2s. 6d. "
" " "		2 lbs. ...	4 " "	2s. 9d. "
" " "		3 " "	3 " "	3s. "
" " "		4 " "	3 " "	3s. 6d. "
10. CANS.				
CREAM CANS, grooved, three hoops, double rim cover (including use of guillotine)		20 quarts ...	1 dozen ...	3s. 9d. each
" " " " " "		30 " "	1 " "	4s. "
" " four hoops, double rim cover (in- cluding use of guillotine) ...	20-gauge tinned steel or lighter, or	40 " "	1 " "	4s. 6d. "
" three hoops, single rim cover (in- cluding use of guillotine) ...	DXXX tin plate or lighter	20 " "	1 " "	4s. 9d. "
" " " " " "		30 " "	1 " "	3s. 3d. "
" " " " " "		40 " "	1 " "	3s. 6d. "
" four " " " " "		40 " "	1 " "	3s. 9d. "
" If not cleaned and tested by maker		All sizes	3d. per can deducted
" If hoops supplied for ...		"	6d. per doz. hoops de- ducted
" If cover stamping or blocking sup- plied for		40 quarts	1s. 6d. per doz. deducted
" If bottoms supplied for ...		40 " "	1s. per doz. deducted
DINNER CANS, oval—without division ...	IX, tin plate ...		1 dozen ...	7s. per doz.
" " " with " " "	or lighter		1 " "	8s. "
HARVEST CANS, with pannikin supplied		2 quarts ...	1½ " "	5s. "
" " " "		3 " "	1½ " "	5s. 6d. "
" " " "	IX tin plate ...	4 " "	1½ " "	6s. "
" " " "	or lighter	6 " "	1 " "	6s. 3d. "
" " " "		8 " "	1 " "	6s. 6d. "
" " " "		10 " "	1 " "	7s. 6d. "
" " " " if with spouts		12 " "	1 " "	8s. 6d. "
HOT WATER CANS, knocked up bottoms ...		All sizes	1s. 6d. per doz. extra
" " " "		3 pints ...	1 dozen ...	9s. 3d. per doz.
" " " "		2 quarts ...	1 " "	9s. 3d. "
" " " "		3 " "	1 " "	11s. "
" wired, bottom let in ...	IX tin plate ...	4 " "	1 " "	11s. "
" " " "	or lighter	3 pints ...	1 " "	10s. 3d. "
" " " "		2 quarts ...	1 " "	10s. 3d. "
" " " "		3 " "	1 " "	12s. "
" " " "		4 " "	1 " "	12s. "
HOT WATER CANS	26-gauge, galv. iron or lighter	All sizes	2s. per doz. extra
JACK SHAY CANS, straight body ...	IC tin plate ...	1 quart ...	2 " "	4s. per doz.
" tapered body		1 " "	2 " "	5s. 6d. "
MINERS' CANS		1½ pints ...	2 " "	4s. "
" " " "		2 " "	2 " "	4s. 3d. "
" " " "	IC tin plate ...	3 " "	2 " "	4s. 3d. "
" " " "		4 " "	2 " "	5s. "
" " " "		6 " "	1½ " "	5s. 6d. "
RAILWAY MILK CANS, grooved, two hoops (including use of guillotine; cleaning and testing) ...	20-gauge tinned steel	20 quarts ...	1 dozen ...	3s. each
" " " three hoops " "	or lighter, or	30 " "	1 " "	3s. 2d. each
" " " four hoops " "	DXXXX	30 " "	1 " "	3s. 4d. "
" " " three hoops " "	tin plate	40 " "	1 " "	3s. 5d. "
" " " four hoops " "	or lighter	40 " "	1 " "	3s. 7d. "
" " " four hoops or less "		50 " "	6 articles ...	5s. "
" " If hoops supplied ...		All sizes	6d. per doz. hoops de- ducted

PIECE-WORK RATES—*continued.*

Articles.	Material.	Size.	When given out in the under- mentioned Quantities or more.	Prices or Rates.
CANS—<i>continued.</i>				
RAILWAY MILK CANS, if bottoms supplied	40 quarts	1s. per doz. deducted
TOILET CANS, with knocked up bottoms (studs supplied)		6 quarts ...	1 dozen ...	12s. per doz.
" " "		8 " ...	1 " ...	14s. "
" " "		10 " ...	1 " ...	15s. 3d. "
" " "	IX tin plate	12 " ...	1 " ...	16s. 3d. "
" " "	or lighter	16 " ...	1 " ...	18s. 6d. "
" body wired, and bottom let in ..		6 " ...	1 " ...	13s. 6d. "
" " "		8 " ...	1 " ...	15s. 9d. "
" " "		10 " ...	1 " ...	16s. 9d. "
" " "		12 " ...	1 " ...	18s. "
" " "		16 " ...	1 " ...	20s. "
" " "	26-gauge galv. iron or lighter	All sizes	3s. per doz. extra
11. COLANDERS.				
HAND-MADE COLANDERS, machine-punched, with side handles		9 inches ...	4 dozen ...	3s. 6d. per doz.
" " "	IX tin plate	11 " ...	4 " ...	4s. "
" " "	or lighter	13 " ...	3 " ...	5s. "
" " "		15 " ...	1½ " ...	6s. "
COLANDERS—If punched with hand punch ..		All sizes	1s. 6d. per doz. extra
12. COVERS.				
MEAT COVERS, with perforated zinc bodies (straight sides) and pitched top ..		12 inches ...	3 dozen ...	3s. 6d. per doz.
" " "		14 " ...	3 " ...	3s. 9d. "
" " "		16 " ...	3 " ...	4s. "
" " "		18 " ...	3 " ...	4s. 6d. "
" " "		20 " ...	2 " ...	5s. "
" " "		22 " ...	1½ " ...	6s. "
" " "	IX tin plate	24 " ...	1 " ...	7s. "
" " "	or lighter			
with perforated zinc bodies (taper sides) and pitched top ..		12 " ...	3 " ...	4s. "
" " "		14 " ...	3 " ...	4s. 6d. "
" " "		16 " ...	3 " ...	4s. 9d. "
" " "		18 " ...	3 " ...	5s. 3d. "
" " "		20 " ...	2 " ...	5s. 9d. "
" " "		22 " ...	1½ " ...	7s. "
" " "		24 " ...	1 " ...	8s. "
with perforated zinc bodies (taper sides) single rim, and blocked tops (wheeling found) ..		14 inches ...	3 dozen ...	5s. 6d. per doz.
" " "		15 " ...	3 " ...	5s. 6d. "
" " "	IXX tin	16 " ...	3 " ...	6s. "
" " "	plate or	17 " ...	3 " ...	6s. "
" " "	lighter	18 " ...	3 " ...	7s. "
" " "		20 " ...	1 " ...	8s. "
" " "		22 " ...	1 " ...	9s. "
" " "		24 " ...	1 " ...	11s. "
with double rims ..		All sizes	1s. 6d. per doz. extra
" if stamped or blocked tops supplied for ..		14 inches	6d. per dozen deducted
" " "		15 "	6d. "
" " "		16 "	9d. "
" " "		17 "	9d. "
" " "		18 "	9d. "
" " "		20 "	1s. "
" " "		22 "	1s. "
" " "		24 "	1s. "
13. DIPPERS.				
COMMON DIPPERS ..		2 quarts ...	6 dozen ...	1s. 6d. per doz.
" BEST DIPPERS, bossed ..	IX tin plate	3 " ...	6 " ...	1s. 6d. "
" " "	or lighter	2 " ...	4 " ...	2s. 6d. "
" " "		3 " ...	4 " ...	2s. 6d. "
DIPPERS—Soldering studs on ..		4 " ...	2 " ...	3s. 3d. "
		3d. per doz. dippers extra
14. DISHES.				
BAKING DISHES, round ..		6 inches ...	6 dozen as- sorted, not less than 1 dozen of any one size	1s. 8d. per doz.
" " "		7 "	1s. 8d. "
" " "		8 "	2s. "
" " "		9 "	2s. "
" " "		10 "	2s. "
" " "		11 "	2s. 9d. "
" " "	IX tin plate	12 " ...	3 dozen	2s. 9d. "
" " "	or lighter	13 " ...	assorted,	3s. 3d. "
" " "		14 " ...	not less	3s. 3d. "
" " "		15 " ...	than 1	3s. 3d. "
" " "		16 " ...	dozen of	3s. 9d. "
" " "		17 " ...	any one	3s. 9d. "
" " "		18 " ...	size	5s. "
" " "		20 "	5s. "

PIECE-WORK RATES—*continued.*

Articles.	Material.	Size.	When given out in the under- mentioned Quantities or more.	Prices or Rates.
DISHES—<i>continued.</i>				
BAKING DISHES, oval	IX tin plate or lighter	10 inches ...		2s. 9d. per doz.
" " "		11 "	3 dozen	3s. "
" " "		12 "	assorted,	3s. 3d. "
" " "		14 "	not less	3s. 9d. "
" " "		15 "	than 1	4s. 6d. "
" " "		16 "	dozen of	5s. "
" " "		17 "	any one	5s. 6d. "
" " "		18 "	size	6s. "
" " "		20 "		6s. 6d. "
" " "		22 "		3s. 3d. "
DEVON DISHES, about 9 inches deep, flat bottoms ...	IX tin plate or lighter	14 "	3 dozen	3s. 3d. "
" " " " "		16 "	3 "	3s. 9d. "
" " " " "		18 "	2 "	4s. 6d. "
" " " " "		20 "	1 "	5s. "
" " " " "		22 "	1 "	6s. "
" " " " with hoops		All sizes ...		1s. per doz. extra
MILK DISHES	IX tin plate or lighter	17 inches ...	2 dozen	3s. 6d. per doz.
" " "		18½ "	2 "	4s. "
" " "		20 "	2 "	4s. 6d. "
SCALDING DISHES, about 6 inches deep, flat bottoms ...	IX tin plate or lighter	14 "	2 "	3s. 3d. "
" " " " "		16 "	2 "	3s. 9d. "
" " " " "		18 "	2 "	4s. 9d. "
ROUND DISHES, flat bottoms, made ready for galvanizing	IX tin plate or lighter	15 "	3 "	2s. 9d. "
" " " " making wire handles for ...		17 "	3 "	3s. 6d. "
SQUARE DISHES, tin		12 x 8 inches ...		3d. per doz. dishes extra
" " "		13 x 9 "	3 "	2s. 9d. per doz.
" " "		14 x 10 "	3 "	3s. 3d. "
" " "		16 x 11 "	3 "	3s. 6d. "
" " "	IX tin plate or lighter	16 x 12 "	2 "	3s. 9d. "
" " "		17 x 12 "	2 "	4s. 3d. "
" " "		18 x 12 "	2 "	4s. 3d. "
" " "		18 x 14 "	2 "	4s. 9d. "
" " " if formed in angle-bender ...		20 x 14 "	2 "	5s. "
			3d. per doz. deducted
15. DREDGERS.				
FLOUR DREDGERS (tops and feet supplied) ...	IC tin plate	No. 1 ...	6 dozen	1s. 6d. per doz.
" " " " "		No. 2 ...	6 "	1s. 9d. "
16. FEEDERS.				
CARPENTERS' FEEDERS	4 dozen	2s. per doz.
OIL FEEDERS, funnel shape		½ pint ...	2 "	3s. 9d. per doz.
" " "		1 "	2 "	4s. 3d. "
" " " for drays—McCormick's pattern ...	IX tin plate or lighter	2 pints ...	2 "	4s. 6d. "
REAPING MACHINE OIL FEEDERS	2 "	3s. 9d. "
If spouts supplied for Feeders (except Carpenters' Feeders)	2 "	5s. "
			9d. per doz. deducted
17. FRAMES.				
SPONGE CAKE FRAMES	IC tin plate ...	All sizes ...	1 dozen	10s. per doz.
18. FUNNELS.				
FUNNELS, without rims, not wired		½ pint ...	8 dozen	1s. per doz.
" " " wired ...		½ "	6 "	1s. 6d. "
" " " " "		½ "	6 "	1s. 6d. "
" " " " "	IC tin plate	1 "	4 "	1s. 9d. "
" " " " "		½ pints ...	4 "	1s. 9d. "
" " " " "		2 "	4 "	2s. 3d. "
" " " with rims ...		2½ "	4 "	2s. 3d. "
" " " " "		2 "	3 "	2s. 9d. "
" " " " "		4 "	3 "	3s. 3d. "
" " " " "	IX tin plate or lighter	6 "	2 "	3s. 6d. "
" " " " "		8 "	2 "	4s. 6d. "
" " " " "		10 "	1½ "	5s. "
" " " " "		12 "	1½ "	5s. 6d. "
19. GRATERS.				
BREAD GRATERS, half round (punched plates supplied) ...		No. 1 ...	6 dozen	1s. 4d. per doz.
" " " punched by hand ...		" 2 ...	6 "	1s. 9d. "
" " " " "		" 1 ...	3 "	2s. 3d. "
" " " round (punched plates supplied) ...	IC tin plate	" 2 ...	3 "	2s. 9d. "
" " " round (graters on sides supplied) ...		" 1 ...	3 "	2s. 3d. "
" " " round punched by hand ...		" 2 ...	3 "	2s. 6d. "
" " " " "		" 1 ...	3 "	3s. 3d. "
" " " " "		" 2 ...	3 "	3s. 6d. "
NUTMEG GRATERS (punched plates supplied) ...	IC tin plate ...	All sizes ...	12 "	1s. "

PIECE-WORK RATES—*continued.*

Articles.	Material.	Size.	When given out in the under- mentioned Quantities or more.	Prices or Rates.
20. HODS.				
COAL HODS, with stamped feet... ...	No. 1 ...	1 dozen ...	7s. 3d. per doz.	
" " with feet hand-made and riveted on	" 2 ...	1 " ...	7s. 6d. "	
" " with knocked-up feet ...	" 1 ...	1 " ...	8s. 6d. "	
" " with stamped feet ...	" 2 ...	1 " ...	8s. 9d. "	
" " with feet hand-made and riveted on	" 1 ...	1 " ...	10s. "	
" " with knocked-up feet ...	" 2 ...	1 " ...	10s. 3d. "	
" " with stamped feet ...	" 1 ...	1 " ...	6s. 6d. "	
" " with feet hand-made and riveted on	" 2 ...	1 " ...	6s. 9d. "	
" " with knocked-up feet ...	" 1 ...	1 " ...	7s. 3d. "	
" " with feet hand-made and riveted on	" 2 ...	1 " ...	7s. 9d. "	
" " hooped	" 1 ...	1 " ...	9s. 3d. "	
" when half-covered	All gauges ...	All sizes ...	4s. per doz. extra	
21. KETTLES.				
CAMP KETTLES, with stamped covers supplied ...	1 quart ...	6 dozen ...	1s. 6d. per doz.	
" " " "	1½ quarts ...	6 " ...	1s. 8d. "	
" " " "	2 " ...	6 " ...	1s. 10d. "	
" " " "	3 " ...	4 " ...	2s. "	
" " " "	4 " ...	4 " ...	2s. 3d. "	
" " " "	6 " ...	4 " ...	2s. 6d. "	
" " " "	8 " ...	3 " ...	3s. "	
" " " with stamped covers, finished lid handles, rims ready for tacking, and circular blanks for bottoms supplied	IX tin plate or lighter	(3 dozen) assorted, not less than 1 dozen either size.		
" " " "	1 quart ...	6 dozen ...	1s. 3d. per doz.	
" " " "	1½ quarts ...	6 " ...	1s. 5d. "	
" " " "	2 " ...	6 " ...	1s. 6d. "	
" " " "	3 " ...	4 " ...	1s. 8d. "	
" " " "	4 " ...	4 " ...	1s. 11d. "	
" " " "	6 " ...	4 " ...	2s. 2d. "	
" " " "	8 " ...	3 " ...	2s. 8d. "	
" " " with stamped covers, finished lid handles, rims ready for tacking, and use of circle cutters for bottoms	IX tin plate or lighter	(3 dozen) assorted, not less than 1 dozen either size.		
" " " "	1 quart ...	6 dozen ...	1s. 4d. per doz.	
" " " "	1½ quarts ...	6 " ...	1s. 6d. "	
" " " "	2 " ...	6 " ...	1s. 7d. "	
" " " "	3 " ...	6 " ...	1s. 9d. "	
" " " "	4 " ...	4 " ...	2s. "	
" " " "	6 " ...	4 " ...	2s. 3d. "	
" " " "	8 " ...	3 " ...	2s. 9d. "	
" " " with stamped covers, finished lid handles, finished rims, and circular blanks for bottoms supplied	IX tin plate or lighter	(3 dozen) assorted, not less than 1 dozen either size.		
" " " "	1 quart ...	6 dozen ...	1s. 2d. per doz.	
" " " "	1½ quarts ...	6 " ...	1s. 4d. "	
" " " "	2 " ...	6 " ...	1s. 5d. "	
" " " "	3 " ...	4 " ...	1s. 7d. "	
" " " "	4 " ...	4 " ...	1s. 10d. "	
" " " "	6 " ...	4 " ...	2s. 1d. "	
" " " "	8 " ...	3 " ...	2s. 7d. "	
" " " with stamped covers, finished lid handles, finished rims, and circular blanks for bottoms supplied	IX tin plate or lighter	(3 dozen) assorted, not less than 1 dozen either size.		
" " " "	10 " ...	3s. 1d. "		
" " " "	12 " ...	3s. 10d. "		

PIECE-WORK RATES—*continued.*

Articles.	Material.	Size.	When given out in the under- mentioned Quantities or more,	Prices or Rates.
KETTLES—<i>continued.</i>				
CAMP KETTLES, with stamped covers, finished lid handles, finished rims, and use of circle cutters for bottoms ...		1 quart ... 1½ quarts ... 2 " ... 3 " ... 4 " ... 6 " ... 8 "	6 dozen ... 6 " ... 6 " ... 4 " ... 4 " ... 4 " ... 3 " ...	1s. 3d. per doz. 1s. 5d. " 1s. 6d. " 1s. 8d. " 1s. 11d. " 2s. 2d. " 2s. 8d. "
" " " " "	IX tin plate or lighter	(3 dozen assorted not less than 1 dozen either size)		
" " " " "		10 " ... 12 " ...		3s. 2½d. " 3s. 11½d. "
" wiring rim of covers for blocking covers of ...		All sizes ...		10d. per doz. extra
" " " " "		1 quart ... 1½ quarts ... 2 " ... 3 " ... 4 " ... 6 " ... 8 "		6d. " 6d. " 6d. " 9d. " 9d. " 9d. " 1s. "
" " " " "		10 " ... 12 " ...		1s. " 1s. "
COPPER KETTLES (planching and tinning supplied)		4 pints ... 5 " ... 6 " ... 7 " ... All sizes ...	6 articles... 6 " ... 6 " ... 6 "	15s. per doz. 16s. " 17s. " 19s. " 1s. per doz. extra
" " " " "	I lb. copper or lighter			
FISH KETTLES (body handles supplied and covers wheeled) ...	DXXX tin plate or lighter	14 inches ... 16 " ... 18 " ... 20 " ... 22 " ... 24 " ... 14 " ... 16 " ... 18 " ... 20 " ... 22 " ... 24 " ...	6 articles... 3 " ... 3 " ...	24s. per doz. 30s. " 36s. " 42s. " 48s. " 60s. " 1s. 6d. per doz. extra 2s. " 2s. 6d. " 3s. " 3s. 6d. " 4s. "
TEA KETTLES, oval, with tin bottoms ...		3 pints ... 4 " ... 5 " ... 6 " ... 8 "	1½ dozen... 1½ " ... 1½ " ... 1 " ... 1 " ...	5s. 6d. per doz. 6s. " 6s. 6d. " 7s. " 8s. "
" " " " "		3 " ... 4 " ... 5 " ... 6 " ... 8 "	1½ " ... 1½ " ... 1 " ... 1 " ... 1 " ...	6s. " 6s. 6d. " 7s. " 7s. 6d. " 8s. 6d. "
" " " " with 28 gauge galvanized iron bottoms		3 " ... 4 " ... 5 " ... 6 " ... 8 "	1½ " ... 1½ " ... 1 " ... 1 " ... 1 " ...	6s. 3d. " 6s. 9d. " 7s. 3d. " 7s. 9d. " 8s. 9d. "
" " " " with tinned-copper bottoms...		3 " ... 4 " ... 5 " ... 6 " ... 8 "	1½ " ... 1½ " ... 1 " ... 1 " ... 1 " ...	6s. 3d. " 6s. 9d. " 7s. 3d. " 7s. 9d. " 8s. 9d. "
" " " " with copper bottoms tinned by maker	IX tin plate or lighter	All sizes ... 1 pint ...	3 dozen ... 3 dozen ...	1s. per doz. extra 2s. 6d. per doz.
" round, straight, with tin bottoms...		2 pints ... 3 " ... 4 " ... 5 " ... 6 " ... 8 "	3 " ... 2 " ... 2 " ... 2 " ... 2 " ... 1 " ...	3s. 3d. " 4s. " 4s. 6d. " 5s. 3d. " 5s. 9d. " 6s. 9d. "
" round, tapered, with 28-gauge gal- vanized-iron bottoms		1 pint ... 2 pints ... 3 " ... 4 " ... 5 " ... 6 " ... 8 "	3 " ... 3 " ... 2 " ... 2 " ... 2 " ... 2 " ... 1 " ...	2s. 9d. " 3s. 6d. " 4s. 3d. " 4s. 9d. " 5s. 6d. " 6s. " 7s. "
" " " straight, with tinned-copper bottoms		All sizes ...	3 " ...	1s. per doz. extra
" " " tapered				
" " " straight or tapered, with bot- toms tinned by maker				

PIECE-WORK RATES—*continued.*

Articles.	Material.	Size.	When given out in the under- mentioned Quantities or more.	Prices or Rates.
KETTLES—continued.				
TEA KETTLES, blocking covers and blocking and swedging breasts of				
" " "	IXX tin plate or lighter	1 pint 2 pints 3 " 4 " 5 " 6 " 8 "	1s. per doz. extra 1s. " 1s. " 1s. 6d. " 1s. 6d. " 1s. 6d. " 2s. "
22. LAMPS.	IXX tin plate or lighter Tops, 1-lb. copper, or IXX tinplate or lighter	No. 1 " 2 " 3	3 articles... 3 " "... 3 " ...	25s. per doz. 27s. " 29s. "
WALL LAMPS, with fonts				
" "				
23. MEASURES.				
MILK MEASURES	1C tin plate	½ pint 1 " 2 pints	6 dozen ... 4 " "... 3 " ...	2s. per doz. 2s. 6d. " 2s. 9d. "
OIL MEASURES, straight sides	IXX tin plate or lighter	½ pint 1 " 2 quarts	3 " "... 3 " "... 2 " ...	2s. 9d. " 3s. 3d. " 5s. "
SPIRIT MEASURES	IXX tin plate or lighter	½ pint 1 " 2 pints 4 " 1 gallon	1 " "... 1 " "... 1 " "... 1 " "...	6s. 6d. " 7s. 6d. " 10s. " 11s. "
"	IXX tin plate or lighter	2 gallons	6 articles...	13s. "
24. MOULDs.				
CANDLE MOULDs	1C tin plate	6 holes 12 "	6 articles... 6 " ...	15s. 6d. per doz. 24s. "
" if tips supplied		2s. per gross tips deducted
25. PAILS.				
SLOP PAILS, with stamped tops, bottoms, and breasts supplied				
" " "		No. 1 " 2 " 3 " 4	2 dozen ... 2 " ... 2 " ... 2 " ...	5s. 6d. per doz. 6s. " 7s. 9d. " 9s. "
" stamped tops and bottoms supplied, hand-made breasts	IXX tin plate or lighter	" 1 " 2 " 3 " 4 " 1 " 2 " 3 " 4	2 " ... 2 " ...	7s. " 7s. 9d. " 9s. 6d. " 11s. " 8s. 3d. " 9s. 6d. " 11s. 6d. " 12s. 9d. "
" hand-made				
" "				
TOILET PAILS	IXX tin plate or lighter, or 26-gauge iron or lighter	" 1 " 2 " 3	1 " ... 1 " ... 1 " ...	7s. 6d. " 8s. 3d. " 9s. "
" if feet and funnels supplied		All sizes	...	1s. 6d. per doz. deducted
26. PANS.				
ASHPANS, common	28-gauge iron or lighter	No. 1 " 2 " 3 " 1 " 2 " 3	3 dozen ... 3 " ... 3 " ... 2 " ... 2 " ... 2 " ...	3s. per doz. 3s. 3d. " 3s. 6d. " 3s. 6d. " 3s. 9d. " 4s. "
" with tin bead		All sizes	...	1s. per doz. extra 4s. per doz. sets of blinds
Blinds for Ashpans				
CLOSETPANS, tapered to nest	26-gauge iron or lighter	17½ x 15 x 13 inches	2 " ...	4s. 6d. per doz.
" straight sides	26-gauge iron or lighter	17 x 13 x 13 inches	2 " ...	4s. "
" "	26-gauge iron or lighter	18 x 14 x 14 inches	2 " ...	4s. 6d. "
" if made with single strap one rivet in bottom		All sizes	1½ dozen of any one size	1s. per doz. extra
" " double "		"	...	3d. per doz. pans extra
" if made of galvanized iron		"	...	6d. "
"		"	...	1s. "

February, 4, 1909

PIECE-WORK RATES—continued.

Articles.	Material.	Size.	When given out in the under- mentioned Quantities or more.	Prices or Rates.
PANS—continued.				
DOUGHPANS ...	IXX tin plate or lighter	14 inches ...	2 dozen ...	5s. per doz.
" ...		16 "	2 "	5s. 6d. "
" ...		18 "	2 "	6s. 9d. "
" ...		20 "	1 "	7s. 6d. "
" ...		22 "	1 "	9s. 6d. "
DUSTPANS ...	IXX tin plate or lighter	No. 1 ...	2½ "	3s. 6d. "
" ...		" 2	2½ "	4s. "
" ...		" 3	2½ "	4s. 3d. "
" with cover ...		" 1.	2 "	4s. 6d. "
" "		" 2	2 "	5s. "
" "		" 3	2 "	5s. 6d. "
YANKEE, CORNISH, OR FLAT BOTTOM PANS	IXX tin plate or lighter	12 inches ...	4 "	2s. 6d. "
" "		13 "	4 "	2s. 6d. "
" "		14 "	4 "	2s. 9d. "
" "		15 "	4 "	3s. 3d. "
" "		16 "	3 "	3s. 9d. "
" "		17 "	3 "	3s. 9d. "
" "		18 "	3 "	4s. 6d. "
27. PANNIKINS.				
PANNIKINS, with bottoms supplied ...	IXX tin plate or lighter	½ pint ...	2 gross ...	5s. per gross
" if handle blanks supplied ...		1½ "	1½ "	6s. "
		3d. per gross deducted
28. POTS.				
COFFEE-POTS, common ...	IXX tin plate or lighter	2 pints ...	2 dozen ...	3s. 9d. per doz.
" "		3 "	2 "	4s. "
" "		4 "	1½ "	5s. "
" "		5 "	1½ "	5s. 6d. "
" "		6 "	1½ "	6s. "
" "		7 "	1½ "	6s. 9d. "
" best, riveted spouts and tin handles		8 "	1 "	7s. 6d. "
TEA-POTS, oval, loose covers, (stamping for tops and covers supplied)	IXX tin plate or lighter	All sizes	2s. per doz. extra
" "		2 pints ...	1½ dozen ...	6s. per doz.
" "		3 "	1½ "	6s. 6d. "
" "		4 "	1½ "	7s. "
" "		5 "	1 "	7s. 9d. "
" "		6 "	1 "	8s. 9d. "
" "		7 "	1 "	9s. 9d. "
" "		8 "	1 "	11s. "
" "		10 "	1 "	14s. "
" "		12 "	6 articles	15s. "
" "		16 "	6 "	16s. 6d. "
" oval, loose covers, blocked tops and covers	IXX tin plate or lighter	2 "	1½ dozen ...	7s. "
" "		3 "	1½ "	7s. 9d. "
" "		4 "	1½ "	8s. 9d. "
" "		5 "	1 "	9s. 6d. "
" "		6 "	1 "	10s. 6d. "
" "		7 "	1 "	11s. "
" "		8 "	1 "	12s. "
" "		10 "	1 "	13s. 3d. "
" "		12 "	6 articles	18s. "
" "		16 "	6 "	21s. "
29. PUMPS.				
KEROSENE PUMPS (funnel top or plain barrel) ...	IXX tin plate	4 dozen ...	2s. 9d. per doz.
30. SAFES.				
MEAT SAFES, round ...	Zinc or IXX tin plate or lighter. Trays,	12 inches ...	1 dozen ...	18s. per doz.
" "		14 "	1 "	19s. "
" "		16 "	1 "	21s. "
" "		18 "	1 "	24s. "
" "		20 "	6 articles	27s. "
" "		22 "	6 "	30s. "
" "		24 "	6 "	34s. "
" if trays supplied ...		All sizes	2s. per doz. deducted
" square, with half-round, D shape, or basin shape top and zinc fronts (trays supplied) ...	Zinc or IXX tin plate or lighter. Trays,	12 inches ...	1 dozen ...	19s. per doz.
" "		14 "	1 "	21s. "
" "		16 "	1 "	23s. "
" "		18 "	1 "	25s. "
" square, with flat tops (with cup) having tapered sides and zinc fronts (trays supplied) ...	Zinc or IXX tin plate or lighter	12 "	1 "	20s. 6d. "
" "		14 "	1 "	22s. 6d. "
" "		16 "	1 "	24s. 6d. "
" "		18 "	1 "	26s. 6d. "
" square, with flat tops (with cup) having concave sides and zinc fronts (trays supplied) ...		12 "	1 "	22s. "
" "		14 "	1 "	24s. "
" "		16 "	1 "	26s. "
" "		18 "	1 "	28s. " [ducted if fittings supplied ...]
		All sizes	1s. 6d. " safes de-

PIECE-WORK RATES—*continued.*

Articles.	Material.	Size.	When given out in the under- mentioned Quantities or more.	Prices or Rates.
31. SAUCEPANS.				
TIN SAUCEPANS, with tin bottoms (iron handles supplied)				
" " "	IX tin plate or lighter	1 pint ...	6 dozen ...	1s. 6d. per doz
" " "		2 pints ...	4 " ...	1s. 9d. "
" " "		3 " ...	4 " ...	2s. "
" " "		4 " ...	4 " ...	2s. 3d. "
" " "		6 " ...	3 " ...	2s. 6d. "
" " "		8 " ...	3 " ...	2s. 9d. "
" " "		10 " ...	2 " ...	3s. "
with galvanized-iron bottoms (iron handles supplied)	Bodies	1 pint ...	6 " ...	1s. 9d. "
" " "	IX tin plate or lighter ;	2 pints ...	4 " ...	2s. "
" " "	Bottoms	3 " ...	4 " ...	2s. 3d. "
" " "	28-gauge galv. iron	4 " ...	4 " ...	2s. 6d. "
" " "		6 " ...	3 " ...	2s. 9d. "
" " "		8 " ...	3 " ...	3s. "
" " "		10 " ...	2 " ...	3s. 3d. "
with tinned-copper bottoms (iron handles supplied)	Bodies	1 pint ...	3 " ...	2s. 3d. "
" " "	IX tin plate or lighter	2 pints ...	3 " ...	2s. 6d. "
" " "		3 " ...	3 " ...	2s. 9d. "
" " "		4 " ...	2 " ...	3s. "
" " "		6 " ...	2 " ...	3s. 3d. "
" " "		8 " ...	2 " ...	3s. 6d. "
" " "		10 " ...	2 " ...	3s. 9d. "
tinning copper bottoms	All sizes	1s. per doz. extra
making flat tin handles for	9d. "
cover, stamping supplied	3d. per doz. deducted
32. SCONCES.				
CANDLE SCONCES	IC tin plate	No. 1 (small) No. 2 (large)	4 dozen ...	2s. per doz.
" " if sockets supplied ...		4 " ...	2s. 6d. "	
		2d. per doz. deducted	
33. SCOOPS.				
GROCERS' SCOOPS—Drawer, without handles	4 dozen as- sorted, not less than 1 dozen of any one size	2s. per doz.
" " front wired or pieced, with handles	IX tin plate or lighter	5 inches ... 6 " ... 7 " ... 8 " ... 10 " ... 12 " ...	3 dozen ... 3 " ... 2 " ... 2 " ... 1½ " ... 1 " ...	4s. " 4s. 6d. " 5s. 6d. " 6s. " 7s. " 8s. "
" " front not wired or pieced, with handles		5 " ... 6 " ... 7 " ... 8 " ... 10 " ... 12 " ...	3 " ... 3 " ... 2 " ... 2 " ... 1½ " ... 1 " ...	3s. 3d. " 3s. 9d. " 4s. 6d. " 5s. 6d. " 6s. 3d. " 7s. 3d. "
" " galvanized iron, front wired or pieced, with handles	24-gauge galv. iron or lighter	5 " ... 6 " ... 7 " ... 8 " ... 10 " ... 12 " ...	1 " ... 1 " ... 1 " ... 1 " ... 1 " ... 1 " ...	5s. 9d. " 6s. 3d. " 7s. " 8s. " 9s. 6d. " 10s. 6d. "
34. SKIMMERS.				
COOKS' SKIMMERS (handles supplied) ...	IXX tin plate or lighter	3 dozen ...	3s. per doz.
MILK SKIMMERS, with ring handles ...	DXXXX tin plate or lighter	6½ inches ... 8 " ... 9 " ... 10 " ...	4 " ... 4 " ... 4 " ... 4 " ...	1s. 9d. " 2s. " 2s. 3d. " 2s. 6d. "
35. SLICES.				
FISH SLICES, D shape (handles supplied) ...	DXXXX tin plate or lighter	No. 1 ... " 2 ...	6 dozen ... 6 " ...	1s. 9d. per doz. 1s. 9d. "
" " D shape made with use of guillotine and circle cutter (handles supplied) ...		" 1 ... " 2 ...	6 " ... 6 " ...	1s. 3d. " 1s. 3d. "
" " making round tin handles for ...	IC tin plate	1s. "

PIECE-WORK RATES—*continued.*

Articles.	Material.	Size.	When given out in the under- mentioned Quantities or more.	Prices or Rates.
36. STANDS.				
COCKATOO STANDS	IXX tin plate or lighter	17 inches ...	6 articles...	17s. 6d. per doz.
" " " "	26-gauge galv. iron or lighter, or zinc	20 " ...	6 " ...	19s. "
" " " "		17 " ...	3 " ...	23s. "
" " " "		20 " ...	3 " ...	27s. 6d. "
37. STEAMERS.				
STEAMERS		No. 4 ...	2 dozen ...	4s. per doz.
" " " "		" 5 ...	2 " ...	4s. "
" " " "		" 6 ...	1½ " ...	4s. 6d. "
" " " "	IXX tin plate or lighter	" 7 ...	1½ " ...	5s. "
" " " "		" 8 ...	1½ " ...	5s. 6d. "
" " " "		" 9 ...	1 " ...	6s. "
" " " "		" 10 ...	1 " ...	7s. "
" " " "		" 11 ...	1 " ...	8s. "
" " " "		" 12 ...	1 " ...	8s. 6d. "
" if handles supplied for	3d. per doz. steamers deducted
38. STRAINERS.				
GRAVY STRAINERS, hand made	IC tin plate	Small ...	3 dozen ...	2s. 9d. per doz.
" " " if perforated bottoms supplied		Large ...	3 " ...	3s. 3d. "
GRUEL STRAINERS	IC tin plate ...	All sizes	6d. " deducted
MILK STRAINERS, wired		8½ inches ...	3 dozen ...	3s. 3d. per doz.
" " "		10 " ...	3 " ...	3s. 6d. "
" " "		11 " ...	3 " ...	3s. 9d. "
" " "		12 " ...	3 " ...	4s. "
" with rim	IXX tin plate or lighter	14 " ...	2 " ...	4s. 6d. "
" " "		8½ " ...	2 " ...	4s. "
" " "		10 " ...	2 " ...	4s. 6d. "
" " "		11 " ...	2 " ...	5s. "
" " "		12 " ...	2 " ...	5s. 3d. "
" " "		14 " ...	2 " ...	5s. 9d. "
MILK CAN STRAINERS, knocked up rims	IXX tin plate	1 " ...	7s. "
" " " "	IXX tin plate	1 " ...	9s. "
39. TINS.				
BREAD TINS (made in five pieces)	IXX tin plate ...	1 lb. ...	3 dozen ...	2s. 9d. per doz.
" " " "	or lighter	2 " ...	3 " ...	2s. 9d. "
" " " "		4 " ...	2 " ...	3s. 6d. "
" COBURG BREAD TINS	IC tin plate ...	6 " ...	2 " ...	4s. 6d. "
		3 " ...	3 " ...	2s. 9d. "
EXHIBITION BREAD TINS, single	IXXXX tin plate or lighter, or	2 lb. ...	6 articles...	14s. "
" " " double	24-gauge iron or lighter	4 " ...	6 " ...	18s. "
" " " "		2 " ...	3 " ...	36s. "
" CAKE TINS, AND CAKE RINGS, with use of knocking-up machine		4 " ...	3 " ...	42s. "
" " " "		4 inches	10s. 6d. per gross
" " " "		5 " ...	1 gross ;	11s. "
" " " "		6 " ...	not less than 3	12s. "
" " " "		7 " ...	dozen of	14s. "
" " " "		8 " ...	any one	15s. "
" " " "		9 " ...	size	16s. "
" " " "		10 " ...		18s. "
" " " "		11 " ...		21s. "
" " " "		12 " ...		24s. "
" " " loose bottoms ...	IC tin plate	4 " ...		13s. 6d. "
" " " "		5 " ...		14s. "
" " " "		6 " ...	1 gross ;	15s. "
" " " "		7 " ...	not less than 3	18s. "
" " " "		8 " ...	dozen of	19s. "
" " " "		9 " ...	any one	20s. "
" " " "		10 " ...	size	22s. "
" " " "		11 " ...		27s. "
" " " "		12 " ...		30s. "
All sizes	9s. "	extra
QUEEN CAKE TINS, hearts	IC tin plate	4 dozen ...	2s. per doz.
" " " diamonds		6 " ...	6 " ...	1s. 3d. "
SANDWICH TINS, with use of knocking-up machine		6 inches ...	1 gross ;	12s. per gross
" " " "		7 " ...	not less than 3	14s. "
" " " "		8 " ...	dozen of	15s. "
" " " "		9 " ...	any one	16s. "
" " " "		10 " ...	size	18s. "
" " " "		11 " ...		21s. "
" " " "		12 " ...		24s. "
" knocked up by hand ...		6 inches ...	1 gross ;	16s. "
" " " "		7 " ...	not less than 3	18s. "
" " " "		8 " ...	dozen of	19s. "
" " " "		9 " ...	any one	20s. "
" " " "		10 " ...	size	22s. "
" " " "		11 " ...		27s. "
" " " "		12 " ...		30s. "

PIECE-WORK RATES—*continued.*

Articles.	Material.	Size.	When given out in the under- mentioned Quantities or more.	Prices or Rates.
TINS—<i>continued.</i>				
SWISS ROLL TINS, wired, with use of angle bender		12 x 8 inches	4 dozen ..	2s. 2d. per doz.
" " "		13 x 9 "	4 " ..	2s. 3d. "
" " "		14 x 10 "	4 " ..	2s. 4d. "
" " "		15 x 11 "	4 " ..	2s. 6d. "
" " "		16 x 12 "	4 " ..	2s. 9d. "
" " not wired, with use of angle bender	IC tin plate	12 x 8 "	4 " ..	1s. 10d. "
" " "		13 x 9 "	4 " ..	1s. 11d. "
" " "		14 x 10 "	4 " ..	2s. "
" " "		15 x 11 "	4 " ..	2s. "
" " "		16 x 12 "	4 " ..	2s. 3d. "
" " without use of angle bender		All sizes	6d. " extra
40. TUFS.				
BLACK IRON TUBS, round or oval, without hoop or strap		16 inches ..	2 dozen ..	3s. 9d. per doz.
" " "		18 "	2 " ..	4s. 3d. "
" " "		20 "	2 " ..	4s. 6d. "
" " "		22 "	2 " ..	5s. "
" " "		24 "	1½ " ..	5s. 6d. "
" " "		26 "	1½ " ..	6s. 3d. "
" " "		28 "	1½ " ..	7s. 3d. "
" " "		30 "	1 " ..	8s. 3d. "
" " "		16 "	2 " ..	4s. 3d. "
" " "		18 "	2 " ..	4s. 9d. "
" " with hoop		20 "	2 " ..	5s. "
" " "		22 "	2 " ..	5s. 6d. "
" " "		24 "	1½ " ..	6s. "
" " "		26 "	1½ " ..	7s. "
" " "		28 "	1½ " ..	7s. 9d. "
" " "		30 "	1 " ..	8s. 9d. "
" " "	24-gauge iron or lighter	33 "	6 articles...	11s. "
" " "		36 "	6 " ..	14s. 9d. "
" " hooped and strapped...		16 "	2 dozen ..	5s. 3d. "
" " "		18 "	2 " ..	5s. 9d. "
" " "	26-gauge iron or lighter	20 "	2 " ..	6s. "
" " "		22 "	2 " ..	6s. 6d. "
" " "		24 "	1½ " ..	7s. "
" " "		26 "	1½ " ..	8s. "
" " "		28 "	1½ " ..	9s. "
" " "		30 "	1 " ..	10s. "
" " "	24-gauge iron or lighter	33 "	6 articles...	12s. 9d. "
" " "		36 "	6 " ..	16s. 6d. "
TIN TINS, round, without hoop		15 "	2 dozen ..	4s. "
" " "		16 "	2 " ..	4s. "
" " "		18 "	1½ " ..	5s. "
" " "		20 "	1½ " ..	5s. 6d. "
" " "		22 "	1½ " ..	6s. "
" " "	IXX tin plate or lighter	24 "	1 " ..	7s. "
" " with tinned or galvanized iron or black iron hoop		15 "	2 " ..	5s. "
" " "		16 "	2 " ..	5s. "
" " "		18 "	1½ " ..	6s. "
" " "		20 "	1½ " ..	6s. 6d. "
" " "		22 "	1½ " ..	7s. "
" " "	IXX tin plate or lighter	24 "	1 " ..	8s. "
" " oval, without hoop		16 "	2 " ..	5s. 6d. "
" " "		18 "	1½ " ..	6s. "
" " "		20 "	1½ " ..	6s. 6d. "
" " "		22 "	1½ " ..	7s. 6d. "
" " "	IXX tin plate or lighter	24 "	1 " ..	8s. 6d. "
" " with tinned or galvanized iron or black iron hoop...		16 "	2 " ..	6s. 6d. "
" " "		18 "	1½ " ..	7s. "
" " "		20 "	1½ " ..	7s. 6d. "
" " "		22 "	1½ " ..	8s. 6d. "
" " "	IXX tin plate or lighter	24 "	1 " ..	9s. 6d. "
41. WARMERS.				
FOOT WARMERS	DXXX tin plate	...	6 articles...	16s. 6d. per doz
"	Copper	...	6 " ..	22s. "
STOMACH WARMERS	DXXX tin plate	...	6 " ..	16s. 6d. "
"	Copper	...	6 " ..	22s. "
CARRIAGE WARMERS	DXXX tin plate	...	6 " ..	23s. "
"	Copper	...	6 " ..	27s. 6d. "
BOTTLE WARMERS	DXXX tin plate	...	6 " ..	12s. 9d. "
"	Copper	...	6 " ..	16s. 6d. "

February, 4, 1909

SCHEDULE B.—CANISTER WORK.

PIECE-WORK RATES—*continued.*

					Price per gross.
	Lap seam.	Lock seam, without assistance.	Lock seam, with two assistants.		
SOLDERING SEAMS—all work rolled—up to and including $2\frac{1}{2}$ inches in diameter—				s. d.	s. d.
Up to and including 2 inches deep 0	5	4 $\frac{1}{2}$	0	2 $\frac{1}{2}$
Over 2 inches deep and up to and including $3\frac{1}{2}$ inches deep ...	0	5 $\frac{1}{2}$	0	5	0 3
" $3\frac{1}{2}$ " " " " $4\frac{1}{2}$ " " ... 0 6	0	5	0 3		
" $4\frac{1}{2}$ " " " " $5\frac{1}{2}$ " " ... 0 7	0	6	0 4		
" $5\frac{1}{2}$ " " " " 7" " ... 0 10	0	7	0 5		
Over $2\frac{1}{2}$ inches and up to and including $3\frac{1}{2}$ inches in diameter—				s. d.	s. d.
Up to and including 2 inches deep ...	0	5	4	0	2 $\frac{1}{2}$
Over 2 inches deep and up to and including $3\frac{1}{2}$ inches deep ...	0	5 $\frac{1}{2}$	0	5	0 3
" $3\frac{1}{2}$ " " " " 5" " ... 0 6	0	5	0 3		
" 5" " " " 6" " ... 0 7	0	6	0 4		
" 6" " " " 7" " ... 0 9	0	7 $\frac{1}{2}$	0 5		
" 7" " " " 8" " ... 1 1	0	10	0 8		
Over $3\frac{1}{2}$ inches and up to and including $4\frac{1}{2}$ inches in diameter—				s. d.	s. d.
Up to and including 2 inches deep ...	0	6	4 $\frac{1}{2}$	0	2 $\frac{1}{2}$
Over 2 inches deep and up to and including $3\frac{1}{2}$ inches deep ...	0	6 $\frac{1}{2}$	0	5	0 3
" $3\frac{1}{2}$ " " " " 5" " ... 0 7 $\frac{1}{2}$	0	6	0 4		
" 5" " " " 6" " ... 0 8 $\frac{1}{2}$	0	7 $\frac{1}{2}$	0 4 $\frac{1}{2}$		
" 6" " " " 7" " ... 0 10	0	8	0 6		
" 7" " " " 8" " ... 1 1	0	10	0 8		
Over $4\frac{1}{2}$ inches, and up to and including $5\frac{1}{2}$ inches in diameter, up to and including $2\frac{1}{2}$ inches deep ...	0 7	0 5	0 3		
Over $2\frac{1}{2}$ inches deep, and up to and including $4\frac{1}{2}$ inches deep ...	0 9	0 7	0 4 $\frac{1}{2}$		
" $4\frac{1}{2}$ " " " " 6" " ... 1 0	0 8	0 6	0 4		
" 6" " " " 7" " ... 1 2	0 10	0 8	0 6		
" 7" " " " 8" " ... 1 3	0 11	0 9	0 7		
Over $5\frac{1}{2}$ inches, and up to and including $6\frac{1}{2}$ inches in diameter, up to and including 3 inches deep ...	0 9	0 6	0 4		
Over 3 inches deep, and up to and including $4\frac{1}{2}$ inches deep ...	0 11	0 7	0 5		
" $4\frac{1}{2}$ " " " " 6" " ... 1 1	0 8	0 6	0 4		
" 6" " " " 8" " ... 1 3	0 11	0 9	0 7		

SOLDERING TOPS OR BOTTOMS OF EMPTY TINS—(spiriting provided)—

					Price per gross.
		Not crimped or rolled on. s. d.	Crimped. s. d.	Rolled on. s. d.	
Up to and including 3 inches in diameter 0 6½	... 0 5½	... 0 5	
Over 3 inches diameter, and up to and including 3½ inches in diameter 0 7½	... 0 6	... 0 6	
" 3¾ "	"	" 1 0	" 0 10½	" 0 9	
" 4¼ "	"	" 1 2	" 1 0	" 0 11	
" 5 "	"	" 1 6	" 1 4	" 1 2	

ROUND WORK (SOLDERING).

PIECE-WORK RATES—*continued.*

SQUARE WORK.

Per gross.
s. d.

Jam tins—6 lbs., soldering only, with use of spring...	10	0
" 14 " " without use of spring	11	0
" 14 " " with use of spring...	12	0
" 20 " " without use of spring	12	0
" 20 " " with use of spring...	13	0
" 28 " " without use of spring	12	0
" 28 " " with use of spring...	13	0
Pulp tin 40 "	15	0
" 40 " " without use of spring	16	0
" 40 " " with use of spring...	16	0
Notching, bending, and folding, 6 lbs.	5	0
Cutting out above sizes	1	6 extra
Notching, bending, and folding so that spring is not necessary, all above sizes, except 6 lbs.	7	0
Notching, bending, and folding, so that spring is necessary at one end	6	0

BISCUIT TINS—

1 lb., soldering	3	1
2 lbs. "	3	8
4 " "	5	11
6 " "	5	11
6 " " two seams	6	9
6 lbs., glass, soldering	9	0
14 " plain, "	9	6
14 " glass,	12	0
25 " plain, "	10	8
30 " " "	10	8
40 " " "	10	8
50 " " "	12	0
Uneeda "	10	8
½-lb. packet "	9	6
9 lbs. Calin "	8	5
Wafer, Ice and Cup, soldering	8	5
Cream, Henley and Variety, soldering	3	8
Afternoon Tea, soldering	3	8
1 lb., cutting bodies	0	3½
2 lbs. "	0	3½
6 " "	1	1
1 lb., cutting ends	0	1
2 lbs. "	0	1
4 " cutting at guillotine	0	10
9 " " "	1	4
30 " " "	1	11
40 " " "	1	11
50 " " "	1	11
Plain and Packet, cutting at guillotine	1	7
Small Wafer "	0	6½
30 lbs., closing, soldering	3	8
40 " " "	5	0
50 " " "	5	8

FLOUR TINS—

40 lbs., soldering	9	6
50 " "	12	0

HONEY TINS—

56 lbs., soldering	14	0
--------------------	-----	-----	-----	-----	-----	----	---

OIL OR VARNISH TINS—

½ gallon, soldering ends and lock seam	12	0
1 " " " "	14	0
2 " " " "	18	0

OBLONG TINS—(reputed or imperial measure)—

1 pint, plain, soldering, lock seam (with two assistants)...	0	3
1 " " " " (without assistance)...	0	5
1 quart " " " " (with two assistants)...	0	4
1 " " " " (without assistance)...	0	6
Soldering, all above tins, if made of decorated or varnished tin plate	0	1 extra
1 pint, rolled on ends, soldering	1	5 each end
1 " crimped, soldering	1	7 "
1 " not crimped or rolled on, soldering	1	9 "
1 quart, rolled on ends, soldering	1	7 "
1 " crimped, soldering	1	9 "
1 " not crimped, soldering	2	0

February, 4, 1909

PIECE-WORK RATES—*continued.*

OVAL WORK.

OIL TINS--						Per gross. s. d.
$\frac{1}{2}$ pint, lock seams, soldering	0 2 $\frac{1}{2}$ with two assistants
$\frac{1}{2}$ " " "	0 4 $\frac{1}{2}$ without assistance
$\frac{1}{2}$ " lap "	0 6 "
$\frac{1}{2}$ " rolled on ends	0 10 each end
$\frac{1}{2}$ " crimped on ends	0 11 "
$\frac{1}{2}$ " slipped on ends	1 0 "

STAMPING WORK ON POWER MACHINES OR PRESSES (NOT USING SCRAP).

That this Determination shall come into force on, and after the 1st day of March, 1909.

F. W. MISCAMBLE,
Chairman.

Dated at Melbourne, the 11th day of January, 1909.

