



VICTORIA
GOVERNMENT GAZETTE

Published by Authority.

[Registered at the General Post Office, Melbourne, for transmission by post as a newspaper.]

No. 7.]

MONDAY, JANUARY 11.

[1909.

FACTORIES AND SHOPS ACTS.

DETERMINATION OF THE LEATHER-GOODS BOARD.

Factories and Shops Acts.

DETERMINATION OF THE LEATHER-GOODS BOARD.

IN accordance with the provisions of the Factories and Shops Acts, the Special Board appointed to determine the lowest prices or rates which may be paid to any person or persons or classes of persons employed in the process, trade, or business of a maker of portmanteaux, or leather bags, or leather trunks, or leather goods of the class or kind of which the following are examples, viz.:—Braces, cap peaks, dog collars, dog leads, garters, hold-alls, knapsacks, knife sheaths, leather belts (other than machine belts and belts used for harness or saddlery), leather cases of all descriptions, leggings, pocket-book covers, pouches, purses, valises, wallets, has made the following Determination, namely:—

(1) That all previous Determinations of the Leather-goods Board shall be cancelled and annulled from and after the date upon which this present Determination comes into force and is operative.

(2) That the lowest prices or rates of payment payable to the following classes of persons employed in the process, trade, or business of a maker of portmanteaux, or leather bags, or leather trunks, or leather goods of the class or kind of which the following are examples, viz.:—Braces, cap peaks, dog collars, dog leads, garters, hold-alls, knapsacks, knife sheaths, leather belts (other than machine belts and belts used for harness or saddlery), leather cases of all descriptions, leggings, pocket-book covers, pouches, purses, valises, wallets, shall be—

Foremen	50s. for a maximum number of 48 hours per week.
All other adult males	48s. for a maximum number of 48 hours per week.
Females doing any description of work other than the hand-stitching of bags, trunks, portmanteaux, footballs, cases, hold-alls, leggings, purses or wallets, or hat-boxes, or stiffening down, or framing up, or riveting by hand, or making handles for gladstone, kit, or brief bags	18s. for a maximum number of 48 hours per week.
Other females	20s. for a maximum number of 48 hours per week.
Girls (other than apprentices or improvers) engaged in tying-off, or snipping ends of cotton, or cutting webs to lengths, or sorting, or eyeletting, or riveting by machine, or putting on ends, or counting, or tying up, or preparing sample cards, or turning or rubbing out gloves—						
1st year's experience, 1st half-year	4s. per week of 48 hours.
" " " 2nd "	6s. " " "
2nd " " "	7s. 6d. " " "
3rd " " "	10s. " " "
4th " " "	12s. 6d. " " "

MALE IMPROVERS.—NUMBER.

(3) That the number of male improvers who may be employed within any factory, or work-room, or shop, or place in which the process, trade, or business of a maker of portmanteaux, or leather bags, or leather trunks, or leather goods of the class or kind of which the following are examples, viz.:—Braces, cap peaks, dog collars, dog leads, garters, hold-alls, knapsacks, knife sheaths, leather belts (other than machine belts and belts used for harness or saddlery), leather cases of all descriptions, leggings, pocket-book covers, pouches, purses, valises, wallets is carried on, shall be the following:—One male improver to one, two, or three adult males receiving at wages or at piece-work rates not less than 40s. per week of 48 hours, and thereafter one male improver to each additional adult male receiving at wages or at piece-work rates not less than 40s. per week of 48 hours.

MALE APPRENTICES OR IMPROVERS.—WAGES.

(4) That the lowest prices or rates of payment payable to male apprentices or improvers shall be the following:—

For the 1st year's experience,	1st half-year,	6s. per week of 48 hours.
	2nd "	7s. 6d. " "
For the 2nd " "	3rd "	9s. " "
	4th "	10s. 6d. " "
For the 3rd " "	5th "	12s. 6d. " "
	6th "	15s. " "
For the 4th " "	7th "	17s. 6d. " "
	8th "	20s. " "
For the 5th " "	9th "	22s. 6d. " "
	10th "	26s. 6d. " "
For the 6th " "	11th "	30s. " "
	12th "	32s. 6d. " "
For the 7th " "	13th "	35s. " "
	14th "	37s. 6d. " "

And thereafter the minimum wage of 48s. per week or piece-work rates.

FEMALE IMPROVERS.—NUMBER.

(5) That the number of female improvers who may be employed within any factory, or work-room, or shop, or place in which the process, trade, or business of a maker of portmanteaux, or leather bags, or leather trunks, or leather goods of the class or kind of which the following are examples, viz.:—Braces, cap peaks, dog collars, dog leads, garters, hold-alls, knapsacks, knife sheaths, leather belts (other than machine belts and belts used for harness or saddlery), leather cases of all descriptions, leggings, pocket-book covers, pouches, purses, valises, wallets is carried on shall be:—One female improver to one, two, or three females receiving at wages or at piece-work rates not less than 18s. per week, and thereafter one female improver to each additional female receiving at wages or at piece-work rates not less than 18s. per week.

FEMALE APPRENTICES OR IMPROVERS.—WAGES.

(6) That the lowest prices or rates of payment payable to female apprentices or improvers shall be the following:—

For the 1st year's experience, 1st half-year, 6s. per week of 48 hours.	2nd	"	7s. 6d.	"	"
For the 2nd " " 3rd	"	"	9s.	"	"
For the 3rd " " 4th	"	"	11s.	"	"
For the 3rd " " 5th	"	"	12s.	"	"
For the 4th " " 6th	"	"	13s. 6d.	"	"
For the 4th " " 7th	"	"	15s.	"	"
For the 4th " " 8th	"	"	17s.	"	"

And thereafter the minimum wage of 18s. per week or piece-work rates.

OVERTIME.

(7) That any male employé over the age of sixteen years who works for any time in excess of the maximum number of hours fixed by the Board shall be paid for such extra time at the rate of time and a quarter.

HOLIDAYS—SPECIAL RATES FOR.

(8) That the price or rate of payment payable to any person or persons or classes of persons for all work done on Sunday, Christmas Day, Good Friday, and Eight Hours Day shall be double the minimum price or rate fixed by this Determination for such person or persons or classes of persons.

PIECE-WORK.

(9) That the lowest piece-work prices or rates to be paid to persons for doing work of the kinds specified in the following schedule shall be the prices or rates fixed by such schedule in respect of such work.

(10) That in this Determination the terms "deduction" and "deductions" shall mean that if the work described under such heading be done by the employer, then the employer may deduct the amount specified opposite such work from the piece-work price fixed for making the article.

N.B. All paste shall be made for men engaged at piecework rates.

N.B. All paint shall be mixed for workmen engaged at piecework rates.

Work not enumerated in piece-work prices or rates to be paid for at rates not less than that which will enable an average worker to earn one shilling per hour.

SCHEDULE.

COMMON PORTMANTEAUX—CUTTING OUT AND MAKING.

No. 1 Style.—Made of Basil, Canvas, or Cloth.

Two rows of heavy creasing on each side of buckle-piece and across body and ends, ten stitches in straps, up to twenty-six stitches in each handle, closing two and a half stitches to inch, pocket (not larger than nine inches by six inches) on door, stitched two and a half to inch down back ... 1½d. per inch.

No. 2 Style.—Made of Basil, Canvas, or Cloth.

Two rows of light creasing on each side of buckle-piece and across body and ends, eight stitches in straps, twenty-two stitches in each handle, closing two stitches to inch, no door, two straps and two buckle-pieces, surface lock, stitched two to inch down back ... 1½d. per inch.

Extra.—(No. 1 or 2 Style.)

If portmanteaux ribbed ... ¼d. per inch.
If pocket on door stiffened with board ... 1/- per dozen portmanteaux.

SOLID LEATHER PORTMANTEAUX—CUTTING OUT AND MAKING.

Expanding top, solid leather portmanteaux ... Turnover edge, 8d. per inch. Square edge, 6½d. per inch.

Deductions.

	Turnover Edge. Per Handle.	Square Edge. Per Handle.
Stitching handles five to inch	2d.	2d.
Stitching staff and ends (3 rows) four to inch	Per Portmanteau. 2s.	Per Portmanteau. 2s.
Cutting and pointing strapping, including lock flap, corners, and hinge	1s.	1s.
Stitching hinge	4d.	4d.
Lining	6d.	6d.
Stitching turnover on flat four to inch	5d.	...

TRUNKS—MAKING

(Unless otherwise provided, all materials to be cut by workman.)

No. 1.—Overland.

Staff and ends stitched four to inch, one row in front, strapping stitched five to inch, two loops with clamps, short straps, buckle pieces, lock flap strap and buckle-piece, battens or ledges on bottom, two flat handles stitched four to inch, three rows clamps on top, leather on battens, three rivets in battens and one in strap, welting stitched two and a half to inch, bar binding two to inch plain tray, leather hinge stitched four to inch—
 36 inches long, up to 18 inches wide, 14 inches deep 10s. per trunk.
 36 inches long, over 18 but not over 21 inches wide, 14 inches deep 10s. 6d. "

Extras.

Putting leather on ends of bound battens and sewing same in with welting 4d. per batten.
 Preparing and putting two leather corners on top and four on bottom with bifurcated rivets or clamps 1s. 3d. per trunk.
 " putting two leather corners on top and four on bottom with bifurcated rivets or clamps (stitched) 2s. 3d. "
 " stitching corners, if put on without bifurcated rivets or clamps 2s. "
 " putting four leather corners on bottom ends with clamps or bifurcated rivets 6d. "
 " putting four leather corners on bottom ends with clamps or bifurcated rivets (stitched) 10d. "
 " stitching four leather corners on bottom ends four to inch, if put on without bifurcated rivets or clamps 8d. "
 If straw or fibre boards spliced 6d. "
 Stiffening out 4d. "
 Boring battens by hand 3d. "

Deductions.

Stitching handles	4d. per trunk.
" staff and ends	7d. "
" hinge (1 row)	4d. "
Lining tray and trunk	9d. "
Cutting out strapping	4d. "

No. 2.—Dropback Overland Trunk.

(Up to 36 inches long, 21 inches wide, 14 inches deep.)

Made of canvas or cloth, staff and ends stitched two rows, two front straps, two long straps, 4 loops on top, buckle-pieces, lock flap strap and buckle-piece, stitching staff ends handles and back-piece four to inch, plain tray, battens or ledges on bottom, three rows of four clamps to each row on top, bar binding two to inch, eight corners put on with clamps or bifurcated rivets—
 Welting two and a half to inch 14s. 6d. per trunk.
 Pull-over edge stitched four to inch 16s. 3d. "

Extras.

Battens on top, bound ends sewn in with welting (four rivets) 4d. per batten.
 Preparing and stitching on corners 1s. per trunk.
 " corners on bottom ends four to inch 6d. "
 " putting corners on bottom ends with clamps or bifurcated rivets 4d. "
 Hoop iron in staff or three rows of hoop iron in top, with four clamps or rivets in each row 9d. "
 Boring battens by hand 3d. "
Deductions same as No. 1 Trunk.

No. 3.—Square or Welting Edge Solid Leather Overland Trunk.

(Up to 36 inches long, 21 inches wide, 14 inches deep.)

Made of strap leather, hinged from frame, lock flap strap and buckle-piece, two long or short straps, up to six loops, two handles, stitching four to inch, welting two and a half to inch, one row in staff, plain tray, battens or ledges on bottom 14s. per trunk.
Extras and deductions same as No. 1 Trunk.

No. 4.—Welting Edge Solid Leather Overland Trunk, Fallback Lid.

(Up to 36 inches long, 21 inches wide, 14 inches deep.)

Made of strap leather, two rows of stitching in staff, two long or short straps, up to six loops, three handles, lock flap strap and buckle-piece, three rows of clamps through hoop iron in top, plain tray, battens or ledges, eight turnover edge corners put on with clamps or bifurcated rivets, stitching four to inch, welting two and a half to inch 19s. per trunk.

Deductions.

Stitching handles	5½d. per trunk.
" staff	1s. 3d. "
Lining tray and trunk	1½d. "
Cutting lock cover loops and handles	3½d. "
Stitching hinge (1 row)	3½d. "

No. 5.—Dropback Turnover Solid Leather Trunk.

One frame, two rows stitching, iron in staff, two short straps, loops, lock flap strap and buckle-piece, long handle in front, handle each end, wood or iron ledges riveted, eight corners, stitching five and a half to inch, bar binding three to inch, turnover four and a half to inch, plain tray, two long straps with four loops, no creasing ... 22s. 6d. per trunk.

Deductions.

Cutting strapping	1s. 9d. per trunk.
Stitching staff and ends	1s. 8d. "
" handles	9d. "
Lining tray and trunk	1s. "
Stitching turnover on flat	1s. "
" hinge (1 row)	4d. "

No. 6.—Turnover Edge Solid Leather Trunk.

(Up to 36 inches long, 21 inches wide, 14 inches deep.)

Two frames riveted, two short straps, loops, lock flap strap and buckle-piece, iron ledges, double handle in front, handle each end, trunk creased, eight corners riveted, plain tray, stitching five and a half to inch, bar binding three to inch, turnover four and a half to inch, staff stitched three rows, iron in staff ... 25s. per trunk.

Deductions.

Cutting strapping	1s. 6d. per trunk.
Stitching staff and ends	2s. 6d. "
" handles	9d. "
Lining tray and trunk	1s. "
Stitching turnover on flat	1s. "
" hinge (1 row)	4d. "

No. 7.—Imperial, Compressed Cane, or Fibre Trunk

(All material to be cut by workman.)

Covering, sizing, painting two coats, varnishing, two frames, welting three to inch, two locks, one bolt, two handles, four bands, thirty nails in each band riveted with washers, protectors on bands, two trays, movable divisions, four bumpers, padded top with braid, two back stays—

	Length.		Width.		Depth.	
	36 inches	...	22 inches	...	22 inches	... 24s. 6d. per trunk.
	33 "	...	21 "	...	21 "	... 22s. 6d. "

(Outside measurement.)

Deduction.

Stitching handles	4d. per trunk.
Painting two coats, varnishing one coat (when finished)	1s. "

No. 8.—Compressed Cane or Fibre Cabin Trunk.

(All material to be cut by workman.)

Covering, sizing, and painting two coats, varnishing, two frames, welting three to inch, two locks, one bolt, two handles, four bands, twenty-six nails on each band riveted with washers, protectors on bands, one tray, movable divisions, padded top with braid, four bumpers, two back stays—

	Length.		Width.		Depth.	
Up to 36 inches	...	21 inches	...	15 inches	...	17s. per trunk.

(Outside measurement.)

Deduction.

Stitching handles	4d. per trunk.
Painting two coats, varnishing one coat (when finished)	1s. "

No. 9.—Saratoga Trunk.

(Covering with leather, preparing for creasing, and creasing to be paid for at wages rates.)

Making top (egg-shaped)—steamed	1s. 6d. per trunk.
" (flat)	9d. "
" bottom	9d. "
Covering (outside) with sheeting (to be painted)	6d. "
" " " hessian " " "	9d. "
" " " canvas (not to be painted)	9d. "
Sizing hessian	3d. "
" leather or sheeting	2d. "
Rubbing off	1d. "
Painting trunk	3d. per coat.
" iron before being put on	3d. per trunk.
" " after " " "	3d. "
Cutting and staining battens	4d. per dozen.

No. 9.—Saratoga Trunk—continued

(Covering with leather, preparing for creasing and creasing to be paid for at wages rates.)

Putting on all iron (except end iron) up to eleven battens, up to 14 nails in each batten, rollers, clamps, or corners and handles complete	2s. 3d. per trunk.
Nailing on all iron (nails $\frac{3}{4}$ inch apart to be clinched) iron to be bent for workman	1s. 3d. "
Making long scolloped handles ready for machine, and finishing	5d. "
" short handles ready for machine, and finishing	4d. "
" valance complete, putting on hinges, bolts and lock	9d. "
Lining with paper	5d. per trunk.
" " before cloth lining	4d. "
" " cloth (egg-shaped top)	10d. "
" " (flat top)	7d. "
Finishing (including stays and tray rests)	3d. "
Varnishing and reblacking iron	3d. "
Cutting iron, by hand	5d. "
" guillotine	1d. "
Blacking four mitred battens and two cross battens and putting same on bottom	6d. "
Rolling iron	1d. "
Bending "	2d. "
Covering ends with canvas (inside)	2d. "
" top	2d. "
" hinges and joints	3d. "
Binding trunk with leather (nails $\frac{1}{2}$ inch apart)	3s. 3d. "
Putting on four pairs of valance clamps (riveted) with shoulders	1s. "
" " " " (clinched) without shoulders	9d. "
" knees	$\frac{1}{2}$ d. per knee.
Putting dowels on ends or fronts (riveted)	6d. per pr. of dowels.
Putting in four tray protectors	1d. per trunk.
Making long straps	1s. per pair of straps.
Making and putting loops on trunk for long straps	3d. per pair of loops.
Set up tray (three divisions).	
Making and lining with cloth and finishing complete	3s. per tray
" " paper	2s. 6d. "
7-inch deep square tray (two divisions with lids).	
Making and lining with cloth and finishing complete	2s. 6d. "
" " paper	2s. 3d. "
7-inch deep square tray (three divisions with lids).	
Making and lining with cloth and finishing complete	2s. 9d. "
" " paper	2s. 6d. "
Plain tray, $3\frac{1}{2}$ inches deep	9d. per tray.
If divisions with two lids, 6d. per tray extra.	
Two divisions on top of trunk—	
Lined with cloth	2s. per trunk:
" " paper	1s. 9d. "
Pocket in top, with straps and buckles complete	1s. "
Top padded and braided	6d. "

Extras.

(If top and bottom are covered by different workmen.)

If covered with sheeting	{ top	3d. per trunk.
	{ bottom	4d. "
If covered with hessian	{ top	4d. "
	{ bottom	6d. "
Covering—if hinges put on under covering material	3d. "
Extra batten on bottom	1d. "
" nails in battens (other than ordinary trunk nails)	3d. "
" battens all around	3d. "
Boring battens by hand	3d. "
Putting on excelsior lock	2d. "
" iron in centre of ends	2d. "
Partitions in tray	3d. per partition, or	2s. 6d. per dozen.
" trunk	6d. per partition.
Nailing iron under battens	2d. per trunk.
Putting iron on bottom	6d. "
" " ends of battens	1s. 6d. "
If hinges bolts and locks riveted with washers	6d. "

No. 10.—McKinley Trunk.

Making woodwork with veneer pressed top	1s. 6d. per trunk.
" " " pieced top	2s. "
Covering with sheeting	6d. "
" " hessian	9d. "
Painting	3d. per coat.
Blacking iron	3d. per trunk.
Cutting and sizing battens	4d. per dozen.
Preparing handles for machine and finishing	5d. per trunk.
Nailing iron and clinching (nails $\frac{3}{4}$ inch apart)	1s. 3d. "

No. 10.—*McKintley Trunk*—continued.

Nailing on battens, clamps, valance, and rollers, clinching nails, and riveting bolts, locks, hinges, and handles	3s. per trunk.
Four pairs valance clamps, nailed	9d. "
" " riveted	1s. "
Lining with paper before cloth lining	4d. "
Lining with cloth	10d. "
" paper	7d. "
Putting in tray rests, stays, and corner protectors	4d. "
Varnishing	4d. "
Cutting and mortising battens for trunk bound with leather—By hand	2s. per doz. battens.
" " " " " " By machine	1s. "

No. 11.—*Cabin Saratoga Trunk* (up to 36 inches by 21 inches, by 15 inches, outside measurements.)

(Covering with leather, preparing for creasing and creasing to be paid for at wages rates.)

Making woodwork	1s. 3d. per trunk.
Covering with sheeting	5d. "
" " hessian	7d. "
Painting two coats	5d. "
Blackening iron	2d. "
Cutting and staining battens	4d. per dozen.
Preparing two handles for machine and finishing	4d. per trunk.
Putting on edge-iron all around, centre bands, battens, valance, and all fittings, complete	2s. 3d. "
Nailing iron ($\frac{3}{4}$ -inch apart)	6d. "
Lining with cloth	6d. "
" " paper	4d. "
Finishing	3d. "
Varnishing and reblacking iron	4d. "
Blackening battens and putting same all around bottom (mitred corners) and two cross battens	6d. "
<i>Extra.</i>						
Covering—if hinges put on under covering material	3d. "
Boring battens by hand	3d. "

HAT-BOXES—MAKING.

(Unless otherwise specified all material to be cut by workman.)

Ladies' Saratoga Hat-box (Full-down front).

Making woodwork	1s per hat-box.
Covering with canvas	4d. "
" " leather	9d. "
Pasting and rubbing down	1½d. "
Painting hat-box two coats	3d. "
Blackening iron	1d. "
Nailing iron on edges (nails $\frac{1}{2}$ inch apart)	4d. "
Nailing on ten battens and corners, and riveting iron and battens	1s. "
Staining battens	2d. "
Painting "	2d. "
Making valance, and riveting on hasp and catches	4d. "
Nailing on valance, lock, catches, hinges, and handle	8d. "
Lining with paper	3d. "
" " cloth	9d. "
Putting on angle-iron and bolts	6d. "
Nailing on cones	4d. "
Preparing sliding handle for stitching and putting same on	5d. per handle.

Ladies' Hat-box.

Ladies' hat-box canvas or cloth, two short straps and buckles or one long strap, handle on top, four clamps in bottom, welting two and a half to inch, wood frame, stitching front, ends and back piece four to inch ... 6s. 6d. per hat box.

Ladies' Hat-box.

Two short straps and buckles or one long strap, handle on top, eight clamps in top and six in bottom, iron frame, welting and bar binding two and a half to inch, stitching front ends and back piece four to inch—
 -Canvas or cloth, ordinary style ... 7s. 6d. per hat-box.
 -Fall-down front with three leather hinges ... 9s. 9d. "
 " " compressed cane, two wooden battens on bottom ... 15s. 6d. "

Extra.

Putting in cones ... 1d. per cone.

Deductions.

Stitching front and ends	6d. per hat-box.
" handles	2d. per handle.
" hinge	3d. per hinge.
" bar binding in fall-down fronts	6d. per hat-box.

Gent's Hat-box—Basil. (To hold one hat.)

Bucket shape, bottom closed four to inch, back stitched four to inch	5s. 6d. per hat-box.
<i>Extra.</i>			
Quilted lining	1s. "
<i>Deduction.</i>			
Stitching handle	2d. per handle.

Gent's Hat-box—Canvas or Basil. (To hold three hats.)

Bottom closed four to inch, back stitched four to inch	9s. 6d. per hat-box.
<i>Extra.</i>			
Quilted lining	1s. "

Gent's Hat-box—Solid Leather. (To hold two hats.)

Bucket shape, handle with two buckles, straps on side, welted top and bottom, stitching four to inch on top, three to inch on bottom, one row stitching four to inch around top and bottom, straps front and back stitched four to inch, inside plain, top lined with satin for opera hat, bar binding round top	10s. 6d. per hat-box.
<i>Extra.</i>			
Quilted lining	1s. "
<i>Deductions.</i>			
Stitching handle	2d. per handle.
„ bar binding	4d. per hat-box.

Gent's Hat-box—Solid Leather. (To hold one hat.)

Bucket shape, square edge, plain lining, stitching four to inch	8s. per hat-box.
<i>Extra.</i>			
Quilting lining	1s. per hat-box.

Gent's Hat-box—Solid Leather. (To hold three hats.)

Square edge, stitching five to inch, satin lining, quilted	15s. "
--	-----	-----	--------

Gent's Square Hat-box—Solid Leather. (To hold three hats.)

Square edge, stitched four to inch, handle on front, one lock, two short straps and buckles	12s. per hat-box.
Corners riveted	3d. per corner.
<i>Deduction.</i>			
Stitching staff and ends	4d. per row.

Gent's Square Hat-box—Canvas. (To hold three hats.)

Welted three to inch, handle on front, two short straps and buckles, hinge stitched four to inch, one lock, top lined for hat, drop-back lid, staff and ends stitched four to inch	9s. per hat-box.
<i>Deductions.</i>			
Stitching staff and ends	4d. per hat-box.
„ handle	2d. per handle.
„ hinge	2d. per hat-box.

LADIES' DRESS-BASKETS—MAKING.

(Unless otherwise specified all materials to be cut by workman.)

With corners stitched or riveted, strapping five to inch, two short straps and buckles, lock flap strap and buckle, two loops, two wood battens, leather handles, one tray, braid in top—			
Welted, two and a half to inch, oval top, not exceeding 36 inches long, 26 inches deep, 22 inches wide	14s. 6d. each.
Welted, two and a half to inch, flat top, not exceeding 36 inches long, 14 inches deep, 21 inches wide	12s. "
<i>Extra.</i>			
Leather pullover edge, stitched four to inch	3s. "
Without corners, welted two to inch, strapping four to inch, two short straps and buckles, lock flap strap and buckle, two loops, two wood battens, leather handles, one tray braid in top, oval top, not exceeding 36 inches long, 26 inches deep, 22 inches wide	12s. "
Flat top	„	„	9s. 6d. „
<i>Deductions (all Ladies' Dress-baskets).</i>			
Stitching staff and ends	6d. per dress-basket.
„ handles	4d. „
„ corners	6d. „

LADIES' SKIRT BASKETS.

Flat or oval top, welted with hide two and a half to inch, solid leather slide handles, lock flap strap and buckle, two loops in front, staff and ends bound, one row stitching, two battens on bottom with rollers, braid in top, bar bound, lined with cloth, strapping staff and handles stitched four to inch, set of hooks and webs or tray, not exceeding 44 inches long, 24 inches wide, 14 inches deep	11s. 6d. each.
--	-----	-----	----------------

SUIT CASES.

(Unless otherwise specified all materials to be cut by workman.)

Table listing suit case items and prices. Includes items like 'Canvas suit case, welted two and a half to inch, four corners riveted...', 'Hinged from frame 14 inches by 8 inches...', 'Solid leather suit case, square edge...', 'Half-Gladstone suit bag, all hide...'.

FOOTBALLS (RUGBY), HAND-MADE.

(All materials to be cut for workman.)

Table with 8 columns: Description of Work, Match Size (Stitched 5 to inch, 4 to inch), Small Match Size, and Youths (Stitched four to inch) (No. 4, No. 3, No. 2, No. 1). Rows include 'Stencilling, marking mouthpiece for machining...', 'Stitching by hand (complete)', 'Beating or rubbing out (1st time)', etc.

FOOTBALLS (RUGBY), MACHINE-MADE.

Table listing machine-made rugby football items and prices. Includes 'Beating out, first time', 'Stitching corners by hand', 'Turning', etc.

FOOTBALLS (ASSOCIATION).

(All materials to be cut for workman.)

Seven pieces, stitching four and a half to inch, buttons sewn in or on ends.

Table listing association football items and prices. Includes 'Stencilling, marking mouthpiece for machining...', 'Stitching and finishing complete—Regulation size', '26 inches in circumference', etc.

PUNCHING-BALLS.

Cutting welting and stitching four to inch, buttons sewn in bottom, circular piece and binding on top stitched, finishing ready for strap—six pieces	4s. 3d. per ball.
eight pieces	5s. " "

If made of chrome tanned leather, 6d. per ball extra.

GLADSTONE BAGS.

	Basil Sides and Bottoms.	Riveted Frames.
	Per dozen bags. s. d.	Per dozen bags. s. d.
Cutting out leather, including piping and joining same ...	3 0	3 0
Cutting out all strawboard, including pocket and door, by hand ...	1 6	1 6
" " " with strawboard-knife or guillotine ...	0 6	0 6
Stiffening sides and bottoms with boards ...	0 9	0 9
Putting pieces on sides and bottoms } all around ...	1 0	1 0
corners only ...	0 6	0 6
Trimming sides and bottoms ready for machine ...	0 6	0 6
Machining bags ...	4 0	4 0
" linings and doors ...	0 9	0 9
Putting clamps on bottoms and cutting, creasing, making, and putting loops on sides and bottoms ...	1 6	1 6
Stitching across bottoms two to inch doublehand ...	2 0	2 0
" " " three ...	3 0	3 0
Turning and beating out ...	0 9	0 9
Framing up with all mounts except slides, ready for stitching ...	4 0	...
Putting up riveted frames	6 6
Rubbing out	0 9
Rubbing out, creasing frames, making frames close, and fitting key ...	1 3	...
Cutting linings ...	0 6	...
Making doors, including pocket or shirt case and buckle chapes (except machining) ...	3 0	3 0
Lining with cloth stitching in doors making and sewing in two short straps for doors ...	4 0	3 0
Lining with cloth, stitching in doors, making and sewing in two long straps across shirt case ...	4 6	4 0
Stitching round frame three and a half to inch—		
18-inch bags ...	5 6	...
20 " " " ...	6 0	...
22 " " " ...	6 6	...
24 " " " ...	7 0	...
26 " " " ...	7 6	...
Stitching round frame four and a half to inch—		
18-inch bags ...	6 0	...
20 " " " ...	6 6	...
22 " " " ...	7 0	...
24 " " " ...	8 0	...
26 " " " ...	9 0	...
Preparing handles for stitching (outside leather only to be cut for workman) ...	2 0	2 0
Stitching handles four to inch ...	1 6	1 6
Finishing handles ...	1 0	1 0
" bags ...	1 0	1 0
Putting on slides ...	0 6	...
" name plates ...	0 6	0 6

GLADSTONE BAGS (ALL HIDE).

Cutting out leather, including basil piping, and joining same ...	3s.	per dozen bags.
Stiffening sides and bottoms ...	10d.	" "
Putting pieces on sides and bottoms (corners only) ...	6d.	" "
Preparing for machine, including cutting and stitching two loops on side six to inch (two rows of stitching to each loop) ...	3s. 3d.	" "
Machining bags ...	4s.	" "
" linings and doors ...	9d.	" "
Making and putting loops on sides and bottom with clamps, and six clamps in bottom	1s. 6d.	" "
Stitching across ends of gussets three to inch ...	3s. 3d.	" "
Turning and hammering out ...	1s. 3d.	" "
Framing up with screwed fittings with slides and shoes...	6s.	" "
Framing up with clamped fittings with slides and shoes...	4s. 6d.	" "
Framing up bag with double action top lock ...	7s.	" "

GLADSTONE BAGS (ALL HIDE.)—continued.

Stitching around frame, five to inch—				
18-inch bags	7d. per bag.
20 "	8d. "
22 "	9d. "
24 "	10d. "
26 "	11d. "
Rubbing out, creasing, making bag close and fitting key	2s. per dozen bags.
Making leather-lined door, shirt case or pocket with tongue (binding not skived)	7s. per dozen doors.
Making cotton-lined door, with shirt case bound with leather not skived, two long straps	4s. 6d. "
Lining with cloth, stitching in doors, making and sewing in two short straps for doors	4s. "
Lining with cloth, stitching in doors, making and stitching in two long straps across shirt case	4s. 6d. per dozen bags.
Lining with leather, stitching in doors, making and stitching in two short straps for doors	7s. per dozen bags.
Lining with leather, stitching in doors, making and stitching in straps and buckle-pieces across shirt case	7s. per dozen bags.
Lining bag with cloth, making and laying out	12s. "
Lining bag with leather, making and laying out	14s. "
Making leather-lined door with shirt case and long straps (binding not skived)	6s. 6d. "
Making leather-lined door, with leather pocket, with square flap and two short door straps (binding not skived)	7s. "
Making leather-lined door, with leather pocket with tongue flap	9s. "
Making leather-lined door, with square pocket, flap and band over flap into loop (band to be turned over and skived)	8s. "
Making and stitching in two straps with riveted buckle pieces across inside of bag	2s. per dozen bags.
" " " " " " " " " " " " " "	2s. 6d. "
Making handles complete, stitched 6 to inch—				
7 inches long	5s. 6d. "
8 " "	6s. 6d. "
Stitching in straps and buckle pieces only	1s. 3d. "

Extras on all Gladstone Bags.

If binding for doors skived...	1s. per dozen.
Setting out gussets (if wood in corners)	6d. per dozen bags.
" " " " " " " " " " " " " "	1s. "
" " " " " " " " " " " " " "	1s. 6d. "
Making Gladstone Bag straps (all sizes)	1s. 6d. per doz. pair .

KIT BAGS.

	Riveted Kit Bags.		Stitched Kit Bags.	Hogskin Kit Bags.
	Cloth-lined.	Leather-lined.		
	Per doz. bags.	Per doz. bags.	Per doz. bags.	Per doz. bags.
Cutting out leather	s. d. 3 0	s. d. 3 0	s. d. 3 0	s. d. 3 0
Cutting strawboards for bottoms and ends	0 6	0 9	0 9	1 0
Creasing and preparing edges for stitching	1 6	...
Covering frames with hide, creasing, and putting on mounts	12 0	12 0
Putting strawboards on bottoms and ends	0 8	0 8	0 8	0 8
" pieces of lining "	0 6	0 6	0 6	0 9
Trimming bottoms ready for machine	0 3	0 3	0 3	0 3
Trimming ends ready for machine	0 3	0 3	0 3	0 3
Machining bags	4 0	4 0	4 0	4 0
Putting in clamps and stamping	0 6	0 6	0 6	0 6
Stitching ends of gussets	1 0	1 0	1 0	...
Stitching corners	1 3	1 3	1 3	2 0
Turning and hammering out	1 4	1 4	2 0	2 6
Stiffening sides—with paste	1 0	1 0	1 0	2 0
" " " " " " " " " " " " " "	1 6	1 6	1 6	2 0
" " " " " " " " " " " " " "	1 3	1 3	1 3	2 0
Cutting cloth linings and preparing for machine (with pocket)	0 6	...	0 6	0 6

KIT BAGS—continued.

	Riveted Kit Bags.		Stitched Kit Bags.	Hogskin Kit Bags.
	Cloth-lined.	Leather-lined.		
	Per doz. bags.	Per doz. bags.	Per doz. bags.	Per doz. bags.
	s. d.	s. d.	s. d.	s. d.
Cutting leather linings and preparing for machine (with pocket)	...	2 0	...	2 0
Lining kit bag with cloth, pasted all over	1 9
Lining kit bag with cloth, bottom and opening	1 6
Lining kit bag with leather pasted all over	...	2 0
Lining with leather, bottom and opening	...	1 9
Lining with cloth, and stitching around frame	6 0	9 0
Lining with leather, and stitching around frame	9 0	12 0
Lining with cloth, stitching across ends and glueing same to frame	3 6	4 6
Framing up ready for stitching (eighteen stitches)	2 6	4 0
Stitching round frame—				
16-inch bags	6 0	9 0
18 " "	7 0	10 0
20 " "	8 0	11 0
22 " "	9 0	12 0
24 " "	10 0	13 0
26 " "	11 0	14 0
28 " "	12 0	15 0
			per doz. loops.	
Cutting out fancy loops (by hand)	0 4	...
" " square "	0 2	...
" " and backing-up fancy loops	5 0
" " " square "	3 6
Staining edges of and creasing fancy "	0 3	2 6
" " " square "	0 2	2 0
Stitching square or fancy loops on bag five to inch, four rows in each loop	2 0	...
Stitching square or fancy loops on bag six to inch, four rows in each loop, eight loops to each bag	24 0
Riveting or clamping fancy loops on bags	0 5	...
			per doz. corners.	
Cutting pieces for corners	0 6	3 0
Staining edges of and creasing corners	0 9	6 0
Fixing corners on bags, and stitching around same—				
Corners 4 inches in diameter	5 0	...
" 5 " " "	5 6	...
" 6 " " "	6 0	...
" 7 " " "	6 6	28 0
" 8 " " "	7 0	32 0
" 9 " " "	7 6	36 0
Riveting corners on Bags—				
Corners 4 or 5 inches in diameter (seven rivets)	1 6	...
" 6 or 7 " " " (nine ")	2 0	...
" 8 or 9 " " " (eleven ")	2 6	...
			per doz. bags.	
Making and finishing handles (outside leather only to be cut for workman)	4 6	4 6	5 6	...
Stitching bags by hand	21 0	24 0
Stitching buckle-pieces and straps on ends of bags { 1 inch	2 0	2 0	2 0	2 0
(stitching five to inch) { 2 inch	3 0	3 0	3 0	...
{ 3 inch	4 0	4 0	4 0	...
Making buckle-pieces and straps for ends of bags	1 6	1 6	1 6	2 0
Riveting buckle pieces and straps on ends { by hand	1 0	1 0	1 0	1 0
of bags { by machine	0 6	0 6	0 6	0 6
Riveting, putting on handle and finishing	6 0	6 0
Shaping and finishing	2 0	...
<i>Extras.</i>				
Riveting covered frames	1 6	1 6
Making round handles stitched four to inch in grip (two handles to each bag)	5 0	7 0
Making round handles, stitched five to inch in grip (two handles to each bag)	6 0	7 0
Stitching and riveting handles on bag five to inch, 2½ inch claw (two handles to each bag)	5 6	8 0

BAGS.

(Unless otherwise provided, all materials to be cut for workman. Thumb-piece to be stitched or riveted with frame.)

	Beatrice or Square Open Bags.	Budge Brief Bags—Single Handle.	Budge Brief Bags—Double Handle.	Sydney Bags (top gusset or Oxford Bag, top gusset, joined ends).	Harrington Bags—Oval Top.	Top-lock Brief Bags.	Brief Bags—Basin-covered Frame.	Betting Bags—Hide.	Betting Bags—Patent leather fronts—Top Lock.
	Per dozen bags.	Per dozen bags.	Per dozen bags.	Per dozen bags.	Per dozen bags.	Per dozen bags.	Per dozen bags.	Per dozen bags.	Per dozen bags.
	s. d.	s. d.	s. d.	s. d.	s. d.	s. d.	s. d.	s. d.	s. d.
Covering frames with basil, creasing and mounting	...	2 0	2 0	2 0	2 0	...	2 0
Covering frames with hide creasing and mounting	...	4 6	4 6	4 6	4 6	4 6	...	4 6	4 6
Cutting strawboards	1 3	1 3	0 3	0 3
" " and stiffening	3 0
" " for bottoms	...	0 3	0 3
" " for ends	...	0 4
Preparing for machine and putting cane in end	3 6
Cutting canvas for stiffening	0 6
Stiffening with canvas	2 0
" " paste	...	0 9	0 9	...	1 0	1 0
Stiffening bottoms with board, clamping and stamping and preparing for machine	...	1 0	1 0	0 9
Stiffening ends and sides with paste	0 6
Stiffening with board, clamping and stamping and preparing for machine	2 0	2 0
Clamping and stamping	...	0 6	0 6
Making handles stitched five to inch (outside leather only to be cut for workman)	5 6
Making handles, grip stitched five to inch, 4-in. claw, stitched six to inch (two to each bag)	11 0
Making handles, two swivels on each	4 3	4 3
Stitching corners	1 0	1 0	1 0	2 0	1 0	1 0	1 0
Turning and beating	1 6	1 3	1 3	2 0	1 3	1 3	0 9	1 6	2 0
Cutting linings and preparing for machine—
Cloth, with pocket	1 0	0 6	0 6	1 0	1 0	0 6	0 6
Leather, with two pockets	3 0	3 0
" " one pocket	2 0	1 9	1 9	2 0	2 0	1 9	1 0
Hogskin or hide, with two pockets	4 0	4 0
Lining with cloth	0 9	0 9	0 9	0 9	1 0	0 9	0 6
" " leather	1 3	1 0	1 0	1 3	1 3	1 6	1 0	1 6	1 6
Riveting japanned frames	4 0
" " covered	5 6
Framing up and shaping	1 0	1 6	2 0
" " covered frames (four stitches)	1 0	1 3	1 3	1 6	1 3	1 3
" " riveted frames	...	3 6	3 0
Stitching round frame three and a half to inch	3 6
" " four to inch	...	4 0	4 0	5 0	4 0	4 0	4 0
" " five	6 0	5 0	5 0	6 0	5 0	5 0	5 0	5 0	...
" " six	...	6 0	6 0	7 0	6 0	6 0	6 0
Sewing up bags by hand	18 0
Making straps two swivels on each strap	6 0	...
" " (patent leather)	6 0
Finishing stitched bags	0 6	1 6	1 6	1 6	1 6	1 6	0 9	1 6	1 6
" " riveted bags	...	0 6
<i>Extras.</i>									
Slides on frames	0 6	0 6	0 6	0 6	0 6	0 6	0 6	0 6	0 6
Laid out frames	4 0	4 0	4 0
Turning and beating if bottoms pieced	0 9

CASH OR BULLION BAGS.—MAKING.

Hide covered frame, all hand sewn, side lock, two handles and strap all round stitched six to inch, leather lined ... 5s. 6d. per bag.

DEDUCTION.

If strap stitched by machine ... 1s. per bag.
If bag sewn up by machine ... 9d. "

SQUARE HAND-BAGS.—MAKING.

Gusset all round, made on brief frames, gusset and sides stiffened, one row of stitching up ends, cloth lining with pocket, six clamps in bottom—
Riveted frame ... 24s. per doz. bags.
Stitched frame ... 28s. "

GIRLS' OR BOYS' SCHOOL BAGS (BASIL, GUSSET EACH END).

Cutting and making complete except machining—		
8-in. bags, whole buckle	8s. 6d. per grs. bags.
10-in. " two buckles	9s. 6d. "
11-in. " "	10s. 6d. "
12-in. " "	11s. 6d. "

GIRLS' OR BOYS' SCHOOL BAGS (GRAINED BASIL).

Gusset all round, hide strapping riveted, creased, edges coloured, one whole buckle on shoulder strap—		
Cutting and making complete, except machining—		
10-in. bag, one whole buckle	17s. per gross.
11-in. " two " buckles	18s. "
12-in. " " " "	19s. "

GIRLS' OR BOYS' SCHOOL BAGS (SPLIT OR SOLID LEATHER).

10, 11, or 12 inches long, two straps and buckles, riveted—			
Cutting out (complete)	Split. 14s. per gross bags	Solid Leather with basil gusset. 10s. per gross bags.
Colouring, creasing edges, punching, riveting, stamping and finishing (except machining)	12s. 6d. "	12s. 6d. "

Extras (Split or Solid Leather School Bags).

Creasing back and front	4s. per gross bags	3s. per gross bags.
Cutting hide gusset		3s. "
Hand-stitching gussets, six to inch		18s. per doz. bags.
Stitching, four to the inch, with welt in front, back stitched, six to inch		14s. "

GIRLS' OR BOYS' SCHOOL BAGS (ALL HIDE, WITH GUSSET ENDS), 12, 13, OR 14 INCHES LONG.

Cutting out (complete)	18s. per gross bags
Colouring and creasing edges, two bands of creasing, punching, stamping and finishing...	18s. "
Stitching ends, four to inch, double hand	8s. 6d. per doz. bags
" five "	9s. "
" six "	10s. "
Preparing and stitching front straps and buckle-pieces single hand, five to inch (not less than 1 inch of stitching)	3s. 6d. "
" " " " " " " " six " " "	4s. 6d. "
Making and stitching on handles, five to inch	4s. per doz. handles
Riveting straps and buckles	6d. per doz. bags.
Preparing and stitching shoulder-straps on bags, five to inch (1½ inches of stitching)	1s. 9d. "

GIRLS' OR BOYS' SCHOOL BAGS (SOLID LEATHER, BOX SHAPE).

Cutting out (complete)	1s. 8d. per doz. bags
Colouring and creasing edges, stamping, punching and finishing	1s. 8d. "
Stitching front straps and buckle-pieces by hand, five to inch (not less than 1 inch of stitching)	3s. 6d. "
Riveting straps and buckle-pieces	6d. "
Closing ends, six to inch	10s. "
Preparing and closing top ends	3s. "
Stitching two dees and 2½-inch chapes, six to inch on back	3s. "
Preparing and stitching shoulder-straps on rings or dees, five to inch (1½ inches of stitching)	1s. 9d. "

GENERAL LEATHER GOODS.

Tourists' Writing Cases.—Making.

(All material to be cut for workman.)

Solid leather, block gusset pocket lined, single bellows gusset, with blotting pad, one large and two small envelope pockets, two stamp pockets, one ink-bottle pocket, three flaps and buttons, pen holder for four pens on flap, body lined, two straps and buckles, lock, handle on two dees—all hand-sewn, eight to inch—		
Foolscap size	14s. each.
Quarto size	13s. "
Preparing the above case for stitching—		
Foolscap size	5s. each.
Quarto size	4s. 6d. each.
Hand-stitching gussets, straps, buckles, and handle on body, eight to inch—		
Foolscap size	3s. 6d. each.
Quarto size	3s. 3d. "
Stitching two chapes, straps, and handle, eight to inch	6d. per case.

Belt Pouches (Solid Leather Gusset).

One loop on back, stud tab on front stitched two rows, stud-sewn in flaps, two rows creasing, edges coloured and creased—			
Cutting leather by hand and preparing for stitching	One pocket (per doz. pouches). 4s.	Two pockets (per doz. pouches). 4s. 3d.
" " machine and preparing for stitching	1s. 6d.	1s. 7d.
Stitching by hand nine to inch double hand	5s.	8s.

Belt Pouches (Basil Gusset Machined).—Making.

One loop on back, stud tab on front, two rows stitching, stud riveted on flap, two rows creasing, edges coloured and creased, all stitching, six to inch, leather cut by machine—

One pocket	1s. 9d. per doz. pouches.
Two pockets	2s. 3d. "

Watch Pouches—Making.

(All materials to be cut for workman.)

Flap machine sewn, solid leather, stitched both sides, loop at back, tab on front, stud riveted, edges coloured and creased—

Gusset stitched eight to inch lined with chamois leather	6s. 6d. per doz. pouches.
" five " half-lined "	4s. 6d. "
" five " unlined "	3s. 6d. "

Straps.

(All materials to be cut for workman.)

Kind.	Length.	Punching and creasing, including colouring edges, V or diamond pointing, cutting loops, and preparing for buckle.		Stitching Buckles (8 stitches).	Riveting Whole Buckles.	Riveting Single Buckles with loops, one rivet in each strap.	Riveting and putting pieces through handle, three rivets.
		By Hand.	By Machine.				
		Inches.	Per gross Straps.				
Single straps	36	s. d. 3 0	s. d. 2 3	s. d. 3 0	s. d. 0 6	s. d. 1 0	s. d. ...
"	42	3 6	2 3	3 0	0 6	1 0	...
"	48	4 0	2 9	3 0	0 6	1 0	...
"	54	4 6	2 9	3 0	0 6	1 0	...
"	60	5 0	3 3	3 0	0 6	1 0	...
"	66	5 6	3 3	3 0	0 6	1 0	...
"	72	6 0	3 3	3 0	0 6	1 0	...
" (½ inch)	24 to 36	3 0	2 3	3 0	0 6	1 0	...
Knee straps	2 0	1 4	3 0	0 6	1 0	...
Safety book straps, made of two pieces (½ inch)	24 to 36	3 6	2 3	3 0	0 6	1 0	2 3
Safety book strap, made of four pieces, joined to strap and buckle	5 0	3 0	4 6	0 9	1 0	2 3

Safety Book Straps.

Covering handle with leather 4½ inches long, herring bone stitching, eight to inch ...	30s. per gross of handle
Colouring, creasing, and punching	6s. " straps.
Stitching straps, eight to inch, including slide loops, up to 14 inches of stitching in each strap	60s. " "

Snake Belts.

36 to 48 inches long.

Punching and creasing by hand and colouring edges	Per doz. Belts. 7d.	Per gross Belts. 4s. 6d.
" " machine " "	3d.	2s. 9d.
Stitching six to inch across both ends	7d.	6s.
" " " one end	5d.	4s.
Riveting	3½d.	3s.

Rug Strap-handles.

(All leather to be cut for workman.)

Round handles, long cane inside, two rivets each end, colouring and creasing edges, and finishing—

Up to 6 inches	Stitched, two to inch. 6d.	Stitched, three to inch. 9d.
" 8 "	9d.	1s.
" 10 "	1s.	1s. 3d.

Rug Strap-handles.

Round handle riveted on leather covered steel plate up to 13 inches long.

Covering plates	6d. per doz. plates.
Stitching round plates, six to inch	4s. " handles.
" handles, four to inch, 8-inch grip	1s. 6d. " "
Riveting handles on plates (four rivets), trimming, colouring, creasing, boning, and finishing	1s. 6d. " "

Rug Strap-handles (with steel plate).

Covered with leather, two metal strap loops, two handle rings and plates, name plate, bag handle, edging and finishing complete 10s. 6d. per doz. handles

DOG COLLARS—MAKING.

Dog Collars.

(All materials to be cut for workman.)

Buckle dee and loop, coloured and creased.

3 inch turn down stitched, five to inch	18s. per gross collars.
5 " " " five "	24s. "
6 " " " six "	27s. 6d. "

Extra.

Clamp plates	1s. 6d. per gross plates.
--------------	-----	-----	-----	-----	---------------------------

Dog Collars (round).

Buckle dee and loop, stitched seven to inch.

12-in. collars	8s. per dozen.
15-in. "	10s. "

Extra.

Cast plates	9d. per doz. plates.
-------------	-----	-----	-----	-----	----------------------

Dog Collars (Greyhound).

Buckle dee and loop, strap stitched all around, eight to inch.

Plain (stitched double hand)	14s. per dozen collars.
Lined and padded, pad stitched all around double hand, strap on pad stitched single hand	24s. "

Dog Collars (Bulldog).

Buckle dee and loop, up to 18 inches long, double leather throughout, stitched, eight to inch, double hand all around; edges taken off, coloured and creased	15s. per dozen collars.
--	-----	-----	-----	-----	-------------------------

Dog Collars.

6-in. turndown, buckle dee and loop, cast plate, coloured and creased.

	Per doz. Collars.		Per gross of Collars.	
	s.	d.	s.	d.
Stitched, seven to inch	...	2 9	...	31 6
" eight "	...	3 0	...	35 6
" five " double hand	...	2 6	...	27 6
" six " "	...	2 8	...	29 0
" seven " " edges to be taken off	...	2 10	...	33 0
" eight " " "	...	3 5	...	38 0
" nine " " "	...	3 9	...	42 0
" ten " " "	...	4 3	...	46 0

LEGGINGS.

Leggings (Wellington shape, made with bifurcated rivets).

Four straps and buckles riveted, all edges coloured and creased, rivets in seams	7s. 6d. per doz. pairs.
Side springs, edges coloured and creased, two rivets in seams	4s. 6d. "
Dee leggings—Five dees, one buckle on top, running strap, edges coloured and creased, rivets in seams	6s. "
Lace leggings, eyeleted, strap and buckle, rivets in seams	5s. "
Lace leggings, with cord or leather loops, eyeleted, strap and buckle on top, rivets in seams	7s. 6d. "
Canvas leggings, five straps and buckles, top strap all around, bound with basil, lined under buckles, flat steel under lining	3s. "
Canvas gaiters, bound with basil, up to 8 inches long, three straps and buckles	2s. "
Patent leggings, "Premier," "Java," "Federal," "Imperial," "Climax," "Victory"	12s. "
Patent leggings, "Cape"	8s. "

Extras on all Leggings.

If made with copper rivets and washers	2s. per dozen pairs.
" Napoleon shape	1s. "
Each additional strap and buckle—	1s. "
Put on with bifurcated rivets	1s. 6d. "
" copper rivets and washers	6d. "
One bifurcated rivet on one side of crue hole	1s. "
One " " each " "	1s. "
Toecaps—Cutting, riveting (one rivet in each seam), and preparing for machine	1s. "

(12) That this Determination shall come into force from the 1st day of February, 1909.

Dated at Melbourne the 24th day of December, 1908.

F. H. BOLTON, J.P.,
Chairman.