



VICTORIA GOVERNMENT GAZETTE

Published by Authority.

[Registered at the General Post Office, Melbourne, for transmission by post as a newspaper.]

No. 133.]

SATURDAY, SEPTEMBER 2.

[1911.]

Factories and Shops Acts.

DETERMINATION OF THE TINSMITHS BOARD.

IN accordance with the provisions of the Factories and Shops Acts, the Special Board appointed to determine the lowest prices or rates of payment payable to any person or persons or classes of persons employed in the process, trade, or business of preparing or manufacturing articles made of tin plate or other sheet metal, including the japanning of such articles, has made the following Determination, namely:—

1. That previous Determinations of this Board are hereby amended, and such amendments shall come into force and be operative on and after the 11th day of September, 1911. The Determination and amendments are printed hereunder:—

DEFINITION.

2. That for the purposes of this Determination "Sheet Metal" shall mean sheet metal 10 gauge or lighter.

3. That the lowest rates of wages to be paid to the following persons shall be:—

GENERAL SHEET METAL WORK.

General tinsmiths sheet metal workers or repairers	...	54s.	per week of 48 hours
Persons 21 years of age or over employed preparing, manufacturing, or repairing articles made of sheet iron in spouting and ridging works	...	54s.	" "
Persons 21 years of age or over employed on power stamping machines or presses or lathes (burnishing and spinning), or soldering down pipes, or attending drop hammer stamper or guillotine or any other machine	...	50s	" "
Labourers 21 years of age or over	...	42s.	" "

Persons under 21 years of age (other than apprentices or improvers) employed on lathe work (burnishing and spinning) or on work on power stamping machines or presses or curving machines or spouting and ridging machines, or guillotines for cutting spouting and ridging or employed repairing leaks in sheet metal ware, or assisting at rollers for forming down pipes:—

For the 1st year's experience	...	20s.	per week of 48 hours.
" 2nd "	"	27s. 6d.	" "
" 3rd "	"	35s.	" "
" 4th "	"	42s. 6d.	" "

Persons under 21 years of age (other than apprentices or improvers) employed on any other machine :—

For the 1st year's experience	...	10s. per week of 48 hours.
" 2nd "	"	15s. " "
" 3rd "	"	20s. " "
" 4th "	"	27s. 6d. " "
" 5th "	"	35s. " "
" 6th "	"	42s. 6d. " "

Persons under 21 years of age (other than apprentices or improvers) employed soldering down pipes :—

For the 1st year's experience	...	27s. 6d. per week of 48 hours.
" 2nd "	"	35s. " "
" 3rd "	"	42s. 6d. " "

Persons under 17 years of age (other than apprentices or improvers) polishing and cleaning, or testing to detect leaks in sheet metal ware, making spouting tubes, cutting and making wire handles, cutting hoop iron and wire, blackening or tarring shovels or closet pans, packing, carrying or moving goods, or lighting fires :—

For the 1st year's experience	...	10s. per week of 48 hours.
" 2nd "	"	12s. " "
" 3rd "	"	15s. " "

CANISTER WORK (including Tins for Food Products, or Kerosene or other oils).

Persons 21 years of age or over employed preparing, manufacturing, or repairing canisters	...	50s. per week of 48 hours.
Persons 21 years of age or over employed preparing, manufacturing or repairing tins for kerosene or other oils	...	50s. " "
Persons 21 years of age or over soldering on caps by any method	...	50s. " "
Persons 21 years of age or over employed on machines, including guillotines (except such persons as are hereinafter specified)	...	45s. " "
Persons employed attending to the metal pot on any power automatic body forming and seam-soldering machine, or to the metal pot on any power automatic end-soldering machine	...	48s. " "
Labourers 21 years of age or over	...	42s. " "

Persons under 21 years of age (other than apprentices or improvers) employed on power stamping machines or presses, or feeding or taking off in connexion with power automatic body forming and seam-soldering machines or power automatic end-soldering machines :—

For the 1st year's experience	...	15s. per week of 48 hours.
" 2nd "	"	20s. " "
" 3rd "	"	25s. " "
" 4th "	"	30s. " "
" 5th "	"	35s. " "
" 6th "	"	42s. 6d. " "

Persons under 17 years of age (other than apprentices or improvers) employed soldering other than seams, tops or bottoms :—

For the 1st year's experience	...	10s. per week of 48 hours.
" 2nd "	"	15s. " "
" 3rd "	"	20s. " "

Persons under 17 years of age (other than apprentices or improvers) topping tins, polishing and cleaning or testing to detect leaks in sheet metal ware, cutting and making wire handles, packing, carrying or moving goods, or lighting and attending fires :—

For the 1st year's experience	...	10s. per week of 48 hours.
" 2nd "	"	12s. " "
" 3rd "	"	15s. " "

JAPANNING.

Ornamental pencil workers, gold workers, designers, or artistic workers	...	52s. per week of 48 hours.
Persons 21 years of age or over employed on graining, lining, writing, or filleting	...	48s. " "
Persons 21 years of age or over employed at coating or brush work of every description, or polishing or preparing ground work for finishing	...	43s. " "

Persons under 21 years of age (other than apprentices or improvers) assisting polishing, doing coating work, scouring, cleaning, and general rough work :—

For the 1st year's experience	...	10s. per week of 48 hours.
" 2nd "	"	15s. " "
" 3rd "	"	20s. " "
" 4th "	"	27s. 6d. " "
" 5th "	"	35s. " "
" 6th "	"	42s. 6d. " "

Persons under 17 years of age (other than apprentices or improvers) packing, carrying or moving goods, or lighting and attending fires :—

For the 1st year's experience	...	10s.	per week of 48 hours.
" 2nd "	"	12s.	" "
" 3rd "	"	15s.	" "

APPRENTICES.

Number.

4. That the number of apprentices who may be employed within any factory or work-room or shop, or place, shall be one apprentice to every three workers or fraction of three workers employed and receiving the minimum wage of 42s. per week, or earning at piece-work rate not less than that wage.

Wages.

5. That the lowest prices or rates of payment payable to apprentices shall be :—

For the 1st year's experience	...	10s.	per week of 48 hours.
" 2nd "	"	14s.	" "
" 3rd "	"	18s.	" "
" 4th "	"	25s.	" "
" 5th "	"	32s. 6d.	" "

And thereafter the minimum wage.

IMPROVERS.

Number.

6. That the number of improvers who may be employed within any factory or work-room or shop, or place, shall be one improver to the first four persons and thereafter one improver to every four or fraction of four persons employed and receiving not less than 43s. per week or piece-work rates.

Wages.

7. That the lowest prices or rates of payment payable to improvers shall be :—

For the 1st year's experience	...	10s.	per week of 48 hours.
" 2nd "	"	15s.	" "
" 3rd "	"	20s.	" "
" 4th "	"	27s. 6d.	" "
" 5th "	"	37s. 6d.	" "

And thereafter the minimum wage.

TIME OF BEGINNING AND ENDING WORK.

8. That the time of beginning and ending work shall be—

Time of Beginning.	...	Time of Ending.
7.30 a.m.	...	5.45 p.m. on five days of the week.
7.30 a.m.	...	1 p.m. on the other working day of the week on which the half-holiday is usually observed.

OVERTIME.

9. That any employé who within the hours of commencing and ending work as specified in this Determination works in any week for any time in excess of 48 hours, shall be paid for such extra time at the rate of time and a quarter.

10. That any person who is engaged outside the hours specified in Clause 8 of this Determination as the time of beginning and ending work upon each day shall be paid for such overtime at the rate of time and a quarter.

SPECIAL RATES FOR SUNDAYS AND HOLIDAYS.

11. That the special price or rate of payment payable to any person for all work done on—

(a) days

shall be at the rate of double time.

(b) on the undermentioned public holidays (that is to say) :—

Good Friday, Easter Monday, New Year's Day, The 26th day of January, Eight Hours Day, Christmas Day, Boxing Day,	} or such other day as may be observed as a Public Holiday in lieu thereof,
shall be at the rate of time and a half.	

PIECE-WORK RATES.

12. That the lowest piece-work price or rate of payment payable to any person for wholly or partly preparing or manufacturing any article described in the following Schedules (which Schedules shall form part of this Determination) shall be the prices or rates mentioned in such Schedules.

13. That wherever the quantity to be given out is stated in the Schedules the prices or rates mentioned apply only when the articles are given out in quantities not less than those mentioned in the Schedule.

14. That the Schedules of prices apply to new material only.

15. That (except where otherwise provided) where the sizes of articles to be made under these Schedules do not exactly correspond with the sizes stated in these Schedules then the price or rate fixed for the next nearest size shall apply; but where the size is half-way between two sizes then the next higher price or rate shall apply.

SCHEDULE A.—GENERAL SHEET METAL WORK.

PIECE-WORK RATES.

Articles.	Material.	Size.	When given out in the under-mentioned Quantities or more.	Prices or Rates.	
1. BASINS.					
WASH-HAND BASINS, hand-made (including blocking of bottoms)	IC tin plate	13 inches ...	3 dozen ...	3s. 7d. per doz.	
" " " " " "		16 " ...	3 " ...	4s. 2d. "	
" " " " " "		18 " ...	2 " ...	5s. "	
" " " " " "		13 " ...	3 " ...	4s. 3d. "	
" " " " " "		16 " ...	2 " ...	4s. 9d. "	
" " " " " "		18 " ...	2 " ...	6s. 3d. "	
" " " " " "		20 " ...	1½ " ...	7s. "	
" " " " " "		22 " ...	1 " ...	8s. 3d. "	
If bottoms supplied for 13 in. basins	4d. per doz. deducted
" " " 16 and 18 in. basins	6d. " "
" " " 20 and 22 in. basins	1s. " "	
If handles 6 gauge wire or under supplied for basins	...	18, 20, or 22 inches	...	1s. 6d. per gross handles deducted	
If handles over 6 gauge wire supplied for basins	...	" "	...	2s. per gross handles deducted	
2. BATHS.					
FOOT BATHS, oval, moulded ...	Bodies 26-gauge iron or lighter Bottoms 24-gauge iron or lighter	16 inches ...	6 articles	15s. 3d. per doz.	
" " " " " " " " " "		18 " ...	6 " ...	16s. 6d. "	
" " " " " " " " " "		20 " ...	6 " ...	17s. 6d. "	
" " " " " " " " " "		22 " ...	6 " ...	19s. "	
" " " " " " " " " "		24 " ...	6 " ...	20s. "	
" " " " " " " " " "		26 " ...	6 " ...	21s. "	
" " " " " " " " " "		28 " ...	6 " ...	23s. 6d. "	
" " " " " " " " " "		30 " ...	6 " ...	25s. "	
" " " " " " " " " " wired		16 " ...	1 dozen ...	6s. 6d. "	
" " " " " " " " " "		18 " ...	1 " ...	7s. 6d. "	
" " " " " " " " " "		20 " ...	1 " ...	8s. 3d. "	
" " " " " " " " " "		22 " ...	1 " ...	9s. 6d. "	
" " " " " " " " " "		24 " ...	1 " ...	11s. "	
" " " " " " " " " "		26 " ...	1 " ...	12s. "	
" " " " " " " " " "		28 " ...	1 " ...	13s. "	
" " " " " " " " " "		30 " ...	1 " ...	14s. "	
FRAME BATHS, galvanized iron, up to 6 feet long, up to 22 inches wide, and up to 22 inches deep. (Assistance to be given for knocking up) ...	26-gauge iron	...	3 articles	4s. 3d. each	
" " " " " " " " " " " " " "	24 " "	...	3 " ...	4s. 3d. "	
" " " " " " " " " " " " " "	22 " "	...	2 " ...	5s. 6d. "	
PLUNGE BATHS, moulded ...	24-gauge iron or lighter	Up to 4ft. 6in.	2 " ...	1½d. per inch	
" " " " " " " " " " " " " "		Over 4ft. 6in.	1 article ...	1½d. "	
" " " " " " " " " " " " " " with raised backs		Up to 4ft. 6in.	2 articles	1½d. per inch and 9d. each bath extra	
" " " " " " " " " " " " " "		Over 4ft. 6in.	1 article ...	1½d. per inch and 9d. each bath extra	
SITZ BATHS ...	24-gauge iron or lighter	No. 1	2 articles	3s. 6d. each	
" " " " " " " " " " " " " "		" 2	2 " ...	4s. "	
" " " " " " " " " " " " " "		" 3	2 " ...	5s. "	
" " " " " " " " " " " " " "		" 4	2 " ...	5s. 6d. "	
HIP BATHS ...	24-gauge iron or lighter	" 1	2 " ...	5s. 6d. "	
" " " " " " " " " " " " " "		" 2	2 " ...	6s. 6d. "	
" " " " " " " " " " " " " "		" 3	2 " ...	7s. 6d. "	
" " " " " " " " " " " " " " if bottoms and elbow-rests supplied blocked		" 4	2 " ...	8s. 6d. "	
CHILD'S BATHS ...	24-gauge iron or lighter	...	3 articles	6d. each bath deducted 1½d. per inch	
If galvanized iron used for heads for Plunge, Sitz, Hip, or Child's Baths	9d. each bath extra	
3. BINS.					
FLOUR BINS, with body wired, back-lapped, and swedged; bottom knocked up and hooped or studded (4 studs); lid with a rim not less than 2½ inches deep; top blocked and panned on to rim; hasp and hinge on cover; and three oval wire handles	IXX tin plate or lighter	25 lbs. ...	6 articles	1s. 5d. each	
" " " " " " " " " " " " " "		50 " ...	6 " ...	1s. 10d. "	
" " " " " " " " " " " " " "		75 " ...	4 " ...	2s. 2d. "	
FLOUR BINS, with body wired, back-lapped, and swedged, for galvanized hoop; hoop about 20 gauge and 1½ inches wide; bottom knocked up; lid with a rim not less than 2½ inches deep; top blocked and panned on to rim; hasp and hinge on cover; and three oval wire handles	Galv. or lead-coated iron, 24-gauge or lighter	100 lbs. ...	3 articles	3s. 6d. each	
" " " " " " " " " " " " " "		200 " ...	3 " ...	3s. 10d. "	
" " " " " " " " " " " " " "		250 " ...	2 " ...	4s. 4d. "	

PIECE-WORK RATES—continued.

Articles.	Material.	Size.	When given out in the under-mentioned Quantities or more.	Prices or Rates.	
4. BOILERS.					
Tin-Boilers, oval, with pitched covers...	IX tin plate or lighter	3 gallons ...	1 dozen ...	7s. 6d. per doz.	
" " " " " " " " " "		4 " " " " " " " " " "	1 " " " " " " " " " "	8s. 9d. "	
" " " " " " " " " "		5 " " " " " " " " " "	1 " " " " " " " " " "	8s. 9d. "	
" " " " " " " " " "		7 " " " " " " " " " "	6 articles	11s. 6d. "	
" " " " " " " " " "		10 " " " " " " " " " "	6 " " " " " " " " " "	13s. 6d. "	
" " oval, with blocked covers		3 " " " " " " " " " "	1 dozen ...	9s. 9d. "	
" " " " " " " " " "		4 " " " " " " " " " "	1 " " " " " " " " " "	11s. "	
" " " " " " " " " "		5 " " " " " " " " " "	1 " " " " " " " " " "	11s. "	
" " " " " " " " " "		7 " " " " " " " " " "	6 articles	14s. "	
" " " " " " " " " "		10 " " " " " " " " " "	6 " " " " " " " " " "	16s. 3d. "	
" " oval, with stamped covers		3 " " " " " " " " " "	1 dozen ...	6s. 6d. "	
" " " " " " " " " "		4 " " " " " " " " " "	1 " " " " " " " " " "	7s. 6d. "	
" " " " " " " " " "		5 " " " " " " " " " "	1 " " " " " " " " " "	7s. 6d. "	
" " " " " " " " " "		7 " " " " " " " " " "	6 articles	9s. 9d. "	
" " " " " " " " " "	10 " " " " " " " " " "	6 " " " " " " " " " "	12s. "		
If copper bottoms are used--Tinning same	2s. 9d. per doz. extra	
5. BOTTLES.					
OIL BOTTLES, round with plain necks and knocked up bottoms, paneled on breast	IX tin plate or lighter	1 quart ...	3 dozen ...	3s. 3d. per doz.	
" " " " " " " " " "		2 quarts ...	3 " " " " " " " " " "	3s. 9d. "	
" " " " " " " " " "		4 " " " " " " " " " "	2 " " " " " " " " " "	4s. 6d. "	
" " " " " " " " " "		8 " " " " " " " " " "	2 " " " " " " " " " "	6s. "	
" " " " with stamped nozzles		3d. per doz. deducted
" " " " with patent screws (spouts supplied)		1 quart ...	3 " " " " " " " " " "	3s. 3d. per doz.	
" " " " " " " " " "		2 quarts ...	3 " " " " " " " " " "	3s. 9d. "	
" " " " " " " " " "		4 " " " " " " " " " "	2 " " " " " " " " " "	4s. 6d. "	
" " " " with slipped on bottoms and breasts	8 " " " " " " " " " "	2 " " " " " " " " " "	6s. "		
" " " " " " " " " "	4d. per doz. deducted	
TEA BOTTLES, oval, with slipped on bottoms and breasts	IX tin plate	1 pint ...	3 dozen ...	3s. 6d. per doz.	
" " " " " " " " " "		1 1/2 pints ...	3 " " " " " " " " " "	3s. 9d. "	
" " " " " " " " " "		2 " " " " " " " " " "	3 " " " " " " " " " "	4s. 6d. "	
" " " " " " " " " "		3 " " " " " " " " " "	2 " " " " " " " " " "	5s. "	
" " " " " " " " " "		4 " " " " " " " " " "	2 " " " " " " " " " "	5s. 3d. "	
" " with stamped nozzles		6 " " " " " " " " " "	2 " " " " " " " " " "	6s. "	
...	3d. per doz. deducted	
6. BOXES.					
BONNET BOXES, round or oval, including hasp	IXX tin plate or lighter	13 inches ...	3 dozen ...	7s. per doz.	
" " " " " " " " " "		14 " " " " " " " " " "	3 " " " " " " " " " "	7s. "	
" " " " " " " " " "		15 " " " " " " " " " "	3 " " " " " " " " " "	7s. 6d. "	
" " " " " " " " " "		16 " " " " " " " " " "	3 " " " " " " " " " "	7s. 6d. "	
" " " " " " " " " "		17 " " " " " " " " " "	3 " " " " " " " " " "	8s. "	
" " " " " " " " " "		18 " " " " " " " " " "	3 " " " " " " " " " "	8s. "	
" " " " " " " " " "		13 " " " " " " " " " "	3 " " " " " " " " " "	7s. 6d. "	
" " " " " " " " " "		14 " " " " " " " " " "	3 " " " " " " " " " "	7s. 6d. "	
" " " " " " " " " "		15 " " " " " " " " " "	3 " " " " " " " " " "	8s. "	
" " " " " " " " " "		16 " " " " " " " " " "	3 " " " " " " " " " "	8s. "	
" " " " " " " " " "		17 " " " " " " " " " "	3 " " " " " " " " " "	9s. "	
" " " " " " " " " "		18 " " " " " " " " " "	3 " " " " " " " " " "	9s. "	
" " " " " " " " " "		20 " " " " " " " " " "	3 " " " " " " " " " "	10s. 6d. "	
" " " " " " " " " "		22 " " " " " " " " " "	2 " " " " " " " " " "	13s. "	
" " " " flat top or stamped top (hasp supplied)		13 " " " " " " " " " "	3 " " " " " " " " " "	8s. 6d. "	
" " " " " " " " " "		14 " " " " " " " " " "	3 " " " " " " " " " "	8s. 6d. "	
" " " " " " " " " "	15 " " " " " " " " " "	3 " " " " " " " " " "	9s. "		
" " " " " " " " " "	16 " " " " " " " " " "	3 " " " " " " " " " "	9s. "		
" " " " " " " " " "	17 " " " " " " " " " "	3 " " " " " " " " " "	9s. 6d. "		
" " " " " " " " " "	18 " " " " " " " " " "	3 " " " " " " " " " "	9s. 6d. "		
" " " " " " " " " "	20 " " " " " " " " " "	3 " " " " " " " " " "	11s. 6d. "		
" " with front handles	all gauges	6d. per doz. extra	
If wire handles and plates supplied for bonnet boxes	8 and 10-gauge wire	1 1/2 d. per doz. boxes deducted	
If handles and plates supplied for bonnet boxes	1/2 inch iron rod or under	2 1/2 d. " " "	
CASH BOXES	IXX tin plate or lighter	6 inches ...	1 dozen ...	14s. per doz.	
" " " " " " " " " "		7 " " " " " " " " " "	1 " " " " " " " " " "	15s. "	
" " " " " " " " " "		8 " " " " " " " " " "	1 " " " " " " " " " "	16s. 6d. "	
" " " " " " " " " "		9 " " " " " " " " " "	1 " " " " " " " " " "	18s. "	
" " " " " " " " " "		10 " " " " " " " " " "	1 " " " " " " " " " "	20s. "	
" " " " " " " " " "		11 " " " " " " " " " "	1 " " " " " " " " " "	21s. 6d. "	
" " " " " " " " " "		12 " " " " " " " " " "	1 " " " " " " " " " "	23s. "	
" (headings supplied)	IC tin plate	all sizes	1s. 6d. per doz. boxes deducted	
PEPPER BOXES, common (tops and bottoms supplied)	IC tin plate	...	1 gross ...	12s. per gross	
SPICE BOXES, round, with six compartments and loose grater	IX tin plate or lighter	6 inches ...	6 articles	15s. 3d. per doz.	
" " " " " " " " " "		7 " " " " " " " " " "	6 " " " " " " " " " "	16s. 3d. "	
" " " " " " " " " "		8 " " " " " " " " " "	6 " " " " " " " " " "	18s. 6d. "	
SUGAR BOXES, wired inside and swedged	IX tin plate or lighter	No. 1	3 dozen ...	3s. 6d. "	
" " " " " " " " " "		" 2	3 " " " " " " " " " "	3s. 9d. "	
" " " " " " " " " "		" 3	3 " " " " " " " " " "	4s. 3d. "	
" " " " " " " " " "		" 4	3 " " " " " " " " " "	4s. 6d. "	
" " " " " " " " " "		" 5	3 " " " " " " " " " "	5s. "	

PIECE-WORK RATES—continued.

Articles.	Material.	Size.	When given out in the under-mentioned Quantities or more.	Prices or Rates.
BOXES—continued.				
SUGAR BOXES, wired inside and swedged ...	IX tin plate or lighter	No. 6	3 dozen	{ 5s. 6d. per doz. 3d. per doz. extra
" " " " (made in two pieces)				
TRUNKS, common, moulded (cutting out, top and body edging, moulding, and wiring supplied) 2 swedges	26-gauge steel or lighter	20 inches	1 "	8s. per doz.
" " " " " " " "		22 "	1 "	8s.
" " " " " " " "		24 "	1 "	8s. 9d. per doz.
" " " " " " " " 3 swedges		26 "	1 "	9s. 9d. "
" " " " " " " " 4 swedges		28 "	1 "	12s. "
" " " " " " " " 4 swedges	30 "	1 "	13s. "	
" " " " " " " " 4 swedges	33 "	6 articles	22s. 6d. "	
" moulded, strapped (cutting out, top and body edging, moulding, and wiring supplied) 2 swedges	26-gauge steel or lighter	20 "	1 dozen	17s. "
" " " " " " " "		22 "	1 "	17s. "
" " " " " " " "		24 "	1 "	18s. "
" " " " " " " " 3 swedges		26 "	1 "	19s. "
" " " " " " " " 4 swedges		28 "	1 "	21s. "
" " " " " " " " 4 swedges	30 "	1 "	23s. "	
" " " " " " " " 4 swedges	33 "	6 articles	28s. "	
" " " " " " " " 4 swedges	36 "	6 "	34s. "	
" common, moulded (moulding and wiring supplied) 2 swedges	26-gauge steel or lighter	20 "	1 dozen	12s. "
" " " " " " " "		22 "	1 "	12s. "
" " " " " " " "		24 "	1 "	13s. "
" " " " " " " " 3 swedges		26 "	1 "	14s. "
" " " " " " " " 4 swedges		28 "	1 "	15s. 6d. "
" " " " " " " " 4 swedges	30 "	1 "	17s. "	
" " " " " " " " 4 swedges	33 "	6 articles	28s. "	
" moulded, strapped (moulding and wiring supplied) 2 swedges	26-gauge steel or lighter	20 "	1 dozen	20s. 6d. "
" " " " " " " "		22 "	1 "	20s. 6d. "
" " " " " " " "		24 "	1 "	22s. "
" " " " " " " " 3 swedges		26 "	1 "	23s. "
" " " " " " " " 4 swedges		28 "	1 "	25s. 6d. "
" " " " " " " " 4 swedges	30 "	1 "	27s. 6d. "	
" " " " " " " " 4 swedges	33 "	6 articles	28s. 6d. "	
" " " " " " " " 4 swedges	36 "	6 "	45s. "	
" common, wired (cutting out, top and body edging, and top and body wiring supplied) 2 swedges	26-gauge steel or lighter	20 "	1 dozen	12s. 6d. "
" " " " " " " "		22 "	1 "	12s. 6d. "
" " " " " " " "		24 "	1 "	13s. "
" " " " " " " " 3 swedges		26 "	1 "	14s. "
" " " " " " " " 4 swedges		28 "	1 "	16s. "
" " " " " " " " 4 swedges	30 "	1 "	17s. "	
" " " " " " " " 4 swedges	33 "	6 articles	27s. 6d. "	
" wired, strapped (cutting out, top and body edging, and top and body wiring supplied) 2 swedges	26-gauge steel or lighter	20 "	1 dozen	22s. "
" " " " " " " "		22 "	1 "	22s. "
" " " " " " " "		24 "	1 "	23s. "
" " " " " " " " 3 swedges		26 "	1 "	24s. "
" " " " " " " " 4 swedges		28 "	1 "	26s. "
" " " " " " " " 4 swedges	30 "	1 "	28s. "	
" " " " " " " " 4 swedges	33 "	6 articles	35s. "	
" " " " " " " " 4 swedges	36 "	6 "	43s. "	
" common (top wiring supplied) 2 swedges	26-gauge steel or lighter	20 inches	1 dozen	16s. 6d. "
" " " " " " " "		22 "	1 "	16s. 6d. "
" " " " " " " "		24 "	1 "	17s. "
" " " " " " " " 3 swedges		26 "	1 "	18s. 6d. "
" " " " " " " " 4 swedges		28 "	1 "	20s. 6d. "
" " " " " " " " 4 swedges	30 "	1 "	22s. "	
" " " " " " " " 4 swedges	33 "	6 articles	34s. "	
" strapped (top wiring supplied) 2 swedges	26-gauge steel or lighter	20 "	1 dozen	25s. "
" " " " " " " "		22 "	1 "	26s. "
" " " " " " " "		24 "	1 "	27s. "
" " " " " " " " 3 swedges		26 "	1 "	29s. "
" " " " " " " " 4 swedges		28 "	1 "	31s. 6d. "
" " " " " " " " 4 swedges	30 "	1 "	34s. 6d. "	
" " " " " " " " 4 swedges	33 "	6 articles	35s. 6d. "	
" " " " " " " " 4 swedges	36 "	6 "	46s. "	
" wired, strapped, complete 2 swedges	26-gauge steel or lighter	20 "	1 dozen	26s. "
" " " " " " " "		22 "	1 "	27s. "
" " " " " " " "		24 "	1 "	28s. "
" " " " " " " " 3 swedges		26 "	1 "	30s. "
" " " " " " " " 4 swedges		28 "	1 "	32s. 6d. "
" " " " " " " " 4 swedges	30 "	1 "	35s. 6d. "	
" " " " " " " " 4 swedges	33 "	6 articles	36s. 6d. "	
" " " " " " " " 4 swedges	36 "	6 "	47s. "	
" " " " " " " " 4 swedges	36 "	6 "	52s. "	

PIECE-WORK RATES—continued.

Articles.	Material.	Size.	When given out in the under-mentioned Quantities or more.	Prices or Rates.
BOXES—continued.				
TRUNKS, cabin, common, moulded (cutting out, top and body edging, moulding, and wiring supplied) 2 swedges	26-gauge steel or lighter	24 inches ...	1 dozen ...	9s. per doz.
" " " " " " 3 swedges		26 " ...	1 " ...	10s. "
" " " " " " 3 swedges	24-gauge steel or lighter	28 " ...	1 " ...	11s. "
" " " " " " 4 swedges		30 " ...	1 " ...	12s. "
" " " " " " 4 swedges	26-gauge steel or lighter	33 " ...	1 " ...	18s. 6d. "
" cabin, moulded, strapped (cutting out, top and body edging, moulding, and wiring supplied) 2 swedges		24 " ...	1 " ...	18s. "
" " " " " " 3 swedges	24-gauge steel or lighter	26 " ...	1 " ...	19s. "
" " " " " " 3 swedges		28 " ...	1 " ...	20s. "
" " " " " " 4 swedges	26-gauge steel or lighter	30 " ...	1 " ...	21s. "
" " " " " " 4 swedges		33 " ...	6 articles ...	23s. "
" " " " " " 4 swedges	24-gauge steel or lighter	36 " ...	6 " ...	26s. "
" cabin, moulded (moulding and wiring supplied) 2 swedges		26-gauge steel or lighter	24 " ...	1 dozen ...
" " " " " " 3 swedges	26 " ...		1 " ...	14s. "
" " " " " " 3 swedges	24-gauge steel or lighter	28 " ...	1 " ...	15s. 6d. "
" " " " " " 4 swedges		30 " ...	1 " ...	16s. 6d. "
" " " " " " 4 swedges	26-gauge steel or lighter	33 " ...	6 articles ...	23s. 6d. "
" cabin, strapped (moulding and wiring supplied) 2 swedges		24-gauge steel or lighter	24 " ...	1 dozen ...
" " " " " " 3 swedges	26 " ...		1 " ...	23s. "
" " " " " " 3 swedges	26-gauge steel or lighter	28 " ...	1 " ...	24s. 6d. "
" " " " " " 4 swedges		30 " ...	1 " ...	25s. 6d. "
" " " " " " 4 swedges	24-gauge steel or lighter	33 " ...	6 articles ...	28s. "
" " " " " " 4 swedges		36 " ...	6 " ...	33s. "
" cabin, common, wired (cutting out, top and body edging, and top and body wiring supplied) 2 swedges	26-gauge steel or lighter	24 " ...	1 dozen ...	13s. "
" " " " " " 3 swedges		26 " ...	1 " ...	14s. "
" " " " " " 3 swedges	24-gauge steel or lighter	28 " ...	1 " ...	16s. 3d. "
" " " " " " 4 swedges		30 " ...	1 " ...	17s. 3d. "
" " " " " " 4 swedges	26-gauge steel or lighter	33 " ...	6 articles ...	21s. 9d. "
" " " " " " 4 swedges		36 " ...	6 " ...	26s. "
" cabin, strapped, wired (cutting out, top and body edging, and top and body wiring supplied) 2 swedges	26-gauge steel or lighter	24 " ...	1 dozen ...	23s. "
" " " " " " 3 swedges		26 " ...	1 " ...	24s. "
" " " " " " 3 swedges	24-gauge steel or lighter	28 " ...	1 " ...	25s. "
" " " " " " 4 swedges		30 " ...	1 " ...	26s. "
" " " " " " 4 swedges	26-gauge steel or lighter	33 " ...	6 articles ...	28s. "
" " " " " " 4 swedges		36 " ...	6 " ...	32s. "
" cabin, common, wired (top wiring supplied) 2 swedges	26-gauge steel or lighter	24 " ...	1 dozen ...	17s. 6d. "
" " " " " " 3 swedges		26 " ...	1 " ...	18s. 6d. "
" " " " " " 3 swedges	24-gauge steel or lighter	28 " ...	1 " ...	21s. "
" " " " " " 4 swedges		30 " ...	1 " ...	22s. "
" " " " " " 4 swedges	26-gauge steel or lighter	33 " ...	6 articles ...	27s. "
" " " " " " 4 swedges		36 " ...	6 " ...	31s. 6d. "
" cabin, strapped, wired (top wiring supplied) 2 swedges	26-gauge steel or lighter	24 " ...	1 dozen ...	26s. "
" " " " " " 3 swedges		26 " ...	1 " ...	27s. "
" " " " " " 3 swedges	24-gauge steel or lighter	28 " ...	1 " ...	28s. "
" " " " " " 4 swedges		30 " ...	1 " ...	31s. "
" " " " " " 4 swedges	26-gauge steel or lighter	30 " ...	1 " ...	32s. "
" " " " " " 4 swedges		33 " ...	6 articles ...	35s. "
" " " " " " 4 swedges	24-gauge steel or lighter	36 " ...	6 " ...	38s. "
" cabin, strapped, wired, complete 2 swedges		26-gauge steel or lighter	24 " ...	1 dozen ...
" " " " " " 3 swedges	26 " ...		1 " ...	29s. "
" " " " " " 3 swedges	24-gauge steel or lighter	28 " ...	1 " ...	30s. 6d. "
" " " " " " 4 swedges		30 " ...	1 " ...	32s. 6d. "
" " " " " " 4 swedges	26-gauge steel or lighter	30 " ...	1 " ...	33s. 6d. "
" " " " " " 4 swedges		33 " ...	6 articles ...	36s. "
" " " " " " 4 swedges	24-gauge steel or lighter	36 " ...	6 " ...	39s. "
If corners fitted on lids for 20-inch to 30-inch common trunks
Swivels, end-handles and corners of all trunks supplied.				
Wires for all moulded trunks supplied.				
Wires for tops of wired trunks supplied.				
TRUNKS (machine work), cutting out, top and body edging, moulding, and wiring (wires supplied) ...				
" " " " " " " " " " " "	26-gauge steel or lighter	20 inches ...	3 dozen ...	2s. 9d. per doz.
" " " " " " " " " " " "		22 " ...	3 " ...	2s. 9d. "
" " " " " " " " " " " "	24-gauge steel or lighter	24 " ...	3 " ...	3s. "
" " " " " " " " " " " "		26 " ...	3 " ...	3s. 3d. "
" " " " " " " " " " " "	26-gauge steel or lighter	28 " ...	3 " ...	3s. 5d. "
" " " " " " " " " " " "		30 " ...	3 " ...	3s. 9d. "
" " " " " " " " " " " "	24-gauge steel or lighter	33 " ...	2 " ...	4s. 8d. "
" " " " " " " " " " " "		36 " ...	1 " ...	6s. "

PIECE-WORK RATES—continued.

Articles	Material.	Size.	When given out in the under-mentioned Quantities or more.	Prices or Rates.	
7. BUCKETS.					
BLACK IRON BUCKETS, common, stamped or forged ears, two rivet holes	28-gauge iron or lighter	11 inches ...	6 dozen ...	2s. 9d. per doz.	
" " " " " "		12 " ...	6 " ...	2s. 9d. "	
" " " " " "		13 " ...	6 " ...	3s. "	
" " " " " "		14 " ...	6 " ...	3s. 6d. "	
BLACK IRON BUCKETS, common, stamped or forged ears, three rivet holes		28-gauge iron or lighter	11 " ...	3 " ...	3s. "
" " " " " "			12 " ...	3 " ...	3s. "
" " " " " "			13 " ...	3 " ...	3s. 3d. "
" " " " " "			14 " ...	3 " ...	3s. 9d. "
BLACK IRON BUCKETS, strapped sides and bottoms	26-gauge iron or lighter		11 " ...	2 " ...	4s. "
" " " " " "			12 " ...	2 " ...	4s. "
" " " " " "			13 " ...	2 " ...	4s. 6d. "
" " " " " "			14 " ...	2 " ...	5s. "
BLACK IRON BUCKETS, strapped, wrought ears, two rivet holes		26-gauge iron or lighter	11 " ...	2 " ...	3s. 9d. "
" " " " " "			12 " ...	2 " ...	3s. 9d. "
" " " " " "			13 " ...	2 " ...	4s. "
" " " " " "			14 " ...	2 " ...	4s. 9d. "
BLACK IRON BUCKETS, strapped, wrought ears, three rivet holes	26-gauge iron or lighter		11 " ...	2 " ...	4s. "
" " " " " "			12 " ...	2 " ...	4s. "
" " " " " "			13 " ...	2 " ...	4s. 6d. "
" " " " " "			14 " ...	2 " ...	5s. "
MILK BUCKETS, tin, with bails, hollow bottoms, and tin hoops, (bails supplied)		IX tin plate or lighter	No. 1—11 inches diameter x 9 inches deep	4 " ...	3s. 6d. "
" " " " " "			No. 2—13 inches diameter x 9 inches deep	4 " ...	3s. 9d. "
" " " " " "			No. 3—11 inches diameter x 9 inches deep	4 " ...	3s. 6d. "
" " " " " "			No. 4—13 inches diameter x 9 inches deep	4 " ...	3s. 9d. "
" " " " " "	No. 1 deep—11 inches diameter x 11 inches deep		3 " ...	4s. "	
" " " " " "	No. 2 deep—13 inches diameter x 11 inches deep		3 " ...	5s. "	
" " " " " "	No. 1 extra deep—11 inches diameter x 18 inches deep		1 " ...	5s. 6d. "	
" " " " " "	No. 2 extra deep—12 inches diameter x 18 inches deep		1 " ...	6s. 3d. "	
STRAINER MILK Buckets, tin, part-covered, with lips and brass wire strainers, hollow bottoms, and tinned or galvanized hoops and bails, (bails supplied)	IX tin plate	No. 3—11 inches diameter x 9 inches deep	1½ " ...	8s. "	
" " " " " "		No. 4—13 inches diameter x 9 inches deep	1½ " ...	8s. 6d. "	
STRAINER MILK BUCKETS, as above, with back handles	IX tin plate	11 inches diameter x 9 inches deep	6 dozen ...	1s. per doz. extra	
MILK BUCKETS, tin—Making bails for	IX tin plate	All sizes	3d. "	
" " tin (if stamped bottom supplied)	IX tin plate	" "	4d. per doz. deducted	
ALL MILK BUCKETS—If ears soldered to outside of bucket	IX tin plate	1s. per doz. extra	
TIN BUCKETS, with flat bottoms and stamped ears	IX tin plate	11 inches diameter x 9 inches deep	6 dozen ...	3s. per doz.	

PIECE-WORK RATES—continued.

Articles.	Material.	Size.	When given out in the under-mentioned quantities or more.	Prices or Rates.	
BUCKETS—continued					
TIN BUCKETS, with tin hoop and stamped ears ...	IC tin plate ...	13 inches diameter x 9 inches deep	6 dozen ...	3s. 6d. per doz.	
" with 1½-in. or 1¼-in. hoop and strap	IC tin plate ...	" " "	2 " ...	4s. 9d. "	
" with 1½-in. hoop and strap	IX tin plate ...	" " "	2 " ...	5s. 3d. "	
" with 1¾-in. hoop and strap	LXX tin plate ...	" " "	2 " ...	6s. "	
If bails supplied for strapped tin buckets	3d. per doz. deducted	
8. CANISTERS.					
ROUND CANISTERS, with slipped on bottle neck (top blanks supplied)	IC tin plate	½ lb. ...	4 dozen ..	2s. 6d. per doz.	
" " " "		1 " ...	4 " ..	2s. 9d. "	
" " " "		2 lbs. ...	4 " ..	3s. "	
" " " "		3 " ...	3 " ..	3s. 3d. "	
" " " "	4 " ...	3 " ..	3s. 9d. "		
9. CANS.					
CREAM CANS, grooved, three hoops, double rim cover (including use of guillotine)	20-gauge tinned steel or lighter, or DXXXX tin plate or lighter	20 quarts ...	1 dozen ...	4s. each	
" " " " " "		30 " ...	1 " ...	4s. "	
" " " " " "		40 " ...	1 " ...	4s. 6d. "	
" four hoops, double rim cover (including use of guillotine)		40 " ...	1 " ...	4s. 9d. "	
" three hoops, single rim cover (including use of guillotine)		20 " ...	1 " ...	3s. 6d. "	
" " " " " "		30 " ...	1 " ...	3s. 6d. "	
" " " " " "		40 " ...	1 " ...	3s. 9d. "	
" four " " " " "		40 " ...	1 " ...	4s. "	
" If not cleaned and tested by maker		...	All sizes	3d. per can deducted
" If hoops supplied for		...	"	6d. per doz. hoops deducted
" If cover stamping or blocking supplied for	...	40 quarts	1s. 6d. per doz. deducted	
" If bottoms supplied for	...	40 "	1s. per doz. deducted	
HARVEST CANS, with pannikin supplied	IX tin plate or lighter	2 quarts ...	1½ dozen ...	5s. 6d. per doz.	
" " " " " "		3 " ...	1½ " ...	6s. "	
" " " " " "		4 " ...	1½ " ...	6s. 6d. "	
" " " " " "		6 " ...	1 " ...	6s. 9d. "	
" " " " " "		8 " ...	1 " ...	7s. "	
" " " " " "		10 " ...	1 " ...	8s. "	
" " " " " " if with spouts		12 " ...	1 " ...	9s. "	
HOT WATER CANS, knocked up bottoms	IX tin plate or lighter	All sizes	1s. 6d. per doz. extra	
" " " " " "		3 pints ...	1 dozen ...	10s. per doz.	
" " " " " "		2 quarts ...	1 " ...	10s. "	
" " " " " "		3 " ...	1 " ...	12s. "	
" " " " " "		4 " ...	1 " ...	12s. "	
" " " " " " wired, bottom let in...		3 pints ...	1 " ...	11s. "	
" " " " " "		2 quarts ...	1 " ...	11s. "	
" " " " " "	3 " ...	1 " ...	13s. "		
" " " " " "	4 " ...	1 " ...	13s. "		
HOT WATER CANS	26-gauge galv. iron or lighter	All sizes	2s. 3d. per doz. extra	
JACK SHAY CANS, straight body	IC tin plate	1 quart ...	2 dozen ...	4s. 3d. per doz.	
" tapered body		1 " ...	2 " ...	5s. 9d. "	
MINERS' CANS	IC tin plate	1½ pints ...	2 " ...	4s. 6d. "	
" " " " " "		2 " ...	2 " ...	4s. 6d. "	
" " " " " "		3 " ...	2 " ...	4s. 9d. "	
" " " " " "		4 " ...	2 " ...	5s. 6d. "	
" " " " " "	6 " ...	1½ " ...	6s. "		
RAILWAY MILK CANS, grooved, two hoops (including use of guillotine, cleaning and testing)	20-gauge tinned steel or lighter, or DXXXX tin plate or lighter	20 quarts ...	1 dozen ...	3s. 3d. each	
" " " " " "		30 " ...	1 " ...	3s. 3d. "	
" " " " " "		30 " ...	1 " ...	3s. 6d. "	
" " " " " "		40 " ...	1 " ...	3s. 6d. "	
" " " " " "		40 " ...	1 " ...	3s. 9d. "	
" " " " " "		50 " ...	6 articles...	5s. "	
" " " " " " If hoops supplied		...	All sizes	6d. per doz. hoops deducted
RAILWAY MILK CANS, if bottoms supplied	...	All sizes	1s. per doz. deducted	
TOILET CANS, with knocked up bottoms (studs supplied)	IX tin plate or lighter	6 quarts ...	1 dozen ...	13s. 6d. per doz.	
" " " " " "		8 " ...	1 " ...	15s. 6d. "	
" " " " " "		10 " ...	1 " ...	16s. 9d. "	
" " " " " "		12 " ...	1 " ...	17s. 9d. "	
" " " " " "		16 " ...	1 " ...	20s. "	
" " " " " " body wired, and bottom let in		6 " ...	1 " ...	15s. "	
" " " " " "		8 " ...	1 " ...	17s. 3d. "	
" " " " " "		10 " ...	1 " ...	18s. 3d. "	
" " " " " "		12 " ...	1 " ...	19s. 6d. "	
" " " " " "		16 " ...	1 " ...	22s. "	
" " " " " "	26-gauge galv. iron or lighter	All sizes	3s. per doz. extra	

PIECE-WORK RATES—continued.

Articles.	Material.	Size.	When given out in the under-mentioned Quantities or more.	Prices or Rates.
10. COLANDERS.				
HAND-MADE COLANDERS, machine-punched, with side handles	IX tin plate or lighter	9 inches ...	4 dozen ...	3s. 6d. per doz.
" " " " " "		11 " ...	4 " ...	4s. "
" " " " " "		13 " ...	3 " ...	5s. "
" " " " " "		15 " ...	1½ " ...	6s. "
COLANDERS—If punched with hand punch ...		All sizes	1s. 6d. per doz. extra
11. COVERS.				
MEAT COVERS, with perforated zinc bodies (straight sides) and pitched top ...	IX tin plate or lighter	12 inches ...	3 dozen ...	3s. 6d. per doz.
" " " " " "		14 " ...	3 " ...	3s. 9d. "
" " " " " "		16 " ...	3 " ...	4s. "
" " " " " "		18 " ...	3 " ...	4s. 6d. "
" " " " " "		20 " ...	2 " ...	5s. "
" " " " " "		22 " ...	1½ " ...	6s. "
" " " " " "		24 " ...	1 " ...	7s. "
" with perforated zinc bodies (taper sides) and pitched top ...		12 " ...	3 " ...	4s. "
" " " " " "		14 " ...	3 " ...	4s. 6d. "
" " " " " "		16 " ...	3 " ...	4s. 9d. "
" " " " " "	18 " ...	3 " ...	5s. 3d. "	
" " " " " "	20 " ...	2 " ...	5s. 9d. "	
" " " " " "	22 " ...	1½ " ...	7s. "	
" " " " " "	24 " ...	1 " ...	8s. "	
" with perforated zinc bodies (taper sides) single rim, and blocked tops (wheeling found) ...	IIX tin plate or lighter	14 inches ...	3 dozen ...	5s. 6d. per doz.
" " " " " "		15 " ...	3 " ...	5s. 6d. "
" " " " " "		16 " ...	3 " ...	6s. "
" " " " " "		17 " ...	3 " ...	6s. "
" " " " " "		18 " ...	3 " ...	7s. "
" " " " " "		20 " ...	1 " ...	8s. "
" " " " " "		22 " ...	1 " ...	9s. "
" " " " " "		24 " ...	1 " ...	11s. "
" with double rims if stamped or blocked tops supplied for ...		All sizes	1s. 6d. per doz. extra
" " " " " "		14 inches	6d. per dozen deducted
" " " " " "	15 "	6d. "	
" " " " " "	16 "	9d. "	
" " " " " "	17 "	9d. "	
" " " " " "	18 "	9d. "	
" " " " " "	20 "	1s. "	
" " " " " "	22 "	1s. "	
" " " " " "	24 "	1s. "	
12. DIPPERS.				
COMMON DIPPERS ...	IX tin plate or lighter	2 quarts ...	6 dozen ...	1s. 8d. per doz.
" " " " " "		3 " ...	6 " ...	1s. 8d. "
BEST DIPPERS, bossed ...		2 " ...	4 " ...	2s. 9d. "
" " " " " "		3 " ...	4 " ...	2s. 9d. "
DIPPERS—Soldering studs on ...		4 " ...	2 " ...	3s. 6d. "
" " " " " "	3d. per doz. dipper extra	
13. DISHES.				
BAKING DISHES, oval ...	IX tin plate or lighter	10 inches	3s. per doz.
" " " " " "		11 "	3s. 3d. "
" " " " " "		12 " ...	3 dozen	3s. 6d. "
" " " " " "		14 " ...	assorted,	4s. "
" " " " " "		15 " ...	not less	5s. "
" " " " " "		16 " ...	than 1	5s. 6d. "
" " " " " "		17 " ...	dozen of	6s. "
" " " " " "		18 " ...	any one	6s. "
" " " " " "		20 " ...	size	6s. 6d. "
" " " " " "		22 "	7s. "
DEVON DISHES, about 9 inches deep, flat bottoms	IX tin plate or lighter	14 " ...	3 dozen ...	3s. 6d. "
" " " " " "		16 " ...	3 " ...	4s. "
" " " " " "		18 " ...	2 " ...	4s. 9d. "
" " " " " "		20 " ...	1 " ...	5s. 6d. "
" " " " " "		22 " ...	1 " ...	6s. 6d. "
" hoops	1s. per doz. extra	
MILK DISHES ...	IX tin plate or lighter	All sizes	1s. per doz. extra
" " " " " "		17 inches ...	2 dozen ...	3s. 6d. per doz.
" " " " " "		18½ " ...	2 " ...	4s. 3d. "
" " " " " "		20 " ...	2 " ...	5s. "
" " " " " "	22 " ...	2 " ...	5s. 6d. "	
SCALDING DISHES, about 6 inches deep, flat bottoms	IX tin plate or lighter	14 " ...	2 " ...	3s. 3d. "
" " " " " "		16 " ...	2 " ...	3s. 9d. "
" " " " " "		18 " ...	2 " ...	4s. 9d. "

PIECE-WORK RATES—continued.

Articles.	Material.	Size.	When given out in the under-mentioned Quantities or more.	Prices or Rates.
22. MEASURES.				
MILK MEASURES	IC tin plate	½ pint	6 dozen	2s. per doz.
"		1 "	4 "	2s. 6d. "
OIL MEASURES, straight sides	IX tin plate or lighter	2 pints	3 "	2s. 9d. "
"		½ pint	3 "	3s. "
"		1 quart	2 "	3s. 6d. "
"		2 quarts	2 "	4s. 3d. "
SPIRIT MEASURES	IX tin plate or lighter	4 "	2 "	5s. "
"		½ pint	1 "	6s. "
"		1 "	1 "	7s. 3d. "
"		2 pints	1 "	8s. "
"	IXX tin plate or lighter	4 "	1 "	11s. "
"		1 gallon	1 "	12s. "
"	IXX tin plate or lighter	2 gallons	6 articles	14s. "
"		2 gallons	6 articles	15s. 9d. "
23. MOULDS.				
CANDLE MOULDS	IC tin plate	6 holes	6 articles	17s. 6d. per doz. moulds
" if tips supplied		12 "	6 "	27s. "
24. PAILS.				
SLOP PAILS, with stamped tops, bottoms, and breasts supplied	IX tin plate or lighter	No. 1	2 dozen	6s. per doz.
"		" 2	2 "	6s. 6d. "
"		" 3	2 "	8s. 3d. "
" stamped tops and bottoms supplied, hand-made breasts		" 4	2 "	9s. 9d. "
"		" 1	2 "	7s. 6d. "
"		" 2	2 "	8s. 6d. "
"		" 3	2 "	10s. 3d. "
" hand-made		" 4	2 "	12s. "
"		" 1	2 "	9s. 9d. "
"		" 2	2 "	11s. "
"		" 3	2 "	13s. 3d. "
" if made with black or galvanized iron lids bottoms feet		" 4	2 "	14s. 6d. "
"	26-gauge or lighter	All sizes	3d. per doz. extra	
"	"	"	3d. per doz. extra	
" Pails and ears to be supplied for all sizes	"	"	3d. "	
TOILET PAILS	IXX tin plate or lighter	No. 1	1 dozen	8s. per doz.
"		" 2	1 "	9s. "
"		" 3	1 "	9s. 9d. "
" if feet and funnels supplied		All sizes	...	1s. 6d. per doz. deducted
25. PANS.				
ASHPANS, common	28-gauge iron or lighter	No. 1	3 dozen	3s. 3d. per doz.
"		" 2	3 "	3s. 6d. "
"		" 3	3 "	3s. 9d. "
"	26-gauge iron or lighter	" 1	2 "	3s. 9d. "
"		" 2	2 "	4s. "
" with tin head		" 3	2 "	4s. 6d. "
Venetians for Ashpans (2 in set)	"	All sizes	1s. per doz. extra	
"	"	"	4s. per doz. sets of Venetians	
" (3 in set)	"	"	2 "	5s. "
CLOSETPANS, tapered to nest	26-gauge iron or lighter	17½ x 15 x 13 inches	2 "	5s. per doz.
" straight sides	26-gauge iron or lighter	17 x 13 x 13 inches	2 "	4s. 6d. "
"	26-gauge iron or lighter	18 x 14 x 14 inches	2 "	5s. "
"	24-gauge iron...	All sizes	1½ dozen of any one size	1s. per doz. extra
" if made with single strap one rivet in bottom	"	"	...	3d. per doz. pans extra
" " double " if made of galvanized iron	"	"	...	6d. " "
"	"	"	...	1s. " "
DOUGHPANS	IXX tin plate or lighter	14 inches	2 dozen	5s. 6d. per doz.
"		16 "	2 "	6s. "
"		18 "	2 "	7s. 3d. "
"		20 "	1 "	8s. "
DUSTPANS	IX tin plate or lighter	22 "	1 "	10s. "
"		No. 1	2½ "	3s. 6d. "
"		" 2	2½ "	4s. "
" with cover		" 3	2½ "	4s. 3d. "
"	IX tin plate or lighter	" 1	2 "	5s. "
"		" 2	2 "	5s. 6d. "
"		" 3	2 "	6s. "
"		"	"	"
YANKEE, CORNISH, OR FLAT BOTTOM PANS	IC tin plate	13 inches	4 "	2s. 9d. "
"		14 "	4 "	3s. "
"		15 "	4 "	3s. 6d. "
"		16 "	3 "	4s. "
"		17 "	3 "	4s. "
"	"	18 "	3 "	5s. "

PIECE-WORK RATES—continued.

Articles.	Material.	Size.	When given out in the under-mentioned Quantities or more.	Prices or Rates.	
32. SCOOPS.					
GROCCRS' SCOOPS—Drawer, without handles	IX tin plate or lighter	...	4 dozen as-sorted, not less than 1 dozen of any one size	1s. 6d. per doz.	
" " front wired or pieced, with handles		5 inches ...	3 dozen ...	4s. "	
" " " " " "		6 " ...	3 " ...	4s. 6d. "	
" " " " " "		7 " ...	2 " ...	5s. 6d. "	
" " " " " "		8 " ...	2 " ...	6s. "	
" " " " " "		10 " ...	1½ " ...	7s. "	
" " " " " "		12 " ...	1 " ...	8s. "	
" " front not wired or pieced, with handles		5 " ...	3 " ...	3s. 3d. "	
" " " " " "		6 " ...	3 " ...	3s. 9d. "	
" " " " " "		7 " ...	2 " ...	4s. 6d. "	
" " " " " "		8 " ...	2 " ...	5s. 6d. "	
" " " " " "		10 " ...	1½ " ...	6s. 3d. "	
" " " " " "	12 " ...	1 " ...	7s. 3d. "		
" " galvanized iron, front wired or pieced, with handles	24-gauge galv. iron or lighter	5 " ...	1 " ...	6s. 3d. "	
" " " " " "		6 " ...	1 " ...	6s. 9d. "	
" " " " " "		7 " ...	1 " ...	7s. 6d. "	
" " " " " "		8 " ...	1 " ...	8s. 9d. "	
" " " " " "		10 " ...	1 " ...	10s. 3d. "	
" " " " " "		12 " ...	1 " ...	11s. 6d. "	
33. SKIMMERS.					
COOKS' SKIMMERS (handles supplied)	IXX tin plate or lighter	...	3 dozen ...	3s. 3d. per doz.	
MILK SKIMMERS, with ring handles	DXXXX tin plate or lighter	6½ inches...	4 " ...	1s. 9d. "	
" " " " " "		8 " ...	4 " ...	2s. 3d. "	
" " " " " "		9 " ...	4 " ...	2s. 6d. "	
" " " " " "		10 " ...	4 " ...	2s. 9d. "	
34. STANDS.					
COCKATOO STANDS	IX tin plate or lighter 26-gauge galv. iron or lighter, or zinc	17 inches ...	6 articles...	19s. per doz.	
" " " " " "		20 " ...	6 " ...	20s. 6d. "	
" " " " " "		17 " ...	3 " ...	25s. "	
" " " " " "		20 " ...	3 " ...	30s. "	
35. STEAMERS.					
STEAMERS	IXX tin plate or lighter	No. 4 ...	2 dozen ...	4s. 3d. per doz.	
" " " " " "		" 5 ...	2 " ...	4s. 3d. "	
" " " " " "		" 6 ...	1½ " ...	4s. 9d. "	
" " " " " "		" 7 ...	1½ " ...	5s. 6d. "	
" " " " " "		" 8 ...	1½ " ...	6s. "	
" " " " " "		" 9 ...	1 " ...	6s. 6d. "	
" " " " " "		" 10 ...	1 " ...	7s. 6d. "	
" " " " " "		" 11 ...	1 " ...	8s. 9d. "	
" " " " " "		" 12 ...	1 " ...	9s. 3d. "	
" " if handles supplied for		3d. per doz. steamers deducted
36. STRAINERS.					
GRAVY STRAINERS, hand made	IC tin plate	Small ...	3 dozen ...	3s. per doz.	
" " " " if perforated bottoms supplied		Large ...	3 " ...	3s. 6d. "	
GRUEL STRAINERS	IX tin plate or lighter	All sizes	6d. " deducted	
MILK STRAINERS, wired		IC tin plate	3 dozen ...	3s. 6d. per doz.
" " " " " "		8½ inches	3 " ...	3s. "	
" " " " " "		10 " ...	3 " ...	3s. 6d. "	
" " " " " "		11 " ...	3 " ...	3s. 9d. "	
" " " " " "		12 " ...	3 " ...	4s. "	
" " " " " "		14 " ...	2 " ...	4s. 6d. "	
" " with rim		8½ " ...	2 " ...	4s. "	
" " " " " "		10 " ...	2 " ...	4s. 6d. "	
" " " " " "		11 " ...	2 " ...	5s. "	
" " " " " "	12 " ...	2 " ...	5s. 3d. "		
" " " " " "	14 " ...	2 " ...	5s. 9d. "		
MILK CAN STRAINERS, knocked up rims	IX tin plate	1 " ...	7s. 6d. "	
" " " " " "	IXX tin plate	...	1 " ...	9s. 9d. "	
37. TINS.					
BREAD TINS (made in five pieces)	IX tin plate or lighter	1 lb. ...	3 dozen ...	3s. 3d. per doz.	
" " " " " "		2 " ...	3 " ...	3s. 3d. "	
" " " " " "		4 " ...	2 " ...	3s. 6d. "	
" " " " " "		6 " ...	2 " ...	4s. 6d. "	
COBURG BREAD TINS	IC tin plate	3 " ...	3s. "	
EXHIBITION BREAD TINS, single	IXXXX tin plate or lighter, or 24-gauge iron or lighter	2 lb. ...	6 articles...	15s. 6d. "	
" " " " " "		4 " ...	6 " ...	19s. 6d. "	
" " " " double		2 " ...	3 " ...	39s. "	
" " " " " "		4 " ...	3 " ...	45s. 6d. "	

PIECE-WORK RATES—continued.

Articles.	Material.	Size.	When given out in the under-mentioned Quantities or more.	Prices or Rates.		
TINS—continued.						
CAKE TINS, AND CAKE RINGS, with use of knocking-up machine	IC tin plate	4 inches ...	1 gross ; not less than 3 dozen of any one size	11s. 3d. per gross		
" " " " " " " "		5 " ...		12s. "		
" " " " " " " "		6 " ...		13s. "		
" " " " " " " "		7 " ...		15s. 3d. "		
" " " " " " " "		8 " ...		16s. 3d. "		
" " " " " " " "		9 " ...		17s. 3d. "		
" " " " " " " "		10 " ...		19s. 6d. "		
" " " " " " " "		11 " ...		22s. 9d. "		
" " " " " " " "		12 " ...		26s. "		
" " " " " " " "		All sizes ...		10s. "		
QUEEN CAKE TINS, hearts ... diamonds ...		IC tin plate		...	4 dozen ...	2s. 6d. per doz.
" " " " " " " "		"		...	6 " ...	1s. 3d. "
SANDWICH TINS, with use of knocking-up machine	IC tin plate	6 inches ...	1 gross ; not less than 3 dozen of any one size	13s. per gross		
" " " " " " " "		7 " ...		15s. 3d. "		
" " " " " " " "		8 " ...		16s. 3d. "		
" " " " " " " "		9 " ...		17s. 3d. "		
" " " " " " " "		10 " ...		19s. 6d. "		
" " " " " " " "		11 " ...		22s. 9d. "		
" " " " " " " "	12 " ...	26s. "				
SWISS ROLL TINS, wired, with use of angle bender	IC tin plate	12 x 8 inches	4 dozen ...	2s. 4d. per doz.		
" " " " " " " "		13 x 9 "	4 " ...	2s. 6d. "		
" " " " " " " "		14 x 10 "	4 " ...	2s. 6d. "		
" " " " " " " "		15 x 11 "	4 " ...	2s. 9d. "		
" " " " " " " "		16 x 12 "	4 " ...	3s. "		
" " " " " " " "		All sizes ...	4 " ...	1s. 10d. "		
" " " " " " " "	"	"	"	6d. " extra		
38. TUBS.						
BLACK IRON TUBS, round or oval, without hoop or strap	26-gauge iron or lighter	16 inches ...	2 dozen ...	4s. per doz.		
" " " " " " " "		18 " ...	2 " ...	4s. 6d. "		
" " " " " " " "		20 " ...	2 " ...	5s. "		
" " " " " " " "		22 " ...	2 " ...	5s. 6d. "		
" " " " " " " "		24 " ...	1 1/2 " ...	6s. "		
" " " " " " " "		26 " ...	1 1/2 " ...	6s. 9d. "		
" " " " " " " "		28 " ...	1 1/2 " ...	7s. 9d. "		
" " " " " " " "		30 " ...	1 " ...	9s. "		
" " " " " " " "		16 " ...	2 " ...	4s. 6d. "		
" " " " " " " "		18 " ...	2 " ...	5s. 3d. "		
" " " " " " " "		20 " ...	2 " ...	5s. 6d. "		
" " " " " " " "		22 " ...	2 " ...	6s. "		
" " " " " " " "		24 " ...	1 1/2 " ...	6s. 6d. "		
" " " " " " " "		26 " ...	1 1/2 " ...	7s. 6d. "		
" " " " " " " "		28 " ...	1 1/2 " ...	7s. 9d. "		
" " " " " " " "		30 " ...	1 " ...	8s. 3d. "		
" " " " " " " "		33 " ...	1 " ...	9s. 6d. "		
" " " " " " " "		36 " ...	6 articles ...	12s. "		
" " " " " " " "		16 " ...	2 dozen ...	5s. 9d. "		
" " " " " " " "		18 " ...	2 " ...	6s. 3d. "		
" " " " " " " "		20 " ...	2 " ...	6s. 6d. "		
" " " " " " " "		22 " ...	2 " ...	7s. "		
" " " " " " " "		24 " ...	1 1/2 " ...	7s. 6d. "		
" " " " " " " "		26 " ...	1 1/2 " ...	8s. 9d. "		
" " " " " " " "	28 " ...	1 1/2 " ...	9s. 9d. "			
" " " " " " " "	30 " ...	1 " ...	11s. "			
" " " " " " " "	33 " ...	6 articles ...	13s. 9d. "			
" " " " " " " "	36 " ...	6 " ...	18s. "			
TIN TUBS, round, without hoop	IX tin plate or lighter	15 " ...	2 dozen ...	4s. 3d. "		
" " " " " " " "		16 " ...	2 " ...	4s. 3d. "		
" " " " " " " "		18 " ...	1 1/2 " ...	5s. 6d. "		
" " " " " " " "		20 " ...	1 1/2 " ...	6s. "		
" " " " " " " "		22 " ...	1 1/2 " ...	6s. 6d. "		
" " " " " " " "		24 " ...	1 " ...	7s. 6d. "		
" " " " " " " "		15 " ...	2 " ...	5s. 6d. "		
" " " " " " " "		16 " ...	2 " ...	5s. 8d. "		
" " " " " " " "		18 " ...	1 1/2 " ...	6s. 6d. "		
" " " " " " " "		20 " ...	1 1/2 " ...	7s. "		
" " " " " " " "		22 " ...	1 1/2 " ...	7s. 6d. "		
" " " " " " " "		24 " ...	1 " ...	8s. 9d. "		
" " " " " " " "	IX tin plate or lighter	16 " ...	2 " ...	6s. "		
" " " " " " " "	"	18 " ...	1 1/2 " ...	6s. 6d. "		
" " " " " " " "	"	20 " ...	1 1/2 " ...	7s. "		
" " " " " " " "	"	22 " ...	1 1/2 " ...	8s. "		
" " " " " " " "	"	24 " ...	1 " ...	9s. 3d. "		
" " " " " " " "	IX tin plate or lighter	16 " ...	2 " ...	7s. "		
" " " " " " " "	"	18 " ...	1 1/2 " ...	7s. 6d. "		
" " " " " " " "	"	20 " ...	1 1/2 " ...	8s. "		
" " " " " " " "	"	22 " ...	1 1/2 " ...	9s. 3d. "		
" " " " " " " "	"	24 " ...	1 " ...	10s. 3d. "		

SCHEDULE B.—CANISTER WORK.

PIECE-WORK RATES—continued.

	Price per gross.		
	Lap seam.	Lock seam, without assistance.	Lock seam, with two assistants.
SOLDERING SEAMS—all work rolled—up to and including 2½ inches in diameter—			
Up to and including 2 inches deep ...	0 5½	0 5	0 3
Over 2 inches deep and up to and including 3½ inches deep ...	0 6	0 5½	0 3½
" 3½ " " " 4½ " " ...	0 6½	0 5½	0 3½
" 4½ " " " 5½ " " ...	0 7½	0 6½	0 4½
" 5½ " " " 7 " " ...	0 10½	0 7½	0 5½
Over 2½ inches and up to and including 3½ inches in diameter—			
Up to and including 2 inches deep ...	0 5½	0 4½	0 3
Over 2 inches deep and up to and including 3½ inches deep ...	0 6	0 5½	0 3½
" 3½ " " " 5 " " ...	0 6½	0 5½	0 3½
" 5 " " " 6 " " ...	0 7½	0 6½	0 4½
" 6 " " " 7 " " ...	0 9½	0 8	0 6
" 7 " " " 8 " " ...	1 2	0 11	0 9
Over 3½ inches and up to and including 4½ inches in diameter—			
Up to and including 2 inches deep ...	0 6½	0 5	0 3
Over 2 inches deep and up to and including 3½ inches deep ...	0 7	0 5½	0 3½
" 3½ " " " 5 " " ...	0 8	0 6½	0 4½
" 5 " " " 6 " " ...	0 9	0 7	0 5
" 6 " " " 7 " " ...	0 10½	0 8½	0 6½
" 7 " " " 8 " " ...	1 2	0 11	0 9
Over 4½ inches, and up to and including 5½ inches in diameter, up to and including 2½ inches deep	0 7½	0 5½	0 3½
Over 2½ inches deep, and up to and including 4½ inches deep	0 9½	0 7½	0 5
" 4½ " " " 6 " " ...	1 1	0 9	0 7
" 6 " " " 7 " " ...	1 3	0 11	0 9
" 7 " " " 8 " " ...	1 4	1 0	0 10
Over 5½ inches, and up to and including 6½ inches in diameter, up to and including 3 inches deep	0 10	0 7	0 5
Over 3 inches deep, and up to and including 4½ inches deep	1 0	0 8	0 6
" 4½ " " " 6 " " ...	1 2	0 9	0 7
" 6 " " " 8 " " ...	1 4	1 0	0 10

SOLDERING TOPS OR BOTTOMS OF EMPTY TINS—(spiriting provided)—

	Price per gross:		
	Not crimped or rolled on.	Crimped.	Rolled on.
Up to and including 3 inches in diameter ...	0 7½	0 6½	0 6
Over 3 inches diameter, and up to and including 3½ inches in diameter	0 8½	0 7½	0 7½
" 3½ " " " 4½ " " ...	1 1½	1 0	0 10½
" 4½ " " " 5 " " ...	1 3½	1 1½	1 0½
" 5 " " " 6 " " ...	1 8	1 6	1 4

ROUND WORK (SOLDERING).

JAM TINS—Closing, 1 lb., topped, and crimped	0 9
" " " " 2lb. " "	0 11
CAKE TINS—	
2 lbs., soldering	8 6
4 " "	9 9
6 " "	11 0
6 " cutting	1 2
CANTERBURY CAKE TINS—	
Soldering seams with Berry's machine	0 4½
FRUIT CANS—	
Soldering seams with Berry's machine	0 4½
HONEY TINS—	
1 lb., soldering seams with Berry's machine	0 4½
" 2 " " " " "	0 4½
ONE SHILLING PUDDING TIN—	
Soldering seams with Berry's machine	0 4½
CAPPING—Soldering on caps, all work cleaned, caps put on—	
Cap up to and including 1½ inches in diameter in 6-lb. tin or less	0 10
" over 1½ and up to and including 2½ inches in diameter in 6-lb. tin or less	0 11
" " 2½ " " 2½ " " " "	1 0
" " 2½ " " 3½ " " " "	1 1
" " 3½ " " 3½ " " " "	1 4
Capping pulp tins, up to 40-lbs., work cleaned and caps put on—	
Round cap	2 9
Square cap, 3½ to 5 inches square	3 6

SQUARE WORK.

Jam tins—6 lbs., soldering only, with use of spring...	8 6
" 6 " notching, bending, and folding	4 3
" 14 " soldering only, without use of spring	10 8
" 14 " " with use of spring...	11 6
" 20 " " without use of spring	11 0
" 20 " " with use of spring...	12 0
" 28 " " without use of spring	11 0
" 28 " " with use of spring...	12 0
" 14, 20, and 28 lbs., notching, bending, and folding	5 6 extra
Pulp tin	
40 " without use of spring	16 0
40 " with use of spring...	16 0
40 " lockseam	16 0
Cutting out above sizes	1 3 extra
Notching, bending, and folding so that spring is not necessary, all above sizes, except 6 lbs.	7 6
Notching, bending, and folding, so that spring is necessary at one end	6 6

PIECE-WORK RATES—continued.

SQUARE WORK—continued.

	Per gross.
	s. d.
BISCUIT TINS—	
1 lb., soldering	3 4
2 lbs. "	4 0
4 " "	6 6
6 " "	6 8
6 " " two seams	7 6
6 lbs., glass, soldering	9 9
14 " plain, "	10 3
14 " glass, "	13 0
25 " plain, "	11 6
30 " " "	11 6
40 " " "	11 6
50 " " "	13 0
Uneda " "	11 6
½-lb. packet	10 3
9 lbs. Cabin	9 3
Wafer, Ice and Cup, soldering	9 3
" Cream, Henley and Variety, soldering	4 0
Afternoon Tea, soldering	4 0
1 lb., cutting bodies	0 3½
2 lbs. "	0 3½
6 " "	1 2
1 lb., cutting ends	0 1½
2 lbs. "	0 1½
4 " cutting at guillotine	0 11
9 " " "	1 5
30 " " "	2 1
40 " " "	2 1
50 " " "	2 1
Plain and Packet, cutting at guillotine	1 9
Small Wafer " "	0 7
30 lbs., closing, soldering	4 3
40 " " "	5 6
50 " " "	6 2
FLOUR TINS—	
40 lbs., soldering	10 3
50 " "	13 0
HONEY TINS—	
56 lbs., soldering	17 3
OIL OR VARNISH TINS—	
½ gallon, soldering ends and lock seam	9 0
1 " " "	11 0
2 " " "	15 0
OBLONG TINS—(reputed or imperial measure)—	
1 pint, plain, soldering, lock seam (with two assistants)...	0 4½
1 " " " (without assistance) ...	0 6½
1 quart " " " (with two assistants)...	0 4½
1 " " " (without assistance) ...	0 6½
Soldering, all above tins, if made of decorated or varnished tin plate	0 1½ extra each end
1 pint, rolled on ends, soldering	1 8 each end
1 " crimped, soldering	1 8½ "
1 " not crimped or rolled on, soldering	1 10½ "
1 quart, rolled on ends, soldering	1 8½ "
1 " crimped, soldering	1 10½ "
1 " not crimped, soldering	2 2 "

OVAL WORK.

	Per gross.
	s. d.
OIL TINS—	
½ pint, lock seams, soldering	0 3 with two assistants
½ " " "	0 6½ without assistance
½ " lap " "	0 6½ "
½ " rolled on ends	1 6 each end
½ " crimped on ends	1 3 "
½ " slipped on ends	1 9 "

STAMPING WORK ON POWER MACHINES OR PRESSES (NOT USING SCRAP).

	Per gross.
	s. d.
Up to and including 3¼ inches in diameter of cutting die	0 0½
Over 3¼ and up to and including 4 inches in diameter of cutting die	0 1
" 4 " " 4½ " " "	0 1½
" 4½ " " 5½ " " "	0 1½
" 5½ " " 6½ " " "	0 2

F. H. BOLTON, J.P.,
Chairman.

Dated at Melbourne the 11th day of August, 1911.

1. Introduction

2. Methodology

3. Results

4. Discussion

5. Conclusion