



VICTORIA GOVERNMENT GAZETTE

Published by Authority.

[Registered at the General Post Office, Melbourne, for transmission by post as a newspaper.]

No. 63.]

MONDAY, MAY 8.

[1911.

Factories and Shops Acts.

DETERMINATION OF THE TINSMITHS BOARD.

IN accordance with the provisions of the Factories and Shops Acts, the Special Board appointed to determine the lowest prices or rates of payment payable to any person or persons or classes of persons employed in the process, trade, or business of preparing or manufacturing articles made of tin plate or other sheet metal, including the japanning of such articles, has made the following Determination, namely:—

That previous Determinations of this Board are hereby amended, and such amendments shall come into force and be operative on and after the 11th day of May, 1911. The Determination and amendments are printed hereunder:—

DEFINITION.

That for the purposes of this Determination "Sheet Metal" shall mean sheet metal 10 gauge or lighter.

DIVISION I.—GENERAL SHEET METAL WORK.

That the lowest prices or rates of payment payable to any person or persons or classes of persons employed in the process, trade, or business of preparing, manufacturing, or repairing articles made of tin plate or other sheet metal shall be:—

- (1) General tinsmiths sheet metal workers or repairers (not otherwise provided for), 52s. per week of 48 hours.
- (2) Persons over the age of 21 years (not otherwise provided for) employed preparing manufacturing or repairing articles made of sheet iron in spouting and ridging works, 52s. per week of 48 hours.
- (3) Persons over the age of 21 years employed on heavy work on power heavy stamping machines or presses or employed on heavy work on lathes (burnishing and spinning), 52s. per week of 48 hours.
- (4) Persons over the age of 21 years employed on light work on power heavy stamping machines or presses or employed on light work on lathes (burnishing and spinning), or soldering down pipes, or attending drop hammer stamper or any other machine, 48s. per week of 48 hours.
- (5) Labourers over the age of 21 years carrying and stacking tin plate or other sheet metal, 42s. per week of 48 hours.
- (6) Persons under 19 years of age, not being apprentices or improvers, using all machines in general tinsmith's factory, or employed soldering down pipes, or repairing leaks in sheet metal ware—

For the 1st year's experience	...	10s.	per week of 48 hours.
" 2nd "	"	15s.	" "
" 3rd "	"	20s.	" "
" 4th "	"	27s. 6d.	" "

Provided that no such persons under 19 years of age employed on lathe work (burnishing and spinning) or on work on power stamping machines or presses, or assisting at rollers for forming down pipes, curving machines, spouting and ridging machines, or guillotines for cutting spouting and ridging or employed repairing leaks in sheet metal ware shall be paid at a lower rate than 20s. per week of 48 hours; or employed soldering down pipes at a lower rate than 27s. 6d. per week of 48 hours.

DIVISION 2.—CANISTER WORK (including Tin for Food Products).

That the lowest prices or rates of payment payable to any person or persons or classes of persons employed in the process, trade, or business of preparing, manufacturing, or repairing canisters shall be:—

- (1) Persons over the age of 21 years (not otherwise provided for) employed preparing, manufacturing, or repairing canisters, 50s. per week of 48 hours.
- (2) Persons over the age of 21 years employed on machines (except such persons as are hereinafter specified), 45s. per week of 48 hours.
- (3) Persons over the age of 21 years employed attending to the metal pot on any power automatic body forming and seam-soldering machine, or to the metal pot on any power automatic end-soldering machine, 48s. per week of 48 hours.
- (4) Labourers over the age of 21 years carrying and stacking tin plate or other sheet metal, 42s. per week of 48 hours.
- (5) Persons under the age of 21 years, not being apprentices or improvers, employed on machines other than power soldering machines except as mentioned in the proviso to this clause—

For the 1st year's experience	...	10s.	per week of 48 hours.
" 2nd "	" "	15s.	" "
" 3rd "	" "	20s.	" "
" 4th "	" "	25s.	" "
" 5th "	" "	30s.	" "
" 6th "	" "	35s.	" "

Provided that no such persons under 21 years of age employed on power stamping machines or presses, feeding or taking off in connexion with power automatic body forming and seam-soldering machines or power automatic end-soldering machines, shall be paid at a lower rate than 15s. per week of 48 hours for the first year, and 5s. per week advance for each subsequent year.

- (6) Persons under the age of 17 years, not being apprentices or improvers, employed soldering other than seams, tops or bottoms—

For the 1st year's experience	...	10s.	per week of 48 hours.
" 2nd "	" "	15s.	" "
" 3rd "	" "	20s.	" "

DIVISION 3.—JAPANNING

That the lowest prices or rates of payment payable to any person or persons or classes of persons employed in the process, trade, or business of japanning shall be:—

- (1) Persons over the age of 21 years employed at coating or brush work of every description, polishing or preparing ground work for finishing, 43s. per week of 48 hours.
- (2) Persons over the age of 21 years employed on graining, lining, writing, or filleting, 48s. per week of 48 hours.
- (3) Ornamental pencil workers, gold workers, designers, and artistic workers, 52s. per week of 48 hours.
- (4) Persons under the age of 19 years, not being apprentices or improvers, doing coating work, assisting polishing, scouring, cleaning, and general rough work:—

For the 1st year's experience	...	10s.	per week of 48 hours.
" 2nd "	" "	15s.	" "
" 3rd "	" "	20s.	" "
" 4th "	" "	27s. 6d.	" "

DIVISION 4.—POLISHING AND CLEANING SHEET METAL WARE, AND OTHER WORK MENTIONED UNDER THIS DIVISION.

That the lowest prices or rates of payment payable to any person or persons or classes of persons under 17 years of age, not being apprentices or improvers, employed topping tins, polishing and cleaning sheet metal ware, testing to detect leaks in sheet metal ware, making spouting tubes, making wire handles, cutting hoop-iron and wire, blackening or tarring shovels and closet pans, packing, carrying and moving work, cleaning workshop, and lighting and attending fires shall be:—

For the 1st year's experience	...	10s.	per week of 48 hours.
" 2nd "	" "	12s.	" "
" 3rd "	" "	15s.	" "

DIVISION 5.—APPRENTICES.

Number.

That the number or proportion of apprentices who may be employed within any factory or work-room or shop, or place, shall be in proportion to the number of persons employed in such factory or work-room, or shop, or place, in the process, trade, or business of preparing, manufacturing or repairing

articles made of tin plate or other sheet metal, including the japanning of such articles, and receiving not less than 43s. per week, or being over 21 years of age working piece-work at the rates fixed in the schedules to this Determination, as follows :—

One apprentice to every three such persons or fraction thereof.

Wages.

That the lowest prices or rates of payment payable to apprentices employed in the process, trade, or business of preparing, manufacturing, or repairing articles made of tin plate or other sheet metal, including the japanning of such articles, shall be as follows :—

For the 1st year's experience	...	10s.	per week of 48 hours.
" 2nd "	" "	14s.	" "
" 3rd "	" "	18s.	" "
" 4th "	" "	25s.	" "
" 5th "	" "	32s. 6d.	" "

And thereafter the minimum wage.

DIVISION 6.—IMPROVERS.

Number.

That the number or proportion of improvers who may be employed within any factory or work-room or shop, or place, shall be in proportion to the number of persons employed in such factory or work-room, or shop, or place, in the process, trade, or business of preparing, manufacturing or repairing articles made of tin plate or other sheet metal, including the japanning of such articles, and receiving not less than 43s. per week, or being over 21 years of age working piece-work at the rates fixed in the schedules to this Determination, as follows :—

One improver to the first four such persons and thereafter one improver to every four or fraction of four such persons.

Wages.

That the lowest prices or rates of payment payable to improvers employed in the process, trade or business of preparing, manufacturing, or repairing articles made of tin plate or other sheet metal including the japanning of such articles, shall be as follows :—

For the 1st year's experience	...	10s.	per week of 48 hours.
" 2nd "	" "	15s.	" "
" 3rd "	" "	20s.	" "
" 4th "	" "	27s. 6d.	" "
" 5th "	" "	37s. 6d.	" "

And thereafter the minimum wage.

DIVISION 7.—TIME OF BEGINNING AND ENDING WORK.

That the time of beginning and ending work shall be—

Time of Beginning.	Time of Ending.
7.30 a.m. ...	5.45 p.m. on five days of the week.
7.30 a.m. ...	1 p.m. on the other working day of the week on which the half-holiday is usually observed.

DIVISION 8.—OVERTIME.

That any employé who works in any week for any time in excess of 48 hours, as fixed by this Determination, shall be paid for such extra time at the rate of time and a quarter.

That any person who is engaged outside the hours specified in Division 7 of this Determination as the time of beginning and ending work upon each day shall be paid for such overtime at the rate of time and a quarter.

DIVISION 9.—SUNDAY AND HOLIDAYS—SPECIAL RATES FOR:

That the prices or rates of payment payable to any person or persons or classes of persons employed in the process, trade or business of preparing or manufacturing articles made of tin plate or other sheet metal, including the japanning of such articles for all work on the undermentioned days shall be as follows :—

Sundays ...	}	Double the minimum price or rate fixed by this Determination for such person or persons or classes of persons.
New Year's Day, or such other day as may be observed as a public holiday in lieu thereof		
26th day of January	}	One and a half times the minimum price or rate fixed by this Determination for such person or persons or classes of persons.
Eight Hour's Day		
Christmas Day		
Boxing Day		
Good Friday		
Easter Monday		

DIVISION 10.—PIECE-WORK RATES.

That the lowest price or rate of payment payable to any person for wholly or partly preparing or manufacturing any article described in the following Schedules (which Schedules shall form part of this Determination) shall be the prices or rates mentioned in such Schedules.

That wherever the quantity to be given out is stated in the Schedules the prices or rates mentioned apply only when the articles are given out in quantities not less than those mentioned in the Schedule.

That the Schedules of prices apply to new material only, but in the case of articles to be painted or galvanized any previously unused material may be utilized.

That (except where otherwise provided) where the sizes of articles made under the Schedules do not exactly correspond with the sizes stated then the price or rate fixed for the next nearest size shall apply; but where the size is half-way between two sizes then the next highest price or rate shall apply.

SCHEDULE A.—GENERAL SHEET METAL WORK.

PIECE-WORK RATES.

Articles.	Material.	Size.	When given out in the under-mentioned Quantities or more.	Prices or Rates.	
1. BASINS.					
WASH-HAND BASINS, hand-made (including blocking of bottoms)	IC tin plate	13 inches ...	3 dozen ...	3s. 7d. per doz.	
" " " " " "		16 " ...	3 " ...	4s. 2d. "	
" " " " " "		18 " ...	2 " ...	5s. " "	
" " " " " "		13 " ...	3 " ...	4s. 3d. "	
" " " " " "		16 " ...	2 " ...	4s. 9d. "	
" " " " " "		18 " ...	2 " ...	6s. 3d. "	
" " " " " "		20 " ...	1½ " ...	7s. " "	
" " " " " "		22 " ...	1 " ...	8s. 3d. "	
If bottoms supplied for 13 in. basins	4d. per doz. deducted
" " " 16 and 18 in. basins	6d. " "
" " " 20 and 22 in. basins	1s. " "	
If handles 6 gauge wire or under supplied for basins	...	18, 20, or 22 inches	...	1s. 6d. per gross handles deducted	
If handles over 6 gauge wire supplied for basins	...	" "	...	2s. per gross handles deducted	
2. BATHS.					
FOOT BATHS, oval, moulded ...	Bodies 26-gauge iron or lighter	16 inches ...	6 articles	15s. 3d. per doz.	
" " " " " "		18 " ...	6 " ...	16s. 6d. "	
" " " " " "		20 " ...	6 " ...	17s. 6d. "	
" " " " " "		22 " ...	6 " ...	19s. " "	
" " " " " "		24 " ...	6 " ...	20s. " "	
" " " " " "		26 " ...	6 " ...	21s. " "	
" " " " " "		28 " ...	6 " ...	23s. 6d. "	
" " " " " "		30 " ...	6 " ...	25s. " "	
" " " " " " wired		Bottoms 24-gauge iron or lighter	16 " ...	1 dozen ...	6s. 6d. "
" " " " " "			18 " ...	1 " ...	7s. 6d. "
" " " " " "			20 " ...	1 " ...	8s. 3d. "
" " " " " "			22 " ...	1 " ...	9s. 6d. "
" " " " " "			24 " ...	1 " ...	11s. " "
" " " " " "			26 " ...	1 " ...	12s. " "
" " " " " "	28 " ...		1 " ...	13s. " "	
" " " " " "	30 " ...	1 " ...	14s. " "		
FRAME BATHS, galvanized iron, up to 6 feet long, up to 22 inches wide, and up to 22 inches deep. (Assistance to be given for knocking up)	26-gauge iron	...	3 articles	4s. 3d. each	
" " " " " " " "	24 " "	...	3 " ...	4s. 3d. "	
" " " " " " " "	22 " "	...	2 " ...	5s. 6d. "	
PLUNGE BATHS, moulded ...	24-gauge iron or lighter	Up to 4ft. 6in	2 " ...	1½d. per inch	
" " " " " " with raised backs ...		Over 4ft. 6in.	1 article ...	1½d. "	
" " " " " " " " " "		Up to 4ft 6in	2 articles	1½d. per inch and 9d. each bath extra	
" " " " " " " " " "	Over 4ft. 6in.	1 article ...	1½d. per inch and 9d. each bath extra		
SITZ BATHS...	24-gauge iron or lighter	No. 1 ...	2 articles	3s. 6d. each	
" " " " " " " "		" 2 ...	2 " ...	4s. " "	
" " " " " " " "		" 3 ...	2 " ...	5s. " "	
" " " " " " " "		" 4 ...	2 " ...	5s. 6d. "	
HIP BATHS ...	24-gauge iron or lighter	" 1 ...	2 " ...	5s. 6d. "	
" " " " " " " "		" 2 ...	2 " ...	6s. 6d. "	
" " " " " " " "		" 3 ...	2 " ...	7s. 6d. "	
" " " " " " " "		" 4 ...	2 " ...	8s. 6d. "	
" " " " " " " " " " if bottoms and elbow-rests supplied blocked	6d. each bath deducted	
CHILD'S BATHS ...	24-gauge iron or lighter	...	3 articles	1½d. per inch	
If galvanized iron used for beads for Plunge, Sitz, Hip, or Child's Baths	9d. each bath extra	
3. BINS.					
FLOUR BINS, with body wired, back-lapped, and swedged; bottom knocked up and hooped or studded (4 studs); lid with a rim not less than 2½ inches deep; top blocked and paned on to rim; hasp and hinge on cover; and three oval wire handles	IXX tin plate or lighter	25 lbs. ...	6 articles	1s. 5d. each	
" " " " " " " "		50 " ...	6 " ...	1s. 10d. "	
" " " " " " " "		75 " ...	4 " ...	2s. 2d. "	
FLOUR BINS, with body wired, back-lapped, and swedged, for galvanized hoop; hoop about 20 gauge and 1½ inches wide; bottom knocked up; lid with a rim not less than 2½ inches deep; top blocked and paned on to rim; hasp and hinge on cover; and three oval wire handles	Galv. or lead-coated iron, 24-gauge or lighter	100 lbs. ...	3 articles	3s. 6d. each	
" " " " " " " "		200 " ...	3 " ...	3s. 10d. "	
" " " " " " " "		250 " ...	2 " ...	4s. 4d. "	

PIECE-WORK RATES—continued.

Articles.	Material.	Size.	When given out in the under-mentioned Quantities or more.	Prices or Rates.
BOXES—continued.				
SUGAR BOXES, wired inside and swedged ...	IX tin plate or lighter	No. 6	3 dozen	{5s. 6d. per doz. 3d. per doz. extra
" " " " (made in two pieces)				
TRUNKS, common, moulded (cutting out, top and body edging, moulding, and wiring supplied) ...	26-gauge steel or lighter	20 inches	1 "	8s. per doz.
" " " " " " " " " " " "		22 "	1 "	8s. "
" " " " " " " " " " " "		24 "	1 "	8s. 9d. per doz.
" " " " " " " " " " " "		26 "	1 "	9s. 9d. "
" " " " " " " " " " " "		28 "	1 "	12s. "
" " " " " " " " " " " "		30 "	1 "	13s. "
" " " " " " " " " " " "	24-gauge steel or lighter	33 "	6 articles	22s. 6d. "
" moulded, strapped (cutting out, top and body edging, moulding, and wiring supplied) ...	26-gauge steel or lighter	20 "	1 dozen	17s. "
" " " " " " " " " " " "		22 "	1 "	17s. "
" " " " " " " " " " " "		24 "	1 "	18s. "
" " " " " " " " " " " "		26 "	1 "	19s. "
" " " " " " " " " " " "		28 "	1 "	21s. "
" " " " " " " " " " " "		30 "	1 "	23s. "
" " " " " " " " " " " "	24-gauge steel or lighter	33 "	6 articles	28s. "
" " " " " " " " " " " "	36 "	6 "	34s. "	
" common, moulded (moulding and wiring supplied) ...	26-gauge steel or lighter	20 "	1 dozen	12s. "
" " " " " " " " " " " "		22 "	1 "	12s. "
" " " " " " " " " " " "		24 "	1 "	13s. "
" " " " " " " " " " " "		26 "	1 "	14s. "
" " " " " " " " " " " "		28 "	1 "	15s. 6d. "
" " " " " " " " " " " "		30 "	1 "	17s. "
" " " " " " " " " " " "	24-gauge steel or lighter	33 "	6 articles	28s. "
" moulded, strapped (moulding and wiring supplied) ...	26-gauge steel or lighter	20 "	1 dozen	20s. 6d. "
" " " " " " " " " " " "		22 "	1 "	20s. 6d. "
" " " " " " " " " " " "		24 "	1 "	22s. "
" " " " " " " " " " " "		26 "	1 "	23s. "
" " " " " " " " " " " "		28 "	1 "	25s. 6d. "
" " " " " " " " " " " "		30 "	1 "	27s. 6d. "
" " " " " " " " " " " "	24-gauge steel or lighter	33 "	6 articles	36s. "
" " " " " " " " " " " "	36 "	6 "	45s. "	
" common, wired (cutting out, top and body edging, and top and body wiring supplied) ...	26-gauge steel or lighter	20 "	1 dozen	12s. 6d. "
" " " " " " " " " " " "		22 "	1 "	12s. 6d. "
" " " " " " " " " " " "		24 "	1 "	13s. "
" " " " " " " " " " " "		26 "	1 "	14s. "
" " " " " " " " " " " "		28 "	1 "	16s. "
" " " " " " " " " " " "		30 "	1 "	17s. "
" " " " " " " " " " " "	24-gauge steel or lighter	33 "	6 articles	27s. 6d. "
" wired, strapped (cutting out, top and body edging, and top and body wiring supplied) ...	26-gauge steel or lighter	20 "	1 dozen	22s. "
" " " " " " " " " " " "		22 "	1 "	22s. "
" " " " " " " " " " " "		24 "	1 "	23s. "
" " " " " " " " " " " "		26 "	1 "	24s. "
" " " " " " " " " " " "		28 "	1 "	26s. "
" " " " " " " " " " " "		30 "	1 "	28s. "
" " " " " " " " " " " "	24-gauge steel or lighter	33 "	6 articles	35s. "
" " " " " " " " " " " "	36 "	6 "	43s. "	
" common (top wiring supplied) ...	26-gauge steel or lighter	20 inches	1 dozen	16s. 6d. "
" " " " " " " " " " " "		22 "	1 "	16s. 6d. "
" " " " " " " " " " " "		24 "	1 "	17s. "
" " " " " " " " " " " "		26 "	1 "	18s. 6d. "
" " " " " " " " " " " "		28 "	1 "	20s. 6d. "
" " " " " " " " " " " "		30 "	1 "	22s. "
" " " " " " " " " " " "	24-gauge steel or lighter	33 "	6 articles	34s. "
" strapped (top wiring supplied) ...	26-gauge steel or lighter	20 "	1 dozen	25s. "
" " " " " " " " " " " "		22 "	1 "	26s. "
" " " " " " " " " " " "		24 "	1 "	27s. "
" " " " " " " " " " " "		26 "	1 "	29s. "
" " " " " " " " " " " "		28 "	1 "	31s. 6d. "
" " " " " " " " " " " "		30 "	1 "	34s. "
" " " " " " " " " " " "	24-gauge steel or lighter	33 "	6 articles	44s. 6d. "
" " " " " " " " " " " "	36 "	6 "	51s. "	
" wired, strapped, complete ...	26-gauge steel or lighter	20 "	1 dozen	26s. "
" " " " " " " " " " " "		22 "	1 "	27s. "
" " " " " " " " " " " "		24 "	1 "	28s. "
" " " " " " " " " " " "		26 "	1 "	30s. "
" " " " " " " " " " " "		28 "	1 "	32s. 6d. "
" " " " " " " " " " " "		30 "	1 "	35s. "
" " " " " " " " " " " "	24-gauge steel or lighter	33 "	6 articles	45s. 6d. "
" " " " " " " " " " " "	36 "	6 "	52s. "	

PIECE-WORK RATES—continued.

Articles.	Material.	Size.	When given out in the under-mentioned Quantities or more.	Prices or Rates.	
BUCKETS—continued					
TIN BUCKETS, with tin hoop and stamped ears ...	IC tin plate ...	13 inches diameter x 9 inches deep	6 dozen ...	3s. 6d. per doz.	
" with 1½-in. or 1¼-in. hoop and strap	IC tin plate ...	" " "	2 " ...	4s. 9d. "	
" with 1½-in. hoop and strap	IX tin plate ...	" " "	2 " ...	5s. 3d. "	
" with 1¼-in. hoop and strap	IXX tin plate ...	" " "	2 " ...	6s. "	
If bails supplied for strapped tin buckets	3d. per doz. deducted	
8. CANISTERS.					
ROUND CANISTERS, with slipped on bottle neck (top blanks supplied)	IC tin plate	½ lb. ...	4 dozen ..	2s. 6d. per doz.	
" " " "		1 " ...	4 " ..	2s. 9d. "	
" " " "		2 lbs. ...	4 " ...	3s. "	
" " " "		3 " ...	3 " ...	3s. 3d. "	
" " " "		4 " ...	3 " ...	3s. 9d. "	
9. CANS.					
CREAM CANS, grooved, three hoops, double rim cover (including use of guillotine)	20-gauge tinned steel or lighter, or DXXXX tin plate or lighter	20 quarts ...	1 dozen ...	4s. each	
" " " " " "		30 " ...	1 " ...	4s. "	
" " " " " "		40 " ...	1 " ...	4s. 6d. "	
" four hoops, double rim cover (including use of guillotine)		40 " ...	1 " ...	4s. 9d. "	
" three hoops, single rim cover (including use of guillotine)		20 " ...	1 " ...	3s. 6d. "	
" " " " " "		30 " ...	1 " ...	3s. 6d. "	
" " " " " "		40 " ...	1 " ...	3s. 9d. "	
" four " " " " "		40 " ...	1 " ...	4s. "	
" If not cleaned and tested by maker		All sizes	3d. per can deducted
" If hoops supplied for		"	6d. per doz. hoops deducted
" If cover stamping or blocking supplied for	40 quarts	1s. 6d. per doz. deducted	
" If bottoms supplied for	40 "	1s. per doz. deducted	
HARVEST CANS, with pannikin supplied	IX tin plate or lighter	2 quarts ...	1½ dozen ...	5s. 6d. per doz.	
" " " " " "		3 " ...	1½ " ...	6s. "	
" " " " " "		4 " ...	1½ " ...	6s. 6d. "	
" " " " " "		6 " ...	1 " ...	6s. 9d. "	
" " " " " "		8 " ...	1 " ...	7s. "	
" " " " " "		10 " ...	1 " ...	8s. "	
" " " " " "		12 " ...	1 " ...	9s. "	
" " " " " " if with spouts	All sizes	1s. 6d. per doz. extra	
HOT WATER CANS, knocked up bottoms	IX tin plate or lighter	3 pints ...	1 dozen ...	10s. per doz.	
" " " " " "		2 quarts ...	1 " ...	10s. "	
" " " " " "		3 " ...	1 " ...	12s. "	
" " " " " "		4 " ...	1 " ...	12s. "	
" wired, bottom let in...		3 pints ...	1 " ...	11s. "	
" " " " " "		2 quarts ...	1 " ...	11s. "	
" " " " " "		3 " ...	1 " ...	13s. "	
" " " " " "	4 " ...	1 " ...	13s. "		
HOT WATER CANS	26-gauge galv. iron or lighter	All sizes	2s. 3d. per doz. extra	
JACK SHAY CANS, straight body	IC tin plate	1 quart ...	2 dozen ...	4s. 3d. per doz.	
" tapered body		1 " ...	2 " ...	5s. 9d. "	
MINERS' CANS	IC tin plate	1½ pints ...	2 " ...	4s. 6d. "	
" " " " " "		2 " ...	2 " ...	4s. 6d. "	
" " " " " "		3 " ...	2 " ...	4s. 9d. "	
" " " " " "		4 " ...	2 " ...	5s. 6d. "	
" " " " " "	6 " ...	1½ " ...	6s. "		
RAILWAY MILK CANS, grooved, two hoops (including use of guillotine, cleaning and testing)	20-gauge tinned steel or lighter, or DXXXX tin plate or lighter	20 quarts ...	1 dozen ...	3s. 3d. each	
" " " three hoops " "		30 " ...	1 " ...	3s. 3d. "	
" " " four hoops " "		30 " ...	1 " ...	3s. 6d. "	
" " " three hoops " "		40 " ...	1 " ...	3s. 6d. "	
" " " four hoops " "		40 " ...	1 " ...	3s. 9d. "	
" " " four hoops or less " "		50 " ...	6 articles... ..	5s. "	
" " If hoops supplied	All sizes	6d. per doz. hoops deducted	
RAILWAY MILK CANS, if bottoms supplied	All sizes	1s. per doz. deducted	
TOILET CANS, with knocked up bottoms (studs supplied)	IX tin plate or lighter	6 quarts ...	1 dozen ...	13s. 6d. per doz.	
" " " " " "		8 " ...	1 " ...	15s. 6d. "	
" " " " " "		10 " ...	1 " ...	16s. 9d. "	
" " " " " "		12 " ...	1 " ...	17s. 9d. "	
" " " " " "		16 " ...	1 " ...	20s. "	
" body wired, and bottom let in		6 " ...	1 " ...	15s. "	
" " " " " "		8 " ...	1 " ...	17s. 3d. "	
" " " " " "		10 " ...	1 " ...	18s. 3d. "	
" " " " " "		12 " ...	1 " ...	19s. 6d. "	
" " " " " "		16 " ...	1 " ...	22s. "	
" " " " " "	26-gauge galv. iron or lighter	All sizes	3s. per doz. extra	

PIECE-WORK RATES—continued.

Articles.	Material.	Size.	When given out in the under-mentioned Quantities or more.	Prices or Rates.	
10. COLANDERS.					
HAND-MADE COLANDERS, machine-punched, with side handles	IX tin plate or lighter	9 inches ...	4 dozen ...	3s. 6d. per doz.	
" " " "		11 " ...	4 " ...	4s. "	
" " " "		13 " ...	3 " ...	5s. "	
" " " "		15 " ...	1½ " ...	6s. "	
COLANDERS—If punched with hand punch ...			All sizes	1s. 6d. per doz. extra
11. COVERS.					
MEAT COVERS, with perforated zinc bodies (straight sides) and pitched top ...	IX tin plate or lighter	12 inches ...	3 dozen ...	3s. 6d. per doz.	
" " " " ...		14 " ...	3 " ...	3s. 9d. "	
" " " " ...		16 " ...	3 " ...	4s. "	
" " " " ...		18 " ...	3 " ...	4s. 6d. "	
" " " " ...		20 " ...	2 " ...	5s. "	
" " " " ...		22 " ...	1½ " ...	6s. "	
" " " " ...		24 " ...	1 " ...	7s. "	
" with perforated zinc bodies (taper sides) and pitched top ...			12 " ...	3 " ...	4s. "
" " " " ...			14 " ...	3 " ...	4s. 6d. "
" " " " ...			16 " ...	3 " ...	4s. 9d. "
" " " " ...			18 " ...	3 " ...	5s. 3d. "
" " " " ...			20 " ...	2 " ...	5s. 9d. "
" " " " ...			22 " ...	1½ " ...	7s. "
" " " " ...			24 " ...	1 " ...	8s. "
" with perforated zinc bodies (taper sides) single rim, and blocked tops (wheeling found) ...		IX tin plate or lighter	14 inches ...	3 dozen ...	5s. 6d. per doz.
" " " " ...	15 " ...		3 " ...	5s. 6d. "	
" " " " ...	16 " ...		3 " ...	6s. "	
" " " " ...	17 " ...		3 " ...	6s. "	
" " " " ...	18 " ...		3 " ...	7s. "	
" " " " ...	20 " ...		1 " ...	8s. "	
" " " " ...	22 " ...		1 " ...	9s. "	
" " " " ...	24 " ...		1 " ...	11s. "	
" with double rims if stamped or blocked tops supplied for ...			All sizes	1s. 6d. per doz. extra
" " " " ...			14 inches	6d. per dozen deducted
" " " " ...		15 "	6d. "	
" " " " ...		16 "	9d. "	
" " " " ...		17 "	9d. "	
" " " " ...		18 "	9d. "	
" " " " ...		20 "	1s. "	
" " " " ...		22 "	1s. "	
" " " " ...		24 "	1s. "	
12. DIPPERS.					
COMMON DIPPERS ...	IX tin plate or lighter	2 quarts ...	6 dozen ...	1s. 8d. per doz.	
" " " " ...		3 " ...	6 " ...	1s. 8d. "	
BEST DIPPERS, bossed ...		2 " ...	4 " ...	2s. 9d. "	
" " " " ...		3 " ...	4 " ...	2s. 9d. "	
DIPPERS—Soldering studs on ...		4 " ...	2 " ...	3s. 6d. "	
		All sizes	3d. per doz. dippers extra	
13. DISHES.					
BAKING DISHES, oval ...	IX tin plate or lighter	10 inches ...	3 dozen assorted, not less than 1 dozen of any one size	3s. per doz.	
" " " " ...		11 " ...		3s. 3d. "	
" " " " ...		12 " ...		3s. 6d. "	
" " " " ...		14 " ...		4s. "	
" " " " ...		15 " ...		5s. "	
" " " " ...		16 " ...		5s. 6d. "	
" " " " ...		17 " ...		6s. "	
" " " " ...		18 " ...		6s. "	
" " " " ...		20 " ...		6s. 6d. "	
" " " " ...		22 " ...		7s. "	
DEVON DISHES, about 9 inches deep, flat bottoms	IX tin plate or lighter	14 " ...	3 dozen ...	3s. 6d. "	
" " " " ...		16 " ...	3 " ...	4s. "	
" " " " ...		18 " ...	2 " ...	4s. 9d. "	
" " " " ...		20 " ...	1 " ...	5s. 6d. "	
" " " " ... with hoops ...		22 " ...	1 " ...	6s. 6d. "	
MILK DISHES ...	IX tin plate or lighter	All sizes	1s. per doz. extra	
" " " " ...		17 inches ...	2 dozen ...	3s. 9d. per doz.	
" " " " ...		18½ " ...	2 " ...	4s. 3d. "	
" " " " ...		20 " ...	2 " ...	5s. "	
SCALDING DISHES, about 6 inches deep, flat bottoms	IX tin plate or lighter	22 " ...	2 " ...	5s. 6d. "	
" " " " ...		14 " ...	2 " ...	3s. 3d. "	
" " " " ...		16 " ...	2 " ...	3s. 9d. "	
" " " " ...		18 " ...	2 " ...	4s. 9d. "	

PIECE-WORK RATES—continued.

Articles.	Material.	Size.	When given out in the under-mentioned Quantities or more.	Prices or Rates.
KETTLES—continued.				
CAMP KETTLES, blocking covers of	...	1 quart	...	6d. per doz. extra
" " " "	...	1½ quarts	...	6d. "
" " " "	...	2 " "	...	6d. "
" " " "	...	3 " "	...	9d. "
" " " "	...	4 " "	...	9d. "
" " " "	...	6 " "	...	1s. "
" " " "	...	8 " "	...	1s. "
" " " "	...	10 " "	...	1s. "
" " " "	...	12 " "	...	1s. "
COPPER KETTLES (planishing and tinning supplied)	1lb. copper or lighter	4 pints	6 articles...	16s. 3d. per doz.
" " " "		5 " "	6 " "	17s. 3d. "
" " " "		6 " "	6 " "	18s. 6d. "
" " " "		7 " "	6 " "	20s. 6d. "
" " tinning bottoms of		All sizes	...	1s. per doz. extra
FISH KETTLES (body handles supplied and covers wheeled)	DXXX tin plate or lighter	14 inches	6 articles...	26s. per doz.
" " " "		16 " "	3 " "	33s. "
" " " "		18 " "	3 " "	39s. "
" " " "		20 " "	3 " "	45s. "
" " " "		22 " "	3 " "	52s. "
" " " "		24 " "	3 " "	60s. "
" " smoothing covers on block		14 " "	...	1s. 7d. per doz. extra
" " " "		16 " "	...	2s. 2d. "
" " " "		18 " "	...	2s. 9d. "
" " " "		20 " "	...	3s. 3d. "
" " " "	22 " "	...	3s. 9d. "	
" " " "	24 " "	...	4s. 3d. "	
TEA KETTLES, oval, with tin bottoms	IX tin plate or lighter	3 pints	1½ dozen...	6s. per doz.
" " " "		4 " "	1½ " "	6s. 6d. "
" " " "		5 " "	1½ " "	7s. "
" " " "		6 " "	1 " "	7s. 6d. "
" " " "		8 " "	1 " "	8s. 9d. "
" " with 28 gauge galvanized iron bottoms		3 " "	1½ " "	6s. 6d. "
" " " "		4 " "	1½ " "	7s. "
" " " "		5 " "	1½ " "	7s. 6d. "
" " " "		6 " "	1 " "	8s. "
" " " "		8 " "	1 " "	9s. 3d. "
" " with tinned-copper bottoms...		3 " "	1½ " "	6s. 9d. "
" " " "		4 " "	1½ " "	7s. 3d. "
" " " "		5 " "	1½ " "	7s. 9d. "
" " " "		6 " "	1 " "	8s. 6d. "
" " " "		8 " "	1 " "	9s. 6d. "
" " with copper bottoms tinned by maker		All sizes	...	1s. per doz. extra
" " round, straight, with tin bottoms...		1 pint	3 dozen	2s. 9d. per doz.
" " round, tapered, with 28-gauge galvanized-iron bottoms		2 pints	3 " "	3s. 6d. "
" " " "		3 " "	2 " "	4s. "
" " " "		4 " "	2 " "	4s. 6d. "
" " " "		5 " "	2 " "	5s. 3d. "
" " " "		6 " "	2 " "	6s. 9d. "
" " " "		8 " "	1 " "	6s. 9d. "
" " straight, with tinned-copper bottoms		1 pint	3 " "	3s. "
" " tapered " "		2 pints	3 " "	3s. 9d. "
" " " "		3 " "	2 " "	4s. 3d. "
" " " "		4 " "	2 " "	4s. 9d. "
" " " "		5 " "	2 " "	5s. 6d. "
" " " "	6 " "	2 " "	6s. "	
" " " "	8 " "	1 " "	7s. "	
" " straight or tapered, with bottoms tinned by maker	All sizes	3 " "	1s. per doz. extra	
TEA KETTLES, blocking covers and blocking and swedging breasts of	IX tin plate or lighter	1 pint	...	1s. 3d. per doz. extra
" " " "		2 pints	...	1s. 3d. "
" " " "		3 " "	...	1s. 3d. "
" " " "		4 " "	...	1s. 9d. "
" " " "		5 " "	...	1s. 9d. "
" " " "		6 " "	...	1s. 9d. "
" " " "		8 " "	...	2s. "
" " " "		8 " "	...	2s. "
21. LAMPS.				
WALL LAMPS, with fonts	IXX tin plate or lighter Tops, 1-lb. copper, or IXX tinplate or lighter	No. 1	3 articles...	27s. per doz.
" " " "		" 2	3 " "	29s. "
" " " "		" 3	3 " "	31s. 6d. "

PIECE-WORK RATES—continued

Articles.	Material.	Size.	When given out in the under-mentioned Quantities or more.	Prices or Rates.	
22. MEASURES.					
MILK MEASURES	IC tin plate	½ pint	6 dozen	2s. per doz.	
"		1 "	4 "	2s. 6d. "	
"	IX tin plate or lighter	2 pints	3 "	2s. 9d. "	
OIL MEASURES, straight sides		½ pint	3 "	3s. "	
"	IX tin plate or lighter	1 "	3 "	3s. 6d. "	
"		1 quart	2 "	4s. 3d. "	
"	IX tin plate or lighter	2 quarts	2 "	5s. "	
"		4 "	2 "	6s. "	
SPIRIT MEASURES	IX tin plate or lighter	½ pint	1 "	7s. 3d. "	
"		1 "	1 "	8s. "	
"	IX tin plate or lighter	2 pints	1 "	11s. "	
"		4 "	1 "	12s. "	
"	IX tin plate or lighter	1 gallon	1 "	14s. "	
"		2 gallons	6 articles	15s. 9d. "	
23. MOULDS.					
CANDLE MOULDS	IC tin plate	6 holes	6 articles	17s. 6d. per doz. moulds	
"		12 "	6 "	27s. "	
" if tips supplied				2s. per gross tips deducted	
24. PAILS.					
SLOP PAILS, with stamped tops, bottoms, and breasts supplied	IX tin plate or lighter	No. 1	2 dozen	6s. per doz.	
"		" 2	2 "	6s. 6d. "	
"		" 3	2 "	8s. 3d. "	
"		" 4	2 "	9s. 9d. "	
" stamped tops and bottoms supplied, hand-made breasts		IX tin plate or lighter	" 1	2 "	7s. 6d. "
"			" 2	2 "	8s. 6d. "
"			" 3	2 "	10s. 3d. "
"			" 4	2 "	12s. "
" hand-made		IX tin plate or lighter	" 1	2 "	9s. "
"			" 2	2 "	10s. 3d. "
"			" 3	2 "	12s. 6d. "
"			" 4	2 "	13s. 9d. "
" if made with black or galvanized iron lids	26-gauge or lighter	All sizes		3d. per doz. extra	
" bottoms feet		"			3d. per doz. extra
Bails and ears to be supplied for all sizes				3d. " "	
TOILET PAILS	IX tin plate or lighter	No. 1	1 dozen	8s. per doz.	
"		" 2	1 "	9s. "	
"		" 3	1 "	9s. 9d. "	
" if feet and funnels supplied			All sizes		1s. 6d. per doz. deducted
25. PANS.					
ASHPANS, common	28-gauge iron or lighter	No. 1	3 dozen	3s. 3d. per doz.	
"		" 2	3 "	3s. 6d. "	
"		" 3	3 "	3s. 9d. "	
"	26-gauge iron or lighter	" 1	2 "	3s. 9d. "	
"		" 2	2 "	4s. "	
"		" 3	2 "	4s. 6d. "	
" with tin bead		All sizes		1s. per doz. extra	
Venetians for Ashpans (2 in set)		"	2 dozen	4s. per doz. sets of venetians	
" (3 in set)		"	2 "	5s. " "	
CLOSETPANS, tapered to nest	26-gauge iron or lighter	17½ x 15 x 13 inches	2 "	5s. per doz.	
" straight sides	26-gauge iron or lighter	17 x 13 x 13 inches	2 "	4s. 6d. "	
"	26-gauge iron or lighter	18 x 14 x 14 inches	2 "	5s. "	
"	24-gauge iron	All sizes	1½ dozen of any one size	1s. per doz. extra	
" if made with single strap one rivet in bottom				3d. per doz. pans extra	
" " double " "				6d. " "	
" if made of galvanized iron				1s. " "	
DOUGHPANS	IX tin plate or lighter	14 inches	2 dozen	5s. 6d. per doz.	
"		16 "	2 "	6s. "	
"		18 "	2 "	7s. 3d. "	
"		20 "	1 "	8s. "	
"		22 "	1 "	10s. "	
DUSTPANS	IX tin plate or lighter	No. 1	2½ "	3s. 6d. "	
"		" 2	2½ "	4s. "	
"		" 3	2½ "	4s. 3d. "	
" with cover		" 1	2 "	5s. "	
"		" 2	2 "	5s. 6d. "	
"	" 3	2 "	6s. "		
YANKEE, CORNISH, OR FLAT BOTTOM PANS	IC tin plate	13 inches	4 "	2s. 9d. "	
"		14 "	4 "	3s. "	
"		15 "	4 "	3s. 6d. "	
"		16 "	3 "	4s. "	
"		17 "	3 "	4s. "	
"	"	18 "	3 "	5s. "	

PIECE-WORK RATES—continued.

Articles.	Material.	Size.	When given out in the under-mentioned quantities or more.	Prices or Rates.	
32. SCOOPS.					
GROCERS' SCOOPS—Drawer, without handles	4 dozen as-sorted, not less than 1 dozen of any one size	1s. 6d. per doz.	
" " front wired or pieced, with handles	IX tin plate or lighter	5 inches ...	3 dozen ...	4s. "	
" " " " " "		6 " ...	3 " ...	4s. 6d. "	
" " " " " "		7 " ...	2 " ...	5s. 6d. "	
" " " " " "		8 " ...	2 " ...	6s. "	
" " " " " "		10 " ...	1½ " ...	7s. "	
" " " " " "		12 " ...	1 " ...	8s. "	
" " front not wired or pieced, with handles	IX tin plate or lighter	5 " ...	3 " ...	3s. 3d. "	
" " " " " "		6 " ...	3 " ...	3s. 9d. "	
" " " " " "		7 " ...	2 " ...	4s. 6d. "	
" " " " " "		8 " ...	2 " ...	5s. 6d. "	
" " " " " "		10 " ...	1½ " ...	6s. 3d. "	
" " " " " "		12 " ...	1 " ...	7s. 3d. "	
" " galvanized iron, front wired or pieced, with handles	24-gauge galv. iron or lighter	5 " ...	1 " ...	6s. 3d. "	
" " " " " "		6 " ...	1 " ...	6s. 9d. "	
" " " " " "		7 " ...	1 " ...	7s. 6d. "	
" " " " " "		8 " ...	1 " ...	8s. 9d. "	
" " " " " "		10 " ...	1 " ...	10s. 3d. "	
" " " " " "		12 " ...	1 " ...	11s. 6d. "	
33. SKIMMERS.					
COOKS' SKIMMERS (handles supplied) ...	IXX tin plate -or lighter	...	3 dozen ...	3s. 3d. per doz.	
MILK SKIMMERS, with ring handles ...	DXXXX tin plate or lighter	6½ inches...	4 " ...	1s. 9d. "	
" " " " " "		8 " ...	4 " ...	2s. 3d. "	
" " " " " "		9 " ...	4 " ...	2s. 6d. "	
" " " " " "		10 " ...	4 " ...	2s. 9d. "	
34. STANDS.					
COCKATOO STANDS ...	IX tin plate or lighter	17 inches ...	6 articles...	19s. per doz.	
" " " " " "		20 " ...	6 " ...	20s. 6d. "	
" " " " " "		26-gauge galv. iron or lighter, or zinc	17 " ...	3 " ...	25s. "
" " " " " "		20 " ...	3 " ...	30s. "	
35. STEAMERS.					
STEAMERS ...	IXX tin plate or lighter	No. 4 ...	2 dozen ...	4s. 3d. per doz.	
" " " " " "		" 5 ...	2 " ...	4s. 3d. "	
" " " " " "		" 6 ...	1½ " ...	4s. 9d. "	
" " " " " "		" 7 ...	1½ " ...	5s. 6d. "	
" " " " " "		" 8 ...	1½ " ...	6s. "	
" " " " " "		" 9 ...	1 " ...	6s. 6d. "	
" " " " " "		" 10 ...	1 " ...	7s. 6d. "	
" " " " " "		" 11 ...	1 " ...	8s. 9d. "	
" " " " " "		" 12 ...	1 " ...	9s. 3d. "	
" if handles supplied for	3d. per doz. steamers deducted
36. STRAINERS.					
GRAVY STRAINERS, hand made ...	IC tin plate	Small ...	3 dozen ...	3s. per doz.	
" " " " " "		Large ...	3 " ...	3s. 6d. "	
" " " " " " if perforated bottoms supplied		All sizes	6d. " deducted	
GRUEL STRAINERS ...	IX tin plate or lighter	...	3 dozen ...	3s. 6d. per doz.	
MILK STRAINERS, wired ...		8½ inches	3 " ...	3s. "	
" " " " " "		10 " ...	3 " ...	3s. 6d. "	
" " " " " "		11 " ...	3 " ...	3s. 9d. "	
" " " " " "		12 " ...	3 " ...	4s. "	
" " " " " "		14 " ...	2 " ...	4s. 6d. "	
" " " " " " with rim		8½ " ...	2 " ...	4s. "	
" " " " " "		10 " ...	2 " ...	4s. 6d. "	
" " " " " "		11 " ...	2 " ...	5s. "	
" " " " " "		12 " ...	2 " ...	5s. 3d. "	
" " " " " "	14 " ...	2 " ...	5s. 9d. "		
MILK CAN STRAINERS, knocked up rims	IX tin plate	1 " ...	7s. 6d. "	
" " " " " "	IXX tin plate	...	1 " ...	9s. 9d. "	
37. TINS.					
BREAD TINS (made in five pieces) ...	IX tin plate or lighter	1 lb. ...	3 dozen ...	3s. 3d. per doz.	
" " " " " "		2 " ...	3 " ...	3s. 3d. "	
" " " " " "		4 " ...	2 " ...	3s. 6d. "	
" " " " " "		6 " ...	2 " ...	4s. 6d. "	
COBURG BREAD TINS ...	IX tin plate	3 " ...	3s. "	
EXHIBITION BREAD TINS, single	IXXXX tin plate or lighter, or 24-gauge iron or lighter	2 lb. ...	6 articles...	15s. 6d. "	
" " " " " "		4 " ...	6 " ...	19s. 6d. "	
" " " " " " double		2 " ...	3 " ...	39s. "	
" " " " " "		4 " ...	3 " ...	45s. 6d. "	

PIECE-WORK RATES—continued.

Articles.	Material.	Size.	When given out in the under-mentioned Quantities or more.	Prices or Rates.		
TINS—continued.						
CAKE TINS, AND CAKE RINGS, with use of knocking-up machine	IC tin plate	4 inches ..	1 gross ; not less than 3 dozen of any one size	11s. 3d. per gross		
" " " "		5 " ...		12s. "		
" " " "		6 " ...		13s. "		
" " " "		7 " ...		15s. 3d. "		
" " " "		8 " ...		16s. 3d. "		
" " " "		9 " ...		17s. 3d. "		
" " " "		10 " ...		19s. 6d. "		
" " " "		11 " ...		22s. 9d. "		
" " " "		12 " ...		26s. "		
" " " loose bottoms ...		All sizes ...		4 dozen ...	10s. " extra	
QUEEN CAKE TINS, hearts ...		IC tin plate		6 dozen ...	2s. 6d. per doz.
" " diamonds	6 " ...	1s. 3d. "
SANDWICH TINS, with use of knocking-up machine	IC tin plate	6 inches ...	1 gross ; not less than 3 dozen of any one size	13s. per gross		
" " " "		7 " ...		15s. 3d. "		
" " " "		8 " ...		16s. 3d. "		
" " " "		9 " ...		17s. 3d. "		
" " " "		10 " ...		19s. 6d. "		
" " " "		11 " ...		22s. 9d. "		
" " " "		12 " ...		26s. "		
" " " "		All sizes ...		4 dozen ...	2s. 4d. per doz.	
SWISS ROLL TINS, wired, with use of angle bender	IC tin plate	12 x 8 inches	4 dozen ...	2s. 6d. "		
" " " "		13 x 9 " "	4 " ...	2s. 6d. "		
" " " "		14 x 10 " "	4 " ...	2s. 6d. "		
" " " "		15 x 11 " "	4 " ...	2s. 9d. "		
" " " "		16 x 12 " "	4 " ...	3s. "		
" " not wired, with use of angle bender		12 x 8 " "	4 " ...	1s. 10d. "		
" " without use of angle bender ...		All sizes	6d. " extra		
38. TUBS.						
BLACK IRON TUBS, round or oval, without hoop or strap	26-gauge iron or lighter	16 inches ...	2 dozen ...	4s. per doz.		
" " " "		18 " ...	2 " ...	4s. 6d. "		
" " " "		20 " ...	2 " ...	5s. "		
" " " "		22 " ...	2 " ...	5s. 6d. "		
" " " "		24 " ...	1 1/2 " ...	6s. "		
" " " "		26 " ...	1 1/2 " ...	6s. 9d. "		
" " " "		28 " ...	1 1/2 " ...	7s. 9d. "		
" " " "		30 " ...	1 " ...	9s. "		
" " with hoop ...		16 " ...	2 " ...	4s. 6d. "		
" " " "		18 " ...	2 " ...	5s. 3d. "		
" " " "		20 " ...	2 " ...	5s. 6d. "		
" " " "		22 " ...	2 " ...	6s. "		
" " " "		24 " ...	1 1/2 " ...	6s. 6d. "		
" " " "		26 " ...	1 1/2 " ...	7s. 6d. "		
" " " "		28 " ...	1 1/2 " ...	8s. 3d. "		
" " " "		30 " ...	1 1/2 " ...	9s. 6d. "		
" " " "		33 " ...	1 " ...	12s. "		
" " " "		36 " ...	6 articles... 6 " ...	16s. "		
" " hooped and strapped...		16 " ...	2 dozen ...	5s. 9d. "		
" " " "		18 " ...	2 " ...	6s. 3d. "		
" " " "		20 " ...	2 " ...	6s. 6d. "		
" " " "		22 " ...	2 " ...	7s. "		
" " " "		24 " ...	1 1/2 " ...	7s. 6d. "		
" " " "		26 " ...	1 1/2 " ...	8s. 9d. "		
" " " "		28 " ...	1 1/2 " ...	9s. 9d. "		
" " " "		30 " ...	1 " ...	11s. "		
" " " "		33 " ...	6 articles... 6 " ...	13s. 9d. "		
" " " "		36 " ...	6 " ...	18s. "		
TIN TUBS, round, without hoop		IX tin plate or lighter	15 " ...	2 dozen ...	4s. 3d. "	
" " " "			16 " ...	2 " ...	4s. 3d. "	
" " " "	18 " ...		1 1/2 " ...	5s. 6d. "		
" " " "	20 " ...		1 1/2 " ...	6s. "		
" " " "	22 " ...		1 1/2 " ...	6s. 6d. "		
" " " "	24 " ...		1 " ...	7s. 6d. "		
" " with tinned or galvanized iron or black iron hoop	IX tin plate or lighter		15 " ...	2 " ...	5s. 6d. "	
" " " "			16 " ...	2 " ...	5s. 6d. "	
" " " "			18 " ...	1 1/2 " ...	6s. 6d. "	
" " " "			20 " ...	1 1/2 " ...	7s. "	
" " " "			22 " ...	1 1/2 " ...	7s. 6d. "	
" " " "			24 " ...	1 " ...	8s. 9d. "	
" " oval, without hoop	IX tin plate or lighter	16 " ...	2 " ...	6s. "		
" " " "		18 " ...	1 1/2 " ...	6s. 6d. "		
" " " "		20 " ...	1 1/2 " ...	7s. "		
" " " "		22 " ...	1 1/2 " ...	8s. "		
" " with tinned or galvanized iron or black iron hoop...	IX tin plate or lighter	16 " ...	2 " ...	7s. "		
" " " "		18 " ...	1 1/2 " ...	7s. 6d. "		
" " " "		20 " ...	1 1/2 " ...	8s. "		
" " " "		22 " ...	1 1/2 " ...	9s. 3d. "		
" " " "	IX tin plate or lighter	24 " ...	1 " ...	10s. 3d. "		
" " " "		24 " ...	1 " ...	10s. 3d. "		

SCHEDULE B.—CANISTER WORK.

PIECE-WORK RATES—continued.

	Price per gross.		
	Lap seam.	Lock seam, without assistance.	Lock seam with two assistants.
SOLDERING SEAMS —all work rolled—up to and including 2½ inches in diameter—			
Up to and including 2 inches deep ...	0 5½	0 5	0 3
Over 2 inches deep and up to and including 3½ inches deep ...	0 6	0 5½	0 3½
" 3½ " " " 4½ " " ...	0 6½	0 5½	0 3½
" 4½ " " " 5½ " " ...	0 7½	0 6½	0 4½
" 5½ " " " 7 " " ...	0 10½	0 7½	0 5½
Over 2½ inches and up to and including 3½ inches in diameter—			
Up to and including 2 inches deep ...	0 5½	0 4½	0 3
Over 2 inches deep and up to and including 3½ inches deep ...	0 6	0 5½	0 3½
" 3½ " " " 5 " " ...	0 6½	0 5½	0 3½
" 5 " " " 6 " " ...	0 7½	0 6½	0 4½
" 6 " " " 7 " " ...	0 8½	0 8	0 6
" 7 " " " 8 " " ...	1 2	0 11	0 9
Over 3½ inches and up to and including 4½ inches in diameter—			
Up to and including 2 inches deep ...	0 6½	0 5	0 3
Over 2 inches deep and up to and including 3½ inches deep ...	0 7	0 5½	0 3½
" 3½ " " " 5 " " ...	0 8	0 6½	0 4½
" 5 " " " 6 " " ...	0 9	0 7	0 5
" 6 " " " 7 " " ...	0 10½	0 8½	0 6½
" 7 " " " 8 " " ...	1 2	0 11	0 9
Over 4½ inches, and up to and including 5½ inches in diameter, up to and including 2½ inches deep ...	0 7½	0 5½	0 3½
Over 2½ inches deep, and up to and including 4½ inches deep ...	0 9½	0 7½	0 5
" 4½ " " " 6 " " ...	1 1	0 9	0 7
" 6 " " " 7 " " ...	1 3	0 11	0 9
" 7 " " " 8 " " ...	1 4	1 0	0 10
Over 1 inch, and up to and including 6½ inches in diameter, up to and including 3 inches deep ...	0 10	0 7	0 5
Over 3 inches deep, and up to and including 4½ inches deep ...	1 0	0 8	0 6
" 4½ " " " 6 " " ...	1 2	0 9	0 7
" 6 " " " 8 " " ...	1 4	1 0	0 10

SOLDERING TOPS OR BOTTOMS OF EMPTY TINS—(spiriting provided)—

	Price per gross.		
	Not crimped or rolled on.	Crimped.	Rolled on.
Up to and including 3 inches in diameter ...	0 7	0 6	0 5½
Over 3 inches diameter, and up to and including 3½ inches in diameter ...	0 8	0 7	0 7
" 3½ " " " 4½ " " ...	1 1	0 11½	0 10
" 4½ " " " 5 " " ...	1 3	1 1	1 0
" 5 " " " 6 " " ...	1 7½	1 5½	1 3½

ROUND WORK (SOLDERING).

	Price per gross.
	s. d.
JAM TINS —Closing, 1 lb., topped, and crimped ...	0 9
" 2 lb. " " " " ...	0 11
CAKE TINS —	
2 lbs., soldering ...	8 6
4 " " " " " " ...	9 9
6 " " " " " " ...	11 0
6 " cutting ...	1 2
CANTERBURY CAKE TINS —	
Soldering seams with Berry's machine ...	0 4½
FRUIT CANS —	
Soldering seams with Berry's machine ...	0 4½
HONEY TINS —	
1 lb., soldering seams with Berry's machine ...	0 4½
2 " " " " " " ...	0 4½
ONE SHILLING PUDDING TIN —	
Soldering seams with Berry's machine ...	0 4½
CAPPING —Soldering on caps, all work cleaned, caps put on—	
Cap up to and including 1½ inches in diameter in 6-lb. tin or less ...	0 10
" over 1½ and up to and including 2½ inches in diameter in 6-lb. tin or less ...	0 11
" 2½ " " " 2½ " " " " " " ...	1 0
" 2½ " " " 3½ " " " " " " ...	1 1
" 3½ " " " 3½ " " " " " " ...	1 4
Capping pulp tins, up to 40-lbs., work cleaned and caps put on—	
Round cap ...	2 9
Square cap, 3½ to 5 inches square ...	3 6

SQUARE WORK.

Jam tins—6 lbs., soldering only, with use of spring...	10 9
" 14 " " " without use of spring ...	12 0
" 14 " " " with use of spring... ..	13 0
" 20 " " " without use of spring ...	13 0
" 20 " " " with use of spring... ..	14 0
" 28 " " " without use of spring ...	13 0
" 28 " " " with use of spring... ..	14 0
Pulp tin 40 " " " without use of spring ...	16 3
" 40 " " " with use of spring... ..	17 3
" 40 " " " lock seam ...	17 3
Notching, bending, and folding, 6 lbs. ...	5 6
Cutting out above sizes ...	1 9 extra
Notching, bending, and folding so that spring is not necessary, all above sizes, except 6 lbs. ...	7 6
Notching, bending, and folding, so that spring is necessary at one end ...	6 6

PIECE-WORK RATES—*continued.*

SQUARE WORK—*continued.*

	Per gross. s. d.
BISCUIT TINS—	
1 lb., soldering	3 4
2 lbs. "	4 0
4 " "	6 6
6 " "	6 6
6 " " two seams	7 6
6 lbs., glass, soldering	9 9
14 " plain, "	10 3
14 " glass, "	13 0
25 " plain, "	11 6
30 " " "	11 6
40 " " "	11 6
50 " " "	13 0
Unneeded "	11 6
½-lb. packet "	10 3
9 lbs. Cabin "	9 3
Wafer, Ice and Cup, soldering	9 3
" Cream, Henley and Variety, soldering	4 0
Afternoon Tea, soldering	4 0
1 lb., cutting bodies	0 3½
2 lbs. "	0 3½
6 " "	1 2
1 lb., cutting ends	0 1½
2 lbs. "	0 1½
4 " cutting at guillotine	0 11
9 " " "	1 5
30 " " "	2 1
40 " " "	2 1
50 " " "	2 1
Plain and Packet, cutting at guillotine	1 9
Small Wafer " "	0 7
30 lbs., closing, soldering	4 3
40 " " "	5 6
50 " " "	6 2
FLOUR TINS—	
40 lbs., soldering	10 3
50 " "	13 0
HONEY TINS—	
56 lbs., soldering	17 3
OIL OR VARNISH TINS—	
½ gallon, soldering ends and lock seam	9 0
1 " " "	11 0
2 " " "	15 0
OBLONG TINS—(reputed or imperial measure)—	
1 pint, plain, soldering, lock seam (with two assistants)	0 3½
1 " " " (without assistance)	0 5½
1 quart " " " (with two assistants)	0 4½
1 " " " (without assistance)	0 6½
Soldering, all above tins, if made of decorated or varnished tin plate	0 1½ extra
1 pint, rolled on ends, soldering	1 6 each end
1 " crimped, soldering	1 8½ "
1 " not crimped or rolled on, soldering	1 10½ "
1 quart, rolled on ends, soldering	1 8½ "
1 " crimped, soldering	1 10½ "
1 " not crimped, soldering	2 2 "

OVAL WORK.

	Per gross. s. d.
OIL TINS—	
½ pint, lock seams, soldering	0 3 with two assistants
¾ " " " "	0 5½ without assistance
1 " lap " "	0 6½ "
¾ " rolled on ends	1 3 each end
1 " crimped on ends	1 3 "
¾ " slipped on ends	1 6 "

STAMPING WORK ON POWER MACHINES OR PRESSES (NOT USING SCRAP).

	Per gross. s. d.
Up to and including 3½ inches in diameter of cutting die	0 0½
Over 3½ and up to and including 4 inches in diameter of cutting die	0 1
" 4 " " 4½ " " "	0 1½
" 4½ " " 5½ " " "	0 1½
" 5½ " " 6½ " " "	0 2

F. H. BOLTON, J.P.
Chairman.

Dated at Melbourne, the 6th day of April, 1911.

