



VICTORIA
GOVERNMENT GAZETTE

Published by Authority.

[Registered at the General Post Office, Melbourne, for transmission by post as a newspaper.]

No. 112.]

MONDAY, JULY 29.

[1912.

VICTORIAN RAILWAYS.

CONTRACT ACCEPTED.—(Series 1912-13.)

Series No.	Purpose, No. of Tenders, and Particulars of Contract.	Amount.	Name of Contractor.	Charged against Vote or Fund.	Authorized according to Regulations on the date stated.
865	Schedule of Rates Contracts for the supply of Stores to the Victorian Railways (State Coal Mine), as ordered, from 1st July, 1912, to 30th June, 1914	Rates ...	As per Schedules attached	State Coal Mine Stores Suspense Account	J. S. Rees, for Acting Secretary, by order of the Victorian Railways Commissioners. 10.7.1912.

Melbourne, 29th July, 1912.

ANNEX TO CONTRACT No. 865.

SCHEDULE OF RATES CONTRACTS FOR THE
SUPPLY OF STORES

TO THE

VICTORIAN RAILWAYS
(STATE COAL MINE).

1912-1914.

(SEE FOLLOWING SCHEDULES.)

J. S. REES, for Acting Secretary,
By order of The Victorian Railways Commissioners.

SUPPLY AND DELIVERY OF STORES.

As ordered, from 1st July, 1912, to 30th June, 1914.

Items marked * to be supplied (subject to the Conditions of Contract) to sample or samples exhibited by the Corporation.

Items marked † to be supplied to sample or samples furnished by the Tenderer with his tender

Items of Australian manufacture are indicated by the letter "A" inserted between the columns headed "Rate per" and "Rate."

Item No. and Description.	Estimated Requirements for 2 Years.	Rate per—	Rate.	Name of Contractor.		
			£ s. d.			
COTTON WASTE.						
<p><i>A portion representative of the average of the sample of Cotton Waste submitted under Item No. 4001 will be burned in oxygen, and the percentage of ash or loading thereby determined will become the standard for all Waste delivered under Item No. 4001. In addition to this test, the Cotton Waste under Item No. 4001 will be judged by the texture, feel, and general quality, and shall be in every respect to the satisfaction of the Chief Storekeeper.</i></p>						
<p><i>No excess in ash or loading beyond 25 per centum on the contract sample under Item No. 4001 will be permitted, and if any of the Cotton Waste delivered under Item No. 4001, after being tested in the manner described above, shows more than 25 per centum of ash or loading above contract sample, or if such Waste, in the judgment of the Chief Storekeeper, be in any other respect unsatisfactory, such Waste will be liable to rejection.</i></p>						
<p>Waste, Cotton—</p>						
†4001.	Grey, in 5-cwt. bales.. ..	3 tons	ton	27 0 0	Neptune Oil Co. Ltd. Wm. Adams and Co. Ltd.	
†4002.	White	1 ton	do.	50 0 0		
SUNDRY IRONMONGERY.						
<p><i>The samples exhibited by the Corporation for Items 4003 to 4006, 4019, 4021, 4024, 4034, 4043, 4051, and 4053 to 4057 are samples as regards shape and quality only.</i></p>						
*4003.	Basins, Enamelled, Washhand, 12" to 16", as ordered	24	each	0 1 6	} E. Duckett & Sons	
*4004.	Bolts, Iron, Tower, 3" to 12", as ordered	500 ins.	inch	0 0 0 ³ / ₈		
*4005.	Bolts, Iron, Tower, 13" to 18", as ordered	500 "	do.	0 0 0 ³ / ₈	} Briscoe & Co. Ltd.	
*4006.	Bolts, Brass, Flush, 3" to 6", as ordered ..	100 "	do.	0 0 1		
*4007.	Boxes, Cash, 12", extra strong, Hobb's locks	6	A.	each	0 11 6	} S. Cohen, Sons, & Co.
*4008.	Bricks, Bath	3 doz.	dozen	0 1 6	} E. Duckett & Sons	
4009.	Calipers, Steel, any sizes ordered	60 ins.	inch	0 0 3		
†4010.	Chain, Trace, 1 1/8"	20 cwt.	cwt.	1 7 0	} S. Cohen, Sons, & Co.	
†4011.	Combs, Curry	48	each	0 0 8		
4012.	Compound, Pipe joint, "Dixon's"	200 lbs.	lb.	0 0 10	} T. McPherson & Son	
†4013.	Compound, Smooth on	100 "	do.	0 1 6		
*4014.	Dusters, Feather, No. 46	6	each	0 5 8	} E. Duckett & Sons	
*4015.	Dusters, Feather, No. 60	6	do.	0 7 11		
4016.	Ejectors, No. 6, Penberthy	3	do.	1 11 0	} T. McPherson & Son	
4017.	Fasteners, Belt, Jackson's Patent— No. 1, small	24 doz.	dozen	0 1 6		
4018.	No. 2, small	24 "	do.	0 2 5	} E. Duckett & Sons	
*4019.	Fasteners, Sash; 2 1/2" to 3", as ordered ..	6 "	do.	0 7 9		
4020.	Fat, Currier's, Black	28 lbs.	A.	lb.	0 1 0	} S. Cohen, Sons, & Co.
*4021.	Fittings for Grindstones, complete, any sizes ordered	6 sets	set	0 2 2	} T. McPherson & Son	
*4022.	Gads, Steel, Coal, 15" long	224 lbs.	A.	lb.	0 0 4	} E. Duckett & Sons
4023.	Gauges, Pressure, "Ashcroft," Iron back, 5" face, up to 200 lbs., Ashcroft or other approved make	6	each	0 8 0	} John Danks & Son Ppy. Ltd.	
*4024.	Guards, Wire, for Gauge Glasses, any sizes ordered	12 sets	A.	set of 2		1 0 0

Item No. and Description.	Estimated Requirements for 2 Years.		Rate per—	Rate.	Name of Contractor.
				£ s. d.	
SUNDRY IRONMONGERY—continued.					
*4025. Hooks, Hat and Coat, bronze	3 doz.	..	dozen	0 3 0	E. Duckett & Sons
4026. Irons, Tue, Blacksmiths'	3 cwt.	A.	cwt.	0 19 0	
4027. Knives, Farriers', Mathieson's	12	..	each	0 1 0	
*4028. Knobs, Brass, Shutter, 1½"	3 doz.	..	dozen	0 2 3	Paul & Gray Ltd.
4029. Lead, Black powdered, in ¼-lb. packages	14 lbs.	..	lb.	0 0 4	
*4030. Lifts, Sash, Hook	24	..	each	0 0 1½	E. Duckett & Sons
4031. Nil.					
4032. Nil.					
4033. Nil.					
*4034. Links, Split, 5/16", 3/8", or 7/16", as ordered ..	56 lbs.	..	lb.	0 0 3½	E. Duckett & Sons
†4035. Lubricators, Sight-feed, ½ pint, "Detroit"	12	..	each	1 2 8	T. McPherson & Son
4036. Machines, Weighing, "Avery's," 5 cwt., "No. 112"	3	..	do.	7 5 6	S. Cohen, Sons, & Co.
4037. Machines, Weighing, "Avery's," 10 cwt. ..	2	..	do.	11 19 0	E. Duckett & Sons
4038. Nil.					
4039. Mountings, Gauge Glass, Brass, ¾", "Scavenger"	6 sets	A.	set of 2	1 15 0	John Danks & Son Ppy. Ltd.
4040. Nil.					
*4041. Pincers, Farriers', Mathieson's	6 pairs	..	pair	0 4 6	E. Duckett & Sons
†4042. Polish, Metal	20 doz. tins	A.	doz. tins	0 3 5	
*4043. Pulleys, Sash, Iron, any sizes ordered ..	24	..	each	0 0 1½	E. Duckett & Sons
4044. Pumps, Kerosene, Tin	24	A.	do.	0 0 5	
4045. Pumps, Lowdown, Hand, "Deeming Pump Co.'s"	50	..	do.	1 11 11	T. McPherson and Son
*4046. Rollers, Spring, blind, complete, 36" ..	24	..	do.	0 1 0	
†4047. Rings, Gauge Glass, Woodite, ½"	24 doz.	..	dozen	0 6 3	T. McPherson and Son
†4048. Rings, Gauge Glass, Woodite, ¾"	24 "	..	do.	0 7 3	
4049. Shoes, Horse, Lion Brand, any sizes ordered	40 cwt.	A.	cwt.	1 5 0	E. Duckett & Sons
†4050. Solder, Best, in Sticks, 50 per cent. ..	5 "	A.	do.	7 0 0	John Danks & Son Ppy. Ltd.
*4051. Staples, Wire, 1" to 2", as ordered ..	1 "	A.	do.	0 18 0	E. Duckett & Sons
*4052. Turns, Cupboard, Brass	4 doz.	..	dozen	0 3 0	T. McPherson & Son
4053. Valves, Iron, Retaining, Foot, 1½" ..	12	..	each	0 2 0	
4054. Valves, Iron, Retaining, Foot, 2"	12	..	do.	0 2 6	John Danks & Son Ppy. Ltd.
*4055. Valves, Iron, Retaining, Foot, 2½", Black	12	..	do.	0 4 0	
4056. Valves, Iron, Retaining, Foot, 3", Black	12	..	do.	0 4 9	E. Duckett & Sons
4057. Valves, Iron, Retaining, Foot, 4", Black	12	..	do.	0 8 0	
4058. Nil.					
4059. Nil.					
4060. Nil.					
4061. Nil.					
*4062. Nil.					
SUNDRY IRONMONGERY (TOOLS, ETC.).					
<i>The samples exhibited by the Corporation for Items Nos. 4090 to 4093, 4109, and 4116 to 4120 are samples as regards shape and quality only.</i>					
4063. Anvils, 2½ cwt. to 4½ cwt., as ordered, "Soderfors"	20 cwt.	..	cwt.	1 6 0	E. Duckett & Sons
4064. Bellows, Blacksmiths', Double Blast, galvanized nailed, 24" to 30", as ordered ..	200 ins.	A.	inch	0 2 0	
4065. Bits, Brace, Screw, "Mathieson's," any sizes ordered	1,600 /8ths.	..	½ of in.	0 0 2½	T. McPherson & Son
4066. Bits, Centre, ¾", "Mathieson & Sons" ..	24	..	each	0 0 2½	
4067. Bits, Expansion, Clark's, any sizes ordered	100 ins.	..	inch	0 1 2½	E. Duckett & Sons
4068. Bits, German, any sizes ordered up to ¾"	100	..	each	0 0 1½	

Item No. and Description.	Estimated Requirements for 2 Years.	—	Rate per—	Rate.			Name of Contractor.
				£	s.	d.	
SUNDRY IRONMONGERY (TOOLS, ETC.)—continued.							
4069. Braces, Side Ratchet, Ball-bearing, Miller's Falls Coy.'s, No. 32	12	..	each	0	5	2	T. McPherson & Son
4070. Braces, Spofford's, 10"	12	..	do.	0	2	5	
4071. Braces, Spofford's, 12"	12	..	do.	0	2	8	
Blocks, Pulley, Iron, sheaved, "Chas. Willett, Junr."—							
4072. Single, 4"	12	..	do.	0	1	11½	
4073. Single, 5"	12	..	do.	0	3	11½	
4074. Single, 6"	12	..	do.	0	4	5½	
4075. Single, 8"	12	..	do.	0	7	8	
4076. Double, 4"	12	..	do.	0	3	5½	
4077. Double, 5"	12	..	do.	0	5	11	
4078. Double, 6"	12	..	do.	0	6	8	
4079. Double, 8"	12	..	do.	0	13	8	
4080. Treble, 4"	12	..	do.	0	4	5	
4081. Treble, 5"	12	..	do.	0	5	11	
4082. Treble, 6"	12	..	do.	0	8	11	
4083. Treble, 8"	12	..	do.	0	18	5	
Blocks, Hyper Acme, Chain, with 40 feet of Chain—							
4084. 20 cwt.	4	..	do.	2	19	6	
4085. 40 cwt.	3	..	do.	3	17	0	
4086. Blocks, Snatch, Iron, Sheaved, 4", "Chas. Willett, Junr."	6	..	do.	0	3	2	
4087. Blocks, Snatch, Iron, Sheaved, 5", "Chas. Willett, Junr."	6	..	do.	0	5	5	
4088. Blocks, Snatch, Iron, Sheaved, 6", "Chas. Willett, Junr."	6	..	do.	0	6	2	
4089. Blocks, Snatch, Iron, Sheaved, 8", "Chas. Willett, Junr."	6	..	do.	0	9	8	
4090. Brushes, Tube, 1½" or 2", as ordered	12	..	do.	0	0	7½	
4091. Brushes, Tube, 2¼" or 2½", as ordered	12	..	do.	0	0	7½	
*4092. Brushes, Tube, 3" or 3½", as ordered	12	..	do.	0	0	9	
4093. Brushes, Tube, 3½" or 4", as ordered	12	..	do.	0	0	10½	
*4094. Brushes, File Cleaner	48	..	do.	0	0	7	
Chisels, Socket (handed), "Ward and Payne's"—							
4095. ½" to ¾", as ordered	1 doz.	..	dozen	0	6	11	
4096. ¾" or 1", as ordered	1 "	..	do.	0	7	11	
4097. 1¼"	1 "	..	do.	0	10	0	
4098. 1½"	1 "	..	do.	0	12	5	
4099. 1¾"	1 "	..	do.	0	15	0	
4100. 2"	1 "	..	do.	0	18	11	
4101. Frames, Hack-saw, "Miller's Falls Co.'s," any sizes ordered	12	..	each	0	2	6	
4102. Gimlets, "P. L. Schmidt's," any sizes ordered	24	..	do.	0	0	2	
4103. Grindstones, of approved grit, 4" thick x 30" diameter	12	..	do.	0	11	0	
4104. Iron, Soldering, 1½ lbs.	3	A.	do.	0	2	2½	
4105. Jacks, Lifting, Bottle, 1 Ton, "Holt and Willett's"	3	..	do.	0	5	11	
4106. Jacks, Lifting, Wooden, German, "McPherson and Sons," double action, 7½ Tons	6	..	do.	2	3	5	
†4107. Levels, Spirit, 24"	12	..	do.	0	2	3	
†4108. Levels, Spirit, 30"	12	..	do.	0	2	6	
*4109. Needles, Sail or Roping, as ordered, any sizes ordered	6 doz.	..	dozen	0	0	4	
4110. Plyers, 6" to 8", "Wynne and Timmins," round, square-nosed, or cutting, as ordered	8 pairs	..	pair	0	1	8	
*4111. Rules, Box, 2', four-fold	24	..	each	0	0	9½	
4112. Screwdrivers, "Disston & Sons," any sizes ordered	72 ins.	..	inch of blade	0	0	0½	

Item No. and Description.	Estimated Requirements for 2 Years.	—	Rate per—	Rate.		Name of Contractor.
				£	s. d.	
SUNDRY IRONMONGERY (TOOLS, ETC.)—continued.						
4113. Nil.						
4114. Shears or Snips, Steel, Straight, 8", "Cousins & Co.'s"	12	..	each	0	0 11	T. McPherson & Son
4115. Shears or Snips, Steel, Straight, 10", "Cousins & Co.'s"	12	..	do.	0	1 2½	
4116. Sheaves, Pulley, Wire Rope, 2"	24	..	do.	0	0 3	S. Cohen, Sons, & Co.
4117. Sheaves, Pulley, Wire Rope, 3"	24	..	do.	0	0 5	
4118. Sheaves, Pulley, Wire Rope, 4"	48	..	do.	0	0 9	
4119. Sheaves, Pulley, Wire Rope, 6"	36	..	do.	0	1 3	
4120. Nil.						
4121. Sheaves, Pulley, Manilla Rope, 4"	24	A.	do.	0	0 5	E. Duckett & Sons
4122. Sheaves, Pulley, Manilla Rope, 6"	24	A.	do.	0	0 11½	T. McPherson & Son
4123. Sheaves, Pulley, Manilla Rope, 8"	24	A.	do.	0	1 8½	
4124. Tapes, Metallic, "Chesterman's," with flush folding handles, 66', in links and feet	48	..	do.	0	7 0	S. Cohen, Sons, & Co.
4125. Tapes, Steel, "Chesterman's," 66', in links and feet	12	..	do.	0	17 6	E. Duckett & Sons
Taps, Taper and Plug, Whitworth thread, "Wiley and Russell's," or "Smart's"—						
4126. 3/16"	12	..	do.	0	0 7	John Danks & Son Pty. Ltd.
4127. 1/4"	12	..	do.	0	0 7	
4128. 5/16"	12	..	do.	0	0 9	
4129. 3/8"	12	..	do.	0	0 10	
4130. 7/16"	12	..	do.	0	0 10	
4131. 1/2"	12	..	do.	0	1 0	
4132. 5/8"	12	..	do.	0	1 3	
4133. 3/4"	12	..	do.	0	1 8	
4134. 7/8"	12	..	do.	0	2 3	
4135. 1"	12	..	do.	0	2 9	
4136. 1 1/4"	12	..	do.	0	3 6	
4137. 1 1/2"	12	..	do.	0	4 3	
4138. 1 3/8"	12	..	do.	0	4 11	
4139. 1 1/2"	12	..	do.	0	6 0	
4140. Tongs, Chain, "Vulcan," No. 10	12	..	do.	0	4 5	T. McPherson & Son
4141. Tongs, Chain, "Vulcan," No. 12	12	..	do.	0	8 8	
4142. Tongs, Chain, "Vulcan," No. 13	12	..	do.	0	12 5	
4143. Tongs, Chain, "Vulcan," Bi-jaw, No. 32	12	..	do.	0	9 5	
4144. Tongs, Chain, "Vulcan," Bi-jaw, No. 33	12	..	do.	0	13 11	
4145. Tubes, Spirit Level, 1 1/2" x 3/8"	1 doz.	..	dozen	0	1 5	John Danks & Son Pty. Ltd.
4146. Tubes, Spirit Level, 2 1/2" x 3/8"	1	..	do.	0	1 7	
4147. Wheels, Pipe Cutting, No. 1	24	..	each	0	0 6	
4148. Wheels, Pipe Cutting, No. 2	24	..	do.	0	0 8	
4149. Wheels, Pipe Cutting, No. 3	24	..	do.	0	0 9	
4150. Jacks, Trehwella, and parts, as ordered	£10	A.	..	17%		E. Duckett & Sons
ADZES, AXES, ETC.						
Adzes, "Ward and Payne's," Carpenters', plain or pin-rolled, as ordered—						
4151. No. 2	36	..	each	0	3 2	Briscoe & Co. Ltd.
4152. No. 3	36	..	do.	0	3 3	
4153. Axes, American, handled, 4 1/2-lbs., "Collins & Co.'s"	72	..	do.	0	3 5½	T. McPherson & Son
4154. Axes, American, handled, 5 lbs., "Collins & Co.'s"	48	..	do.	0	3 5½	
4155. Axes, American, handled, 5 1/2 lbs., "Collins & Co.'s"	48	..	do.	0	3 5½	

Percentage of the Price List of Messrs. Trehwella Bros. current from time to time during the period of this Contract.

Item No. and Description.	Estimated Requirements for 2 Years.	—	Rate per—	Rate.			Name of Contractor.
				£	s.	d.	
ADZES, AXES, ETC.—continued.							
4156. Hatchets, "Sharp's," Lathing, No. 2 ..	144	..	each	0	1	11	Briscoe & Co. Ltd. E. Duckett & Sons Sons
4157. Mattocks, "Brade's" ..	48	..	do.	0	2	7	
4158. Slashers, Straight-handled, "Whitehouse"	24	..	do.	0	3	4	
AUGERS.							
Augers, "Mathieson's"—							
4159. Screw, $\frac{3}{8}$ " or $\frac{7}{16}$ " or $\frac{1}{2}$ " diameter, as ordered ..	6 doz.	..	dozen	0	13	2	E. Duckett and Sons
4160. Screw, $\frac{9}{16}$ " or $\frac{5}{8}$ " diameter, as ordered	4 "	..	do.	0	15	4	
4161. Screw, $\frac{11}{16}$ " or $\frac{3}{4}$ " diameter, as ordered	6 "	..	do.	0	18	6	
4162. Screw, $\frac{13}{16}$ " or $\frac{7}{8}$ " diameter, as ordered	6 "	..	do.	1	0	3	
4163. Screw, $\frac{15}{16}$ " or 1" diameter, as ordered	6 "	..	do.	1	2	11	T. McPherson and Son
4164. Screw, $1\frac{1}{8}$ " diameter ..	2 "	..	do.	1	4	8	
4165. Screw, $1\frac{1}{4}$ " diameter ..	2 "	..	do.	1	8	8	
4166. Screw, $1\frac{3}{8}$ " diameter ..	2 "	..	do.	1	10	8	
4167. Screw, $1\frac{1}{2}$ " diameter ..	2 "	..	do.	1	14	2	E. Duckett and Sons
4168. Screw, $1\frac{3}{4}$ " diameter ..	2 "	..	do.	2	1	5	
4169. Screw, 2" diameter ..	2 "	..	do.	2	9	0	
4170. Screw, 2 $\frac{1}{2}$ " diameter ..	2 "	..	do.	4	16	5	T. McPherson and Son
4171. Bullnosed, any sizes ordered ..	2,000 8ths	..	$\frac{1}{8}$ of inch.	0	0	5	
FILES AND RASPS.							
<i>The estimated requirements are based on the full price list.</i>							
<i>The Files and Rasps for Items 4172 to 4174 shall be of any description, shape, length, or edge ordered.</i>							
4172. Files or Rasps, as ordered, English, "Lockwoods" ..	£200	66	$\frac{1}{4}$ %		E. Duckett and Sons
4173. Files or Rasps, as ordered, American, "Nicholson File Co.'s" ..	£200	67	$\frac{1}{2}$ %		T. McPherson and Son
4174. Files, Saw, "H. Disstons and Sons" ..	£30	67	$\frac{1}{2}$ %		
HAMMERS.							
<i>The samples submitted by the Tenderer are samples as regards shape and quality only.</i>							
†4175. Hammers, Cast, Steel, Claw, "Cheney's," Nos. 5 to 7, as ordered ..	24	..	each	0	1	10 $\frac{1}{2}$	E. Duckett and Sons
†4176. Hammers, Cast, Steel, Sledge, "Bradcs and Co.'s," double-faced, 4 to 16 lbs., as ordered ..	1,200 lbs.	..	lb.	0	0	2 $\frac{3}{4}$	T. McPherson and Son
†4177. Hammers, Cast, Steel, Engineers', hand, "Eagle and Globe Steel Co.'s Ltd.," any sizes ordered ..	112 "	..	do.	0	0	5 $\frac{1}{4}$	Eagle and Globe Steel Co. Ltd.
†4178. Hammers, Cast, Steel, Flogging, "Bradcs and Co.'s," single-faced, any sizes ordered ..	300 "	..	do.	0	0	2 $\frac{3}{4}$	T. McPherson and Son
SAWS AND BLADES.							
4179. Saws, Crosscut, "Disston's," Peg tooth, any length, as ordered ..	100 ft.	..	lin. ft.	0	1	2	E. Duckett and Sons
4180. Saws, Crosscut, Lightning, "Disston's," any length, as ordered ..	100 "	..	do.	0	1	4	
4181. Saws, Hand, "Disston's," 26", any tooth, as ordered ..	144	..	each	0	4	0 $\frac{1}{2}$	

Percentage of the "Victorian Hardware Trade Lists" current from time to time during the period of this Contract.

Item No. and Description.	Estimated Requirements for 2 Years.	—	Rate per—	Rate.	Name of Contractor.
				£ s. d.	
SAWS AND BLADES—continued.					
4182. Saws, Tenon, "Disston and Sons," 10" or 12", as ordered	12	..	each	0 3 2	} T. McPherson and Son
4183. Saws, Circular, "Spear and Jackson's," any gauge ordered, up to 24" diameter, as ordered	48 ins.	..	in. dia.	0 0 9	
†4184. Blades, Hack-saw, 10", "Enox," "Frye and Coy.," High speed	48 doz.	..	dozen	0 1 5	
†4185. Blades, Hack-saw, 12", "Enox," "Frye and Coy.," High speed	15 "	..	do.	0 1 8	
	15 "	..	do.	0 1 8	
SHOVELS, PICKS, ETC.					
<i>The sample exhibited by the Corporation for Items Nos. 4194 and 4195 is a sample as regards shape and quality only.</i>					
Shovels, Steel, American, round or square mouth, as ordered, any Nos. ordered—					
†4186. Long handled	144	..	each	0 2 8	T. McPherson and Son
†4187. Short handled	144	..	do.	0 2 9	E. Duckett and Sons
†4188. Shovels, Steel, Navy, round mouthed, No. 4	30	..	do.	0 2 6½	} T. McPherson and Son
†4189. Shovels, Steel, Navy, square mouthed, No. 3	30	..	do.	0 2 11½	
Shovels, Coal, D.H., round or square mouth, as ordered—					
†4190. No. 6	48	..	do.	0 3 1	
†4191. No. 8	144	..	do.	0 3 9	
4192. Spades, Steel, "Wm. Gilpin Sen. and Co.'s," short or long handles, as ordered	12	..	do.	0 2 11	} Eagle and Globe Steel Co. Ltd.
* 4193. Picks, chisel and diamond points, 7 lbs.	48	..	do.	0 1 6	
* 4194. Picks, Miners', 4½ lbs.	200	..	do.	0 2 1	
4195. Picks, Miners', 5 lbs.	200	..	do.	0 2 3	
*4196. Forks, Coal, 12", 3" openings	72	..	do.	0 8 0	
4197. Forks, Hay, 3-prong	12	..	do.	0 1 5½	} T. McPherson and Son
4198. Forks, Manure, 4-prong	12	..	do.	0 1 10	
SPANNERS AND WRENCHES.					
<i>The samples exhibited by the Corporation for Items 4199 to 4202 inclusive, and 4203 are samples as regards shape and quality only.</i>					
4199. Spanners, Steel, Clyburn's, 6" to 8", as ordered	200 ins.	..	inch	0 0 3	John Danks and Son Ppy. Ltd.
* 4200. Spanners, Steel, Clyburn's, 9" to 14", as ordered	400 "	..	do.	0 0 3½	} T. McPherson and Son
4201. Spanners, Steel, Clyburn's, 15"	24	..	each	0 4 4	
4202. Spanners, Steel, Clyburn's, 18"	12	..	do.	0 4 8	
*4203. Spanners, double ended, Cast Steel, any sizes ordered	112 lbs.	..	lb.	0 0 7	
4204. Wrenches, Screw, "Coes," 6"	48	..	each	0 1 5	
4205. Wrenches, Screw, "Coes," 8"	36	..	do.	0 1 8	
4206. Wrenches, Screw, "Coes," 10"	36	..	do.	0 1 11	
4207. Wrenches, Screw, "Coes," 12"	36	..	do.	0 2 2	
4208. Wrenches, "Stillson's," 12"	36	..	do.	0 3 0	
4209. Wrenches, "Stillson's," 18"	24	..	do.	0 3 11	
4210. Wrenches, "Stillson's," 24"	12	..	do.	0 5 11	

Item No. and Description.	Estimated Requirements for 2 Years.	—	Rate per—	Rate.	Name of Contractor.
				£ s. d.	
VYCES.					
4211. Vycès, Pipe, "Vulcan," 2" or 2½", as ordered	8	..	each	0 10 11	} T. McPherson and Son
4212. Vycès, Pipe, "Vulcan," 4", as ordered	4	..	do.	0 10 11	
4213. Vycès, "Gilpin's," Smiths' or Fitters', as ordered, 20 lb. and upwards, as ordered, with solid wrought-iron boxes and screws, and cast-steel jaws	6 cwt.	..	cwt.	1 16 0	
EMERY, ETC.					
4214. Emery, "Oakey's," any Nos. ordered	28 lbs.	..	lb.	0 0 2½	} E. Duckett and Sons
4215. Emery, "Oakey's," Flour of	14 "	..	do.	0 0 1½	
4216. Cloth, Emery, "Oakey's," Nos. 0 to 3, as ordered	100 qrs.	..	quire	0 1 2½	
4217. Paper, Glass, "S. W. Royse and Co.'s," any Nos. ordered	5 rms.	..	ream	0 11 0	T. McPherson and Son
HINGES, LOCKS, ETC.					
<i>The samples exhibited by the Corporation for Item No. 4222 are samples as regards shape and quality only.</i>					
Hinges of any width, thickness, and strength ordered—					
4218. Butt, Steel, 1" to 2", as ordered	24 prs.	..	pairs	0 0 0½	} E. Duckett and Sons
4219. Butt, Steel, over 2" to 3", as ordered	48 "	..	do.	0 0 1	
4220. Butt, Steel, 3½"	48 "	..	do.	0 0 1½	
4221. Butt, Steel, 4"	48 "	..	do.	0 0 2¼	
*4222. T Iron, any lengths ordered	8,000 ins.	..	inch	0 0 0½	
4223. Strap, bent or straight, as ordered, any lengths ordered	500 "	..	do.	0 0 0⅜	
4224. Latches, Night, triplicate keys, Yale, plated fronts	72	..	each	0 4 7¼	} E. Duckett and Sons
*4225. Locks, Iron, cupboard or box, as ordered, tumbler, 3"	24	..	do.	0 0 3	
*4226. Locks, Iron, cupboard or box, as ordered, tumbler, 4"	24	..	do.	0 0 4	} E. Duckett and Sons
4227. Locks, Brass, Drawer, Hobbs' patent, 3"	36	..	do.	0 3 3	
*4228. Locks, Brass, Drawer, Yale	36	..	do.	0 1 11	S. Cohen, Sons, and Co.
4229. Locks, Rim, Iron, Carpenter's patent, "Legge's Special," with furniture complete, 3 bolts, 6"	72	..	do.	0 3 0	Briscoe and Co. Ltd.
†4230. Locks, Pad, Brass, Yale pattern, 1"	24	..	do.	0 2 7	} E. Duckett and Sons
†4231. Locks, Pad, Brass, Yale pattern, 1½"	36	..	do.	0 3 3	
†4232. Locks, Pad, Brass, Yale pattern, 2"	36	..	do.	0 4 2	
†4233. Locks, Pad, Brass, Yale pattern, 3", triplicate keys	12	..	do.	0 10 0	Briscoe and Co. Ltd.
†4234. Locks, Pad, Brass, Yale pattern, 3½", triplicate keys	12	..	do.	0 15 0	E. Duckett and Sons
†4235. Locks, Pad, Iron, 2"	24	..	do.	0 0 8	} S. Cohen, Sons, and Co.
†4236. Locks, Pad, Iron, 2½"	96	..	do.	0 0 9	
†4237. Locks, Pad, Iron, 3"	48	..	do.	0 0 11	
4238. Nil					

Item No. and Description.	Estimated Requirements for 2 Years.	—	Rate per—	Rate.	Name of Contractor.	
				£ s. d.		
NAILS, SPIKES, ETC.						
<i>The samples exhibited by the Corporation for Items 4239, 4240, 4242, and 4250 are samples as regards shape and quality only.</i>						
<i>The samples submitted by the Tenderer for Item 4247 are samples as regards shape and quality only.</i>						
Nails—						
*4239. Brads—Finishing, cut, ½" to ¾" as ordered	28 lbs.	..	lb.	0 0 5	E. Duckett and Sons	
*4240. Brads—Finishing, cut, 1" to 3", as ordered	28 ,,	..	do.	0 0 3½		
*4241. Clout, Brattice, malleable	40 cwt.	..	cwt.	1 6 9		
*4242. Flat Sheet, countersunk, 2½" to 3½", as ordered	400 lbs.	..	lbs.	0 0 3½		
4243. Horse Shoe, "Capewell's," any sizes ordered	8 cwt.	..	cwt.	2 6 0		
Wire — Rose - headed, any lengths ordered—						
4244. Nos. 0 to 10, as ordered	200 ,,	A.	do.	0 15 7		
4245. Nos. 11 or 12, as ordered	40 ,,	A.	do.	0 17 0		
4246. Nos. 13 or 14, as ordered	5 ,,	A.	do.	0 18 6		
†4247. Galvanized—Spring head, for roofing, 2" to 3", as ordered	50,000	A.	1,000	0 5 0		
*4248. Steel, Black, 4"	40 cwt.	..	cwt.	0 19 0		
*4249. Steel, Black, 5"	20 ,,	..	do.	0 18 9		
*4250. Steel, Black, 6" to 8", as ordered	20 ,,	..	do.	0 18 9		
4251. Tacks—Cut, blued, best American or English, any sizes ordered	20 ,,	..	lb.	0 0 2½		
*4252. Spikes, Dog, 2" x ¼"	60 tons	..	ton	28 0 0		
*4253. Spikes, Dog, 2½" x ⅝"	do.	18 10 0		
*4254. Spikes, Dog, 3½" x ½"	2 ,,	..	do.	20 0 0		
SCREWS AND SPLIT PINS.						
<i>The estimated requirements are based on the full list price.</i>						
Screws—Nettlefolds Ltd., any sizes ordered—						
4255. Wood—Iron	£50	71¼ %	E. Duckett and Sons	
4256. Wood—Iron, round head, japanned	£5	71¼ %		
Screws—Coach—						
*4257. Square head, any sizes ordered	40 cwt.	..	cwt.	1 2 0		
<small>Percentage off the Price List of Nettlefolds Ltd., current from time to time during the period of this Contract.</small>						
4258. Pins, Split, Nettlefolds, any sizes on list, as ordered	£5	65 %	E. Duckett and Sons	
<small>Percentage off the Price List of Nettlefolds Ltd., current from time to time during the period of this Contract.</small>						
RIVETS (VARIOUS).						
4259. Rivest—Copper, with or without burrs, and any sizes, as ordered	56 lbs.	..	lb.	0 1 0	E. Duckett and Sons	
4260. Rivets, Iron, common, any sizes ordered	4,000 ,,	..	do.	0 0 2		
4261. Rivets, Iron, tinned, any sizes ordered	112 ,,	..	do.	0 0 4½		Briscoe and Co. Ltd.
GAUGE GLASSES.						
4262. Glasses, Gauge, "Moncrieff," ½", over 12" to 18", as ordered	24 doz.	..	dozen	0 1 11½	T. McPherson and Son	
4263. Glasses, Gauge, "Moncrieff," ⅝", over 12" to 18", as ordered	24 ,,	..	do.	0 2 6	E. Duckett and Sons	
4264. Glasses, Gauge, "Moncrieff," ¾", over 12" to 18", as ordered	24 ,,	..	do.	0 3 3	T. McPherson and Son	
4265. Glasses, Gauge, "Moncrieff," 7⁄8", over 12" to 18", as ordered	24 ,,	..	do.	0 4 4		

Item No. and Description.	Estimated Requirements for 2 Years.	—	Rate per—	Rate.	Name of Contractor.	
				£ s. d.		
WOODEN HANDLES.						
<i>The sample exhibited by the Corporation for Item 4269 is a sample as regards shape and quality only.</i>						
Handles, Wooden—						
†4266. Adze, Hickory	4 doz.	..	dozen	0 13 0	} E. Duckett and Sons	
†4267. Axe, Hickory	12 ,,	..	do.	0 13 0		
†4268. Broom, Softwood	18 ,,	A.	do.	0 1 11		
*4269. File, ferruled, any sizes ordered	4 ,,	..	do.	0 0 8		
†4270. Hammer, Bluegum, 14"	24 ,,	A.	do.	0 1 11		
†4271. Hammer, Bluegum, 22"	12 ,,	A.	do.	0 3 5		
†4272. Hammer, Bluegum, 30"	36 ,,	A.	do.	0 5 0		
†4273. Hammer, Bluegum, 36"	24 ,,	A.	do.	0 5 6		
†4274. Hammer, Hickory, 14"	24 ,,	..	do.	0 3 0		
†4275. Hammer, Hickory, 22"	12 ,,	..	do.	0 4 9		} E. Duckett and Sons
†4276. Hammer, Hickory, 30"	36 ,,	..	do.	0 6 3		
†4277. Hammer, Hickory, 36"	24 ,,	..	do.	0 7 3		
*4278. Pick, Coal, 85A, Bluegum	24 ,,	A.	do.	0 6 10		
*4279. Pick, Coal, 85A, Hickory	24 ,,	..	do.	0 12 6		
†4280. Pick, Miners', Ballarat, Bluegum	24 ,,	A.	do.	0 6 10		
†4281. Pick, Miners', Ballarat, Hickory	36 ,,	..	do.	0 12 6		
†4282. Pick, Navy	12 ,,	A.	do.	0 7 8	T. McPherson and Son	
BRASSWORK, ETC.						
<i>The samples exhibited by the Corporation for Items 4283 to 4285, 4286 to 4288, 4289 to 4292, 4294 to 4297, 4298 to 4303, 4304, 4305, and 4306 are samples as regards shape and quality only.</i>						
{ 4283. Cocks, Brass, Drain, 1/4"	12	A.	each	0 1 9	} John Danks and Son Pty. Ltd.	
* 4284. Cocks, Brass, Drain, 3/8"	36	A.	do.	0 2 6		
4285. Cocks, Brass, Drain, 1/2"	24	..	do.	0 3 2		
{ 4286. Cocks, Brass, Pet, Straight, 1/4"	24	..	do.	0 1 6	} T. McPherson and Son	
* 4287. Cocks, Brass, Pet, Straight, 3/8"	72	..	do.	0 1 9		
4288. Cocks, Brass, Pet, Straight, 1/2"	24	..	do.	0 2 3		
4289. Cocks, Brass, Plug, 3/4"	24	..	do.	0 1 8		
* 4290. Cocks, Brass, Plug, 1"	24	A.	do.	0 3 4	W. Richardson and Co.	
{ 4291. Cocks, Brass, Plug, 1 1/2"	24	A.	do.	0 6 11	} T. McPherson and Son	
4292. Cocks, Brass, Plug, 2"	24	A.	do.	0 10 10		
* 4293. Cocks, Brass, Range, 3/4"	72	A.	do.	0 2 1	John Danks and Son Pty. Ltd.	
Cocks, Water, H.P., bib or stop, and for Lead or Iron, as ordered:—						
{ 4294. 3/8"	24	A.	do.	0 2 0	} W. Richardson and Co.	
* 4295. 1/2"	24	A.	do.	0 1 9		
4296. 3/4"	72	A.	do.	0 2 6	} John Danks and Son Pty. Ltd.	
4297. 1"	24	..	do.	0 4 6		
{ 4298. Cocks, Fullway, H.P., 3/4"	12	..	do.	0 3 1	} T. McPherson and Son	
4299. Cocks, Fullway, H.P., 1"	12	..	do.	0 4 5		
4300. Cocks, Fullway, H.P., 1 1/4"	12	..	do.	0 6 3		
* 4301. Cocks, Fullway, H.P., 1 3/4"	24	..	do.	0 8 7		
{ 4302. Cocks, Fullway, H.P., 2"	12	..	do.	0 13 0	} John Danks and Son Pty. Ltd.	
4303. Cocks, Fullway, H.P., 3"	12	..	do.	1 15 0		
* 4304. Couplings or Unions, Brass, any sizes and threads ordered	50 lbs.	A.	lb.	0 3 6		
* 4305. Directors, Water. Fire Brigade pattern, any sizes and threads ordered	56 ,,	A.	do.	0 3 1 1/2	W. Richardson and Co.	
* 4306. Valves, Brass, Steam, any sizes ordered	800 ,,	..	do.	0 1 6	T. McPherson and Son	
PLUMBERS' GOODS.						
4307. Nails and Tubes, Galvanized, for Spouting, any sizes ordered	48 doz.	A.	dozen	0 0 6	} E. Duckett and Sons	
4308. Ridging, Galvanized, up to 18", as ordered, 26 gauge	2,000 feet	A.	foot	0 0 3		

Item No. and Description.	Estimated Requirements for 2 Years.	—	Rate per—	Rate.	Name of Contractor.
				£ s. d.	
PLUMBERS' GOODS—continued.					
4309. Spouting, Galvanized Iron, 24 gauge, O.G., 5"	3,000 feet	A.	foot	0 0 3	W. Richardson and Co.
4310. Spouting, Galvanized Iron, Down pipe, 24 gauge, 3"	2,000 "	A.	do.	0 0 2½	} E. Duckett and Sons
4311. Washers, Cut Iron, Galvanized, any sizes ordered	56 lbs.	..	lb.	0 3 3	
GALVANIZED BUCKETS AND TINWARE.					
*4312. Buckets—Galvanized, strapped sides and bottoms, 12"	50	A.	each	0 1 6½	} E. Duckett and Sons
*4313. Buckets—Galvanized, strapped sides and bottoms, 14"	24	A.	do.	0 2 1	
*4314. Cans, Oil, Tin, Miners'	288	A.	do.	0 0 5½	S. Cohen, Sons, and Co.
*4315. Feeders, Oil, Tin, ½ pint	24	..	do.	0 1 6	} E. Duckett and Sons
*4316. Feeders, Oil, Tin, 1 pint	72	..	do.	0 2 0	
*4317. Lamp, Tin, Miners', Pit	24 doz.	A.	dozen	0 7 0	S. Cohen and Co.
TUBES AND FITTINGS.					
<i>The samples submitted by the Tenderer for Items 4318 and 4321 are samples as regards quality only.</i>					
<i>The estimated requirements are based on the full list price.</i>					
<i>All Tubes and Fittings to be of standard weight and of "Whitworth's" Gauge of Gas Threads.</i>					
Tubes, Pieces, Long Screws, Bends, and Springs—					
†4318. Black, wrought iron, of approved thickness, "National Tube Co.'s"	£500	78¼%	T. McPherson and Son
4319. Fittings—Black, wrought iron, of approved thickness, "Stewart's and Lloyd's Ltd."	£500	77%	} Stewart's and Lloyds (Aust.) Ltd.
4320. Fittings—Galvanized wrought iron, of approved thickness, "Stewart's and Lloyd's Ltd."	£10	70¾% 70¾%	
Fittings, Tube, Malleable, "G. Fischer and Co.'s"—					
†4321. Black (for Gas or Steam)	£100	72½%	Wm. Adams and Co. Ltd.
BOLTS AND NUTS, ETC.					
<i>The samples exhibited by the Corporation for Items 4322 to 4358 are samples as regards shape and quality only.</i>					
<i>All the Bolts and Nuts are to be made from the very best Staffordshire iron, or iron of equal quality, with full, true, and clean threads of Whitworth's gauge and diameter.</i>					
<i>All Hexagonal Nuts are to be to Victorian Railways (Whitworth's) gauge on the outside.</i>					
Bolts, Iron, Carriage, Bevel head, Square Nut—					
*4322. ½" diameter x any length up to 4", as ordered	36 gross	..	gross	0 4 9	} T. McPherson and Son
*4323. ¾" diameter x any length up to 4", as ordered	500 "	..	do.	0 5 3	

Percentage off the "Victorian Hardware Trade Lists" current from time to time during the period of this contract.

Percentage off Price List to be furnished by Tenderer with his tender.

Item No. and Description.	Estimated Requirements for 2 Years.	—	Rate per—	Rate.	Name of Contractor.	
				£ s. d.		
BOLTS AND NUTS, ETC.—continued.						
Bolts, Iron—With Cup Head, Square Neck, Square or Hex. Nut, as ordered—						
4324.	1/4" diameter x 2" in length and under ..	6 gross	.. gross	0 2 6	E. Duckett and Sons	
4325.	1/2" diameter x over 2" in length ..	12 "	.. do.	0 3 3		
4326.	3/8" diameter x 3" in length and under ..	12 "	.. do.	0 5 0		
4327.	1/2" diameter x 3 1/4" to 6" in length ..	30 cwt.	A. cwt.	1 7 3		
4328.	1/2" diameter x over 6" in length ..	5 "	A. do.	1 5 0		
4329.	1/2" diameter x 3" in length and under ..	20 "	A. do.	1 4 0		
4330.	1/2" diameter x 3 1/4" to 6" in length ..	60 "	A. do.	1 0 0		
4331.	1/2" diameter x over 6" in length ..	40 "	A. do.	0 17 9		
* 4332.	1/2" diameter x 3" in length and under ..	10 "	A. do.	1 1 0		T. McPherson and Son
4333.	1/2" diameter x 3 1/4" to 6" in length ..	40 "	A. do.	0 17 6		
4334.	1/2" diameter x 6 1/4" to 12" in length ..	60 "	A. do.	0 16 3		
4335.	1/2" diameter x over 12" in length ..	20 "	A. do.	0 16 0		
4336.	3/8", 7/8", 1" diameter x 3" in length and under ..	10 "	A. do.	1 3 0		
4337.	3/8", 7/8", 1" diameter x 3 1/4" to 6" in length ..	20 "	A. do.	0 15 0		
4338.	3/8", 7/8", 1" diameter x 6 1/4" 12" in length ..	80 "	A. do.	0 14 6		
4339.	3/8", 7/8", 1" diameter x over 12" in length ..	40 "	A. do.	0 13 6		
Bolts, Iron—With Hexagon Head, Round Neck, Square or Hexagon Nut, as ordered—						
4340.	1/4" diameter x 2" in length and under ..	6 gross	.. gross	0 5 0	E. Duckett and Sons	
4341.	1/2" diameter x over 2" in length ..	6 "	.. do.	0 6 0	T. McPherson and Son	
4342.	1/2" diameter x 3" in length and under ..	24 "	.. do.	0 7 0		
4343.	3/8" diameter x 3 1/4" to 6" in length ..	5 cwt.	A. cwt.	1 12 0		
4344.	3/8" diameter x over 6" in length ..	5 "	A. do.	1 10 0		
4345.	1/2" diameter x 3" in length and under ..	20 "	A. do.	1 6 0		
* 4346.	1/2" diameter x 3 1/4" to 6" in length ..	40 "	A. do.	1 2 0		
4347.	1/2" diameter x over 6" in length ..	60 "	A. do.	1 0 0		
4348.	1/2" diameter x 3" in length and under ..	20 "	A. do.	1 1 6		
4349.	1/2" diameter x 3 1/4" to 6" in length ..	60 "	A. do.	0 19 6		
4350.	1/2" diameter x over 6" in length ..	80 "	A. do.	0 18 0		
4351.	3/8", 7/8", 1" diameter x 3" in length and under ..	40 "	A. do.	0 18 6		
4352.	3/8", 7/8", 1" diameter x 3 1/4" to 6" in length ..	80 "	A. do.	0 16 3		
4353.	3/8", 7/8", 1" diameter x over 6" in length ..	40 "	A. do.	0 15 3		
4354.						
4355.						
4356.	Nil.					
4357.						
4358.						
4359.	Ends—Bolt, Iron, with Square or Hexagon Nuts as ordered, any sizes ordered ..	100 cwt.	A. cwt.	0 16 0	T. McPherson and Son	
NUTS AND WASHERS.						
<i>All nuts to be tapped to Whitworth's thread and pitch, and must fit Bolts, samples of which will be supplied to the Contractor by the Corporation.</i>						
<i>All Hexagonal Nuts are to be to the Victorian Railways (Whitworth's) gauge on the outside.</i>						
Nuts, Black, Mild Steel, Pressed—						
*4360.	1/4", 5/16", or 3/8" thick, as ordered ..	6 gross	.. gross	0 3 0	Eliza Tinsley	
*4361.	1/8", 3/8", or 1" thick, as ordered ..	20 cwt.	A. cwt.	1 9 0		
*4362.	3/8", 7/8", or 1" thick, as ordered ..	40 "	A. do.	1 5 0		
*4363.	1 1/8", 1 1/4", 1 3/8", or 1 1/2" thick, as ordered ..	20 "	A. do.	1 6 0		
Nuts, Bright, Mild Steel, Pressed and Finished—						
*4364.	1/4", 5/16", or 3/8" thick, as ordered ..	6 gross	.. gross	0 8 3	T. McPherson and Son	
*4365.	1/8", 3/8", or 1" thick, as ordered ..	1 cwt.	.. cwt.	5 15 0		
*4366.	3/8", 7/8", or 1" thick, as ordered ..	1 "	.. do.	4 5 0		
4367.	Washers, Iron, round, any sizes, and up to 1/4" in thickness, and round, oblong, or square hole, as ordered ..	60 "	.. do.	1 0 0	Paul and Gray Ltd.	

Item No. and Description.	Estimated Requirements for 2 Years.	—	Rate per—	Rate.	Name of Contractor.
				£ s. d.	
BRASS, COPPER, AND LEAD.					
<i>The sample exhibited by the Corporation for Item 4368 is a sample as regards shape and quality only.</i>					
<i>Name of Manufacturer—</i>					
<i>Item No. 4368, C. Clifford and Sons.</i>					
<i>Item No. 4370, Stedman and Crowther.</i>					
<i>Item Nos. 4375 and 4376, McLlwraith and Co.</i>					
*4363. Brass, Band, $\frac{3}{8}$ " to $1\frac{1}{2}$ ", as ordered, 16 to 20 gauge, as ordered	28 lbs.	..	lb.	0 0 11	T. Warburton
4369. Brass, Sheet, best hard-rolled, any gauges ordered, any sizes ordered other than trade sizes	3 cwt.	..	cwt.	4 13 4	G. White and Co.
4370. Brass, Sheet, best hard-rolled, in the following trade sizes and gauges, as ordered :— 4' x 2' x 10, 12, 14, 16, 18, 19, 20, 21, 22, 24, 25, 26, 27, and 28 B.W.G.	3	..	do.	4 10 0	E. Duckett and Sons
4371. Brass, Tubing (except boiler tubes), solid drawn, any diameters, gauges, and lengths ordered other than trade diameters, gauges, and lengths	56 lbs.	..	lb.	0 1 0	
4372. Brass, Tubing (except boiler tubes), solid drawn, any trade diameters, gauges, and lengths ordered		..	do.	0 1 0	G. White and Co.
4373. Copper, Sheet, best rolled, Nos. 16 to 28 gauge, as ordered, any sizes ordered	2 cwt.	..	cwt.	4 13 4	
4374. Copper, Bar, round or square, as ordered, any sizes ordered	56 lbs.	..	lb.	0 0 10	
4375. Lead, Pig	2 tons	..	ton	16 10 0	
4376. Lead, Sheet, best rolled, any thicknesses ordered, and cut to any sizes ordered	10 cwt.	..	cwt.	0 18 0	E. Duckett and Sons
IRON.					
<i>In the case of all Angle and T Iron referred to in this Schedule, the word "side" shall mean side as indicated for Angles and Tees respectively, thus :—</i>					
<i>The Yorkshire Iron to be supplied under Items Nos. 4386 to 4390 inclusive shall be subject to the following specification, viz. :—</i>					
<i>Quality of Material.—To be of best Yorkshire Iron.</i>					
<i>Freedom from Defects.—The round, square, and flat bars must be well and cleanly rolled to the dimensions and sections specified, and must be sound and free from flaws, cracks, crop ends, and defects of any description. Any of the rounds, squares, or flat bars which do not hold up their full dimensions from end to end, or which have rough, jagged, or imperfect edges or ends will be rejected.</i>					
<i>Mechanical Tests.—The tensile strength and ductility shall be determined from standard test pieces cut from the bars and tested with the grain. Any straightening of test pieces which may be required shall be done when cold.</i>					

Item No. and Description.	Estimated Requirements for 2 Years.	—	Rate per—	Rate.	Name of Contractor.
				£ s. d.	
<i>IRON—continued.</i>					
<p><i>Tensile Tests.—A standard test piece (as shown on diagram marked "A" Litho. No. 100/08), must show a tensile breaking strength of from 22 to 25 tons per square inch, with an elongation of not less than 22 per cent. for round and square bars, and from 21 to 24 tons per square inch, with an elongation of not less than 22 per cent. for flat bars.</i></p>					
<p><i>Bend Tests.—Test pieces under 2 inches in diameter or thickness must withstand being bent cold flat on themselves without sign of fracture. Test pieces 2 inches diameter or thickness and over must withstand being bent cold through an angle of 180 degrees by pressure, or by a succession of light blows over a round bar equal in diameter to the thickness of the test piece without showing signs of fracture on the outside of the bent portion.</i></p>					
<p><i>Nicked Bend Tests.—Nicked bend tests shall be made on test pieces cut from the bars as rolled. Bars up to 1½ inches diameter shall be lightly and evenly nicked on one side with a sharp cutting tool and bent back at this point through an angle of 180 degrees by pressure in a press or by a succession of light blows when they shall show a fibrous fracture free from slag or dirt. The same bars when nicked all round and broken off short shall show a fine uniform crystalline fracture.</i></p>					
<p><i>Rejection.—Should the material fail to comply in every particular with the above conditions, the lot from which the test pieces were selected will be rejected.</i></p>					
<i>Name of Manufacturers—</i>					
<p><i>Items Nos. 4378, 4379, and 4380, Robert Heath and Co.</i></p>					
<p><i>Items Nos. 4386 to 4390 inclusive, Lowmoor Iron Co. In respect of Item No. 4380, delivery will be made within three months from the date of the service upon the contractor of each particular order.</i></p>					
<i>Iron, Staffordshire R.H. Crown—</i>					
<p>4377. Round or Square, as ordered, from $\frac{3}{16}$" to $\frac{1}{2}$" in thickness or diameter, as ordered, advancing by $\frac{1}{16}$"</p>	20 tons	..	ton	10 0 0	Eliza Tinsley
<p>4378. Round or Square, as ordered, Robert Heath and Co.'s, over $\frac{1}{2}$" to 3" in thickness or diameter, as ordered, advancing by $\frac{1}{16}$"</p>	60	..	do.	9 15 0	
<p>4379. Flat, Robert Heath and Co.'s, in the following trade sizes and lengths, as ordered— $\frac{1}{16}$", $\frac{1}{4}$", $\frac{5}{16}$", $\frac{3}{8}$", $\frac{7}{16}$", and $\frac{1}{2}$" x 1" up to 6" wide. $\frac{5}{8}$", $\frac{3}{4}$", and $\frac{7}{8}$" x 1½", up to 6" wide 1" x 2" up to 6" wide.</p>	70	..	do.	9 15 0	E. Duckett and Sons
<p>4380. Flat, Robert Heath and Co.'s, any size and length ordered other than trade sizes and lengths up to 6" wide, as ordered</p>		..	do.	9 15 0	
4381.					
4382.					
4383. Nil.					
4384.					
4385.					

Item No. and Description.	Estimated Requirements for 2 Years.	Rate per—	Rate.	Name of Contractor.
			£ s. d.	
IRON—continued.				
Iron, Best Yorkshire—Lowmoor Iron Co.'s—				
4386. Round or Square, as ordered, from $\frac{1}{16}$ " to $\frac{7}{16}$ " inclusive in thickness or diameter, as ordered, advancing by $\frac{1}{16}$ "	10 tons	ton	30 0 0	E. Duckett and Sons
4387. Round or Square, as ordered, from $\frac{1}{2}$ " to $1\frac{1}{2}$ " inclusive in thickness or diameter, as ordered, advancing by $\frac{1}{16}$ "		do.	26 0 0	
4388. Round or Square, as ordered, from $1\frac{1}{16}$ " to 3" inclusive in thickness or diameter, as ordered, advancing by $\frac{1}{16}$ "		do.	26 0 0	
4389. Round or Square, as ordered, over 3" to 4" inclusive in thickness or diameter, as ordered, advancing by $\frac{1}{8}$ "		do.	26 0 0	
4390. Flat, any thickness ordered, and up to 6" wide, as ordered		do.	26 0 0	
IRON (GALVANIZED).				
4391. Sheet, Plain, "Lysaght's Fleur de Lis," 28 to 16 gauge, as ordered	5 tons	ton	17 10 0	E. Duckett and Sons
Sheet, Corrugated, 26 gauge, "Lysaght's and Redcliffe"—				
4392. 5 ft., 6 ft., 7 ft., 8 ft., as ordered	20 "	A.	17 6 8	
4393. 9 ft.	10 "	A.	18 1 8	
4394. 10 ft.	20 "	A.	18 16 8	
Sheet, Corrugated, 24 gauge, "Lysaght's and Redcliffe"—				
4395. 5 ft., 6 ft., 7 ft., 8 ft., as ordered	2 "	A.	16 6 8	
4396. 9 ft.	2 "	A.	17 1 8	
4397. 10 ft.	2 "	A.	17 16 8	
BLISTER, CAST, AND DOUBLE SHEAR STEEL.				
<i>The Steel shall bear the proper trade marks or brands, and be of any sizes or sections ordered.</i>				
<i>Name of Manufacturer—</i>				
<i>Items Nos. 4399, 4400, 4401, and 4402A, The Eagle and Globe Steel Co. Ltd.</i>				
4398. Steel, Blister	2 cwt.	cwt.	0 18 0	Eagle and Globe Steel Co. Ltd.
4399. Steel, Cast, Blacksmith's quality, Flat, Round, Square, Oval, or Octagon, as ordered	80 "	do.	1 12 0	
4400. Steel, Cast, Octagon, Miner's Drill	80 "	do.	1 12 0	
4401. Steel, Double Shear, Flat, Round, or Square, as ordered	40 "	do.	1 5 6	
4402. Steel, Mushett Tool	20 "	do.	1 12 0	E. Duckett and Sons
4402A. Steel, Ultra Capital, High Speed	5 "	do.	7 0 0	
4402A. Steel, Ultra Capital, High Speed	5 "	do.	16 16 0	Eagle and Globe Steel Co. Ltd.
MILD STEEL.				
<i>Quality of Material.—The Mild Steel must be manufactured from Acid or Basic Open Hearth Steel made from selected material, and must not show on analysis more than .06 per cent. of Sulphur or of Phosphorus. The Contractor shall supply an analysis whenever required to do so from time to time.</i>				

Item No. and Description.	Estimated Requirements for 2 Years.	—	Rate per—	Rate.	Name of Contractor.
				£ s. d.	
MILD STEEL—continued.					
<p><i>Freedom from Defects.—The Mild Steel must be free from cracks, surface flaws, lamination, and all other defects, cut square, and finished in a workmanlike manner. No plate, Section, or Bar must be more than 2½ per cent. over or 2½ per cent. under the calculated weight.</i></p>					
<p><i>Branding.—Each Plate, Section, or Bar shall bear the proper trade marks or brands, and shall be of any size of section ordered.</i></p>					
<p><i>Mechanical Tests.—The tensile strength and ductility shall be determined from standard test pieces, cut lengthwise or crosswise, from the rolled material. When material is annealed or otherwise treated before despatch, the test pieces shall be similarly and simultaneously treated with the material before testing.</i></p>					
<p><i>Any straightening of the test pieces which may be required shall be done cold.</i></p>					
<p><i>Tensile Tests.—Plates and Sectional Material.—A standard test piece (as shown on diagram marked "B" annexed) having a gauge length of 8 inches must show a tensile breaking strength of from 26 to 30 tons per square inch with an elongation of not less than 20 per cent. For material under 5/16 inch in thickness, bend tests only are required.</i></p>					
<p><i>Bend Tests.—Cold Bends.—Test pieces shall be sheared or cut lengthwise from Plates, Sections, or Bars, and shall not be less than 1½ inches wide, but for small Plates, Sections, or Bars the whole Section may be used.</i></p>					
<p><i>Temper Bends.—The test pieces shall be similar to those used for cold bend tests. For temper bend tests the test pieces shall be heated to a blood red and quenched in water at a temperature not exceeding 80 degrees Fahr. The colour shall be judged indoor in the shade.</i></p>					
<p><i>In all cold or temper bends test the sheared edges may be removed by milling, planing, grinding, or other method. The test pieces shall not be annealed unless the material from which they are cut is similarly annealed, in which cases the test pieces shall be similarly and simultaneously treated with the material before testing.</i></p>					
<p><i>For both cold and temper bends the test piece must withstand, without fracture, being doubled over until the internal radius is not greater than 1½ times the thickness of the test piece, and the sides are parallel.</i></p>					
<p><i>For small sectional material these bend tests may be made from the flattened bar.</i></p>					
<p><i>Rejection.—Should the material fail to comply in every particular with the above conditions, the lot from which the test pieces were selected will be rejected.</i></p>					
<p style="text-align: center;"><i>Name of Manufacturer—</i></p> <p><i>Items Nos. 4403 and 4404, De Wardle and Co.</i> <i>Items Nos. 4405 and 4406, Carnegie Steel Co.</i> <i>In respect of Items Nos. 4403 and 4405 delivery will be made within three months from the date of the service upon the Contractor of each particular order.</i></p>					

Item No. and Description.	Estimated Requirements for 2 Years.	—	Rate per—	Rate.	Name of Contractor.
				£ s. d.	
MILD STEEL—continued.					
4403. Flat, De Wardle and Co.'s, $\frac{3}{16}$ " thickness or over, as ordered, from $\frac{3}{8}$ " to 9" wide, any sizes and lengths ordered other than trade sizes and lengths	5 tons	..	ton	8 10 0	
4404. Flat, De Wardle and Co.'s, $\frac{3}{16}$ " thickness or over, as ordered, from $\frac{3}{8}$ " to 9" wide, in the following trade sizes and lengths, as ordered—	40	..	do.	8 10 0	
$\frac{3}{16}$ ", $\frac{1}{2}$ ", $\frac{5}{16}$ ", $\frac{3}{4}$ ", $\frac{7}{8}$ ", and $\frac{1}{2}$ " x $\frac{3}{8}$ " up to 9" wide, advancing by $\frac{1}{2}$ ", 16 feet to to 18 feet long. $\frac{5}{8}$ " x 1" up to 9" wide, advancing by $\frac{1}{2}$ ", 16 feet to 18 feet long.					E. Duckett and Sons
Plate, from $\frac{3}{16}$ " up to 1", as ordered, advancing by $\frac{1}{16}$ " over 9" in width, and of any length, as ordered, Carnegie Steel Co.'s—					
4405. Any sizes ordered other than trade sizes	150	..	do.	8 10 0	
4406. In the following trade sizes as ordered, viz. :—	}	..	do.	8 10 0	
$\frac{3}{16}$ " thickness—6 ft. x 24", 30", 36", 42", and 48"; 7 ft. x 24", 30", 36", 42", and 48"; 8 ft. x 24", 30", 36", 42", 48", 54", and 60"; 9 ft. x 24", 30", 36", 42", and 48"; 10 ft. x 24", 30", 36", 42", 48", 54", and 60"; 12 ft. x 36", 48", 54", and 60".					
$\frac{1}{4}$ " thickness—6 ft. x 24", 30", 36", 42", and 48"; 7 ft. x 24", 30", 36", 42", and 48"; 8 ft. x 24", 30", 36", 42", 48", 54", and 60"; 9 ft. x 24", 30", 36", 42", and 48"; 10 ft. x 24", 30", 36", 42", 48", 54", and 60"; 12 ft. x 36", 42", 48", 54", 60", and 72"; 25 ft. x 30", 42", 54", and 72".					
$\frac{5}{16}$ " thickness—6 ft. x 24", 30", 36", 42", 48", and 60"; 7 ft. x 24", 30", 36", 42", 48", and 60"; 8 ft. x 24", 30", 36", 42", 48", and 60"; 9 ft. x 24", 30", 36", 42", 48", and 54"; 10 ft. x 30", 36", 42", 48", and 54"; 12 ft. x 24", 36", and 54"; 16 ft. x 54" and 60".					
$\frac{3}{8}$ " thickness—6 ft. x 24", 30", 36", 42", and 48"; 7 ft. x 30", 42", and 48"; 8 ft. x 24", 30", 36", 42", and 48"; 9 ft. x 24", 30", 36", 42", and 48"; 10 ft. x 24", 36", 42", 48", 54", and 60"; 11 ft. x 36" and 48"; 12 ft. x 30", 36", 42", 48", 54", 60", 72", 84", and 96"; 16 ft. x 60"; 18 ft. x 48", 54", and 60".					
$\frac{7}{16}$ " thickness—6 ft. x 24", 30", 42", and 48"; 7 ft. x 24", 30", 42", and 48"; 8 ft. x 24", 30", 36", 42", 48", and 54"; 9 ft. x 30", 36", 42", 48", 54", and 60"; 10 ft. x 30", 36", 42", 48", 54", 60", and 66"; 11 ft. x 36", 42", 48", 54", and 60"; 12 ft. x 30", 48", 54", and 60"; 16 ft. x 48" and 60"; 18 ft. x 48", 54", 60", and 66".					

Item No. and Description.	Estimated Requirements for 2 Years.	—	Rate per—	Rate.	Name of Contractor.
<i>£ s. d.</i>					
<p>MILD STEEL—continued. In the following trade sizes as ordered, viz.:— <i>continued.</i></p>					
<p>$\frac{1}{2}$" thickness—6 ft. x 24", 36", 42", 48", and 54"; 7 ft. x 24", 30", 36", 42", and 54"; 8 ft. x 24", 30", 36", and 48"; 9 ft. x 30", 36", and 66"; 10 ft. x 36", 42", 48", 54", and 60"; 11 ft. x 42", 48", 54", and 60"; 12 ft. x 36", 42", 48", 54", 60", 72", 84", and 96"; 16 ft. x 48", 54", and 60"; 18 ft. x 48", 54", 60", and 72"; 21 ft. x 48", 54", 60", 66", 72", and 96"; 24½ ft. x 48", 54", 60", and 84"; 30 ft. x 30" and 36".</p>					
<p>$\frac{3}{8}$" thickness—24½ ft. x 48", 54", and 60".</p>					
<p>$\frac{1}{2}$" thickness—6 ft. x 24", 30", and 48"; 7 ft. x 24", 30", 42", and 48"; 8 ft. x 24", 30", 36", 42", and 48"; 9 ft. x 48"; 10 ft. x 42", 48", 54", and 60"; 11 ft. x 24" and 48"; 12 ft. x 36", 42", 48", 54", 60", 66", and 72"; 13 ft. x 42" and 48"; 14 ft. x 60"; 18 ft. x 60"; 21 ft. x 48", 54", and 60"; 24½ ft. x 48", 54", 60", 66", and 84"; 26 ft. x 54", 60", and 66".</p>					
<p>$\frac{3}{4}$" thickness—6 ft. x 24", 30", 36", 42", and 48"; 7 ft. x 24", 30", 36", 42", and 48"; 8 ft. x 24", 30", 36", 42", and 48"; 9 ft. x 24", 30", 36", and 48"; 10 ft. x 24", 30", 36", 42", and 48"; 11 ft. x 60"; 12 ft. x 30", 36", 42", 54", 60", and 72"; 14 ft. x 60" and 72"; 18 ft. x 60".</p>					
<p>$\frac{7}{8}$" thickness—12 ft. x 24" and 48"; 19 ft. x 48"; 25 ft. x 72".</p>					
<p>1" thickness—14 ft. x 60" and 72"; 18 ft. x 72".</p>					
<p>SPRING STEEL.</p>					
<p><i>Quality of Material.</i>—The bars shall be manufactured from the highest quality of acid open hearth steel made from the best selected material, and must not show on analysis more than .08 per cent. nor less than .05 per cent. of carbon, nor more than .035 per cent. of sulphur or of phosphorus. The Contractor shall supply an analysis whenever required to do so.</p>					
<p><i>Freedom from Defects.</i>—The bars must be perfectly smooth on their surfaces, and free from defects of any kind.</p>					
<p><i>Branding.</i>—Each bar shall be stamped with the manufacturer's name and date of manufacture.</p>					
<p><i>Mechanical Tests.</i>—Test pieces taken from the bars must comply with the following tests without reheating or any other manipulation whatever:—</p>					
<p><i>Cambering Tests for Flat Bars.</i>—Pieces of the flat bars 30 inches long shall be cambered to a radius of 80 times their thickness, hardened and tempered, and, after being pressed straight once and the camber carefully noted, must stand being pressed straight again six times in quick succession without showing any permanent set.</p>					
<p><i>Round Bars.</i>—The round bars must be capable of being hardened in oil.</p>					

Item No. and Description.	Estimated Requirements for 2 Years.	—	Rate per—	Rate.	Name of Contractor.
				£ s. d.	
SPRING STEEL—continued.					
<i>Rejection.—Should the material fail to comply in every particular with the above conditions, the lot from which the test pieces were selected will be rejected.</i>					
4407. Steel, Spring, Turton and Andrews, in bars, of any sizes and shapes ordered ..	20 tons	..	ton	14 0 0	E. Duckett and Sons
HIGH SPEED TWIST DRILLS.					
<i>Drills, Twist, "Sir W. G. Armstrong, Whitworth and Co.'s" High Speed, Round Taper or Round Parallel Shanks, as ordered—</i>					
4408. $\frac{3}{16}$ "	24	..	each	0 2 1 $\frac{1}{2}$	
4409. $\frac{1}{4}$ "	24	..	do.	0 2 1 $\frac{1}{2}$	
4410. $\frac{5}{16}$ "	24	..	do.	0 2 5 $\frac{1}{4}$	
4411. $\frac{3}{8}$ "	24	..	do.	0 2 10	
4412. $\frac{7}{16}$ "	24	..	do.	0 3 0 $\frac{1}{2}$	
4413. $\frac{1}{2}$ "	24	..	do.	0 3 5 $\frac{1}{4}$	
4414. $\frac{9}{16}$ "	24	..	do.	0 4 1 $\frac{1}{2}$	
4415. $\frac{5}{8}$ "	12	..	do.	0 5 0 $\frac{1}{2}$	Fraser, Ramsay Ppy: Ltd.
4416. $\frac{11}{16}$ "	36	..	do.	0 5 8 $\frac{1}{4}$	
4417. $\frac{3}{4}$ "	12	..	do.	0 6 2 $\frac{1}{2}$	
4418. $\frac{13}{16}$ "	12	..	do.	0 7 3 $\frac{1}{2}$	
4419. $\frac{7}{8}$ "	12	..	do.	0 8 0	
4420. $\frac{15}{16}$ "	24	..	do.	0 9 6 $\frac{1}{4}$	
4421. 1"	12	..	do.	0 10 1 $\frac{1}{2}$	
4422. 1 $\frac{1}{16}$ "	12	..	do.	0 12 8 $\frac{1}{2}$	
4423. 1 $\frac{3}{16}$ "	12	..	do.	0 15 6 $\frac{1}{2}$	
CRANE CHAIN AND IRON CHAIN.					
<i>The Chain to be supplied under Item No. 4424 must be what is known as "close link."</i>					
<i>The links must be of uniform shape and size, neatly and perfectly welded, so that the correct form is preserved throughout.</i>					
<i>The Samples submitted by the Tenderer are Samples as regards shape and quality only.</i>					
<i>The Chain must be in lengths up to 200 feet, as ordered, and accompanied by a Proof Certificate from a public testing machine licensed by the Board of Trade.</i>					
<i>The Proof Load of the Chain must be at least equal to that required by the British Admiralty, and the certificate to be furnished must be in accordance with the same.</i>					
<i>Name of Manufacturer of Chain—</i>					
<i>Item No. 4424, Bailey and Co.</i>					
<i>Items Nos. 4425 to 4429 inclusive, Walker and Son.</i>					
<i>Name of Maker or Brand of Iron—</i>					
<i>Item No. 4424, Bradley's S. C. Crown.</i>					
<i>Items Nos. 4425 to 4429 inclusive, R. H. Crown.</i>					
<i>The Chain to be supplied under Item No. 4424 will be 50 per cent. over the Admiralty Test, and that under Items Nos. 4425 to 4429 inclusive will be 15 per cent. over the Admiralty Test.</i>					

Item No. and Description.	Estimated Requirements for 2 Years.	—	Rate per—	Rate.	Name of Contractor.
				£ s. d.	
CRANE CHAIN AND IRON CHAIN—continued.					
†4424. Chain, Iron, Wrought, "Best Best," Short Link Crane, self-coloured, $\frac{3}{16}$ " to 1", as ordered	20 cwt.	..	cwt.	1 10 0	E. Duckett and Sons
Chain Iron, Wrought, Short Link Coil, Staffordshire, self coloured—					
†4425. $\frac{3}{16}$ "	2 "	..	do.	1 14 0	
†4426. $\frac{1}{4}$ "	2 "	..	do.	1 7 0	
†4427. $\frac{1}{16}$ " or $\frac{3}{16}$ ", as ordered	200 "	..	do.	1 6 0	
†4428. $\frac{7}{16}$ " or $\frac{1}{2}$ "	5 "	..	do.	1 1 0	
†4429. $\frac{9}{16}$ " to 1"	5 "	..	do.	1 0 0	
SUNDRY WIRE (NOT INCLUDING ELECTRIC WIRE).					
<i>The Samples exhibited by the Corporation for Items 4430 and 4431 are Samples as regards quality only.</i>					
<i>Names of Manufacturers—</i>					
<i>Items Nos. 4430 and 4431, Fernand Esper.</i>					
<i>Items Nos. 4432 and 4434, Westphalien Union.</i>					
<i>Item No. 4433, McIlwraith.</i>					
WIRE.					
4430. Brass—6 to 14 gauge, as ordered	56 lbs.	..	lb.	0 0 8 $\frac{1}{2}$	E. Duckett and Sons
4431. Copper—14 to 21 gauge, as ordered	200 "	..	do.	0 0 9 $\frac{1}{2}$	
4432. Iron—Galvanized, 14 to 20 gauge, as ordered	1 cwt.	..	cwt.	0 18 0	
4433. Lead, any gauges ordered	12 lbs.	A.	lb.	0 0 5	
4434. Steel, Galvanized, Fencing, any gauges ordered	3 tons	..	ton	9 5 0	
WIRE ROPE.					
<i>Name of Manufacturer—</i>					
<i>Items Nos. 4435 to 4438 inclusive, Hood, Haggis, and Sons.</i>					
<i>Items Nos. 4439 and 4440, Allan Whyte and Co.</i>					
<i>Item No. 4441, Thos. and W. Smith Ltd.</i>					
<i>Items Nos. 4442 to 4445 inclusive, Fredk. W. Scott.</i>					
Rope—Steel Wire, special flexible Galvanized—					
†4435. $\frac{1}{2}$ " diameter, 6 Strands, 24 Wires, Breaking Strength 4 tons	10 cwt.	..	cwt.	3 10 0	Bonwick, Hignett and Co.
†4436. $\frac{3}{8}$ " diameter, 6 Strands, 24 Wires, Breaking Strength 5 tons	5 "	..	do.	3 0 0	
†4437. $\frac{1}{2}$ " diameter, 6 Strands, 24 Wires, Breaking Strength 6 tons	5 "	..	do.	2 15 0	
†4438. $\frac{5}{8}$ " diameter, 6 Strands, 24 Wires, Breaking Strength 10 $\frac{1}{2}$ tons	5 "	..	do.	1 18 6	
Rope—Wire, Best Plough Steel, Mining—					
†4439. $\frac{1}{2}$ " diameter, 6 Strands, 7 Wires, Breaking Strength 10 tons	40 cwt.	..	cwt.	2 5 10	Miller and Co. Ppy. Ltd.
†4440. $\frac{3}{4}$ " diameter, 6 Strands, 7 Wires, Breaking Strength 22 tons	200 "	..	do.	1 19 5	
†4441. 1" diameter, 6 Strands, 7 Wires, Breaking Strength 44 tons	200 "	..	do.	2 8 6	B. K. Morton
†4442. 1 $\frac{1}{4}$ " diameter, 6 Strands, 7 Wires, Breaking Strength 49 tons	300 "	..	do.	1 16 6	
†4443. $\frac{1}{2}$ " diameter, 6 Strands, 19 Wires, Breaking Strength 8 $\frac{1}{2}$ tons	20 "	..	do.	2 7 6	McMicking and Co.
†4444. $\frac{3}{4}$ " diameter, 6 Strands, 19 Wires, Breaking Strength 19 tons	40 "	..	do.	2 0 0	
†4445. 1" diameter, 6 Strands, 19 Wires, Breaking Strength 32 tons	40 "	..	do.	1 17 6	

Item No. and Description.	Estimated Requirements for 2 Years.		Rate per—	Rate.	Name of Contractor.	
				£ s. d.		
WIRE ROPE—continued.						
Rope, Wire, Best Patent Improved, Steel, Mining, "Langsley"—						
†4446. $\frac{9}{16}$ " diameter, 6 Strands, 7 Wires, Breaking Strength 10 tons	200 cwt.	..	cwt.	2 1 0	B. K. Morton	
†4447. $\frac{3}{4}$ " diameter, 6 Strands, 7 Wires, Breaking Strength 20½ tons	300 "	..	do.	1 17 0		
†4448. 1" diameter, 6 Strands, 7 Wires, Breaking Strength 31½ tons	200 "	..	do.	1 16 0		
†4449. 1½" diameter, 6 Strands, 7 Wires, Breaking Strength 39¾ tons	300 "	..	do.	1 16 0		
BASKETWARE.						
Baskets—						
*4450. Document, Wire, Large	24	A.	each	0 1 8	Morris & Bone	
*4451. Nil.						
*4452. Nil.						
SUNDRY BRUSHWARE.						
<i>The samples exhibited by the Corporation for Items Nos. 4453 and 4454 are samples as regards shape and quality only.</i>						
Brooms—						
*4453. Bass and Cane, 12"	100	A.	each	0 1 6	J. Zevenboom & Co.	
*4454. Bass and Cane, 16"	50	A.	do.	0 2 1		
*4455. Hair	36	A.	do.	0 3 0		
*4456. Millett	80	A.	do.	0 2 0		
Brushes—						
*4457. Clothes	6	A.	do.	0 3 6		
*4458. Dandy	36	A.	do.	0 1 0		
*4459. Hand, Bannister	24	A.	do.	0 1 6		
*4460. Hair	6	A.	do.	0 3 6		
*4461. Nail	6	A.	do.	0 0 4		
*4462. Scrubbing, Deck, coir	12	A.	do.	0 1 3		
*4463. Scrubbing, Hand	72	A.	do.	0 1 0		
*4464. Tar, handled	48	A.	do.	0 0 7		
*4465. Whitewash	24	A.	do.	0 0 9		
*4466. Painters', 8/o	24	A.	do.	0 6 0		
*4467. Varnish, Black Bristle, Bevelled Edge, $\frac{5}{8}$ " thick x 1½" wide	12	A.	do.	0 1 6		
*4468. Tools, Sash, No. 6	60	A.	do.	0 0 9		
DRAPERY, BRATTICE CLOTH, ETC.						
<i>The samples exhibited by the Corporation for Items Nos. 4469, 4470, 4473, and 4474 are samples as regards quality only.</i>						
<i>The sample submitted by the Tenderer for Item 4472 is a sample as regards quality only.</i>						
*4469. Baize—Green, any widths ordered	200 s. yd.	..	sq. yd.	0 1 7½	Hicks, Atkinson, & Sons Ppy. Ltd.	
*4470. Blinds—Holland (made), of any sizes and colours ordered	100 "	..	do.	0 0 10¾		
*4471. Calico—Unbleached, 72" wide	500 l. yd.	..	lin. yd.	0 0 11½	McMicking & Co.	
†4472. Cloth, Brattice, 5' or 6' wide, as ordered	100,000 sq. yds.	..	sq. yd.	0 0 5¼		
*4473. Holland—Any colours and widths ordered	50 s. yd.	..	do.	0 0 9¾	Hicks, Atkinson, & Sons Ppy. Ltd.	
*4474. Linoleum, Plain, Brown, any widths ordered	300 "	..	do.	0 2 9¾		
*4475. Skins, Chamois, large size	24	..	each	0 1 8	E. Duckett & Sons	

Item No. and Description.	Estimated Requirements for 2 Years.	—	Rate per—	Rate.	Name of Contractor.
				£ s. d.	
FURNITURE, ETC.					
SPECIAL CONDITIONS APPLICABLE TO ITEMS 4476 AND 4477 INCLUSIVE FOR STORES OF AUSTRALIAN MANUFACTURE.					
1. Subletting will not be allowed, and all work in fulfilment of any order for the stores shall be carried out in the factory of the Contractor, and shall be open for inspection at any time by such officer as the Commissioners may direct. No Chinese labour shall be employed in the manufacture of the articles.					
2. The hours of duty of any person engaged in the fulfilment of any order for the stores shall not exceed 48 per week.					
3. Every person engaged in the fulfilment of any order for the stores shall be paid not less than the wage prescribed in respect of the avocation of such employé in any Determination issued by the Furniture Board under the Factories and Shops Act in operation for the time being, and shall be employed under such other conditions as may be prescribed in any such Determination.					
4. A copy of these conditions shall be kept conspicuously posted in legible Roman characters in the factory (and in each part of the factory where several rooms are in use) in which any person is engaged in the fulfilment of any order for the stores set out in the annexed Schedule.					
5. Any infringement of these conditions will render the Contractor for the supply of the stores subject to such mulct not exceeding £50 as the Chief Storekeeper may determine, and the amount will be deducted from the Contractor's account or from the security money (if any) lodged for the due and proper performance of the Contract, and in addition any article manufactured or partially manufactured under conditions contrary to those prescribed herein will be rejected, and the Contractor shall not have any claim for compensation or damages in respect thereof. The Chief Storekeeper shall be the sole judge as to the infringement of any of these conditions, and the decision of the Chief Storekeeper shall be binding, final, and conclusive as to the fact of the infringement and in all other respects.					
*4476. Chairs, Office	24	A.	each	0 13 6	} C. Johnston & Co.
*4477. Chairs, Revolving	6	A.	do.	1 7 6	
4478. Nil.					
LAMP GLASSES, LAMPS, AND WICK.					
<i>The sample exhibited by the Corporation for Item 4484 is a sample as regards quality only.</i>					
*4479. Chimneys, Rochester Lamp	6 doz.	..	dozen	0 5 9	} E. Duckett & Sons
*4480. Glasses, Hurricane Lamp	24 "	..	do.	0 4 0	
†4481. Lamps, Hurricane, "Rayo," No. 75	12 "	..	do.	1 5 0	
*4482. Wick, Cotton, Lamp Wick, Cotton, Kerosene, 8" long—	112 lbs.	..	lb.	0 0 11	} E. Duckett & Sons
*4483. $\frac{1}{4}$ " or $\frac{3}{8}$ ", as ordered	24 doz.	..	dozen	0 0 1	
*4484. $\frac{1}{2}$ " and upwards, as ordered	24 "	..	do.	0 0 2	

Item No. and Description.		Estimated Requirements for 2 Years.	Rate per—	Rate.	Name of Contractor.								
				£ s. d.									
<p>CANVAS, CANVAS HOSE AND WATER BOTTLES.</p> <p><i>The Canvas shall be free from dressing and every foreign substance, and each bolt of Canvas shall be branded so as to show clearly the contract weight, in ounces, per square yard, and shall be of the full weight specified when delivered.</i></p> <p><i>Each delivery of the Canvas may, at the option of the Corporation, be subjected to the following tensile tests, viz. :—</i></p> <p><i>Strips of the Canvas may be tested on a "Good-brand's" Cloth Testing Machine, and must then show an average tensile strength on the warp and weft respectively as follows, viz. :—</i></p>													
<table border="1"> <thead> <tr> <th rowspan="2">Item No. and Description.</th> <th colspan="2">Average on each of 12 strips 12 x 1.</th> </tr> <tr> <th>On Warp.</th> <th>On Weft.</th> </tr> </thead> <tbody> <tr> <td>4485 20 oz. Canvas</td> <td>lbs. 200</td> <td>lbs. 390</td> </tr> </tbody> </table>		Item No. and Description.	Average on each of 12 strips 12 x 1.		On Warp.	On Weft.	4485 20 oz. Canvas	lbs. 200	lbs. 390				
Item No. and Description.	Average on each of 12 strips 12 x 1.												
	On Warp.	On Weft.											
4485 20 oz. Canvas	lbs. 200	lbs. 390											
<p><i>The Canvas shall be supplied in Bolts, each consisting of one piece approximately 50 yards in length, and branded with the exact length.</i></p>													
†4485. Canvas, 36" wide, 20 oz. per sq. yard	200 yds.	..	lin. yd.	0 1 5½	J. Edmondson & Co. Thomas Evans Ppy. Ltd.								
†4486. Hose, Canvas, 1½"	2,000 ft.	..	foot	0 0 4½									
*4487. Bottles, Water, Canvas	12	A.	each	0 0 11½									
<p>CORDAGE AND COIR MATS.</p> <p><i>The samples exhibited by the Corporation for Items Nos. 4488 and 4492 are samples as regards quality only.</i></p>													
*4488. Cord, Nicking line, any sizes ordered	56 lbs.	A.	lb.	0 1 6	James Miller & Co. Ppy. Ltd.								
*4489. Packing—Flax, pure	5 cwt.	A.	cwt.	5 3 0									
*4490. Twine—Fine, Medium, or Coarse, as ordered	56 lbs.	A.	lb.	0 0 11½									
4491. Nil.													
*4492. Mats, Coir, Door, any sizes, as ordered, with "S.C.M."-woven in coloured fibre	100 s. ft.	A.	sq. ft.	0 2 0									
<p>ROPE.</p>													
<p>Rope, Manila, fine and long fibre—</p>													
4493. ½" up to 2½", as ordered	60 cwt.	..	cwt.	2 5 0	Bonwick, Hignett & Co. James Miller & Co. Ppy. Ltd.								
4494. Over 2½" up to 12", as ordered	20 "	..	do.	2 5 0									
*4495. Rope, Hemp, Clothes line	4 "	A.	do.	1 18 0									
<p>SHIP CHANDLERY.</p> <p><i>The samples exhibited by the Corporation for Item 4505 are samples as regards shape and quality only.</i></p>													
*4496. Chalk—White	100 cwt.	..	cwt.	0 5 0	Briscoe & Co. Ltd. W. Barrie & Co. Vacuum Oil Co. Pty. Ltd.								
†4497. Grease—Antifriction	6 "	A.	do.	0 11 0									
†4498. Grease—Skip, "Vacuum"	1,500 "	A.	do.	0 9 9									

Item No. and Description.	Estimated Requirements for 2 Years.	—	Rate per—	Rate.	Name of Contractor.
				£ s. d.	
SHIP CHANDLERY—continued.					
4499. Grease—Bidwell's Axle, in 2 lb. tins ..	48 tins	..	tin	0 0 6 $\frac{3}{4}$	E. Duckett & Sons
*4500. Marline	500 lbs.	A.	lb.	0 0 8 $\frac{3}{4}$	
*4501. Spun yarn—Tarred	560 ,,	A.	do.	0 0 6 $\frac{1}{2}$	
†4502. Tallow—Best hard beel	5 cwt.	A.	cwt.	1 15 0	
4503. Tar—Coal	400 galls.	A.	gallon	0 0 5	
4504. Tar—Stockholm	300 ,,	..	do.	0 1 3 $\frac{1}{2}$	Paul & Gray Ltd. Wilkinson, Heywood, & Clark Ltd.
*4505. Thimbles—Iron, galvanized, long, 2" to 4", as ordered	5 doz.	..	dozen	0 4 0	Paul & Gray Ltd.
CANDLES AND SOAP.					
†4506. Candles, Special, Miners', $\frac{1}{8}$ ", loose ..	2,000 lbs.	A.	lb.	0 0 5	McMicking & Co.
†4507. Soap, Soft	20 cwt.	A.	cwt.	1 0 5	E. Duckett & Sons
BELTING AND LEATHER.					
<i>The Samples exhibited by the Corporation for Items 4508 and 4509 are Samples as regards quality only.</i>					
Belting, Leather, double, thong sewn—					
*4508. Up to 4" wide, as ordered	500 sq. ft.	..	sq. ft.	0 5 2	F. Vial & Sons
*4509. 4 $\frac{1}{2}$ " to 6" wide, as ordered	300 ,,	..	do.	0 5 4	
4510. Belting, "Dawson's" "Balata," "Leucona" Brand	£50	30 per cent.	B. K. Morton
†4511. Leather, Pump Butt, Bristol tanned, "Avon-side" Brand	200 lbs.	..	lb.	0 2 7 $\frac{1}{2}$	India Rubber Gutta Percha and Tel. Works Coy. Ltd.
INDIA-RUBBER AND INDIA-RUBBER GOODS.					
<i>The Samples exhibited by the Corporation for Item 4517 are Samples as regards shape and quality only.</i>					
<i>The Samples submitted by the Tenderer for Items 4513, 4514, and 4515 are Samples as regards quality only.</i>					
4512. Gloves, I.R., sizes 8, 9, or 10, as ordered ..	6 pairs.	A.	pair	0 6 0	Dunlop Rubber Co. of Australasia Ltd.
†4513. India-rubber, Sheet, Vulcanized, with canvas insertion, any sizes and thickness ordered	200 lbs.	A.	lb.	0 0 7 $\frac{1}{2}$	
†4514. India-rubber, Sheet, Red, any sizes and thickness ordered	100 ,,	A.	do.	0 3 6	
†4515. India-rubber, Sheet, Red, Rainbow Brand, any sizes and thickness ordered	700 ,,	A.	do.	0 1 11	
†4515A. India-rubber, Sheet, Red, Rainbow Brand, any sizes and thicknesses ordered	700 ,,	..	do.	0 3 2	
*4516. Tips, Finger, I.R.	12 doz.	A.	dozen	0 0 9	J. McPherson & Son
*4517. Washers—For Gauge Glasses, flat or round, as ordered, any sizes ordered	3 gross	A.	gross	0 5 6	Dunlop Rubber Co. of Australasia Ltd.

Percentage off Price List to be furnished by Tenderer with his tender.

Item No. and Description.	Estimated Requirements for 2 Years.		Rate per—	Rate.	Name of Contractor.
				£ s. d.	
I.R. HOSE.					
Hose—India-rubber, Vulcanized—					
†4518. 3-ply, ¾" diameter, ordinary quality ..	1,000 feet	A.	foot	0 0 5½	Dunlop & Rubber Co. of Australasia Ltd.
†4519. 3-ply, 1½" diameter, ordinary quality ..	240 "	A.	do.	0 1 1	
†451. 4-ply, 2" diameter, ordinary quality ..	120 "	A.	do.	0 1 10½	
Hose—4-ply, Suction, Armoured inside—					
†4512. 1½" diameter	300 "	A.	do.	0 2 0	Barnet Glass Rubber Co. Ltd.
†4522. 2" diameter	240 "	A.	do.	0 2 10	
†4523. 3" diameter	120 "	A.	do.	0 4 5	
†4524. 3½" diameter	60 "	A.	do.	0 4 8	
PACKING, BOILER DISINCRUSTANT, ETC.					
<i>The Samples exhibited by the Corporation for Items 4528 and 4530 are Samples as regards quality only.</i>					
<i>The Samples submitted by the Tenderer for Items 4531, 4532, 4533, and 4536 are Samples as regards quality only.</i>					
†4525. Asbestos, for Boiler Covering, dry ..	40 cwt.	..	cwt.	0 16 6	India Rubber Gutta Percha and Tel. Works Co. Ltd.
†4526. Packing—Square, "Dunlop Make," any sizes, ordered	2 "	A.	do.	6 10 0	Dunlop Rubber Co. of Australasia Ltd.
†4527. Packing—Round, Dunlop make, any sizes ordered	2 "	A.	do.	6 1 0	
*4528. Packing—Asbestos, any sizes ordered ..	100 lbs.	A.	lb.	0 1 3	
*4529. Packing—Asbestos, Cord	100 "	A.	do.	0 1 3	
*4530. Packing—Asbestos, Millboard, any thickness ordered	250 "	..	do.	0 0 2½	
†4531. Packing—Asbestos, Insertion, any sizes and thicknesses ordered	200 "	A.	do.	0 1 3	
†4532. Packing—Asbestos Insertion, wire gauze, any sizes and thicknesses ordered	200 "	A.	do.	0 1 3	
†4532. Packing—Asbestos Insertion, wire gauze, any sizes and thicknesses ordered	100 "	A.	do.	0 1 4	
†4533. Packing—Asbestos Tape, any sizes ordered ..	112 "	A.	do.	0 1 6	
†4534. Packing—Hydraulic Pump	112 "	..	do.	0 3 9	
†4535. Packing—Insertion, "Jenkins'" patent, any sizes and thicknesses ordered	150 "	..	do.	0 3 1	India Rubber Gutta Percha Tel. Works Co. Ltd.
†4536. Packing—Usudurian, "Dunlop Equivalent," Sheet, any sizes and thicknesses ordered ..	112 "	A.	do.	0 2 1	Dunlop Rubber Co. of Australasia Ltd.
†4537. Disincrustant, Boiler, "Kellofuge," or other approved brand	1,200 gals.	A.	gallon	0 2 6	M. J. Kelly Dane, Taylor & Co.
†4538. Graphite, pure flake, in 5 lb. Tins ..	50 lbs.	..	lb.	0 1 3	
OILS (VARIOUS).					
†4539. Oil—Castor, in half cases	300 gals.	..	gallon of 9 lbs. 9 oz. avoird.	0 3 2	W. & G. Dean
4540. Oils—Kerosene, 150° test, in cases, "White Rose"	2,000 "	..	Imp. gal.	0 0 9½	Vacuum Oil Co. Epy. Ltd.
4540A. Oil—Kerosene, 150° test, in cases	2,000 "	A.	do.	0 0 10½	W. Barrie & Co.
4541. Oil—Lard, Macey's, winter strained ..	100 "	..	do.	0 6 6	W. & G. Dean
†4542. Neatsfoot, Neptune Compound, in casks ..	120 "	A.	gallon of 9 lbs. avoird.	0 1 6	Neptune Oil Co. Ltd.
†4542A. Neatsfoot, Neptune Compound, in cases ..	120 "	A.	do.	0 1 8	

Item No. and Description.	Estimated Requirements for 2 Years.		Rate per—	Rate.	Name of Contractor.
				£ s. d.	
OILS (VARIOUS)—continued.					
4543. Oil—Crank, Aetna	200 gals.		Imp. gal.	0 2 3	} Vacuum Oil Co. Ppy. Ltd. Ramsay & Tre- ganowan Neptune Oil Co. Ltd. Cox & Farrell Ramsay & Tre- ganowan
†4544. Oil—Brick, Vacuum, or equal quality ..	2,000 "	A.	do.	0 1 0½	
†4545. Oil—Cylinder, 600W, or equal quality ..	2,500 "	A.	do.	0 3 6	
†4546. Oil—Engine, Light, "Kolif" No. 1 ..	400 "		do.	0 1 6	
†4547. Oil—Engine, Heavy, "Vacme A" ..	2,400 "		do.	0 1 8½	
†4548. Oil—Machinery, Heavy, "X.L." Extra	400 "		do.	0 2 7	
†4549. Oil—Machinery, Heavy, "X.L." ..	200 "		do.	0 2 1	
†4550. Oil—Machinery, Coal Cutter, "Neptune Ltd.," in casks	500 "		do.	0 1 7	
†4551. Oil—Pit, for Miners' Lamps, "Neptune," in casks	1,000 "		do.	0 3 0	
†4552. Oil—Rope, "Atlas"	600 "	A.	do.	0 1 6	
†4553. Oil—Compound Lubricating, "X.L." ..	560 lbs.		lb.	0 0 4	
COLOURS, GLASS, OILS, ETC.					
<i>The samples submitted by the Tenderer are samples as regards quality only.</i>					
*4554. Beeswax	56 lbs.	A.	lb.	0 1 5	} E. Duckett & Sons
†4555. Black, Lamp, dry	560 "		do.	0 0 2	
†4556. Black, Vegetable	56 "		do.	0 0 6	} Wilkinson, Hey- wood, & Clark Ltd. Victoria Varnish Co. Ppy. Ltd. Wilkinson, Hey- wood, & Clark Ltd.
†4557. Blue, Ultramarine, dry	56 "		do.	0 0 3	
†4558. Brown, Purple, dry	200 "	A.	do.	0 0 1½	
†4559. Crimson Lake, dry	14 "		do.	0 6 0	
†4560. Dryers, Patent, in 14 lb. packages ..	56 "		do.	0 0 3	} E. Duckett & Sons
†4561. Green, Brunswick, dry, any shades ordered, in 14 lb. packages	28 "	A.	do.	0 0 1½	
4562. Lead, White, in oil, "Champion's," in 28 lb. tins	30 cwt.		cwt.	1 17 0	} E. Duckett & Sons
†4563. Lead, Red, dry, "Falcon Genuine" ..	10 "		do.	1 8 0	
†4564. Sienna, Burnt, dry	112 lbs.		lb.	0 0 2½	} Wilkinson, Hey- wood, & Clark Ltd. Meggitt Ltd.
4565. Oil, Linseed, Raw, "Meggitt Ltd.," in drums	200 galls.	A.	gallon	0 4 2½	
4566. Oil, Linseed, Boiled, "Meggitt Ltd.," in drums	200 "	A.	do.	0 4 4½	
4567. Plasticine, any colours ordered	112 lbs.		lb.	0 1 1	} W. & G. Dean
Glass, Sheet, 21 oz. :—					
4568. United inches, over 40 to 50	1,000 sq.ft.		sq. ft.	0 0 3	} Wilkinson, Hey- wood, & Clark Ltd.
4569. United inches, over 50 to 70	1,000 "		do.	0 0 3½	
4570. Nil.					
†4571. Glue, Russian	56 lbs.	A.	lb.	0 0 7½	} E. Duckett & Sons
4572. Pumice Dust, Superfine	56 "		do.	0 0 1½	
†4573. Putty, in 14 lb. tins	2 cwt.	A.	cwt.	0 17 6	} Victoria Varnish Co. Ppy. Ltd.
*4574. Fitches, Hog Hair, flat or round, as ordered, red polished handles, Nos. 4 to 6, as ordered	36 "		each	0 0 2	
†4575. Resin, Common	112 lbs.		lb.	0	} W. & G. Dean E. Duckett & Sons
4576. Turpentine, Pure, white and clear ..	30 galls.		Imp. gal.		

Item No. and Description.	Estimated Requirements for 2 Years.		Rate per—	Rate.	Name of Contractor.
				£ s. d.	
VARNISH.					
<i>The Varnishes supplied shall be as clear as and not darker than and equal in every respect, including body, covering properties, gloss, finish, and durability, to the samples furnished by the Tenderer and accepted by the Corporation.</i>					
Varnish, "Victoria Varnish Co.'s, in ½-gallon or 1-gallon Tins, as ordered—					
†4577. Carriage, best	6 galls.	A.	gallon	0 11 9	Victoria Varnish Co. Ppy. Ltd.
†4578. Copal, Fine Pale	6 "	A.	do.	0 8 1	
†4579. Oak	6 "	A.	do.	0 6 8	
†4580. Terebine	30 "	A.	do.	0 6 8	
TIMBER, MOULDINGS, ETC.					
<i>The Timber must be supplied in such sections and shapes as may be ordered, and must be of the first quality, thoroughly seasoned, free from knots, shakes, heart, sap, and all other imperfections, thoroughly sound and close grained or free, as may be required.</i>					
<i>No allowance will be made for waste in sawing the Timber to taper or other peculiar sections or shapes.</i>					
4581. Deal, Red Baltic, T. and G., 6" x 7/8" ..	40,000 ft. run	..	100 ft. run	0 8 9	John Sharp & Sons Ltd.
4582. Deal, Red Baltic, T. and G., 6" x 1 1/8" ..	10,000 "	..	do.	0 11 0	
4583. Deal, Red Baltic, T. and G., 6" x 1/2", beaded	20,000 "	..	do.	0 5 10 1/2	
4584. Deal, Red Baltic, Weatherboards, 7" x 3/4" ..	40,000 "	..	do.	0 6 1 1/2	
4585. Jarrah, Weatherboards, 7" x 1" x 1/4" ..	5,000 "	A.	do.	0 11 0	James Moore & Sons Ppy. Ltd.
Oregon, up to 36' in length—					
4586. 1/2" to 5/8" thick	30,000 sup. ft.	..	100 ft. super of 1" thick	0 13 11	John Sharp & Sons Ltd.
4587. 6" thick and over	100,000 "	..	do.	0 13 10	
4588. Oregon, over 36' in length, 6" thick and over	50,000 "	..	do.	0 14 11	
4589. Shelving, American, 3/4", "Crown" ..	1,500 "	..	100 ft. super on face	1 13 6	
4590. Californian Pine, 3/8"	500 "	..	do.	0 12 6	James Moore & Sons Ppy. Ltd.
4591. Californian Pine, 1/2"	1,000 "	..	do.	0 14 7	
4592. Californian Pine, 1" and upwards ..	2,000 "	..	100 ft. super of 1" thick	1 2 11	
4593. Hoop Pine, 1/2" thick and up to 12" wide ..	1,000 "	A.	100 ft. super on face	0 17 3	
4594. Hoop Pine, 1" and over in thickness, and up to 12" wide	1,500 "	A.	100 ft. super of 1" thick	1 7 0	
Kauri Pine, 1" thick and upwards—					
4595. Up to 12" wide	1,500 "	..	do.	1 13 0	John Sharp & Sons Ltd.
4596. Over 12" and up to 18" wide	500 "	..	do.	1 15 0	
4597. Hickory, any sizes ordered, up to 12" wide	1,000 "	..	foot super of 1" thick	0 0 9	
*4598. Legs, Table, Turned, seasoned Kauri, 3" x 3"	24	A.	each	0 0 6	
*4599. Legs, Table, Turned, seasoned Kauri, 4" x 4"		A.	do.	0 0 8	
4600. Doors, Framed, double moulded, 6' 8" x 2' 8" x 1 3/4"	24	..	do.	0 15 9	
Mouldings—					
4601. Architrave, 1 1/4" thick, 4" to 6" wide, as ordered	500 ft. run	..	100 ft. run	0 14 0	James Moore & Sons Ppy. Ltd.
4602. Scotia, 1 1/4" to 1 1/2" wide, as ordered ..	500 "	..	do.	0 5 3	
4603. Insertion, 1 1/2" wide	500 "	..	do.	0 4 0	
4604. Skirting, 9" x 7/8", single face	300 "	..	do.	1 0 0	
4605. Frames, Window, 2 light, with glass, pulleys, and weights complete, 5' 10" x 2' 10" x 1 1/2"	24	..	each	1 5 3	
4606. Sashes, Window, with glass, 1 light, 2' 11" x 2' 10" x 1 1/2"	24 pairs	..	pair	0 9 0	

Item No. and Description.	Estimated Requirements for 2 Years.	--	Rate per--	Rate.	Name of Contractor.
				£ s. d.	
LIME AND PLASTER OF PARIS.					
<i>The Lime to be fresh and properly burnt, and of approved quality, and delivered in ordinary trade bags of 2½ bushels of 1.28 cubic feet per bushel.</i>					
4607. Lime, "Waratah"	300 bags	A.	bag	0 3 3	Waratah Lime & Cement Co. W. & G. Dean
4608. Plaster of Paris	28 lbs.	..	lb.	0 0 1	
FIRE BRICKS, ETC.					
<i>The sample submitted by the Tenderer for Item 4610 is a sample as regards quality only.</i>					
<i>The Fire Bricks must be carefully loaded into trucks and well packed with straw so as to prevent damage in transit. The loading and packing will require to be done to the satisfaction of the Chief Storekeeper.</i>					
<i>All Fire Bricks shall bear the manufacturer's name or brand.</i>					
†4610. Bricks, Fire, to any sizes and templates ordered	5,000	A.	100	0 7 0	} W. P. Ordish
†4611. Clay, Fire	40 cwt.	A.	cwt.	0 1 9	
INKS.					
<i>The samples submitted by the Tenderer for Item 4617 are samples as regards quality only.</i>					
Ink—					
†4612. Blue Black, in bottles, Imperial quarts	100 qrts.	A.	quart	0 0 10	} Wm. Detmold Ltd. Caldwell's Inks Ppy. Ltd. Wm. Detmold Ltd.
†4613. Blue Black, Copying, Imperial quarts ..	24 "	A.	do.	0 1 9	
†4614. Violet Black, Copying, Imperial quarts	6 "	A.	do.	0 1 8	
†4615. Green, 12-oz. bottles	12 bots.	A.	bottle	0 0 6	
†4616. Red, 6-oz. bottles	48 "	A.	do.	0 0 5	
†4617. India-rubber Stamp, any colours ordered, 2-oz. bottles	72 "	A.	do.	0 0 5½	} Quirk & Morton
†4618. Metal Stamp, Blue, in Glass Jars with screw cap tops	10 jars	..	jar	0 2 0	
4619. Swan Fountain Pen	72 bots.	..	bottle	0 0 6	} Wm. Detmold. Ltd.
PENS, PENCILS, ETC.					
<i>The samples exhibited by the Corporation for Items 4628, 4637, and 4638 are samples as regards shape and quality only.</i>					
Bands—Elastic, extra strong, ½-gross boxes—					
*4620. No. 5	24 bxs.	..	box	0 4 2	} Wm. Detmold Ltd.
*4621. No. 6	6 "	..	do.	0 5 4	
*4622. Extra large	6 doz.	..	dozen	0 6 0	
*4623. Bodkins or Piercers, as ordered	6 "	..	each	0 0 6½	
*4624. Bowls—Glass, 4" at top, with sponge ..	12 "	..	do.	0 1 0	
*4625. Sponges, for 4" Bowls	48 "	..	do.	0 0 7	
*4626. Cases—Date, 4½"	6 "	..	do.	0 2 0	
†4627. Clag, Adhesive Paste	12 dz. btl.	A.	doz. btl.	0 8 6	
*4628. Clips—Bulldog, any sizes ordered ..	50 "	..	each	0 0 3	
4629. Clips—Gem, Paper, No. 1	24 dz. bxs.	..	dz. bxs.	0 4 0	
4630. Clips, Paper, "Meyer and Sons," 2½" ..	24 doz.	..	dozen	0 6 0	

Item No. and Description.	Estimated Requirements for 2 Years.	Rate per—	Rate.	Name of Contractor.
			£ s. d.	
PENS, PENCILS, ETC.— <i>continued.</i>				
4631. Colours—Liquid, "Higgins," any colours ordered	72 bts.	bottle	0 0 9½	W. & G. Dean
*4632. Dampers—Envelope	6	each	0 2 6	Wm. Detmold Ltd.
*4633. Erasers—Ink and Pencil, small	2 doz.	dozen	0 4 0	W. & G. Dean
*4634. Erasers—Ink and Pencil, large	6 "	do.	0 9 9	
*4635. Erasers—Pencil, Soft Red, "Hardmuth"	20 "	do.	0 6 3	
*4636. Eyelets, in boxes of 1,000	300 boxes	box	0 1 8	
*4637. Fasteners—Paper, ordinary, up to 1" in length, any sizes ordered	300 "	do.	0 0 8	
*4638. Fasteners—Paper, ordinary, over 1" in length, any sizes ordered	144 "	do.	0 3 6	
*4639. Files—Foolscap, clip	50	A. each	0 2 6	
*4640. Files—Foolscap, apron	12	A. do.	0 1 2	
*4641. Files—Spike, Steel, 9", 3 lbs.	24	A. do.	0 2 0	Wm. Detmold Ltd.
*4642. Holders—Pen, Cedar, small	4 gross	gross	0 3 4	
*4643. Holders—Pen, Cedar, large	4 "	do.	0 3 11	
*4644. Inkstands—Glass, round, 4"	72	each	0 1 6	
*4645. Knives—Desk	6	do.	0 1 7	
4646. Machines, Stapling, "Hotchkiss"	6	do.	0 6 6	
*4647. Pads—Blotting, Frame, Russian leather corners	6	do.	0 6 6	
†4648. Pencils—Office	48 doz.	A. dozen	0 0 5	
†4649. Pencils—Coloured	24 "	do.	0 1 5	
†4650. Pencils—Red and Blue combined	24 "	do.	0 1 5	
Pencils—Drawing, any letter or No. ordered—				
4651. Hardmuth's Koh-i-noor	100 doz.	dozen	0 3 4	W. & G. Dean
4652. }				
4653. }				
4654. }				
4655. }				
4656. } Nil.				
4657. }				
4658. }				
4659. }				
4660. }				
Pencils—Indelible, any colours ordered—				
4661. Eagle Co.'s "Copygraph," Hard	50 doz.	dozen	0 1 7	Wm. Detmold Ltd.
4662. Hardmuth's Koh-i-noor	}	do.	0 3 4	W. & G. Dean
4663. }				
4664. }				
4665. }				
4666. } Nil.				
4667. }				
4668. }				
4669. }				
4670. }				
Pens—Barrel—				
4671. J. Mitchell's "M" or "N," "O.257" and "O.261," Brandauer and Co.'s "Pacific"	20 boxes	box	0 0 6	Wm. Detmold Ltd.
4672. W. Mitchell's "S"	}	do.	0 0 8	
4673. J. Gillott's "227"	}	do.	0 1 2	
4674. J. Gillott's "813"	}	do.	0 2 3	
4675. }				
4676. } Nil.				
4677. }				
4678. }				
4679. Pens, Mapping "Brandeur's," on card, of 12	6 cards	card	0 1 0	W. & G. Dean

Item No. and Description.	Estimated Requirements for 2 Years.	Rate per—	Rate.	Name of Contractor.		
			£ s. d.			
PENS, PENCILS, ETC.— <i>continued.</i>						
Pens—Nibs, in boxes of 1 gross—						
4680. Melbourne School	600	.. box	0 1 2	} Wm. Detmold Ltd.		
4681. Dawson's "No. 9," Brandauer and Co.'s "Oriental," "Herald," or "Echo"		.. do.	0 1 5			
4682. Brandauer and Co.'s "Arctic," "Scribbler," "Magazine," "Lancet," "Globe," "International," "Gazette," W. Mitchell's "O.505" and "J" do.	0 1 11			
4683. Gillott's "404," "293," and "294" do.	0 1 9			
4684. Heath's "Black J," "Ordinary," or "Elongated" do.	0 2 1			
4685. McNiven and Cameron's "Pickwick," "Waverley," and "Flying J" do.	0 2 8			
4686. Brandauer's "Mail" and "Times" do.	0 2 7			
4687. Leonardt's "516F." and "526F.," "Grey" do.	0 2 9			
4688. Esterbrook's "Probate" and "Blackstone," Johnson Bros. "401," "Script Writer" do.	0 3 0			
4689. J. Gillott's "1," "5," "179C.," "303," and "170" do.	0 4 3			
4690. } Nil.						
4691. } Nil.						
4692. } Nil.						
Pens—Nibs, Gilt—						
4693. Walker and Co.'s "Anchor Nos. 1, 2, 3, and 4," Easterbrook's "Relief," Frohlick's "Reservoir"		50 boxes	.. box		0 3 0	} Wm. Detmold Ltd.
4694. Heath's Ordinary and Elongated "J" do.		0 3 7			
4695. Leonardt's "516EF," "516F," and "526F" do.		0 3 10			
4696. Witherby and Co.'s "Crown" do.		0 4 3			
4697. } Nil.						
4698. } Nil.						
4699. } Nil.						
4700. } Nil.						
4701. Pins—Best London, mixed, in packets	12 lbs.	.. lb.	0 1 8	} Wm. Detmold Ltd.		
4702. Pins—"Lil's"	3 "	.. do.	0 4 4			
*4703. Pins—Best, Drawing, extra large	12 doz.	.. dozen	0 1 5			
*4704. Racks—Pen	12	.. each	0 1 2			
*4705. Ribbon—Green Silk, $\frac{3}{8}$ ", 36 yards per piece	50 pieces	.. piece	0 3 6			
*4706. Rulers—Flat, 15"	24	.. each	0 0 10			
4707. Rulers—Round, Blackwood, 12" x 1"	24	.. do.	0 0 11			
4708. Rulers—Round, Blackwood, 18" x 1"	24	.. do.	0 1 6			
4709. Staples—Star or Hotchkiss, as ordered	60,000	.. 1,000	0 3 3			
*4710. Tape—Red Linen, No. 16, 9 yards per piece	24 dozen	.. dozen	0 1 6			
	pieces	pieces				
*4711. Tape, Red Linen, No. 24, 9 yards per piece	24 "	.. do.	0 2 1			
†4712. Wax, Sealing, Red	5 lbs.	A. lb.	0 3 0			
*4713. Weights—Paper, Glass	100	.. each	0 1 9			

STAMPS, ETC.

The Samples exhibited by the Corporation for Items 4716A to 4719 inclusive are Samples as regards shape and quality only.

The measurement of all Stamps shall be the "Die" Measurement, and the maximum length of any letter shall not exceed $\frac{1}{4}$ ".

Refacing Rubber Stamps, all types—

4714. Oblong, up to 2", as ordered	36 lines	A.	line	0 0 4	} Quirk and Morton
4715. Oblong, over 2"	36 ins. of line	A.	inch of line	0 0 3	
*4716. Stamps—Dating	6	..	each	0 0 6	

Item No. and Description.	Estimated Requirements for 2 Years.	—	Rate per—	Rate.	Name of Contractor.	
				£ s. d.		
STAMPS, ETC.—continued.						
Stamps—Rubber, Oblong, wooden handles, with brass backs, all types—						
*4716A. Up to 2", as ordered	50 lines	A.	line	0 0 6	} Quirk and Morton	
*4716B. Over 2"	100 ins. of line	A.	inch of line	0 0 4		
Stamps—Rubber, Self-inking, nickel—						
*4717. Oblong, up to 2", as ordered	36 each	A.	do.	0 5 6		
*4718. Oblong, over 2" to 3", as ordered	12	A.	do.	0 7 0		
*4719. Oblong, over 3" to 4", as ordered	12	A.	do.	0 10 0		
4720. Pads—Self-inking, Excelsior, No. 1	36	..	do.	0 0 8		
4721. Pads—Self-inking, Excelsior, No. 2	36	..	do.	0 0 11		
TELEGRAPH AND TELEPHONE SUNDRIES.						
<i>The Samples submitted by the Tenderer for Item 4724 are Samples as regards quality only.</i>						
†4722. Bells, Extension, Electric, 3"	12	..	each	0 4 0	} British General Electric Co. Ltd.	
4723. Carbon, Granulated	2 lbs.	..	lb.	1 0 0		
*4724. Cords, Jack, for Ericsson Switchboard, double-ended, coloured as ordered	24	..	each	0 3 6	} J. Bartram and Son Ppy. Ltd.	
†4725. Diaphragms, Carbon, Transmitter	60	..	do.	0 0 5		
*4726. Gongs, Signal, Brass, Electric	24	..	do.	0 19 0	Warburton, Franki (Melbourne) Ltd.	
4727. Handles, Telephone	6	..	do.	0 1 0	} J. Bartram and Son Ppy. Ltd.	
*4728. Pieces, Ear, metal protected	24	..	do.	0 1 3		
*4729. Pieces, Mouth, Ebonite	6	..	do.	0 1 0		
*4730. Pots, Porous, No. 2	100	..	do.	0 0 4½		
4731. Shutters, Drop, Bell, Mounted, "Ericsson's"	12	..	do.	0 12 6	} J. Bartram and Son Ppy. Ltd.	
†4732. Switches, 2 way, "Ericsson"	12	..	do.	0 2 2		
4733. Telephones, "Ericsson's" Wall, No. 318, with cells	24	..	do.	3 13 0		
*4734. Zincs, Leclanche, 7/8" diameter, x 6" long	1,000	..	do.	0 0 1½	British Insulated and Helsby Cables Ltd.	
*4735. Cells, Leclanche	144	..	do.	0 0 4½	Noyes Bros. (Melbourne) Ppy. Ltd.	
ELECTRIC LIGHT MATERIAL.						
<i>The Samples submitted by the Tenderer for Items Nos. 4767 to 4774, 4828 and 4835 are Samples as regards shape and quality only.</i>						
<i>The Samples exhibited by the Corporation for Items Nos. 4765, 4766, and 4804 are Samples as regards quality only.</i>						
*4736. Adaptors, Bayonet Socket, hardwood	36	..	each	0 0 6½	} Noyes Bros. (Melb.) Ppy. Ltd.	
*4737. Blocks, Base, 3" x 1", round	40 doz.	..	dozen	0 1 2		
†4738. Boxes, 5/8", horizontal, 2-way, angle opening	36	..	each	0 1 3	} The Lawrence and Hanson Electrical Co. Ltd.	
†4739. Boxes, 5/8", horizontal, 3-way, bottom opening	36	..	do.	0 1 4		
†4740. Boxes, 5/8", horizontal, through bottom opening	36	..	do.	0 1 4		
†4741. Boxes, 5/8" terminal, bottom opening	36	..	do.	0 2 6		
†4742. Boxes, 5/8" through, bottom entry, drop cord	24	..	do.	0 2 6		
†4743. Bushe's 5/8", round or oval, as ordered	12 doz.	..	dozen	0 1 3		

Item No. and Description.	Estimated Requirements for 2 Years.		Rate per—	Rate.	Name of Contractor.
				£ s. d.	
ELECTRIC LIGHT MATERIAL—continued.					
Carriers, Fuse—					
†4744. 3 amperes, D. and S. pattern ..	144	..	each	0 0 8	Noyes Bros. (Melb.) Ppy. Ltd.
†4745. 6 amperes, D. and S. pattern ..	72	..	do.	0 1 1	
†4746. 15 amperes, D. and S. pattern ..	72	..	do.	0 1 5	
4747. Chalk, French	6 lbs.	..	lb.	0 0 5	The Lawrence and Hanson Electrical Co. Ltd.
2748. Nil					
4749. Compound, "Chatterton's"	20	..	do.	0 2 3	Warburton Franki (Melb.) Ltd.
†4750. Fibre, Red, Insulating, 1/8"	28	..	do.	0 1 4	India Rubber Gutta Percha, and Tel. Works Co. Ltd.
†4751. Fibre, Red, Insulating, 1/8"	28	..	do.	0 1 4	
†4752. Fibre, Red, Insulating, 1/8"	28	..	do.	0 1 4	
*4753. Fittings, Counterweight, with ceiling roses complete	36	..	each	0 0 11 1/2	Warburton Franki (Melb.) Ltd.
2754. Paste, Soldering, "Coraline"	28 lbs.	..	lb.	0 1 11	British Insulated and Helsby Cables Ltd.
*4755. Guards, Wire, for Lamps	144	A.	each	0 0 10	The Lawrence and Hanson Electrical Co. Ltd.
*4756. Insulators, Porcelain, Cleat, for 1/4", 2-way	48 doz.	..	dozen	0 0 9	Warburton Franki (Melb.) Ltd.
*4757. Insulators, Porcelain, Cleat, for 1/8", 2-way	100	..	do.	0 0 6	
*4758. Insulators, Porcelain, Cleat, for 1/8", 2-way	48	..	do.	0 1 0	
*4759. Insulators, Porcelain, Button, 1 1/2" x 1 1/2" ..	100	..	do.	0 0 8 1/2	
4760. Nil					
4761. Insulators, Porcelain, No. 6, 3 1/2" x 3", with galvanized straight pin	24	..	do.	0 5 9	Warburton Franki (Melb.) Ltd.
*4762. Insulators, Porcelain, No. 6, with galvanized Swan neck	24	..	do.	0 5 9	
*4763. Insulators, Porcelain, Drip Tube, 6" x 3/4" ..	3	..	do.	0 3 6	
*4764. Insulators, Porcelain, Straight Tube, 6" x 3/4" ..	3	..	do.	0 3 6	
†4765. Insulators, Porcelain, Shackle, 2" x 2 1/2" ..	3	..	do.	0 3 0	Noyes Bros. (Melb.) Ppy. Ltd.
*4766. Insulators, Porcelain, Shackle, 3" x 3 1/2" ..	3	..	do.	0 4 3	
Lamps—Incandescent, Bayonet Socket—					
†4767. Carbon Filament, 8/200 to 250, as ordered	1,000	..	each	0 0 7	The Lawrence and Hanson Electrical Co. Ltd.
4768. Carbon Filament, 16/200 to 250, as ordered	500	..	do.	0 0 7 1/2	Australian General Electrical Co.
4769. Carbon Filament, 32/220 to 250, as ordered	200	..	do.	0 0 8 1/2	
Drawn Tungsten Filament, Ball frosted—					
4770. 40W/200 to 250, as ordered	144	..	do.	0 3 4	
4771. 60W/200 to 250, as ordered	144	..	do.	0 3 7 1/2	India Rubber, Gutta Percha, and Tel. Works Co. Ltd.
4772. 100W/200 to 250, as ordered	72	..	do.	0 4 6	
Lamps—Incandescent, Bayonet Socket, Carbon Filament, Ball frosted—					
4773. 16/220 to 250, as ordered	144	..	do.	0 0 7 1/2	Noyes Bros. (Melb.) Ppy. Ltd.
4774. 32/220 to 250, as ordered	144	..	do.	0 0 8 1/2	
†4775. Lamps, Radiator (110 volts.)	100	..	do.	0 3 6	Warburton Franki (Melb.) Ltd.
4775A. Mica, Sheet, any sizes ordered	8 lbs.	A.	lb.	0 5 0	
*4776. Pipe, Conduit, 3/8", "Perfecta"	2,000 ft.	..	foot	0 0 0 1/2	Warburton Franki (Melb.) Ltd.
*4777. Pipe, Conduit, 1/2"	1,000	..	100 ft.	0 5 6	British General Electric Co. Ltd.
*4778. Pipe, Conduit, 1", "Perfecta"	250	..	foot	0 0 1 1/2	Warburton Franki (Melb.) Ltd.

Item No. and Description.	Estimated Requirements for 2 Years.	Rate per—	Rate.	Name of Contractor.
			£ s. d.	
ELECTRIC LIGHT MATERIAL—continued.				
Fittings—Conduit Pipe—				
*4779. Bends, $\frac{3}{8}$ " split	48	each	0 0 6 $\frac{1}{2}$	India Rubber, Gutta Percha, and Tel. Works Co. Ltd.
*4780. Bends, $\frac{3}{8}$ " round or oval, as ordered ..	36	do.	0 0 1 $\frac{1}{2}$	} Warburton Franki (Melb.) Ltd.
*4781. Bends, $\frac{3}{8}$ " round or oval, as ordered ..	20	do.	0 0 2 $\frac{1}{2}$	
†4782. Bends, 1" round or oval, as ordered ..	20	do.	0 0 4 $\frac{1}{2}$	
*4783. Crampets, $\frac{3}{8}$ "	200	do.	0 0 0 $\frac{1}{2}$	India Rubber, Gutta Percha, and Tel. Works Co. Ltd.
*4784. Elbows, $\frac{3}{8}$ " round or oval, as ordered ..	36	do.	0 0 1 $\frac{1}{2}$	} Warburton Franki (Melb.) Ltd.
*4785. Elbows, $\frac{3}{8}$ " round or oval, as ordered ..	10	do.	0 0 2 $\frac{1}{8}$	
*4786. Elbows, 1" round or oval, as ordered ..	10	do.	0 0 3 $\frac{1}{8}$	
*4787. Tees, $\frac{3}{8}$ " round	36	do.	0 0 2 $\frac{1}{2}$	Noyes Bros. (Melb.) Ppy. Ltd.
*4788. Tees, $\frac{3}{8}$ " round or oval, as ordered ..	20	do.	0 0 3 $\frac{1}{2}$	} Warburton Franki (Melb.) Ltd.
*4789. Tees, 1"	10	do.	0 0 5 $\frac{1}{16}$	
*4790. Sleeves, $\frac{3}{8}$ " round or oval, as ordered	300	do.	0 0 1	India Rubber, Gutta Percha, and Tel. Works Co. Ltd.
*4791. Sleeves, $\frac{1}{2}$ " round or oval, as ordered	24	do.	0 0 1 $\frac{1}{16}$	Warburton Franki (Melb.) Ltd.
*4792. Sleeves, 1" round or oval, as ordered ..	20	do.	0 0 2	} India Rubber, Gutta Percha, and Tel. Works Co. Ltd.
4793. Saddles, $\frac{3}{8}$ " round or oval, as ordered ..	500	do.	0 0 0 $\frac{1}{2}$	
*4794. Saddles, $\frac{3}{8}$ " round or oval, as ordered ..	250	do.	0 0 0 $\frac{1}{2}$	} Noyes Bros. (Melb.) Ppy. Ltd.
*4795. Saddles, 1" round or oval, as ordered ..	60	do.	0 0 0 $\frac{1}{2}$	
4796. Paint, Insulating	100 galls.	gallon	0 6 6	India Rubber, Gutta Percha, and Tel. Works Co. Ltd.
4797. Nil.				
†4798. Plugs, Wall, 5 amperes	24	each	0 0 11	} British General Electric Co. Ltd.
†4799. Plugs, Wall, 15 amperes	24	do.	0 2 6	
†4800. Plugs, Wall, 30 amperes	24	do.	0 5 6	} Warburton Franki (Melb.) Ltd.
*4801. Roses, Ceiling	36	each	0 0 2 $\frac{1}{2}$	
†4802. Shades, Iron, Enamelled, 10" x 1 $\frac{1}{8}$ " ..	72	do.	0 0 5	} The Lawrence and Hanson Electrical Co. Ltd.
†4803. Shades, Porcelain, 10" x 1 $\frac{1}{8}$ "	72	do.	0 0 5	
*4804. Slabs—Marble, best quality for Switch Boards, polished on one face and edges, and any sizes and thicknesses ordered up to 24" x 18" x 1"	150 sq. ft.	A.	sq. ft. 0 2 9	} Warburton Franki (Melb.) Ltd.
4805. Solution, Rubber	5 lbs.	A.	lb. 0 2 0	
†4806. Sockets—Bayonet, Water-tight, Shade Carrier, $\frac{1}{2}$ "	72	each	0 1 2	The Lawrence and Hanson Electrical Co. Ltd.
†4807. Keyless Shade Carrier, $\frac{1}{2}$ "	36	do.	0 0 4	} Noyes Bros. (Melb.) Ppy. Ltd.
†4808. Keyless Shade Carrier and Cordgrip ..	36	do.	0 0 4 $\frac{1}{2}$	
†4809. Batten Shade Carrier, $\frac{1}{2}$ "	288	do.	0 0 6	India Rubber, Gutta Percha, and Tel. Works Co. Ltd.
†4810. Key Shade Carrier and Cordgrip ..	100	do.	0 1 0 $\frac{1}{2}$	British General Electric Co. Ltd.
†4811. Switches, Single Pole Tumbler, 5 amperes	144	do.	0 0 8 $\frac{1}{2}$	} Noyes Bros. (Melb.) Ppy. Ltd.
†4812. Switches, Single Pole Tumbler, 10 amperes	36	do.	0 1 1	
†4813. Switches, Single Pole Tumbler, 15 amperes	24	do.	0 2 0	} British General Electric Co. Ltd.
†4814. Switches, Single Pole Tumbler, 25 amperes	24	do.	0 2 0	

Item No. and Description.	Estimated Requirements for 2 Years.	—	Rate per—	Rate.	Name of Contractor.
				£ s. d.	
ELECTRIC LIGHT MATERIAL—continued.					
†4815. Switches, Double Pole Tumbler, 5 amperes	50	..	each	0 2 0	Noyes Bros. (Melb.) Ppy. Ltd.
†4816. Switches, Double Pole Tumbler, 10 amperes	24	..	do.	0 2 9	
†4817. Switches, Double Pole Tumbler, 15 amperes	12	..	do.	0 4 6	
†4818. Switches, Double Pole Tumbler, 25 amperes	12	..	do.	0 10 0	British General Electric Co. Ltd.
4819. Tape, Insulating, "Acme," 3/4"	56 lbs.	..	lb.	0 1 4	
*4820. Tape, Insulating, Rubber, 3/8"	28 "	..	do.	0 10 6	Warburton Franki (Melb.) Ltd.
4821. Varnish, Insulating, "Sterling"	10 gals.	..	gallon	0 14 9	W. T. Henley's Telegraph Works Co. Ltd.
†4822. Wire, Office Flexible, 23/36	100 gross yds.	..	gross yds.	1 19 0	Noyes Bros. (Melb.) Ppy. Ltd.
†4823. Wire, Workshop Flexible, 40/36	" "	..	do.	2 0 0	
Wire, Electric Light, Rubber-covered, taped and braided (Insulation resistance to be in accordance with the rules of the Fire Underwriters' Association of Victoria) for a working pressure up to 250 volts—					W. T. Henley's Telegraph Works Co. Ltd.
†4824. 1/4" S.W.G.	4,400 yds.	..	110 yds.	1 1 3	
†4825. 1/8" S.W.G.	4,400 "	..	do.	0 12 8	
†4826. 1/4" S.W.G.	4,400 "	..	do.	5 0 0	
†4827. 1/8" S.W.G.	4,400 "	..	do.	3 7 6	
4828. Nil.					
†4829. Wire, Fuse, 3 amperes	12 reels	..	1/4-lb. reel	0 1 10 1/2	
Wire, Insulated, Vulcanized, Bitumen, Coir Covered—					
†4830. 1/4"	6,600 yds.	..	110 yds.	2 4 0	British Insulated and Helsby Cables Ltd.
†4831. 1/8"	6,600 "	..	do.	2 2 0	
†4832. 1/4"	4,400 "	..	do.	4 12 6	
†4833. 1/8"	4,400 "	..	do.	3 10 6	
†4834. 1/4"	4,400 "	..	do.	2 11 0	
†4835. Wire, Tinned Copper, Binding, Nos. 18 or 16 S.W.G., as ordered	56 lbs.	..	lb.	0 1 3	
DRYSALTERIES, CHEMICALS, ETC.					
Acid—					
4836. Boracic	40 lbs.	..	lb.	0 0 5	W. and G. Dean
4837. Muriatic, Hydrochloric, or Spirits of Salts, as ordered, in Winchester quarts	56 "	A.	do.	0 0 4 1/2	
4838. Sulphuric, in Winchester quarts	28 "	A.	do.	0 0 2 1/2	
4839. Ammonia—Liquid, .880 sp., in Winchester quarts	10 "	..	do.	0 0 9	
4840. Ammoniac, Sal. Granulated	112 "	..	do.	0 0 5 1/2	
4841. Balsam—Friar's	8 pints	A.	pint	0 4 3	Rocke, Tomsitt, and Co.
4842. Borax—Lump	28 lbs.	..	lb.	0 0 2 1/2	W. and G. Dean
4843. Lime—Chloride of, chlorinated in 7-lb. or 14-lb. tins, as ordered	140 "	..	do.	0 0 2 1/4	
4844. Lint—Surgeons'	12 "	..	do.	0 1 8	Rocke, Tomsitt, and Co.
4845. Magnesia—Sulphate of, "Howard's"	4 cwt.	..	cwt.	0 14 6	
4846. Oil—Carbolic	12 lbs.	A.	lb.	0 1 4	
4847. Potash—Prussiate of	12 "	..	do.	0 0 9	W. and G. Dean
4848. Salt—Rock	40 cwt.	..	cwt.	0 3 3	
4849. Soda—Caustic, "Brunner, Mond, and Co.'s," 70 per cent., in 14-lb. tins	5 "	..	do.	0 16 6	
4850. Vaseline	28 lbs.	..	lb.	0 0 8	Rocke, Tomsitt, and Co.

Item No. and Description.	Estimated Requirements for 2 Years.		Rate per—	Rate.	Name of Contractor.
				£ s. d.	
AMBULANCE MATERIAL.					
*4851. Bandages—Calico, assorted	12 doz.	..	dozen	0 1 10	} Roche, Tompsitt, and Co.
4852. Nil.					
†4853. Pins—Safety, Plated	12 doz.	..	dozen	0 1 0	
4854. Plaster, Mead's Adhesive, 1" x 10 yards..	24 reels	..	reel	0 1 9	
*4855. Sal Volatile—2-oz. bottle	24 botts.	A.	bottle	0 0 11	
*4856. Wool, Surgeons', Antiseptic, 1-lb. packet	20 pkts.	..	packet	0 1 2	
DISINFECTANT AND ARABIAN CREAM.					
†4857. Disinfectant—Liquid, in 5-gallon drums..	200 gals.	A.	gallon	0 1 6	C. Atkins and Sons Ppy. Ltd.
†4857A. Disinfectant, Liquid, "Accol," in 5-gallon drums	200 "	A.	do.	0 4 6	S. Cohen, Sons, and Co.
†4858. Cream, Arabian	20 "	A.	do.	0 3 0	Wm. Adams and Co. Ltd.
EXPLOSIVES.					
<i>Name of Manufacturer—</i>					
<i>Items Nos. 4860, 4861, 4863A, 4864, and 4864A, Curtis and Harvey Ltd.</i>					
<i>Items Nos. 4860A, 4861A, 4862, 4863, 4864C, and 4865, Nobels Explosive Co. Ltd.</i>					
<i>Item No. 4864B, Chilworth Gem Powder Coy., London.</i>					
<i>The rates to be paid for Stores under Items Nos. 4860 to 4865 are for delivery at the State Coal Mine.</i>					
4859. Fuse, Patent Double Tape, Bickford's Bendigo Blue, in coils of 8 yards	100,000 coils	A.	coil	0 0 5½	} McMicking and Co.
4860. Gelignite	500 cases	..	case of 50 lbs net	2 5 0	
4860A. Gelignite	500 "	..	do.	2 5 0	Dalgety and Co. Ltd.
4861. Detonators, No. 6, in boxes of 100	7,000 boxes	..	box	0 3 3½	} McMicking and Co.
4861A. Detonators, No. 6, in boxes of 100	7,000 "	..	case of 5,000	8 5 6	
4862. Detonators, Electric, No. 6.	3,000	..	.100	1 0 0	} Dalgety and Co. Ltd.
4863. Gelatine, Blasting	50 cases	..	case of 50 lbs.net	2 19 0	
4863A. Gelatine, Blasting	50 "	..	do.	2 19 0	} McMicking and Co.
4864. Powder, Pellet	2,000 "	..	case of 25 lbs.net	0 16 1	
4864B. Powder, Pellet, "Chilworth"	2,000 "	..	do.	0 16 1	Dalgety and Co. Ltd.
4864A. Powder, Permitted, "Excellite," "Monobel," or other approved brands	5,000 "	..	case of 50 lbs.net	2 1 0	McMicking and Co.
4864C. Powder, Permitted, "Monobel" or other approved brands	5,000 "	..	do.	2 1 0	} Dalgety and Co. Ltd.
4865. Wire, Connecting, for shot firing	12 reels	..	reel	0 4 2	
TRACING CLOTH, ETC.					
†4866. Cloth, Tracing, 43" wide, "Standard"	500 yds.	..	lin. yd.	0 1 0	} Paterson and Co.
Paper, Ferro Prussiate, "Wurcker's Sydney made"—					
4867. 31" wide x 22 yds. long	50 rolls	A.	roll	0 8 0	
Paper, Heliographic, Water Bath, "Wurcker's Sydney made"—					
4868. 31" wide x 22 yds. long	24 "	A.	do.	0 18 0	

Item No. and Description.	Estimated Requirements for 2 Years.	—	Rate per—	Rate.	Name of Contractor.
				£ s. d.	
BOOKS, ETC.					
Books, &c.—					
*4869. Memo., Foolscap 8vo, 8 sheet, American cloth	50 doz.	A.	dozen	0 1 11	Wm. Detmold Ltd.
†4870. Metallic, Smith's, 195, or other approved maker	24	A.	each	0 2 4	Sands and McDougall Pty. Ltd.
†4871. Pocket, Penny's, No. 136, or other approved maker	48	A.	do.	0 4 6	
†4872. Refills for Penny's Pocket-books, No. 136, or other approved maker	144	A.	do.	0 0 9	
4873. Indices—Foolscap, marble cover, one leaf to a letter	72	A.	do.	0 0 5	Wm. Detmold Ltd.
4874. Indices—Foolscap, hand-made full basil 2 to 4 leaves to a letter, as ordered	72	A.	do.	0 8 3	
4875. Diaries, Australian	£5	A.	..	Published prices	Sands and McDougall Pty. Ltd.
*4876. Manifolding, Demy 8vo, ¼ cloth	72	A.	each	0 1 3	Wm. Detmold Ltd.
*4877. Exercise, Crown 4to, 18 sheet, American cloth, round corners	24	A.	dozen	0 5 0	
4878. Exercise, Crown, 4to, 6 sheet, American cloth, round corners	24	A.	do.	0 3 0	Sands and McDougall Pty. Ltd.
*4879. Balance, 4 quires, ½ basil	72	A.	each	0 7 6	Wm. Detmold Ltd.

WRITING AND DRAWING PAPER, ETC.

All Writing Papers must be folded, and have the edges cut.

PAPER.

*4880. Foolscap, azure, ruled to sample	2 reams	A.	ream	0 15 0	Wm. Detmold Ltd.
*4881. Foolscap folio, cream wove, ruled faint, 7 lbs.	16 "	A.	do.	0 8 0	
*4882. Foolscap, cream wove, ruled faint, 14 lbs.	16 "	A.	do.	0 13 6	
*4883. Foolscap folio, cream wove, plain, 7 lbs.	8 "	A.	do.	0 7 0	
*4884. Foolscap, cream wove, plain, 14 lbs.	8 "	A.	do.	0 13 0	
*4885. Foolscap folio, cream wove, 7 lbs., ruled double money	20 "	A.	do.	0 9 0	
*4886. Foolscap, cream wove, 14 lbs., ruled double money	16 "	A.	do.	0 17 0	
*4887. Foolscap folio, cream wove, plain, 7 lbs.	80 "	A.	do.	0 6 6	
*4888. Foolscap folio, Manila Cartridge, cloth lined	4 "	A.	do.	2 0 0	
*4889. Foolscap folio, cream wove	20 "	A.	do.	0 8 6	
*4890. Foolscap folio, for manifolding, 3 to 5 copies	20 "	A.	do.	0 4 6	
*4891. Foolscap folio, for manifolding, up to 7 copies	20 "	A.	do.	0 5 0	
*4892. Foolscap folio, green	20 "	A.	do.	0 2 6	
*4893. Foolscap folio, green, for manifolding, 3 to 5 copies	40 "	A.	do.	0 4 6	
*4894. Foolscap folio, green, for manifolding, up to 7 copies	20 "	A.	do.	0 5 0	
*4895. Demy, azure-laid, ruled faint, 24 lbs.	2 "	A.	do.	0 16 0	
*4896. Demy, azure-laid, plain	2 "	A.	do.	0 15 0	
†4897. Blotting, best, white, 46 lbs., 23" x 18", flat	12 "	..	do.	1 10 0	
†4898. Blotting, best, white, 46 lbs., 23" x 18", folded	12 "	..	do.	1 10 0	
4899. Drawing — Antiquarian, hand-made, "James Whatman"	6 quires	..	quire	2 4 0	
4900 Drawing—Double Elephant, hand-made, "J. Whatman"	20 "	..	do.	0 14 0	

Item No. and Description.	Estimated Requirements for 2 Years.	—	Rate per—	Rate.	Name of Contractor.
				£ s. d.	
TYPEWRITING MATERIALS.					
<i>The samples submitted by the Tenderer for Items 4909 to 4912 inclusive are samples as regards quality only.</i>					
†4901. Erasers, Circular	72	..	each	0 0 2½	United Typewriter and Supplies Co. } Stott and Hoare }
†4902. Erasers, Polygon	100	..	do.	0 0 3	
†4903. Oil, in bottles, Paper, Carbon, Typewriting—	24 botts.	..	bottle	0 0 6	
†4904. Foolscap folio, 13¼" x 8½", to duplicate, up to 6 copies, "Featherweight" ..	500 sheets	..	100 sheets	0 9 0	United Typewriter and Supplies Co. }
†4904A. Foolscap folio, 13¼" x 8½", to duplicate, up to 6 copies, "Ellam's" ..	500	..	do.	0 5 6	
†4905. Foolscap, 17½" x 13¼", to duplicate, up to 6 copies, "Featherweight" ..	500	..	do.	0 18 0	
†4905A. Foolscap, 17½" x 13¼", to duplicate, up to 6 copies, "Ellam's" ..	500	..	do.	0 11 0	
Paper, Carbon, Pencil—					
†4906. Foolscap folio, "Klean"	8,000	..	do.	0 3 0	Stott and Hoare }
†4907. 10" x 5¼"	4,000	..	do.	0 3 0	
†4908. Paper, Carbon, Pen, Foolscap folio, 8" x 13" Ribbons, Copying, any colours, and suitable for any Machines, as ordered—	3,000	..	do.	0 3 6	
†4909. Narrow, Plain	50	..	each	0 1 6	
†4910. Narrow, Bi-coloured	50	..	do.	0 2 0	
†4911. Broad, Plain	50	..	do.	0 1 6	
†4912. Broad, Bi-coloured	50	..	do.	0 2 0	