



VICTORIA GOVERNMENT GAZETTE

Published by Authority.

[Registered at the General Post Office, Melbourne, for transmission by post as a newspaper.]

No. 45.]

THURSDAY, MARCH 27.

[1913.

Factories and Shops Acts.

DETERMINATION OF THE TINSMITHS BOARD.

IN accordance with the provisions of the Factories and Shops Acts, the Special Board appointed to determine the lowest prices or rates of payment payable to any person or persons or classes of persons employed in the process, trade, or business of preparing or manufacturing articles made of tin plate or other sheet metal, including the japanning of such articles, has made the following Determination, namely:—

1. That previous Determinations of this Board are hereby amended, and such amendments shall come into force and be operative on and after the 25th day of March, 1913. The Determination and amendments are printed hereunder.

2. That the lowest rates of wages to be paid to the following persons shall be:—

GENERAL SHEET METAL WORK (10 GAUGE OR LIGHTER).

General tinsmiths	57s.	per week of 48 hours.
Sheet metal workers	57s.	" " "
Repairers	57s.	" " "
Machinists	53s.	" " "
Solderers of down pipes	53s.	" " "
Labourers	48s.	" " "
Juvenile workers (other than apprentices or improvers)—		

	1st Year. Per Week of 48 Hours.	2nd Year. Per Week of 48 Hours.	3rd Year. Per Week of 48 Hours.		
<i>Under 17 years of age.</i>					
(a) Polishing, cleaning, testing to detect leaks, making spouting tubes, cutting and making wire handles, cutting hoop iron and wire, blackening or tarring shovels or closet pans, packing, carrying or moving goods, or lighting fires ..	10 0	12 0	15 0		
(b) Putting wire handles in camp kettles, wiring handles for kettles and dippers, folding flat tin handles, folding spouts and barrels for kerosene pumps, forming handles for pannikins and dippers, notching, using guillotine for above work, holding work for journeymen ..	10 0	15 0	20 0		
<i>Under 21 years of age.</i>					
(a) Soldering down pipes	30 0	30 0	44 0		
(b) Repairing leaks or assisting at rollers for forming down pipes, or engaged on the following machines, viz.:—Burnishing and spinning lathes, curving machines, guillotines for cutting spouting and ridging, stamping machines or presses, or spouting and ridging machines ..	20 0	27 6	35 0	42 6	42 6
(c) Engaged on any other power machine ..	10 0	15 0	20 0	27 6	35 0

CANISTER WORK.

Persons engaged in the making or repairing of canisters (including tins for kerosene or other oils)	54s.	per week of 48 hours.
Cap solderers	54s.	" " "
Attendants on power capping machines	51s.	" " "
Persons attending to the metal pot on any power automatic body-forming and seam soldering machine	51s.	" " "
Persons attending to the metal pot on any power automatic end soldering machine	51s.	" " "
All other machine attendants	48s.	" " "
Labourers	48s.	" " "

Juvenile workers (other than apprentices or improvers)—

	1st Year.	2nd Year.	3rd Year.			
	Per Week of 48 Hours.	Per Week of 48 Hours.	Per Week of 48 Hours.	4th Year.	5th Year.	6th Year.
	<i>s. d.</i>	<i>s. d.</i>	<i>s. d.</i>	Per Week of 48 Hours.	Per Week of 48 Hours.	Per Week of 48 Hours.
<i>Under 17 years of age.</i>						
(a) Soldering other than seams, tops, or bottoms	10 0	15 0	20 0			
(b) Trimming scrap, topping tins, polishing, cleaning, testing to detect leaks, cutting and making wire handles, packing, carrying, or moving goods, lighting or attending fires	10 0	12 0	15 0			
<i>Under 21 years of age.</i>						
(a) Feeding or taking off in connexion with any power soldering machine	15 0	20 0	25 0	30 0	35 0	42 6
(b) Engaged on any other power machine						

JAPANNING.

Artistic workers	57s.	per week of 48 hours.
Designers	57s.	" " "
Gold workers	57s.	" " "
Ornamental pencil workers	57s.	" " "
Filleters	52s.	" " "
Grainers	52s.	" " "
Liners	52s.	" " "
Writers	52s.	" " "
Coaters	48s.	" " "
Brush hands	48s.	" " "
Persons polishing or preparing ground work for finishing	48s.	" " "

Juvenile workers (other than apprentices or improvers)—

	1st Year.	2nd Year.	3rd Year.			
	Per Week of 48 Hours.	Per Week of 48 Hours.	Per Week of 48 Hours.	4th Year.	5th Year.	6th Year.
	<i>s. d.</i>	<i>s. d.</i>	<i>s. d.</i>	Per Week of 48 Hours.	Per Week of 48 Hours.	Per Week of 48 Hours.
<i>Under 17 years of age.</i>						
Packing, carrying, or moving goods, or lighting and attending fires	10 0	12 0	15 0			
<i>Under 21 years of age.</i>						
Scouring, cleaning, assisting to polish, doing general rough work	10 0	15 0	20 0	27 6	35 0	42 6

APPRENTICES.

NUMBER.

3. That the number of apprentices who may be employed within any factory or place shall be one apprentice to every three or fraction of three workers receiving at wages rates or piece-work prices not less than 48s. per week.

WAGES.

4. That the lowest rates of payment payable to apprentices shall be—

For the 1st year's experience	10s. per week of 48 hours.
„ 2nd „ „	14s. „ „ „
„ 3rd „ „	18s. „ „ „
„ 4th „ „	25s. „ „ „
„ 5th „ „	32s. 6d. „ „ „

IMPROVERS.

NUMBER.

5. That the number of improvers who may be employed within any factory or place shall be one improver to every four or fraction of four persons receiving at wages rates or piece-work prices not less than 48s. per week.

WAGES.

6. That the lowest rates of payment payable to improvers shall be—

For the 1st year's experience	10s. per week of 48 hours.
„ 2nd „ „	15s. „ „ „
„ 3rd „ „	21s. „ „ „
„ 4th „ „	30s. „ „ „
„ 5th „ „	40s. „ „ „

TIME OF BEGINNING AND ENDING WORK.

7. That the time of beginning and ending work shall be—

Time of Beginning.	Time of Ending.
7.30 a.m. ..	1 p.m. on the day on which the half-holiday is observed.
7.30 a.m. ..	5.45 p.m. on the other working days of the week.

OVERTIME.

8. That wherever overtime is worked it shall be paid for at the rates as hereunder:—

Within the hours fixed in clause 7 in excess of 48 hours in any week—

First two hours	Time and a quarter.
Thereafter	Time and a half.
Between 1 p.m. and 3 p.m. on the day on which the half-holiday is observed	Time and a quarter.
Between 3 p.m. and midnight on the day on which the half-holiday is observed	Time and a half.
Between 5.45 p.m. and 7.45 p.m. on the other working days	Time and a quarter.
Between 7.45 p.m. and midnight on the other working days	Time and a half.
Between midnight and 7.45 a.m.	Time and a half.

SUNDAYS AND PUBLIC HOLIDAYS.

9. That the special rate of payment payable to any person for all work done on—

Sundays,	} or such other day as may be observed as a public holiday in lieu thereof,
Good Friday,	
Easter Monday,	
New Year's Day,	
Foundation Day (26th January)	
Eight Hours Day (21st April)	
Christmas Day,	
Boxing Day,	

shall be at the rate of double time.

PIECE-WORK.

10. (a) That the lowest piece-work price payable to any person for wholly or partly preparing or manufacturing any article described in the following Schedules (which Schedules shall form part of this Determination) shall be the price mentioned in such Schedules.

(b) That wherever the quantity to be given out is stated in the Schedules the prices apply only when the articles are given out in quantities not less than those mentioned in the Schedule.

(c) That the Schedules of prices apply to new material only.

(d) That (except where otherwise provided) where the sizes of articles to be made under these Schedules do not exactly correspond with the sizes stated in these Schedules then the price or rate fixed for the next nearest size shall apply; but where the size is half-way between two sizes then the next higher price or rate shall apply.

SCHEDULE A.—GENERAL SHEET METAL WORK.

Articles.	Material.	Size.	When given out in the under-mentioned Quantities or more.	Prices.	
1. BASINS.					
WASH-HAND BASINS, hand-made (including blocking of bottoms)	IC tin plate	13 inches ...	3 dozen ...	3s. 9d. per doz.	
" " " " " " " " " " " "		16 " ...	3 " ...	4s. 6d. "	
" " " " " " " " " " " "		18 " ...	2 " ...	5s. 3d. "	
" " " " " " " " " " " "		13 " ...	3 " ...	4s. 6d. "	
" " " " " " " " " " " "		16 " ...	2 " ...	5s. "	
" " " " " " " " " " " "		18 " ...	2 " ...	6s. 6d. "	
" " " " " " " " " " " "		20 " ...	1½ " ...	7s. 6d. "	
" " " " " " " " " " " "		22 " ...	1 " ...	9s. "	
If bottoms supplied for 13 in. basins	4d. per doz. deducted
" " " " " 16 and 18 in. basins	6d. " " "
" " " " " 20 and 22 in. basins	1s. " " "	
If unplated handles 6 gauge wire or under supplied for basins	...	18, 20, or 22 inches	...	1s. 6d. per gross handles deducted	
2. BATHS.					
FOOT BATHS, oval, moulded, knocked up bottoms	Bodies 26-gauge iron or lighter	16 inches ...	6 articles	16s. 9d. per doz.	
" " " " " " " " " " " "		18 " ...	6 " ...	18s. "	
" " " " " " " " " " " "		20 " ...	6 " ...	19s. "	
" " " " " " " " " " " "		22 " ...	6 " ...	21s. "	
" " " " " " " " " " " "		24 " ...	6 " ...	22s. "	
" " " " " " " " " " " "		26 " ...	6 " ...	23s. "	
" " " " " " " " " " " "		28 " ...	6 " ...	26s. "	
" " " " " " " " " " " "		30 " ...	6 " ...	27s. 6d. "	
" " " " " wired " " " " " "		16 " ...	1 dozen ...	7s. 3d. "	
" " " " " " " " " " " "		18 " ...	1 " ...	8s. 3d. "	
" " " " " " " " " " " "		20 " ...	1 " ...	9s. "	
" " " " " " " " " " " "		22 " ...	1 " ...	10s. 6d. "	
" " " " " " " " " " " "		24 " ...	1 " ...	12s. "	
" " " " " " " " " " " "		26 " ...	1 " ...	13s. 3d. "	
" " " " " " " " " " " "	28 " ...	1 " ...	14s. 3d. "		
" " " " " " " " " " " "	30 " ...	1 " ...	15s. 3d. "		
FRAME BATHS, galvanized iron, up to 6 feet long, up to 22 inches wide, and up to 22 inches deep. (Assistance to be given for knocking up)	Bottoms 24-gauge iron or lighter	16 " ...	1 " ...	8s. 3d. "	
" " " " " " " " " " " "		20 " ...	1 " ...	9s. "	
" " " " " " " " " " " "		22 " ...	1 " ...	10s. 6d. "	
" " " " " " " " " " " "	24 " ...	1 " ...	12s. "		
" " " " " " " " " " " "	26 " ...	1 " ...	13s. 3d. "		
" " " " " " " " " " " "	28 " ...	1 " ...	14s. 3d. "		
" " " " " " " " " " " "	30 " ...	1 " ...	15s. 3d. "		
" " " " " " " " " " " "	4s. 6d. each	
" " " " " " " " " " " "	24 " "	4s. 6d. "	
" " " " " " " " " " " "	22 " "	5s. 9d. "	
3. BINS.					
FLOUR BINS, with body wired, back-lapped, and swedged; bottom knocked up and hooped or studded (4 studs); lid with a rim not less than 2½ inches deep; top blocked and paned on to rim; hasp and hinge on cover; and three oval wire handles	IXX tin plate or lighter	25 lbs. ...	6 articles	1s. 7d. each	
" " " " " " " " " " " "		50 " ...	6 " ...	2s. "	
" " " " " " " " " " " "		75 " ...	4 " ...	2s. 4d. "	
FLOUR BINS, with body wired, back-lapped, and swedged, for galvanized hoop; hoop about 20 gauge and 1½ inches wide; bottom knocked up; lid with a rim not less than 2½ inches deep; top blocked and paned on to rim; hasp and hinge on cover; and three oval wire handles	Galv. or lead-coated iron, 24-gauge or lighter	100 " ...	3 " ...	3s. 8d. each	
" " " " " " " " " " " "		200 " ...	3 " ...	4s. 3d. "	
" " " " " " " " " " " "		250 " ...	2 " ...	4s. 9d. "	
4. BOILERS.					
TIN BOILERS, oval, with pitched covers...	IX tin plate or lighter	3 gallons ...	1 dozen ...	8s. 3d. per doz.	
" " " " " " " " " " " "		4 " ...	1 " ...	9s. 6d. "	
" " " " " " " " " " " "		5 " ...	1 " ...	9s. 6d. "	
" " " " " " " " " " " "		7 " ...	6 articles	12s. 9d. "	
" " " " " " " " " " " "		10 " ...	6 " ...	14s. 9d. "	
" " " " " oval, with blocked covers		3 " ...	1 dozen ...	10s. 9d. "	
" " " " " " " " " " " "		4 " ...	1 " ...	12s. "	
" " " " " " " " " " " "		5 " ...	1 " ...	12s. "	
" " " " " " " " " " " "		7 " ...	6 articles	15s. 6d. "	
" " " " " " " " " " " "		10 " ...	6 " ...	17s. 9d. "	
" " " " " oval, with stamped covers		3 " ...	1 dozen ...	7s. 3d. "	
" " " " " " " " " " " "		4 " ...	1 " ...	8s. 3d. "	
" " " " " " " " " " " "		5 " ...	1 " ...	8s. 3d. "	
" " " " " " " " " " " "		7 " ...	6 articles	10s. 9d. "	
" " " " " " " " " " " "	10 " ...	6 " ...	13s. 3d. "		
If copper bottoms are used on above—Tinning same	3s. per doz. extra	

PIECE-WORK—continued.

Articles.	Material.	Size.	When given out in the under-mentioned Quantities or more.	Prices.	
5. BOTTLES.					
OIL BOTTLES, round with plain necks and knocked up bottoms, paned on breast	IX tin plate or lighter	1 quart ...	3 dozen ...	3s. 6d. per doz.	
" " " " " " " "		2 quarts ...	3 " ...	4s. " "	
" " " " " " " "		4 " ...	2 " ...	5s. " "	
" " " with stamped nozzles	3d. per doz. deducted	
" " " with patent screws (spouts supplied)		1 quart ...	3 " ...	3s. 6d. per doz.	
" " " " " " " "		2 quarts ...	3 " ...	4s. " "	
" " " with slipped on bottoms and breasts	IX tin plate	4 " ...	2 " ...	6s. " "	
" " " " " " " "		4d. per doz. deducted	
TEA BOTTLES, oval, with slipped on bottoms and breasts		IX tin plate	1 pint ...	3 dozen ...	3s. 9d. per doz.
" " " " " " " "			1½ pints ...	3 " ...	4s. " "
" " " " " " " "			2 " ...	3 " ...	5s. " "
" " " " " " " "			3 " ...	2 " ...	5s. 6d. " "
" " " " " " " "	4 " ...		2 " ...	5s. 9d. " "	
" " " with stamped nozzles ...	6 " ...		2 " ...	6s. 6d. " "	
" " " " " " " "	3d. per doz. deducted		
6. BOXES.					
BONNET BOXES, round or oval, including hasp ...	IXX tin plate or lighter	13 inches ...	3 dozen ...	7s. 9d. per doz.	
" " " " " " " "		14 " ...	3 " ...	7s. 9d. " "	
" " " " " " " "		15 " ...	3 " ...	8s. 3d. " "	
" " " " " " " "		16 " ...	3 " ...	8s. 3d. " "	
" " " " " " " "		17 " ...	3 " ...	8s. 9d. " "	
" " " " " " " "		18 " ...	3 " ...	8s. 9d. " "	
" " " " " " " "		13 " ...	3 " ...	8s. 3d. " "	
" " " " " " " "		14 " ...	3 " ...	8s. 3d. " "	
" " " " " " " "		15 " ...	3 " ...	8s. 9d. " "	
" " " " " " " "		16 " ...	3 " ...	8s. 9d. " "	
" " " " " " " "		17 " ...	3 " ...	10s. " "	
" " " " " " " "		18 " ...	3 " ...	10s. " "	
" " " " " " " "	20 " ...	3 " ...	11s. 6d. " "		
" " " " " " " "	22 " ...	2 " ...	15s. 6d. " "		
" " " " " " " "	28-gauge steel	13 " ...	3 " ...	9s. 3d. " "	
" " " " " " " "		14 " ...	3 " ...	9s. 3d. " "	
" " " " " " " "		15 " ...	3 " ...	10s. " "	
" " " " " " " "		16 " ...	3 " ...	10s. " "	
" " " " " " " "		17 " ...	3 " ...	10s. 6d. " "	
" " " " " " " "		18 " ...	3 " ...	10s. 6d. " "	
" " " " " " " "	26-gauge steel	20 " ...	3 " ...	12s. 6d. " "	
" " " " " " " "		13 " ...	3 " ...	9s. 3d. " "	
" " " " " " " "		14 " ...	3 " ...	9s. 3d. " "	
" " " " " " " "		15 " ...	3 " ...	10s. " "	
" " " " " " " "		16 " ...	3 " ...	10s. " "	
" " " " " " " "		17 " ...	3 " ...	10s. 6d. " "	
" " " " " " " "	all gauges ...	18 " ...	3 " ...	10s. 6d. " "	
" " " " " " " "		20 " ...	3 " ...	12s. 6d. " "	
" " " " " " " "		all sizes	7d. per doz. extra	
" " " " " " " "		S and 10-gauge wire	1½d. per doz. boxes deducted
" " " " " " " "		
" " " " " " " "		
" " " " " " " "	
" " " " " " " "	
" " " " " " " "	
SPICE BOXES, round, with six compartments and loose grater	IX tin plate or lighter	6 inches ...	6 articles	16s. 9d. per doz.	
" " " " " " " "		7 " ...	6 " ...	17s. 9d. " "	
" " " " " " " "		8 " ...	6 " ...	20s. " "	
TRUNKS, common, moulded (cutting out, top and body edging, moulding, and wiring supplied)	26-gauge steel or lighter	2 swedges	20 " ...	1 dozen ...	
" " " " " " " "		2 " ...	22 " ...	1 " ...	
" " " " " " " "		2 " ...	24 " ...	1 " ...	
" " " " " " " "		3 swedges	26 " ...	1 " ...	
" " " " " " " "		3 " ...	28 " ...	1 " ...	
" " " " " " " "		4 swedges	30 " ...	1 " ...	
" " " " " " " "	24-gauge steel or lighter	4 swedges	33 " ...	6 articles	
" " " " " " " "		20 " ...	1 dozen ...	18s. 9d. " "	
" " " " " " " "		22 " ...	1 " ...	18s. 9d. " "	
" " " " " " " "		24 " ...	1 " ...	19s. 9d. " "	
" " " " " " " "		26 " ...	1 " ...	21s. " "	
" " " " " " " "		28 " ...	1 " ...	23s. " "	
" " " " " " " "	26-gauge steel or lighter	30 " ...	1 " ...	25s. 3d. " "	
" " " " " " " "		33 " ...	6 articles	31s. " "	
" " " " " " " "		36 " ...	6 " ...	37s. 6d. " "	
" " " " " " " "		24-gauge steel or lighter	20 " ...	1 dozen ...	13s. 3d. " "
" " " " " " " "			22 " ...	1 " ...	13s. 3d. " "
" " " " " " " "			24 " ...	1 " ...	14s. 3d. " "
" " " " " " " "	26 " ...		1 " ...	15s. 3d. " "	
" " " " " " " "	28 " ...		1 " ...	17s. " "	
" " " " " " " "	30 " ...		1 " ...	18s. 9d. " "	
" " " " " " " "	24-gauge steel or lighter	33 " ...	6 articles	31s. " "	
" " " " " " " "		
" " " " " " " "		
" " " " " " " "		
" " " " " " " "		
" " " " " " " "		

PIECE-WORK—continued.

Articles.	Material.	Size	When given out in the under-mentioned Quantities or more.	Prices.	
BOXES—continued.					
TRUNKS, moulded, strapped (moulding and wiring supplied)	26-gauge steel or lighter	20 inches ...	1 dozen ...	22s. 6d. per doz.	
" " " " 2 swedges		22 " ...	1 " ...	22s. 6d. "	
" " " " " " "		24 " ...	1 " ...	24s. "	
" " " " 3 swedges		26 " ...	1 " ...	25s. 3d. "	
" " " " " " "		28 " ...	1 " ...	28s. "	
" " " " 4 swedges		30 " ...	1 " ...	30s. "	
" " " " " " "		30 " ...	1 " ...	31s. "	
" " " " " " "		24-gauge steel or lighter	33 " ...	6 articles	41s. 6d. "
" " " " " " "		24-gauge steel or lighter	36 " ...	6 " "	49s. 6d. "
common, wired (cutting out, top and body edging, and top and body wiring supplied)		26-gauge steel or lighter	20 " ...	1 dozen ...	13s. 9d. "
" " " " " " "	22 " ...		1 " ...	13s. 9d. "	
" " " " " " "	24 " ...		1 " ...	14s. 3d. "	
" " " " 3 swedges	26 " ...		1 " ...	15s. 3d. "	
" " " " " " "	28 " ...		1 " ...	17s. 6d. "	
" " " " 4 swedges	30 " ...		1 " ...	18s. 9d. "	
" " " " " " "	24-gauge steel or lighter		33 " ...	6 articles	30s. "
wired, strapped (cutting out, top and body edging, and top and body wiring supplied)	26-gauge steel or lighter		20 " ...	1 dozen ...	24s. "
" " " " " " "			22 " ...	1 " ...	24s. "
" " " " " " "			24 " ...	1 " ...	25s. 3d. "
" " " " 3 swedges		26 " ...	1 " ...	26s. 3d. "	
" " " " " " "		28 " ...	1 " ...	28s. 6d. "	
" " " " 4 swedges		30 " ...	1 " ...	30s. 6d. "	
" " " " " " "		24-gauge steel or lighter	33 " ...	6 articles	38s. 6d. "
common (top wiring supplied)		26-gauge steel or lighter	20 " ...	1 dozen ...	18s. "
" " " " " " "			22 " ...	1 " ...	18s. "
" " " " " " "			24 " ...	1 " ...	18s. 9d. "
" " " " 3 swedges	26 " ...		1 " ...	20s. 6d. "	
" " " " " " "	28 " ...		1 " ...	22s. 6d. "	
" " " " 4 swedges	30 " ...		1 " ...	24s. "	
" " " " " " "	24-gauge steel or lighter		33 " ...	6 articles	37s. 3d. "
strapped (top wiring supplied)	26-gauge steel or lighter		20 " ...	1 dozen ...	27s. 6d. "
" " " " " " "			22 " ...	1 " ...	28s. 6d. "
" " " " " " "			24 " ...	1 " ...	29s. 6d. "
" " " " 3 swedges		26 " ...	1 " ...	32s. "	
" " " " " " "		28 " ...	1 " ...	34s. 6d. "	
" " " " 4 swedges		30 " ...	1 " ...	37s. 6d. "	
" " " " " " "		24-gauge steel or lighter	33 " ...	6 articles	50s. 6d. "
wired, strapped, complete		26-gauge steel or lighter	20 " ...	1 dozen ...	28s. 6d. "
" " " " " " "			22 " ...	1 " ...	29s. 6d. "
" " " " " " "			24 " ...	1 " ...	30s. 6d. "
" " " " 3 swedges	26 " ...		1 " ...	33s. "	
" " " " " " "	28 " ...		1 " ...	35s. 6d. "	
" " " " 4 swedges	30 " ...		1 " ...	39s. "	
" " " " " " "	24-gauge steel or lighter		33 " ...	6 articles	40s. "
" " " " " " "	24-gauge steel or lighter		36 " ...	6 " "	51s. 6d. "
" " " " " " "	24-gauge steel or lighter		36 " ...	6 " "	57s. "
cabin, common, moulded (cutting out, top and body edging, moulding, and wiring supplied)	26-gauge steel or lighter		24 " ...	1 dozen ...	10s. "
" " " " " " "		26 " ...	1 " ...	11s. "	
" " " " 3 swedges		28 " ...	1 " ...	12s. "	
" " " " " " "		30 " ...	1 " ...	13s. 3d. "	
" " " " 4 swedges		33 " ...	1 " ...	20s. 6d. "	
cabin, moulded, strapped (cutting out, top and body edging, moulding, and wiring supplied)		26-gauge steel or lighter	24 " ...	1 " ...	19s. 9d. "
" " " " " " "			26 " ...	1 " ...	21s. "
" " " " " " "			28 " ...	1 " ...	22s. "
" " " " 3 swedges			30 " ...	1 " ...	23s. "
" " " " " " "			24-gauge steel or lighter	33 " ...	6 articles...
" " " " 4 swedges	36 " ...		6 " ...	28s. 6d. "	
cabin, moulded (moulding and wiring supplied)	26-gauge steel or lighter		24 " ...	1 dozen ...	14s. 3d. "
" " " " " " "			26 " ...	1 " ...	15s. 6d. "
" " " " " " "			28 " ...	1 " ...	17s. "
" " " " 3 swedges			30 " ...	1 " ...	18s. "
" " " " " " "		24-gauge steel or lighter	33 " ...	6 articles...	26s. "
cabin, strapped (moulding and wiring supplied)		26-gauge steel or lighter	24 " ...	1 dozen ...	24s. "
" " " " " " "			26 " ...	1 " ...	25s. 3d. "
" " " " " " "			28 " ...	1 " ...	27s. "
" " " " 3 swedges			30 " ...	1 " ...	28s. "
" " " " " " "			24-gauge steel or lighter	33 " ...	6 articles...
" " " " 4 swedges	36 " ...		6 " ...	36s. 3d. "	

PIECE-WORK—continued.

Articles.	Material.	Size.	When given out in the under-mentioned Quantities or more.	Prices.
BOXES—continued.				
TRUNKS, cabin, common, wired (cutting out, top and body edging, and top and body wiring supplied) 2 swedges	26-gauge steel or lighter	24 inches ..	1 dozen ..	14s. 3d. per doz.
" " " " " 3 swedges	" " "	26 " " ..	1 " " ..	15s. 6d. "
" " " " " 3 swedges	" " "	28 " " ..	1 " " ..	18s. "
" " " " " 4 swedges	24-gauge steel or lighter	30 " " ..	1 " " ..	19s. "
" " " " " 4 swedges	" " "	33 " " ..	6 articles...	24s. "
" " " " " 4 swedges	" " "	36 " " ..	6 " " ..	25s. 6d. "
cabin, strapped, wired (cutting out, top and body edging, and top and body wiring supplied) 2 swedges	26-gauge steel or lighter	24 " " ..	1 dozen ..	25s. 3d. "
" " " " " 3 swedges	" " "	26 " " ..	1 " " ..	26s. 3d. "
" " " " " 3 swedges	" " "	28 " " ..	1 " " ..	27s. 6d. "
" " " " " 3 swedges	" " "	30 " " ..	1 " " ..	28s. 6d. "
" " " " " 4 swedges	24-gauge steel or lighter	33 " " ..	6 articles...	30s. 6d. "
" " " " " 4 swedges	" " "	36 " " ..	6 " " ..	35s. "
cabin, common, wired (top wiring supplied) 2 swedges	26-gauge steel or lighter	24 " " ..	1 dozen ..	19s. 3d. "
" " " " " 3 swedges	" " "	26 " " ..	1 " " ..	20s. 6d. "
" " " " " 3 swedges	" " "	28 " " ..	1 " " ..	23s. "
" " " " " 3 swedges	" " "	30 " " ..	1 " " ..	24s. "
" " " " " 4 swedges	24-gauge steel or lighter	33 " " ..	6 articles...	29s. 6d. "
" " " " " 4 swedges	" " "	36 " " ..	6 " " ..	34s. 6d. "
cabin, strapped, wired (top wiring supplied) 2 swedges	26-gauge steel or lighter	24 " " ..	1 dozen ..	25s. 6d. "
" " " " " 3 swedges	" " "	26 " " ..	1 " " ..	29s. 6d. "
" " " " " 3 swedges	" " "	28 " " ..	1 " " ..	30s. 6d. "
" " " " " 3 swedges	" " "	30 " " ..	1 " " ..	34s. "
" " " " " 4 swedges	24-gauge steel or lighter	30 " " ..	1 " " ..	35s. "
" " " " " 4 swedges	" " "	33 " " ..	6 articles...	38s. 6d. "
" " " " " 4 swedges	" " "	36 " " ..	6 " " ..	41s. 6d. "
cabin, strapped, wired, complete 2 swedges	26-gauge steel or lighter	24 " " ..	1 dozen ..	30s. 6d. "
" " " " " 3 swedges	" " "	26 " " ..	1 " " ..	32s. "
" " " " " 3 swedges	" " "	28 " " ..	1 " " ..	33s. 6d. "
" " " " " 3 swedges	" " "	30 " " ..	1 " " ..	35s. 6d. "
" " " " " 4 swedges	24-gauge steel or lighter	30 " " ..	1 " " ..	37s. "
" " " " " 4 swedges	" " "	33 " " ..	6 articles...	39s. 6d. "
" " " " " 4 swedges	" " "	36 " " ..	6 " " ..	43s. "
If corners fitted on lids for 20-inch to 30-inch common trunks	6d. per doz. trunks extra
Swivels, end-handles and corners of all trunks supplied.				
Wires for all moulded trunks supplied.				
Wires for tops of wired trunks supplied.				
TRUNKS (machine work), cutting out, top and body edging, moulding, and wiring (wires supplied) ...		20 inches ...	3 dozen ...	3s. per doz.
" "	26-gauge steel or lighter	22 " " ..	3 " " ..	3s. "
" "	" " "	24 " " ..	3 " " ..	3s. 3d. "
" "	" " "	26 " " ..	3 " " ..	3s. 6d. "
" "	" " "	28 " " ..	3 " " ..	3s. 9d. "
" "	" " "	30 " " ..	3 " " ..	4s. 3d. "
" "	24-gauge steel or lighter	33 " " ..	2 " " ..	5s. "
" "	" " "	36 " " ..	1 " " ..	6s. 6d. "
7. BUCKETS.				
BLACK IRON BUCKETS, common, stamped or forged ears, two rivet holes ...		11 " " ..	6 " " ..	3s. per doz.
" "	" " "	12 " " ..	6 " " ..	3s. "
" "	" " "	13 " " ..	6 " " ..	3s. 3d. "
" "	" " "	14 " " ..	6 " " ..	3s. 9d. "
BLACK IRON BUCKETS, common, stamped or forged ears, three rivet holes ...	28-gauge iron or lighter	11 " " ..	3 " " ..	3s. 3d. "
" "	" " "	12 " " ..	3 " " ..	3s. 3d. "
" "	" " "	13 " " ..	3 " " ..	3s. 6d. "
" "	" " "	14 " " ..	3 " " ..	4s. "
BLACK IRON BUCKETS, strapped sides and bottoms ...		11 " " ..	2 " " ..	4s. 6d. "
" "	" " "	12 " " ..	2 " " ..	4s. 6d. "
" "	" " "	13 " " ..	2 " " ..	5s. "
" "	" " "	14 " " ..	2 " " ..	5s. 6d. "
BLACK IRON BUCKETS, strapped, wrought ears, two rivet holes ...	26-gauge iron or lighter	11 " " ..	2 " " ..	4s. "
" "	" " "	12 " " ..	2 " " ..	4s. "
" "	" " "	13 " " ..	2 " " ..	4s. 6d. "
" "	" " "	14 " " ..	2 " " ..	5s. 3d. "
BLACK IRON BUCKETS, strapped, wrought ears, three rivet holes ...		11 " " ..	2 " " ..	4s. 6d. "
" "	" " "	12 " " ..	2 " " ..	4s. 6d. "
" "	" " "	13 " " ..	2 " " ..	5s. "
" "	" " "	14 " " ..	2 " " ..	5s. 6d. "

PIECE-WORK—continued.

Articles.	Material.	Size.	When given out in the under-mentioned Quantities or more.	Prices.	
BUCKETS—continued.					
MILK BUCKETS, tin, with bails, hollow bottoms, and tin hoops, (bails supplied)	IX tin plate or lighter	No. 1—11 inches diameter x 9 inches deep	4 dozen ...	3s. 9d. per doz.	
" " " "		No. 2—13 inches diameter x 9 inches deep	4 " ...	4s. "	
MILK BUCKETS, tin, with hollow bottoms, and tinned or galvanized hoops and bails (bails supplied)		No. 3—11 inches diameter x 9 inches deep	4 " ...	3s. 9d. "	
" " " "		No. 4—13 inches diameter x 9 inches deep	4 " ...	4s. "	
" " " "		No. 1 deep—11 inches diameter x 11 inches deep	3 " ..	4s. 6d. "	
" " " "		No. 2 deep—13 inches diameter x 11 inches deep	3 " ...	5s. 6d. "	
" " " "		No. 1 extra deep—11 inches diameter x 18 inches deep	1 " ..	6s. "	
" " " "		No. 2 extra deep—12 inches diameter x 18 inches deep	1 " ...	6s. 9d. "	
MILK BUCKETS, tin—Making bails for	All sizes	3d. " extra
" " tin (if stamped bottom supplied)	"	4d. per doz. deducted
ALL MILK BUCKETS—If ears soldered to outside of bucket	1s. 1d. per doz. extra	
TIN BUCKETS, with flat bottoms and stamped ears	IC tin plate	11 inches diameter x 9 inches deep	6 dozen ...	3s. 3d. per doz.	
TIN BUCKETS, with tin hoop and stamped ears	IC tin plate	13 inches diameter x 9 inches deep	6 " ...	3s. 9d. per doz.	
" with 1½-in. or 1¼-in. hoop and strap	IC tin plate	" " "	2 " ...	5s. 3d. "	
" with 1½-in. hoop and strap	IX tin plate	" " "	2 " ...	5s. 9d. "	
" with 1½-in. hoop and strap	IXX tin plate	" " "	2 " ...	6s. 6d. "	
If bails supplied for strapped tin buckets	3d. per doz. deducted	
8. CANISTERS.					
ROUND CANISTERS, with slipped on bottle neck (top blanks supplied)	IC tin plate	½ lb. ...	4 dozen ..	2s. 9d. per doz.	
" " " "		1 " ...	4 " ..	3s. "	
" " " "		2 lbs. ...	4 " ...	3s. 3d. "	
" " " "		3 " ...	3 " ...	3s. 6d. "	
" " " "	4 " ...	3 " ...	4s. "		
9. CANS.					
CREAM CANS, grooved, three hoops, double rim cover (including use of guillotine)	20-gauge tinned steel or lighter, or DXXXX tin plate or lighter	20 quarts ...	1 dozen ...	4s. 9d. each	
" " " " " " " "		30 " ...	1 " ...	4s. 9d. "	
" " " " " " " "		40 " ...	1 " ...	5s. 3d. "	
" four hoops, double rim cover (including use of guillotine)		40 " ...	1 " ...	5s. 6d. "	
" three hoops, single rim cover (including use of guillotine)		20 " ...	1 " ...	3s. 9d. "	
" " " " " " " "		30 " ...	1 " ...	3s. 9d. "	
" " " " " " " "		40 " ...	1 " ...	4s. 3d. "	
" four " " " " " " " "		40 " ...	1 " ...	4s. 6d. "	
" If not cleaned and tested by maker	All sizes	3d. per can deducted
" If hoops supplied for	"	6d. per doz. hoops deducted
" If cover stamping or blocking supplied for	
" If bottoms supplied for	40 quarts	1s. 6d. per doz. deducted	
" " " " " " " "	40 "	1s. per doz. deducted	

PIECE-WORK—continued.

Articles.	Material.	Size.	When given out in the under-mentioned Quantities or more.	Prices.
CANS—continued.				
HARVEST CANS, with pannik supplied	IX tin plate or lighter	2 quarts	1½ dozen	6s. per doz.
" " "		3 " "	1½ " "	6s. 6d. "
" " "		4 " "	1½ " "	7s. "
" " "		6 " "	1 " "	7s. 6d. "
" " "		8 " "	1 " "	7s. 9d. "
" " "		10 " "	1 " "	8s. 9d. "
" " "		12 " "	1 " "	9s. 9d. "
" " " if with spouts		All sizes		1s. 8d. per doz. extra
HOT WATER CANS, knocked up bottoms	IX tin plate or lighter	3 pints	1 dozen	11s. per doz.
" " "		2 quarts	1 " "	11s. "
" " "		3 " "	1 " "	13s. 3d. "
" " "		4 " "	1 " "	13s. 3d. "
" " " wired, bottom let in...		3 pints	1 " "	12s. "
" " "		2 quarts	1 " "	12s. "
" " "		3 " "	1 " "	14s. 3d. "
HOT WATER CANS	26-gauge galv. iron or lighter	All sizes		14s. 3d. "
JACK SHAY CANS, straight body	IC tin plate	1 quart	2 dozen	2s. 6d. per doz. extra
" " " tapered body		1 " "	2 " "	4s. 9d. per doz.
MINERS' CANS	IC tin plate	1½ pints	2 " "	6s. 3d. "
" " "		2 " "	2 " "	5s. "
" " "		3 " "	2 " "	5s. 3d. "
" " "		4 " "	2 " "	6s. "
" " "		6 " "	1½ " "	6s. 6d. "
RAILWAY MILK CANS, grooved, two hoops (including use of guillotine, cleaning and testing)	20-gauge tin-rod steel or lighter, or DXXXX tin plate or lighter.	20 quarts	1 " "	3s. 6d. each
" " " three hoops		30 " "	1 " "	3s. 6d. "
" " " four hoops		30 " "	1 " "	3s. 9d. "
" " " three hoops		40 " "	1 " "	3s. 9d. "
" " " four hoops		40 " "	1 " "	4s. "
" " " four hoops or less		50 " "	6 articles	5s. 6d. "
" " " If hoops supplied		All sizes		6d. per doz. hoops deducted
RAILWAY MILK CANS, if bottoms supplied		All sizes		1s. per doz. deducted
TOILET CANS, with knocked up bottoms (studs supplied)	IX tin plate or lighter	6 quarts	1 dozen	15s. 6d. per doz.
" " "		8 " "	1 " "	17s. 3d. "
" " "		10 " "	1 " "	18s. 9d. "
" " "		12 " "	1 " "	20s. 6d. "
" " "		16 " "	1 " "	23s. "
" " " body wired, and bottom let in		6 " "	1 " "	17s. 3d. "
" " "		8 " "	1 " "	19s. 9d. "
" " "		10 " "	1 " "	21s. "
" " "		12 " "	1 " "	22s. 6d. "
" " "		16 " "	1 " "	25s. 3d. "
" " "	26-gauge galv. iron or lighter	All sizes		3s. 3d. per doz. extra
10. COLANDERS.				
HAND-MADE COLANDERS, machine-punched, with side handles	IX tin plate or lighter	9 inches	4 dozen	3s. 9d. per doz.
" " "		11 " "	4 " "	4s. 6d. "
" " "		13 " "	3 " "	5s. 6d. "
" " "		15 " "	1½ " "	6s. 6d. "
COLANDERS—If punched with hand punch		All sizes		1s. 8d. per doz. extra
11. DIPPERS.				
COMMON DIPPERS	IX tin plate or lighter	2 quarts	6 dozen	1s. 10d. per doz.
" " "		3 " "	6 " "	1s. 10d. "
BEST DIPPERS, bossed		2 " "	4 " "	3s. "
" " "		3 " "	4 " "	3s. "
" " "		4 " "	2 " "	3s. 9d. "
DIPPERS—Soldering studs on				3d. per doz. dipper extra
12. DISHES.				
BAKING DISHES, oval	IX tin plate or lighter	10 inches	3 dozen assorted, not less than 1 dozen of any one size	3s. 3d. per doz.
" " "		11 " "		3s. 6d. "
" " "		12 " "		3s. 9d. "
" " "		14 " "		4s. 6d. "
" " "		15 " "		5s. 6d. "
" " "		16 " "		6s. "
" " "		17 " "		6s. 6d. "
" " "		18 " "		6s. 6d. "
" " "		20 " "		7s. "
" " "		22 " "		7s. 9d. "

PIECE-WORK—continued.

Articles.	Material.	Size.	When given out in the under-mentioned Quantities or more	Prices.
DISHES—continued.				
DEVON DISHES, about 9 inches deep, flat bottoms	IX tin plate or lighter	14 inches ...	3 dozen ...	3s. 9d. per doz.
" " " " " " " "		16 " " " "	3 " " " "	4s. 6d. "
" " " " " " " "		15 " " " "	2 " " " "	5s. 3d. "
" " " " " " " "		20 " " " "	1 " " " "	6s. "
" " " " " " " " with hoops ...		22 " " " "	1 " " " "	7s. "
MILK DISHES	IX tin plate or lighter	All sizes ...	2 dozen ...	1s. 1d. per doz. extra
" " " " " " " "		17 inches ...	2 dozen ...	4s. per doz.
" " " " " " " "		18 " " " "	2 " " " "	4s. 9d. "
" " " " " " " "		20 " " " "	2 " " " "	5s. 6d. "
SCALDING DISHES, about 6 inches deep, flat bottoms	IX tin plate or lighter	14 " " " "	2 " " " "	6s. "
" " " " " " " "		16 " " " "	2 " " " "	3s. 6d. "
" " " " " " " "		18 " " " "	2 " " " "	4s. "
ROUND DISHES; flat bottoms, made ready for gal- vanizing ...	IX tin plate or lighter	14 inches ...	3 dozen ...	3s. per doz.
" " " " " " " "		15 " " " "	3 " " " "	3s. 3d. "
" " " " " " " "		17 " " " "	3 " " " "	4s. "
" " " " " " " " making wire handles for	IX tin plate or lighter	12 x 8 inches	3 " " " "	3d. per doz. dishes extra
SQUARE DISHES, tin ...		13 x 9 "	3 " " " "	3s. per doz.
" " " " " " " "		14 x 10 "	3 " " " "	3s. 6d. "
" " " " " " " "		16 x 11 "	3 " " " "	3s. 9d. "
" " " " " " " "		16 x 12 "	2 " " " "	4s. "
" " " " " " " "		17 x 12 "	2 " " " "	4s. 9d. "
" " " " " " " "		18 x 12 "	2 " " " "	4s. 9d. "
" " " " " " " "		18 x 14 "	2 " " " "	5s. 3d. "
" " " " " " " " if formed in angle-bender		20 x 14 "	2 " " " "	5s. 6d. "
13. DREDGERS.				
FLOUR DREDGERS (tops and feet supplied)	1C tin plate	No. 1 ...	6 dozen ...	1s. 10d. per doz.
" " " " " " " "		No. 2 ...	6 " " " "	2s. 3d. "
14. FEEDERS.				
CARPENTERS' FEEDERS	IX tin plate or lighter	... pint ...	4 dozen ...	2s. 6d. per doz.
OIL FEEDERS, funnel shape		1/2 pint ...	2 " " " "	4s. 6d. "
" " " " " " " "		1 " " " "	2 " " " "	5s. "
" " " " " " " " for drays—McCormick's pattern		2 pints ...	2 " " " "	5s. 3d. "
REAPING MACHINE OIL FEEDERS		... " " " "	2 " " " "	4s. 6d. "
If spouts supplied for Feeders (except Carpen- ters' Feeders)		... " " " "	2 " " " "	6s. "
15. FRAMES.				
SPONGE CAKE FRAMES	1C tin plate	All sizes ...	1 dozen ...	12s. per doz.
16. FUNNELS.				
FUNNELS, without rims, not wired	1C tin plate	1/2 pint ...	8 dozen ...	1s. 2d. per doz.
" " " " " " " " wired		1/2 " " " "	6 " " " "	1s. 10d. "
" " " " " " " "		1 " " " "	6 " " " "	1s. 10d. "
" " " " " " " "		1 " " " "	4 " " " "	2s. "
" " " " " " " "		1 1/2 pints ...	4 " " " "	2s. "
" " " " " " " " with rims		2 " " " "	4 " " " "	2s. 6d. "
" " " " " " " "		2 1/2 " " " "	4 " " " "	2s. 6d. "
" " " " " " " "	2 " " " "	3 " " " "	3s. 3d. "	
" " " " " " " "	IX tin plate or lighter	4 " " " "	3 " " " "	3s. 9d. "
" " " " " " " "		6 " " " "	2 " " " "	4s. "
" " " " " " " "		8 " " " "	2 " " " "	5s. 3d. "
" " " " " " " "		10 " " " "	1 1/2 " " " "	6s. "
" " " " " " " "	12 " " " "	1 1/2 " " " "	6s. 6d. "	
17. GRATERS.				
BREAD GRATERS, half round (punched plates supplied)	1C tin plate	No. 1 ...	6 dozen ...	1s. 8d. per doz.
" " " " " " " " punched by hand...		" 2 ...	6 " " " "	2s. "
" " " " " " " "		" 1 ...	3 " " " "	2s. 9d. "
" " " " " " " "		" 2 ...	3 " " " "	3s. 3d. "
" " " " " " " " round (punched plates supplied)		" 1 ...	3 " " " "	2s. 6d. "
" " " " " " " "		" 2 ...	3 " " " "	2s. 9d. "
" " " " " " " " round (punched plates and graters on sides supplied)		" 1 ...	3 " " " "	2s. 9d. "
" " " " " " " "		" 2 ...	3 " " " "	3s. "
" " " " " " " " round punched by hand	" 1 ...	3 " " " "	3s. 9d. "	
" " " " " " " "	" 2 ...	3 " " " "	4s. "	
NUTMEG GRATERS (punched plates supplied)	1C tin plate	All sizes ...	12 " " " "	1s. 2d. "

PIECE-WORK—continued.

Articles.	Material.	Size.	When given out in the under- mentioned Quantities or more.	Prices.	
18. HODS.					
COAL HODS, with stamped feet... ..	24-gauge iron or lighter	No. 1	1 dozen	8s. 6d. per doz.	
" " " " " " " " " "		" 2	1 "	8s. 9d. "	
" with feet hand-made and riveted on		" 1	1 "	9s. 9d. "	
" " " " " " " " " "		" 2	1 "	10s. "	
" with knocked-up feet		" 1	1 "	12s. "	
" " " " " " " " " "		" 2	1 "	12s. "	
" with stamped feet		" 1	1 "	7s. 9d. "	
" " " " " " " " " "		" 2	1 "	8s. "	
" with feet hand-made and riveted on		20-gauge iron or lighter	" 1	1 "	8s. 9d. "
" " " " " " " " " "		" 2	1 "	9s. "	
" with knocked-up feet		" 1	1 "	11s. "	
" " " " " " " " " "		" 2	1 "	11s. "	
" with feet hand-made and riveted on		28-gauge iron or lighter	" 1	1 "	8s. 3d. "
" " " " " " " " " "		" 2	1 "	8s. 6d. "	
" hooped		" 1	1 "	8s. "	
" when half-covered	All gauges	All sizes		5s. per doz. extra	
19. KETTLES.					
CAMP KETTLES, with stamped covers supplied	IX tin plate or lighter	1 quart	6 dozen	1s. 10d. per doz.	
" " " " " " " " " "		1 1/2 quarts	6 "	2s. "	
" " " " " " " " " "		2 "	6 "	2s. 3d. "	
" " " " " " " " " "		3 "	4 "	2s. 6d. "	
" " " " " " " " " "		4 "	4 "	2s. 9d. "	
" " " " " " " " " "		6 "	4 "	3s. "	
" " " " " " " " " "		8 "	3 "	3s. 6d. "	
" " " " " " " " " "		10 "	{ 3 dozen assorted, not less than 1 dozen either size }	4s. "	
" " " " " " " " " "		12 "		5s. "	
" with stamped covers, finished lid handles, rims ready for tacking, and circular blanks for bottoms supplied		IX tin plate or lighter	1-quart	6 dozen	1s. 6d. per doz.
" " " " " " " " " "			1 1/2 quarts	6 "	1s. 8d. "
" " " " " " " " " "			2 "	6 "	1s. 10d. "
" " " " " " " " " "			3 "	4 "	2s. "
" " " " " " " " " "			4 "	4 "	2s. 3d. "
" " " " " " " " " "			6 "	4 "	2s. 6d. "
" " " " " " " " " "	8 "		3 "	3s. "	
" " " " " " " " " "	10 "		{ 3 dozen assorted, not less than 1 dozen either size }	3s. 9d. "	
" " " " " " " " " "	12 "			4s. 9d. "	
" with stamped covers, finished lid handles, rims ready for tacking, and use of circle cutters for bottoms	IX tin plate or lighter		1 quart	6 dozen	1s. 7d. per doz.
" " " " " " " " " "			1 1/2 quarts	6 "	1s. 10d. "
" " " " " " " " " "			2 "	6 "	2s. "
" " " " " " " " " "			3 "	6 "	2s. 1d. "
" " " " " " " " " "			4 "	4 "	2s. 4d. "
" " " " " " " " " "			6 "	4 "	2s. 9d. "
" " " " " " " " " "		8 "	3 "	3s. 3d. "	
" " " " " " " " " "		10 "	{ 3 dozen assorted, not less than 1 dozen either size }	3s. 9d. "	
" " " " " " " " " "		12 "		4s. 9d. "	
" with stamped covers, finished lid handles, finished rims, and cir- cular blanks for bottoms supplied		IX tin plate or lighter	1 quart	6 dozen	1s. 5d. per doz.
" " " " " " " " " "			1 1/2 quarts	6 "	1s. 7d. "
" " " " " " " " " "			2 "	6 "	1s. 8d. "
" " " " " " " " " "			3 "	4 "	2s. "
" " " " " " " " " "			4 "	4 "	2s. 3d. "
" " " " " " " " " "			6 "	4 "	2s. 6d. "
" " " " " " " " " "	8 "		3 "	3s. "	
" " " " " " " " " "	10 "		{ 3 dozen assorted, not less than 1 dozen either size }	3s. 7d. "	
" " " " " " " " " "	12 "			4s. 9d. "	

PIECE-WORK—continued.

Articles.	Material.	Size.	When given out in the under-mentioned Quantities or more.	Prices.	
KETTLES—continued.					
CAMP KETTLES, with stamped covers, finished lid handles, finished rims, and use of circle cutters for bottoms	IX tin plate or lighter	1 quart	6 dozen	1s. 6d. per doz.	
"		1 1/2 quarts	6 " "	1s. 8d. "	
"		2 " "	6 " "	1s. 10d. "	
"		3 " "	4 " "	2s. " "	
"		4 " "	4 " "	2s. 3d. "	
"		6 " "	4 " "	2s. 6d. "	
"		8 " "	3 " "	3s. 3d. "	
"		10 " "	3 dozen assorted not less than 1 dozen either size	3s. 9d. "	
"		12 " "		4s. 9d. "	
COPPER KETTLES (planishing and tinning supplied)		1 lb. copper or lighter	4 pints	6 articles	18s. per doz.
"			5 " "	6 " "	19s. " "
"			6 " "	6 " "	20s. 6d. "
"	7 " "		6 " "	22s. 6d. "	
" tinning bottoms of		All sizes		1s. 1d. per doz. extra	
FISH KETTLES (body handles supplied and covers wheeled)	DXXX tin plate or lighter	14 inches	6 articles	28s. 6d. per doz.	
"		16 " "	3 " "	36s. " "	
"		18 " "	3 " "	43s. " "	
"		20 " "	3 " "	49s. 6d. "	
"		22 " "	3 " "	57s. " "	
"		24 " "	3 " "	66s. " "	
" smoothing covers on block			14 " "		1s. 9d. per doz. extra
"			16 " "		2s. 4d. "
"			18 " "		3s. " "
"			20 " "		3s. 6d. "
TEA KETTLES, oval, with tin bottoms	IX tin plate or lighter	3 pints	1 1/2 dozen	6s. 6d. per doz.	
"		4 " "	1 1/2 " "	7s. " "	
"		5 " "	1 1/2 " "	7s. 9d. "	
"		6 " "	1 " "	8s. 3d. "	
"		8 " "	1 " "	9s. 6d. "	
" with 28 gauge galvanized iron bottoms			3 " "	1 1/2 " "	7s. " "
"			4 " "	1 1/2 " "	7s. 9d. "
"			5 " "	1 1/2 " "	8s. 3d. "
"			6 " "	1 " "	8s. 9d. "
"			8 " "	1 " "	10s. " "
" with tinned-copper bottoms...			3 " "	1 1/2 " "	7s. 6d. "
"			4 " "	1 1/2 " "	8s. " "
"			5 " "	1 1/2 " "	8s. 6d. "
"			6 " "	1 " "	9s. 6d. "
"			8 " "	1 " "	10s. 6d. "
" with copper bottoms tinned by maker			All sizes		1s. 1d. per doz. extra
" round, straight, with tin bottoms...			1 pint	3 dozen	3s. per doz.
" round, tapered, with 28-gauge galvanized-iron bottoms			2 pints	3 " "	3s. 9d. "
"		3 " "	2 " "	4s. 6d. "	
"		4 " "	2 " "	5s. " "	
"		5 " "	2 " "	5s. 9d. "	
"		6 " "	2 " "	6s. 3d. "	
"		8 " "	1 " "	7s. 6d. "	
" straight, with tinned-copper bottoms		1 pint	3 " "	3s. 3d. "	
" tapered		2 pints	3 " "	4s. " "	
"		3 " "	2 " "	4s. 9d. "	
"		4 " "	2 " "	5s. 3d. "	
"		5 " "	2 " "	6s. " "	
"		6 " "	2 " "	6s. 6d. "	
"		8 " "	1 " "	7s. 9d. "	
" straight or tapered, with bottoms tinned by maker		All sizes	3 " "	1s. 1d. per doz. extra	
T A KETTLES, blocking covers and blocking and swedging breasts of	IX tin plate or lighter	1 pint		1s. 5d. per doz. extra	
"		2 pints		1s. 5d. " "	
"		3 " "		1s. 5d. " "	
"		4 " "		2s. " "	
"		5 " "		2s. " "	
"		6 " "		2s. " "	
"		8 " "		2s. 3d. " "	
20. LAMPS.					
WALL LAMPS, with fonts	IXX tin plate or lighter Tops, 1-lb. copper, or IXX tinplate or lighter	No. 1	3 articles	29s. 9d. per doz.	
"		No. 2	3 " "	32s. " "	
"		No. 3	3 " "	34s. 6d. " "	

PIECE-WORK—continued.

Articles.	Material.	Size.	When given out in the under-mentioned Quantities or more.	Prices.	
31. SCOOPS.					
GROCKERS' SCOOPS—Drawer, without handles ...	IX tin plate or lighter	...	4 dozen as-sorted, not less than 1 dozen of any one size	1s. 8d. per doz.	
" " front wired or pieced, with handles		5 inches ...	3 dozen ...	4s. 6d. "	
" " " " " "		6 " ...	3 " ...	5s. "	
" " " " " "		7 " ...	2 " ...	6s. "	
" " " " " "		8 " ...	2 " ...	6s. 6d. "	
" " " " " "		10 " ...	1½ " ...	7s. 9d. "	
" " " " " "		12 " ...	1 " ...	8s. 9d. "	
" " front not wired or pieced, with handles		5 " ...	3 " ...	3s. 6d. "	
" " " " " "		6 " ...	3 " ...	4s. "	
" " " " " "		7 " ...	2 " ...	5s. "	
" " " " " "		8 " ...	2 " ...	6s. "	
" " " " " "		10 " ...	1½ " ...	6s. 9d. "	
" " " " " "		12 " ...	1 " ...	8s. "	
" " galvanized iron, front wired or pieced, with handles		24-gauge galv. iron or lighter	5 " ...	1 " ...	6s. 9d. "
" " " " " "	6 " ...		1 " ...	7s. 6d. "	
" " " " " "	7 " ...		1 " ...	8s. 3d. "	
" " " " " "	8 " ...		1 " ...	9s. 6d. "	
" " " " " "	10 " ...		1 " ...	11s. 3d. "	
" " " " " "	12 " ...		1 " ...	12s. 6d. "	
32. SKIMMERS.					
COOKS' SKIMMERS (handles supplied) ...	IX tin plate or lighter	...	3 dozen ...	3s. 6d. per doz.	
MILK SKIMMERS, with ring handles ...		DXXXX tin plate or lighter	6½ inches...	4 " ...	2s. "
" " " " " "			8 " ...	4 " ...	2s. 6d. "
" " " " " "			9 " ...	4 " ...	2s. 9d. "
" " " " " "	10 " ...		4 " ...	3s. "	
33. STANDS.					
COCKATOO STANDS ...	IX tin plate or lighter	17 inches ...	6 articles...	21s. per doz.	
" " " " " "		20 " ...	6 " ...	22s. 6d. "	
" " " " " "		26-gauge galv. iron or lighter, or zinc	17 " ...	3 " ...	27s. 6d. "
" " " " " "			20 " ...	3 " ...	33s. "
34. STEAMERS.					
STEAMERS ...	IX tin plate or lighter	No. 4 ...	2 dozen ...	4s. 9d. per doz.	
" " " " " "		" 5 ...	2 " ...	4s. 9d. "	
" " " " " "		" 6 ...	1½ " ...	5s. 3d. "	
" " " " " "		" 7 ...	1½ " ...	6s. "	
" " " " " "		" 8 ...	1½ " ...	6s. 6d. "	
" " " " " "		" 9 ...	1 " ...	7s. "	
" " " " " "		" 10 ...	1 " ...	8s. 3d. "	
" " " " " "		" 11 ...	1 " ...	9s. 6d. "	
" " " " " "		" 12 ...	1 " ...	10s. "	
" " if handles supplied for	3d. per doz. steamers deducted
35. STRAINERS.					
GRAVY STRAINERS, hand made ...		IC tin plate	Small ...	3 dozen ...	3s. 3d. per doz.
" " " " " " if perforated bottoms supplied	Large ...		3 " ...	3s. 9d. "	
GRUEL STRAINERS ...	IX tin plate or lighter	All sizes	6d. " deducted	
MILK STRAINERS, wired ...		IC tin plate	3 dozen ...	3s. 9d. per doz.
" " " " " "		8½ inches	3 " ...	3s. "	
" " " " " "		10 " ...	3 " ...	3s. 6d. "	
" " " " " "		11 " ...	3 " ...	3s. 9d. "	
" " " " " "		12 " ...	3 " ...	4s. "	
" " " " " "		14 " ...	2 " ...	4s. 6d. "	
" " " " " "		8½ " ...	2 " ...	4s. "	
" " " " " "		10 " ...	2 " ...	4s. 6d. "	
" " " " " "		11 " ...	2 " ...	5s. "	
" " " " " "		12 " ...	2 " ...	5s. 3d. "	
" " " " " "		14 " ...	2 " ...	5s. 9d. "	
MILK CAN STRAINERS, knocked up rims		IX tin plate	1 " ...	8s. 3d. "
" " " " " "		IXX tin plate	...	1 " ...	10s. 9d. "
36. TINS.					
BREAD TINS (made in five pieces) ...	IX tin plate or lighter	1 lb. ...	3 dozen ...	3s. 6d. per doz.	
" " " " " "		2 " ...	3 " ...	3s. 6d. "	
" " " " " "		4 " ...	2 " ...	3s. 9d. "	
" " " " " "		6 " ...	2 " ...	5s. "	
COBURG BREAD TINS ...	IX tin plate	3 " ...	3s. 3d. "	
EXHIBITION BREAD TINS, single		IXXXX tin plate or lighter, or 24-gauge iron or lighter	2 lb. ...	6 articles...	17s. "
" " " " " "			4 " ...	6 " ...	21s. 6d. "
" " " " " " double			2 " ...	3 " ...	43s. "
" " " " " "	4 " ...		3 " ...	50s. "	

PIECE-WORK—continued.

Articles.	Material.	Size.	When given out in the under-mentioned Quantities or more.	Prices.	
TINS—continued.					
CAKE TINS, AND CAKE RINGS, with use of knocking-up machine	IC tin plate	4 inches ...	1 gross ; not less than 3 dozen of any one size	12s. 3d. per gross	
" " " " " "		5 " ...		13s. 3d. "	
" " " " " "		6 " ...		14s. 3d. "	
" " " " " "		7 " ...		16s. 9d. "	
" " " " " "		8 " ...		17s. 9d. "	
" " " " " "		9 " ...		19s. "	
" " " " " "		10 " ...		21s. 6d. "	
" " " " " "		11 " ...		25s. "	
" " " " " "		12 " ...		28s. 6d. "	
" " " " " loose bottoms ...		All sizes ...		11s. "	extra
QUEEN CAKE TINS, hearts ...	IC tin plate	4 dozen ...	2s. 9d. per doz.	
" " diamonds	6 " ...	1s. 3d. "	
SANDWICH TINS, with use of knocking-up machine	IC tin plate	6 inches ...	1 gross ; not less than 3 dozen of any one size	14s. 3d. per gross	
" " " " " "		7 " ...		16s. 9d. "	
" " " " " "		8 " ...		17s. 9d. "	
" " " " " "		9 " ...		19s. "	
" " " " " "		10 " ...		21s. 6d. "	
" " " " " "		11 " ...		25s. "	
" " " " " "		12 " ...		28s. 6d. "	
SWISS ROLL TINS, wired, with use of angle bender	IC tin plate	12 x 8 inches	4 dozen ...	2s. 6d. per doz.	
" " " " " "		13 x 9 "	4 " ...	2s. 9d. "	
" " " " " "		14 x 10 "	4 " ...	2s. 9d. "	
" " " " " "		15 x 11 "	4 " ...	3s. "	
" " " " " "		16 x 12 "	4 " ...	3s. 3d. "	
" " not wired, with use of angle bender		12 x 8 "	4 " ...	2s. "	
" " without use of angle bender ...	All sizes	6d. "	extra	
37. TUBS.					
BLACK IRON TUBS, round or oval, without hoop or strap	26-gauge iron or lighter	16 inches ...	2 dozen ...	4s. 6d. per doz.	
" " " " " "		18 " ...	2 " ...	5s. "	
" " " " " "		20 " ...	2 " ...	5s. 6d. "	
" " " " " "		22 " ...	2 " ...	6s. "	
" " " " " "		24 " ...	1½ " ...	6s. 6d. "	
" " " " " "		26 " ...	1½ " ...	7s. 3d. "	
" " " " " "		28 " ...	1½ " ...	8s. 6d. "	
" " " " " "		30 " ...	1 " ...	9s. 9d. "	
" " " " " with hoop ...		16 " ...	2 " ...	5s. "	
" " " " " "		18 " ...	2 " ...	5s. 9d. "	
" " " " " "		20 " ...	2 " ...	6s. "	
" " " " " "		22 " ...	2 " ...	6s. 6d. "	
" " " " " "		24 " ...	1½ " ...	7s. "	
" " " " " "		26 " ...	1½ " ...	8s. 3d. "	
" " " " " "		28 " ...	1½ " ...	9s. "	
" " " " " "		30 " ...	1 " ...	10s. 6d. "	
" " " " " hooped and strapped...		24-gauge iron or lighter	33 " ...	6 articles...	13s. 3d. "
" " " " " "		36 " ...	6 " ...	17s. 6d. "	
" " " " " "		16 " ...	2 dozen ...	6s. 3d. "	
" " " " " "		18 " ...	2 " ...	6s. 9d. "	
" " " " " "	20 " ...	2 " ...	7s. "		
" " " " " "	22 " ...	2 " ...	7s. 9d. "		
" " " " " "	24 " ...	1½ " ...	8s. 3d. "		
" " " " " "	26 " ...	1½ " ...	9s. 6d. "		
" " " " " "	28 " ...	1½ " ...	10s. 9d. "		
" " " " " "	30 " ...	1 " ...	12s. "		
" " " " " "	24-gauge iron or lighter	33 " ...	6 articles...	15s. "	
" " " " " "	36 " ...	6 " ...	19s. 9d. "		
TIN TUBS, round, without hoop	IX tin plate or lighter	15 " ...	2 dozen ...	4s. 9d. "	
" " " " " "		16 " ...	2 " ...	4s. 9d. "	
" " " " " "		18 " ...	1½ " ...	6s. "	
" " " " " "		20 " ...	1½ " ...	6s. 6d. "	
" " " " " "	IXX tin plate or lighter	22 " ...	1½ " ...	7s. "	
" " " " " "		24 " ...	1 " ...	8s. 3d. "	
" " " " " with tinned or galvanized iron or black iron hoop ...	IX tin plate or lighter	15 " ...	2 " ...	6s. "	
" " " " " "		16 " ...	2 " ...	6s. "	
" " " " " "		18 " ...	1½ " ...	7s. "	
" " " " " "		20 " ...	1½ " ...	7s. 9d. "	
" " " " " "	IXX tin plate or lighter	22 " ...	1½ " ...	8s. 3d. "	
" " " " " "		24 " ...	1 " ...	9s. 6d. "	
" " " " " oval, without hoop	IX tin plate or lighter	16 " ...	2 " ...	6s. 6d. "	
" " " " " "		18 " ...	1½ " ...	7s. "	
" " " " " "		20 " ...	1½ " ...	7s. 9d. "	
" " " " " "		22 " ...	1½ " ...	8s. 9d. "	
" " " " " "	IXX tin plate or lighter	24 " ...	1 " ...	10s. "	
" " " " " with tinned or galvanized iron or black iron hoop...		IX tin plate or lighter	16 " ...	2 " ...	7s. 9d. "
" " " " " "	18 " ...		1½ " ...	8s. 3d. "	
" " " " " "	20 " ...		1½ " ...	8s. 9d. "	
" " " " " "	22 " ...		1½ " ...	10s. "	
" " " " " "	IXX tin plate or lighter	24 " ...	1 " ...	11s. 3d. "	

PIECE-WORK—continued.

SCHEDULE B.—CANISTER WORK.

	Price per gross.		
	Lap seam.	Lock seam, without assistance.	Lock seam, with two assistants
SOLDERING SEAMS—all work rolled—up to and including 2½ inches in diameter—			
Up to and including 2 inches deep ...	0 6	0 5½	0 3½
Over 2 inches deep and up to and including 3½ inches deep ...	0 6½	0 6	0 4
" 3½ " " " 4½ " " ...	0 7	0 6½	0 4
" 4½ " " " 5½ " " ...	0 8	0 7	0 5
" 5½ " " " 7 " " ...	0 11½	0 8	0 6
Over 2½ inches and up to and including 3½ inches in diameter—			
Up to and including 2 inches deep ...	0 6	0 5	0 3½
Over 2 inches deep and up to and including 3½ inches deep ...	0 6½	0 6	0 4
" 3½ " " " 5 " " ...	0 7	0 6½	0 4
" 5 " " " 6 " " ...	0 8	0 7	0 5
" 6 " " " 7 " " ...	0 10½	0 8½	0 6½
" 7 " " " 8 " " ...	1 3	1 0	0 10
Over 3½ inches and up to and including 4½ inches in diameter—			
Up to and including 2 inches deep ...	0 7	0 5½	0 3½
Over 2 inches deep and up to and including 3½ inches deep ...	0 7½	0 6	0 4
" 3½ " " " 5 " " ...	0 8½	0 7	0 5
" 5 " " " 6 " " ...	0 10	0 7½	0 5½
" 6 " " " 7 " " ...	0 11½	0 9	0 7
" 7 " " " 8 " " ...	1 3	1 0	0 10
Over 4½ inches, and up to and including 5½ inches in diameter—			
Up to and including 2½ inches deep ...	0 8	0 6	0 4
Over 2½ inches deep, and up to and including 4½ inches deep ...	0 10½	0 8	0 5½
" 4½ " " " 6 " " ...	1 2	0 10	0 7½
" 6 " " " 7 " " ...	1 4	1 0	0 10
" 7 " " " 8 " " ...	1 5	1 1	0 11
Over 5½ inches, and up to and including 6½ inches in diameter—			
Up to and including 3 inches deep ...	0 11	0 7½	0 5½
Over 3 inches deep, and up to and including 4½ inches deep ...	1 1	0 8½	0 6½
" 4½ " " " 6 " " ...	1 3	0 10	0 7½
" 6 " " " 8 " " ...	1 5	1 1	0 11
SEAMING MEAT TIN BODIES (square)—			
1 lb. ...			1 3 per 100
2 lbs. ...			1 3 " "
6 " ...			2 0 " "
SEAMING AND ROLLING MEAT TIN BODIES (round)—			
1 lb. ...			0 10 per 100
2 lbs. ...			0 10 " "

	Price per gross.		
	Not crimped or rolled on.	Crimped.	Rolled on.
Up to and including 3 inches in diameter ...	0 8½	0 7½	0 6½
Over 3 inches diameter, and up to and including 3½ inches in diameter ...	0 9½	0 8½	0 8½
" 3½ " " " 4½ " " ...	1 3	1 1½	0 11½
" 4½ " " " 5 " " ...	1 5	1 3	1 1½
" 5 " " " 6 " " ...	1 10	1 7½	1 5½

ROUND WORK (SOLDERING).

	Price per gross.
	s. d.
JAM TINS—Closing, 1 lb., topped, and crimped ...	0 10
" " 2 lb. " " " " ...	1 0
CAKE TINS—	
2 lbs., soldering ...	9 6
4 " " " " " " ...	10 9
6 " " " " " " ...	12 0
6 " cutting ...	1 3
CAPPING—Soldering on caps, all work cleaned, caps put on—	
Cap up to and including 1½ inches in diameter in 6-lb. tin or less ...	0 11
" over 1½ and up to and including 2½ inches in diameter in 6-lb. tin or less ...	1 0
" " 2½ " " " 2½ " " " " " " ...	1 1
" " 2½ " " " 3½ " " " " " " ...	1 2
" " 3½ " " " 3½ " " " " " " ...	1 6
Capping pulp tins, up to 40-lbs., work cleaned and caps put on—	
Round cap ...	3 0
Square cap, 3½ to 5 inches square ...	3 9
SQUARE WORK.	
Jam tins—6 lbs., soldering only, with use of spring ...	9 6
" 6 " notching, bending, and folding ...	4 9
" 14 " soldering only, without use of spring ...	11 6
" 14 " " " with use of spring ...	12 6
" 20 " " " without use of spring ...	12 0
" 20 " " " with use of spring ...	13 3
" 28 " " " without use of spring ...	12 0
" 28 " " " with use of spring ...	13 3
" 14, 20, and 28 lbs., notching, bending, and folding ...	6 0 extra
Pulp tin 40 lbs., soldering only, without use of spring ...	17 6
" 40 " " " with use of spring ...	17 6
" 40 " " " lock seam ...	17 6
Cutting out above sizes ...	1 5 extra
Notching, bending, and folding so that spring is not necessary, all above sizes, except 6 lbs. ...	8 3
Notching, bending, and folding, so that spring is necessary at one end ...	7 3

PIECE-WORK—continued.

SQUARE WORK—continued.

	Per gross.
	s. d.
BISCUIT TINS—	
1 lb., soldering	3 8
2 lbs. "	4 6
4 " "	7 3
6 " "	7 3
6 " " two seams	8 3
6 lbs., glass, soldering	10 9
14 " plain, "	11 3
14 " glass, "	14 3
25 " plain, "	12 6
30 " " "	12 6
40 " " "	12 6
50 " " "	14 3
Uneda " "	12 6
½-lb. packet " "	11 3
9 lbs. Cabin " "	10 3
Wafer, Ice and Cup, soldering	4 6
" Cream, Henley and Variety, soldering	4 6
Afternoon Tea, soldering	0 4
1 lb., cutting bodies	0 4
2 lbs. " "	1 3
6 " " "	0 1½
1 lb., cutting ends	0 1½
2 lbs. " "	1 0
4 " cutting at guillotine	1 0½
9 " " "	2 3
30 " " "	2 3
40 " " "	2 3
50 " " "	1 11
Plain and Packet, cutting at guillotine	0 7½
Small Wafer " "	4 9
30 lbs., closing, soldering	6 0
40 " " "	6 9
50 " " "	11 3
FLOUR TINS—	
40 lbs., soldering	14 3
50 " " "	19 0
HONEY TINS—	
56 lbs., soldering	10 0
OIL OR VARNISH TINS—	
½ gallon, soldering ends and lock seam	12 0
1 " " "	16 6
2 " " "	0 5
OBLONG TINS—(reputed or imperial measure)—	
1 pint, plain, soldering, lock seam (with two assistants)...	0 7
1 " " " " (without assistance) ...	0 5
1 quart " " " " (with two assistants)...	0 7
1 " " " " (without assistance) ...	0 7
Soldering, all above tins, if made of decorated or varnished tin plate	0 1½ extra each end
1 pint, rolled on ends, soldering	1 10 each end
1 " crimped, soldering	1 10½ "
1 " not crimped or rolled on, soldering	2 0½ "
1 quart, rolled on ends, soldering	1 10½ "
1 " crimped, soldering	2 0½ "
1 " not crimped, soldering	2 6

OVAL WORK.

	Per gross.
	s. d.
OIL TINS—	
½ pint, lock seams, soldering (with two assistants) ...	0 3½
½ " " " (without assistance) ...	0 7
½ " lap " " (" ") ...	0 7
½ " rolled on ends ...	1 8 each end
½ " crimped on ends ...	1 5 "
½ " slipped on ends ...	1 11 "

STAMPING WORK ON POWER MACHINES OR PRESSES (NOT USING SCRAP).

	Per gross.
	s. d.
Up to and including 3½ inches in diameter of cutting die	0 0½
Over 3½ and up to and including 4 inches in diameter of cutting die	1 ½
" 4 " " 4½ " " "	0 1½
" 4½ " " 5½ " " "	0 1½
" 5½ " " 6½ " " "	0 2½

F. H. BOLTON, J.P.,
Chairman.

Dated at Melbourne the 14th day of March, 1913.