



# VICTORIA GOVERNMENT GAZETTE

Published by Authority.

[Registered at the General Post Office, Melbourne, for transmission by post as a newspaper.]

No. 188.]

FRIDAY, OCTOBER 6.

[1916.]

*Factories and Shops Act 1915.*

## ELECTION OF MEMBERS (BEING REPRESENTATIVES OF EMPLOYERS) OF THE PLUMBERS BOARD.

I HEREBY give notice that, pursuant to the provisions of the *Factories and Shops Act 1915*, and the Regulations thereunder, the following persons have been nominated as representatives of employers on the above-named Special Board:—

ALFRED ERNEST ATHERTON,  
JACOB CAIBNS,  
JOHN EARL CARNOCHAN,  
JOSEPH HOOD,  
HORATIO JAMES LEWIS,  
GEORGE THOMAS WALLIS.

As the number of persons nominated exceeds the number (five) to be elected, a poll will be taken on Thursday, the twelfth day of October, 1916.

The poll will be taken by voting paper only (which will be posted to every elector), and no voting paper will be allowed which is delivered or posted so as to be received by me after Four o'clock in the afternoon of the said twelfth day of October, 1916.

Dated at Melbourne the third day of October, 1916.

W. A. CALLAWAY, Under-Secretary,  
Returning Officer for Elections of Special Boards.

## Mining Notices.

### THE PRINCESS DAGMAR GOLD MINING COMPANY NO LIABILITY.

NOTICE.—An Extraordinary Meeting of Shareholders will be held at the company's office, City Chambers, Bendigo, on Tuesday, 31st October, 1916, at a quarter past Twelve o'clock p.m.

Business:

- To increase the capital of the company by raising the amount payable in respect of each of the 34,000 shares in the company from Two pounds to Three pounds.
- To confirm the minutes of the meeting.

2230

W. WEDDELL, Manager.

### THE COLLMANN AND TACCHU'S FREEHOLD MINING COMPANY NO LIABILITY.

NOTICE.—A Call (the 112th) of Threepence per share has been made on the capital of the company, due and payable at the company's office, City Chambers, Bendigo, on Wednesday, 11th October, 1916.

2227

W. WEDDELL, Manager.

### WINDMILL HILL GOLD MINING COMPANY NO LIABILITY.

A CALL (the 54th) of Threepence per share has been made on the uncalled capital of the above-named company, payable at the company's office, Albion Chambers, Bendigo, on Wednesday, 11th October, 1916.

2229

J. H. CRAIG, Manager.

### THE IRONBARK COMPANY NO LIABILITY, BENDIGO.

A CALL (the 92nd) of Threepence per share has been made, payable at the office of the company, Colonial Bank Chambers, Bendigo, on Wednesday, the 11th day of October, 1916.

2231

L. B. BIRCH, Manager.

### LITTLE NUGGETTY GOLD MINING COMPANY NO LIABILITY.

A CALL (the 31st) of Twopence per share has been made on the capital of the company on all shares numbered 1 to 35,400 inclusive, due and payable to me, at the registered office, 150 Queen-street, Melbourne, on Wednesday, 11th October, 1916.

2236

BERNARD BRADLEY, Manager.

### FAIRY STREAK GOLD MINING COMPANY N. L.

NOTICE is hereby given that a Call (the 3rd) of One penny per share on all contributing shares of the company has been made, due and payable to the manager, at the registered office, on Wednesday, 11th October, 1916.

2237

W. LESLIE V. PORTER, Manager.

### STANDARD GLENGONNA GOLD MINING COMPANY NO LIABILITY.

A CALL (36th) of Twopence per share has been made, due and payable at the registered office, 395 Collins-street, Melbourne, on Wednesday, 11th October, 1916.

2238

W. A. BUTLER, Manager.

### FOSTER ALLUVIAL EXTENDED GOLD MINING COMPANY NO LIABILITY.

A CALL (5th) of Three halfpence per share has been made, due and payable at the registered office, 395 Collins-street, Melbourne, on Wednesday, 11th October, 1916.

2239

W. A. BUTLER, Manager.

### THE COHEN'S LONG TUNNEL UNITED GOLD MINING COMPANY NO LIABILITY.

A CALL (14th) of Fourpence halfpenny per share (making 5s. paid) has been made on contributing shares, due and payable at the company's office, 317 Collins-street, Melbourne, on Wednesday, 11th October, 1916.

2240

A. S. CARROLL, Manager.

### ELDORADO GOLD MINES NO LIABILITY.

A CALL (12th) of One penny per share has been made upon all contributing shares, due and payable at registered office, 413 Collins-street, Melbourne, on Wednesday, the 11th October, 1916, making shares 2s. 1d. paid up.

2241

HORATIO S. DICKSON, Manager.

NEW DEMPSEY'S GOLD MINING CO.  
NO LIABILITY, GAFFNEY'S CREEK.  
**N**OTICE is hereby given that a Call (the 116th) of Twopence per share has been made on the shares in the above-named company, due and payable at the office of the company, 5-6 Temple Court, Collins-street, Melbourne, on Wednesday, the 11th day of October, 1916.  
2242 J. H. EGAN, Manager.

THE MARY MAC GOLD MINING COMPANY  
NO LIABILITY.  
**A** CALL (the 28th) of Threepence per share (making 17s. 6d. paid up) has been made on all shares in the company, due and payable at the registered office of the company, 47 Queen-street, Melbourne, on Wednesday, 11th October, 1916.  
2243 WM. JACKSON, Manager.

LEONORA GOLD BLOCKS NO LIABILITY.  
**A** CALL (the 2nd) of One shilling per share (making 6s. 6d. paid up) has been made on all the contributing shares in the company, numbered from 1 to 30,000, due and payable at the registered office of the company, 47 Queen-street, Melbourne, on Wednesday, 11th October, 1916.  
2244 M. I. MURCHIE, Manager.

BUTLERS TIN MINES NO LIABILITY.  
**A** CALL (the 22nd) of Sixpence per share has been made upon all the contributing shares in the company, due and payable to me, at the registered office, National Trustees Building, 125 Queen-street, Melbourne, on Wednesday, the 11th October, 1916.  
2245 JAMES MACKAY, Manager.

NEW LANGI LOGAN GOLD MINES NO LIABILITY.  
**A** CALL (the 77th) of Fourpence per share has been made upon all the contributing shares in the company, due and payable to me, at the registered office, National Trustees Building, 125 Queen-street, Melbourne, on Wednesday, the 11th October, 1916.  
2246 JAMES MACKAY, Manager.

BELGIUM AND PERSEVERANCE GOLD MINING COMPANY NO LIABILITY.  
**N**OTICE is hereby given that a Call (the 25th) of Threepence per share has been made upon all the contributing shares in the company, due and payable to me, at the registered office, Commercial Union Buildings, 413 Collins-street, Melbourne, on Wednesday, 11th October, 1916.  
2247 F. L. SMYTH (W. Grant Meudell and Smyth), Manager.

WERRIBEE-AJAX GOLD MINING COMPANY  
NO LIABILITY.  
**A** CALL (the 6th) of Threepence per share has been made on capital of above company, due and payable at the registered office, Broken Hill Chambers (2nd floor), 31 Queen-street, Melbourne, on Wednesday, 11th October, 1916.  
2249 NORMAN G. MCLEOD, Manager.

POWLETT-NORTH WOOLAMAI COLLIERIES COMPANY NO LIABILITY.  
**A** CALL (the 51st) of Twopence per share has been made on capital of above company, due and payable at the registered office, Broken Hill Chambers (2nd floor), 31 Queen-street, Melbourne, on Wednesday, 11th October, 1916.  
2250 NORMAN G. MCLEOD, Manager.

DUKE EXTENDED GOLD MINING COMPANY  
NO LIABILITY.  
**A** CALL (the 69th) of Threepence has been made, due and payable at the registered office, 339 Collins-street, Melbourne, on Wednesday, 11th October, 1916.  
2251 A. J. PEACOCK, Manager.

EDNA MAY CONSOLIDATED GOLD MINING COMPANY NO LIABILITY, WESTONIA, WESTERN AUSTRALIA.  
**A** CALL (the 6th) of Sixpence has been made, due and payable at the registered office, 339 Collins-street, Melbourne, on Wednesday, 11th October, 1916.  
2252 A. J. PEACOCK, Manager.

GREAT SOUTHERN CONSOLS COMPANY  
NO LIABILITY.  
**A** CALL (the 127th) of Threepence has been made, due and payable at the registered office, 339 Collins-street, Melbourne, on Wednesday, 11th October, 1916.  
2253 A. J. PEACOCK, Manager.

LANGI LOGAN SOUTH GOLD MINING COMPANY  
NO LIABILITY.

**A** CALL (the 70th) of Sixpence has been made, due and payable at the registered office, 339 Collins-street, Melbourne, on Wednesday, 11th October, 1916.  
2254 A. J. PEACOCK, Manager.

MOUNT JASPER COPPER MINES NO LIABILITY.  
**A** CALL (43rd) of Two shillings and sixpence per share has been made on the uncalled capital of company, due and payable at office of company, Modern Chambers, 317 Collins-street, Melbourne, on Wednesday, 11th October, 1916.  
2255 P. J. O'CONNOR, Manager.

O'CONNOR'S GOLD MINING COMPANY  
NO LIABILITY, DRUMMOND NORTH.  
**A** CALL (46th) of Three halfpence per share has been made on the uncalled capital of company, due and payable at office of company, Modern Chambers, 317 Collins-street, Melbourne, on Wednesday, 11th October, 1916.  
2256 E. WILLIAMS, Manager.

WORKING MINERS GOLD MINING CO. N. L.  
**A** CALL (the 81st) of One penny per share has been made, due and payable at the office of the company, Equitable Building, Collins-street, Melbourne, on Wednesday, 11th October, 1916.  
2257 S. J. PLAIN, Manager.

THE PRINCESS DAGMAR GOLD MINING COMPANY NO LIABILITY.  
**N**OTICE.—All shares on which the 89th call of Threepence per share remains unpaid are forfeited, and will be sold by Jas. Andrew and Co., at Beehive Exchange, Bendigo, on Tuesday, 17th October, 1916, at half-past Four o'clock p.m., unless previously paid on.  
2258 W. WEDDELL, Manager.

WILLIAM'S UNITED GOLD MINING COMPANY  
N. L.  
NO POSTPONEMENT.  
**N**OTICE.—All shares on which the 66th call of Threepence per share remains unpaid (due 13th September, 1916) are forfeited, and will be sold by public auction, at the Beehive Exchange, Bendigo, at half-past Four p.m., on Tuesday, 17th October, 1916, unless previously redeemed.  
2259 GEORGE H. GREEN, Legal Manager.

NEW PRINCE OF WALES GOLD MINING COY.  
NO LIABILITY.  
**N**OTICE.—All shares on which the 49th call of Threepence per share remains unpaid are forfeited, and will be sold by public auction, at Beehive Exchange, Bendigo, on Tuesday, 17th October, 1916, at half-past Four p.m., unless previously redeemed.  
2260 E. H. KIRKWOOD, Manager.

CLONBINANE GOLD AND ANTIMONY MINING COMPANY NO LIABILITY.  
**A** LL shares forfeited for non-payment of the September, 1916, call (the 11th) of Threepence per share and previous calls will be absolutely sold, at the Stock Exchange Hall, Collins-street, Melbourne, on 14th October, 1916, at half-past Eleven a.m., unless previously redeemed.  
2261 W. BRUCE FOX, Manager.  
123 Queen-street, Melbourne. 2234

HANOVER GOLD MINING COMPANY  
NO LIABILITY.  
**A** LL shares forfeited for non-payment of the September, 1916, call (the 48th) of One penny per share and previous calls will be absolutely sold, at the Stock Exchange Hall, Collins-street, Melbourne, on 13th October, 1916, at half-past Eleven a.m., unless previously redeemed.  
2262 W. BRUCE FOX, Manager.  
123 Queen-street, Melbourne. 2235

MOUNT LARCOM GOLD MINING COMPANY  
NO LIABILITY.  
**N**OTICE is hereby given that all shares forfeited for non-payment of the 11th (June) call of Sixpence per share and previous calls will be sold by public auction, at the Stock Exchange Hall, Collins-street, Melbourne, on Saturday, 14th October, 1916, at half-past Eleven o'clock a.m., unless previously redeemed.  
2263 F. L. SMYTH (W. Grant Meudell and Smyth), Manager.



# VICTORIA GOVERNMENT GAZETTE

Published by Authority.

[Registered at the General Post Office, Melbourne, for transmission by post as a newspaper.]

No. 189.]

TUESDAY, OCTOBER 10.

[1916.]

*Factories and Shops Act 1915.*

## DETERMINATION OF THE TINSMITHS BOARD.

IN accordance with the provisions of the *Factories and Shops Act 1915*, the Special Board appointed to determine the lowest prices or rates of payment payable to any person or persons or classes of persons employed in the process, trade, or business of preparing or manufacturing articles made of tin plate or other sheet metal, including the japanning of such articles, has made the following Determination, namely:—

1. That previous Determinations of this Board are hereby amended, and such amendments shall come into force and be operative on and after the 26th day of October, 1916. The Determination and amendments are printed hereunder.

2. That the lowest rates of wages to be paid to the following persons shall be:—

Tinsmiths .. .. .	}	66s. per week of 48 hours.
Sheet metal workers or repairers .. .. .		
Artistic japanners .. .. .		
Gold workers .. .. .		
Ornamental pencil workers .. .. .		
Makers or repairers of canisters or oil tins or parts thereof by hand .. .. .	}	63s. " " "
Makers or repairers of canisters or oil tins or parts thereof by machine .. .. .		
Cap solderers .. .. .	}	63s. " " "
Canister vent closers .. .. .		
Machinists on general sheet metal work .. .. .	}	62s. " " "
Solderers of down pipes .. .. .		
Filleters .. .. .		
Grainers .. .. .	}	60s. " " "
Liners .. .. .		
Writers .. .. .		
Attendants on power capping machines .. .. .		
Persons attending to the metal pot on any power automatic body-forming and seam soldering machine .. .. .	}	59s. " " "
Persons attending to the metal pot on any power automatic end soldering machine.. .. .		
All others .. .. .		56s. " " "

Juvenile workers (other than apprentices or improvers)—

		Per Week of 48 Hours.					
		1st Year's Experience in Class A.	2nd Year's Experience in Class A.	3rd Year's Experience in Class A.			
		s. d.	s. d.	s. d.			
<i>Under 17 years of age.</i>							
CLASS A.							
(1) Putting wire handles in camp kettles, wiring handles for kettles and dippers, folding flat tin handles, folding spouts and barrels for kerosene pumps, forming handles for pannikins and dippers, forming rims for lids, notching, using guillotine for above work, holding general sheet metal work for journcymen or soldering canisters other than seams, tops, or bottoms .. .. .		10 0	15 0	20 0			
(2) Polishing, cleaning, testing to detect leaks, making spouting tubes, cutting and making wire handles, cutting hoop iron and wire for general sheet metal work, blackening or tarring shovels or closet pans, packing, carrying or moving goods, lighting or attending fires or engaged on canister work at topping tins or trimming scrap .. .. .		10 0	12 0	15 0			
<i>Under 21 years of age.</i>							
CLASS B.							
Soldering down pipes .. .. .		31 6	38 0	46 0			
CLASS C.							
Repairing leaks in general sheet metal work or assisting at rollers for forming down pipes, or engaged at general sheet metal work on the following machines, viz.:—Burnishing and spinning lathes, curving machines, guillotines for cutting spouting and ridging, stamping machines or presses, or spouting and ridging machines .. .. .		20 0	27 6	35 0	42 6		
CLASS D.							
Engaged at general sheet metal work on any other power machine or at canister work on machines for folding canisters of holding capacity up to and including one pint, beading, bending (other than by angle bender or folder), body forming (other than by angle bender), clenching, crimping, curling, double seaming, flanging, hinge hooking, hinge seating, lock seaming, notching, rolling, squeezing, trimming, or wire forming, or employed in connexion with japanning at scouring, cleaning, assisting to polish or general rough work .. .. .		10 0	15 0	20 0	27 6	35 0	42 6
CLASS E.							
Engaged at canister work on the following presses:—Crank, monkey, pondulum, screw, or treadle, or feeding or taking off in connexion with any power soldering machine or engaged at canister work on any other power machine .. .. .		15 0	20 0	25 0	30 0	35 0	42 6

## APPRENTICES AND IMPROVERS.

"Apprentice" means any person under 21 years of age bound by indentures of apprenticeship, or any person over 21 years of age who, with the sanction of the Minister, is bound by indentures of apprenticeship. (Act 2650, Section 3.)

The Tinsmiths Board has prescribed a form of apprenticeship agreement. Section 187 requires that the indentures must be in that form.

"Improver" means any person (other than an apprentice) who does not receive a piece-work price or a wages rate fixed by any Special Board for persons other than apprentices or improvers and who is not over 21 years of age or who being over 21 years of age holds a licence from the Minister to be paid as an improver. (Act 2650, Section 3.)

3. That the wages and number of apprentices or improvers who may be employed within any factory or place shall be—

Wages per Week of 48 hours.		Number.	
		Apprentices.	Improvers.
1st year's experience ..	..	10s.	10s.
2nd " " ..	..	15s.	15s.
3rd " " ..	..	20s.	21s.
4th " " ..	..	25s.	30s.
5th " " ..	..	35s.	40s.
APPRENTICES.			
One apprentice to every three or fraction of three workers receiving not less than 56s. per week.			
IMPROVERS.			
One improver to every five or fraction of five workers receiving not less than 60s. per week.			

## TIME OF BEGINNING AND ENDING WORK.

4. That the time of beginning and ending work shall be—

Time of Beginning.	Time of Ending.
7.30 a.m. ..	12.15 p.m. on the day on which the half-holiday is observed.
7.30 a.m. ..	5.45 p.m. on the other working days of the week.

## OVERTIME.

5. That wherever overtime is worked it shall be paid for at the rates as hereunder:—

Between 12.15 p.m. and 2.15 p.m. on the day on which the half-holiday is observed ..	Time and a quarter.
Between 5.45 p.m. and 7.45 p.m. on the other working days ..	Time and a quarter.
At any other time outside the hours for beginning and ending work ..	Time and a half.
Within the hours fixed in clause 4 in excess of 48 hours in any week—	
First two hours ..	Time and a quarter.
Thereafter ..	Time and a half.

## SUNDAYS AND PUBLIC HOLIDAYS.

6. That double time shall be the special rate for all work done on—

Sundays,  
New Year's Day,  
Foundation Day (26th January),  
Good Friday,  
Easter Monday,  
Eight Hours Day (21st April),  
King's Birthday,  
Christmas Day,  
Boxing Day,

but if any other day be by Act of Parliament or Proclamation substituted for any of the above-named public holidays the special rate shall only be payable for work done on the day so substituted.

## PIECE-WORK.

7. (a) That the lowest piece-work price payable to any person for wholly or partly preparing or manufacturing any article described in the following Schedules (which Schedules shall form part of this Determination) shall be the price mentioned in such Schedules.

(b) That wherever the quantity to be given out is stated in the Schedules the prices apply only when the articles are given out in quantities not less than those mentioned in the Schedule.

(c) That the Schedules of prices apply to new material only.

(d) That (except where otherwise provided) where the sizes of articles to be made under these Schedules do not exactly correspond with the sizes stated in these Schedules then the price or rate fixed for the next nearest size shall apply; but where the size is half-way between two sizes then the next higher price or rate shall apply.

SCHEDULE A.—GENERAL SHEET METAL WORK.

Articles.	Material.	Size.	When given out in the under-mentioned quantities or more.	Prices.	
<b>(1.) BASINS.</b>					
WASH-HAND BASINS, hand-made (including blocking of bottoms)	1C tin plate	13 inches ...	3 dozen ...	4s. 3d. per doz.	
" " " " " " " "		16 " ...	3 " ...	5s. 3d. "	
" " " " " " " "	IX tin plate	18 " ...	2 " ...	5s. 6d. "	
" " " " " " " "		13 " ...	3 " ...	4s. 9d. "	
" " " " " " " "		16 " ...	2 " ...	5s. 3d. "	
" " " " " " " "		18 " ...	2 " ...	6s. 10d. "	
" " " " " " " "		20 " ...	1 1/2 " ...	7s. 10d. "	
" " " " " " " "		22 " ...	1 " ...	9s. 6d. "	
If bottoms supplied for 13 in. basins ...	...	...	...	4d. per doz. deducted	
" " " " " 16 and 18 in. basins ...	...	...	...	6d. " "	
" " " " " 20 and 22 in. basins ...	...	...	...	1s. " "	
If unplated handles 6 gauge wire or under supplied for basins	...	18, 20, or 22 inches	...	1s. 6d. per gross handles deducted	
<b>(2.) BATHS.</b>					
CHILD'S BATHS ...	24-gauge iron or lighter	24 inches ...	3 articles	3s. each	
" " " " " " " "		26 " ...	3 " ...	3s. 3d. "	
" " " " " " " "		28 " ...	3 " ...	3s. 6d. "	
" " " " " " " "		30 " ...	3 " ...	3s. 9d. "	
" " " " " " " "		33 " ...	3 " ...	4s. "	
" " " " " " " "		36 " ...	3 " ...	4s. 6d. "	
FOOT BATHS, oval, moulded, knocked up bottoms	Bodies 26-gauge iron or lighter	42 " ...	2 " ...	5s. 3d. "	
" " " " " " " "		16 " ...	6 " ...	17s. 6d. per doz	
" " " " " " " "		18 " ...	6 " ...	18s. 9d. "	
" " " " " " " "		20 " ...	6 " ...	20s. "	
" " " " " " " "		22 " ...	6 " ...	22s. "	
" " " " " " " "		24 " ...	6 " ...	23s. "	
" " " " " " " "		26 " ...	6 " ...	24s. 3d. "	
" " " " " " " "		28 " ...	6 " ...	27s. 3d. "	
" " " " " " " "		30 " ...	6 " ...	29s. "	
" " " " " wired		Bottoms 24-gauge iron or lighter	16 " ...	1 dozen ...	7s. 6d. "
" " " " " " " "			18 " ...	1 " ...	8s. 6d. "
" " " " " " " "			20 " ...	1 " ...	9s. 6d. "
" " " " " " " "	22 " ...		1 " ...	11s. "	
" " " " " " " "	24 " ...		1 " ...	12s. 6d. "	
" " " " " " " "	26 " ...		1 " ...	14s. "	
" " " " " " " "	28 " ...	1 " ...	15s. "		
" " " " " " " "	30 " ...	1 " ...	16s. "		
FRAME BATHS, galvanized iron, up to 6 feet long, up to 22 inches wide, and up to 22 inches deep. (Assistance to be given for knocking up)	26-gauge iron	...	3 articles	4s. 6d. each	
" " " " " " " "	24 " "	...	3 " ...	4s. 6d. "	
" " " " " " " "	22 " "	...	2 " ...	5s. 6d. "	
PLUNGE BATHS, moulded	24-gauge iron or lighter	48 inches ...	2 " ...	6s. each	
" " " " " " " "		54 " ...	2 " ...	7s. "	
" " " " " " " "		60 " ...	2 " ...	7s. 9d. "	
" " " " " " " "		66 " ...	2 " ...	8s. 3d. "	
" " " " " " " "		72 " ...	2 " ...	9s. "	
" " " " " with raised backs		...	...	2 " ...	10d. each bath extra
If galvanized iron used for beds for Plunge or Child's Baths	...	...	...	9d. " "	
<b>(3.) BINS.</b>					
FLOUR BINS, with body wired, back-lapped, and swedged; bottom knocked up and hooped or studded (4 studs); lid with a rim not less than 2 1/2 inches deep; top blocked and panned on to rim; hasp and hinge on cover; and three oval wire handles	IXX tin plate or lighter	25 lbs. ...	6 articles	1s. 8d. each	
" " " " " " " "		50 " ...	6 " ...	2s. 1d. "	
" " " " " " " "		75 " ...	4 " ...	2s. 6d. "	
FLOUR BINS, with body wired, back-lapped, and swedged, for galvanized hoop; hoop about 20 gauge and 1 1/2 inches wide; bottom knocked up; lid with a rim not less than 2 1/2 inches deep; top blocked and panned on to rim; hasp and hinge on cover; and three oval wire handles	Galv. or lead-coated iron, 24-gauge or lighter	100 " ...	3 " ...	3s. 11d. each	
" " " " " " " "		200 " ...	3 " ...	4s. 0d. "	
" " " " " " " "		250 " ...	2 " ...	5s. "	
<b>(4.) BOILERS.</b>					
TIN BOILERS, oval, with pitched covers...	IX tin plate or lighter	3 gallons ...	1 dozen ...	8s. 8d. per doz.	
" " " " " " " "		4 " ...	1 " ...	10s. "	
" " " " " " " "		5 " ...	1 " ...	10s. "	
" " " " " " " "		7 " ...	6 articles	13s. 5d. "	
" " " " " " " "		10 " ...	6 " ...	16s. 6d. "	
" " " " " oval, with blocked covers		3 " ...	1 dozen ...	11s. 3d. "	
" " " " " " " "		4 " ...	1 " ...	12s. 7d. "	
" " " " " " " "		5 " ...	1 " ...	12s. 7d. "	
" " " " " " " "		7 " ...	6 articles	18s. 3d. "	
" " " " " " " "		10 " ...	6 " ...	18s. 8d. "	
" " " " " oval, with stamped covers		3 " ...	1 dozen ...	7s. 7d. "	
" " " " " " " "		4 " ...	1 " ...	8s. 8d. "	
" " " " " " " "	5 " ...	1 " ...	8s. 8d. "		
" " " " " " " "	7 " ...	6 articles	11s. 3d. "		
" " " " " " " "	10 " ...	6 " ...	14s. "		
If copper bottoms are used on above—Tinning same	...	...	...	3s. 2d. per doz. extra	

PIECE-WORK—continued.

Articles.	Material.	Size.	When given out in the under-mentioned Quantities or more.	Prices.	
<b>(5.) BOTTLES.</b>					
OIL BOTTLES, round with plain necks and knocked up bottoms, paned on breast	IX tin plate or lighter	1 quart ...	3 dozen ...	3s. 8d. per doz.	
" " " " " " " "		2 quarts ...	3 " ...	4s. 2d. "	
" " " " " " " "		4 " ...	2 " ...	5s. 3d. "	
" " " with stamped nozzles ...		...	...	3d. per doz. deducted	
" " " with patent screws (spouts supplied)		1 quart ...	3 " ...	3s. 8d. per doz.	
" " " " " " " "		2 quarts ...	3 " ...	4s. 2d. "	
" " " " " " " "		4 " ...	2 " ...	5s. 3d. "	
" " " with slipped on bottoms and breasts		...	...	4d. per doz. deducted	
TBA BOTTLES, oval, with slipped on bottoms and breasts		IX tin plate	1 pint ...	3 dozen ...	3s. 11d. per doz.
" " " " " " " "			1½ pints ...	3 " ...	4s. 2d. "
" " " " " " " "	2 " ...		3 " ...	5s. 3d. "	
" " " " " " " "	3. " ...		2 " ...	5s. 9d. "	
" " " " " " " "	4 " ...		2 " ...	6s. "	
" " " with stamped nozzles ...	6 " ...		2 " ...	6s. 10d. "	
...	...	...	3d. per doz. deducted		
<b>(6.) BOXES.</b>					
BONNET BOXES, round, including hasp ...	IXX tin plate or lighter	13 inches ...	3 dozen ...	8s. 3d. per doz.	
" " " " " " " "		14 " ...	3 " ...	8s. 3d. "	
" " " " " " " "		15 " ...	3 " ...	8s. 9d. "	
" " " " " " " "		16 " ...	3 " ...	8s. 9d. "	
" " " " " " " "		17 " ...	3 " ...	9s. 3d. "	
" " " " " " " "		18 " ...	3 " ...	9s. 3d. "	
" " " " " " " "		13 " ...	3 " ...	8s. 3d. "	
" " " " " " " "		14 " ...	3 " ...	8s. 3d. "	
" " " " " " " "		15 " ...	3 " ...	8s. 9d. "	
" " " " " " " "		16 " ...	3 " ...	8s. 9d. "	
" " " " " " " "		17 " ...	3 " ...	10s. "	
" " " " " " " "		18 " ...	3 " ...	10s. "	
" " " " " " " "	20 " ...	3 " ...	11s. 6d. "		
" " " " " " " "	22 " ...	2 " ...	15s. 6d. "		
" " " flat top or stamped top (hasp supplied)	26-gauge steel	13 " ...	3 " ...	9s. 3d. "	
" " " " " " " "		14 " ...	3 " ...	9s. 3d. "	
" " " " " " " "		15 " ...	3 " ...	10s. "	
" " " " " " " "		16 " ...	3 " ...	10s. "	
" " " " " " " "		17 " ...	3 " ...	10s. 6d. "	
" " " " " " " "		18 " ...	3 " ...	10s. 6d. "	
" " " " " " " "	20 " ...	3 " ...	12s. 6d. "		
" " " oval, including hasp ...	IXX tin plate or lighter	13 " ...	3 " ...	9s. "	
" " " " " " " "		14 " ...	3 " ...	9s. "	
" " " " " " " "		15 " ...	3 " ...	9s. 9d. "	
" " " " " " " "		16 " ...	3 " ...	9s. 9d. "	
" " " " " " " "		17 " ...	3 " ...	10s. 3d. "	
" " " " " " " "		18 " ...	3 " ...	10s. 3d. "	
" " " " " " " "		13 " ...	3 " ...	9s. "	
" " " " " " " "		14 " ...	3 " ...	9s. "	
" " " " " " " "		15 " ...	3 " ...	9s. 9d. "	
" " " " " " " "		16 " ...	3 " ...	9s. 9d. "	
" " " " " " " "	17 " ...	3 " ...	11s. "		
" " " " " " " "	18 " ...	3 " ...	11s. "		
" " " " " " " "	20 " ...	3 " ...	12s. 9d. "		
" " " " " " " "	22 " ...	2 " ...	17s. "		
" " " flat top or stamped top (hasp supplied)	26-gauge steel	13 " ...	3 " ...	10s. 3d. "	
" " " " " " " "		14 " ...	3 " ...	10s. 3d. "	
" " " " " " " "		15 " ...	3 " ...	11s. "	
" " " " " " " "		16 " ...	3 " ...	11s. "	
" " " " " " " "		17 " ...	3 " ...	11s. 6d. "	
" " " " " " " "		18 " ...	3 " ...	11s. 6d. "	
" " " " " " " "	20 " ...	3 " ...	14s. "		
" " " if black iron tops and bottoms not supplied	8-gauge steel	...	...	9d per doz. extra	
" " " with front handles ...		...	...	7d. " " "	
If wire handles and plates supplied for bonnet boxes ...	all gauges	all sizes	...	1½d. per doz. boxes deducted	
SPICE BOXES, round, with six compartments and loose grater	IX tin plate or lighter	6 inches ...	6 articles	17s. 7d. per doz.	
" " " " " " " "		7 " ...	6 " ...	18s. 8d. "	
" " " " " " " "		8 " ...	6 " ...	21s. "	





PIECE-WORK—continued.

Articles.	Material.	Size.	When given out in the under-ment. ned Quantities or more.	Prices.	
BOXES—continued.					
Trunks, strapped (top wiring supplied)	4 swedges	24-gauge steel or lighter	33 inches ...	6 articles	50s. 6d. per doz.
" " " " "	" " " " "	" " " " "	36 " " "	6 " "	56s. " "
" wired, strapped, complete	2 swedges	" " " " "	20 " " "	1 dozen ...	28s. 6d. "
" " " " "	" " " " "	" " " " "	22 " " "	1 " " "	28s. 6d. "
" " " " "	" " " " "	" " " " "	24 " " "	1 " " "	28s. 6d. "
" " " " "	3 swedges	26-gauge steel or lighter	26 " " "	1 " " "	30s. 6d. "
" " " " "	" " " " "	" " " " "	28 " " "	1 " " "	33s. " "
" " " " "	" " " " "	" " " " "	30 " " "	1 " " "	35s. 6d. "
" " " " "	4 swedges	" " " " "	30 " " "	1 " " "	39s. " "
" " " " "	" " " " "	" " " " "	30 " " "	1 " " "	40s. " "
" " " " "	" " " " "	" " " " "	33 " " "	6 articles	51s. 6d. "
" " " " "	" " " " "	" " " " "	36 " " "	6 " "	57s. " "
" cabin, common, moulded (cutting out, top and body edging, moulding, and wiring supplied)	2 swedges	26-gauge steel or lighter	24 " " "	1 dozen ...	10s. 6d. "
" " " " "	" " " " "	" " " " "	26 " " "	1 " " "	11s. 6d. "
" " " " "	3 swedges	" " " " "	28 " " "	1 " " "	12s. " "
" " " " "	" " " " "	" " " " "	30 " " "	1 " " "	13s. 3d. "
" " " " "	4 swedges	24-gauge steel or lighter	33 " " "	1 " " "	20s. 6d. "
" " " " "	" " " " "	" " " " "	" " " " "	" " " " "	" " " " "
" cabin, moulded, strapped (cutting out, top and body edging, moulding, and wiring supplied)	2 swedges	26-gauge steel or lighter	24 " " "	1 " " "	19s. 9d. "
" " " " "	" " " " "	" " " " "	26 " " "	1 " " "	21s. " "
" " " " "	3 swedges	" " " " "	28 " " "	1 " " "	22s. " "
" " " " "	" " " " "	" " " " "	30 " " "	1 " " "	23s. " "
" " " " "	4 swedges	24-gauge steel or lighter	33 " " "	6 articles...	25s. 3d. "
" " " " "	" " " " "	" " " " "	36 " " "	6 " " "	28s. 6d. "
" " " " "	" " " " "	" " " " "	" " " " "	" " " " "	" " " " "
" cabin, moulded (moulding and wiring supplied)	2 swedges	26-gauge steel or lighter	24 " " "	1 dozen ...	14s. 9d. "
" " " " "	" " " " "	" " " " "	26 " " "	1 " " "	16s. " "
" " " " "	3 swedges	" " " " "	28 " " "	1 " " "	17s. " "
" " " " "	" " " " "	" " " " "	30 " " "	1 " " "	18s. " "
" " " " "	4 swedges	24-gauge steel or lighter	33 " " "	6 articles...	26s. " "
" " " " "	" " " " "	" " " " "	" " " " "	" " " " "	" " " " "
" " " " "	" " " " "	" " " " "	" " " " "	" " " " "	" " " " "
" " " " "	2 swedges	26-gauge steel or lighter	24 " " "	1 dozen ...	24s. " "
" " " " "	" " " " "	" " " " "	26 " " "	1 " " "	25s. 3d. "
" " " " "	3 swedges	" " " " "	28 " " "	1 " " "	27s. " "
" " " " "	" " " " "	" " " " "	30 " " "	1 " " "	28s. " "
" " " " "	4 swedges	24-gauge steel or lighter	33 " " "	6 articles...	30s. 6d. "
" " " " "	" " " " "	" " " " "	36 " " "	6 " " "	36s. 3d. "
" " " " "	" " " " "	" " " " "	" " " " "	" " " " "	" " " " "
" cabin, common, wired (cutting out, top and body edging, and top and body wiring supplied)	2 swedges	26-gauge steel or lighter	24 " " "	1 dozen ..	15s. 3d. "
" " " " "	" " " " "	" " " " "	26 " " "	1 " " "	16s. 6d. "
" " " " "	3 swedges	" " " " "	28 " " "	1 " " "	19s. " "
" " " " "	" " " " "	" " " " "	30 " " "	1 " " "	20s. " "
" " " " "	4 swedges	24-gauge steel or lighter	33 " " "	6 articles...	25s. " "
" " " " "	" " " " "	" " " " "	36 " " "	6 " " "	29s. 6d. "
" " " " "	" " " " "	" " " " "	" " " " "	" " " " "	" " " " "
" " " " "	" " " " "	" " " " "	" " " " "	" " " " "	" " " " "
" " " " "	2 swedges	26-gauge steel or lighter	24 " " "	1 dozen ...	25s. 3d. "
" " " " "	" " " " "	" " " " "	26 " " "	1 " " "	26s. 3d. "
" " " " "	" " " " "	" " " " "	28 " " "	1 " " "	27s. 6d. "
" " " " "	" " " " "	" " " " "	30 " " "	1 " " "	28s. 6d. "
" " " " "	4 swedges	24-gauge steel or lighter	33 " " "	6 articles...	30s. 6d. "
" " " " "	" " " " "	" " " " "	36 " " "	6 " " "	35s. " "
" " " " "	" " " " "	" " " " "	" " " " "	" " " " "	" " " " "
" " " " "	" " " " "	" " " " "	" " " " "	" " " " "	" " " " "
" " " " "	2 swedges	26-gauge steel or lighter	24 " " "	1 dozen ...	20s. 3d. "
" " " " "	" " " " "	" " " " "	26 " " "	1 " " "	21s. 6d. "
" " " " "	" " " " "	" " " " "	28 " " "	1 " " "	24s. " "
" " " " "	" " " " "	" " " " "	30 " " "	1 " " "	25s. " "
" " " " "	4 swedges	24-gauge steel or lighter	33 " " "	6 articles ..	30s. 6d. "
" " " " "	" " " " "	" " " " "	36 " " "	6 " " "	35s. 6d. "
" " " " "	" " " " "	" " " " "	" " " " "	" " " " "	" " " " "
" " " " "	" " " " "	" " " " "	" " " " "	" " " " "	" " " " "
" " " " "	2 swedges	26-gauge steel or lighter	24 " " "	1 dozen ...	28s. 6d. "
" " " " "	" " " " "	" " " " "	26 " " "	1 " " "	29s. 6d. "
" " " " "	" " " " "	" " " " "	28 " " "	1 " " "	30s. 6d. "
" " " " "	" " " " "	" " " " "	30 " " "	1 " " "	34s. " "
" " " " "	" " " " "	" " " " "	30 " " "	1 " " "	35s. " "
" " " " "	4 swedges	24-gauge steel or lighter	33 " " "	6 articles ...	38s. 6d. "
" " " " "	" " " " "	" " " " "	36 " " "	6 " " "	41s. 6d. "
" " " " "	" " " " "	" " " " "	" " " " "	" " " " "	" " " " "
" " " " "	2 swedges	26-gauge steel or lighter	24 " " "	1 dozen ..	30s. 6d. "
" " " " "	" " " " "	" " " " "	26 " " "	1 " " "	32s. " "
" " " " "	" " " " "	" " " " "	28 " " "	1 " " "	33s. 6d. "
" " " " "	" " " " "	" " " " "	30 " " "	1 " " "	35s. 6d. "
" " " " "	4 swedges	24-gauge steel or lighter	30 " " "	1 " " "	37s. " "
" " " " "	" " " " "	" " " " "	33 " " "	6 articles...	39s. 6d. "
" " " " "	" " " " "	" " " " "	36 " " "	6 " " "	43s. " "
" " " " "	" " " " "	" " " " "	" " " " "	" " " " "	" " " " "
If corners fitted on lids for 20-inch to 30-inch common trunks	"	"	"	"	6d. per doz. trunks extra
Swivels, end-handles and corners of all trunks supplied.	"	"	"	"	"
Wires for all moulded trunks supplied.	"	"	"	"	"
Wires for tops of wired trunks supplied.	"	"	"	"	"

PIECE-WORK—continued.

Articles.	Material.	Size.	When given out in the under-mentioned Quantities or more.	Prices.
<b>BOXES—continued.</b>				
TRUNKS where wiring, moulding, and corner pieces for bodies are not supplied	...	20, 22, 24, and 26 inches	...	4s. per doz. trunks extra
TRUNKS (machine work), cutting out, top and body edging, moulding, and wiring (wires supplied) ...	26-gauge steel or lighter	20 inches ...	3 dozen ...	3s. 6d. per doz.
" " " " " " " " "	"	22 " "	3 " "	3s. 6d. "
" " " " " " " " "	"	24 " "	3 " "	3s. 9d. "
" " " " " " " " "	"	26 " "	3 " "	4s. "
" " " " " " " " "	"	28 " "	3 " "	4s. 3d. "
" " " " " " " " "	"	30 " "	3 " "	5s. "
" " " " " " " " "	24-gauge steel or lighter	33 " "	2 " "	5s. 0d. "
" " " " " " " " "	"	36 " "	1 " "	7s. "
<b>(7.) BUCKETS.</b>				
BLACK IRON BUCKETS, common, stamped or forged ears, two rivet holes ...	28-gauge iron or lighter	11 inches	6 dozen ...	3s. 2d. per doz.
" " " " " " " " "	"	12 " "	6 " "	3s. 2d. "
" " " " " " " " "	"	13 " "	6 " "	3s. 6d. "
BLACK IRON BUCKETS, common, stamped or forged ears, three rivet holes ...	"	14 " "	6 " "	3s. 11d. "
" " " " " " " " "	"	11 " "	3 " "	3s. 5d. "
" " " " " " " " "	"	12 " "	3 " "	3s. 5d. "
" " " " " " " " "	"	13 " "	3 " "	3s. 8d. "
BLACK IRON BUCKETS, strapped sides and bottoms ...	"	14 " "	3 " "	4s. 3d. "
" " " " " " " " "	"	11 " "	2 " "	4s. 0d. "
" " " " " " " " "	"	12 " "	2 " "	4s. 9d. "
" " " " " " " " "	"	13 " "	2 " "	5s. 3d. "
BLACK IRON BUCKETS, strapped, wrought ears, two rivet holes ...	26-gauge iron or lighter	14 " "	2 " "	5s. 9d. "
" " " " " " " " "	"	11 " "	2 " "	4s. 3d. "
" " " " " " " " "	"	12 " "	2 " "	4s. 3d. "
" " " " " " " " "	"	13 " "	2 " "	4s. 9d. "
BLACK IRON BUCKETS, strapped, wrought ears, three rivet holes ...	"	14 " "	2 " "	5s. 6d. "
" " " " " " " " "	"	11 " "	2 " "	4s. 9d. "
" " " " " " " " "	"	12 " "	2 " "	4s. 9d. "
" " " " " " " " "	"	13 " "	2 " "	5s. 3d. "
" " " " " " " " "	"	14 " "	2 " "	5s. 9d. "
MILK BUCKETS, tin, with bail, hollow bottom, and tin hoop, (bail supplied) ...	IX tin plate or lighter	11 inches diameter x 9 inches deep	4 " "	3s. 11d. "
" " " " " " " " "	"	13 inches diameter x 9 inches deep	4 " "	4s. 3d. "
MILK BUCKETS, tin, with hollow bottoms, and tinned or galvanized hoops and bails (bails supplied) ...	"	11 inches diameter x 9 inches deep	4 " "	3s. 11d. "
" " " " " " " " "	"	13 inches diameter x 9 inches deep	4 " "	4s. 3d. "
" " " " " " " " "	"	11 inches diameter x 11 inches deep	3 " "	4s. 9d. "
" " " " " " " " "	"	13 inches diameter x 11 inches deep	3 " "	5s. 9d. "
" " " " " " " " "	"	11 inches diameter x 18 inches deep	1 " "	6s. 4d. "
" " " " " " " " "	"	12 inches diameter x 18 inches deep	1 " "	7s. "
MILK BUCKETS, tin—Making bails for ...	...	All sizes ...	...	3d. " extra
" " " " " (if stamped bottom supplied) ...	...	" ...	...	4d per doz. deducted
STRAINER MILK BUCKETS, tin, part covered, with lip and brass wire strainer, hollow bottom, and tinned or galvanized hoop and bails (bails supplied) ...	IX tin plate or lighter	11 inches diameter x 9 inches deep	1½ doz. ...	9s. 6d. per doz.
" " " " " " " " "	"	11 inches diameter x 11 inches deep	1½ " "	9s. 6d. "
" " " " " " " " "	"	13 inches diameter x 9 inches deep	1½ " "	10s. "
With back handle ...	...	...	...	1s. 8d per doz. extra

PIECE-WORK—continued.

Articles.	Material.	Size.	When given out in the under-mentioned Quantities or more.	Prices.
<b>BUCKETS—continued.</b>				
ALL MILK BUCKETS—If ears soldered to outside of bucket				1s. 2d. per doz. extra
TIN BUCKETS, with flat bottoms and stamped ears	IC tin plate	11 inches diameter x 9 inches deep	6 dozen	3s. 5d. per doz.
TIN BUCKETS, with tin hoop and stamped ears	IC tin plate	13 inches diameter x 9 inches deep	6 "	3s. 11d. "
" with 1½-in. or 1¼-in. hoop and strap	IC tin plate	" "	2 "	5s. 6d. "
" with 1½-in. hoop and strap	IX tin plate	" "	2 "	6s. "
" with 1¼-in. hoop and strap	IXX tin plate	" "	2 "	6s. 10d. "
If bails supplied for strapped tin buckets				3d. per doz. deducted
<b>(8.) CANISTERS.</b>				
ROUND CANISTERS, with slipped on bottle neck (top blanks supplied)	IC tin plate	½ lb.	4 dozen	2s. 11d. per doz.
" " " "		1 "	4 "	3s. 2d. "
" " " "		2 lbs.	4 "	3s. 5d. "
" " " "		3 "	3 "	3s. 8d. "
" " " "		4 "	3 "	4s. 3d. "
<b>(9.) CANS.</b>				
CREAM CANS, grooved, three hoops, double rim cover (including use of guillotine)	20-gauge tinned steel or lighter, or DXXXX tin plate or lighter	20 quarts	1 dozen	5s. each
" " " " " "		30 "	1 "	5s. "
" " " " " "		40 "	1 "	5s. 6d. "
" four hoops, double rim cover (including use of guillotine)		40 "	1 "	5s. 9d. "
" three hoops, single rim cover (including use of guillotine)		20 "	1 "	3s. 11d. "
" " " " " "		30 "	1 "	3s. 11d. "
" " " " " "		40 "	1 "	4s. 6d. "
" four " " " " "		40 "	1 "	4s. 9d. "
" If not cleaned and tested by maker		All sizes		3d. per can deducted
" If hoops supplied for				6d. per doz. hoops deducted
" If cover stamping or blocking supplied for		40 quarts		1s. 6d. per doz. deducted
" If bottoms supplied for		40 "		1s. per doz. deducted
HARVEST CANS, with pannikin supplied	IX tin plate or lighter	2 quarts	1½ dozen	6s. 3d. per doz.
" " " " " "		3 "	1½ "	6s. 10d. "
" " " " " "		4 "	1½ "	7s. 4d. "
" " " " " "		6 "	1 "	7s. 10d. "
" " " " " "		8 "	1 "	8s. 2d. "
" " " " " "		10 "	1 "	9s. 2d. "
" " " " " "		12 "	1 "	10s. 3d. "
" " " " " if with spouts		All sizes		1s. 9d. per doz. extra
HOT WATER CANS, knocked up bottoms	IX tin plate or lighter	3 pints	1 dozen	11s. 6d. per doz.
" " " " " "		2 quarts	1 "	11s. 6d. "
" " " " " "		3 "	1 "	14s. "
" " " " " "		4 "	1 "	14s. "
" wired, bottom let in		3 pints	1 "	12s. 7d. "
" " " " " "		2 quarts	1 "	12s. 7d. "
" " " " " "		3 "	1 "	15s. "
" " " " " "		4 "	1 "	15s. "
HOT WATER CANS	20-gauge galv. iron or lighter	All sizes		2s. 8d. per doz. extra
JACK SHAY CANS, straight body	IC tin plate	1 quart	2 dozen	5s. per doz.
" tapered body		1 "	2 "	6s. 7d. "
MINERS' CANS	IC tin plate	1½ pints	2 "	5s. 3d. "
" " " " " "		2 "	2 "	5s. 3d. "
" " " " " "		3 "	2 "	5s. 6d. "
" " " " " "		4 "	2 "	6s. 3d. "
" " " " " "		6 "	1½ "	6s. 10d. "
RAILWAY MILK CANS, grooved, two hoops (including use of guillotine, cleaning and testing)	20-gauge tinned steel or lighter, or DXXXX tin plate or lighter	20 quarts	1 "	3s. 8d. each
" " " " " "		30 "	1 "	3s. 8d. "
" " " " " three hoops		30 "	1 "	3s. 11d. "
" " " " " four hoops		40 "	1 "	3s. 11d. "
" " " " " three hoops		40 "	1 "	4s. 3d. "
" " " " " four hoops		50 "	6 articles	5s. 9d. "
" " " " " four hoops or less		All sizes		6d. per doz. hoops deducted

PIECE-WORK—continued.

Articles.	Material.	Size.	When given out in the under-mentioned Quantities or more.	Prices.
<b>CANS—continued.</b>				
RAILWAY MILK CANS, if bottoms supplied	...	All sizes	...	1s. per doz. deducted
TOILET CANS, with knocked up bottoms (studs supplied)	IX tin plate or lighter	6 quarts	1 dozen	16s. 3d. per doz.
" " " " " "		8 " "	1 " "	18s. " "
" " " " " "		10 " "	1 " "	19s. 9d. " "
" " " " " "		12 " "	1 " "	21s. 6d. " "
" " " " " "		16 " "	1 " "	24s. 2d. " "
" " " " " " body wired, and bottom let in		6 " "	1 " "	18s. " "
" " " " " " " "		8 " "	1 " "	20s. 9d. " "
" " " " " " " "		10 " "	1 " "	22s. " "
" " " " " " " "	12 " "	1 " "	23s. 9d. " "	
" " " " " " " "	16 " "	1 " "	26s. 6d. " "	
" " " " " " " "	26-gauge galv. iron or lighter	All sizes	...	3s. 5d. per doz. extra
<b>(10.) COLANDERS.</b>				
HAND-MADE COLANDERS, machine-punched, with side handles	IX tin plate or lighter	9 inches	4 dozen	4s. per doz.
" " " " " " " "		11 " "	4 " "	4s. 9d. " "
" " " " " " " "		13 " "	3 " "	5s. 9d. " "
" " " " " " " "		15 " "	1½ " "	6s. 9d. " "
COLANDERS—If punched with hand punch	...	All sizes	...	1s. 9d. per doz. extra
<b>(11.) COVERS.</b>				
MEAT COVERS, with perforated zinc bodies (straight sides) and pitched top	IX tin plate or lighter	12 inches	3 dozen	3s. 6d. per doz.
" " " " " " " "		14 " "	3 " "	3s. 9d. " "
" " " " " " " "		16 " "	3 " "	4s. " "
" " " " " " " "		18 " "	3 " "	4s. 6d. " "
" " " " " " " "		20 " "	2 " "	5s. " "
" " " " " " " "		22 " "	1½ " "	6s. " "
" " " " " " " "		24 " "	1 " "	7s. " "
" " " " " " " " with perforated zinc bodies (taper sides) and pitched top		12 " "	3 " "	4s. " "
" " " " " " " "		14 " "	3 " "	4s. 6d. " "
" " " " " " " "		16 " "	3 " "	4s. 9d. " "
" " " " " " " "	18 " "	3 " "	5s. 3d. " "	
" " " " " " " "	20 " "	2 " "	5s. 9d. " "	
" " " " " " " "	22 " "	1½ " "	7s. " "	
" " " " " " " "	24 " "	1 " "	8s. " "	
" " " " " " " " with perforated zinc bodies (taper sides) single rim, and blocked tops (wheeling found)	IXX tin plate or lighter	14 inches	3 dozen	5s. 6d. per doz.
" " " " " " " "		15 " "	3 " "	5s. 9d. " "
" " " " " " " "		16 " "	3 " "	6s. " "
" " " " " " " "		17 " "	3 " "	6s. 6d. " "
" " " " " " " "		18 " "	3 " "	7s. " "
" " " " " " " "		20 " "	1 " "	8s. " "
" " " " " " " "		22 " "	1 " "	9s. " "
" " " " " " " "		24 " "	1 " "	11s. " "
" " " " " " " " with double rims if stamped or blocked tops supplied for	...	All sizes	...	1s. 6d. per doz. extra
" " " " " " " "	14 inches	...	...	6d. per dozen deducted
" " " " " " " "	15 " "	...	...	6d. " "
" " " " " " " "	16 " "	...	...	9d. " "
" " " " " " " "	17 " "	...	...	9d. " "
" " " " " " " "	18 " "	...	...	9d. " "
" " " " " " " "	20 " "	...	...	1s. " "
" " " " " " " "	22 " "	...	...	1s. " "
" " " " " " " "	24 " "	...	...	1s. " "
<b>(12.) DIPPERS.</b>				
COMMON DIPPERS	IX tin plate or lighter	2 quarts	6 dozen	1s. 11d. per doz
" " " " " " " "		3 " "	6 " "	1s. 11d. " "
BEST DIPPERS, bossed		2 " "	4 " "	3s. 2d. " "
" " " " " " " "		3 " "	4 " "	3s. 2d. " "
DIPPERS—Soldering studs on		4 " "	2 " "	3s. 11d. " "
...	...	...	...	3d. per doz. dippers extra
<b>(13.) DISHES.</b>				
DEVON DISHES, about 9 inches deep, flat bottoms	IX tin plate or lighter	14 inches	3 dozen	4s. per doz.
" " " " " " " "		16 " "	3 " "	4s. 9d. " "
" " " " " " " "		18 " "	2 " "	5s. 6d. " "
" " " " " " " "		20 " "	1 " "	6s. 3d. " "
" " " " " " " "		22 " "	1 " "	7s. 3d. " "
hoops	...	All sizes	...	1s. 2d. per doz. extra

PIECE-WORK—continued.

Articles.	Material.	Size.	When given out in the under-mentioned Quantities or more.	Prices.
<b>DISHES—continued.</b>				
MILK DISHES ... ..	IX tin plate or lighter	17 inches ...	2 dozen ...	4s. 3d. per doz.
" " " " " " " " " " " "		18½ " " " "	2 " " " "	5s. " "
" " " " " " " " " " " "		20 " " " "	2 " " " "	5s. 9d. " "
SCALDING DISHES, about 6 inches deep, flat bottoms	IX tin plate or lighter	22 " " " "	2 " " " "	6s. 3d. " "
" " " " " " " " " " " "		14 " " " "	2 " " " "	3s. 9d. " "
" " " " " " " " " " " "		16 " " " "	2 " " " "	4s. 3d. " "
ROUND DISHES, flat bottoms, made ready for gal- vanizing ... ..	IX tin plate or lighter	18 " " " "	2 " " " "	5s. 6d. " "
" " " " " " " " " " " "		14 inches ...	3 dozen ...	3s. 3d. per doz.
" " " " " " " " " " " "		15 " " " "	3 " " " "	3s. 6d. " "
" " " " " " " " " " " "	IX tin plate or lighter	17 " " " "	3 " " " "	4s. 3d. " "
" " " " " " " " " " " "		... ..	... ..	3d. per doz. dishes extra
SQUARE DISHES, tin ... ..		12 x 8 inches	3 " " " "	3s. 3d. per doz.
" " " " " " " " " " " "		13 x 9 " "	3 " " " "	3s. 9d. " "
" " " " " " " " " " " "		14 x 10 " "	3 " " " "	4s. " "
" " " " " " " " " " " "		16 x 11 " "	3 " " " "	4s. 3d. " "
" " " " " " " " " " " "		16 x 12 " "	2 " " " "	4s. 3d. " "
" " " " " " " " " " " "		17 x 12 " "	2 " " " "	5s. " "
" " " " " " " " " " " "		18 x 12 " "	2 " " " "	5s. " "
" " " " " " " " " " " "	18 x 14 " "	2 " " " "	5s. 6d. " "	
" " " " " " " " " " " "	20 x 14 " "	2 " " " "	5s. 9d. " "	
" " " " " " " " " " " "	... ..	... ..	3d. per doz. deducted	
<b>(14.) DREDGERS.</b>				
FLOUR DREDGERS (tops and feet supplied) ... ..	IC tin plate	No. 1 ...	6 dozen ...	2s. . per doz.
" " " " " " " " " " " "		No. 2 ...	6 " " " "	2s. 5d. " "
<b>(15.) FEEDERS.</b>				
CARPENTERS' FEEDERS ... ..	IX tin plate or lighter	... ..	4 dozen ...	2s. 9d. per doz.
OIL FEEDERS, funnel shape ... ..		¼ pint ...	2 " " " "	4s. 9d. " "
" " " " " " " " " " " "		1 " " " "	2 " " " "	5s. 3d. " "
" " " " " " " " " " " "		2 pints ...	2 " " " "	5s. 6d. " "
" " " " " " " " " " " "		... ..	2 " " " "	4s. 9d. " "
REAPING MACHINE OIL FEEDERS ... .. If spouts supplied for Feeders (except Carpen- ters' Feeders) ... ..		... ..	... ..	2 " " " "
... ..	... ..	... ..	... ..	9d. per doz. deducted
<b>(16.) FRAMES.</b>				
SPONGE CAKE FRAMES ... ..	IC tin plate	All sizes ...	1 dozen ...	12s. 7d. per doz.
<b>(17.) FUNNELS.</b>				
FUNNELS, without rims, not wired ... ..	IX tin plate	¼ pint ...	8 dozen ...	1s. 3d. per doz.
" " " " " " " " " " " "		½ " " " "	6 " " " "	1s. 11d. " "
" " " " " " " " " " " "		¾ " " " "	6 " " " "	1s. 11d. " "
" " " " " " " " " " " "		1 " " " "	4 " " " "	2s. 1d. " "
" " " " " " " " " " " "		1½ pints ...	4 " " " "	2s. 1d. " "
" " " " " " " " " " " "		2 " " " "	4 " " " "	2s. 7d. " "
" " " " " " " " " " " "		2½ " " " "	4 " " " "	2s. 7d. " "
" " " " " " " " " " " "		2 " " " "	3 " " " "	3s. 5d. " "
" " " " " " " " " " " "		4 " " " "	3 " " " "	3s. 11d. " "
" " " " " " " " " " " "		6 " " " "	2 " " " "	4s. 3d. " "
" " " " " " " " " " " "		8 " " " "	2 " " " "	5s. 6d. " "
" " " " " " " " " " " "		10 " " " "	1½ " " " "	6s. 3d. " "
" " " " " " " " " " " "	12 " " " "	1½ " " " "	6s. 10d. " "	
<b>(18.) GRATERS.</b>				
BREAD GRATERS, half round (punched plates supplied) ... ..	IX tin plate	No. 1 ...	6 dozen ...	1s. 9d. per doz.
" " " " " " " " " " " "		" 2 ...	6 " " " "	2s. 1d. " "
" " " " " " " " " " " "		" 1 ...	3 " " " "	2s. 10d. " "
" " " " " " " " " " " "		" 2 ...	3 " " " "	3s. 5d. " "
" " " " " " " " " " " "		" 1 ...	3 " " " "	2s. 7d. " "
" " " " " " " " " " " "		" 2 ...	3 " " " "	2s. 11d. " "
" " " " " " " " " " " "		" 1 ...	3 " " " "	2s. 11d. " "
" " " " " " " " " " " "		" 2 ...	3 " " " "	3s. 2d. " "
" " " " " " " " " " " "		" 1 ...	3 " " " "	3s. 11d. " "
NUTMEG GRATERS (punched plates supplied) ... ..	IC tin plate	All sizes ...	12 " " " "	1s. 3d. " "

PIECE-WORK—continued.

Articles.	Material.	Size.	When given out in the under-mentioned Quantities or more.	Prices.	
(19.) HODS.					
COAL HODS, with stamped feet...	24-gauge iron or lighter	No. 1 ...	1 dozen ...	9s. per doz.	
" " " " " " " "		" 2 ...	1 " ...	9s. 3d. "	
" with feet hand-made and rivoted on		" 1 ...	1 " ...	10s. 3d. "	
" " " " " " " "		" 2 ...	1 " ...	10s. 6d. "	
" with knocked-up feet		" 1 ...	1 " ...	12s. 6d. "	
" " " " " " " "		" 2 ...	1 " ...	12s. 6d. "	
" with stamped feet		" 1 ...	1 " ...	8s. 3d. "	
" " " " " " " "		" 2 ...	1 " ...	8s. 6d. "	
" with feet hand-made and rivoted on		26-gauge iron or lighter	" 1 ...	1 " ...	9s. 3d. "
" " " " " " " "			" 2 ...	1 " ...	9s. 6d. "
" with knocked-up feet			" 1 ...	1 " ...	11s. 6d. "
" " " " " " " "		" 2 ...	1 " ...	11s. 6d. "	
" with feet hand-made and rivoted on		28-gauge iron or lighter	" 1 ...	1 " ...	8s. 9d. "
" " " " " " " "			" 2 ...	1 " ...	9s. "
" hooped ...	All gauges	" 1 ...	1 " ...	8s. 6d. "	
" when half-covered		All sizes ...	...	5s. 3d. per doz. extra	
(20.) KETTLES.					
CAMP KETTLES, with stamped covers supplied ...	IX tin plate or lighter	1 quart ...	6 dozen ...	1s. 11d. per doz.	
" " " " " " " "		1½ quarts...	6 " ...	2s. 1d. "	
" " " " " " " "		2 " ...	6 " ...	2s. 4d. "	
" " " " " " " "		3 " ...	4 " ...	2s. 7d. "	
" " " " " " " "		4 " ...	4 " ...	2s. 10d. "	
" " " " " " " "		6 " ...	4 " ...	3s. 1d. "	
" " " " " " " "		8 " ...	3 " ...	3s. 9d. "	
" " " " " " " "		10 " ...	3 dozen assorted, not less than 1 dozen either size.	4s. 3d. "	
" " " " " " " "		12 " ...		5s. 3d. "	
" with stamped covers, finished lid handles, rims ready for tacking, and circular blanks for bottoms supplied		IX tin plate or lighter	1 quart ...	6 dozen ...	1s. 7d. per doz.
" " " " " " " "			1½ quarts ...	6 " ...	1s. 9d. "
" " " " " " " "			2 " ...	6 " ...	1s. 11d. "
" " " " " " " "			3 " ...	4 " ...	2s. 1d. "
" " " " " " " "			4 " ...	4 " ...	2s. 4d. "
" " " " " " " "			6 " ...	4 " ...	2s. 7d. "
" " " " " " " "			8 " ...	3 " ...	3s. 1d. "
" " " " " " " "			10 " ...	3 dozen assorted, not less than 1 dozen either size.	4s. "
" " " " " " " "			12 " ...		5s. "
" with stamped covers, finished lid handles, rims ready for tacking, and use of circle cutters for bottoms	IX tin plate or lighter		1 quart ...	6 dozen ...	1s. 8d. per doz.
" " " " " " " "			1½ quarts ...	6 " ...	1s. 11d. "
" " " " " " " "			2 " ...	6 " ...	2s. 1d. "
" " " " " " " "			3 " ...	6 " ...	2s. 2d. "
" " " " " " " "			4 " ...	4 " ...	2s. 5d. "
" " " " " " " "			6 " ...	4 " ...	2s. 10d. "
" " " " " " " "			8 " ...	3 " ...	3s. 6d. "
" " " " " " " "			10 " ...	3 dozen assorted, not less than 1 dozen either size.	4s. "
" " " " " " " "			12 " ...		5s. "
" with stamped covers, finished lid handles, finished rims, and circular blanks for bottoms supplied		IX tin plate or lighter	1 quart ...	6 dozen ...	1s. 6d. per doz.
" " " " " " " "			1½ quarts ...	6 " ...	1s. 8d. "
" " " " " " " "			2 " ...	6 " ...	1s. 9d. "
" " " " " " " "			3 " ...	4 " ...	2s. 1d. "
" " " " " " " "			4 " ...	4 " ...	2s. 4d. "
" " " " " " " "			6 " ...	4 " ...	2s. 7d. "
" " " " " " " "			8 " ...	3 " ...	3s. 1d. "
" " " " " " " "			10 " ...	3 dozen assorted, not less than 1 dozen either size.	3s. 10d. "
" " " " " " " "			12 " ...		5s. "

PIECE-WORK—continued.

Articles.	Material.	Size.	When given out in the under-mentioned Quantities or more.	Prices.	
<b>KETTLES—continued.</b>					
CAMP KETTLES, with stamped covers, finished lid handles, finished tins, and use of circle cutters for bottoms	IX tin plate or lighter	1 quart ...	6 dozen ...	1s. 7d. per doz.	
" " " " "		1½ quarts	6 " "	1s. 9d. "	
" " " " "		2 " "	6 " "	1s. 11d. "	
" " " " "		3 " "	4 " "	2s. 1d. "	
" " " " "		4 " "	4 " "	2s. 4d. "	
" " " " "		6 " "	4 " "	2s. 7d. "	
" " " " "		8 " "	3 " "	3s. 6d. "	
" " " " "		10 " "	3 dozen assorted not less than 1 dozen either size	4s. "	
" " " " "		12 " "		5s. "	
" " " " "		" " "		" " "	
COPPER KETTLES (planishing and tinning supplied)		1 lb. copper or lighter	4 pints ...	6 articles...	19s. per doz.
" " " " "			5 " "	6 " "	20s. "
" " " " "			6 " "	6 " "	21s. 6d. "
" " " " "			7 " "	6 " "	23s. 6d. "
" " " " " tinning bottoms of ...	All sizes ...		" " "	1s. 2d. per doz. extra	
FISH KETTLES (body handles supplied and covers wheeled)	DXXX tin plate or lighter	14 inches ...	6 articles...	30s. per doz.	
" " " " "		16 " "	3 " "	38s. "	
" " " " "		18 " "	3 " "	45s. "	
" " " " "		20 " "	3 " "	52s. "	
" " " " "		22 " "	3 " "	59s. 6d. "	
" " " " "		24 " "	3 " "	69s. "	
" " " " " smoothing covers on block		14 " "	" " "	1s. 10d. per doz. extra	
" " " " "		16 " "	" " "	2s. 5d. "	
" " " " "		18 " "	" " "	3s. 2d. "	
" " " " "		20 " "	" " "	3s. 8d. "	
" " " " "		22 " "	" " "	4s. 3d. "	
" " " " "		24 " "	" " "	5s. "	
TEA KETTLES, oval, with tin bottoms	IX tin plate or lighter	3 pints ...	1½ dozen...	6s. 10d per doz.	
" " " " "		4 " "	1½ " "	7s. 4d. "	
" " " " "		5 " "	1½ " "	8s. 2d. "	
" " " " "		6 " "	1 " "	8s. 9d. "	
" " " " "		8 " "	1 " "	10s. "	
" " " " " with 28 gauge galvanized iron bottoms		3 " "	1½ " "	7s. 4d. "	
" " " " "		4 " "	1½ " "	8s. 2d. "	
" " " " "		5 " "	1½ " "	8s. 9d. "	
" " " " "		6 " "	1 " "	9s. 3d. "	
" " " " "		8 " "	1 " "	10s. 6d. "	
" " " " " with tinned-copper bottoms...		3 " "	1½ " "	7s. 10d. "	
" " " " "		4 " "	1½ " "	8s. 4d. "	
" " " " "		5 " "	1½ " "	9s. "	
" " " " "		6 " "	1 " "	10s. "	
" " " " " with copper bottoms tinned by maker		8 " "	1 " "	11s. "	
" " " " " round, straight, with tin bottoms...		All sizes ...	" " "	1s. 2d. per doz. extra	
" " " " " round, tapered, with 28-gauge galvanized-iron bottoms		1 pint ...	3 dozen ...	3s. 2d. per doz.	
" " " " "		2 pints ...	3 " "	3s. 11d. "	
" " " " "		3 " "	2 " "	4s. 9d. "	
" " " " "		4 " "	2 " "	5s. 3d. "	
" " " " "		5 " "	2 " "	6s. "	
" " " " "		6 " "	2 " "	6s. 7d. "	
" " " " "		8 " "	1 " "	7s. 10d. "	
" " " " " straight, with tinned-copper bottoms	1 pint ...	3 " "	3s. 11d. "		
" " " " " tapered	2 pints ...	3 " "	4s. 9d. "		
" " " " "	3 " "	2 " "	5s. "		
" " " " "	4 " "	2 " "	5s. 6d. "		
" " " " "	5 " "	2 " "	6s. 4d. "		
" " " " "	6 " "	2 " "	6s. 10d. "		
" " " " "	8 " "	1 " "	8s. 2d. "		
" " " " " straight or tapered, with bottoms tinned by maker	All sizes ...	3 " "	1s. 2d. per doz. extra		
TEA KETTLES, blocking covers and blocking and swedging breasts of	IX tin plate or lighter	1 pint ...	" " "	1s. 6d. per doz. extra	
" " " " "		2 pints ...	" " "	1s. 6d. "	
" " " " "		3 " "	" " "	1s. 6d. "	
" " " " "		4 " "	" " "	2s. 1d. "	
" " " " "		5 " "	" " "	2s. 1d. "	
" " " " "		6 " "	" " "	2s. 1d. "	
" " " " "		8 " "	" " "	2s. 4d. "	
<b>(21.) LAMPS.</b>					
WALL LAMPS, with fents	IXX tin plate or lighter Tops, 1-lb. copper, or IXX tin plate or lighter	No. 1 ...	3 articles...	31s. 3d. per doz.	
" " " "		" 2 ...	3 " "	33s. 7d. "	
" " " "		" 3 ...	3 " "	36s. 3d. "	

PIECE-WORK—continued.

Articles.	Material.	Size.	When given out in the under-mentioned Quantities or more.	Prices.
(22.) MEASURES.				
MILK MEASURES	IC tin plate	½ pint	6 dozen	2s. 8d. per doz.
"		1 "	4 "	2s. 11d. "
OIL MEASURES, straight sides	IX tin plate or lighter	2 pints	3 "	3s. 2d. "
"		½ pint	3 "	3s. 5d. "
"		1 "	3 "	3s. 11d. "
"		1 quart	2 "	5s. "
SPIRIT MEASURES	IX tin plate or lighter	2 quarts	2 "	5s. 9d. "
		4 "	2 "	6s. 10d. "
		½ pint	1 "	8s. 5d. "
		1 "	1 "	9s. 3d. "
"	IX tin plate or lighter	2 pints	1 "	12s. 6d. "
"		4 "	1 "	14s. "
"		1 gallon	1 "	16s. "
"	IXX tin plate or lighter	2 gallons	6 articles	18s.
(23.) PAILS.				
SLOP PAILS, with stamped tops, bottoms, and breasts supplied	IX tin plate or lighter	No. 1	2 dozen	6s. 10d. per doz.
"		" 2	2 "	7s. 4d. "
"		" 3	2 "	9s. 6d. "
" stamped tops and bottoms supplied, hand-made breasts		" 4	2 "	11s. "
"		" 1	2 "	8s. 8d. "
"		" 2	2 "	9s. 9d. "
" hand-made		" 3	2 "	11s. 9d. "
"		" 4	2 "	14s. "
"		" 1	2 "	11s. "
"		" 2	2 "	12s. 6d. "
"	IXX tin plate or lighter	" 3	2 "	15s. 3d. "
"		" 4	2 "	16s. 9d. "
" made with black or galvanized iron lids bottoms feet		26-gauge or lighter	All sizes	3d. per doz. extra
Bails and ears to be supplied for all sizes	"	"	3d. " "	
TOILET PAILS	IXX tin plate or lighter	No. 1	1 dozen	9s. 3d. per doz.
"		" 2	1 "	10s. 3d. "
"		" 3	1 "	11s. "
" if feet and funnels supplied		All sizes	"	1s. 6d. per doz. deducted
(24.) PANS.				
ASHPANS, common	28-gauge iron or lighter	No. 1	4 dozen	3s. 8d. per doz.
"		" 2	4 "	3s. 11d. "
"		" 3	4 "	4s. 2d. "
"	26-gauge iron or lighter	" 1	4 "	4s. 2d. "
"		" 2	4 "	4s. 9d. "
" with tin bead		" 3	4 "	5s. 3d. "
Venetians for Ashpans (2 in set)	"	All sizes	1s. 2d. per doz. extra	
"	"	"	4s. 9d. per doz. sets of venetians	
CLOSETPANS, tapered to nest (3 in set)	26-gauge iron or lighter	"	2 "	5s. 9d. "
"		"	2 "	5s. 9d. per doz. "
" straight sides	26-gauge iron or lighter	17½ x 15 x 13 inches	2 "	5s. 3d. "
"		26-gauge iron or lighter	18 x 14 x 14 inches	2 "
"	24-gauge iron		All sizes	1½ dozen of any one size
" if made with single strap one rivet in bottom	"	"	"	1s. 2d. per doz. extra
" " double " "	"	"	"	3d. per doz. pans extra
" if made of galvanized iron	"	"	"	6d. " "
DOUGHPANS	IXX tin plate or lighter	14 inches	2 dozen	6s. 4d. per doz.
"		16 "	2 "	6s. 10d. "
"		18 "	2 "	8s. 5d. "
"		20 "	1 "	10s. "
"		22 "	1 "	11s. 6d. "
DUSTPANS	IX tin plate or lighter	No. 1	2½ "	3s. 11d. "
		" 2	2½ "	4s. 9d. "
		" 3	2½ "	5s. "
" with cover	IX tin plate or lighter	" 1	2 "	5s. 9d. "
"		" 2	2 "	6s. 4d. "
"		" 3	2 "	6s. 10d. "
"		" 1	4 "	3s. 2d. "
YANKEE, CORNISH, OR FLAT BOTTOM PANS	IC tin plate	14 "	4 "	3s. 5d. "
"		15 "	4 "	3s. 11d. "
"		16 "	3 "	4s. 9d. "
"		17 "	3 "	4s. 9d. "
"		18 "	3 "	5s. 9d. "



## PIECE-WORK—continued.

Articles.	Material.	Size.	When given out in the under-mentioned Quantities or more.	Prices.		
(25.) PANNIKINS.						
PANNIKINS, with bottoms supplied ... ..	IX tin plate or lighter	½ pint ...	2 gross ...	6s. 4d. per gross		
" " if handle blanks supplied ... ..		1 " ...	1½ " ...	7s. 4d. " " 3d. per gross deducted		
(26.) POTS.						
COFFEE-POTS, common ... ..	IX tin plate or lighter	2 pints ...	3 dozen ...	4s. 9d. per doz.		
" " ... ..		3 " ...	3 " ...	5s. "		
" " ... ..		4 " ...	2 " ...	5s. 9d. "		
" " ... ..		5 " ...	2 " ...	6s. 4d. "		
" " ... ..		6 " ...	2 " ...	7s. 4d. "		
" " ... ..		7 " ...	1½ " ...	8s. 2d. "		
" " ... ..		8 " ...	1½ " ...	9s. 3d. "		
" beat, riveted spouts and tin handles		All sizes ...	...	2s. 4d. per doz. extra		
(27.) PUMPS.						
KEROSENE PUMPS (funnel top or plain barrel) top blanks supplied	IC tin plate ...	...	4 dozen ...	3s. 2d. per doz.		
(28.) SAFES.						
MEAT SAFES, round ... ..	Zinc or IX tin plate or lighter. Trays, 26-gauge iron or lighter	12 inches ...	1 dozen ...	21s. per doz.		
" " ... ..		14 " ...	1 " ...	22s. "		
" " ... ..		16 " ...	1 " ...	24s. "		
" " ... ..		18 " ...	1 " ...	27s. "		
" " ... ..		20 " ...	6 articles	30s. "		
" " ... ..		22 " ...	6 " ...	33s. "		
" " ... ..		24 " ...	6 " ...	38s. "		
" " loose bottoms ... ..		All sizes ...	...	1s. per doz. extra		
" " if trays supplied ... ..		All sizes ...	...	1s. 6d. per doz. deducted		
" square, with half-round, D shape, or basin shape top and zinc fronts (trays supplied) ... ..		Zinc or IX tin plate or lighter	12 inches ...	1 dozen ...	22s. per doz.	
" " " " " " ... ..			14 " ...	1 " ...	24s. "	
" " " " " " ... ..			16 " ...	1 " ...	26s. "	
" " " " " " ... ..			18 " ...	1 " ...	28s. "	
" " " " " " ... ..			20 " ...	6 articles	31s. "	
" square, with flat tops (with cup) having tapered sides and zinc fronts (trays supplied) ... ..			Zinc or IX tin plate or lighter	12 " ...	1 dozen ...	23s. 6d. "
" " " " " " ... ..				14 " ...	1 " ...	25s. 6d. "
" " " " " " ... ..	16 " ...			1 " ...	27s. 6d. "	
" " " " " " ... ..	18 " ...			1 " ...	29s. 6d. "	
" " " " " " ... ..	20 " ...			6 articles	32s. 6d. "	
" square, with flat tops (with cup) having concave sides and zinc fronts (trays supplied) ... ..	Zinc or IX tin plate or lighter			12 " ...	1 dozen ...	25s. "
" " " " " " ... ..				14 " ...	1 " ...	27s. "
" " " " " " ... ..				16 " ...	1 " ...	29s. "
" " " " " " ... ..				18 " ...	1 " ...	31s. "
" " " " " " ... ..				20 " ...	6 articles	34s. "
" if fittings supplied ... ..				All sizes ...	...	1s. 6d. per dozen safes deducted
(29.) SAUCEPANS.						
TIN SAUCEPANS, with tin bottoms (iron handles supplied) ... ..		IX tin plate or lighter		1 pint ...	6 dozen ...	2s. 1d. per doz
" " " " " " ... ..				2 pints ...	4 " ...	2s. 4d. "
" " " " " " ... ..				3 " ...	4 " ...	2s. 8d. "
" " " " " " ... ..				4 " ...	4 " ...	2s. 11d. "
" " " " " " ... ..			6 " ...	3 " ...	3s. 2d. "	
" " " " " " ... ..			8 " ...	3 " ...	3s. 5d. "	
" " " " " " ... ..			10 " ...	2 " ...	3s. 8d. "	
" with galvanized-iron bottoms (iron handles supplied) ... ..			Bodies IX tin plate or lighter; Bottoms 28-gauge galv. iron	1 pint ...	6 " ...	2s. 4d. "
" " " " " " ... ..				2 pints ...	4 " ...	2s. 8d. "
" " " " " " ... ..	3 " ...			4 " ...	2s. 11d. "	
" " " " " " ... ..	4 " ...	4 " ...		3s. 2d. "		
" " " " " " ... ..	6 " ...	3 " ...		3s. 5d. "		
" " " " " " ... ..	8 " ...	3 " ...		3s. 8d. "		
" with tinned-copper bottoms (iron handles supplied) ... ..	Bodies IX tin plate or lighter	1 pint ...	3 " ...	2s. 11d. "		
" " " " " " ... ..		2 pints ...	3 " ...	3s. 2d. "		
" " " " " " ... ..		3 " ...	3 " ...	3s. 5d. "		
" " " " " " ... ..		4 " ...	2 " ...	3s. 8d. "		
" " " " " " ... ..		6 " ...	2 " ...	4s. 2d. "		
" " " " " " ... ..		8 " ...	2 " ...	4s. 9d. "		
" tinning copper bottoms ... ..	All sizes ...	...	1s. 2d. per doz. extra			
" making flat tin handles for ... ..	...	...	11d. " " "			
" cover stamping supplied ... ..	...	...	3d. per doz. deducted			

PIECE-WORK--continued.

Articles.	Material.	Size.	When given out in the under-mentioned Quantities or more.	Prices.	
<b>(30.) SCOOPS.</b>					
GROCERS' SCOOPS--Drawer, without handles	IX tin plate or lighter	...	4 dozen as-sorted, not less than 1 dozen of any one size	1s. 9d. per doz.	
" " front wired or pieced, with handles		5 inches ...	3 dozen ...	4s. 9d. "	
" " " " " "		6 " ...	3 " ...	5s. 3d. "	
" " " " " "		7 " ...	2 " ...	6s. 4d. "	
" " " " " "		8 " ...	2 " ...	6s. 10d. "	
" " " " " "		10 " ...	1 1/2 " ...	8s. 3d. "	
" " " " " "		12 " ...	1 " ...	9s. 2d. "	
" " front not wired or pieced, with handles		5 " ...	3 " ...	3s. 8d. "	
" " " " " "		6 " ...	3 " ...	4s. 2d. "	
" " " " " "		7 " ...	2 " ...	5s. 3d. "	
" " " " " "		8 " ...	2 " ...	6s. 4d. "	
" " " " " "		10 " ...	1 1/2 " ...	7s. "	
" " " " " "		12 " ...	1 " ...	6s. 6d. "	
" " galvanized iron, front wired or pieced, with handles		24-gauge galv. iron or lighter	5 " ...	1 " ...	7s. "
" " " " " "		6 " ...	1 " ...	7s. 10d. "	
" " " " " "	7 " ...	1 " ...	8s. 8d. "		
" " " " " "	8 " ...	1 " ...	10s. "		
" " " " " "	10 " ...	1 " ...	11s. 9d. "		
" " " " " "	12 " ...	1 " ...	13s. 3d. "		
<b>(31.) SKIMMERS.</b>					
COOKS' SKIMMERS (handles supplied)	IXX tin plate or lighter	...	3 dozen ...	3s. 8d. per doz.	
MILK SKIMMERS, with ring handles	DXXXX tin plate or lighter	6 1/2 inches...	4 " ...	2s. 1d. "	
" " " " " "		8 " ...	4 " ...	2s. 8d. "	
" " " " " "		9 " ...	4 " ...	2s. 11d. "	
" " " " " "		10 " ...	4 " ...	3s. 2d. "	
<b>(32.) STANDS.</b>					
COCKATOO STANDS	IX tin plate or lighter 26-gauge galv. iron or lighter, or zinc	17 inches ...	6 articles...	22s. per doz.	
" " " " " "		20 " ...	6 " ...	23s. 6d. "	
" " " " " "		17 " ...	3 " ...	29s. "	
" " " " " "		20 " ...	3 " ...	34s. 6d. "	
<b>(33.) STEAMERS.</b>					
STEAMERS	IXX tin plate or lighter	No. 4 ...	2 dozen ...	5s. per doz.	
" " " " " "		" 5 ...	2 " ...	5s. "	
" " " " " "		" 6 ...	1 1/2 " ...	5s. 6d. "	
" " " " " "		" 7 ...	1 1/2 " ...	6s. 4d. "	
" " " " " "		" 8 ...	1 1/2 " ...	6s. 10d. "	
" " " " " "		" 9 ...	1 " ...	7s. 4d. "	
" " " " " "		" 10 ...	1 " ...	8s. 3d. "	
" " " " " "		" 11 ...	1 " ...	10s. "	
" " " " " "		" 12 ...	1 " ...	10s. 6d. "	
" if handles supplied for		...	...	...	3d. per doz. steamers deducted
<b>(34.) STRAINERS.</b>					
GRAVY STRAINERS, hand made	IC tin plate	Small ...	3 dozen ...	3s. 5d. per doz.	
" " " " " "		Large ...	3 " ...	3s. 11d. "	
" " " " " " if perforated bottoms supplied	IC tin plate	All sizes ...	...	6d. " deducted	
GRUEL STRAINERS	IX tin plate or lighter	...	3 dozen ...	3s. 11d. per doz.	
MILK STRAINERS, wired		8 1/2 inches	3 " ...	3s. "	
" " " " " "		10 " ...	3 " ...	3s. 6d. "	
" " " " " "		11 " ...	3 " ...	3s. 9d. "	
" " " " " "		12 " ...	3 " ...	4s. "	
" " " " " "		14 " ...	2 " ...	4s. 6d. "	
" " " " " " with rim		8 1/2 " ...	2 " ...	4s. "	
" " " " " "		10 " ...	2 " ...	4s. 6d. "	
" " " " " "		11 " ...	2 " ...	5s. "	
" " " " " "		12 " ...	2 " ...	5s. 3d. "	
MILK CAN STRAINERS, knocked up rims	IX tin plate	...	1 " ...	5s. 9d. "	
" " " " " "	IXX tin plate	...	1 " ...	8s. 3d. "	
" " " " " "	...	...	...	11s. 3d. "	
<b>(35.) TINS.</b>					
BREAD TINS (made of five pieces)	IX tin plate or lighter	1 lb. ...	3 dozen ...	3s. 8d. per doz.	
" " " " " "		2 " ...	3 " ...	3s. 8d. "	
" " " " " "		4 " ...	2 " ...	3s. 11d. "	
" " " " " "		6 " ...	2 " ...	5s. 3d. "	
COBURG BREAD TINS	IC tin plate	...	3 " ...	3s. 5d. "	
EXHIBITION BREAD TINS, single	IXXXX tin plate or lighter, or 24-gauge iron or lighter	2 lb. ...	6 articles...	18s. "	
" " " " " "		4 " ...	6 " ...	22s. 6d. "	
" " " " " " double		2 " ...	3 " ...	45s. "	
" " " " " "		4 " ...	3 " ...	52s. 6d. "	

PIECE-WORK—continued.

Articles.	Material.	Size.	When given out in the under-mentioned Quantities or more.	Prices.	
<b>TINS—continued.</b>					
CAKE TINS, AND CAKE RINGS, with use of knocking-up machine	IC tin plate	4 inches ...	1 gross ; not less than 3 dozen of any one size	12s. 9d. per gross	
" " " " " "		5 " ...		14s. "	
" " " " " "		6 " ...		15s. "	
" " " " " "		7 " ...		17s. 6d. "	
" " " " " "		8 " ...		18s. 9d. "	
" " " " " "		9 " ...		20s. "	
" " " " " "		10 " ...		22s. 6d. "	
" " " " " "		11 " ...		26s. 3d. "	
" " " " " "		12 " ...		30s. "	
" " " " " loose bottoms ...		...		All sizes ...	...
QUEEN CAKE TINS, hearts ...	IC tin plate	...	4 dozen ...	2s. 11d. per doz.	
" " diamonds ...		...	6 " ...	1s. 4d. "	
SANDWICH TINS, with use of knocking-up machine	IC tin plate	6 inches ...	1 gross ; not less than 3 dozen of any one size	15s. per gross	
" " " " " "		7 " ...		17s. 6d. "	
" " " " " "		8 " ...		18s. 9d. "	
" " " " " "		9 " ...		20s. "	
" " " " " "		10 " ...		22s. 6d. "	
" " " " " "		11 " ...		26s. 3d. "	
" " " " " "		12 " ...		30s. "	
SWISS ROLL TINS, wired, with use of angle bender	IC tin plate	12 x 8 inches	4 dozen ...	2s. 8d. per doz.	
" " " " " "		13 x 9 " "	4 " ...	2s. 11d. "	
" " " " " "		14 x 10 " "	4 " ...	2s. 11d. "	
" " " " " "		15 x 11 " "	4 " ...	3s. 2d. "	
" " " " " "		16 x 12 " "	4 " ...	3s. 5d. "	
" " not wired, with use of angle bender		12 x 8 " "	4 " ...	2s. 1d. "	
" " without use of angle bender ...		All sizes ...	...	6d. " extra	
<b>(36.) TUBS.</b>					
BLACK IRON TUBS, round or oval, without hoop or strap	26-gauge iron or lighter	16 inches ...	2 dozen ...	4s. 9d. per doz.	
" " " " " "		18 " ...	2 " ...	5s. 3d. "	
" " " " " "		20 " ...	2 " ...	5s. 9d. "	
" " " " " "		22 " ...	2 " ...	6s. 4d. "	
" " " " " "		24 " ...	1 1/2 " ...	6s. 10d. "	
" " " " " "		26 " ...	1 1/2 " ...	7s. 7d. "	
" " " " " "		28 " ...	1 1/2 " ...	8s. "	
" " " " " "		30 " ...	1 " ...	10s. 3d. "	
" " " " " with hoop ...		16 " ...	2 " ...	5s. 3d. "	
" " " " " "		18 " ...	2 " ...	6s. "	
" " " " " "		20 " ...	2 " ...	6s. 4d. "	
" " " " " "		22 " ...	2 " ...	6s. 10d. "	
" " " " " "		24 " ...	1 1/2 " ...	7s. 4d. "	
" " " " " "		26 " ...	1 1/2 " ...	8s. 8d. "	
" " " " " "		28 " ...	1 1/2 " ...	9s. 6d. "	
" " " " " "		30 " ...	1 " ...	11s. "	
" " " " " "		33 " ...	6 articles ...	14s. "	
" " " " " "		36 " ...	6 " ...	18s. 6d. "	
" " " " " hooped and strapped		16 " ...	2 dozen ...	6s. 7d. "	
" " " " " "		18 " ...	2 " ...	7s. "	
" " " " " "	20 " ...	2 " ...	7s. 4d. "		
" " " " " "	22 " ...	2 " ...	8s. 2d. "		
" " " " " "	24 " ...	1 1/2 " ...	8s. 8d. "		
" " " " " "	26 " ...	1 1/2 " ...	10s. "		
" " " " " "	28 " ...	1 1/2 " ...	11s. 3d. "		
" " " " " "	30 " ...	1 " ...	12s. 9d. "		
" " " " " "	33 " ...	6 articles ...	15s. 9d. "		
" " " " " "	36 " ...	6 " ...	20s. 9d. "		
TIN TUBS, round, without hoop	IX tin plate or lighter	15 " ...	2 dozen ...	5s. "	
" " " " " "		16 " ...	2 " ...	5s. "	
" " " " " "		18 " ...	1 1/2 " ...	6s. 4d. "	
" " " " " "		20 " ...	1 1/2 " ...	6s. 10d. "	
" " " " " "		22 " ...	1 1/2 " ...	7s. 4d. "	
" " " " " "		24 " ...	1 " ...	8s. 8d. "	
" " " " " with tinned or galvanized iron or black iron hoop		IX tin plate or lighter	15 " ...	2 " ...	6s. 4d. "
" " " " " "			16 " ...	2 " ...	6s. 4d. "
" " " " " "			18 " ...	1 1/2 " ...	7s. 4d. "
" " " " " "			20 " ...	1 1/2 " ...	8s. 2d. "
" " " " " "	22 " ...		1 1/2 " ...	8s. 8d. "	
" " " " " "	24 " ...		1 " ...	10s. "	
" " " " " oval, without hoop	IX tin plate or lighter	16 " ...	2 " ...	6s. 10d. "	
" " " " " "		18 " ...	1 1/2 " ...	7s. 4d. "	
" " " " " "		20 " ...	1 1/2 " ...	8s. 2d. "	
" " " " " "		22 " ...	1 1/2 " ...	9s. 2d. "	
" " " " " "		24 " ...	1 " ...	10s. 6d. "	
" " " " " with tinned or galvanized iron or black iron hoop...	IX tin plate or lighter	16 " ...	2 " ...	8s. 2d. "	
" " " " " "		18 " ...	1 1/2 " ...	8s. 8d. "	
" " " " " "		20 " ...	1 1/2 " ...	9s. 2d. "	
" " " " " "		22 " ...	1 1/2 " ...	10s. 6d. "	
" " " " " "		24 " ...	1 " ...	11s. 10d. "	

PIECE-WORK—continued.  
SCHEDULE B.—CANISTER WORK.

	Price per gross.					
	Lap seam.		Lock seam, without assistance.		Lock seam, with two assistants.	
	s.	d.	s.	d.	s.	d.
<b>SOLDERING SEAMS—all work rolled—up to and including 2½ inches in diameter—</b>						
Up to and including 2 inches deep ...	0	6½	0	5½	0	3½
Over 2 inches deep and up to and including 3½ inches deep ...	0	7	0	6½	0	4½
" 3½ " " " 4½ " " ...	0	7½	0	6½	0	4½
" 4½ " " " 5½ " " ...	0	8½	0	7½	0	5½
" 5½ " " " 7 " " ...	1	0	0	8½	0	6½
Over 2½ inches and up to and including 3½ inches in diameter—						
Up to and including 2 inches deep ...	0	6½	0	5½	0	3½
Over 2 inches deep and up to and including 3½ inches deep ...	0	7	0	6½	0	4½
" 3½ " " " 5 " " ...	0	8	0	6½	0	4½
" 5 " " " 6 " " ...	0	9	0	7½	0	5½
" 6 " " " 7 " " ...	0	11	0	9	0	7
" 7 " " " 8 " " ...	1	4	1	0½	0	10½
Over 3½ inches and up to and including 4½ inches in diameter—						
Up to and including 2 inches deep ...	0	7½	0	5½	0	3½
Over 2 inches deep and up to and including 3½ inches deep ...	0	8	0	6½	0	4½
" 3½ " " " 5½ " " ...	0	9	0	7½	0	5½
" 5½ " " " 6 " " ...	0	10½	0	8	0	5½
" 6 " " " 7 " " ...	1	0	0	9½	0	7½
" 7 " " " 8 " " ...	1	3½	1	0½	0	10½
Over 4½ inches, and up to and including 5½ inches in diameter—						
Up to and including 2½ inches deep ...	0	8½	0	6½	0	4½
Over 2½ inches deep, and up to and including 4½ inches deep ...	0	11	0	8½	0	5½
" 4½ " " " 6 " " ...	1	2½	0	10½	0	8
" 6 " " " 7 " " ...	1	4½	1	0½	0	10½
" 7 " " " 8 " " ...	1	5½	1	1½	0	11½
Over 5½ inches, and up to and including 6½ inches in diameter—						
Up to and including 3 inches deep ...	0	11½	0	8	0	5½
Over 3 inches deep, and up to and including 4½ inches deep ...	1	1½	0	9	0	7
" 4½ " " " 6 " " ...	1	3½	0	10½	0	8
" 6 " " " 8 " " ...	1	5½	1	1½	0	11½

<b>MEAT TINS—</b>		Price per 100.
		s. d.
Seaming and rolling meat tin bodies (round) on clamps—		
½ lb. ...	...	1 0
1 " ...	...	1 0
1 " tongue ...	...	1 0
1½ lbs. ...	...	1 0
2 " ...	...	1 0
2 " long ...	...	1 0
2½ " ...	...	1 0
3 " ...	...	1 1
6 " (including putting on tops and bottoms) ...	...	3 0
Seaming ½ lb. or 1 lb. on 1 cylinder ...	...	0 7
" 2 lbs. ...	...	0 8
" ½ or 1 lb. on 2 cylinders ...	...	0 6
" 2 lbs. ...	...	0 7
" ½ lb or 1 lb. on 3 to 6 cylinders (with 2 boys) ...	...	0 3
" 2 lbs. ...	...	0 4
Seaming meat tins (tapered square) on one former—		
1 lb. ...	...	0 7
2 lbs. ...	...	0 8
6 " ...	...	0 11

		Price per 1,000 ends...
		s. d.
Squeezing—12 oz. or 1 lb. (tapered square) ...	...	2 2
" 2 lbs. ...	...	2 6
" 6 " " " " " ...	...	4 0

		Price per 100 ends.
		s. d.
Jokering—½ lb. (round, or tapered square) ...	...	0 4
" ¾ " " " " " ...	...	0 4
" 1 " " " " " ...	...	0 4
" 3 lbs. " " " " ...	...	0 7
" 4 " " " " " ...	...	0 7
" 5 " " " " " ...	...	0 7
" 6 " " " " " ...	...	0 7

**SOLDERING TOPS OR BOTTOMS OF EMPTY TINS—(spiriting provided)—**

	Price per gross.					
	Not crimped or rolled on.		Crimped.		Rolled on.	
	s.	d.	s.	d.	s.	d.
Up to and including 3 inches in diameter ...	0	8½	0	8½	0	7½
Over 3 inches diameter, and up to and including 3½ inches in diameter ...	0	9½	0	9½	0	8½
" 3½ " " " 4½ " " ...	1	3½	1	2	1	0
" 4½ " " " 5 " " ...	1	5½	1	3½	1	2½
" 5 " " " 6 " " ...	1	11	1	8½	1	6½

**ROUND WORK (SOLDERING).**

		Price per gross.
		s. d.
JAM TINS—Closing, 1 lb., topped, and crimped ...	...	0 11
" " " " 2 lb. ...	...	1 1
CAKE TINS—		
2 lbs., soldering ...	...	10 0
4 " " " ...	...	11 3
6 " " " ...	...	12 6
6 " cutting ...	...	1 4.

**PIECE-WORK—continued.**  
**ROUND WORK (SOLDERING)—continued.**

	Per gross.
	s. d.
<b>CAPPING—Soldering on caps, all work cleaned, caps put on—</b>	
Cap up to and including 1½ inches in diameter in 6-lb. tin or less ...	0 11½
" over 1½ and up to and including 2¼ inches in diameter in 6-lb. tin or less ...	1 0½
" " 2¼ " " " 2½ " " " " " ...	1 1¼
" " 2½ " " " 3 " " " " " " ...	1 2¼
" " 3 " " " 3½ " " " " " " ...	1 6¼
Capping pulp tins, up to 40-lbs., work cleaned and caps put on—	
Round cap ...	3 1½
Square cap, 3½ to 5 inches square ...	3 11
<b>SQUARE WORK.</b>	
Jam tins—6 lbs., soldering only, with use of spring...	10 0
" 6 " notching, bending, and folding ...	5 0
" 14 " soldering only, without use of spring ...	12 0
" 14 " " " with use of spring... ...	13 0
" 20 " " " without use of spring ...	12 6
" 20 " " " with use of spring... ...	13 9
" 28 " " " without use of spring ...	12 6
" 28 " " " with use of spring ...	13 9
" 14, 20, and 28 lbs., notching, bending, and folding ...	6 3 extra
Pulp tin 40 lbs., soldering only, without use of spring ...	18 3
" 40 " " with use of spring... ...	18 3
" 40 " " lock seam ...	18 3
Cutting out above sizes ...	1 6 extra
Notching, bending, and folding so that spring is not necessary, all above sizes, except 6 lbs. ...	8 9
Notching, bending, and folding, so that spring is necessary at one end ...	7 7
<b>ESSECEUR TINS—</b>	
1 lb., soldering ...	3 10
2 lbs. " ...	4 9
4 " " ...	7 7
6 " " ...	7 7
6 " " two seams ...	8 9
6 lbs., glass, soldering ...	11 3
14 " plain, " ...	11 9
14 " glass, " ...	15 0
25 " plain, " ...	13 0
30 " " " ...	13 0
40 " " " ...	13 0
50 " " " ...	15 0
Unesda " " ...	13 0
½-lb. packet " ...	11 9
9 lbs. Cabin " ...	10 9
Wafer, Ice and Cup, soldering ...	10 9
" Cream, Henley and Variety, soldering ...	4 9
Afternoon Tea, soldering ...	4 9
1 lb., cutting bodies ...	0 4½
2 lbs. " ...	0 4½
6 " " ...	1 3½
1 lb., cutting ends ...	0 1½
2 lbs. " ...	0 1½
4 " cutting at guillotine ...	1 0½
9 " " " ...	1 8
30 " " " ...	2 5
40 " " " ...	2 5
50 " " " ...	2 5
Plain and Packet, cutting at guillotine ...	2 1
Small Wafer " " ...	0 8
30 lbs., closing, soldering ...	5 0
40 " " " ...	6 3
50 " " " ...	7 1
<b>FLOUR TINS—</b>	
40 lbs., soldering ...	11 9
50 " " ...	15 0
<b>HONEY TINS—</b>	
56 lbs., soldering ...	20 0
<b>OIL OR VARNISH TINS—</b>	
½ gallon, soldering ends and lock seam ...	10 6
1 " " " " ...	12 6
2 " " " " ...	17 0
<b>OBLONG TINS—(reputed or imperial measure)—</b>	
1 pint, plain, soldering, lock seam (with two assistants)...	0 5½
1 " " " " (without assistance) ...	0 7½
1 quart " " " " (with two assistants)...	0 5½
1 " " " " (without assistance) ...	0 7½
Soldering, all above tins, if made of decorated or varnished tin plate ...	0 1½ extra each end
1 pint, rolled on ends, soldering ...	1 11 each end
1 " crimped, soldering ...	1 11½ "
1 " not crimped or rolled on, soldering ...	2 1½ "
1 quart, rolled on ends, soldering ...	1 11½ "
1 " crimped, soldering ...	2 1½ "
1 " not crimped, soldering ...	2 7½ "
<b>TOBACCO TINS—</b>	
2 lbs., closing ...	5 8 per 100
3 lbs., " ...	6 8 "
<b>OVAL WORK.</b>	
	Per gross.
	s. d.
½ pint, lock seams, soldering (with two assistants) ...	0 3½
" " " (without assistance) ...	0 7½
¾ " lap " " " ( " " ) ...	0 7½
" rolled on ends ...	1 9 each end
" crimped on ends ...	1 0 "
" slipped on ends ...	2 0 "

PIECE-WORK—continued.

STAMPING WORK ON POWER MACHINES OR PRESSES (NOT USING SCRAP).

							Per gross.
							s. d.
Up to and including 3½ inches in diameter of cutting die	...	...	...	...	...	...	0 1
Over 3½ and up to and including 4 inches in diameter of cutting die	...	...	...	...	...	...	0 1½
" 4 " " " 4½ " " " "	...	...	...	...	...	...	0 1½
" 4½ " " " 5½ " " " "	...	...	...	...	...	...	0 2
" 5½ " " " 6½ " " " "	...	...	...	...	...	...	0 2½

DEFINITION.

7. That for the purposes of this Determination, "sheet metal" shall mean sheet metal 10-gauge or lighter.

F. H. BOLTON, J.P.,  
Chairman.

Dated at Melbourne the 26th day of September, 1916.