

VICTORIA GOVERNMENT GAZETTE

Published by Authority.

[Registered at the General Post Office, Melbourne, for transmission by post as a newspaper.]

No. 189.]

TUESDAY, OCTOBER 10.

[1916.]

Factories and Shops Act 1915.

DETERMINATION OF THE TINSMITHS BOARD.

IN accordance with the provisions of the *Factories and Shops Act 1915*, the Special Board appointed to determine the lowest prices or rates of payment payable to any person or persons or classes of persons employed in the process, trade, or business of preparing or manufacturing articles made of tin plate or other sheet metal, including the japanning of such articles, has made the following Determination, namely:—

1. That previous Determinations of this Board are hereby amended, and such amendments shall come into force and be operative on and after the 26th day of October, 1916. The Determination and amendments are printed hereunder.

2. That the lowest rates of wages to be paid to the following persons shall be:—

Tinsmiths	}	66s. per week of 48 hours.
Sheet metal workers or repairers		
Artistic japanners		
Gold workers		
Ornamental pencil workers	}	63s. " " "
Makers or repairers of canisters or oil tins or parts thereof by hand		
Makers or repairers of canisters or oil tins or parts thereof by machine	}	56s. " " "
Cap solderers		
Canister vent closers	}	63s. " " "
Machinists on general sheet metal work		
Solderers of down pipes	}	62s. " " "
Filleters		
Grainers	}	60s. " " "
Liners		
Writers	}	59s. " " "
Attendants on power capping machines		
Persons attending to the metal pot on any power automatic body-forming and seam soldering machine		
Persons attending to the metal pot on any power automatic end soldering machine.. .. .	}	56s. " " "
All others		

Juvenile workers (other than apprentices or improvers)—

		Per Week of 48 Hours.					
		1st Year's Experience in Class A.	2nd Year's Experience in Class A.	3rd Year's Experience in Class A.			
		s. d.	s. d.	s. d.			
<i>Under 17 years of age.</i>							
CLASS A.							
(1) Putting wire handles in camp kettles, wiring handles for kettles and dippers, folding flat tin handles, folding spouts and barrels for kerosene pumps, forming handles for pannikins and dippers, forming rims for lids, notching, using guillotine for above work, holding general sheet metal work for journcymen or soldering canisters other than seams, tops, or bottoms		10 0	15 0	20 0			
(2) Polishing, cleaning, testing to detect leaks, making spouting tubes, cutting and making wire handles, cutting hoop iron and wire for general sheet metal work, blackening or tarring shovels or closet pans, packing, carrying or moving goods, lighting or attending fires or engaged on canister work at topping tins or trimming scrap		10 0	12 0	15 0			
<i>Under 21 years of age.</i>							
CLASS B.							
Soldering down pipes		31 6	38 0	46 0			
CLASS C.							
Repairing leaks in general sheet metal work or assisting at rollers for forming down pipes, or engaged at general sheet metal work on the following machines, viz.:—Burnishing and spinning lathes, curving machines, guillotines for cutting spouting and ridging, stamping machines or presses, or spouting and ridging machines		20 0	27 6	35 0	42 6		
CLASS D.							
Engaged at general sheet metal work on any other power machine or at canister work on machines for folding canisters of holding capacity up to and including one pint, beading, bending (other than by angle bender or folder), body forming (other than by angle bender), clenching, crimping, curling, double seaming, flanging, hinge hooking, hinge seating, lock seaming, notching, rolling, squeezing, trimming, or wire forming, or employed in connexion with japanning at scouring, cleaning, assisting to polish or general rough work		10 0	15 0	20 0	27 6	35 0	42 6
CLASS E.							
Engaged at canister work on the following presses:—Crank, monkey, pondulum, screw, or treadle, or feeding or taking off in connexion with any power soldering machine or engaged at canister work on any other power machine		15 0	20 0	25 0	30 0	35 0	42 6

APPRENTICES AND IMPROVERS.

"Apprentice" means any person under 21 years of age bound by indentures of apprenticeship, or any person over 21 years of age who, with the sanction of the Minister, is bound by indentures of apprenticeship. (Act 2650, Section 3.)

The Tinsmiths Board has prescribed a form of apprenticeship agreement. Section 187 requires that the indentures must be in that form.

"Improver" means any person (other than an apprentice) who does not receive a piece-work price or a wages rate fixed by any Special Board for persons other than apprentices or improvers and who is not over 21 years of age or who being over 21 years of age holds a licence from the Minister to be paid as an improver. (Act 2650, Section 3.)

3. That the wages and number of apprentices or improvers who may be employed within any factory or place shall be—

Wages per Week of 48 hours.		Number.	
		Apprentices.	Improvers.
1st year's experience	10s.	10s.
2nd " "	15s.	15s.
3rd " "	20s.	21s.
4th " "	25s.	30s.
5th " "	35s.	40s.
APPRENTICES.			
One apprentice to every three or fraction of three workers receiving not less than 56s. per week.			
IMPROVERS.			
One improver to every five or fraction of five workers receiving not less than 60s. per week.			

TIME OF BEGINNING AND ENDING WORK.

4. That the time of beginning and ending work shall be—

Time of Beginning.	Time of Ending.
7.30 a.m. ..	12.15 p.m. on the day on which the half-holiday is observed.
7.30 a.m. ..	5.45 p.m. on the other working days of the week.

OVERTIME.

5. That wherever overtime is worked it shall be paid for at the rates as hereunder:—

Between 12.15 p.m. and 2.15 p.m. on the day on which the half-holiday is observed ..	Time and a quarter.
Between 5.45 p.m. and 7.45 p.m. on the other working days ..	Time and a quarter.
At any other time outside the hours for beginning and ending work ..	Time and a half.
Within the hours fixed in clause 4 in excess of 48 hours in any week—	
First two hours ..	Time and a quarter.
Thereafter ..	Time and a half.

SUNDAYS AND PUBLIC HOLIDAYS.

6. That double time shall be the special rate for all work done on—

- Sundays,
- New Year's Day,
- Foundation Day (26th January),
- Good Friday,
- Easter Monday,
- Eight Hours Day (21st April),
- King's Birthday,
- Christmas Day,
- Boxing Day,

but if any other day be by Act of Parliament or Proclamation substituted for any of the above-named public holidays the special rate shall only be payable for work done on the day so substituted.

PIECE-WORK.

7. (a) That the lowest piece-work price payable to any person for wholly or partly preparing or manufacturing any article described in the following Schedules (which Schedules shall form part of this Determination) shall be the price mentioned in such Schedules.

(b) That wherever the quantity to be given out is stated in the Schedules the prices apply only when the articles are given out in quantities not less than those mentioned in the Schedule.

(c) That the Schedules of prices apply to new material only.

(d) That (except where otherwise provided) where the sizes of articles to be made under these Schedules do not exactly correspond with the sizes stated in these Schedules then the price or rate fixed for the next nearest size shall apply; but where the size is half-way between two sizes then the next higher price or rate shall apply.

SCHEDULE A.—GENERAL SHEET METAL WORK.

Articles.	Material.	Size.	When given out in the under-mentioned quantities or more.	Prices.	
(1.) BASINS.					
WASH-HAND BASINS, hand-made (including blocking of bottoms)	1C tin plate	13 inches ...	3 dozen ...	4s. 5d. per doz.	
" " " " " "		16 " ...	3 " ...	5s. 3d. "	
" " " " " "	IX tin plate	18 " ...	2 " ...	5s. 6d. "	
" " " " " "		13 " ...	3 " ...	4s. 9d. "	
" " " " " "		16 " ...	2 " ...	5s. 3d. "	
" " " " " "		18 " ...	2 " ...	6s. 10d. "	
" " " " " "		20 " ...	1 1/2 " ...	7s. 10d. "	
" " " " " "		22 " ...	1 " ...	9s. 6d. "	
If bottoms supplied for 13 in. basins	4d. per doz. deducted	
" " " " " " 16 and 18 in. basins	6d. " "	
" " " " " " 20 and 22 in. basins	1s. " "	
If unplated handles 6 gauge wire or under supplied for basins	...	18, 20, or 22 inches	...	1s. 6d. per gross handles deducted	
(2.) BATHS.					
CHILD'S BATHS	24-gauge iron or lighter	24 inches ...	3 articles	3s. each	
" " " " " "		26 " ...	3 " ...	3s. 3d. "	
" " " " " "		28 " ...	3 " ...	3s. 6d. "	
" " " " " "		30 " ...	3 " ...	3s. 9d. "	
" " " " " "		33 " ...	3 " ...	4s. "	
" " " " " "		36 " ...	3 " ...	4s. 6d. "	
FOOT BATHS, oval, moulded, knocked up bottoms	Bodles 26-gauge iron or lighter	42 " ...	2 " ...	5s. 3d. "	
" " " " " "		16 " ...	6 " ...	17s. 6d. per doz	
" " " " " "		18 " ...	6 " ...	18s. 9d. "	
" " " " " "		20 " ...	6 " ...	20s. "	
" " " " " "		22 " ...	6 " ...	22s. "	
" " " " " "		24 " ...	6 " ...	23s. "	
" " " " " "		26 " ...	6 " ...	24s. 3d. "	
" " " " " "		28 " ...	6 " ...	27s. 3d. "	
" " " " " "		30 " ...	6 " ...	29s. "	
" " " " " " wired		Bottoms 24-gauge iron or lighter	16 " ...	1 dozen ...	7s. 6d. "
" " " " " "			18 " ...	1 " ...	8s. 6d. "
" " " " " "			20 " ...	1 " ...	9s. 6d. "
" " " " " "	22 " ...		1 " ...	11s. "	
" " " " " "	24 " ...		1 " ...	12s. 6d. "	
" " " " " "	26 " ...		1 " ...	14s. "	
" " " " " "	28 " ...	1 " ...	15s. "		
" " " " " "	30 " ...	1 " ...	16s. "		
FRAME BATHS, galvanized iron, up to 6 feet long, up to 22 inches wide, and up to 22 inches deep. (Assistance to be given for knocking up)	26-gauge iron	...	3 articles	4s. 6d. each	
" " " " " " " "	24 " "	...	3 " "	4s. 6d. "	
" " " " " " " "	22 " "	...	2 " "	5s. 6d. "	
PLUNGE BATHS, moulded	24-gauge iron or lighter	48 inches ...	2 " ...	6s. each	
" " " " " "		54 " ...	2 " ...	7s. "	
" " " " " "		60 " ...	2 " ...	7s. 9d. "	
" " " " " "		66 " ...	2 " ...	8s. 3d. "	
" " " " " "		72 " ...	2 " ...	9s. "	
" " " " " " with raised backs	2 " ...	10d. each bath extra	
If galvanized iron used for beads for Plunge or Child's Baths	9d. " "	
(3.) BINS.					
FLOUR BINS, with body wired, back-lapped, and swedged; bottom knocked up and hooped or studded (4 studs); lid with a rim not less than 2 1/2 inches deep; top blocked and panned on to rim; hasp and hinge on cover; and three oval wire handles	IXX tin plate or lighter	25 lbs. ...	6 articles	1s. 8d. each	
" " " " " " " "		50 " ...	6 " ...	2s. 1d. "	
" " " " " " " "		75 " ...	4 " ...	2s. 6d. "	
FLOUR BINS, with body wired, back-lapped, and swedged, for galvanized hoop; hoop about 20 gauge and 1 1/2 inches wide; bottom knocked up; lid with a rim not less than 2 1/2 inches deep; top blocked and panned on to rim; hasp and hinge on cover; and three oval wire handles	Galv. or lead-coated iron, 24-gauge or lighter	100 " ...	3 " ...	3s. 11d. each	
" " " " " " " "		200 " ...	3 " ...	4s. 0d. "	
" " " " " " " "		250 " ...	2 " ...	5s. "	
(4.) BOILERS.					
TIN BOILERS, oval, with pitched covers...	IX tin plate or lighter	3 gallons ...	1 dozen ...	8s. 8d. per doz.	
" " " " " " " "		4 " ...	1 " ...	10s. "	
" " " " " " " "		5 " ...	1 " ...	10s. "	
" " " " " " " "		7 " ...	6 articles	12s. 5d. "	
" " " " " " " "		10 " ...	6 " ...	16s. 6d. "	
" " " " " " " " oval, with blocked covers		3 " ...	1 dozen ...	11s. 3d. "	
" " " " " " " "		4 " ...	1 " ...	12s. 7d. "	
" " " " " " " "		5 " ...	1 " ...	12s. 7d. "	
" " " " " " " "		7 " ...	6 articles	18s. 3d. "	
" " " " " " " "		10 " ...	6 " ...	18s. 8d. "	
" " " " " " " " oval, with stamped covers		3 " ...	1 dozen ...	7s. 7d. "	
" " " " " " " "		4 " ...	1 " ...	8s. 8d. "	
" " " " " " " "	5 " ...	1 " ...	8s. 8d. "		
" " " " " " " "	7 " ...	6 articles	11s. 3d. "		
" " " " " " " "	10 " ...	6 " ...	14s. "		
If copper bottoms are used on above—Tinning same	3s. 2d. per doz. extra	

PIECE-WORK—continued.

Articles.	Material.	Size.	When given out in the under-mentioned Quantities or more.	Prices.	
(5.) BOTTLES.					
OIL BOTTLES, round with plain necks and knocked up bottoms, paned on breast	IX tin plate or lighter	1 quart ...	3 dozen ...	3s. 8d. per doz.	
" " " " " " " "		2 quarts ...	3 " ...	4s. 2d. "	
" " " " " " " "		4 " ...	2 " ...	5s. 3d. "	
" " " with stamped nozzles	3d. per doz. deducted	
" " " with patent screws (spouts supplied)		1 quart ...	3 " ...	3s. 8d. per doz.	
" " " " " " " "		2 quarts ...	3 " ...	4s. 2d. "	
" " " " " " " "		4 " ...	2 " ...	5s. 3d. "	
" " " with slipped on bottoms and breasts		4d. per doz. deducted	
TBA BOTTLES, oval, with slipped on bottoms and breasts		IX tin plate	1 pint ...	3 dozen ...	3s. 11d. per doz.
" " " " " " " "			1½ pints ...	3 " ...	4s. 2d. "
" " " " " " " "	2 " ...		3 " ...	5s. 3d. "	
" " " " " " " "	3. " ...		2 " ...	5s. 9d. "	
" " " " " " " "	4 " ...		2 " ...	6s. "	
" " " with stamped nozzles ...	6 " ...		2 " ...	6s. 10d. "	
...	3d. per doz. deducted		
(6.) BOXES.					
BONNET BOXES, round, including hasp ...	IXX tin plate or lighter	13 inches ...	3 dozen ...	8s. 3d. per doz.	
" " " " " " " "		14 " ...	3 " ...	8s. 3d. "	
" " " " " " " "		15 " ...	3 " ...	8s. 9d. "	
" " " " " " " "		16 " ...	3 " ...	8s. 9d. "	
" " " " " " " "		17 " ...	3 " ...	9s. 3d. "	
" " " " " " " "		18 " ...	3 " ...	9s. 3d. "	
" " " " " " " "		13 " ...	3 " ...	8s. 3d. "	
" " " " " " " "		14 " ...	3 " ...	8s. 3d. "	
" " " " " " " "		15 " ...	3 " ...	8s. 9d. "	
" " " " " " " "		16 " ...	3 " ...	8s. 9d. "	
" " " " " " " "	28-gauge steel	17 " ...	3 " ...	10s. "	
" " " " " " " "		18 " ...	3 " ...	10s. "	
" " " " " " " "		20 " ...	3 " ...	11s. 6d. "	
" " " " " " " "		22 " ...	2 " ...	15s. 6d. "	
" " " " " " " "		26-gauge steel	13 " ...	3 " ...	9s. 3d. "
" " " " " " " "			14 " ...	3 " ...	9s. 3d. "
" " " " " " " "	15 " ...		3 " ...	10s. "	
" " " " " " " "	16 " ...		3 " ...	10s. "	
" " " " " " " "	17 " ...		3 " ...	10s. 6d. "	
" " " " " " " "	18 " ...		3 " ...	10s. 6d. "	
" " " " " " " "	IXX tin plate or lighter	20 " ...	3 " ...	12s. 6d. "	
" " " " " " " "		13 " ...	3 " ...	9s. "	
" " " " " " " "		14 " ...	3 " ...	9s. "	
" " " " " " " "		15 " ...	3 " ...	9s. 9d. "	
" " " " " " " "		16 " ...	3 " ...	9s. 9d. "	
" " " " " " " "		17 " ...	3 " ...	10s. 3d. "	
" " " " " " " "		18 " ...	3 " ...	10s. 3d. "	
" " " " " " " "		13 " ...	3 " ...	9s. "	
" " " " " " " "		14 " ...	3 " ...	9s. "	
" " " " " " " "		15 " ...	3 " ...	9s. 9d. "	
" " " " " " " "	8-gauge steel	16 " ...	3 " ...	9s. 9d. "	
" " " " " " " "		17 " ...	3 " ...	9s. 9d. "	
" " " " " " " "		18 " ...	3 " ...	11s. "	
" " " " " " " "		20 " ...	3 " ...	11s. "	
" " " " " " " "		22 " ...	2 " ...	12s. 9d. "	
" " " " " " " "		22 " ...	2 " ...	17s. "	
" " " " " " " "	26-gauge steel	13 " ...	3 " ...	10s. 3d. "	
" " " " " " " "		14 " ...	3 " ...	10s. 3d. "	
" " " " " " " "		15 " ...	3 " ...	11s. "	
" " " " " " " "		16 " ...	3 " ...	11s. "	
" " " " " " " "		17 " ...	3 " ...	11s. 6d. "	
" " " " " " " "		18 " ...	3 " ...	11s. 6d. "	
" " " " " " " "	8 and 10-gauge wire	20 " ...	3 " ...	14s. "	
" " " " " " " "		20 " ...	3 " ...	14s. "	
" " " " " " " "	all gauges	all sizes	9d per doz. extra	
" " " " " " " "		all sizes	7d. " " "
If wire handles and plates supplied for bonnet boxes ...	8 and 10-gauge wire	1½d. per doz. boxes deducted	
SPICE BOXES, round, with six compartments and loose grater					
" " " " " " " "	IX tin plate or lighter	6 inches ...	6 articles	17s. 7d. per doz.	
" " " " " " " "		7 " ...	6 " ...	18s. 8d. "	
" " " " " " " "		8 " ...	6 " ...	21s. "	

PIECE-WORK—continued.

Articles.	Material.	Size.	When given out in the under-mentioned Quantities or more.	Prices.
BOXES—continued.				
SUGAR BOXES, wired inside and swedged	IX tin plate or lighter	No. 0	3 doz.	3s. 6d. per doz.
" " " " " "		" 1	3 " "	3s. 6d. "
" " " " " "		" 2	3 " "	3s. 9d. "
" " " " " "		" 3	3 " "	4s. 3d. "
" " " " " "		" 4	3 " "	4s. 6d. "
" " " " " (made in two pieces)		" 5	3 " "	5s. "
		" 6	3 " Not assorted sizes.	5s. 6d. "
				3d. per doz. extra
TRUNKS, common, moulded (cutting out, top and body edging, moulding, and wiring supplied) 2 swedges	26-gaugesteel or lighter	20 inches	1 dozen	8s. 9d. per doz.
" " " " " " 2 swedges		22 "	1 " "	8s. 9d. "
" " " " " " 2 swedges		24 "	1 " "	9s. 6d. "
" " " " " " 3 swedges		26 "	1 " "	10s. 9d. "
" " " " " " 3 swedges		28 "	1 " "	13s. 3d. "
" " " " " " 4 swedges		30 "	1 " "	14s. 3d. "
	24-gauge steel or lighter	33 "	6 articles	24s. 9d. "
" moulded, strapped (cutting out, top and body edging, moulding, and wiring supplied) 2 swedges		20 "	1 dozen	18s. 9d. "
" " " " " " 2 swedges	22 "	1 " "	18s. 9d. "	
" " " " " " 3 swedges	24 "	1 " "	19s. 9d. "	
" " " " " " 3 swedges	26 "	1 " "	21s. "	
" " " " " " 4 swedges	28 "	1 " "	23s. "	
	24-gaugesteel or lighter	30 "	1 " "	25s. 3d. "
" " " " " " 4 swedges		33 "	6 articles	31s. "
" common, moulded (moulding and wiring supplied) 2 swedges	26-gauge steel or lighter	20 "	1 dozen	13s. 3d. "
" " " " " " 2 swedges		22 "	1 " "	13s. 3d. "
" " " " " " 3 swedges		24 "	1 " "	14s. 3d. "
" " " " " " 3 swedges		26 "	1 " "	15s. 3d. "
" " " " " " 4 swedges		28 "	1 " "	17s. "
" " " " " " 4 swedges		30 "	1 " "	18s. 9d. "
	24-gauge steel or lighter	33 "	6 articles	31s. "
" moulded, strapped (moulding and wiring supplied) 2 swedges		20 "	1 dozen	22s. 6d. "
" " " " " " 2 swedges	22 "	1 " "	22s. 6d. "	
" " " " " " 3 swedges	24 "	1 " "	24s. "	
" " " " " " 3 swedges	26 "	1 " "	25s. 3d. "	
" " " " " " 4 swedges	28 "	1 " "	28s. "	
	24-gaugesteel or lighter	30 "	1 " "	30s. "
" " " " " " 4 swedges		33 "	6 articles	31s. "
" common, wired (cutting out, top and body edging, and top and body wiring supplied) 2 swedges	26-gaugesteel or lighter	20 "	1 dozen	14s. 9d. "
" " " " " " 2 swedges		22 "	1 " "	14s. 9d. "
" " " " " " 3 swedges		24 "	1 " "	15s. 3d. "
" " " " " " 3 swedges		26 "	1 " "	16s. 3d. "
" " " " " " 4 swedges		28 "	1 " "	18s. 6d. "
" " " " " " 4 swedges		30 "	1 " "	19s. 9d. "
	24-gauge steel or lighter	33 "	6 articles	31s. "
" wired, strapped (cutting out, top and body edging, and top and body wiring supplied) 2 swedges		20 "	1 dozen	24s. "
" " " " " " 2 swedges	22 "	1 " "	24s. "	
" " " " " " 3 swedges	24 "	1 " "	25s. 3d. "	
" " " " " " 3 swedges	26 "	1 " "	26s. 3d. "	
" " " " " " 4 swedges	28 "	1 " "	28s. 6d. "	
	24-gauge steel or lighter	30 "	1 " "	30s. 6d. "
" " " " " " 4 swedges		33 "	6 articles	38s. 6d. "
" common (top wiring supplied) 2 swedges	26-gaugesteel or lighter	20 "	1 dozen	19s. "
" " " " " " 2 swedges		22 "	1 " "	19s. "
" " " " " " 3 swedges		24 "	1 " "	19s. 9d. "
" " " " " " 3 swedges		26 "	1 " "	21s. 6d. "
" " " " " " 4 swedges		28 "	1 " "	23s. 6d. "
" " " " " " 4 swedges		30 "	1 " "	25s. "
	24-gauge steel or lighter	33 "	6 articles	38s. 3d. "
" strapped (top wiring supplied) 2 swedges		20 "	1 dozen	27s. 6d. "
" " " " " " 2 swedges	22 "	1 " "	28s. 6d. "	
" " " " " " 3 swedges	24 "	1 " "	29s. 6d. "	
" " " " " " 3 swedges	26 "	1 " "	32s. "	
" " " " " " 4 swedges	28 "	1 " "	34s. 6d. "	
	26-gauge ste or lighter	30 "	1 " "	37s. 6d. "
" " " " " " 4 swedges		30 "	1 " "	39s. "

PIECE-WORK—continued.

Articles.	Material.	Size.	When given out in the under-ment. ned Quantities or more.	Prices.
BOXES—continued.				
TRUNKS, strapped (top wiring supplied)	4 swedges	24-gauge steel or lighter	33 inches ...	6 articles 50s. 6d. per doz.
" " " " " " " "	" " " " " " " "	" " " " " " " "	36 " " " "	6 " " " 56s. " "
" wired, strapped, complete	2 swedges	" " " " " " " "	20 " " " "	1 dozen ... 28s. 6d. "
" " " " " " " "	" " " " " " " "	" " " " " " " "	22 " " " "	1 " " " 28s. 6d. "
" " " " " " " "	" " " " " " " "	" " " " " " " "	24 " " " "	1 " " " 30s. 6d. "
" " " " " " " "	3 swedges	26-gauge steel or lighter	26 " " " "	1 " " " 33s. " "
" " " " " " " "	" " " " " " " "	" " " " " " " "	28 " " " "	1 " " " 35s. 6d. "
" " " " " " " "	" " " " " " " "	" " " " " " " "	30 " " " "	1 " " " 39s. " "
" " " " " " " "	4 swedges	" " " " " " " "	30 " " " "	1 " " " 40s. " "
" " " " " " " "	" " " " " " " "	" " " " " " " "	33 " " " "	6 articles 51s. 6d. "
" " " " " " " "	" " " " " " " "	" " " " " " " "	36 " " " "	6 " " " 57s. " "
" cabin, common, moulded (cutting out, top and body edging, moulding, and wiring supplied)	2 swedges	26-gauge steel or lighter	24 " " " "	1 dozen ... 10s. 6d. "
" " " " " " " "	" " " " " " " "	" " " " " " " "	26 " " " "	1 " " " 11s. 6d. "
" " " " " " " "	3 swedges	" " " " " " " "	28 " " " "	1 " " " 12s. " "
" " " " " " " "	" " " " " " " "	" " " " " " " "	30 " " " "	1 " " " 13s. 3d. "
" " " " " " " "	4 swedges	24-gauge steel or lighter	33 " " " "	1 " " " 20s. 6d. "
" cabin, moulded, strapped (cutting out, top and body edging, moulding, and wiring supplied)	2 swedges	26-gauge steel or lighter	24 " " " "	1 " " " 19s. 9d. "
" " " " " " " "	" " " " " " " "	" " " " " " " "	26 " " " "	1 " " " 21s. " "
" " " " " " " "	3 swedges	" " " " " " " "	28 " " " "	1 " " " 22s. " "
" " " " " " " "	" " " " " " " "	" " " " " " " "	30 " " " "	1 " " " 23s. " "
" " " " " " " "	4 swedges	24-gauge steel or lighter	33 " " " "	6 articles... 25s. 3d. "
" " " " " " " "	" " " " " " " "	" " " " " " " "	36 " " " "	6 " " " 28s. 6d. "
" cabin, moulded (moulding and wiring supplied)	2 swedges	26-gauge steel or lighter	24 " " " "	1 dozen ... 14s. 9d. "
" " " " " " " "	" " " " " " " "	" " " " " " " "	26 " " " "	1 " " " 16s. " "
" " " " " " " "	3 swedges	" " " " " " " "	28 " " " "	1 " " " 17s. " "
" " " " " " " "	" " " " " " " "	" " " " " " " "	30 " " " "	1 " " " 18s. " "
" " " " " " " "	4 swedges	24-gauge steel or lighter	33 " " " "	6 articles... 26s. " "
" cabin, strapped (moulding and wiring supplied)	2 swedges	26-gauge steel or lighter	24 " " " "	1 dozen ... 24s. " "
" " " " " " " "	" " " " " " " "	" " " " " " " "	26 " " " "	1 " " " 25s. 3d. "
" " " " " " " "	3 swedges	" " " " " " " "	28 " " " "	1 " " " 27s. " "
" " " " " " " "	" " " " " " " "	" " " " " " " "	30 " " " "	1 " " " 28s. " "
" " " " " " " "	4 swedges	24-gauge steel or lighter	33 " " " "	6 articles... 30s. 6d. "
" " " " " " " "	" " " " " " " "	" " " " " " " "	36 " " " "	6 " " " 36s. 3d. "
" cabin, common, wired (cutting out, top and body edging, and top and body wiring supplied)	2 swedges	26-gauge steel or lighter	24 " " " "	1 dozen ... 15s. 3d. "
" " " " " " " "	" " " " " " " "	" " " " " " " "	26 " " " "	1 " " " 16s. 6d. "
" " " " " " " "	3 swedges	" " " " " " " "	28 " " " "	1 " " " 19s. " "
" " " " " " " "	" " " " " " " "	" " " " " " " "	30 " " " "	1 " " " 20s. " "
" " " " " " " "	4 swedges	24-gauge steel or lighter	33 " " " "	6 articles... 25s. " "
" " " " " " " "	" " " " " " " "	" " " " " " " "	36 " " " "	6 " " " 29s. 6d. "
" cabin, strapped, wired (cutting out, top and body edging, and top and body wiring supplied)	2 swedges	26-gauge steel or lighter	24 " " " "	1 dozen ... 25s. 3d. "
" " " " " " " "	" " " " " " " "	" " " " " " " "	26 " " " "	1 " " " 26s. 3d. "
" " " " " " " "	3 swedges	" " " " " " " "	28 " " " "	1 " " " 27s. 6d. "
" " " " " " " "	" " " " " " " "	" " " " " " " "	30 " " " "	1 " " " 28s. 6d. "
" " " " " " " "	4 swedges	24-gauge steel or lighter	33 " " " "	6 articles... 30s. 6d. "
" " " " " " " "	" " " " " " " "	" " " " " " " "	36 " " " "	6 " " " 35s. " "
" cabin, common, wired (top wiring supplied)	2 swedges	26-gauge steel or lighter	24 " " " "	1 dozen ... 20s. 3d. "
" " " " " " " "	" " " " " " " "	" " " " " " " "	26 " " " "	1 " " " 21s. 6d. "
" " " " " " " "	3 swedges	" " " " " " " "	28 " " " "	1 " " " 24s. " "
" " " " " " " "	" " " " " " " "	" " " " " " " "	30 " " " "	1 " " " 25s. " "
" " " " " " " "	4 swedges	24-gauge steel or lighter	33 " " " "	6 articles... 30s. 6d. "
" " " " " " " "	" " " " " " " "	" " " " " " " "	36 " " " "	6 " " " 35s. 6d. "
" cabin, strapped, wired (top wiring supplied)	2 swedges	26-gauge steel or lighter	24 " " " "	1 dozen ... 28s. 6d. "
" " " " " " " "	" " " " " " " "	" " " " " " " "	26 " " " "	1 " " " 29s. 6d. "
" " " " " " " "	3 swedges	" " " " " " " "	28 " " " "	1 " " " 30s. 6d. "
" " " " " " " "	" " " " " " " "	" " " " " " " "	30 " " " "	1 " " " 34s. " "
" " " " " " " "	4 swedges	24-gauge steel or lighter	33 " " " "	6 articles... 38s. 6d. "
" " " " " " " "	" " " " " " " "	" " " " " " " "	36 " " " "	6 " " " 41s. 6d. "
" cabin, strapped, wired, complete	2 swedges	26-gauge steel or lighter	24 " " " "	1 dozen ... 30s. 6d. "
" " " " " " " "	" " " " " " " "	" " " " " " " "	26 " " " "	1 " " " 32s. " "
" " " " " " " "	3 swedges	" " " " " " " "	28 " " " "	1 " " " 33s. 6d. "
" " " " " " " "	" " " " " " " "	" " " " " " " "	30 " " " "	1 " " " 35s. 6d. "
" " " " " " " "	4 swedges	24-gauge steel or lighter	30 " " " "	1 " " " 37s. " "
" " " " " " " "	" " " " " " " "	" " " " " " " "	33 " " " "	6 articles... 39s. 6d. "
" " " " " " " "	" " " " " " " "	" " " " " " " "	36 " " " "	6 " " " 43s. " "
If corners fitted on lids for 20-inch to 30-inch common trunks				6d. per doz. trunks extra
Swivels, end-handles and corners of all trunks supplied.				
Wires for all moulded trunks supplied.				
Wires for tops of wired trunks supplied.				

PIECE-WORK—*continued.*

Articles.	Material.	Size.	When given out in the under-mentioned Quantities or more.	Prices.	
<i>BOXES—continued.</i>					
TRUNKS where wiring, moulding, and corner pieces for bodies are not supplied	...	20, 22, 24, and 26 inches	...	4s. per doz. trunks extra	
TRUNKS (machine work), cutting out, top and body edging, moulding, and wiring (wires supplied) ...		28, 30, 33, and 36 inches	...	5s. per doz. trunks extra	
" " " " " " "	26-gauge steel or lighter	20 inches	3 dozen	3s. 6d. per doz.	
" " " " " " "		22 "	3 "	3s. 6d. "	
" " " " " " "		24 "	3 "	3s. 9d. "	
" " " " " " "		26 "	3 "	4s. "	
" " " " " " "		28 "	3 "	4s. 3d. "	
" " " " " " "		30 "	3 "	5s. "	
" " " " " " "	24-gauge steel or lighter	33 "	2 "	6s. 0d. "	
" " " " " " "		36 "	1 "	7s. "	
(7.) BUCKETS.					
BLACK IRON BUCKETS, common, stamped or forged ears, two rivet holes ...	28-gauge iron or lighter	11 inches	6 dozen	3s. 2d. per doz.	
" " " " " " "		12 "	6 "	3s. 2d. "	
" " " " " " "		13 "	6 "	3s. 5d. "	
" " " " " " "		14 "	6 "	3s. 11d. "	
BLACK IRON BUCKETS, common, stamped or forged ears, three rivet holes ...	28-gauge iron or lighter	11 "	3 "	3s. 5d. "	
" " " " " " "		12 "	3 "	3s. 5d. "	
" " " " " " "		13 "	3 "	3s. 8d. "	
" " " " " " "		14 "	3 "	4s. 3d. "	
BLACK IRON BUCKETS, strapped sides and bottoms ...	26-gauge iron or lighter	11 "	2 "	4s. 0d. "	
" " " " " " "		12 "	2 "	4s. 9d. "	
" " " " " " "		13 "	2 "	5s. 3d. "	
" " " " " " "		14 "	2 "	5s. 9d. "	
BLACK IRON BUCKETS, strapped, wrought ears, two rivet holes ...	26-gauge iron or lighter	11 "	2 "	4s. 3d. "	
" " " " " " "		12 "	2 "	4s. 3d. "	
" " " " " " "		13 "	2 "	4s. 9d. "	
" " " " " " "		14 "	2 "	5s. 6d. "	
BLACK IRON BUCKETS, strapped, wrought ears, three rivet holes ...	26-gauge iron or lighter	11 "	2 "	4s. 9d. "	
" " " " " " "		12 "	2 "	4s. 9d. "	
" " " " " " "		13 "	2 "	5s. 3d. "	
" " " " " " "		14 "	2 "	5s. 9d. "	
MILK BUCKETS, tin, with bail, hollow bottom, and tin hoop, (bail supplied) ...	IX tin plate or lighter	11 inches diameter x 9 inches deep	4 "	3s. 11d. "	
" " " " " " "		13 inches diameter x 9 inches deep	4 "	4s. 3d. "	
MILK BUCKETS, tin, with hollow bottoms, and tinned or galvanized hoops and bails (bails supplied) ...		IX tin plate or lighter	11 inches diameter x 9 inches deep	4 "	3s. 11d. "
" " " " " " "			13 inches diameter x 9 inches deep	4 "	4s. 3d. "
" " " " " " "			11 inches diameter x 11 inches deep	3 "	4s. 9d. "
" " " " " " "			13 inches diameter x 11 inches deep	3 "	5s. 9d. "
" " " " " " "			11 inches diameter x 18 inches deep	1 "	6s. 4d. "
" " " " " " "			12 inches diameter x 18 inches deep	1 "	7s. "
MILK BUCKETS, tin—Making bails for	...		All sizes	...	3d. extra
" " " " tin (if stamped bottom supplied)	...		"	...	4d. per doz. deducted
STRAINER MILK BUCKETS, tin, part covered, with lip and brass wire strainer, hollow bottom, and tinned or galvanized hoop and bails (bails supplied) ...	IX tin plate or lighter	11 inches diameter x 9 inches deep	1½ doz.	9s. 6d. per doz.	
" " " " " " "		11 inches diameter x 11 inches deep	1½ "	9s. 6d. "	
" " " " " " "		13 inches diameter x 9 inches deep	1½ "	10s. "	
With back handle	1s. 8d. per doz. extra	

PIECE-WORK—continued.

Articles.	Material.	Size.	When given out in the under-mentioned Quantities or more.	Prices.
BUCKETS—continued.				
ALL MILK BUCKETS—If ears soldered to outside of bucket				1s. 2d. per doz. extra
TIN BUCKETS, with flat bottoms and stamped ears	IC tin plate	11 inches diameter x 9 inches deep	6 dozen	3s. 5d. per doz.
TIN BUCKETS, with tin hoop and stamped ears	IC tin plate	13 inches diameter x 9 inches deep	6 "	3s. 11d. "
" with 1½-in. or 1¼-in. hoop and strap	IC tin plate	" "	2 "	5s. 6d. "
" with 1½-in. hoop and strap	IX tin plate	" "	2 "	6s. "
" with 1¼-in. hoop and strap	IXX tin plate	" "	2 "	6s. 10d. "
If bails supplied for strapped tin buckets				3d. per doz. deducted
(8.) CANISTERS.				
ROUND CANISTERS, with slipped on bottle neck (top blanks supplied)	IC tin plate	½ lb.	4 dozen	2s. 11d. per doz.
" " " "		1 "	4 "	3s. 2d. "
" " " "		2 lbs.	4 "	3s. 5d. "
" " " "		3 "	3 "	3s. 8d. "
" " " "		4 "	3 "	4s. 3d. "
(9.) CANS.				
CREAM CANS, grooved, three hoops, double rim cover (including use of guillotine)	20-gauge tinned steel or lighter, or DXXXX tin plate or lighter	20 quarts	1 dozen	5s. each
" " " " " "		30 "	1 "	5s. "
" " " " " "		40 "	1 "	5s. 6d. "
" four hoops, double rim cover (including use of guillotine)		40 "	1 "	5s. 9d. "
" three hoops, single rim cover (including use of guillotine)		20 "	1 "	3s. 11d. "
" " " " " "		30 "	1 "	3s. 11d. "
" " " " " "		40 "	1 "	4s. 6d. "
" four " " " " "		40 "	1 "	4s. 9d. "
" If not cleaned and tested by maker		All sizes		3d. per can deducted
" If hoops supplied for				6d. per doz. hoops deducted
" If cover stamping or blocking supplied for		40 quarts		1s. 6d. per doz. deducted
" If bottoms supplied for		40 "		1s. per doz. deducted
HARVEST CANS, with pannikin supplied	IX tin plate or lighter	2 quarts	1½ dozen	6s. 3d. per doz.
" " " " " "		3 "	1½ "	6s. 10d. "
" " " " " "		4 "	1½ "	7s. 4d. "
" " " " " "		6 "	1 "	7s. 10d. "
" " " " " "		8 "	1 "	8s. 2d. "
" " " " " "		10 "	1 "	9s. 2d. "
" " " " " "		12 "	1 "	10s. 3d. "
" " " " " if with spouts		All sizes		1s. 9d. per doz. extra
HOT WATER CANS, knocked up bottoms	IX tin plate or lighter	3 pints	1 dozen	11s. 6d. per doz.
" " " " " "		2 quarts	1 "	11s. 6d. "
" " " " " "		3 "	1 "	14s. "
" " " " " "		4 "	1 "	14s. "
" wired, bottom let in		3 pints	1 "	12s. 7d. "
" " " " " "		2 quarts	1 "	12s. 7d. "
" " " " " "		3 "	1 "	15s. "
" " " " " "		4 "	1 "	15s. "
HOT WATER CANS	20-gauge galv. iron or lighter	All sizes		2s. 8d. per doz. extra
JACK SHAY CANS, straight body	IC tin plate	1 quart	2 dozen	5s. per doz.
" tapered body		1 "	2 "	6s. 7d. "
MINERS' CANS	IC tin plate	1½ pints	2 "	5s. 3d. "
" " " " " "		2 "	2 "	5s. 3d. "
" " " " " "		3 "	2 "	5s. 6d. "
" " " " " "		4 "	2 "	6s. 3d. "
" " " " " "		6 "	1½ "	6s. 10d. "
RAILWAY MILK CANS, grooved, two hoops (including use of guillotine, cleaning and testing)	20-gauge tinned steel or lighter, or DXXXX tin plate or lighter	20 quarts	1 "	3s. 8d. each
" " " " " "		30 "	1 "	3s. 8d. "
" " " " " three hoops		30 "	1 "	3s. 11d. "
" " " " " four hoops		40 "	1 "	3s. 11d. "
" " " " " three hoops		40 "	1 "	4s. 3d. "
" " " " " four hoops		50 "	6 articles	5s. 9d. "
" " " " " four hoops or less		All sizes		6d. per doz. hoops deducted

PIECE-WORK—continued.

Articles.	Material.	Size.	When given out in the under-mentioned Quantities or more.	Prices.
CANS—continued.				
RAILWAY MILK CANS, if bottoms supplied	...	All sizes	...	1s. per doz. deducted
TOILET CANS, with knocked up bottoms (studs supplied)	IX tin plate or lighter	6 quarts	1 dozen	16s. 3d. per doz.
" " " " " "		8 " "	1 " "	18s. " "
" " " " " "		10 " "	1 " "	19s. 9d. " "
" " " " " "		12 " "	1 " "	21s. 6d. " "
" " " " " "		16 " "	1 " "	24s. 2d. " "
" " " " " " body wired, and bottom let in		6 " "	1 " "	18s. " "
" " " " " " " "		8 " "	1 " "	20s. 9d. " "
" " " " " " " "		10 " "	1 " "	22s. " "
" " " " " " " "	12 " "	1 " "	23s. 9d. " "	
" " " " " " " "	16 " "	1 " "	26s. 6d. " "	
" " " " " " " "	26-gauge galv. iron or lighter	All sizes	...	3s. 5d. per doz. extra
(10.) COLANDERS.				
HAND-MADE COLANDERS, machine-punched, with side handles	IX tin plate or lighter	9 inches	4 dozen	4s. per doz.
" " " " " " " "		11 " "	4 " "	4s. 9d. " "
" " " " " " " "		13 " "	3 " "	5s. 9d. " "
" " " " " " " "		15 " "	1½ " "	6s. 9d. " "
COLANDERS—If punched with hand punch	...	All sizes	...	1s. 9d. per doz. extra
(11.) COVERS.				
MEAT COVERS, with perforated zinc bodies (straight sides) and pitched top	IX tin plate or lighter	12 inches	3 dozen	3s. 6d. per doz.
" " " " " " " "		14 " "	3 " "	3s. 9d. " "
" " " " " " " "		16 " "	3 " "	4s. " "
" " " " " " " "		18 " "	3 " "	4s. 6d. " "
" " " " " " " "		20 " "	2 " "	5s. " "
" " " " " " " " with perforated zinc bodies (taper sides) and pitched top		22 " "	1½ " "	6s. " "
" " " " " " " " " "		24 " "	1 " "	7s. " "
" " " " " " " " " "		12 " "	3 " "	4s. " "
" " " " " " " " " "	14 " "	3 " "	4s. 6d. " "	
" " " " " " " " " "	16 " "	3 " "	4s. 9d. " "	
" " " " " " " " " "	18 " "	3 " "	5s. 3d. " "	
" " " " " " " " " "	20 " "	2 " "	5s. 9d. " "	
" " " " " " " " " "	22 " "	1½ " "	7s. " "	
" " " " " " " " " " with perforated zinc bodies (taper sides) single rim, and blocked tops (wheeling found) ...	24 " "	1 " "	8s. " "	
" " " " " " " " " " " "	14 inches	3 dozen	5s. 6d. per doz.	
" " " " " " " " " " " "	15 " "	3 " "	5s. 9d. " "	
" " " " " " " " " " " "	16 " "	3 " "	6s. " "	
" " " " " " " " " " " "	17 " "	3 " "	6s. 6d. " "	
" " " " " " " " " " " "	18 " "	3 " "	7s. " "	
" " " " " " " " " " " "	20 " "	1 " "	8s. " "	
" " " " " " " " " " " "	22 " "	1 " "	9s. " "	
" " " " " " " " " " " " with double rims	24 " "	1 " "	11s. " "	
" " " " " " " " " " " " if stamped or blocked tops supplied for ...	All sizes	...	1s. 6d. per doz. extra	
" " " " " " " " " " " "	14 inches	...	6d. per dozen deducted	
" " " " " " " " " " " "	15 " "	...	6d. " "	
" " " " " " " " " " " "	16 " "	...	9d. " "	
" " " " " " " " " " " "	17 " "	...	9d. " "	
" " " " " " " " " " " "	18 " "	...	9d. " "	
" " " " " " " " " " " "	20 " "	...	1s. " "	
" " " " " " " " " " " "	22 " "	...	1s. " "	
" " " " " " " " " " " "	24 " "	...	1s. " "	
(12.) DIPPERS.				
COMMON DIPPERS	IX tin plate or lighter	2 quarts	6 dozen	1s. 11d. per doz.
" " " " " " " "		3 " "	6 " "	1s. 11d. " "
BEST DIPPERS, bossed		2 " "	4 " "	3s. 2d. " "
" " " " " " " "		3 " "	4 " "	3s. 2d. " "
DIPPERS—Soldering studs on	...	4 " "	2 " "	3s. 11d. " "
" " " " " " " " " "	3d. per doz. dippers extra
(13.) DISHES.				
DEVON DISHES, about 9 inches deep, flat bottoms	IX tin plate or lighter	14 inches	3 dozen	4s. per doz.
" " " " " " " "		16 " "	3 " "	4s. 9d. " "
" " " " " " " "		18 " "	2 " "	5s. 6d. " "
" " " " " " " "		20 " "	1 " "	6s. 3d. " "
" " " " " " " " with hoops		22 " "	1 " "	7s. 3d. " "
" " " " " " " " " "	All sizes	1s. 2d. per doz. extra

PIECE-WORK—continued.

Articles.	Material.	Size.	When given out in the under-mentioned Quantities or more.	Prices.
DISHES—continued.				
MILK DISHES	IX tin plate or lighter	17 inches ...	2 dozen ...	4s. 3d. per doz.
" " " " " " " "		18 1/2 " " ...	2 " " ...	5s. " "
" " " " " " " "		20 " " ...	2 " " ...	5s. 9d. " "
SCALDING DISHES, about 6 inches deep, flat bottoms	IX tin plate or lighter	22 " " ...	2 " " ...	6s. 3d. " "
" " " " " " " "		14 " " ...	2 " " ...	3s. 9d. " "
" " " " " " " "		16 " " ...	2 " " ...	4s. 3d. " "
ROUND DISHES, flat bottoms, made ready for galvanizing ...	IX tin plate or lighter	18 " " ...	2 " " ...	5s. 6d. " "
" " " " " " " "		14 inches ...	3 dozen ...	3s. 3d. per doz.
" " " " " " " "		15 " " ...	3 " " ...	3s. 6d. " "
" " " " " " " "	IX tin plate or lighter	17 " " ...	3 " " ...	4s. 3d. " "
" " " " " " " "		" " " " " " " "	" " " " " " " "	3d. per doz. dishes extra
SQUARE DISHES, tin		12 x 8 inches	3 " " ...	3s. 3d. per doz.
" " " " " " " "		13 x 9 " "	3 " " ...	3s. 9d. " "
" " " " " " " "		14 x 10 " "	3 " " ...	4s. " "
" " " " " " " "		16 x 11 " "	3 " " ...	4s. 3d. " "
" " " " " " " "		16 x 12 " "	2 " " ...	4s. 3d. " "
" " " " " " " "		17 x 12 " "	2 " " ...	5s. " "
" " " " " " " "		18 x 12 " "	2 " " ...	5s. " "
" " " " " " " "		18 x 14 " "	2 " " ...	5s. 6d. " "
" " " " " " " "	20 x 14 " "	2 " " ...	5s. 9d. " "	
" " " " if formed in angle-bender ...				3d. per doz. deducted
(14.) DREDGERS.				
FLOUR DREDGERS (tops and feet supplied) ...	IC tin plate	No. 1 ...	6 dozen ...	2s. . per doz.
" " " " " " " "		No. 2 ...	6 " " ...	2s. 5d. " "
(15.) FEEDERS.				
CARPENTERS' FEEDERS	IX tin plate or lighter		4 dozen ...	2s. 9d. per doz.
OIL FEEDERS, funnel shape		1/2 pint ...	2 " " ...	4s. 9d. " "
" " " " " " " "		1 " " ...	2 " " ...	5s. 3d. " "
" " " " " " " "		2 pints ...	2 " " ...	5s. 6d. " "
" " " " for drays—McCormick's pattern ...			2 " " ...	4s. 9d. " "
REAPING MACHINE OIL FEEDERS			2 " " ...	6s. 3d. " "
If spouts supplied for Feeders (except Carpenters' Feeders)				9d. per doz. deducted
(16.) FRAMES.				
SPONGE CAKE FRAMES	IC tin plate	All sizes ...	1 dozen ...	12s. 7d. per doz.
(17.) FUNNELS.				
FUNNELS, without rims, not wired	IC tin plate	1/2 pint ...	8 dozen ...	1s. 3d. per doz.
" " " " " " " "		3/4 " " ...	6 " " ...	1s. 11d. " "
" " " " " " " "		1 " " ...	6 " " ...	1s. 11d. " "
" " " " " " " "		1 1/2 pints ...	4 " " ...	2s. 1d. " "
" " " " " " " "		2 " " ...	4 " " ...	2s. 7d. " "
" " " " " " " "		2 1/2 " " ...	4 " " ...	2s. 7d. " "
" " " " " " " "		2 " " ...	3 " " ...	3s. 5d. " "
" " " " " " " "		4 " " ...	3 " " ...	3s. 11d. " "
" " " " " " " "		6 " " ...	2 " " ...	4s. 3d. " "
" " " " " " " "		8 " " ...	2 " " ...	5s. 6d. " "
" " " " " " " "	IX tin plate or lighter	10 " " ...	1 1/2 " " ...	6s. 3d. " "
" " " " " " " "		12 " " ...	1 1/2 " " ...	6s. 10d. " "
(18.) GRATERS.				
BREAD GRATERS, half round (punched plates supplied)	IC tin plate	No. 1 ...	6 dozen ...	1s. 9d. per doz.
" " " " " " " "		" 2 ...	6 " " ...	2s. 1d. " "
" " " " " " " "		" 1 ...	3 " " ...	2s. 10d. " "
" " " " " " " "		" 2 ...	3 " " ...	3s. 5d. " "
" " " " round (punched plates supplied)		" 1 ...	3 " " ...	2s. 7d. " "
" " " " " " " "		" 2 ...	3 " " ...	2s. 11d. " "
" " " " round (punched plates and graters on sides supplied)		" 1 ...	3 " " ...	2s. 11d. " "
" " " " " " " "		" 2 ...	3 " " ...	3s. 2d. " "
" " " " round punched by hand ...		" 1 ...	3 " " ...	3s. 11d. " "
" " " " " " " "		" 2 ...	3 " " ...	4s. 3d. " "
NUTMEG GRATERS (punched plates supplied) ...	IC tin plate	All sizes ...	12 " " ...	1s. 3d. " "

PIECE-WORK—continued.

Articles.	Material.	Size.	When given out in the under-mentioned Quantities or more.	Prices.	
(19.) HODS.					
COAL HODS, with stamped feet...	24-gauge iron or lighter	No. 1 ...	1 dozen ...	9s. per doz.	
" " " " " " " " " " " " " "		" 2 ...	1 " " " " " " " "	9s. 3d. " "	
" with feet hand-made and riveted on		" 1 ...	1 " " " " " " " "	10s. 3d. " "	
" " " " " " " " " " " " " "		" 2 ...	1 " " " " " " " "	10s. 6d. " "	
" with knocked-up feet		" 1 ...	1 " " " " " " " "	12s. 6d. " "	
" " " " " " " " " " " " " "		" 2 ...	1 " " " " " " " "	12s. 6d. " "	
" with stamped feet		" 1 ...	1 " " " " " " " "	8s. 3d. " "	
" " " " " " " " " " " " " "		" 2 ...	1 " " " " " " " "	8s. 6d. " "	
" with feet hand-made and riveted on		26-gauge iron or lighter	" 1 ...	1 " " " " " " " "	9s. 3d. " "
" " " " " " " " " " " " " "		" 2 ...	1 " " " " " " " "	9s. 6d. " "	
" with knocked-up feet		" 1 ...	1 " " " " " " " "	11s. 6d. " "	
" " " " " " " " " " " " " "		" 2 ...	1 " " " " " " " "	11s. 6d. " "	
" with feet hand-made and riveted on		28-gauge iron or lighter	" 1 ...	1 " " " " " " " "	8s. 9d. " "
" " " " " " " " " " " " " "	" 2 ...	1 " " " " " " " "	9s. " "		
" hooped ...	" 1 ...	1 " " " " " " " "	8s. 6d. " "		
" when half-covered	All gauges	All sizes	5s. 3d. per doz. extra	
(20.) KETTLES.					
CAMP KETTLES, with stamped covers supplied ...	IX tin plate or lighter	1 quart ...	6 dozen ...	1s. 11d. per doz.	
" " " " " " " " " " " " " "		1½ quarts...	6 " " " " " " " "	2s. 1d. " "	
" " " " " " " " " " " " " "		2 " " " " " " " "	6 " " " " " " " "	2s. 4d. " "	
" " " " " " " " " " " " " "		3 " " " " " " " "	4 " " " " " " " "	2s. 7d. " "	
" " " " " " " " " " " " " "		4 " " " " " " " "	4 " " " " " " " "	2s. 10d. " "	
" " " " " " " " " " " " " "		6 " " " " " " " "	4 " " " " " " " "	3s. 1d. " "	
" " " " " " " " " " " " " "		8 " " " " " " " "	3 " " " " " " " "	3s. 9d. " "	
" " " " " " " " " " " " " "			3 dozen		
" " " " " " " " " " " " " "			assorted,		
" " " " " " " " " " " " " "			not less		
" " " " " " " " " " " " " "			than 1		
" " " " " " " " " " " " " "			dozen		4s. 3d. " "
" " " " " " " " " " " " " "			either		5s. 3d. " "
" " " " " " " " " " " " " "			size		
" with stamped covers, finished lid handles, rims ready for tacking, and circular blanks for bottoms supplied			1 quart ...	6 dozen ...	1s. 7d. per doz.
" " " " " " " " " " " " " "			1½ quarts ...	6 " " " " " " " "	1s. 9d. " "
" " " " " " " " " " " " " "			2 " " " " " " " "	6 " " " " " " " "	1s. 11d. " "
" " " " " " " " " " " " " "			3 " " " " " " " "	4 " " " " " " " "	2s. 1d. " "
" " " " " " " " " " " " " "			4 " " " " " " " "	4 " " " " " " " "	2s. 4d. " "
" " " " " " " " " " " " " "			6 " " " " " " " "	4 " " " " " " " "	2s. 7d. " "
" " " " " " " " " " " " " "			8 " " " " " " " "	3 " " " " " " " "	3s. 1d. " "
" " " " " " " " " " " " " "				3 dozen	
" " " " " " " " " " " " " "				assorted,	
" " " " " " " " " " " " " "				not less	
" " " " " " " " " " " " " "			than 1		
" " " " " " " " " " " " " "			dozen	4s. " "	
" " " " " " " " " " " " " "			either	5s. " "	
" " " " " " " " " " " " " "			size		
" with stamped covers, finished lid handles, rims ready for tacking, and use of circle cutters for bottoms		1 quart ...	6 dozen ...	1s. 8d. per doz.	
" " " " " " " " " " " " " "		1½ quarts	6 " " " " " " " "	1s. 11d. " "	
" " " " " " " " " " " " " "		2 " " " " " " " "	6 " " " " " " " "	2s. 1d. " "	
" " " " " " " " " " " " " "		3 " " " " " " " "	6 " " " " " " " "	2s. 2d. " "	
" " " " " " " " " " " " " "		4 " " " " " " " "	4 " " " " " " " "	2s. 5d. " "	
" " " " " " " " " " " " " "		6 " " " " " " " "	4 " " " " " " " "	2s. 10d. " "	
" " " " " " " " " " " " " "		8 " " " " " " " "	3 " " " " " " " "	3s. 6d. " "	
" " " " " " " " " " " " " "			3 dozen		
" " " " " " " " " " " " " "			assorted,		
" " " " " " " " " " " " " "			not less		
" " " " " " " " " " " " " "			than 1		
" " " " " " " " " " " " " "			dozen	4s. " "	
" " " " " " " " " " " " " "			either	5s. " "	
" " " " " " " " " " " " " "			size		
" with stamped covers, finished lid handles, finished rims, and circular blanks for bottoms supplied		1 quart ...	6 dozen ...	1s. 6d. per doz.	
" " " " " " " " " " " " " "		1½ quarts	6 " " " " " " " "	1s. 8d. " "	
" " " " " " " " " " " " " "		2 " " " " " " " "	6 " " " " " " " "	1s. 9d. " "	
" " " " " " " " " " " " " "		3 " " " " " " " "	4 " " " " " " " "	2s. 1d. " "	
" " " " " " " " " " " " " "		4 " " " " " " " "	4 " " " " " " " "	2s. 4d. " "	
" " " " " " " " " " " " " "		6 " " " " " " " "	4 " " " " " " " "	2s. 7d. " "	
" " " " " " " " " " " " " "		8 " " " " " " " "	3 " " " " " " " "	3s. 1d. " "	
" " " " " " " " " " " " " "			3 dozen		
" " " " " " " " " " " " " "			assorted		
" " " " " " " " " " " " " "			not less		
" " " " " " " " " " " " " "			than 1		
" " " " " " " " " " " " " "			dozen	3s. 10d. " "	
" " " " " " " " " " " " " "			either	5s. " "	
" " " " " " " " " " " " " "			size		

PIECE-WORK—continued.

Articles.	Material.	Size.	When given out in the under-mentioned Quantities or more.	Prices.
KETTLES—continued.				
CAMP KETTLES, with stamped covers, finished lid handles, finished tins, and use of circle cutters for bottoms	IX tin plate or lighter	1 quart	6 dozen	1s. 7d. per doz.
" " " " " " " "		1½ quarts	6 " "	1s. 9d. "
" " " " " " " "		2 " "	6 " "	1s. 11d. "
" " " " " " " "		3 " "	4 " "	2s. 1d. "
" " " " " " " "		4 " "	4 " "	2s. 4d. "
" " " " " " " "		6 " "	4 " "	2s. 7d. "
" " " " " " " "		8 " "	3 " "	3s. 6d. "
" " " " " " " "		10 " "	3 dozen assorted not less than 1 dozen either size	4s. "
" " " " " " " "		12 " "		5s. "
COPPER KETTLES (planishing and tinning supplied)		1 lb. copper or lighter	4 pints	6 articles
" " " " " " " "	5 " "		6 " "	20s. "
" " " " " " " "	6 " "		6 " "	21s. 6d. "
" " " " " " " "	7 " "		6 " "	23s. 6d. "
" " tinning bottoms of	All sizes		...	1s. 2d. per doz. extra
FISH KETTLES (body handles supplied and covers wheeled)	DXXX tin plate or lighter	14 inches	6 articles	30s. per doz.
" " " " " " " "		16 " "	3 " "	28s. "
" " " " " " " "		18 " "	3 " "	45s. "
" " " " " " " "		20 " "	3 " "	52s. "
" " " " " " " "		22 " "	3 " "	59s. 6d. "
" " " " " " " "		24 " "	3 " "	69s. "
" " smoothing covers on block		14 " "	...	1s. 10d. per doz. extra
" " " " " " " "		16 " "	...	2s. 5d. "
" " " " " " " "		18 " "	...	3s. 2d. "
" " " " " " " "		20 " "	...	3s. 8d. "
" " " " " " " "	22 " "	...	4s. 3d. "	
" " " " " " " "	24 " "	...	5s. "	
TEA KETTLES, oval, with tin bottoms	IX tin plate or lighter	3 pints	1½ dozen	6s. 10d. per doz.
" " " " " " " "		4 " "	1½ " "	7s. 4d. "
" " " " " " " "		5 " "	1½ " "	8s. 2d. "
" " " " " " " "		6 " "	1 " "	8s. 9d. "
" " " " " " " "		8 " "	1 " "	10s. "
" " with 28 gauge galvanized iron bottoms		3 " "	1½ " "	7s. 4d. "
" " " " " " " "		4 " "	1½ " "	8s. 2d. "
" " " " " " " "		5 " "	1½ " "	8s. 9d. "
" " " " " " " "		6 " "	1 " "	9s. 3d. "
" " " " " " " "		8 " "	1 " "	10s. 6d. "
" " with tinned-copper bottoms		3 " "	1½ " "	7s. 10d. "
" " " " " " " "		4 " "	1½ " "	8s. 4d. "
" " " " " " " "		5 " "	1½ " "	9s. "
" " " " " " " "		6 " "	1 " "	10s. "
" " " " " " " "		8 " "	1 " "	11s. "
" " with copper bottoms tinned by maker		All sizes	...	1s. 2d. per doz. extra
" " round, straight, with tin bottoms		1 pint	3 dozen	3s. 2d. per doz.
" " round, tapered, with 28-gauge galvanized-iron bottoms		2 pints	3 " "	3s. 11d. "
" " " " " " " "		3 " "	2 " "	4s. 9d. "
" " " " " " " "		4 " "	2 " "	5s. 3d. "
" " " " " " " "		5 " "	2 " "	6s. "
" " " " " " " "		6 " "	2 " "	6s. 7d. "
" " " " " " " "		8 " "	1 " "	7s. 10d. "
" " straight, with tinned-copper bottoms		1 pint	3 " "	3s. 11d. "
" " tapered " " " "		2 pints	3 " "	4s. 9d. "
" " " " " " " "		3 " "	2 " "	5s. "
" " " " " " " "		4 " "	2 " "	5s. 6d. "
" " " " " " " "		5 " "	2 " "	6s. 4d. "
" " " " " " " "	6 " "	2 " "	6s. 10d. "	
" " " " " " " "	8 " "	1 " "	8s. 2d. "	
" " straight or tapered, with bottoms tinned by maker	All sizes	3 " "	1s. 2d. per doz. extra	
TEA KETTLES, blocking covers and blocking and swedging breasts of	IX tin plate or lighter	1 pint	...	1s. 6d. per doz. extra
" " " " " " " "		2 pints	...	1s. 6d. "
" " " " " " " "		3 " "	...	1s. 6d. "
" " " " " " " "		4 " "	...	2s. 1d. "
" " " " " " " "		5 " "	...	2s. 1d. "
" " " " " " " "		6 " "	...	2s. 1d. "
" " " " " " " "		8 " "	...	2s. 4d. "
(21.) LAMPS.				
WALL LAMPS, with fents	IXX tin plate or lighter Tops, 1-lb. copper, or IXX tin plate or lighter	No. 1	3 articles	31s. 3d. per doz.
" " " " " " " "		" 2	3 " "	33s. 7d. "
" " " " " " " "		" 3	3 " "	36s. 3d. "

PIECE-WORK—continued.

Articles.	Material.	Size.	When given out in the under-mentioned Quantities or more.	Prices.
(22.) MEASURES.				
MILK MEASURES	IC tin plate	$\frac{1}{4}$ pint	6 dozen	2s. 8d. per doz.
"		1 "	4 "	2s. 11d. "
OIL MEASURES, straight sides	IX tin plate or lighter	2 pints	3 "	3s. 2d. "
"		$\frac{1}{4}$ pint	3 "	3s. 5d. "
"		1 "	3 "	3s. 11d. "
"		1 quart	2 "	5s. "
SPIRIT MEASURES	IX tin plate or lighter	2 quarts	2 "	5s. 9d. "
		4 "	2 "	6s. 10d. "
		$\frac{1}{4}$ pint	1 "	8s. 5d. "
		1 "	1 "	9s. 3d. "
"	IX tin plate or lighter	2 pints	1 "	12s. 6d. "
"		4 "	1 "	14s. "
"		1 gallon	1 "	16s. "
"	IXX tin plate or lighter	2 gallons	6 articles...	18s.
(23.) PAILS.				
SLOP PAILS, with stamped tops, bottoms, and breasts supplied	IX tin plate or lighter	No. 1	2 dozen	6s. 10d. per doz.
"		" 2	2 "	7s. 4d. "
"		" 3	2 "	9s. 6d. "
" stamped tops and bottoms supplied, hand-made breasts		" 4	2 "	11s. "
"	IX tin plate or lighter	" 1	2 "	8s. 8d. "
"		" 2	2 "	9s. 9d. "
"		" 3	2 "	11s. 9d. "
" hand-made		" 4	2 "	14s. "
"	IX tin plate or lighter	" 1	2 "	11s. "
"		" 2	2 "	12s. 6d. "
"		" 3	2 "	15s. 3d. "
" made with black or galvanized iron		" 4	2 "	16s. 9d. "
"	26-gauge or lighter	All sizes	...	3d. per doz. extra
"		"	"	"
" Bails and ears to be supplied for all sizes				3d. " "
TOILET PAILS	IXX tin plate or lighter	No. 1	1 dozen	9s. 3d. per doz.
"		" 2	1 "	10s. 3d. "
"		" 3	1 "	11s. "
" if feet and funnels supplied		All sizes	...	1s. 6d. per doz. deducted
(24.) PANS.				
ASHPANS, common	28-gauge iron or lighter	No. 1	4 dozen	3s. 8d. per doz.
"		" 2	4 "	3s. 11d. "
"		" 3	4 "	4s. 2d. "
"	26-gauge iron or lighter	" 1	4 "	4s. 2d. "
"		" 2	4 "	4s. 9d. "
" with tin bead		" 3	4 "	5s. 3d. "
Venetians for Ashpans (2 in set)		All sizes	...	1s. 2d. per doz. extra
" "			2 dozen	4s. 9d. per doz. sets of venetians
" " (3 in set)			2 "	5s. 9d. " "
CLOSETPANS, tapered to nest	26-gauge iron or lighter	17 $\frac{1}{2}$ x 15 x 13 inches	2 "	5s. 9d. per doz.
" straight sides	26-gauge iron or lighter	17 x 13 x 13 inches	2 "	5s. 3d. "
"	26-gauge iron or lighter	18 x 14 x 14 inches	2 "	5s. 9d. "
"	24-gauge iron...	All sizes	1 $\frac{1}{2}$ dozen of any one size	1s. 2d. per doz. extra
"				3d. per doz. pans extra
"				6d. " "
"				1s. 2d. " "
DOUGHPANS	IXX tin plate or lighter	14 inches	2 dozen	6s. 4d. per doz.
"		16 "	2 "	6s. 10d. "
"		18 "	2 "	8s. 5d. "
"		20 "	1 "	10s. "
"		22 "	1 "	11s. 6d. "
DUSTPANS	IX tin plate or lighter	No. 1	2 $\frac{1}{2}$ "	3s. 11d. "
"		" 2	2 $\frac{1}{2}$ "	4s. 9d. "
"		" 3	2 $\frac{1}{2}$ "	5s. "
" with cover		" 1	2 "	5s. 9d. "
"		" 2	2 "	6s. 4d. "
"	" 3	2 "	6s. 10d. "	
YANKEE, CORNISH, OR FLAT BOTTOM PANS	IC tin plate	13 inches	4 "	3s. 2d. "
"		14 "	4 "	3s. 5d. "
"		15 "	4 "	3s. 11d. "
"		16 "	3 "	4s. 9d. "
"		17 "	3 "	4s. 9d. "
"		18 "	3 "	5s. 9d. "

PIECE-WORK—continued.

Articles.	Material.	Size.	When given out in the under-mentioned Quantities or more.	Prices.
(25.) PANNIKINS.				
PANNIKINS, with bottoms supplied	IX tin plate or lighter	½ pint	2 gross	6s. 4d. per gross
" " if handle blanks supplied		1 "	1½ "	7s. 4d. " 3d. per gross deducted
(26.) POTS.				
COFFEE-POTS, common	IX tin plate or lighter	2 pints	3 dozen	4s. 9d. per doz.
" " "		3 "	3 "	5s. "
" " "		4 "	2 "	5s. 9d. "
" " "		5 "	2 "	6s. 4d. "
" " "		6 "	2 "	7s. 4d. "
" " "		7 "	1½ "	8s. 2d. "
" " beat, riveted spouts and tin handles		8 "	1½ "	9s. 3d. "
		All sizes		2s. 4d. per doz. extra
(27.) PUMPS.				
KEROSENE PUMPS (funnel top or plain barrel) top blanks supplied	IC tin plate		4 dozen	3s. 2d. per doz.
(28.) SAFES.				
MEAT SAFES, round	Zinc or IX tin plate or lighter. Trays, 26-gauge iron or lighter	12 inches	1 dozen	21s. per doz.
" " "		14 "	1 "	22s. "
" " "		16 "	1 "	24s. "
" " "		18 "	1 "	27s. "
" " "		20 "	6 articles	30s. "
" " "		22 "	6 "	33s. "
" " "		24 "	6 "	38s. "
" " loose bottoms			All sizes	1s. per doz. extra
" " if trays supplied			All sizes	1s. 6d. per doz. deducted
" " square, with half-round, D shape, or basin shape top and zinc fronts (trays supplied)			12 inches	1 dozen
" " " " " "		14 "	1 "	24s. "
" " " " " "		16 "	1 "	26s. "
" " " " " "		18 "	1 "	28s. "
" " " " " "		20 "	6 articles	31s. "
" " square, with flat tops (with cup) having tapered sides and zinc fronts (trays supplied)	Zinc or IX tin plate or lighter	12 "	1 dozen	23s. 6d. "
" " " " " "		14 "	1 "	25s. 6d. "
" " " " " "		16 "	1 "	27s. 6d. "
" " " " " "		18 "	1 "	29s. 6d. "
" " " " " "		20 "	6 articles	32s. 6d. "
" " square, with flat tops (with cup) having concave sides and zinc fronts (trays supplied)		12 "	1 dozen	25s. "
" " " " " "		14 "	1 "	27s. "
" " " " " "		16 "	1 "	29s. "
" " " " " "		18 "	1 "	31s. "
" " " " " "		20 "	6 articles	34s. "
" " if fittings supplied		All sizes		1s. 6d. per dozen safes deducted
(29.) SAUCEPANS.				
TIN SAUCEPANS, with tin bottoms (iron handles supplied)	IX tin plate or lighter	1 pint	6 dozen	2s. 1d. per doz
" " " " " "		2 pints	4 "	2s. 4d. "
" " " " " "		3 "	4 "	2s. 8d. "
" " " " " "		4 "	4 "	2s. 11d. "
" " " " " "		6 "	3 "	3s. 2d. "
" " " " " "		8 "	3 "	3s. 5d. "
" " with galvanized-iron bottoms (iron handles supplied)	Bodies IX tin plate or lighter; Bottoms 28-gauge galv. iron	1 pint	6 "	2s. 4d. "
" " " " " "		2 pints	4 "	2s. 8d. "
" " " " " "		3 "	4 "	2s. 11d. "
" " " " " "		4 "	4 "	3s. 2d. "
" " " " " "		6 "	3 "	3s. 5d. "
" " " " " "		8 "	3 "	3s. 8d. "
" " with tinned-copper bottoms (iron handles supplied)	Bodies IX tin plate or lighter	1 pint	3 "	2s. 11d. "
" " " " " "		2 pints	3 "	3s. 2d. "
" " " " " "		3 "	3 "	3s. 5d. "
" " " " " "		4 "	2 "	3s. 8d. "
" " " " " "		6 "	2 "	3s. 11d. "
" " " " " "		8 "	2 "	4s. 2d. "
" " tinning copper bottoms		All sizes		4s. 9d. "
" " making flat tin handles for				1s. 2d. per doz. extra
" " cover stamping supplied				11d. " " 3d. per doz. deducted

PIECE-WORK--continued.

Articles.	Material.	Size.	When given out in the under-mentioned Quantities or more.	Prices.	
(30.) SCOOPS.					
GROCERS' SCOOPS--Drawer, without handles	IX tin plate or lighter	...	4 dozen as-sorted, not less than 1 dozen of any one size	1s. 9d. per doz.	
" " front wired or pieced, with handles		5 inches ...	3 dozen ...	4s. 9d. "	
" " " " " "		6 " ...	3 " ...	5s. 3d. "	
" " " " " "		7 " ...	2 " ...	6s. 4d. "	
" " " " " "		8 " ...	2 " ...	6s. 10d. "	
" " " " " "		10 " ...	1 1/2 " ...	8s. 3d. "	
" " " " " "		12 " ...	1 " ...	9s. 2d. "	
" " front not wired or pieced, with handles		5 " ...	3 " ...	3s. 8d. "	
" " " " " "		6 " ...	3 " ...	4s. 2d. "	
" " " " " "		7 " ...	2 " ...	5s. 3d. "	
" " " " " "		8 " ...	2 " ...	6s. 4d. "	
" " " " " "		10 " ...	1 1/2 " ...	7s. "	
" " " " " "		12 " ...	1 " ...	6s. 6d. "	
" " galvanized iron, front wired or pieced, with handles		24-gauge galv. iron or lighter	5 " ...	1 " ...	7s. "
" " " " " "		6 " ...	1 " ...	7s. 10d. "	
" " " " " "	7 " ...	1 " ...	8s. 8d. "		
" " " " " "	8 " ...	1 " ...	10s. "		
" " " " " "	10 " ...	1 " ...	11s. 9d. "		
" " " " " "	12 " ...	1 " ...	13s. 3d. "		
(31.) SKIMMERS.					
COOKS' SKIMMERS (handles supplied)	IXX tin plate or lighter	...	3 dozen ...	3s. 8d. per doz.	
MILK SKIMMERS, with ring handles	DXXXX tin plate or lighter	6 1/2 inches...	4 " ...	2s. 1d. "	
" " " " " "		8 " ...	4 " ...	2s. 8d. "	
" " " " " "		9 " ...	4 " ...	2s. 11d. "	
" " " " " "		10 " ...	4 " ...	3s. 2d. "	
(32.) STANDS.					
COCKATOO STANDS	IX tin plate or lighter 26-gauge galv. iron or lighter, or zinc	17 inches ...	6 articles...	22s. per doz.	
" " " " " "		20 " ...	6 " ...	23s. 6d. "	
" " " " " "		17 " ...	3 " ...	29s. "	
" " " " " "		20 " ...	3 " ...	34s. 6d. "	
(33.) STEAMERS.					
STEAMERS	IXX tin plate or lighter	No. 4 ...	2 dozen ...	5s. per doz.	
" " " " " "		" 5 ...	2 " ...	5s. "	
" " " " " "		" 6 ...	1 1/2 " ...	5s. 6d. "	
" " " " " "		" 7 ...	1 1/2 " ...	6s. 4d. "	
" " " " " "		" 8 ...	1 1/2 " ...	6s. 10d. "	
" " " " " "		" 9 ...	1 " ...	7s. 4d. "	
" " " " " "		" 10 ...	1 " ...	8s. 3d. "	
" " " " " "		" 11 ...	1 " ...	10s. "	
" " " " " "		" 12 ...	1 " ...	10s. 6d. "	
" if handles supplied for		3d. per doz. steamers deducted
(34.) STRAINERS.					
GRAVY STRAINERS, hand made	IX tin plate	Small ...	3 dozen ...	3s. 5d. per doz.	
" " " " " "		Large ...	3 " ...	3s. 11d. "	
" " " " " " if perforated bottoms supplied	IX tin plate	All sizes	6d. " deducted	
GRUEL STRAINERS	IX tin plate or lighter	...	3 dozen ...	3s. 11d. per doz.	
MILK STRAINERS, wired		8 1/2 inches	3 " ...	3s. "	
" " " " " "		10 " ...	3 " ...	3s. 6d. "	
" " " " " "		11 " ...	3 " ...	3s. 9d. "	
" " " " " "		12 " ...	3 " ...	4s. "	
" " " " " "		14 " ...	2 " ...	4s. 6d. "	
" " " " " " with rim		8 1/2 " ...	2 " ...	4s. "	
" " " " " "		10 " ...	2 " ...	4s. 6d. "	
" " " " " "		11 " ...	2 " ...	5s. "	
" " " " " "		12 " ...	2 " ...	5s. 3d. "	
MILK CAN STRAINERS, knocked up rims	IX tin plate	...	1 " ...	5s. 9d. "	
" " " " " "	IXX tin plate	...	1 " ...	8s. 3d. "	
" " " " " "	IXX tin plate	...	1 " ...	11s. 3d. "	
(35.) TINS.					
BREAD TINS (made of five pieces)	IX tin plate or lighter	1 lb. ...	3 dozen ...	3s. 8d. per doz.	
" " " " " "		2 " ...	3 " ...	3s. 8d. "	
" " " " " "		4 " ...	2 " ...	3s. 11d. "	
" " " " " "		6 " ...	2 " ...	5s. 3d. "	
COBURG BREAD TINS	IX tin plate	...	3 " ...	3s. 5d. "	
EXHIBITION BREAD TINS, single	IXXXX tin plate or lighter, or 24-gauge iron or lighter	2 lb. ...	6 articles...	18s. "	
" " " " " "		4 " ...	6 " ...	22s. 6d. "	
" " " " " " double		2 " ...	3 " ...	45s. "	
" " " " " "		4 " ...	3 " ...	52s. 6d. "	

PIECE-WORK—continued.

Articles.	Material.	Size.	When given out in the under-mentioned Quantities or more.	Prices.	
TINS—continued.					
CAKE TINS, AND CAKE RINGS, with use of knocking-up machine	IC tin plate	4 inches ...	1 gross ; not less than 3 dozen of any one size	12s. 9d. per gross	
" " " " " "		5 " ...		14s. "	
" " " " " "		6 " ...		15s. "	
" " " " " "		7 " ...		17s. 6d. "	
" " " " " "		8 " ...		18s. 9d. "	
" " " " " "		9 " ...		20s. "	
" " " " " "		10 " ...		22s. 6d. "	
" " " " " "		11 " ...		26s. 3d. "	
" " " " " "		12 " ...		30s. "	
" " " " " loose bottoms		All sizes
QUEEN CAKE TINS, hearts ...	IC tin plate	...	4 dozen ...	2s. 11d. per doz.	
" " diamonds	6 " ...	1s. 4d. "	
SANDWICH TINS, with use of knocking-up machine	IC tin plate	6 inches ...	1 gross ; not less than 3 dozen of any one size	15s. per gross	
" " " " " "		7 " ...		17s. 6d. "	
" " " " " "		8 " ...		18s. 9d. "	
" " " " " "		9 " ...		20s. "	
" " " " " "		10 " ...		22s. 6d. "	
" " " " " "		11 " ...		26s. 3d. "	
" " " " " "		12 " ...		30s. "	
SWISS ROLL TINS, wired, with use of angle bender	IC tin plate	12 x 8 inches	4 dozen ...	2s. 8d. per doz.	
" " " " " "		13 x 9 " "	4 " ...	2s. 11d. "	
" " " " " "		14 x 10 " "	4 " ...	2s. 11d. "	
" " " " " "		15 x 11 " "	4 " ...	3s. 2d. "	
" " " " " "		16 x 12 " "	4 " ...	3s. 5d. "	
" " " not wired, with use of angle bender		...	12 x 8 " "	4 " ...	2s. 1d. "
" " " without use of angle bender	All sizes	6d. " extra
(36.) TUBS.					
BLACK IRON TUBS, round or oval, without hoop or strap	26-gauge iron or lighter	16 inches ...	2 dozen ...	4s. 9d. per doz.	
" " " " " "		18 " ...	2 " ...	5s. 3d. "	
" " " " " "		20 " ...	2 " ...	5s. 9d. "	
" " " " " "		22 " ...	2 " ...	6s. 4d. "	
" " " " " "		24 " ...	1 1/2 " ...	6s. 10d. "	
" " " " " "		26 " ...	1 1/2 " ...	7s. 7d. "	
" " " " " "		28 " ...	1 1/2 " ...	8s. "	
" " " " " "		30 " ...	1 " ...	10s. 3d. "	
" " " " " with hoop	16 " ...	2 " ...	5s. 3d. "
" " " " " "		...	18 " ...	2 " ...	6s. "
" " " " " "		...	20 " ...	2 " ...	6s. 4d. "
" " " " " "		...	22 " ...	2 " ...	6s. 10d. "
" " " " " "		...	24 " ...	1 1/2 " ...	7s. 4d. "
" " " " " "		...	26 " ...	1 1/2 " ...	8s. 8d. "
" " " " " "		...	28 " ...	1 1/2 " ...	9s. 6d. "
" " " " " "		...	30 " ...	1 " ...	11s. "
" " " " " "		...	33 " ...	6 articles ...	14s. "
" " " " " hooped and strapped		...	36 " ...	6 " ...	18s. 6d. "
" " " " " "		...	16 " ...	2 dozen ...	6s. 7d. "
" " " " " "		...	18 " ...	2 " ...	7s. "
" " " " " "	...	20 " ...	2 " ...	7s. 4d. "	
" " " " " "	...	22 " ...	2 " ...	8s. 2d. "	
" " " " " "	...	24 " ...	1 1/2 " ...	8s. 8d. "	
" " " " " "	...	26 " ...	1 1/2 " ...	10s. "	
" " " " " "	...	28 " ...	1 1/2 " ...	11s. 3d. "	
" " " " " "	...	30 " ...	1 " ...	12s. 9d. "	
" " " " " "	...	33 " ...	6 articles ...	15s. 9d. "	
" " " " " "	...	36 " ...	6 " ...	20s. 9d. "	
TIN TUBS, round, without hoop	IX tin plate or lighter	15 " ...	2 dozen ...	5s. "	
" " " " " "		16 " ...	2 " ...	5s. "	
" " " " " "		18 " ...	1 1/2 " ...	6s. 4d. "	
" " " " " "		20 " ...	1 1/2 " ...	6s. 10d. "	
" " " " " "		22 " ...	1 1/2 " ...	7s. 4d. "	
" " " " " "		24 " ...	1 " ...	8s. 8d. "	
" " " " " with tinned or galvanized iron or black iron hoop		...	15 " ...	2 " ...	6s. 4d. "
" " " " " "		...	16 " ...	2 " ...	6s. 4d. "
" " " " " "		...	18 " ...	1 1/2 " ...	7s. 4d. "
" " " " " "		...	20 " ...	1 1/2 " ...	8s. 2d. "
" " " " " "	...	22 " ...	1 1/2 " ...	8s. 8d. "	
" " " " " "	...	24 " ...	1 " ...	10s. "	
" " " " " oval, without hoop	IX tin plate or lighter	16 " ...	2 " ...	6s. 10d. "	
" " " " " "		18 " ...	1 1/2 " ...	7s. 4d. "	
" " " " " "		20 " ...	1 1/2 " ...	8s. 2d. "	
" " " " " "		22 " ...	1 1/2 " ...	9s. 2d. "	
" " " " " "		24 " ...	1 " ...	10s. 6d. "	
" " " " " with tinned or galvanized iron or black iron hoop...	IX tin plate or lighter	16 " ...	2 " ...	8s. 2d. "	
" " " " " "		18 " ...	1 1/2 " ...	8s. 8d. "	
" " " " " "		20 " ...	1 1/2 " ...	9s. 2d. "	
" " " " " "		22 " ...	1 1/2 " ...	10s. 6d. "	
" " " " " "		24 " ...	1 " ...	11s. 10d. "	

PIECE-WORK—continued.
SCHEDULE B.—CANISTER WORK.

	Price per gross.					
	Lap seam.		Lock seam, without assistance.		Lock seam, with two assistants.	
	s.	d.	s.	d.	s.	d.
SOLDERING SEAMS—all work rolled—up to and including 2½ inches in diameter—						
Up to and including 2 inches deep ...	0	6½	0	5½	0	3½
Over 2 inches deep and up to and including 3½ inches deep ...	0	7	0	6½	0	4½
" 3½ " " " 4½ " " ...	0	7½	0	6½	0	4½
" 4½ " " " 5½ " " ...	0	8½	0	7½	0	5½
" 5½ " " " 7 " " ...	1	0	0	8½	0	6½
Over 2½ inches and up to and including 3½ inches in diameter—						
Up to and including 2 inches deep ...	0	6½	0	5½	0	3½
Over 2 inches deep and up to and including 3½ inches deep ...	0	7	0	6½	0	4½
" 3½ " " " 5 " " ...	0	8	0	6½	0	4½
" 5 " " " 6 " " ...	0	9	0	7½	0	5½
" 6 " " " 7 " " ...	0	11	0	9	0	7
" 7 " " " 8 " " ...	1	4	1	0½	0	10½
Over 3½ inches and up to and including 4½ inches in diameter—						
Up to and including 2 inches deep ...	0	7½	0	5½	0	3½
Over 2 inches deep and up to and including 3½ inches deep ...	0	8	0	6½	0	4½
" 3½ " " " 5½ " " ...	0	9	0	7½	0	5½
" 5½ " " " 6 " " ...	0	10½	0	8	0	5½
" 6 " " " 7 " " ...	1	0	0	9½	0	7½
" 7 " " " 8 " " ...	1	3½	1	0½	0	10½
Over 4½ inches, and up to and including 5½ inches in diameter—						
Up to and including 2½ inches deep ...	0	8½	0	6½	0	4½
Over 2½ inches deep, and up to and including 4½ inches deep ...	0	11	0	8½	0	5½
" 4½ " " " 6 " " ...	1	2½	0	10½	0	8
" 6 " " " 7 " " ...	1	4½	1	0½	0	10½
" 7 " " " 8 " " ...	1	5½	1	1½	0	11½
Over 5½ inches, and up to and including 6½ inches in diameter—						
Up to and including 3 inches deep ...	0	11½	0	8	0	5½
Over 3 inches deep, and up to and including 4½ inches deep ...	1	1½	0	9	0	7
" 4½ " " " 6 " " ...	1	3½	0	10½	0	8
" 6 " " " 8 " " ...	1	5½	1	1½	0	11½

MEAT TINS—		Price per 100.
		s. d.
Seaming and rolling meat tin bodies (round) on clamps—		
½ lb.	...	1 0
1 "	...	1 0
1 " tongue	...	1 0
1½ lbs.	...	1 0
2 "	...	1 0
2 " long	...	1 0
2½ "	...	1 0
3 "	...	1 1
6 " (including putting on tops and bottoms)	...	3 0
Seaming ½ lb. or 1 lb. on 1 cylinder		0 7
" 2 lbs.	...	0 8
" ½ or 1 lb. on 2 cylinders	...	0 6
" 2 lbs.	...	0 7
" ½ lb or 1 lb. on 3 to 6 cylinders (with 2 boys)	...	0 3
" 2 lbs.	...	0 4
Seaming meat tins (tapered square) on one former—		
1 lb.	...	0 7
2 lbs.	...	0 8
6 "	...	0 11
		Price per 1,000 ends...
		s. d.
Squeezing—12 oz. or 1 lb. (tapered square)	...	2 2
" 2 lbs.	...	2 6
" 6 "	...	4 0
		Price per 100 ends.
		s. d.
Jokering—½ lb. (round, or tapered square)	...	0 4
" ¾ " " " " "	...	0 4
" 1 " " " " "	...	0 4
" 3 lbs.	...	0 7
" 4 " " " " "	...	0 7
" 5 " " " " "	...	0 7
" 6 " " " " "	...	0 7

SOLDERING TOPS OR BOTTOMS OF EMPTY TINS—(spiriting provided)—

	Price per gross.					
	Not crimped or rolled on.		Crimped.		Rolled on.	
	s.	d.	s.	d.	s.	d.
Up to and including 3 inches in diameter ...	0	8½	0	8½	0	7½
Over 3 inches diameter, and up to and including 3½ inches in diameter ...	0	9½	0	9½	0	8½
" 3½ " " " 4½ " " ...	1	3½	1	2	1	0
" 4½ " " " 5 " " ...	1	5½	1	3½	1	2½
" 5 " " " 6 " " ...	1	11	1	8½	1	6½

ROUND WORK (SOLDERING).

	Price per gross.
	s. d.
JAM TINS—Closing, 1 lb., topped, and crimped	0 11
" " " 2 lb.	1 1
CAKE TINS—	
2 lbs., soldering	10 0
4 " "	11 3
6 " "	12 6
6 " cutting	1 4.

PIECE-WORK—continued.

STAMPING WORK ON POWER MACHINES OR PRESSES (NOT USING SCRAP).


							Per gross.
							s. d.
Up to and including 3½ inches in diameter of cutting die	0 1
Over 3½ and up to and including 4 inches in diameter of cutting die	0 1½
" 4 " " " 4½ " " " "	0 1½
" 4½ " " " 5½ " " " "	0 2
" 5½ " " " 6½ " " " "	0 2½

DEFINITION.

7. That for the purposes of this Determination, "sheet metal" shall mean sheet metal 10-gauge or lighter.

F. H. BOLTON, J.P.,
Chairman.

Dated at Melbourne the 26th day of September, 1916.



VICTORIA GOVERNMENT GAZETTE.

Published by Authority.

[Registered at the General Post Office, Melbourne, for transmission by post as a newspaper.]

No. 190.]

TUESDAY, OCTOBER 10.

[1916.

Factories and Shops Act 1915.

DETERMINATION OF THE BILLPOSTERS BOARD.

IN accordance with the provisions of the *Factories and Shops Act 1915*, the Special Board appointed to determine the lowest prices or rates which may be paid to any person or persons or classes of persons employed in the process, trade, business, or occupation of bill-posting, has made the following Determination, namely:—

1. That the previous Determination of this Board is hereby amended, and such amendments shall come into force and be operative on and after the 27th day of October, 1916. The Determination and amendments are printed hereunder.

2. That the lowest rates of wages to be paid to the following persons shall be:—

Billposters 56s. per week of 48 hours.

APPRENTICES OR IMPROVERS.

“Apprentice” means any person under 21 years of age, bound by indentures of apprenticeship, or any person over 21 years of age who, with the sanction of the Minister, is bound by indentures of apprenticeship. (Act 2650, section 3.)

“Improver” means any person (other than an apprentice) who does not receive a piece-work price or a wages rate fixed by any Special Board for persons other than apprentices or improvers, and who is not over 21 years of age, or who, being over 21 years of age, holds a licence from the Minister to be paid as an improver. (Act 2650, section 3.)

3. That—

(a) The lowest rates which may be paid to apprentices or improvers; and

(b) The proportionate number of apprentices or improvers who may be employed by any employer

shall be as shown in the following table:—

Wages.	Number.
APPRENTICES OR IMPROVERS.	
<small>Per week of 48 hours.</small>	
1st six months' ..	APPRENTICES.
2nd ..	One apprentice to every three or fraction of three workers receiving not less than 56s. per week of 48 hours.
3rd ..	IMPROVERS.
4th ..	One improver to the first four or fraction of four workers, and thereafter one improver to every five or fraction of five workers receiving not less than 56s. per week of 48 hours.
5th ..	
6th ..	

CASUAL LABOUR.

4. That any person employed for not more than 24 hours during any week shall be paid one and a half times the ordinary rate.

OVERTIME.

5. That any employee who works in any week for any time in excess of 48 hours shall be paid for such extra time at the rate of time and a quarter.

SUNDAYS AND PUBLIC HOLIDAYS.

6. That double time shall be the special rate for all work done on—

Sunday,
Good Friday,
Easter Saturday,
Easter Monday,
New Year's Day,
Foundation Day (26th January),
Eight Hours Day (21st April),
King's Birthday,
Christmas Day,
Boxing Day,

but if any other day be by Act of Parliament or Proclamation substituted for any of the above-named holidays, the special rate shall only be payable for work done on the day so substituted.

Dated at Melbourne, the 5th day of October, 1916.

L. F. S. ROBINSON,
Chairman.