


[2835]



VICTORIA GOVERNMENT GAZETTE.

Published by Authority.

[Registered at the General Post Office, Melbourne, for transmission by post as a newspaper.]

No. 124.]

TUESDAY, SEPTEMBER 24.

[1918.

CONTRACTS ACCEPTED.—(Series 1918-19.)

Serial No.	Purpose, No. of Tenders, and Particulars of Contract.	Amount.	Name of Contractor.	Charged against Vote or Fund.	Authorized according to Regulations on the date stated.
901	<p>VICTORIAN RAILWAYS— Supply and delivery of Stores (estimated requirements), as ordered, from 1st July, 1918, to 30th June, 1919; and supply and delivery of Stores (fixed contract quantity), as ordered, from 1st April, 1918, to 30th June, 1919, in respect of Items Nos. 3, 4, 4A, 5, and 5A, and from 1st July, 1918, to 30th June, 1919, in respect of other items shown under the heading "Contract Quantity" in the attached Schedule —Country of manufacture or production : As per Schedule attached .</p>	Rates ...	As per Schedule attached	Railway Stores Suspense Account, Act 2716, Section 105	J. S. Rees, for Secretary, by order of the Victorian Railways Commissioners. 19.9.1918.

Melbourne, 24th September, 1918.

ANNEX TO CONTRACT No. 901.

Schedule of Rates Contracts

FOR THE

SUPPLY OF STORES

TO THE

VICTORIAN RAILWAYS, 1918-1919.

(SEE FOLLOWING SCHEDULES.)

By order of The Victorian Railways Commissioners.

SUPPLY AND DELIVERY OF STORES.

Items marked * to be supplied (subject to the Conditions of Contract) to sample or samples exhibited by the Corporation.

Items marked † to be supplied to sample or samples furnished by the Tenderer.

Items for which the Country of Manufacture is shown as Australia are to be wholly or partly manufactured in Australia.

NAMES, ADDRESSES, ETC., OF CONTRACTORS.

Name of Contractor.	Address.	Contract No.		Deposit Security.		Item Numbers.
		Estimated Requirements.	Fixed Quantity.	Estimated Requirements.	Fixed Quantity.	
		No.	No.	£	£	
Adams, W., & Co. Ltd.	521 Collins-street, Melbourne	31,688	..	2	..	3011
Appleton, A. E. ..	Sherwood, Queensland ..	31,614	..	6	..	1552, 1553
Australian Oxygen Co. . .	550 Latrobe-street, Melbourne	31,696	..	27	..	3066
Australian General Electric Coy.	530 Flinders-lane, Melbourne	..	31,701	..	9	2704
Ballarat Woollen and Worsted Co. Ltd.	Ballarat	31,610	..	133	..	1424, 1489, 1490, 1492
Barnet Glass Rubber Co. Ltd.	289 Swanston-street, Melbourne	31,637	..	22	..	1734, 1735, 1739, 1740, 1744-1746, 1749, 1753, 1757-1759, 1761, 1763, 1768-1770, 1772, 2494-2497
Bell's Asbestos Australian Agency Ltd.	30 Yarra Bank-road, South Melbourne	31,736	31,581	3	1	537, 1771
Black, W. and E. ..	431 Spencer-st., W. Melb.	31,613	..	11	..	1560-1562, 1564-1566
Briscoe and Co. Ltd. ..	391 Little Collins-street, Melbourne	31,624	..	44	..	1692-1694, 1698-1703, 1705, 1706
Buncle, J. and Son ..	Wreckyn-street, North Melbourne	31,732	..	5	..	848
Campbell, A. L., and Co. Pty. Ltd.	33 William-street, Melbourne	31,687	..	9	..	2985, 2986, 2991, 2995, 2996, 3000, 3001, 3003-3005, 3007-3010
Carngham Whiting and Kaolin Co. Pty. Ltd.	34 Queen-street, Melbourne	31,640	..	1	..	1850
Cash, W. E. ..	156 Sydney-road, Coburg ..	31,587	..	4	..	729, 732, 734, 735, 737-742
Chartres Pty. Ltd. ..	375 Collins-street, Melbourne	31,666	..	3	..	2457, 2458, 2461, 2465, 2466
Cohen, S., Sons and Co. Pty. Ltd.	262 Queen-street, Melbourne	31,686	..	13	..	2982, 2983
Collie, R., and Co. Pty. Ltd.	194 Little Lonsdale-street, Melbourne	31,668	..	10	..	2438, 2439, 2441, 2442, 2444, 2446-2449, 2650
Commonwealth Government Harness Factory	Groom-street, Clifton Hill	31,617	1631-1633, 1726-1729, 1731
Concrete Constructions Pty. Ltd.	360 Collins-street, Melbourne	31,647	..	10	..	2170A-2172A, 2174A, 2218, 2219
Cooper Engineering Coy. Ltd.	486 Collins-street, Melbourne	31,678	..	3	..	2840
Cooper, J., and Sons ..	287 Elizabeth-street, Melbourne	31,656	..	3	..	2261
Cooke, S., Pty. Ltd. . .	225 Queen-street, Melbourne	31,669	..	1	..	2440, 2443, 2445
Danks, J., and Son Pty. Ltd.	391 Bourke-street, Melbourne	31,583	..	11	..	607, 609, 648, 649, 652, 653, 658, 661, 662, 667, 668, 675, 679-684, 689, 690, 692, 693, 697, 701, 702, 707, 708, 710-712, 718, 719, 721, 727, 743, 745, 750, 800, 802, 803, 1791, 1794, 1806, 1810
Davies, Shephard, and Co.	Clarke-street, South Melbourne	31,591	..	3	..	801, 804, 805, 808
Defence Department, Woollen Cloth Factory	North Geelong	31,612	1489A, 1490A, 1492A
Dean, W. and G., Pty. Ltd.	Equitable-place, Melbourne	31,643	..	8	..	2161, 2850, 2869, 2870, 2888, 2893, 2903
Detmold, W., Ltd. ..	126 Flinders-lane, Melbourne	31,659	..	10	..	2265, 2270, 2294, 2483, 2487, 2534, 2535, 2537
Donaghy, M., and Sons Pty. Ltd.	363 Flinders-street, Melbourne	31,619	..	1	..	1656

NAMES, ADDRESSES, ETC., OF CONTRACTORS—continued.

Name of Contractor.	Address.	Contract No.		Deposit Security.		Item Numbers.
		Estimated Requirements.	Fixed Quantity.	Estimated Requirements.	Fixed Quantity.	
Duerdin and Sainsbury	349 Flinders-lane, Melbourne	No. 31,683	No. ..	£ 5	£ ..	2907A, 2910, 2911, 2914-2921, 2922A, 2922C, 2923A, 2929, 2932, 2936, 2938-2940A, 2946, 2948, 2950-2951
Dunlop Rubber Coy. of Australasia Ltd.	108 Flinders-street, Melbourne	31,636	..	34	..	1732, 1736, 1738, 1742, 1747, 1748, 1750, 1751, 1755, 1760, 1767, 2836
Edeson and Utting	312 Flinders-street, Melbourne	31,642A	..	9	..	2158
Ellams Duplicator Co. Ltd.	134 Queen-street, Melbourne	31,663	..	11	..	2434, 2435
Evans, Evan ..	680 Elizabeth-street, Melbourne	31,620	..	5	..	1671
Forbes, J., and Coy. ..	Munro-street, South Melbourne	31,623	..	9	..	1681, 1684-1685, 1688
Foster, C. R. ..	46 Elizabeth-street, Melbourne	..	31,676	..	2	2719, 2727, 2766
Fry, G. B., and Co. ..	380 Flinders-lane, Melbourne	31,664	..	6	..	2436, 2467
Gibson and Son ..	620 Little Collins-street, Melbourne	31,691	..	5	..	2963
Guthridge, P. F. ..	369 Collins-street, Melbourne	31,665	..	4	..	2437, 2464, 2476
Hansen and Coy. ..	601 Little Collins-street, Melbourne	31,692	..	3	..	2964, 2965
Hardie, James, and Co. Pty. Ltd.	581 Little Collins-street, Melbourne	..	31,641	..	10	1984, 2751A
Hargreaves and Co. ..	Beaconsfield ..	31,650	..	8	..	2249, 2250, 2251
Hicks, Atkinson, and Sons Pty. Ltd.	350 Collins-street, Melbourne	31,627	31,611	9	33	1430, 1433-1438, 1444, 1446-1448, 1451, 1453, 1454, 1474-1475, 1476, 1478-1483, 1498-1500, 1502, 1504-1505, 1508, 1513-1515, 1519, 1520, 1546, 2586
Hoffman Brick and Potteries Ltd.	123 Queen-street, Melbourne	31,645	..	22	..	2165-2172, 2175-2207, 2235-2237, 2247
Hopkins Bros. and Odum Pty. Ltd.	Leicester-street, Carlton ..	31,633	..	7	..	1708, 1710, 1712, 1713
Hume Bros. Cement Iron Co. Ltd.	421 Collins street, Melbourne	31,646	..	19	..	2166A - 2169A, 2173A, 2234A, 2234D-2234I
Kilpatrick and Coy. ..	358 Collins-street, Melbourne	31,697	..	4	..	3069-3077
Kodak (Aust.) Ltd. ..	284 Collins-street, Melbourne	31,675	..	13	..	2667, 2688-2693, 2696-2699A
Lee, J. C., and Co. ..	502 Latrobe-street, Melbourne	31,695	..	5	..	3063-3065
Lemon and Coy. ..	395 Collins-street, Melbourne	31,684	..	15	..	2967
Lion Rolling Mills Pty. Ltd.	Grant-street, South Melbourne	31,599	..	435	..	1022, 1023, 1066, 1072, 1076, 1077, 1087-1090
Lloyd Bros. and Maginnis	640 Bourke-street, Melbourne	31,634	..	6	..	1718, 1722
Lycett Pty. Ltd. ..	Normanby-road, Montague	..	31,731	..	28	1774
Miller, J., and Co. Pty. Ltd.	359 Little Collins-street, Melbourne	31,618	31,629	14	147	1646, 1647, 1651-1655, 1658, 1659, 1663-1665
Mitchell, David, Estate	Oliver's-lane, Melbourne ..	31,658	..	2	..	2263, 2264
Mitty, F. J. ..	53 Bourke-street, Melbourne	31,673	..	1	..	2523, 2524
Monteath, C., and Sons	Market-street, South Melbourne	31,586	..	9	..	695, 696, 699, 700, 715, 716, 717, 720, 725, 726, 800-862
Moreland Metal Co. Ltd.	27 Dudley-street, West Melbourne	31,601	..	18	..	1058
Moran, Loftus ..	131 Queen's Bridge-street, Melbourne	31,700	..	5	..	3091, 3093, 3097

NAMES, ADDRESSES, ETC., OF CONTRACTORS—*continued.*

Name of Contractor.	Address.	Contract No.		Deposit Security.		Item Numbers.
		Estimated Requirements.	Fixed Quantity.	Estimated Requirements.	Fixed Quantity.	
		No.	No.	£	£	
McPherson's Pty. Ltd...	554 Collins-street, Melbourne	31,509	31,582	21	22	542, 876, 877, 881, 894-896, 901G, 905, 909, 912G, 912I, 922-924, 933-936, 942-944, 948-950, 957, 960
McKay, H. V.	Sunshine	31,711	..	9	..	3121
McKenzie and Holland	Newport	31,616	..	9	..	1608, 1610, 1612, 2984
McCulloch, R. W.	Seaford	31,652	..	3	..	2252
Nance, A. J. ...	96 Grey-street, St. Kilda	31,693	..	1	..	2966
Neptune Oil Coy. Ltd...	10 Queen-street, Melbourne	..	31,579	..	164	1
Newman, S. B.	10 Florence-street, Surrey Hills	31,657	..	10	..	2262
Nixon, J., and Sons	Mark-street, North Melbourne	31,592	..	20	..	846, 847, 855-858
Noyes Bros. (Melb.) Pty. Ltd.	499 Bourke-street, Melbourne	31,598	..	15	..	1003
Ordish, W. P.	Stud-road, Dandenong	31,648	..	12	..	2238-2243, 2246, 2248
Pakenham Fire Brick, Pipe and Tile Coy.	Pakenham	31,649	..	2	..	2244
Parker, A. P.	Lal Lal	31,653	..	4	..	2252A
Parker, H. E.	Lal Lal	31,651	..	9	..	2249A, 2250A, 2251A
Paterson, R. C., and Co. Pty. Ltd.	396 Flinders-lane, Melbourne	31,672	..	5	..	2318, 2508-2511, 2538, 2647-2649
Paul and Gray Ltd.	Flinders-street, Melbourne	31,622	..	2	..	1677
Pirie, A., and Sons Ltd.	17 Equitable-place, Melbourne	..	31,662	..	6	2373
Proud Bros.	49 Dudley-street, West Melbourne	31,655	..	7	..	2254-2257
Quirk and Morton	415 Little Bourke-street, Melbourne	31,671	..	12	..	2488-2492, 2600-2610, 2615-2624, 2651, 2652
Ramsay and Hall Pty. Ltd.	400-2 Collins-street, Melbourne	31,670	..	4	..	2460, 2463
Ramsay and Treganowan	475 Latrobe-street, Melbourne	31,621	..	6	..	1674, 1675, 1783
Royal Victorian Institute for the Blind	St. Kilda-road, Melbourne	31,005	..	13	..	1321-1322, 1324-1327, 1329, 1333, 1335, 1342, 1346-1349, 1351-1353, 1356-1358, 1360, 1363
Ruwolt, C., Pty. Ltd.	Victoria-street, Richmond	31,594	..	23	..	851, 854
Sands and McDougall Pty. Ltd.	365 Collins-street, Melbourne	31,660	..	15	..	2292, 2293, 2516, 3012
Selby, H. B., and Coy.	443 Bourke-street, Melbourne	31,681	31,580	12	19	531-536, 2849, 2851-2860, 2863-2866, 2877, 2883, 2891, 2894, 2999
Selkirk, R.	Howitt-street, Ballarat	31,698	..	5	..	3086
Service, J., and Coy.	462 Collins-street, Melbourne	..	31,525	..	736	3, 4, 5
Sewell, G. F. ...	Cross-street, Footscray	31,595	..	57	..	863-6, 868, 869, 878-880, 882-887, 897-901F, 901H, 901I, 906-908, 910-912F, 912H, 925-929, 932-932B, 937-941, 945-947, 964-972, 994-996
Shanks and Co. Pty. Ltd.	351 Flinders-lane, Melbourne	31,585	..	2	..	628, 629
Sharp, J., and Sons Ltd.	City-road, South Melbourne	31,644	..	2	..	2160
Smith, S., and Co.	Dynon-road, South Kensington	31,639	..	30	..	1795, 1796, 1833, 1961, 1966
Smith, W. J. H.	231 Elizabeth-street, Melbourne	31,674	..	1	..	2625-2628, 2631, 2632, 2634, 2638-2640, 2641, 2642, 2644-2645
Spicer, J., and Sons Ltd.	377 Lonsdale-street, Melbourne	31,689	..	12	..	3013
Steel Coy. of Australia..	Sydney-road, Brunswick	31,593	..	75	..	849, 850, 852, 853

Name of Contractor.	Address.	Contract No.		Deposit Security.		Item Numbers.
		Estimated Requirements.	Fixed Quantity.	Estimated Requirements.	Fixed Quantity.	
Tinsley, Eliza ..	644 Bourke-street, Melbourne	No. 31,690	No.	£ 9	£	3014-3045
Train, Wm., and Co. ..	Sturt-street, South Melbourne	..	31,677	..	01	2812
Trapp, V. B., and Co. ..	31 Queen-street, Melbourne	31,642	..	53	..	2120-2122
Trewhella Bros. Pty. Ltd.	Trentham ..	31,694	..	5	..	3048-3062
Thompson, H. ..	Knight-street, Shepparton	31,699	..	1	..	3087
Vacuum Oil Co. Pty. Ltd.	90 William-street, Melbourne	31,682	31,527	189	466	4A, 5A, 1775, 1778, 1780, 1782, 1784, 1786, 1788-1790, 2904-2904A
Victoria Iron Rolling Co. Pty. Ltd.	105 Dudley-street, West Melbourne	31,600	..	135	..	1038, 1039
Victoria Varnish Co. Pty. Ltd.	Queen's Bridge-street, Melbourne	31,638	..	80	..	1811-1813, 1817-1820, 1832, 1839, 1843-1845, 1959, 1960, 1963, 1968, 1969, 1971-2
Vial, F., and Sons ..	369 Queen-street, Melbourne	31,632	..	12	..	1707, 1709, 1711
Vogt Bros. and Co. Pty. Ltd (in Liquidation)	Grant-street, Clifton Hill..	31,685	..	12	..	2968-2973
Woolcott, R. R., and Co. Pty. Ltd.	400 Lonsdale-street, Melbourne	31,743	31,661	5	41	2344, 2356, 2375, 2378, 2380, 2468, 2470, 2471
Yencken, E. L., and Co. Pty. Ltd.	384 Little Collins-street, Melbourne	31,635	..	2	..	1793
Young, Peter ..	363 Little Lonsdale-street, Melbourne	31,604	..	5	..	1292, 1293, 1298-1300
Zevenboom, J., and Coy.	335 Elizabeth-street, Melbourne	31,606	..	28	..	1330-1332, 1334, 1336, 1341, 1343-1345, 1350, 1354, 1355, 1359, 1362, 1364-1375, 1382-1408, 1414-1423
Zimmerman, A. K. ..	152 Elizabeth-street, Melbourne	31,667	..	5	..	2472-2475, 2512-2515

Item No. and Description.	Country of Manufacture.	Estimated Requirements for One Year.	Contract Quantity.	Rate per-	Rate.			Name of Contractor.
					£	s.	d.	
COTTON WASTE.								
<p><i>A portion representative of the average of the sample of Cotton Waste submitted under Item No. 1 will be burned to complete ash, and the percentage of ash or loading thereby determined will become the standard for all Waste delivered under Item No. 1.</i></p> <p><i>The Waste must be free from oil, jute fibre, grit, and foreign matter, and must possess good oil absorbing properties.</i></p> <p><i>In addition to these tests, the Cotton Waste under Item No. 1 will be tested for moisture, and will be judged by the texture, feel, and general quality, and shall be in every respect to the satisfaction of the Chief Storekeeper.</i></p>								
1. Waste, Cotton—Grey	Japan	Tons 125	ton	52	6	6	Neptune Oil Coy. Ltd.
2. Nil.								

MINERAL LUBRICATING OILS.

(As ordered from 1.4.18 to 30.6.19.)

As regards items 3, 4 and 5 (J. Service and Coy.) the prices tendered include Sea Freights at the rate of 40 dollars per cubic ton on shipments from New York in respect to items 3 and 4, and 25 dollars per cubic ton on shipments from San Francisco in respect to item 5. The above-mentioned items also include 1 per cent. for War Risk Insurance and 1 per cent. for Marine Insurance. In the event of the rate or rates actually paid for any of these charges on the most favorable terms obtainable differing from the rates quoted, the contract prices will be adjusted accordingly, the contractors to produce evidence satisfactory to the Chief Storekeeper of the rates actually paid.

As regards items 4a and 5a (Vacuum Oil Coy. Pty. Ltd.) the prices tendered include 30 dollars per cubic ton for Sea Freight, and in the event of the rates actually paid for Freight on the most favorable terms obtainable differing from 30 dollars per ton, the contract rates will be adjusted accordingly. The Department is to also pay the Contractor the rate involved for War Risk Insurance and Marine Insurance, provided same are arranged on the most favorable terms obtainable. The Contractor to produce evidence satisfactory to the Chief Storekeeper of the rates actually paid for Sea Freight, War Risk, and Marine Insurance.

Each of the Contractors will require to give delivery of a reasonable quantity of oil under each item respectively, in April, 1918.

The Oils must, in the opinion of the Chief Storekeeper, be in every way in accordance with the samples, suitable for lubrication of locomotive engines and carriages and waggons, and free from all impurities and foreign matters, objectionable acids, gumminess, or other defects. The three (3) classes of Oil required are referred to respectively as "Class No. 1," "Class No. 2," and "Class No. 3," and shall be supplied in casks distinctively branded "Class 1," "Class 2," and "Class 3," as the case may be, and each of such classes must comply with the Conditions set against it hereunder as follows:—

	FLASH POINT.	CONGEALING POINT.	VISCOSITY IN SECONDS PER 50 C.C. VOLUME.
Class No. 1 ..	Must not flash at a lower temperature than 500 degrees Fahrenheit	Must not solidify at a higher temperature than 30 degrees Fahrenheit	Must not exceed 35 at a temperature of 74 degrees Fahrenheit and must not be less than 1.9 at 212 degrees Fahrenheit
Class No. 2 ..	Must not flash at a lower temperature than 480 degrees Fahrenheit	Must not solidify at a higher temperature than 20 degrees Fahrenheit	Must not exceed 66 at a temperature of 74 degrees Fahrenheit and must not be less than 1.6 at 212 degrees Fahrenheit
Class No. 3 (for Carriages, Waggon, and Tenders, &c.)	Must not flash at a lower temperature than 400 degrees Fahrenheit	Must not solidify at a higher temperature than 20 degrees Fahrenheit	Must not exceed 14 at a temperature of 74 degrees Fahrenheit and must not be less than 1.2 at 212 degrees Fahrenheit

The flash test will be determined by a "Pensky Martens" Close Test Instrument; the fluidity at low temperature by a "Tagliabue's" Instrument; and the viscosity by a "Redwood's" Viscometer Allan attachment (viscosity of filtered water being 1 at 74°F.). All tests of the Oils will be made by the Chief Mechanical Engineer.

Item No. and Description.	Country of Manufacture.	Estimated Requirements for One Year.	Contract Quantity.	Rate per—	Rate.	Name of Contractor.
					£ s. d.	
MINERAL LUBRICATING OILS—continued.						
†3. Oil as described, Class No. 1 (3 C.C.) ..	U.S.A. & Aust.	..	112,000 gals.	gallon of	0 3 6	} J. Service & Coy. Vacuum Oil Co. Pty. Ltd. J. Service & Co. Vacuum Oil Co. Pty. Ltd.
†4. Oil as described, Class No. 2 (7 J.) ..	U.S.A.	..	30,000	do.	0 3 1½	
†4a. Oil as described, Class No. 2 (4103) ..	"	..	45,000	do.	0 2 11½	
†5. Oil as described, Class No. 3 (9 L.) ..	"	..	40,000	do.	0 2 7	
†5a. Oil as described, Class No. 3 (B. 816) ..	"	..	100,000	do.	0 2 3½	
6-530. Nil.						
CRUCIBLES AND PEDESTALS.						
Crucibles, Plumbago—" Alex. Smith Ltd."						
531. No. 20 ..	Gt. Brit.	..	20	each	0 15 0	} H. B. Selby and Coy.
532. No. 80 ..	"	..	10	do.	3 0 0	
533. No. 90 ..	"	..	20	do.	3 7 6	
Crucibles, Plumbago (for smelting steel)—						
534. No. 66d " Morgan Crucible Co." ..	"	..	250	do.	2 6 0	
535. Crucibles, T.P. 191—Drawing No. 4165 (for " Morgan's " Tilting Furnace) " Morgan Crucible Co." ..	"	..	10	do.	5 10 0	
536. Pedestals for Crucibles (Item No. 535), " Morgan Crucible Co." ..	"	..	10	do.	1 7 6	
GAUGE GLASSES.						
537. Glasses, Gauge, ½" × 12" long, Bishop's " Adamant " ..	Gt. Brit.	..	50 doz.	dozen	0 5 3	} Bell's Asbestos Australian Agency Ltd. McPherson's Pty. Ltd.
538-541. Nil.						
*542. Glasses, Gauge, Flat, corrugated, 8½" long, " Moncrieff's " ..	"	..	300 "	do.	2 19 0	
543-597. Nil.						
PLUMBERS' GOODS.						
<i>The samples exhibited by the Corporation for Items 603 to 605 inclusive are samples as regards shape and quality only. —</i>						
598-599. Nil.						} J. Danks & Son, Pty. Ltd.
600. Nil.						
601-602. Nil.						
*603. Nil.						
*604. Nil.						
*605. Nil.						
606. Nil.						
607. Pipe—Lead, any-sizes ordered ..	Aust.	20 cwt.	..	cwt.	2 1 0	
608. Nil.						
609. Pipe—Lead Compo., any sizes ordered ..	"	1 "	..	do.	2 3 0	
610-613. Nil.						
614. Nil.						
*615. Nil.						
*616. Nil.						
616A-620. Nil.						
Down-pipe—Galvanized Iron, 24 gauge, in 6 feet lengths—						
621. Nil.						
622-627. Nil.						

Item No. and Description.	Country of Manufacture.	Estimated Requirements for One Year.	Contract Quantity.	Rate per--	Rate.	Name of Contractor.
SEWERAGE MATERIALS.						
<p><i>The samples exhibited by the Corporation for Items 629, 661-662 inclusive, and 689 are samples as regards shape and quality only.</i></p> <p><i>The Stores supplied under items marked "(M)" shall be tested by the Melbourne and Metropolitan Board of Works, and shall bear that Board's test marks before delivery.</i></p> <p><i>The Stores supplied under items other than those marked "(M)" shall be as approved by the Melbourne and Metropolitan Board of Works.</i></p>						
LAVATORY BASINS, CISTERNS, ETC.						
628. Basins, Lavatory, C.I., porcelain enamelled— 14" inside measurement, with patent overflow, plug, and washer	Aust.	20	..	each	0 15 0	} Shanks & Co. Pty Ltd.
*629. (M) Cisterns, C.I., glass enamelled, 3 gallon, with cover, high or low pressure ball cock, as ordered	"	20	..	do.	1 10 0	
630-647. Nil.						
Cocks, Water, H.P., Bib or Stop, and for lead or iron, as ordered—						
648. (M) ½"	"	50	..	do.	0 2 7	} John Danks & Son Pty. Ltd.
649. (M) ¾"	"	100	..	do.	0 3 10	
650-651. Nil.						
Cocks, Ball, high or low pressure, as ordered—						
652. (M) ½"	"	10	..	do.	0 5 3	} John Danks & Son Pty. Ltd.
653. (M) ¾"	"	20	..	do.	0 7 6	
654-657. Nil.						
658. Cocks, Ferruled, Stop, for lead or iron, as ordered—(M) ¾"	"	10	..	do.	0 4 6	} John Danks & Son Pty. Ltd.
659-660 Nil.						
Cocks, Fullway, H.P.—						
*661. ½"	"	6	..	do.	0 5 0	} John Danks & Son Pty. Ltd.
*662. ¾"	"	20	..	do.	0 6 6	
663-666. Nil.						
667. (M) Cocks, Stop, with Unions, H.P., ½" ..	"	50	..	do.	0 3 2	} John Danks & Son Pty. Ltd.
668. (M) Cocks, Toilet, Nickelplated, H.P., ½" ..	"	10	..	do.	0 5 6	
669-674. Nil.						
675. Ferrules, straight union, for lead or iron, as ordered—(M) ¾"	"	10	..	do.	0 1 11	} John Danks & Son Pty. Ltd.
676-678. Nil.						

Item No. and Description.	Country of Manufacture.	Estimated Requirements for One Year.	Contract Quantity.	Rate per—	Rate.	Name of Contractor.
					£ s. d.	
SEWERAGE MATERIALS—LAVATORY BASINS, ETC.,						
<i>—continued.</i>						
Junctions, any angles ordered—						
679. 1½" x 1½"	Aust.	5	..	each	0 2 3	} John Danks & Son Pty. Ltd.
680. 1½" x 1½"	"	5	..	do.	0 2 6	
681. 1½" x 1½"	"	5	..	do.	0 2 7	
682. 2" x 1½"	"	5	..	do.	0 3 3	
683. 2" x 1½"	"	5	..	do.	0 3 6	
684. 2" x 2"	"	5	..	do.	0 4 0	
685-688. Nil.						
*689. (m) Plugs and Washers, round or square, and any sizes, as ordered	"	50	..	do.	0 2 9	
690. (m) Plugs and Washers, bath fullway, 2" screwed	"	10	..	do.	0 2 6	
691. Nil.						
692. Sleeves, Beaded, 4"	"	10	..	do.	0 4 3	
693. Traps, P., 2", with trap screw	"	5	..	do.	0 6 6	
694. Nil.						
CAST IRONWARE.						
Bends, Soil Pipe, ⅝" Metal, any angles ordered—						
695. 2"	"	5	..	do.	0 4 9	} C. Monteath & Sons
696. 3"	"	10	..	do.	0 5 3	
697. 4"	"	20	..	do.	0 7 0	
Branches, Soil Pipe, ⅝" Metal, any angles ordered—						
698. Nil.						
699. 3" x 3"	"	5	..	do.	0 6 3	} C. Monteath & Sons
700. 4" x 3"	"	10	..	do.	0 10 6	
701. 4"	"	20	..	do.	0 9 0	
*702. Cooks, 3", Fullway, H.P.	U.S.A.	5	..	do.	2 7 6	
703-706. Nil.						
707. Gratings, Galvanized, No. 24A	Aust.	20	..	do.	0 0 10	} John Danks & Son Pty. Ltd.
708. Gratings, Galvanized, No. 61	"	20	..	do.	0 1 3	
709. Nil.						
710. Inlets, Level, 2" out of 4" to 4" out of 4", as ordered	"	10	..	do.	0 8 6	
711. Pieces, Extension, Closet, 4" diameter, any lengths ordered	"	100 ins.	..	inch	0 0 6	
712. Pieces, Extension, 4" diameter, any lengths ordered	"	150 "	..	do.	0 0 5½	
713-714. Nil.						

Item No. and Description.	Country of Manufacture.	Estimated Requirements for One Year.	Contract Quantity.	Rate per —	Rate.	Name of Contractor.
					£ s. d.	
SEWERAGE MATERIALS—CAST IRONWARE—						
<i>continued.</i>						
Pipe, Soil, $\frac{1}{8}$ " Metal—						
715. 3" x 3' lengths	Aust.	10 lengths	..	length	0 8 0	} C. Monteath & Sons
716. 3" x 6' lengths	"	10 "	..	do.	0 11 0	
717. 4" x 3' lengths	"	10 "	..	do.	0 11 6	
718. 4" x 6' lengths	"	10 "	..	do.	0 13 6	
719. 4" x 9' lengths	"	20 "	..	do.	1 0 0	
720. 4" x 3' lengths, with inspection opening	"	5 "	..	do.	0 15 6	} C. Monteath & Sons
721. Sockets, 4" diameter	"	12 "	..	each	0 2 2	
722-724. Nil.						} John Danks & Son Pty. Ltd.
725. Traps, Disconnecter, No. 23	"	10 "	..	do.	0 5 6	
726. Traps, Gully, No. 24	"	10 "	..	do.	0 7 0	} C. Monteath & Sons.
727. Traps, Floor, 2", with grating, for cast or wrought pipe, as ordered	"	5 "	..	do.	0 10 0	
728. Nil.						} John Danks & Son Pty. Ltd.
GALVANIZED IRONWARE.						
729. (m) Clips, Vent, 1 $\frac{1}{2}$ "	"	100 "	..	do.	0 0 1 $\frac{1}{2}$	}
730-731. Nil.						
732. Cows, Educt, 22 G., 4"	"	20 "	..	do.	0 3 0	
733. Nil.						
734. (m) Pipes, Flush, 1 $\frac{1}{2}$ ", any projections ordered	"	25 "	..	do.	0 4 6	
735. (m) Pipe, Vent, 4" x 20 G., in 6' lengths ..	"	100 lgths.	..	length	0 14 3	} W. E. Cash.
736. Nil.						
737. (m) Strainers, Sheet Metal, 1 $\frac{1}{2}$ "	"	20 "	..	each	0 0 6	
738. (m) Strainers, Sheet Metal, 2"	"	20 "	..	do.	0 0 6	
739. (m) Strainers, Sheet Metal, 3"	"	20 "	..	do.	0 0 9	
740. (m) Strainers, Sheet Metal, 4"	"	25 "	..	do.	0 1 0	
LEADWARE.						
741. Cones, No. 8	"	50 "	..	do.	0 0 4	}
742. Cones, No. 10	"	25 "	..	do.	0 0 6	
Traps, solid drawn, with wiped trap screws —						
743. P. 1 $\frac{1}{4}$ "	"	20 "	..	do.	0 3 4	} John Danks & Son Pty. Ltd.
744. Nil.						
745. P. 2"	"	25 "	..	do.	0 5 0	
746-749. Nil.						
750. Jointing, Bitumen	"	200 lbs.	..	lb.	0 0 2	
751-767. Nil.						
TINWARE.						
<i>The Stores referred to in this Schedule (if tendered of Australian manufacture or production) shall be wholly manufactured or produced at the factory or works of the Contractor within the Commonwealth of Australia. No subletting will be allowed.</i>						
768-773. Nil.						
*774. Nil.						
*775. Nil.						
*776. Nil.						
777-785. Nil.						
*786. Nil.						
787-799. Nil.						

Item No. and Description.	Country of Manufacture.	Estimated Requirements for One Year.	Contract Quantity.	Rate per —	Rate.	Name of Contractor.
					£ s. d.	
WATER METERS, ETC.						
<i>The Meters supplied shall be to the standard of the Melbourne and Metropolitan Board of Works, whose Test Certificate shall accompany each Meter when delivered.</i>						
Meters, Water—						
800. ½"	Aust.	6	..	each	2 16 0	John Danks & Son Pty. Ltd.
801. ¾"	"	6	..	do.	2 19 6	Davies, Shephard, & Co.
802. 1"	"	4	0 ..	do.	4 10 3	} John Danks & Son Pty. Ltd.
803. 1½"	"	2	..	do.	5 10 6	
804. 1½"	"	2	..	do.	6 7 6	} Davies, Shephard, & Co.
805. 2"—Gun metal case	"	2	..	do.	12 5 0	
806-807. Nil.						
*808. Tapes, Meter, ¾" wide, in rolls of 36 yards ..	Gt. Brit.	12 rolls	..	roll	0 10 0	Davies, Shephard, & Co.
809-844. Nil.						
IRON CASTINGS.						
<i>The Contractor shall during the currency of the contract furnish the Chief Storekeeper with the address or addresses of the place or places at which the Iron Castings are being manufactured by the Contractor, and the Chief Storekeeper or any person appointed by him from time to time shall at all times during business hours have free access to such place or places, and shall be afforded every facility for inspecting the Castings while in process of manufacture.</i>						
<i>The Castings are to be clean, sharp, free from surface scale, shell, cold shuts, blow holes, honeycomb, cinder, or any other imperfections, and are to be sound in every respect, and thoroughly close in grain. When specially ordered, the Castings are to be run with heads or runners of such weight as may be ordered, and no extra charge will be allowed for same, and the Contractor will be required to remove the head or runner from the Casting where possible in the opinion of the Chief Storekeeper, and charge the Casting at the net weight only, trimmed and clean. In cases where it is necessary to cut off the head in a lathe or machine, such head will be cut off by the Corporation, and will be returned to the Railway Station nearest to the Contractor's works, and delivered to the Contractor at the said Railway Station free of cost or carriage.</i>						
<i>Whenever specially ordered, the Castings shall be run from the very best "cold-blast iron" of such particular brand, quality, and mixture as may be described in the order; or of such other substituted mixture as may be approved or directed by the Chief Storekeeper, so as to produce a hard, close, soft, or other description of metal, at the option and to the satisfaction of the Chief Storekeeper.</i>						

Item No. and Description.	Country of Manufacture.	Estimated Requirements for One Year.	Contract Quantity.	Rate per —	Rate.	Name of Contractor.
					£ s. d.	
IRON CASTINGS—continued.						
<p><i>All patterns lent by the Corporation will be delivered to the Contractor at the Railway Station nearest to his works, and all such patterns must be returned to the aforesaid station by and at the expense of the Contractor in good order and condition, and must be delivered together with the Castings. In the event of the non-return of any of the patterns, or of their being damaged, the price, to be fixed by the Chief Storekeeper, shall be paid by the Contractor, or may be deducted from any money due to the Contractor by the Corporation.</i></p> <p><i>The whole of the patterns of any Castings ordered under Item No. 846 shall be provided by and at the sole expense of the Contractor, and the cost of the same shall be deemed to be included in the rate set opposite to this item.</i></p> <p><i>All the Castings are to be of the best description, and, when required, must be dipped in a mixture of hot Trinidad asphalt and coal tar in the proportions and in the manner adopted by the Melbourne and Metropolitan Board of Works.</i></p> <p><i>No Casting of less than 2 lbs. weight will be ordered under this contract.</i></p> <p><i>Tests.—When making any lot of Castings the Contractor, when ordered to do so, must cast at the same time and from the same material at least one test bar in the presence of the Chief Storekeeper or his representative. Such test bar must be 3' 6" long, 2" deep x 1" wide, and shall be placed in a suitable machine with bearings 3' apart. A load of not less than 28 cwt. shall be placed at the centre, which the bar when showing a minimum deflection of .3" must sustain without breaking.</i></p> <p><i>The Stores referred to in this Schedule (if tendered of Australian manufacture or production) shall be wholly manufactured or produced at the factory or works of the Contractor within the Commonwealth of Australia. No subletting will be allowed.</i></p>						
<p>845. Very best description of Sand Castings, as specified, to patterns supplied by Corporation, moulded in boxes, and dried if ordered</p>	..	10 tons	..	ton	..	<p>Will be manufactured and supplied by Inspector Cameron</p> <p style="text-align: right;">} J. Nixon & Sons.</p>
<p>846. Special Water Supply Castings of the following standard sizes, or any combination thereof, and the patterns for which shall be supplied by the Contractor:— 3", 4", 5", 6", 7", 8", 9", and 12", consisting of $\frac{1}{16}$, $\frac{1}{8}$, or $\frac{1}{4}$ bends, tee pieces, cross pieces and thimbles, hatch boxes, pillar hydrant bends and tees, washouts and fireplug tees, also all fireplugs and covers, valve covers, and reducing pieces of all irregular sizes; the thickness of metal and dimensions of pipe faucets and overall dimensions to be to the Melbourne and Metropolitan Board of Works' standard ..</p>	Aust.	5 "	..	do.	22 0 0	
<p>847. Special Water Supply Castings other than those referred to in Item No. 846 which may be ordered, and for which the Corporation will lend the patterns ..</p>	..	2 "	..	do.	25 0 0	

Item No. and Description.	Country of Manufacture.	Estimated Requirements for One Year.	Contract Quantity.	Rate per —	Rate.	Name of Contractor.
<p>MALLEABLE IRON CASTINGS.</p> <p><i>The Castings shall be made to the exact forms and dimensions required by the Corporation, and are to be clean, sharp, free from surface scale, shell, cold shuts, blow holes, honeycomb, cinder, or any other imperfections.</i></p> <p><i>Test bars, 12" x 1" x 1/2", taken from any Casting, shall be capable of being bent through an angle of not less than 180° round a bar of 1" diameter without showing signs of fracture.</i></p> <p><i>The Corporation will provide the patterns for all Castings ordered.</i></p> <p><i>All patterns lent by the Corporation will be delivered to the Contractor at the Railway Station nearest to his works, and all such patterns must be returned to the aforesaid station by and at the expense of the Contractor, in good order and condition, and must be delivered together with the Castings. In the event of the non-return of any of the patterns, or of their being damaged, the price, to be fixed by the Chief Storekeeper, shall be paid by the Contractor, or may be deducted from any money due to the Contractor by the Corporation.</i></p> <p><i>The Stores referred to in this Schedule (if tendered of Australian manufacture or production) shall be wholly manufactured or produced at the factory or works of the Contractor within the Commonwealth of Australia. No subletting will be allowed.</i></p>					<p>£ s. d.</p>	
<p>848. Castings—Malleable Iron</p>	<p>Aust.</p>	<p>5,000 lbs.</p>		<p>lb.</p>	<p>0 0 6 1/2</p>	<p>John Buncle and Son</p>
<p>STEEL CASTINGS.</p> <p><i>The Contractor shall, during the currency of the contract, furnish the Chief Storekeeper with the address or addresses of the place or places at which the Steel Castings are being manufactured by the Contractor, and the Chief Storekeeper, or any person appointed by him from time to time, shall at all times during business hours have free access to such place or places, and shall be afforded every facility for inspecting the Castings while in process of manufacture.</i></p> <p><i>The Castings are to be clean, sharp, free from surface scale, shell, cold shuts, blowholes, honeycomb, cinder, or any other imperfections, and are to be sound in every respect, and thoroughly close in grain. When specially ordered, the Castings are to be run with heads or runners of such weight as may be ordered, and no extra charge will be allowed for same, and the Contractor will be required to remove the head or runner from the Casting where possible in the opinion of the Chief Storekeeper, and charge the Casting at the net weight only, trimmed and clean. In cases where it is necessary to cut off the head in a lathe or machine, such head will be cut off by the Corporation, and will be returned to the Railway Station nearest to the Contractor's works, and delivered to the Contractor at the said Railway Station free of cost or carriage.</i></p> <p><i>The Castings shall be manufactured from Steel produced by an approved process, and must show on analysis not more than .07 per cent. of sulphur or phosphorus.</i></p> <p><i>All Castings shall be thoroughly annealed in a suitable furnace before testing.</i></p> <p><i>The Castings must be accurately moulded, and in accordance with the Pattern or Drawing supplied by the Corporation, with the addition of such lettering as may be prescribed.</i></p>						

Item No. and Description.	Country of Manufacture.	Estimated Requirements for One Year.	Contract Quantity.	Rate per	Rate.	Name of Contractor.
					£ s. d.	
STEEL CASTINGS—continued.						
<i>Any defects or unsound metal which a Casting may have, from whatever cause arising, shall be left bare, and no filling with the object of obliterating such defects will be permitted, unless previously sanctioned by the Chief Storekeeper. Any Castings upon which such work has been done without such sanction having been obtained will be rejected.</i>						
<i>The Contractor must supply a piece cast on to one Casting in each separate blow of steel; such piece must be of sufficient dimensions to allow of a test piece having a 2-in. gauge length and ¼-in. sectional area being cut therefrom, as per Diagram "C," Print No. 3297/5/15. The test-piece, without re-heating or any other manipulation whatever, must be capable of withstanding the undermentioned tensile tests:—</i>						
<i>For Castings (Items 849 to 851 inclusive) with wearing surfaces, not less than 35 tons per square inch, with an elongation of not less than 12 per cent.</i>						
<i>For General Castings (Items 852 to 854 inclusive) not less than 26 tons per square inch, with an elongation of not less than 20 per cent.</i>						
<i>Test Pieces.—The Contractor must furnish when required to do so by the Chief Storekeeper the test pieces as specified, which shall be machined and otherwise shaped and tested by the Corporation at its own cost.</i>						
<i>Subject to the provisions of next following clause, the Corporation will supply all patterns, and deliver the same to the Contractor free of cost, at the Railway Station nearest to his works. All patterns, &c., supplied by the Corporation must be returned by the Contractor in good order, and must be delivered together with the Castings.</i>						
<i>Whenever only one or two Castings are required, and they can, in the opinion of the Chief Storekeeper, be moulded from the broken originals, the Contractor will be bound to mould from such broken originals without requiring the Corporation to supply a wooden or other pattern for same, and without being allowed any extra rate.</i>						
<i>No Casting of less than 2 lbs. weight will be ordered under this Contract.</i>						
<i>Castings supplied under this Contract must be stamped with the number of the blow from which they are cast.</i>						
<i>The Stores referred to in this Schedule (if tendered of Australian manufacture or production) shall be wholly manufactured or produced at the factory or works of the Contractor within the Commonwealth of Australia. No subletting will be allowed.</i>						
849. Castings, 2 lbs. and up to 14 lbs., with wearing surfaces	Aust.	5 tons	..	ton	74 13 4	The Steel Coy. of Australia.
850. Castings, over 14 lbs. and up to 1 cwt., with wearing surfaces	"	20 "	..	do.	56 0 0	Chas. Ruwolt Pty. Ltd.
851. Castings, over 1 cwt., with wearing surfaces	"	10 "	..	do.	45 0 0	Chas. Ruwolt Pty. Ltd.
852. Other General Castings, 2 lbs. and up to 14 lbs.	"	5 "	..	do.	74 13 4	The Steel Coy. of Australia.
853. Other General Castings, over 14 lbs. and up to 1 cwt.	"	20 "	..	do.	56 0 0	Chas. Ruwolt Pty. Ltd.
854. Other General Castings, over 1 cwt.	"	10 "	..	do.	45 0 0	Chas. Ruwolt Pty. Ltd.

Item No. and Description.	Country of Manufacture.	Estimated Requirements for One Year.	Contract Quantity.	Rate per—	Rate.			Name of Contractor.
					£	s.	d.	
SLUICE VALVES.								
<i>The Stores supplied shall be as approved by the Melbourne and Metropolitan Board of Works.</i>								
Valves, Sluice—								
863.	3"	Aust.	5	each	2	7	0	} G. F. Sewell.
864.	4"	"	20	do.	3	3	0	
865.	5"	"	2	do.	4	5	0	
866.	6"	"	5	do.	5	0	0	
867.	Nil.	"						
868.	8"	"	2	do.	10	0	0	
869.	9"	"	3	do.	12	0	0	
870.	Nil.							
BOLTS AND NUTS.								
<i>The samples exhibited by the Corporation for Items 876-887, 894-901i, 905-912i, 922-929, 932-934, 946 and 947, 957, 960, and 964 to 972 inclusive, are samples as regards shape and quality only.</i>								
<i>All the Bolts and Nuts under Items 876 to 960 inclusive are to be made from the very best Staffordshire iron, or iron of equal quality, with full, true, and clean threads of Whitworth's gauge and diameter.</i>								
<i>All Hexagonal Nuts are to be of Victorian Railways (Whitworth's) gauge on the outside.</i>								
<i>All Bolts under Items 964 to 972 inclusive to be made from special fish-bolt steel capable of withstanding a tensile test of from 38 to 42 tons per square inch of section, with an elongation of not less than 15 per cent. in a length of 8 inches. The steel of Nuts to stand a tensile test of from 26 to 32 tons per square inch of section, with an elongation of not less than 20 per cent. in a length of 8 inches.</i>								
<i>Items 878-880, 882-887, 897-901f, 901h, 901i, 906-908, 910-912f, 912h, 925-932b, 937-941, 945-947, 964-972 will be delivered into trucks at West Footscray Railway Station.</i>								
Bolts, Iron—With Cup Head, Square Neck, Square or Hexagon Nut, as ordered—								
871-875. Nil.								
876.	$\frac{3}{8}$ " diameter x $3\frac{1}{4}$ " to 6" in length ..	Aust.	25 cwt.	cwt.	3	4	0	} McPherson's Pty. Ltd.
877.	$\frac{3}{8}$ " diameter x over 6" in length ..	"	20 "	do.	3	0	0	
878.	$\frac{1}{2}$ " diameter x 3" in length and under ..	"	10 "	do.	3	0	0	} G. F. Sewell.
879.	$\frac{3}{8}$ " diameter x $3\frac{1}{4}$ " to 6" in length ..	"	35 "	do.	2	8	0	
880.	$\frac{1}{2}$ " diameter x over 6" in length ..	"	20 "	do.	2	4	0	
881.	$\frac{5}{8}$ " diameter x 3" in length and under ..	"	5 "	do.	2	12	0	
882.	$\frac{3}{8}$ " diameter x $3\frac{1}{4}$ " to 6" in length ..	"	15 "	do.	2	3	0	} McPherson's Pty. Ltd.
883.	$\frac{3}{8}$ " diameter x $6\frac{1}{2}$ " to 12" in length ..	"	20 "	do.	1	18	0	
884.	$\frac{3}{8}$ " diameter x over 12" in length ..	"	30 "	do.	1	17	0	} G. F. Sewell.
885.	$\frac{1}{2}$ " diameter x over 6" in length ..	"	5 "	do.	1	18	0	
886.	$\frac{3}{8}$ " diameter x over 6" in length ..	"	5 "	do.	1	18	0	
887.	1" diameter x over 6" in length ..	"	5 "	do.	1	18	0	
888.	Nil.							

Item No. and Description.	Country of Manufacture.	Estimated Requirements for One Year.	Contract Quantity.	Rate per —	Rate.	Name of Contractor.
					£ s. d.	
BOLTS AND NUTS—continued.						
Bolts, Iron—With Hexagon Head, Round Neck, Square or Hexagon Nut, as ordered—						
889-893. Nil.						
894. 3/8" diameter x 3 1/2" to 6" in length ..	Aust.	5 cwt.	..	cwt.	3 10 0	McPherson's Pty. Ltd.
895. 3/8" diameter x over 6" in length ..	"	5 "	..	do.	3 6 0	
896. 1/2" diameter x 3" in length and under ..	"	40 "	..	do.	3 8 0	G. F. Sewell
897. 1/2" diameter x 3 1/2" to 6" in length ..	"	40 "	..	do.	2 10 0	
898. 1/2" diameter x over 6" in length ..	"	10 "	..	do.	2 9 0	G. F. Sewell
899. 1/2" diameter x 3" in length and under ..	"	60 "	..	do.	2 18 0	
900. 1/2" diameter x 3 1/2" to 6" in length ..	"	50 "	..	do.	2 5 0	G. F. Sewell
901. 1/2" diameter x over 6" in length ..	"	5 "	..	do.	2 3 0	
901a. 1/2" diameter x 3" in length and under ..	"	50 "	..	do.	2 9 0	G. F. Sewell
901b. 1/2" diameter x 3 1/2" to 6" in length ..	"	30 "	..	do.	2 4 0	
901c. 1/2" diameter x over 6" in length ..	"	10 "	..	do.	1 19 0	G. F. Sewell
901d. 1/2" diameter x 3" in length and under ..	"	30 "	..	do.	2 9 0	
901e. 1/2" diameter x 3 1/2" to 6" in length ..	"	25 "	..	do.	2 4 0	G. F. Sewell
901f. 1/2" diameter x over 6" in length ..	"	25 "	..	do.	1 19 0	
901g. 1" diameter x 3" in length and under ..	"	20 "	..	do.	2 8 0	McPherson's Pty. Ltd.
901h. 1" diameter x 3 1/2" to 6" in length ..	"	20 "	..	do.	2 4 0	G. F. Sewell
901i. 1" diameter x over 6" in length ..	"	10 "	..	do.	1 19 0	
902-904. Nil.						
Bolts, Iron—With Square Head, Round Neck, Square or Hexagon Nut, as ordered—						
905. 1/2" diameter x 3" in length and under ..	"	1 "	..	do.	3 3 0	McPherson's Pty. Ltd.
906. 1/2" diameter x 3 1/2" to 6" in length ..	"	5 "	..	do.	2 10 0	G. F. Sewell
907. 1/2" diameter x 6 1/4" to 12" in length ..	"	10 "	..	do.	2 9 0	
908. 1/2" diameter x over 12" in length ..	"	5 "	..	do.	2 8 0	McPherson's Pty. Ltd.
909. 1/2" diameter x 3" in length and under ..	"	2 "	..	do.	2 15 0	
910. 3/8" diameter x 3 1/2" to 6" in length ..	"	2 "	..	do.	2 5 0	G. F. Sewell
911. 3/8" diameter x 6 1/4" to 12" in length ..	"	10 "	..	do.	2 3 0	
912. 3/8" diameter x over 12" in length ..	"	5 "	..	do.	2 2 0	G. F. Sewell
912a. 3/8" diameter x 3" in length and under ..	"	2 "	..	do.	2 5 0	
912b. 3/8" diameter x 3 1/2" to 6" in length ..	"	2 "	..	do.	2 0 0	G. F. Sewell
912c. 3/8" diameter x over 6" in length ..	"	2 "	..	do.	1 19 0	
912d. 3/8" diameter x 3" in length and under ..	"	6 "	..	do.	2 5 0	G. F. Sewell
912e. 3/8" diameter x 3 1/2" to 6" in length ..	"	6 "	..	do.	2 1 0	
912f. 3/8" diameter x over 6" in length ..	"	6 "	..	do.	1 19 0	McPherson's Pty. Ltd.
912g. 1" diameter x 3" in length and under ..	"	50 "	..	do.	2 4 0	
912h. 1" diameter x 3 1/2" to 6" in length ..	"	50 "	..	do.	2 1 0	G. F. Sewell
912i. 1" diameter x over 6" in length ..	"	50 "	..	do.	2 0 0	
Bolts, Iron—With Countersunk Head, Square Neck, Square or Hexagon Nut, as ordered—						
913-921. Nil.						
922. 3/8" diameter x 3 1/2" to 6" in length ..	"	5 "	..	do.	3 10 0	McPherson's Pty. Ltd.
923. 3/8" diameter x over 6" in length ..	"	2 "	..	do.	3 8 0	
924. 3/8" diameter x 3" in length and under ..	"	5 "	..	do.	3 4 0	G. F. Sewell
925. 3/8" diameter x 3 1/2" to 6" in length ..	"	10 "	..	do.	2 12 0	
926. 1/2" diameter x over 6" in length ..	"	4 "	..	do.	2 9 0	G. F. Sewell
927. 1/2" diameter x 3" in length and under ..	"	4 "	..	do.	2 9 0	
928. 1/2" diameter x 3 1/2" to 6" in length ..	"	3 "	..	do.	2 4 0	G. F. Sewell
929. 1/2" diameter x over 6" in length ..	"	5 "	..	do.	1 19 0	
930-931. Nil.						
932. 3/4" diameter x 3" and over ..	"	2 "	..	do.	1 18 0	G. F. Sewell
932a. 3/4" diameter x 3" and over ..	"	2 "	..	do.	1 18 0	
932b. 1" diameter x 3" and over ..	"	2 "	..	do.	1 18 0	G. F. Sewell
933. 1/2" diameter x 1 1/2", Slotted Heads, Round Necks, and Pinholes ..	"	1 "	..	do.	3 15 0	
934. 1/2" diameter x 1 1/2", Slotted Heads, Round Necks, and Pinholes ..	"	1 "	..	do.	3 15 0	McPherson's Pty. Ltd.


Item No. and Description.	Country of Manufacture.	Estimated Requirements for One Year.	Contract Quantity.	Rate per	Rate.	Name of Contractor.
					£ s. d.	
BOLTS AND NUTS—continued.						
Bolts, Iron, with Hexagon Head and 2 Hexagon Nuts—						
*935. 9½" x ½"	Aust.	2 cwt.	..	cwt.	2 10 0	McPherson's Pty. Ltd.
*936. 16" x ¾"	"	2 "	..	do.	2 6 0	
Bolts, Iron—With Hexagon Head, and screwed up to the Neck if required, irrespective of whether the sample is so screwed. Hexagon Nuts—						
*937. 2½" x ½" with 2 Nuts	"	20 "	..	do.	2 14 0	G. F. Sewell
*938. 2½" x ½" with 2 Nuts	"	2 "	..	do.	2 14 0	
*939. 3" x ½" with 2 Nuts and Pinhole	"	3 "	..	do.	3 0 0	
*940. 3½" x ½" with 2 Nuts and Pinhole	"	1 "	..	do.	3 0 0	
*941. 4½" x ½" with 2 Nuts	"	15 "	..	do.	3 0 0	
*942. 4½" x ½" with 2 Nuts, Pinhole, and Reducing Points	"	1 "	..	do.	3 5 0	McPherson's Pty. Ltd.
*943. 7½" x ½" with 2 Nuts, Pinhole, and Reducing Points	"	1 "	..	do.	3 5 0	
*944. 2½" x ¾" with Pinhole	"	1 "	..	do.	2 15 0	G. F. Sewell
*945. 6" x ¾" with Pinhole	"	2 "	..	do.	2 8 0	
*946. 4½" x 1" with Pinhole	"	1 "	..	do.	2 8 0	
*947. 5" x 1" with Pinhole	"	1 "	..	do.	2 8 0	
*948. 5½" x 1" with 2 Nuts, Pinhole, and Reducing Points	"	2 "	..	do.	2 15 0	
Bolts, Iron—T Head, with Hexagon Nut—						
*949. 1½" x ½"	"	40 "	..	do.	3 12 0	McPherson's Pty. Ltd.
*950. 2" x ½"	"	2 "	..	do.	3 12 0	
951-956. Nil.						
Bolts, Iron—T Head, with 2 Hexagon Nuts—						
*957. ½" x 6" in length and over	"	2 "	..	do.	3 0 0	G. F. Sewell
958-959. Nil.						
*960. ½" x 6" in length and over	"	2 "	..	do.	3 0 0	
961-963. Nil.						
Bolts and Nuts, Steel, with Hexagon Head and Nut—						
*964. ¾" diameter x 10" in length and under	"	3 "	..	do.	2 5 0	G. F. Sewell
*965. ¾" diameter x over 10" up to 15" in length, as ordered	"	3 "	..	do.	2 2 0	
*966. 1" diameter x 10" in length and under	"	20 "	..	do.	2 5 0	
*967. 1" diameter x over 10" up to 15" in length, as ordered	"	5 "	..	do.	2 2 0	
Bolts and Nuts, Steel, with Square Head and 2 Square Nuts—						
*968. ¾" diameter x 10" in length and under	"	5 "	..	do.	2 5 0	G. F. Sewell
*969. ¾" diameter x over 10" up to 15" in length, as ordered	"	1 "	..	do.	2 2 0	
*970. 1" diameter x 10" in length and under	"	2 "	..	do.	2 5 0	
*971. 1" diameter x over 10" up to 15" in length, as ordered	"	2 "	..	do.	2 2 0	
Bolts and Nuts, Steel, with Cup Head, Oval Neck, and Hexagon Nut—						
*972. 1" diameter x 5" up to 12" in length, as ordered	"	10 "	..	do.	2 2 0	
973-993. Nil.						

Item No. and Description.	Country of Manufacture.	Estimated Requirements for One Year.	Contract Quantity.	Rate per—	Rate.	Name of Contractor.	
					£ s. d.		
DOWELS AND SPIKES.							
<p><i>The Samples exhibited by the Corporation are samples as regards shape and quality only.</i> <i>The Stores referred to in this Schedule (if tendered of Australian manufacture or production) shall be wholly manufactured or produced at the factory or works of the Contractor within the Commonwealth of Australia. No subletting will be allowed.</i></p>							
*994. Dowels—Any sizes ordered	Aust.	20 cwt.	..	cwt.	1 10 0	} G. F. Sewell	
*995. Spikes—Round, drift, any sizes ordered	100 "	..	do.	1 12 0		
*996. Spikes—Round, chisel or diamond pointed, as ordered, any sizes ordered	100 "	..	do.	2 0 0		
997-1002. Nil.							
ANTIMONY.							
1003. Antimony—Regulus of "Austral Bronze Co. Ltd."	Aust.	100 cwt.	..	cwt.	5 5 0	} Noyes Bros. (Melb.) Prop. Ltd.	
1004-1020. Nil.							
IRON.							
1021. Nil.							
1022. Round or square, as ordered, over $\frac{1}{4}$ " to 3" in thickness or diameter, as ordered, advancing by $\frac{1}{16}$ "	Aust.	25 tons	..	ton	17 0 0	} The Lion Rolling Mills Pty. Ltd.	
1023. Flat, any sizes and lengths ordered up to 6" wide, any sizes ordered from $\frac{7}{8}$ " x $\frac{3}{8}$ " to 6" x 1"	20 "	..	do.	17 0 0		
1024-1037. Nil.							
ROLLED IRON (AUSTRALIAN).							
<p><i>The Contractor shall, during the currency of this Contract, furnish the Chief Storekeeper with the address or addresses of the place or places at which the Rolled Iron is being manufactured by the Contractor, and the Chief Storekeeper, or any person appointed by him from time to time, shall at all times during business hours have free access to such place or places, and shall be afforded every facility for inspecting the Rolled Iron while in process of manufacture.</i></p> <p><i>The whole of the Scrap for the manufacture of the Rolled Iron under this Contract must be purchased by the Contractor from the Corporation, and except as hereinafter provided shall be paid for by the Contractor at a fixed rate of £2 per ton, delivered in trucks at Spencer-street Railway Station, and the rates set opposite to items numbered respectively 1038 and 1039 in this Schedule must include the cost of the said Scrap.</i></p>							

Item No. and Description.	Country of Manufacture.	Estimated Requirements for One Year.	Contract Quantity.	Rate per—	Rate.	Name of Contractor.
					£ s. d.	
ROLLED IRON (AUSTRALIAN)—continued.						
<p>To cover waste in the case of the Double Rolled Iron, the Contractor shall purchase as aforesaid 25 per centum of Scrap in excess of any quantity of Double Rolled Iron which may be ordered from time to time. To cover waste in the case of the Treble Rolled Iron, the Contractor shall purchase, as aforesaid, 30 per centum of Scrap in excess of any quantity of Treble Rolled Iron which may be ordered from time to time. Provided in the event of the Contractor requiring for the purposes of this Contract any quantity of Scrap exceeding the respective percentages as aforesaid, then in every such case he shall pay for such excess at the rate of £2 10s. per ton. Payment at the rate or rates aforesaid shall be made by the Contractor to the Chief Accountant of the Victorian Railways (within 48 hours after demand) for any Scrap which may be supplied to the Contractor from time to time as hereinbefore provided, and, failing payment as aforesaid, the Corporation shall be entitled to deduct any amount owing for the said Scrap from any money due, or which may become due, to the Contractor under this Contract.</p>						
<p>The Rolled Iron shall be entirely manufactured from the Scrap purchased from the Corporation as aforesaid, and will be paid for by the Corporation on the basis of the net weight of such Rolled Iron, when supplied and delivered in strict accordance with all the provisions and requirements of the annexed Conditions of Contract and this Schedule, and to the satisfaction in every respect of the Chief Storekeeper.</p>						
<p>All bars shall be cut to the lengths required, and have crop and bad ends cut off, and the Rolled Iron delivered shall be sound throughout and fit for use.</p>						
<p>Only the net weight of Rolled Iron delivered (after crop and bad ends have been cut off) will be paid for.</p>						
<p>All Australian Rolled Iron, round, square, and flat, shall, prior to delivery, be clearly and durably painted at each end by and at the expense of the Contractor, as follows, that is to say:—</p>						
<p>Double Rolled Iron shall be painted with White Paint.</p>						
<p>Treble Rolled Iron shall be painted with Black Paint.</p>						
<p>Tensile Tests.—Flat Bars, Double Rolled.— Flat bars must be tested where possible as shaped in accordance with diagram "A," Print No. 3309/5/15; but where the dimensions of the bars as rolled do not permit of test bars of the shape shown being cut therefrom, they may be tested as per sketch "B," of Print No. 3309/5/15. All flat bars so tested must be capable of withstanding a tensile test of from 21 to 24 tons per square inch, with an elongation of not less than 18 per cent.</p>						

Item No. and Description.	Country of Manufacture.	Estimated Requirements for One Year.	Contract Quantity.	Rate per—	Rate.	Name of Contractor.			
					£ s. d.				
ROLLED IRON (AUSTRALIAN)—continued.									
<p><i>Rounds and Squares.—Where the diameters or sides of bars do not exceed one inch, they are to be tested, as rolled, in accordance with diagram "B," of Print No. 3309/5/15, and must be capable of withstanding a tensile test of from 21 to 24 tons per square inch, with an elongation of not less than 18 per cent. Where the diameters or sides of bars are larger than 1 inch, they are to be turned down and tested in accordance with diagram "B," of Print No. 3309/5/15, and must be capable of withstanding a tensile test of from 21 to 24 tons per square inch, with an elongation of not less than 18 per cent.</i></p>									
<p><i>Treble Rolled Iron.—Treble Rolled Iron is to be tested similarly to the double rolled, and must be capable of withstanding a tensile test of from 22 to 25 tons per square inch, with an elongation of not less than 22 per cent.</i></p>									
<p><i>The Stores referred to in this Schedule (if tendered of Australian manufacture or production) shall be wholly manufactured or produced at the factory or works of the Contractor within the Commonwealth of Australia. No subletting will be allowed.</i></p>									
1038. Iron—Double rolled, from scrap purchased from the Corporation, of any sizes and sections ordered	Aust.	400 tons	..	ton	12 10 0	} Victoria Iron Rolling Co. Pty. Ltd.			
1039. Iron—Treble rolled, from scrap purchased from the Corporation, of any sizes and sections ordered	25 "	..	do.	15 10 0				
1040-1057. Nil.				
LEAD.									
<p><i>The Pig Lead (Item No. 1058) shall be paid for at the latest cabled market price for Pig Lead quoted in the Melbourne morning daily newspapers prior to the service of the order (unless in the judgment of the Chief Storekeeper the price quoted as aforesaid does not correctly represent the market price for Pig Lead prevailing on the day of the date of such cabled market price), plus 5s. per ton, always provided that if, in the judgment of the Chief Storekeeper, the cabled market price quoted as aforesaid in the Melbourne morning daily newspapers, or any of them, does not correctly represent the market price for Pig Lead prevailing on the day of the date of such cabled market price, then the market price prevailing on such day shall be determined by the Chief Storekeeper on evidence satisfactory to him, and such determination by the Chief Storekeeper shall be final and binding, and the rate of payment for the Pig Lead referred to on the particular order shall be in accordance with the price so determined by the Chief Storekeeper, plus 5s. per ton.</i></p>									
†1058. Lead—Pig, soft, reclaimed	Aust.	25 tons	..	ton	<table border="0"> <tr> <td rowspan="2" style="font-size: 2em; vertical-align: middle;">{</td> <td>Market rate, plus</td> </tr> <tr> <td>0 5 0</td> </tr> </table>	{	Market rate, plus	0 5 0	} The Moreland Metal Co. Ltd.
{	Market rate, plus								
	0 5 0								
1059-1064. Nil.				

Item No. and Description.	Country of Manufacture.	Estimated Requirements for One Year.	Contract Quantity.	Rate per—	Rate. £ s. d.	Name of Contractor.
<p>7.</p> <p>MILD STEEL (PLATES, SECTIONS, BARS, AND RIVET STEEL BARS).</p> <p>(a) <i>Quality of Material.</i>—The Plates, Sections, and Bars must be manufactured from Acid or Basic Open Hearth Steel made from selected material, and must not show on analysis more than .06 per cent. of Sulphur or of Phosphorus. The Contractor shall supply an analysis whenever required to do so from time to time.</p> <p>(b) <i>Freedom from Defects.</i>—The Plates, Sections, and Bars must be free from cracks, surface flaws, laminations, and all other defects, cut square, and finished in a workmanlike manner. No Plate, Section, or Bar must be more than 2½ per cent. over or 2½ per cent. under the calculated weight.</p> <p>(c) <i>Branding.</i>—Each Plate, Section or Bar shall bear the proper trade marks or brands.</p> <p>(d) <i>Mechanical Tests.</i>—The tensile strength and ductility shall be determined from standard test pieces, cut lengthwise or crosswise, from the rolled material. When material is annealed or otherwise treated before despatch, the test pieces shall be similarly and simultaneously treated with the material before testing.</p> <p>Any straightening of the test pieces which may be required must be done cold.</p> <p>(e) <i>Tensile Tests.—Plates and Sectional Material.</i>—Plates and Sectional Material must be tested as shaped in accordance with diagram "A," Print No. 3314/5/15, but where the dimensions of the Bars as rolled do not permit of test Bars of the shape shown being cut therefrom, they may be tested as per sketch "B," Print No. 3314/5/15. All flat Bars so tested must be capable of withstanding a tensile test of from 28 to 32 tons per square inch with an elongation of not less than 20 per cent.</p> <p><i>Rounds and Squares.</i>—Where the diameters or sides of Bars do not exceed 1 in. they are to be tested as rolled in accordance with diagram "B," Print No. 3314/5/15, and must be capable of withstanding a tensile test of from 28 to 32 tons per square inch with an elongation of not less than 20 per cent.</p> <p><i>Rivet Bars.</i>—All Rivet Bars must be tested in accordance with diagram "B," Print No. 3314/5/15, and must be capable of withstanding a tensile test of from 24 to 28 tons per square inch with an elongation of not less than 27 per cent.</p> <p>(f) <i>Bend Tests.</i>—Cold Bends: Test pieces shall be sheared or cut lengthwise from Plates, Sections, or Bars, and shall be not less than 1½ inches wide, but for small Plates, Sections, or Bars, the whole Section may be used.</p> <p>(g) <i>Test Pieces.</i>—The Contractor must furnish, when required to do so by the Chief Storekeeper, the test pieces as specified, which shall be machined and otherwise shaped and tested by the Corporation at its own cost.</p> <p><i>Temper Bends.</i>—The test pieces shall be similar to those used for cold bend tests. For temper bend tests the test pieces shall be heated to a blood red and quenched in water not exceeding 80 degrees Fahr. The colour shall be judged in-door in the shade.</p>						

Item No. and Description.	Country of Manufacture.	Estimated Requirements for One Year.	Contract Quantity.	Rate per	Rate.	Name of Contractor.
					£ s. d.	
<p style="text-align: center;">MILD STEEL (PLATES, SECTIONS, BARS, AND RIVET STEEL BARS)—continued.</p> <p><i>In all cold or temper bend tests the sheared edges may be removed by milling, planing, grinding, or other method. The test pieces shall not be annealed unless the material from which they are cut is similarly annealed, in which cases the test pieces shall be similarly and simultaneously treated with the material before testing.</i></p> <p><i>For both cold and temper bends the test piece must withstand, without fracture, being doubled over until the internal radius is not greater than 1½ times the thickness of the test piece, and the sides are parallel.</i></p> <p><i>For small sectional material these bend tests may be made from the flattened bar.</i></p> <p><i>Rejection.—Should the material fail to comply in every particular with the above conditions, the lot from which the test pieces were selected will be rejected.</i></p> <p><i>In the case of all Angle and T Steel referred to in the Schedule, the word "side" shall mean side as indicated for Angles and Tees respectively, thus:—</i></p> <div style="text-align: center;">  </div> <p><i>All Mild Steel, round, square, and flat, shall, prior to delivery, be clearly and durably painted on each end with Blue paint, by and at the expense of the Contractor.</i></p> <p><i>Every Bar of Rivet Steel shall, prior to delivery, be clearly and durably painted on each end with Green paint, by and at the expense of the Contractor.</i></p> <p style="text-align: center;">MILD STEEL.</p> <p>1065. Nil.</p> <p>1066. Angle of equal and unequal sides, the added inches of both sides not to exceed a total of 8 inches, and up to ½ in. thick, in the following thicknesses, sizes, and lengths, namely:—</p> <p style="text-align: center;">EQUAL.</p> <p>1" x 1", x ⅜" to ½", advancing by ⅛", up to 35' long</p> <p>1½" x 1½" x ⅜" to ½", advancing by ⅛", up to 35' long</p> <p>1½" x 1½" x ⅜" to ½", advancing by ⅛", up to 40' long</p> <p>1½" x 1½" x ⅜" to ¾", advancing by ⅛", up to 40' long</p> <p>1½" x 1½" x ½" to ¾", advancing by ⅛", up to 40' long</p> <p>2" x 2" x ¼" to ½", advancing by ⅛", up to 43' long</p> <p>2½" x 2½" x ¼" to ½", advancing by ⅛", up to 30' long</p> <p>2½" x 2½" x ¼" to ½", advancing by ⅛", up to 40' long</p> <p>3" x 3" x ¼" to ½", advancing by ⅛", up to 38' long</p> <p>3½" x 3½" x ⅜" to ½", advancing by ⅛", up to 35' long</p> <p>4" x 4" x ¼" to ½", advancing by ⅛", up to 30' long</p>						

Item No. and Description.	Country of Manufacture.	Estimated Requirements for One Year.	Contract Quantity.	Rate per	Rate.	Name of Contractor.
					£ s. d.	
MILD STEEL—continued.						
UNEQUAL.						
3" x 2" x 1/4" to 1/2", advancing by 1/8", up to 35' long						
3" x 2 1/2" x 1/4" to 5/8", advancing by 1/8", up to 35' long						
3 1/2" x 3" x 3/8" to 5/8", advancing by 1/8", up to 35' long						
4" x 3" x 3/8" to 5/8", advancing by 1/8", up to 35' long						
5" x 2 1/2" x 3/8" to 1/2", advancing by 1/8", up to 25' long						
(The Contractor being under obligation to supply from stocks held by him in Australia all Angles of the thicknesses, sizes, and lengths set out above in such quantities as may be ordered from time to time)	Aust.	300 tons	..	ton	24 10 0	The Lion Rolling Mills Pty. Ltd.
1067-1071. Nil.						
1072. Flat, 1/4" thickness or over, as ordered, from 3/4" to 9" wide, in lengths as ordered, in the following thicknesses and sizes, namely:—						
3/4" x 3/4" to 3/4", advancing by 1/8"						
7/8" x 3/4" to 3/4", advancing by 1/8"						
1" x 1/4" to 3/4", advancing by 1/8"						
1 1/8" x 1/4" to 3/4", advancing by 1/8"						
1 1/4" x 1/4" to 3/4", advancing by 1/8"						
1 3/8" x 1/4" to 1", advancing by 1/8"						
1 1/2" x 1/4" to 1", advancing by 1/8"						
1 3/4" x 1/4" to 1", advancing by 1/8"						
2" x 1/4" to 1 1/4", advancing by 1/8"						
2 1/4" x 1/4" to 1 1/4", advancing by 1/8"						
2 1/2" x 1/4" to 1 1/4", advancing by 1/8"						
2 3/4" x 1/4" to 1 1/4", advancing by 1/8"						
3" x 1/4" to 2", advancing by 1/8"						
3 1/4" x 1/4" to 2", advancing by 1/8"						
3 1/2" x 1/4" to 2", advancing by 1/8"						
4" x 1/4" to 2", advancing by 1/8"						
4 1/2" x 1/4" to 2", advancing by 1/8"						
5" x 1/4" to 2 1/4", advancing by 1/8"						
5 1/2" x 1/4" to 2 1/4", advancing by 1/8"						
6" x 1/4" to 2", advancing by 1/8"						
7" x 1" to 2", advancing by 1/8"						
8" x 1/4" to 1", advancing by 1/8"						
9" x 1/4" to 1", advancing by 1/8"						
(The Contractor being under obligation to supply from stocks held by him in Australia all Flats of the thicknesses and sizes set out above in such quantities as may be ordered from time to time)	50	..	do.	24 10 0	The Lion Rolling Mills Pty. Ltd.
1073-1075. Nil.						
1076. Round, 1 1/2" diameter, cut to following lengths:—2' 8 1/2", 2' 2", or 1' 9 1/2", as ordered	10	..	do.	24 10 0	The Lion Rolling Mills Pty. Ltd.
1077. Round or Square (other than that provided for in next preceding item) as ordered, from 1/2" to 3" in thickness or diameter, as ordered, advancing by 1/8", any lengths ordered	150	..	do.	24 10 0	

Item No. and Description.	Country of Manufacture.	Estimated Requirements for One Year.	Contract Quantity.	Rate per	Rate.	Name of Contractor.
					£ s. d.	
MILD STEEL—continued.						
1078-1086. Nil.						
<i>Steel—Rivet—</i>						
1087. Round—From $\frac{1}{2}$ " to 1" as ordered ..	Aust.	50 tons	..	ton	24 10 0	} The Lion Rolling Mills Pty. Ltd.
1088. Round— $\frac{1}{4}$ " and $\frac{3}{8}$ " as ordered, to be perfectly round	50 "	..	do.	24 10 0	
MILD STEEL.						
(Channel and Fish-plate Section.)						
<p><i>Quality of Material.—The sections must be manufactured from Acid or Basic Open Hearth Steel made from selected material, and must not show on analysis more than .06 per cent. of sulphur or of phosphorus. The Contractor shall supply an analysis whenever required to do so from time to time.</i></p>						
<p><i>Freedom from Defects.—The sections must be free from cracks, surface flaws, laminations, and all other defects, cut square, and finished in a workmanlike manner, and be delivered free from sets or bends. No section must be more than $2\frac{1}{2}$ per cent. over or $2\frac{1}{2}$ per cent. under calculated weight. Each length of Mild Steel (Channel Section) shall be straight from end to end.</i></p>						
<p><i>Mechanical Tests.—Test pieces shall be sheared or cut lengthwise from sections, and shall not be less than $\frac{1}{2}$ inch wide, and must withstand without fracture being doubled over until the internal radius is not greater than $1\frac{1}{2}$ times the thickness of the test piece and the sides are parallel.</i></p>						
<p><i>Rejection.—Should the material fail to comply in every particular with the above conditions, the lot from which the test pieces were selected will be rejected.</i></p>						
*1089. Mild Steel, Channel, in lengths of from 12' to 23'	Aust.	60 tons	..	ton	26 10 0	} The Lion Rolling Mills Pty. Ltd.
*1090. Mild Steel, Fishplate, for Channel, in lengths from 12' to 23'	4 "	..	do.	25 10 0	
1091-1289. Nil.						

Item No. and Description.	Country of Manufacture.	Estimated Requirements for One Year.	Contract Quantity.	Rate per—	Rate.	Name of Contractor.	
					£ s. d.		
WIRE WORK, ETC.							
<i>The sample exhibited by the Corporation for Item 1298 is a sample as regards shape and quality only.</i>							
<i>Carriage Hat Nets, 1st Class.—To be made from hard-drawn bright iron wire, No. 14 B.W.G., with brass tube 3/8 inch in diameter. Ends of tube to be plugged with wood 3 inches long. Ends of wire frame to go into wood plugs 1 1/4 inch; the net to be tinned and the tube to be nickel-plated.</i>							
1290-1291. Nil.							
1292. Gauze—Brass, any gauges and meshes ordered	Aust.	600 sq. ft.	..	sq. ft.	0 0 11 1/2	Peter Young	
*1293. Gauze—Steel	"	1,400 "	..	do.	0 0 9		
1294-1297. Nil.							
*1298. Racks—Towel, iron wire, tinned, any sizes ordered	"	40	..	each	0 4 6		
1299. Sieves—Brass, 1/4" mesh or less, and any sizes and meshes ordered	"	1,100 ins.	..	per 1 in. diameter	0 0 4		
1300. Sieves—Iron, any sizes and meshes ordered	"	1,200 "	..	do.	0 0 2		
1301-1320. Nil.							
BASKETWARE.							
<i>The Stores referred to in this Schedule (if tendered of Australian manufacture or production) shall be wholly manufactured or produced at the factory or works of the Contractor within the Commonwealth of Australia. No subletting will be allowed.</i>							
*1321. Baskets—Coal	Aust.	10	..	each	0 6 0	Royal Victorian Institute for the Blind	
*1322. Baskets—Waste-paper	"	20	..	do.	0 3 0		
1323. Nil.							
*1324. Hampers—Parcels	"	5	..	do.	1 15 0		
*1325. Trays—Basket, No. 1	"	5	..	do.	0 6 0		
*1326. Trays—Basket, No. 2	"	5	..	do.	0 6 0		
SUNDRY BRUSHWARE.							
<i>The Stores referred to in this Schedule (if tendered of Australian manufacture or production) shall be wholly manufactured or produced at the factory or works of the Contractor within the Commonwealth of Australia. No subletting will be allowed.</i>							
*1327. Brooms—Bass	Aust.	700	..	each	0 2 8	Royal Victorian Institute for the Blind	
1328. Nil.							
*1329. Brooms—Cane and Bass	"	300	..	do.	0 2 8		
*1330. Brooms—Hair, small	"	1,000	..	do.	0 3 3		
*1331. Brooms—Hair, 24"	"	400	..	do.	0 6 9	John Zevenboom and Co.	
*1332. Brooms—Hair, 24", stayed and handled, complete	"	80	..	do.	0 8 6		

Item No. and Description.	Country of Manufacture.	Estimated Requirements for One Year.	Contract Quantity.	Rate per—	Rate.	Name of Contractor.
					£ s. d.	
SUNDRY BRUSHWARE—continued.						
*1333. Brooms—Millet	Aust.	1,500	..	each	0 1 6	Royal Victorian Institute for the Blind
*1334. Brushes—Blacklead (three in a set)	"	40 sets	..	set	0 2 6	John Zevenboom & Co.
*1335. Brushes—Channel	"	100	..	each	0 0 9	Royal Victorian Institute for the Blind
*1336. Brushes—Clothes, lettered V.R.	"	10	..	do.	0 8 0	John Zevenboom & Co.
*1337. Brushes—Distemper, fibre	"	50	..	do.	0 1 6	
*1338. Brushes—Duster, painters'	"	200	..	do.	0 1 3	
*1339. Brushes—Fibre	"	600	..	do.	0 1 4	
*1340. Brushes—Flue	"	50	..	do.	0 1 0	John Zevenboom & Co.
*1341. Brushes—Hair, lettered V.R.	"	8	..	do.	0 8 0	
*1342. Brushes—Hand, Banister	"	1,400	..	do.	0 2 1	Royal Victorian Institute for the Blind
*1343. Brushes—Hand, Banister, Bassine	"	10	..	do.	0 0 10	John Zevenboom & Co.
*1344. Brushes—Lye	"	6	..	do.	0 1 9	
*1345. Brushes—Nail	"	75	..	do.	0 0 9	Royal Victorian Institute for the Blind
*1346. Brushes—Pan, Car	"	30	..	do.	0 0 6	
*1347. Brushes—Pick	"	10	..	do.	0 0 5½	
*1348. Brushes—Scouring	"	30	..	do.	0 0 10½	
*1349. Brushes—Scrubbing, Deck, coir	"	50	..	do.	0 1 3	John Zevenboom & Co.
*1350. Brushes—Scrubbing, Hand	"	600	..	do.	0 1 5	
*1351. Brushes—Sewer	"	40	..	do.	0 1 6	Royal Victorian Institute for the Blind
*1352. Brushes—Spoke, Bristle	"	10	..	do.	0 3 0	
*1353. Brushes—Spoke, Fibre	"	25	..	do.	0 1 6	John Zevenboom & Co.
*1354. Brushes—Stencil, 1'	"	15	..	do.	0 1 3	
*1355. Brushes—Stencil, 1¼", Tarpaulin	"	100	..	do.	0 1 6	Royal Victorian Institute for the Blind
*1356. Brushes—Tar, handled	"	100	..	do.	0 0 10¾	
*1357. Brushes—Tarpaulin, dressing	"	25	..	do.	0 1 2	
*1358. Brushes—Washing down	"	15	..	do.	0 6 0	John Zevenboom & Co.
*1359. Brushes—Whitewash	"	50	..	do.	0 0 10	
*1360. Swabs, Coir	"	50	..	do.	0 1 1	Royal Victorian Institute for the Blind
1361. Nil.						
Refilling Heads for Chimney Sweepers—						
1362. With Whalebone	"	10	..	do.	0 7 0	John Zevenboom & Co.
1363. With Cane.. .. .	"	10	..	do.	0 2 0	Royal Victorian Institute for the Blind

Item No. and Description.	Country of Manufacture.	Estimated Requirements for One Year.	Contract Quantity.	Rate per—	Rate.	Name of Contractor.
					£ s. d.	
PAINTERS' BRUSHES.						
<i>The Stores referred to in this Schedule (if tendered of Australian manufacture or production) shall be wholly manufactured or produced at the factory or works of the Contractor within the Commonwealth of Australia. No subletting will be allowed.</i>						
<i>The samples exhibited by the Corporation for Items 1364 to 1375, 1382 to 1386, 1390 to 1408, and 1414 to 1418 inclusive are samples as regards shape and quality only.</i>						
1364. Tools, Sash—No. 1	Aust.	200	..	each	0 0 3	John Zevenboom and Co.
1365. Tools, Sash—No. 2	"	15	..	do.	0 0 3½	
1366. Tools, Sash—No. 3	"	75	..	do.	0 0 4	
1367. Tools, Sash—No. 4	"	75	..	do.	0 0 5½	
1368. Tools, Sash—No. 5	"	100	..	do.	0 0 8	
* 1369. Tools, Sash—No. 6	"	500	..	do.	0 0 10	
1370. Tools, Sash—No. 7	"	150	..	do.	0 1 0.	
1371. Tools, Sash—No. 8	"	600	..	do.	0 1 3	
1372. Tools, Sash—No. 9	"	450	..	do.	0 1 6	
1373. Tools, Sash—No. 10	"	75	..	do.	0 1 9	
1374. Tools, Sash—No. 12	"	450	..	do.	0 2 4	
* 1375. Tools, Sash, Copper Ferrule—No. 2	"	5	..	do.	0 0 7	
1376-1381. Nil.						
1382. Brushes—2/0	"	60	..	do.	0 3 6	
1383. Brushes—3/0	"	5	..	do.	0 4 6	
* 1384. Brushes—4/0	"	10	..	do.	0 5 0	
1385. Brushes—6/0	"	50	..	do.	0 6 3	
1386. Brushes—8/0	"	600	..	do.	0 9 9	
* 1387. Brushes—Distemper, 10 oz.	"	10	..	do.	0 13 6	
* 1388. Brushes—Distemper, 12 oz.	"	15	..	do.	0 15 6	
* 1389. Brushes—Weatherboard	"	5	..	do.	0 5 0	
Brushes, Varnish—						
White Bristle, Bevelled Edge—						
1390. ½" thick x 1" wide	"	20	..	do.	0 0 10	
1391. ½" thick x 1½" wide	"	10	..	do.	0 1 2	
* 1392. ½" thick x 2" wide	"	8	..	do.	0 1 6	
1393. ½" thick x 2½" wide	"	3	..	do.	0 2 0	
Black Bristle, Bevelled Edge—						
1394. ½" thick x 1" wide	"	5	..	do.	0 0 6	
1395. ½" thick x 1½" wide	"	5	..	do.	0 0 9	
1396. ½" thick x 2" wide	"	5	..	do.	0 1 0	
* 1397. ½" thick x 2½" wide	"	5	..	do.	0 1 3	
1398. ½" thick x 3" wide	"	5	..	do.	0 1 6	
1399. ½" thick x 1" wide	"	5	..	do.	0 0 9	
1400. ½" thick x 1½" wide	"	6	..	do.	0 1 3	
1401. ½" thick x 2" wide	"	20	..	do.	0 1 8	
* 1402. ½" thick x 2½" wide	"	3	..	do.	0 2 0	
1403. ½" thick x 3" wide	"	3	..	do.	0 2 6	
1404. ½" thick x 1" wide	"	45	..	do.	0 0 11	
1405. ½" thick x 1½" wide	"	3	..	do.	0 1 6	
1406. ½" thick x 2" wide	"	5	..	do.	0 2 0	
1407. ½" thick x 2½" wide	"	5	..	do.	0 2 6	
* 1408. ½" thick x 3" wide	"	40	..	do.	0 3 0	
1409-1413. Nil.						
Tools, Sash, Oval, Copper Ferruled—						
1414. No. 4	"	3	..	do.	0 0 8	
1415. No. 6	"	3	..	do.	0 0 10	
* 1416. No. 8	"	3	..	do.	0 1 6	
1417. No. 10	"	5	..	do.	0 2 6	
1418. No. 12	"	5	..	do.	0 3 6	

Item No. and Description.	Country of Manufacture.	Estimated Requirements for One Year.	Contract Quantity.	Rate per—	Rate.	Name of Contractor.
					£ s. d.	
STEEL BRUSHES.						
<i>The Stores referred to in this Schedule (if tendered of Australian manufacture or production) shall be wholly manufactured or produced at the factory or works of the Contractor within the Commonwealth of Australia. No subletting will be allowed.</i>						
*1419. Brushes—Steel, round	Aust.	75	..	each	0 1 2	} John Zevenboom and Co.
*1420. Brushes—Steel, large	"	40	..	do.	0 3 9	
*1421. Brushes—Steel, flat	"	100	..	do.	0 2 0	
*1422. Brushes—Steel, flat, with handles 48" long	"	750	..	do.	0 2 3	
*1423. Brushes—Steel, Moulders'	"	100	..	do.	0 2 6	
BLANKETING.						
*1424. Blanketing	Aust.	10,000 lbs.	..	lb.	0 2 6	} The Ballarat Wool- len and Worsted Co. Ltd.
1425-1429. Nil.						
DRAPERY.						
<i>The samples exhibited by the Corporation for Items 1430, 1433, 1448, and 1451 are samples as regards quality only.</i>						
*1430. Baize—Green, any widths ordered ..	Gt. Brit.	..	25 sq. yds.	sq. yd.	0 3 6	} Hicks, Atkinson, and Sons Pty. Ltd.
1431-1432. Nil.						
*1433. Blinds—Holland (made), of any sizes and colours ordered	Gt. Brit. & Aust.	..	400 sq. yds.	do.	0 1 9	
*1434. Calico—Unbleached, 36 in. wide	Gt. Brit.	..	200 lin. yds.	lin. yd.	0 1 0	
*1435. Calico—Unbleached, 72 in. wide	"	..	750 "	do.	0 2 3	
*1436. Calico—Unbleached, for French polishing, 36 in. wide	"	..	2,000 "	do.	0 0 9	
*1437. Calico—White, 72 in. wide	"	..	200 sq. yds.	sq. yd.	0 1 6	
*1438. Calico—White, 36 in. wide	"	..	2,000 lin. yds.	lin. yd.	0 1 1	
1439-14 3. Nil.						
*1444. Dusters—Linen	Gt. Brit. & Aust.	..	25 doz.	dozen	1 5 6	
1445. Nil.						
*1446. Elastic, White, $\frac{3}{4}$ in.	Gt. Brit.	..	500 yds.	yard	0 1 0	
*1447. Flannelette, 27 in. wide	"	..	300 "	do.	0 0 7 $\frac{1}{2}$	
*1448. Holland—Any colours and widths ordered	"	..	100 sq. yds.	sq. yd.	0 1 7	
1449-1450. Nil.						
*1451. Silk—Sewing machine, in 1-oz. reels, any Nos. and colours ordered	"	..	5 lbs.	lb.	1 6 9	
1452. Nil.						
*1453. Towels—Hand	Gt. Brit. & Aust.	..	50 doz.	dozen	1 8 6	
*1454. Towels—Roller	"	..	100 "	do.	1 13 6	
1455-1473. Nil.						
*1474. Wadding—Cotton, sheet, large size, white	Aust.	..	500 d'z. sheets	doz. shs.	0 3 9	
*1475. Wool—Fingering	Gt. Brit.	..	200 lbs.	lb.	0 7 11	

Item No. and Description.	Country of Manufacture.	Estimated Requirements for One Year.	Contract Quantity.	Rate per—	Rate.	Name of Contractor.
					£ s. d.	
NAPERY, ETC.						
<i>The Contractor shall, at his own expense, mark every article with the best marking ink with such brand or lettering as the Chief Storekeeper may direct, and such marking shall be done in the presence of the Receiving Officer subsequent to his having passed the articles as being in accordance with the Contract.</i>						
†1476. Cloths—Glass or Serving, Sample No. 3 . . .	Gt.-Brit. & Aust.	..	25 doz.	dozen	0 10 9	} Hicks, Atkinson, and Sons Pty. Ltd.
1477. Nil.						
†1478. Cloths—Table, Damask, large, Sample No. 4	2 "	do.	4 10 0	
†1479. Cloths—Table, Damask, small, Sample No. 9	6 "	do.	5 5 0	
†1479A. Cloths—Table, Damask, small, Sample No. 8	16 "	do.	5 8 0	
†1480. Cloths—Kitchen, Sample No. 13	15 "	do.	0 16 9	
†1481. Serviettes, Sample No. 17	30 "	do.	0 15 9	
†1481A. Serviettes, Sample No. 18	5 "	do.	0 15 9	
†1481B. Serviettes, Sample No. 19	4 "	do.	0 15 11	
†1482. Sheets, Cotton, Twill, 9ft. x 4ft. 6in., Sample No. 24	12 "	do.	3 19 6	
†1482A. Sheets, Cotton, Twill, 9ft. x 4ft. 6in., Sample No. 23	8 "	do.	3 19 6	
†1483. Slips, Pillow, Best Linen, taped, Sample No. 26	20 "	do.	0 16 9	
1484-1488. Nil.						
SERGE AND FINE TWILL WORSTED CLOTH.						
<p>(A) All the Serge and Cloth must be dyed with Indigo dye.</p> <p>(B) All the Serge and Cloth must be thoroughly dry when delivered, and must be clean scoured, and free from grease, soap, grass seeds, burrs, and all other imperfections, and must be thoroughly shrunk.</p> <p>(C) The colour of the Serge and Cloth must be true to sample, and must be fast in shade, whether the sample be fast or not.</p> <p>(D) The Serge or Cloth supplied from time to time will be subject to such tests as the Chief Storekeeper may think proper. The dye will be liable to be tested by lengthened exposure of the Serge or Cloth to the weather, or otherwise. For the purposes of any such tests as aforesaid the Chief Storekeeper shall be entitled, whenever he shall think proper, to cut off from any piece of Serge or Cloth supplied under this contract a portion not exceeding 9 inches in length, and to destroy such portion; and for the purposes of such tests as aforesaid the Chief Storekeeper shall further be entitled, whenever he shall think proper, to wash and dry any piece of Serge or Cloth supplied under this contract; and in the event of any Serge or Cloth being rejected as the result of such tests, the Contractor shall not be entitled to any payment or equivalent for any Serge or Cloth destroyed or damaged in making such tests.</p>						

Item No. and Description.	Country of Manufacture.	Estimated Requirements for One Year.	Contract Quantity.	Rate per—	Rate. £ s. d.	Name of Contractor.
<p>SERGE AND FINE TWILL WORSTED CLOTH— <i>continued.</i></p>						
<p>(B) One thread of pale-blue must be woven into the full width of the heading of each piece of Serge and Cloth supplied. Any piece of Serge or Cloth rejected by the Chief Storekeeper will have a small piece (comprising portion of the one pale-blue thread hereinbefore referred to) removed from the heading, and no piece of Serge or Cloth from the heading of which a small piece has been so removed will be subsequently received by the Chief Storekeeper under this Contract.</p>						
<p>The Stores referred to in this Schedule, (if tendered of Australian manufacture or production) shall be wholly manufactured or produced at the factory or works of the Contractor within the Commonwealth of Australia. No subletting will be allowed.</p>						
<p>†1489. Serge—All Wool, Dark-blue, 56 inches wide, exclusive of selvages, weight per lineal yard, 24 ozs.</p>	Aust.	10,000 lin. yds.	..	lin. yd.	0 8 0	The Ballarat Woollen and Worsted Coy. Ltd.
<p>†1489A. Serge—All Wool, Dark-blue, 56 inches wide, exclusive of selvages, weight per lineal yard, 24 ozs.</p>	..	10,000	do.	0 9 0	Defence Department Woollen Cloth Factory
<p>†1490. Serge—All Wool, Dark-blue, 56 inches wide, exclusive of selvages, weight per lineal yard, 17 ozs.</p>	..	6,000	do.	0 5 9	The Ballarat Woollen and Worsted Coy. Ltd.
<p>†1490A. Serge—All Wool, Dark-blue, 56 inches wide, exclusive of selvages, weight per lineal yard, 17 ozs.</p>	..	6,000	do.	0 6 9	Defence Department Woollen Cloth Factory
<p>1491. Nil.</p>						
<p>†1492. Cloth—Fine Twill Worsted, all Wool, Dark-blue, 56 inches wide, exclusive of selvages, weight per lineal yard, 20 ozs. . .</p>	..	6,000	do.	0 8 0	The Ballarat Woollen and Worsted Coy. Ltd.
<p>†1492A. Cloth—Fine Twill Worsted, all Wool, Dark-blue, 56 inches wide, exclusive of selvages, weight per lineal yard, 20 ozs. . .</p>	0	6,000	do.	0 8 6	Defence Department Woollen Cloth Factory
<p>1493-1497. Nil.</p>						

Item No. and Description.	Country of Manufacture.	Estimated Requirements for One Year.	Contract Quantity.	Rate per—	Rate.	Name of Contractor.	
					£ s. d.		
UPHOLSTERY AND FURNITURE.							
<i>The samples exhibited by the Corporation for Items 1502, 1515, and 1520 are samples as regards quality only.</i>							
*1498. Buttons, Leather, solid, brown, large ..	Gt. Brit.	..	400 ^{gross}	gross	0 1 9	} Hicks, Atkinson, & Sons Pty. Ltd.	
*1499. Buttons, Leather, solid, brown, small ..	"	..	25 "	do.	0 1 6		
*1500. Buttons, Leather, solid, green, large ..	"	..	200 "	do.	0 1 9		
1501. Nil.							
*1502. Cheese Cloth, 33" wide, with or without dressing, as ordered ..	"	..	500 ^{lin.} yds.	lin. yd.	0 1 3		
1503. Nil.							
*1504. Cord—Blind, white, glace, 2½ lbs. ..	"	..	500 ^{doz.} yds.	doz. yds.	0 1 6		
*1505. Cord—Blind, white, glace, 3 lbs. ..	"	..	100 ^{doz.} yds.	do.	0 1 9		
1506-1507. Nil.							
*1508. Corduroy—Plush, 27" wide ..	"	..	160 ^{lin.} yds.	lin. yd.	0 4 0		
1509-1512. Nil.							
*1513. Kapok	Java	..	200 ^{lbs.}	lb.	0 1 0		
*1514. Tape—Ladder	Gt. Brit.	..	50 ^{doz.} yds.	doz. yds.	0 5 3		
*1515. Tape—White, India, any sizes and numbers ordered	"	..	20 ^{gr.} yds.	gr. yds.	0 4 6		
1516-1518. Nil.							
*1519. Webbing—Diaper, in pieces of 18 yards ..	"	..	10 ^{pieces}	piece	0 2 6		
*1520. Webbing—Brown, up to 2½", as ordered ..	"	..	1,000 ^{yds.}	yd.	0 0 8½		
1521-1545. Nil.							
SPONGES.							
*1546. Sponge—Large Carriage, perfectly dry, free from sand and all impurities ..	Tripoli & Gt. Brit.	{	100 lbs.	..	1 3 9	} A. E. Appleton	
BURNERS, LAMPS, ETC.							
1547-1551. Nil.							
*1552. Burners, Oil, Vapour, ¼"	Aust.	..	100 doz.	..	0 8 2		
*1553. Burners, Oil, Vapour, ⅜"	"	..	200 "	..	0 10 2		
1554-1559. Nil.							
Lux Lamp Parts—							
*1560. Caps, Flame Spreader	"	..	25 "	..	0 0 6		} W. and E. Black
*1561. Caps, Nipple Valve	"	..	20 "	..	0 0 3		
*1562. Flame Spreaders	"	..	50 "	..	0 3 11		
1563. Nil.							
*1564. Nipples	"	..	50 "	..	0 0 6		
*1565. Sockets, Nipple	"	..	30 "	..	0 0 4		
*1566. Tubes, Burner	"	..	25 "	..	0 9 0		
1567-1589. Nil.							
LAMP CHIMNEYS, GLASSES, ETC.							
1590-1607. Nil.							
*1608. Lenses—Ruby, 4"	Gt. Brit.	..	12 doz.	..	1 15 0	} McKenzie and Holland Ltd.	
1609. Nil.							
*1610. Lenses—White, 3"	"	..	12 "	..	0 12 6		
1611. Nil.							
*1612. Lenses—White, 6"	"	..	12 "	..	1 18 6		
1613-1630. Nil.							
15395.—3							

Item No. and Description.	Country of Manufacture.	Estimated Requirements for One Year.	Contract Quantity.	Rate per—	Rate.	Name of Contractor.
					£ s. d.	
CANVAS BAGS.						
<i>The Stores referred to in this Schedule (if tendered of Australian manufacture or production) shall be wholly manufactured or produced at the factory or works of the Contractor within the Commonwealth of Australia. No subletting will be allowed.</i>						
*1631. Bags—Tool, canvas	Aust.	25	..	each	0 6 0	} Commonwealth Government Harness Factory
*1632. Bags—Water, canvas	"	200	..	do.	0 6 0	
*1633. Bottles—Water, canvas	"	400	..	do.	0 2 3	
1634-1645. Nil.						
CORDAGE.						
<i>The Stores referred to in this Schedule (if tendered of Australian manufacture or production) shall be wholly manufactured or produced at the factory or works of the Contractor within the Commonwealth of Australia. No subletting will be allowed.</i>						
<i>The samples exhibited by the Corporation for Items 1646 and 1647 are samples as regards shape and quality only.</i>						
*1646. Cord—Sash, Single Cable Laid, any numbers ordered	Aust.	100 lbs.	..	lb.	0 3 0	} James Miller and Co. Pty. Ltd.
*1647. Cord—Sash, Patent, any numbers ordered 1648-1650. Nil.	"	200 "	..	do.	0 3 6	
*1651. Packing—Flax, pure	"	5 cwt.	..	cwt.	14 0 0	
*1652. Spun yarn—Jute	"	3 "	..	do.	2 7 0	
†1653. Twine—Jute, Fine, Medium or Coarse, as ordered	"	5,000 lbs.	..	lb.	0 1 0	
COIR MATS.						
<i>The Stores referred to in this Schedule (if tendered of Australian manufacture or production) shall be wholly manufactured or produced at the factory or works of the Contractor within the Commonwealth of Australia. No subletting will be allowed.</i>						
<i>The samples exhibited by the Corporation for Items 1654 and 1655 are samples as regards shape and quality only.</i>						
*1654. Mats—Door, Coir, any sizes ordered, with "V.R." woven in coloured fibre	Aust.	100 sq. ft.	..	sq. ft.	0 2 2	} James Miller and Coy. Pty. Ltd. M. Donaghy and Sons Pty. Ltd.
*1655. Mats—Carriage, Coir, skeleton, any sizes ordered	"	1,000 "	..	do.	0 1 9	
*1656. Mats—Kneeling	"	10	..	each	0 3 6	
ROPE.						
<i>The Rope to be supplied under Items Nos. 1658 to 1665 inclusive must be packed in hessian. The hessian packing will, as far as practicable, be returned to the Contractor at the Spencer-street Store.</i>						
<i>The Stores referred to in this Schedule (if tendered of Australian manufacture or production) shall be wholly manufactured or produced at the factory or works of the Contractor within the Commonwealth of Australia. No subletting will be allowed.</i>						
<i>The quantities shown opposite items 1658 and 1659 are to be ordered prior to 30.9.18.</i>						
1657. Nil.						

Item No. and Description.	Country of Manufacture.	Estimated Requirements for One Year.	Contract Quantity.	Rate per—	Rate.	Name of Contractor.
					£ s. d.	
ROPE—continued.						
†1658. Rope—Tarred, hemp, closely and well laid, 1" circumf., with blue worsted thread in one strand	Aust.	..	5 cwt.	cwt.	6 15 0	James Miller and Coy. Pty. Ltd.
†1659. Rope—Bolt, tarred, hemp, 2" circumf., with blue worsted thread in one strand	"	..	200 "	do.	6 15 0	
1660-1662. Nil.						
*1663. Rope—New Zealand Flax, 1" to 2", as ordered, with blue yarn in one strand	"	..	410 "	do.	4 0 6	
*1664. Rope—New Zealand Flax, 2½" to 3", as ordered, with one blue yarn in each strand	"	..	690 "	do.	4 0 6	
*1665. Rope—Lashing, New Zealand Flax	"	..	12 "	do.	4 2 0	
SHIP CHANDLERY.						
<i>Item 1681 to be paid for on basis of gross weight.</i>						
1666-1670. Nil.						
*1671. Eyelets and Washers—Brass, 1½"	Gt. Brit.	300 gross	..	gross	0 6 6	Evan Evans
1672-1673. Nil.						
†1674. Grease—Antifriction, "XL," Black, in approx. 3½-cwt. casks	Aust.	30 cwt.	..	cwt.	1 3 0	Ramsay and Treganowan
†1675. Grease—"XL," Magna	U.S.A.	2 "	..	do.	5 12 0	
1676. Nil.						
*1677. Marline	Aust.	300 lbs.	..	lb.	0 2 0	Paul & Gray Ltd.
1678-1680. Nil.						
1681. Pitch—Trinidad Asphaltum, in about 2½-cwt. casks	Trinidad	5 cwt.	..	cwt.	1 13 0	J. Forbes & Co.
1682-1683. Nil.						
1684. Tar—Distilled, in casks	Aust.	1,000 gals.	..	gallon	0 0 7½	
1685. Tar—Distilled, in Departmental tanks in Contractor's yard	"	7,000 "	..	do.	0 0 5½	
1686-1687. Nil.						
1688. Tar—Oil of, heavy, in casks	"	100 "	..	do.	0 1 6	
1689-1691. Nil.						
CANDLES, MATCHES, SOAP, ETC.						
†1692. Candles—Stearine, full weight or short chamber, as ordered	Aust.	6,000 lbs.	..	lb.	0 0 9	Briscoe & Co. Ltd.
†1693. Candles—Stearine, carriage, short, 6 to the pound	"	600 "	..	do.	0 0 9½	
†1694. Glycerine, in 56-lb. tins	"	250 "	..	do.	0 2 2	
1695-1697. Nil.						
†1698. Soap—Powdered, in ¼-lb. or 1-lb. packets, as ordered	"	4,000 "	..	do.	0 0 10	
†1699. Soap—Sand, in boxes of 72 bars	"	40 boxes	..	box	0 13 6	
†1700. Soap—Soft	"	400 cwt.	..	cwt.	1 16 0	
†1701. Soap—Toilet, in cake	"	750 lbs.	..	lb.	0 0 10	
1702. Soap—"Velvet," in boxes of 42 bars	"	25 boxes	..	box	1 8 0	
*1703 Soap—"Special," yellow, in bars, 32's	"	200 cwt.	..	cwt.	1 19 0	
1704. Nil.						
†1705. Soda Crystals, washing	"	100 "	..	do.	0 17 0	
†1706. Tapers	Gt. Brit.	50 lbs.	..	lb.	0 4 0	

Item No. and Description.	Country of Manufacture.	Estimated Requirements for One Year.	Contract Quantity.	Rate per	Rate.	Name of Contractor.
					£ s. d.	
BELTING.						
<i>The samples exhibited by the Corporation for Items 1707 to 1713 inclusive are samples as regards quality only.</i>						
Belting, Leather—						
Single, hemp sewn—						
*1707. Up to 4" wide, as ordered	Aust.	1,000 sq. ft.	..	sq. ft.	0 3 11	Frank Vial & Sons Hopkins Bros. and Odlum Pty. Ltd.
*1708. 4½" to 6" wide, as ordered	"	300 "	..	do.	0 4 0	
Single, thong sewn—						
*1709. Up to 4" wide, as ordered	"	100 "	..	do.	0 4 1	Frank Vial & Sons Hopkins Bros. and Odlum Pty. Ltd.
*1710. 4½" to 6" wide, as ordered	"	25 "	..	do.	0 4 3	
Double, thong sewn—						
*1711. Up to 4" wide, as ordered	"	400 "	..	do.	0 7 0	Frank Vial & Sons Hopkins Bros. and Odlum Pty. Ltd.
*1712. 4½" to 6" wide, as ordered	"	250 "	..	do.	0 7 0	
*1713. 6½" to 8" wide, as ordered	"	40 "	..	do.	0 7 0	
1714-1715. Nil.						
LEATHER.						
<i>The Butts supplied under Item 1718 are to be of uniform thickness and special quality, properly trimmed, and must be free from flesh cuts, blemishes, and brands. The Butts must be prepared with the constituents as in the sample, and must be close in grain, very firm, and capable of resisting an air pressure of not less than 60 lbs. per square inch. The leather must not be too dry, as it has to be moulded into shape which bends the Butts at a right angle.</i>						
Leather—						
1716-1717. Nil.						
*1718. Butts	Aust.	400 lbs.	..	lb.	0 4 2	Lloyd Bros. and Maginnis
1719-1721. Nil.						
*1722. Backs, white hide, soft	"	3 cwt.	..	cwt.	19 2 8	
1723-1725. Nil.						
LEATHER GOODS.						
*1726. Bags—Cash, small, plain	Aust.	50	..	each	0 0 10	Commonwealth Government Harness Factory
*1727. Bags—Cash, large, plain	"	40	..	do.	0 1 0	
*1728. Bags—Combined Pay and Cash	"	100	..	do.	0 2 0	
*1729. Bags—Cash, Hand, 16"	"	6	..	do.	1 11 6	
1730. Nil.						
*1731. Portfolios—Relieving Stationmaster's	"	10	..	do.	1 0 0	
INDIA-RUBBER & INDIA-RUBBER GOODS.						
<i>The samples exhibited by the Corporation for Items 1749, 1750, and 1751 are samples as regards shape and quality only, and the samples exhibited by the Corporation for Items 1738 to 1740 inclusive are samples as regards quality only.</i>						

Item No. and Description.	Country of Manufacture.	Estimated Requirements for One Year.	Contract Quantity.	Rate per—	Rate.	Name of Contractor.
					£ s. d.	
INDIA-RUBBER AND INDIA-RUBBER GOODS—						
<i>continued.</i>						
1732. Boots, Thigh, I.R., sizes 8, 9, or 10, as ordered	Aust.	30 pairs	..	pair	1 7 0	The Dunlop Rubber Co. of Australasia Ltd.
1733. Nil.						
*1734. Bumpers, I.R., $\frac{5}{8}$ "	"	50 doz.	..	dozen	0 2 0	Barnet Glass Rubber Co. Ltd.
*1735. Bumpers, I.R., $\frac{3}{4}$ "	"	200 "	..	do.	0 2 0	
*1736. Buttons, I.R.	"	50 "	..	do.	0 0 6	
1737. Nil.						
*1738. India-rubber—Sheet, Vulcanized, any sizes and thicknesses ordered	"	50 lbs.	..	lb.	0 1 6	The Dunlop Rubber Co. of Australasia Ltd.
*1739. India-rubber—Sheet, Vulcanized, with canvas insertion, any sizes and thicknesses ordered	"	2,500 "	..	do.	0 0 10 $\frac{1}{2}$	
*1740. India-rubber—Sheet, Red, any sizes and thicknesses ordered	"	500 "	..	do.	0 3 0	Barnet Glass Rubber Co. Ltd.
1741. Nil.						
*1742. Mats, I.R., Fluted	"	25	..	each	1 7 6	The Dunlop Rubber Co. of Australasia Ltd.
1743. Nil.						
*1744. Stops, Door, I.R.	"	10 doz.	..	dozen	0 0 9	Barnet Glass Rubber Co. Ltd.
*1745. Tips, Fingers, I.R.	"	400 "	..	do.	0 0 6	
*1746. Tips, Chair, I.R.	"	5 "	..	do.	0 1 0	The Dunlop Rubber Co. of Australasia Ltd.
*1747. Tubing, I.R., $\frac{1}{8}$ " diameter	"	500 ft.	..	foot	0 0 1 $\frac{1}{2}$	
*1748. Tubing, I.R., $\frac{3}{8}$ " diameter	"	100 "	..	do.	0 0 3 $\frac{1}{2}$	
*1749. Washers—For Gauge Glasses, flat or round, as ordered, any sizes ordered	"	10 gross	..	gross	0 6 6	Barnet Glass Rubber Co. Ltd.
*1750. Washers—With Insertion, any sizes ordered	"	25 "	..	do.	0 10 0	The Dunlop Rubber Co. of Australasia Ltd.
*1751. Washers—For Royle's Unions, any sizes ordered	"	5 doz.	..	dozen	0 1 3	
I.R. HOSE.						
<i>The sample submitted by the Tenderer for Item 1760 shall be deemed to be a sample as regards shape and quality only.</i>						
Hose—India-rubber, Vulcanized—						
1752. Nil.						
†1753. 3-ply, $\frac{3}{4}$ " diameter, ordinary quality	Aust.	1,500 feet	..	foot	0 0 7	Barnet Glass Rubber Co. Ltd.
1754. Nil.						
†1755. 3-ply, 1" diameter, ordinary quality	"	300 "	..	do.	0 0 8 $\frac{3}{4}$	The Dunlop Rubber Co. of Australasia Ltd.
1756. Nil.						
*1757. 5-ply, $\frac{1}{2}$ " diameter	"	2,500 "	..	do.	0 0 11 $\frac{1}{4}$	Barnet Glass Rubber Co. Ltd.
†1758. 4-ply, 2" diameter	"	1,000 "	..	do.	0 1 1	
†1759. 4-ply, 2 $\frac{1}{4}$ " diameter	"	1,000 "	..	do.	0 2 4	

Item No. and Description.	Country of Manufacture.	Estimated Requirements for One Year.	Contract Quantity.	Rate per—	Rate. £ s. d.	Name of Contractor.
I.R. HOSE—continued.						
†1760. 4-ply, 2" diameter, Armoured, in any lengths, as ordered	Aust.	1,500 feet	..	foot	0 2 4½	The Dunlop Rubber Co. of Australasia Ltd. Barnet Glass Rubber Co. Ltd.
*1761. 5-ply, ¾" diameter, Steam, Marline ..	"	60 "	..	do.	0 2 3½	
1762. Nil.	"	
*1763. 4-ply, 2", special quality, in 40-ft. lengths 1764. Nil.	"	4 lengths	..	length	3 16 8	
PACKING.						
<i>The samples exhibited by the Corporation for Items 1769 and 1771 are samples as regards quality only.</i>						
<i>The samples submitted by the Tenderer for Items 1767 and 1768 shall be deemed to be samples as regards quality only. Supplies under Items 1769 and 1770 will be given from stock in Melbourne.</i>						
1765-1766. Nil.						
†1767. Packing—Square, any sizes ordered ..	Aust.	150 cwt.	..	cwt.	6 8 8	The Dunlop Rubber Co. of Australasia Ltd.
†1768. Packing—Round, ¾" or ½", as ordered ..	"	1 "	..	do.	11 4 0	
*1769. Packing—Asbestos, any sizes ordered ..	"	100 lbs.	..	lb.	0 3 9	Barnet Glass Rubber Co. Ltd.
*1770. Packing—Asbestos, Cord	Gt. Brit.	150 "	..	do.	0 3 9	
*1771. Packing—Asbestos, Millboard, any thicknesses ordered	"	2,500 "	..	do.	0 0 6½	Bell's Asbestos Australian Agency Ltd.
†1772. "Jointite," up to ½" thick, as ordered, "Turner Bros."	"	1,500 "	..	do.	0 3 0	
1773. Nil.						
OILS, VARIOUS.						
<i>The Kerosene to be supplied under Item No. 1775 shall be of the very best quality, and of the class known as 300 degrees High Test Kerosene, and shall have a specific gravity of .8224, and must not flash at a heat of less than 256 degrees Fahr. when subjected to Abel's Close Flash Test.</i>						
<i>Supplies under Item 1774 are subject to Contractor having necessary stocks available.</i>						

Item No. and Description.	Country of Manufacture.	Estimated Requirements for One Year.	Contract Quantity.	Rate per—	Rate.	Name of Contractor.
					£ s. d.	
OILS, VARIOUS—continued.						
<i>As regards Item 1775, the rate tendered includes 30 dollars per ton measurement for Sea Freight, and in the event of the rates actually paid for Sea Freight on the most favorable terms obtainable differing from 30 dollars per ton the Contract rates will be adjusted accordingly. The Department is to also pay the Contractor the amounts involved for War Risk Insurance and Marine Insurance, provided same were arranged on the most favorable terms obtainable. The Contractor to produce evidence satisfactory to the Chief Storekeeper of the rates actually paid for Sea Freight, War Risk Insurance, and Marine Insurance.</i>						
<i>Items 1786, 1789, and 1790.—The Oil supplied under these items will be paid for on the following bases:—</i>						
<i>Voco. Power Kerosene—At 3d. per case below the wholesale price ruling on the date of delivery.</i>						
<i>Laurel Kerosene—Distributor's price ruling on the date of delivery.</i>						
<i>The rates to be paid will be ascertained from the Commonwealth Government Gazette, which contains the price fixings of the Chief Prices Commissioner. The Contractor shall not be under obligation to supply a quantity greater than 50,000 gallons under Item 1786, or 20,000 gallons under Item 1789, or 500 gallons under Item 1790.</i>						
†1774. Oil—Castor, in half-cases	Aust.	..	3,000	gallon of 9 lbs. 9 ozs. avoird.	0 7 4	Lycett Pty. Ltd.
1775. Oil—Kerosene, 300° high test, in cases, M.1103	U.S.A.	18,000 gals.	..	gallon of 8-25 lbs. avoird.	0 2 2	}
1776-1777. Nil.						
†1778. Oil—Compound Neatsfoot, "A," in barrels	U.S.A. and Aust.	4,000 "	..	gallon of 9 lbs. avoird.	0 3 3	} Vacuum Oil Co. Pty. Ltd.
1779. Nil.						
†1780. Oil—For Signal Apparatus, P. 931, in barrels	U.S.A.	500 "	..	do.	0 3 1	}
1781. Nil.						
†1782. Oil—For Gas Engines, "Gargoyle" No. 1	U.S.A. and Aust.	400 "	..	Imp. gal.	0 3 10	}
†1783. Oil—Cylinder, for air-cooled Petrol Engines, XL Motor Oil "B"				do.	0 4 9	
†1784. Oil—Cylinder, for water-cooled Petrol Engines, "Gargoyle" Mobil Oil "A," in barrels	U.S.A.	800 "	..	do.	0 5 0	}
1785. Nil.						
†1786. Oil—Petroleum, for Engine Cleaning, "Voco Power" and/or "Laurel"	"	30,000 "	..	do.	See note	}
1787. Nil.						
†1788. Oil—For Oil Engine Cylinder, "Gargoyle" B, in barrels	U.S.A. and Aust.	500 "	..	do.	0 4 0	} Vacuum Oil Co. Pty. Ltd.
†1789. Oil—Fuel for Coulson Oil Engines, "Voco Power" and/or "Laurel"	U.S.A.	10,000 "	..	do.	See note	
†1790. Oil—Fuel for other Types of Oil Engines, "Voco Power" and/or "Laurel"	"	200 "	..	do.	See note	}
†1790A. Oil—Superheater Cylinder, "Gargoyle," Extra "Hecla"	U.S.A. and Aust.	5,000 "	..	do.	0 4 6½	

Item No. and Description.	Country of Manufacture.	Estimated Requirements for One Year.	Contract Quantity.	Rate per	Rate.	Name of Contractor.
					£ s. d.	
COLOURS, ETC.						
<i>The samples submitted by the Tenderer for Items 1810, 1817, 1819, 1820, 1832, and 1844 shall be deemed to be samples as regards quality only.</i>						
<i>Supplies under Item No. 1818 shall be to the satisfaction of the Chief Storekeeper as regards quality.</i>						
<i>The samples submitted by the Tenderers will be subject to analysis and test, and the successful Tenderer or Tenderers will require to supply any of such items ordered in strict accordance with the samples submitted, particulars of which will be embodied in the Contract Specification.</i>						
†1791. Black—Drop, dry	Gt. Brit.	400 lbs.	..	cwt.	3 0 0	J. Danks and Son Pty. Ltd.
1792. Nil.						
†1793. Black—Drop, in size, 7-lb. tins	Aust.	300 "	..	lb.	0 2 0	E. L. Yencken and Coy. Pty. Ltd.
†1794. Black—Lamp, dry	Gt. Brit.	56 "	..	do.	0 0 4½	J. Danks and Son Pty. Ltd.
†1795. Black—In oil	Aust.	50 cwt.	..	cwt.	2 16 0	S. Smith and Coy.
†1796. Black—Vegetable	"	50 "	..	do.	5 12 0	
1797-1805. Nil.						
†1806. Brown—Vandyke, in oil	Gt. Brit.	50 lbs.	..	lb.	0 0 8	J. Danks and Son Pty. Ltd.
1807-1809. Nil.						
†1810. Chrome—Dry, any shades ordered	"	100 "	..	do.	0 1 8	J. Danks and Son Pty. Ltd.
†1811. Chrome—In oil	Aust.	100 "	..	do.	0 2 6	The Victoria Varnish Co. Pty. Ltd.
†1812. Crimson Lake—Dry	"	40 "	..	do.	0 10 0	
†1813. Crimson Lake—In oil	"	50 "	..	do.	0 10 6	
1814-1816. Nil.						
†1817. Green—Bronze or Quaker, dry, any shades ordered	"	100 "	..	do.	0 0 6½	The Victoria Varnish Co. Pty. Ltd.
1818. Green—Bronze or Quaker, in oil, any shades ordered	"	50 "	..	do.	0 0 7½	
†1819. Green—Brunswick, dry, any shades ordered, in 1-cwt. packages	"	20 cwt.	..	cwt.	2 15 0	
†1820. Green—Brunswick, dry, any shades ordered, in 14-lb. and 28-lb. packages, as ordered	"		..	do.	2 19 0	
1821-1831. Nil.						
†1832. Ochre—Dry, any shades ordered—"A" quality	"	100 lbs.	..	lb.	0 0 6	S. Smith and Coy.
†1833. Oxide—Red, in oil	"	10 cwt.	..	cwt.	2 15 0	
1834-1838. Nil.						
†1839. Sienna—Burnt, dry	"	28 lbs.	..	lb.	0 0 7	The Victoria Varnish Co. Pty. Ltd.
1840-1842. Nil.						
†1843. Sienna—Raw, in oil, in 1-cwt. packages	"	5 cwt.	..	cwt.	2 16 0	
†1844. Sienna—Raw, in oil, in 14-lb. and 28-lb. packages, as ordered	"		..	do.	3 0 0	
†1845. Sienna—Raw, in pulp	"	10 lbs.	..	lb.	0 0 6	The Carngham Whiting and Kaolin Pty. Ltd.
1846-1849. Nil.						
†1850. Whiting, delivered into trucks at Linton Railway Station	30 cwt.	..	cwt.	0 3 6	
1851-1958. Nil.						

Item No. and Description.	Country of Manufacture.	Estimated Requirements for One Year.	Contract Quantity.	Rate per	Rate. £ s. d.	Name of Contractor.
VARNISH.						
<p><i>The Varnishes supplied shall be as clear as, and not darker than, and equal in every respect, including body, covering properties, gloss, finish, and durability, to the samples.</i></p>						
<p><i>Specifications for Oil Varnishes—</i></p>						
<p><i>Item No. 1959. Wearing Body.—To be made exclusively from the best grades of hard varnish resins, pure linseed oil, pure turpentine, and contain the minimum amount of driers necessary to insure the proper drying of the varnish; it must dry hard in not less than 48 hours. To be absolutely free from all adulterants, and must not contain rosin or any turpentine substitutes, and must not flash below 105 degrees F. (open test).</i></p>						
<p><i>Item No. 1960. Carriage Varnish—Extra Hard Drying.—To be made from the best grades of hard varnish resins, pure linseed oil, pure turpentine, and lead manganese driers, and be free from all adulterants, rosin, or turpentine substitutes. When flowed over glass it must set to touch in from six to twelve hours, and dry hard in from eighteen to twenty-four hours at a temperature of 70 degrees F.; and must not flash below 105 degrees F. (open test).</i></p>						
<p><i>Item No. 1961. Copal—Fine Pale.—To be made from the best grades of hard varnish resins, pure linseed oil, pure turpentine, and lead manganese driers, and be free from all adulterants, rosin, or turpentine substitutes. When flowed over glass it must set to touch in from six to eight hours, and must dry hard within 24 hours, at a temperature of 70 degrees F., and must not flash below 105 degrees F. (open test).</i></p>						
<p><i>Item No. 1963. Best Japan Gold Size.—To be made from hard varnish resins, pure linseed oil, pure turpentine, red lead, litharge, and white copperas or manganese driers, and must dry in from fifteen to twenty minutes, and must not flash below 105 degrees F. (open test).</i></p>						
<p><i>Item No. 1966. Terebine—Liquid Japan Drier.—To be made from pure resin, pure linseed oil, pure turpentine and lead manganese driers. To be free from all adulterants, sediment or suspended matter, and must be light in colour. When flowed over a glass plate and allowed to drain in a vertical position for not more than 60 minutes, the material must not come off on being touched lightly with the finger, and it must dry elastic in not less than eight hours nor more than twenty-four hours at a temperature of 70 degrees F.</i></p>						
<p><i>Specifications for Spirit Varnishes—</i></p>						
<p><i>Items Nos. 1968 and 1969. Spirit Varnish—White and Brown.—To be methylated spirit, hard gum varnish, free from resin. To be digested cold and well settled, the methylated spirit to be at least 65 O.P.</i></p>						
<p><i>Item No. 1971. French Polish.—To consist of pure orange shellac and 64 O.P. methylated spirits.</i></p>						
<p><i>Item No. 1972. French Polish—White.—To consist of finest bleached shellac and 64 O.P. methylated spirits.</i></p>						

Item No. and Description.	Country of Manufacture.	Estimated Requirements for One Year.	Contract Quantity.	Rate per—	Rate.	Name of Contractor.
					£ s. d.	
VARNISH—continued.						
<i>The Stores referred to in this Schedule (if tendered of Australian manufacture or production) shall be wholly manufactured or produced at the factory or works of the Contractor within the Commonwealth of Australia. No subletting will be allowed.</i>						
Varnish, in $\frac{1}{2}$ -gallon or 1-gallon Tins, as ordered—						
†1959. Wearing Body	Aust.	1,250 gals.	..	gallon	0 13 0	} The Victoria Varnish Co. Pty. Ltd. S. Smith and Coy.
†1960. Carriage, Extra Hard Drying	3,000 "	..	do.	0 11 6	
†1961. Copal, Fine Pale	200 "	..	do.	0 9 6	
1962. Nil.						
†1963. Best Japan, Gold Size	750 "	..	do.	0 10 6	} The Victoria Varnish Co. Pty. Ltd.
1964-1965. Nil.						
†1966. Terebine (free from Rosin)	1,500 "	..	do.	0 8 6	} S. Smith and Coy.
1967. Nil.						
†1968. Spirit Varnish, White (free from Rosin)	..	50 "	..	do.	0 6 6	} The Victoria Varnish Co. Pty. Ltd.
†1969. Spirit Varnish, Brown (free from Rosin)	..	2 "	..	do.	0 6 6	
1970. Nil.						
†1971. French Polish	150 "	..	do.	0 10 9	
†1972. French Polish, White	50 "	..	do.	0 13 6	
1973-1982. Nil.						
ROSIN.						
<i>Payment to be made on basis of gross weights, nett cash. To be ordered in lots of at least 3 casks, subject to arrival of goods from U.S.A.</i>						
1983. Nil						
†1984. Rosin—Common	U.S.A.	..	5 tons	ton	29 15 0	} James Hardie & Co. Pty. Ltd.
1985-2119. Nil.						
STRINGY BARK.						
<i>The Contractor shall in respect of each delivery of the timber give to the Chief Storekeeper reasonable notice, so that inspection of the timber may be arranged for.</i>						
<i>The timber other than that required for use at Newport will be inspected at Spencer-street railway station after it shall have been properly delivered, as provided for in Clause 8 of the annexed Conditions of Contract, and will be liable to rejection at such railway station in manner provided in Clause 12 of the said Conditions of Contract. No timber required for use at Newport will be inspected until it shall have been received at Newport, and it will then be liable to rejection at Newport in manner provided in Clause 12 of the said Conditions of Contract. Notwithstanding anything to the contrary contained in the said Clause 12, the Contractor will not be required in respect of any timber so rejected at Newport to pay carriage on the same to Newport from the railway station at which such timber so rejected shall have been delivered as aforesaid. In the event of the Contractor requiring such rejected timber to be carried by rail from Newport to the railway station at which the same was delivered as aforesaid or to any other railway station or siding, full railway freight will be charged therefor.</i>						

Item No. and Description.	Country of Manufacture.	Estimated Requirements for One Year.	Contract Quantity.	Rate per—	Rate.	Name of Contractor.
					£ s. d.	
STRINGY BARK—continued.						
<p><i>The timber shall be supplied in such lengths as may be ordered, and must be of the first quality, thoroughly seasoned, free from knots, shakes, heart, sap, and all other imperfections, thoroughly sound, and close grained or free, as may be required.</i></p> <p><i>Timber supplied for use at the Newport Locomotive Workshops shall be delivered in such exact lengths as may be ordered, or in such lengths as will cut thereto without waste.</i></p> <p><i>Timber supplied for use elsewhere than at the Newport Locomotive Workshops, if ordered for stock, will, subject to the Conditions of Contract, be accepted in lengths approximate to those ordered, and, if ordered for use on any particular work, then, in the event of any lengths longer than those ordered being delivered and accepted, only the actual lengths as ordered will be paid for, and, in the event of any lengths shorter than those ordered being delivered, they will only be accepted if such shorter lengths are suitable for the particular work, such shorter lengths to be then paid for on the basis of their lengths excluding fractions of a foot.</i></p> <p><i>Unless the timber be ordered in lengths involving some fraction of a foot, no fraction of a foot in length will be paid for.</i></p> <p><i>The Contractor shall have a responsible agent in Melbourne to represent him in all matters connected with this Contract. At all times during the currency of this Contract the Contractor shall keep the Chief Storekeeper advised as to the name and address of the said responsible agent for the time being.</i></p> <p><i>Each board supplied shall bear the stamp of the sawmill at which it is sawn.</i></p> <p><i>The Contractor will not be required to load the timber into railway trucks.</i></p> <p><i>Brands of timber to be supplied under items 2120 to 2122 are "Crown," "Standard," and "Tamar."</i></p>						
†2120. Stringy Bark, 3½" x ½", T. and G. dressed and V jointed	Aust.	100,000 ^{ft.} run	..	100 ft. run	0 9 4½	V. B. Trapp and Coy.
†2121. Stringy Bark, 4½" x 7⁄8", T. and G. dressed	75,000 "	..	do.	0 13 6	
†2122. Stringy Bark, Weatherboard, 6½", finished out of 7".	150,000 "	..	do.	0 15 0	
2123-2157. Nil.						
LIME.						
<p><i>The Lime is to be fresh and properly burnt, and of approved quality, and delivered in standard bags, and such bags (subject to such collar as shall be necessary to admit of the mouth of any bag being properly and securely tied) shall be filled to their full capacity.</i></p> <p><i>The Stores referred to in this Schedule (if tendered of Australian manufacture or production) shall be wholly manufactured or produced at the factory or works of the Contractor within the Commonwealth of Australia. No subletting will be allowed.</i></p>						
2158. Lime, "Lara," in standard bags, delivered into trucks at Lara Railway Station	Aust.	2,000 bags	..	bag	0 2 3	Edeson and Utting
2159. Nil.						

Item No. and Description.	Country of Manufacture.	Estimated Requirements for One Year.	Contract Quantity.	Rate per—	Rate.	Name of Contractor.	
					£ s. d.		
PLASTER OF PARIS AND HAIR.							
2160. Plaster of Paris, in bags of 150 lbs. ..	Aust.	75 bags	..	bag	0 10 3	John Sharp and Sons Ltd. W. and G. Dean Pty. Ltd.	
2161. Hair—Plasterers'	"	20 cwt.	..	cwt.	0 13 9		
2162-2164. Nil.							
VITRIFIED STONEWARE DRAIN PIPES, ETC.							
<p><i>The Drain Pipes, &c., shall be delivered, properly loaded and stacked in railway trucks by and at the cost of the Contractor, at South Brunswick Railway Station, and be consigned thence as ordered.</i></p> <p><i>The pipes shall be of salt glazed vitrified stoneware; they shall be made of plastic clay, thoroughly worked, containing a large proportion of silica, but free of limestone or lime. Each pipe shall be of uniform and suitable composition, and shall ring with a well-defined sound when struck with a wooden mallet. The pipes shall be well burnt completely vitrified, and free from splits, cracks, inequalities, and all other defects, and shall be uniformly and thoroughly glazed over the whole of the inside and outside with salt glaze. All pipes, bends, and junctions shall be made to the exact forms, angles, and dimensions ordered. The pipes shall have their spigot and socket ends accurately formed at right angles to the direction of the bore, which shall be of uniform circular section throughout. All straight pipes and junctions shall measure 24 inches net from the bottom of the socket to the end of the spigot, unless otherwise ordered, and all bends shall measure 24 inches along the circumference of the central radius unless otherwise ordered. All pipes may be tested by the Chief Storekeeper in such manner as he may think proper, and any pipes which fail to pass any such test will be rejected. Items marked (M) will require to be tested by the Melbourne and Metropolitan Board of Works, and must bear that Board's test mark before delivery.</i></p> <p><i>The Stores referred to in this Schedule (if tendered of Australian manufacture or production) shall be wholly manufactured or produced at the factory or works of the Contractor within the Commonwealth of Australia. No subletting will be allowed.</i></p>							
Drain Pipes—Salt Glazed, Vitrified.							
2165. 3"	Aust.	500 ft.	..	foot	0 0 4 $\frac{3}{4}$	The Hoffman Brick and Potteries Ltd.	
2166. 4"	"	6,000 "	..	do.	0 0 4 $\frac{3}{4}$		
2167. (M) 4"	"	6,000 "	..	do.	0 0 6 $\frac{1}{2}$		
2168. 6"	"	1,000 "	..	do.	0 0 7 $\frac{1}{2}$		
2169. (M) 6"	"	1,000 "	..	do.	0 1 0		
2170. 9"	"	6,000 "	..	do.	0 0 8		
2171. 12"	"	1,000 "	..	do.	0 1 5 $\frac{1}{2}$		
2172. 15"	"	100 "	..	do.	0 2 3		
2173-2174. Nil.							
Bends—							
2175. 3"	"	50 "	..	do.	0 1 0		
2176. 4"	"	100 "	..	do.	0 1 0		
2177. (M) 4"	"	100 "	..	do.	0 1 4		
2178. 6"	"	200 "	..	do.	0 1 6 $\frac{3}{4}$		
2179. (M) 6"	"	100 "	..	do.	0 2 6		
2180. 9"	"	50 "	..	do.	0 1 8		
2181. 12"	"	25 "	..	do.	0 4 0		
Elbows—							
2182. 4"	"	50 "	..	do.	0 1 0		
2183. 6"	"	50 "	..	do.	0 1 6 $\frac{3}{4}$		

Item No. and Description.	Country of Manufacture.	Estimated Requirements for One Year.	Contract Quantity.	Rate per --	Rate.	Name of Contractor.	
					£ s. d.		
DRAIN PIPES, ETC.—continued.							
Single Junctions, right angled and oblique, 45° or 60°, as ordered—							
2184. 3" x 3"	Aust.	50 ft.	..	foot.	0 1 0	The Hoffman Brick and Pot- teries Ltd.	
2185. 4" x 4"	"	300 "	..	do.	0 1 0		
2186. (M) 4" x 4"	"	300 "	..	do.	0 1 4		
2187. 6" x 4"	"	50 "	..	do.	0 1 6½		
2188. (M) 6" x 4"	"	50 "	..	do.	0 2 6		
2189. 6" x 6"	"	50 "	..	do.	0 1 6½		
2190. (M) 6" x 6"	"	50 "	..	do.	0 2 6		
2191. 9" x 4" or 9" x 6", as ordered	"	150 "	..	do.	0 1 8		
2192. 12" x 4" to 12" x 9", as ordered	"	20 "	..	do.	0 5 0		
2193. 15" x 6" to 15" x 12", as ordered	"	15 "	..	do.	0 5 7		
2194. 18" x 9" or 18" x 12", as ordered	"	15 "	..	do.	0 8 9		
2195. 24" x 9" or 24" x 12", as ordered	"	10 "	..	do.	1 5 0		
Double Junctions, right angled and oblique, 45° or 60°, as ordered, and Reducing Pieces—							
2196. 4" x 4"	"	50 "	..	do.	0 1 4½		
2197. 6" x 4"	"	50 "	..	do.	0 2 2		
2198. 9" x 4" or 9" x 6", as ordered	"	10 "	..	do.	0 3 0		
2199. 12" x 4" to 12" x 9", as ordered	"	10 "	..	do.	0 6 0		
2200. Bricks, Gutter, 4"	"	6,000	..	each	0 0 5		
2201. Discs, 4"	"	150	..	do.	0 0 5½		
2202. Discs, 6"	"	50	..	do.	0 0 5		
2203. (M) Tops, Gully	"	60	..	do.	0 5 10		
2204. (M) Traps, Boundary, 4"	"	60	..	do.	0 5 10		
2205. (M) Traps, Boundary, 6"	"	10	..	do.	0 14 6		
2206. (M) Traps, Disconnector, No. 23	"	100	..	do.	0 4 6		
2207. (M) Traps, Gully, No. 24	"	100	..	do.	0 6 3		

CEMENT CONCRETE DRAIN PIPES.

The Drain Pipes under items 2166a to 2169a and 2173a shall be delivered, properly loaded and sticked in railway trucks by and at the cost of the Contractor, at Newmarket or West Footscray Railway Stations, and be consigned thence as ordered.

The Drain Pipes under items 2170a to 2172a and 2174a shall be delivered, properly loaded and sticked in railway trucks by and at the cost of the Contractor, at Graham Railway Station, and be consigned thence as ordered.

The Pipes shall be made of Cement Concrete, consisting of best approved materials mixed in approved proportion. All pipes shall be made to the exact forms and dimensions ordered. The Pipes shall be exactly cylindrical, and the ends truly planed at right angles to the bore. The ends of both straight pipes shall fit into the sockets of stoneware pipes of equal internal diameter, and shall allow of sufficient annular space for the jointing materials. All straight pipes are to measure 36 inches net from the bottom of the socket to the end of the spigot. The Pipes shall be free from splits, cracks, blisters, and all other defects, and the whole of the outside and inside must be even and smooth. Each Pipe shall be distinctly and permanently branded on the outside with the manufacturer's name, brand, and date of manufacture. All Pipes may be tested by the Chief Storekeeper in such manner

Item No. and Description.	Country of Manufacture.	Estimated Requirements for One Year.	Contract Quantity.	Rate per	Rate.	Name of Contractor.				
					£ s. d.					
CEMENT CONCRETE DRAIN PIPES—										
<i>continued.</i>										
<p><i>as he may think proper, and any Pipes which fail to pass any such test will be rejected. Items marked (M) will require to be tested by the Melbourne and Metropolitan Board of Works, and must bear that Board's test mark before delivery.</i></p> <p><i>The Stores referred to in this Schedule (if tendered of Australian manufacture or production) shall be wholly manufactured or produced at the factory or works of the Contractor within the Commonwealth of Australia. No subletting will be allowed.</i></p>										
Drain Pipes—Cement Concrete—										
		Thickness of Pipe.								
2166A.	4"	3"	Aust.	6,000 ft.	foot	0 0 4 $\frac{3}{4}$	} Hume Bros. } Cement Iron Co. } Ltd. } Concrete Con- } structions Pty. } Ltd. } Hume Bros. } Cement Iron Co. } Ltd. } Concrete Construc- } tions Pty. Ltd.
2167A. (M)	4"	3"	"	6,000 "	do.	0 0 6	
2168A.	6"	7 $\frac{3}{8}$ "	"	1,000 "	do.	0 0 7 $\frac{1}{2}$	
2169A. (M)	6"	7 $\frac{3}{8}$ "	"	1,000 "	do.	0 0 8 $\frac{1}{2}$	
2170A.	9"	1"	"	6,000 "	do.	0 0 9 $\frac{1}{2}$	
2171A.	12"	1 $\frac{1}{8}$ "	"	1,000 "	do.	0 1 3	
2172A.	15"	1 $\frac{1}{4}$ "	"	100 "	do.	0 1 9	
2173A.	18"	1 $\frac{1}{2}$ "	"	100 "	do.	0 2 5	
2174A.	24"	1 $\frac{5}{8}$ "	"	25 "	do.	0 3 10	
"HUME" PIPES AND REINFORCED CEMENT CONCRETE PIPES.										
<p><i>The pipes supplied under Items 2218 and 2219 shall be delivered, properly loaded and stacked by and at the cost of the Contractor, at Graham Railway Station, and the pipes supplied under Items 2234A and 2234D to 2234I shall be delivered, properly loaded and stacked by and at the cost of the Contractor, at Newmarket Railway Station.</i></p> <p><i>The Stores referred to in this Schedule (if tendered of Australian manufacture or production) shall be wholly manufactured or produced at the factory or works of the Contractor within the Commonwealth of Australia. No subletting will be allowed.</i></p> <p><i>All pipes to standard designs, unless specially ordered to be of greater strength, shall be guaranteed to support without permanent deformation a central concentrated load of 3,500 lbs. on the crown when the pipe is resting upon two balks 18 inches apart but otherwise unsupported; the loading to be applied through the medium of a block of wood measuring 6 inches x 6 inches—a piece of sheet lead being interposed between the wood and the crown of the pipe. When ordered of greater strength than provided for above the pipes shall be supplied of such greater strength as may be ordered to the satisfaction in every respect of the Chief Storekeeper.</i></p> <p><i>Each pipe must immediately after manufacture have the maker's initials and date of manufacture placed on the exterior surfaces of the pipes, and no pipes shall be accepted unless the dates on them show, and the Contractor guarantees, that such pipes are at least two months old.</i></p>										

Item No. and Description.	Country of Manufacture.	Estimated Requirements for One Year.	Contract Quantity.	Rate per —	Rate.	Name of Contractor.
					£ s. d.	
"HUME" PIPES AND REINFORCED CEMENT CONCRETE PIPES—continued.						
REINFORCED CEMENT CONCRETE PIPES. Items 2218 and 2219.						
<p>(a) All pipes shall be uniform in similar diameters and shall be of good workmanship and finish.</p> <p>(b) All pipes of 15 inches diameter or over shall be provided with a flat seat for bedding.</p> <p>(c) All pipes shall be manufactured from sand of approved quality, bluestone screenings and toppings, and Portland cement of approved brand and of a quality which will pass the test of the Railway Department; the proportion to be not more than four parts of aggregate to one part of cement.</p> <p>(d) All pipes shall be reinforced with a continuous bright steel wire spirally embedded around the barrel of the pipe. The wires shall vary from No. 16 to No. 8 gauge and shall be spaced from $\frac{1}{2}$ inch to 2 inches pitch in accordance with the diameter of the pipe.</p>						
"HUME" PIPES (REINFORCED CONCRETE).						
Items 2234A, 2234D to 2234I.						
<p>(a) All pipes shall be uniform in similar diameters and shall be of good workmanship and finish.</p> <p>(b) All pipes to be six (6) feet long.</p> <p>(c) All pipes shall be manufactured of sand and crushed bluestone and Portland cement of an approved brand and of a quality which shall pass the test of the Railway Department. The proportions to be :— 3 Bluestone. 1 Sand. 1 Cement.</p> <p>(d) All pipes shall be reinforced on a basis of 5 per cent. according to the diameter of the pipe. Wire in the reinforcement varying from 12 gauge up to 6 gauge, including twelve longitudinal straight wires; spiral winds varying from 3" to 1" according to diameter of pipe.</p>						
2208-2217. Nil.						
Pipes—Reinforced Cement Concrete—						
2218. 12" diameter, 4 ft. long	Aust.	400 ft.	..	foot	0 1 8	Concrete Construction Pty. Ltd.
2219. 15" diameter " "	"	500 "	..	do.	0 2 5	
2220-2234. Nil.						
Pipes—"Hume" Reinforced Concrete, 6 ft. long—						
2234A. 9" diameter	"	500 "	..	do.	0 1 1	Hume Bros. Cement Iron Co. Ltd.
2234B-2234C. Nil.						
2234D. 18" diameter	"	1,000 "	..	do.	0 3 0	Hume Bros. Cement Iron Co. Ltd.
2234E. 21" diameter	"	200 "	..	do.	0 4 0	
2234F. 24" diameter	"	500 "	..	do.	0 4 9	
2234G. 27" diameter	"	150 "	..	do.	0 5 9	
2234H. 30" diameter	"	200 "	..	do.	0 6 6	
2234I. 36" diameter	"	200 "	..	do.	0 8 9	

Item No. and Description.	Country of Manufacture.	Estimated Requirements for One Year.	Contract Quantity.	Rate per	Rate.	Name of Contractor.
					£ s. d.	
PANS AND URINALS.						
<i>The Urinals will require to be properly loaded and stacked into railway trucks at the South Brunswick Railway Station by and at the cost of the Contractor.</i>						
<i>The Stores referred to in this Schedule (if tendered of Australian manufacture or production) shall be wholly manufactured or produced at the factory or works of the Contractor within the Commonwealth of Australia. No subletting will be allowed.</i>						
*2235. Pans, Closet, Glazedware, for Cars ..	Aust.	25	..	each	1 12 6	The Hoffman Brick and Potteries Ltd.
Urinals—						
*2236. Angle, Medium, White	"	10	..	do.	0 17 6	
*2237. Angle, Brown	"	20	..	do.	0 7 6	
FIRE BRICKS, ETC.						
<i>The Fire Bricks and Lumps must be carefully loaded into trucks, and be properly packed with straw, so as to prevent damage in transit, failing which the Contractor will be held responsible and liable for any loss or damage which, in the judgment of the Chief Storekeeper, shall arise or occur owing to the Contractor's failure to so load and pack the Stores.</i>						
<i>All Fire Bricks and Fire Lumps shall bear the manufacturer's name or brand.</i>						
<i>Delivery in trucks will be given as follows:—</i>						
<i>Items 2238 to 2243, 2246, and 2248—Dandenong. Item 2244—Pakenham. Item 2247—South Brunswick.</i>						
<i>Bricks, Fire, Locomotive—</i>						
†2238. Ordinary Small, to Item No. 1 of Litho. ..	Aust.	12,500	..	100	0 7 0	W. P. Ordish
†2239. Side Carrier, to Item No. 2 of Litho. ..	"	1,500	..	do.	1 1 0	
†2240. Front Centre, to Item No. 3 of Litho. ..	"	2,500	..	do.	1 3 0	
†2241. Bricks—Fire, ordinary	"	40,000	..	do.	0 8 0	
*2242. Bricks—Fire, Segment	"	5,000	..	do.	0 12 0	
†2243. Bricks—Fire, to any other sizes and templates ordered	"	10,000	..	do.	0 8 0	
†2244. Clay—Fire	"	720 cwt.	..	cwt.	0 1 3	Pakenham Fire Brick, Pipe, and Tile Coy.
2245. Nil.						
†2246. Lumps—Fire, 12" x 6" x 36"	"	50	..	do.	0 5 6	W. P. Ordish
†2247. Lumps—Fire, any sizes other than 12" x 6" x 36", and any patterns ordered	"	25	..	do.	0 8 0	The Hoffman Brick and Potteries Ltd.
*2248. Pedestals—Fire Lump	"	1,000	..	100	1 5 0	W. P. Ordish

Item No. and Description.	Country of Manufacture.	Estimated Requirements for One Year.	Contract Quantity.	Rate per—	Rate.	Name of Contractor.
					£ s. d.	
BUILDING SAND.						
<i>The Stores referred to in this Schedule shall be wholly produced within the Commonwealth of Australia. No subletting will be allowed.</i>						
<i>The sand shall be clean and free from foreign matter, and shall be delivered properly loaded into railway trucks at the station named and consigned as ordered. The proper loading of the sand into railway trucks shall include so lining the trucks with paper as to prevent the sand escaping, and the Contractor will be liable for any loss of sand arising, in the judgment of the Chief Storekeeper, from the Contractor's failure or neglect to so line the trucks, and the amount of such loss as assessed by the Chief Storekeeper shall from time to time be borne by the Contractor, and may be deducted from any moneys due to him by the Corporation.</i>						
†2249. Sand—Fine, delivered into trucks at Hargreaves Siding	Aust.	4,000 c.yds.	..	cub. yd.	0 3 3	Hargreaves & Coy.
†2249A. Sand—Fine, delivered into trucks at Lal Lal Railway Station					0 3 6	H. E. Parker
†2250. Sand—Coarse, delivered into trucks at Hargreaves Siding					0 3 3	Hargreaves & Coy.
†2250A. Sand—Coarse, delivered into trucks at Lal Lal Railway Station					0 3 6	H. E. Parker
†2251. Sand—Medium, delivered into trucks at Hargreaves Siding					0 3 3	Hargreaves & Coy.
†2251A. Sand—Medium, delivered into trucks at Lal Lal Railway Station					0 3 6	H. E. Parker.
SAND FOR LOCOMOTIVES.						
<i>The Stores referred to in this Schedule shall be wholly produced within the Commonwealth of Australia. No subletting will be allowed.</i>						
<i>The Sand must be delivered properly loaded into railway trucks at the station named and consigned as ordered. The proper loading of the sand into railway trucks shall include lining the trucks with paper so as to prevent the sand escaping, and the Contractor will be liable for any loss of sand arising, in the judgment of the Chief Storekeeper, from the Contractor's failure or neglect to so line the trucks, and the amount of such loss as assessed by the Chief Storekeeper shall from time to time be borne by the Contractor, and may be deducted from any moneys due to him by the Corporation. Inspection and measurement will be made at the railway station to which the sand is consigned.</i>						
†2252. Sand—For Locomotives, delivered into trucks at Seaford Railway Station	Aust. }	1,000 c.yds.	..	cub. yd.	0 2 9	R. W. McCulloch
†2252A. Sand—For Locomotives, delivered into trucks at Lal Lal Railway Station					" }	"
2253. Nil.						
FOUNDRY SUNDRIES.						
†2254. Blacking, Moulders'	Aust.	100 cwt.	..	cwt.	0 6 3	} Proud Bros.
†2255. Plumbago, Fine					0 19 6	
†2256. Plumbago, Coarse					0 16 0	
†2257. Wash, Core					0 6 3	
2258—2260. Nil.						

Item No. and Description.	Country of Manufacture.	Estimated Requirements for One Year.	Contract Quantity.	Rate per—	Rate. £ s. d.	Name of Contractor.
HOOF PARINGS.						
<i>The Stores referred to in this Schedule (if tendered of Australian manufacture or production) shall be wholly manufactured or produced at the factory or works of the Contractor within the Commonwealth of Australia. No subletting will be allowed.</i>						
*2261. Parings, Hoof—Clean	Aust.	50 cwt.	..	cwt.	1 0 0	John Cooper & Sons
INFUSORIAL EARTH.						
<i>The Stores referred to in this Schedule (if tendered of Australian manufacture or production) shall be wholly manufactured or produced at the factory or works of the Contractor within the Commonwealth of Australia. No subletting will be allowed.</i>						
†2262. Earth, Infusorial, delivered into trucks at Talbot, and supplied in bags, which will remain property of Contractor	Aust.	60 tons	..	ton	4 0 0	S. B. Newman
LIMESTONE.						
<i>The Stores referred to in this Schedule (if tendered of Australian manufacture or production) shall be wholly manufactured or produced at the factory or works of the Contractor within the Commonwealth of Australia. No subletting will be allowed.</i>						
†2263. Limestone—Marble, pure, delivered into trucks at Lilydale Railway Station	Aust.	} 50 tons	..	ton	0 17 0	} David Mitchell Estate
†2264. Limestone—(Lara), delivered into trucks at Lara Railway Station	"			do.	0 9 6	
BOOKS, ETC.						
*2265. Foolscap, ruled, $\frac{1}{2}$ cloth, 2 quire	Aust.	750	..	each	0 1 3	} W. Detmold Ltd.
2266-2268. Nil.						
Foolscap, ruled faint, single or double cash, paged or folioed, as ordered, $\frac{1}{2}$ basil—						
2269. Nil.						
*2270. 4 quire	"	50	..	do.	0 5 0	
2271-2291. Nil.						
2292. Diaries, Australian	"	£125		} Sands & McDougall Pty. Ltd. W. Detmold Ltd.
†2293. Shorthand, note	"	1,500	..	each	0 0 6	
*2294. Manifold	"	1,000	..	do.	0 1 0	
2295-2306. Nil.						
DRAWING PAPER.						
2307-2317. Nil.						
*2318. Paper, Drawing—Cartridge, 60" wide, continuous	Gt. Brit.	200 yds:	..	lin. yd.	0 1 0	R. C. Paterson and Co., Pty. Ltd.
2319-2325. Nil.						

Item No. and Description.	Country of Manufacture.	Estimated Requirements for One Year.	Contract Quantity.	Rate per	Rate.	Name of Contractor.
					£ s. d.	
PRINTING PAPER AND WRITING PAPER.						
<i>The Printing Papers supplied under Items Nos. 2344 and 2356 shall be equal in quality, weight, and colour to the Samples furnished by the Tenderer and accepted by the Corporation, and shall be cut to the true size ordered. Each ream shall contain 500 sheets, and shall be supplied flat (not folded). No creased or damaged paper will be accepted.</i>						
<i>The Writing Papers supplied under Items Nos. 2373, 2375, 2378, and 2380, shall be equal in quality, weight, and colour to the Samples furnished by the Tenderer and accepted by the Corporation, and shall be cut to the true size ordered. Each ream shall contain 480 sheets, and shall be supplied flat (not folded). No creased or damaged paper will be accepted.</i>						
PRINTING PAPERS.						
2326-2343. Nil.						
†2344. Double Demy—Salmon, 40 lbs.	Norway	..	reams 15	ream	1 3 4	} R. R. Woolcott & Coy. Pty. Ltd.
2345-2355. Nil.						
†2356. Double Medium—Blue, 80 lbs.	"	..	15	do.	2 6 8	
2357-2372. Nil.						
WRITING PAPERS.						
†2373. Double Large Post—Bank White, 22 lbs.	Gt. Brit.	..	100	do.	1 8 2	A. Pirie & Sons Ltd.
2374. Nil.						
†2375. Double Foolscap—White, 28 lbs.	U.S.A.	..	750	do.	1 3 4	} R. R. Woolcott & Coy. Pty. Ltd.
2376-2377. Nil.						
†2378. Double Foolscap—Cream Wove, 14 lbs.	Norway	..	400	do.	0 12 10	
2379. Nil.						
†2380. Double Foolscap—Cream Laid, 28 lbs.	Gt. Brit.	..	250	do.	1 17 4	
2381-2433. Nil.						
CARBON PAPER.						
As regards item 2436, the Contractor will not be under obligation to give delivery until September, 1918.						
Paper, Carbon, blue, extra rich, 2 sides—						
†2434. Demy Folio, 17½" x 11½"	Gt. Brit.	150 reams	..	ream	1 7 6	} Ellams Duplicator Co. Ltd.
†2435. Foolscap Folio, 13½" x 8½"	"	75 "	..	do.	0 16 6	
Paper, Carbon, Pen—						
†2436. Foolscap, 4to, 50 sheets per box—No. 796	U.S.A.	150 boxes	..	box	0 2 0	G. B. Fry and Coy.
Paper, Carbon, Brief, 13" x 16"—						
†2437. Billing, blue, in boxes of 100 sheets	{ U.S.A. & Aust.	{ 150 "	..	do.	0 10 0	P. F. Guthridge
PRINTERS' INK, ETC.						
As regards item 2448, 4s. extra will be charged for jars, which will be refunded on return of jars.						
†2438. Ink—Printing, Blue, for Posters	Aust.	100 lbs.	..	lb.	0 2 6	} R. Collie and Co. Pty. Ltd.
†2439. Ink—Printing, Red, for Posters	"	150 "	..	do.	0 2 6	
†2440. Ink—Printing, Black, for Posters	"	200 "	..	do.	0 1 0	S. Cooke Pty. Ltd.
†2441. Ink—Printing, Black, Letterpress	"	1,250 "	..	do.	0 1 10	} R. Collie and Co. Pty. Ltd.
†2442. Ink—Printing, Black, Process, in 1 lb. tins	"	100 "	..	do.	0 3 0	

Item No. and Description.	Country of Manufacture.	Estimated Requirements for One Year.	Contract Quantity.	Rate per	Rate.	Name of Contractor.
					£ s. d.	
PRINTERS' INK, ETC.—continued.						
†2443. Ink—Printing, Red, Letterpress ..	Aust.	100 lbs.	..	lb.	0 3 6	S. Cooke Pty. Ltd.
†2444. Ink—Printing, Blue, Letterpress ..	"	20 "	..	do.	0 3 0	R. Collie & Co. Pty. Ltd.
†2445. Ink—Printing, Bronze Blue, Letterpress, in 1-lb. tins ..	"	12 "	..	do.	0 4 0	S. Cooke Pty. Ltd.
†2446. Ink—Printing, Violet, Copying ..	"	5 "	..	do.	0 15 6	} R. Collie & Co. Pty. Ltd.
†2447. Ink—Printing Litho., Black, 1st quality ..	"	25 "	..	do.	0 5 0	
†2448. Solution, Lye, in 1-gallon jars ..	"	50 gals.	..	gallon	0 6 6	
†2449. Solution, Roller Wash, in 4-gallon tins ..	"	250 "	..	do.	0 3 6	
2450. Nil.						
TYPOGRAPH MATERIALS.						
2451-2456. Nil.						
†2457. Paper—Wax Stencil, Autographic, 18" x 12"	Aust.	6 reams	..	ream	2 8 4	} Chartres Pty. Ltd.
†2458. Paper—Wax Stencil, Typewriting, 18" x 11½"	"	5 "	..	do.	2 8 4	
2459. Nil.						
†2460. Paper—Wax Stencil, for Rotary Duplicators, with typing tissues to each stencil sheet, but without printed backing sheets. In packets of 24 sets ..	"	700 quires	..	quire	0 2 3	Ramsay & Hall Pty. Ltd.
†2461. Paper—Wax Stencil, for Rotary Duplicators, with printed backing sheets and typing tissues to each stencil sheet. In packets of 24 sets ..	"	130 "	..	do.	0 3 0	Chartres Pty. Ltd.
2462. Nil.						
†2463. Fluid—Obliterating ..	"	75 bots.	..	bottle	0 0 9	Ramsay & Hall Pty. Ltd.
TYPEWRITING MATERIALS.						
<i>The Samples submitted by the Tenderer for Items 2472 to 2475 inclusive shall be deemed to be Samples as regards quality only.</i>						
<i>As regards Item 2467, the Contractor will not be under obligation to give delivery until Sept., 1918.</i>						
†2464. Brushes, for cleaning type, No. 2 ..	Gt. Brit.	10	..	each	0 1 3	P. F. Guthridge
†2465. Erasers, Circular ..	U.S.A.	1,000	..	do.	0 0 2½	} Chartres Pty. Ltd.
†2466. Erasers, Polygon ..	"	1,000	..	do.	0 0 2½	
Paper, Carbon, Typewriting—Black.						
†2467. Foolscap folio, 13" x 8", to produce up to 20 copies, No. 480 S ..	"	50,000 sheets	..	100 sheets	0 5 6	G. B. Fry and Coy.
†2468. Foolscap folio, 13" x 8", to produce up to 6 copies ..	"	20,000 "	..	do.	0 3 9	} R. R. Woolcott and Coy. Pty. Ltd.
2469. Nil.						
†2470. Foolscap, 13" x 16", to produce up to 6 copies ..	"	1,500 "	..	do.	0 7 6	
†2471. Paper, Carbon, Pencil, Foolscap folio, 13" x 8", Sample B.	"	30,000 "	..	do.	0 4 0	
Ribbons, Copying, any colours, and suitable for any machines, as ordered—						
†2472. Narrow, Plain ..	"	500	..	each	0 1 8	} A. K. Zimmerman
†2473. Narrow, Bi-coloured ..	"	300	..	do.	0 1 11	
†2474. Broad, Plain ..	"	40	..	do.	0 1 8	
†2475. Broad, Bi-coloured ..	"	20	..	do.	0 1 11	
†2476. Sheets, Silk, 13" x 8" ..	Gt. Brit.	100	..	do.	0 1 1	P. F. Guthridge

Item No. and Description.	Country of Manufacture.	Estimated Requirements for One Year.	Contract Quantity.	Rate per—	—Rate.	Name of Contractor.
					£ s. d.	
INKS.						
<i>The Sample submitted by the Tenderer for Item 2488 shall be deemed to be a Sample as regards quality only.</i>						
<i>Deliveries under items 2483 and 2487 are subject to colours and chemicals of necessary quality being available.</i>						
2477-2482. Nil.						
†2483. Ink, Blue, 12-oz. bottles	Aust.	75 bots.	..	bottle	0 1 0	} W. Detmold Ltd.
2484-2486. Nil.						
†2487. Ink, Violet, 12-oz. bottles	"	10 "	..	do.	0 1 0	
†2488. Ink, India-rubber Stamp, any colours ordered, 2-oz. bottles	"	300 "	..	do.	0 0 6	} Quirk and Morton
†2489. Ink, India-rubber Stamp quick drying, any colours available, as ordered, in 2½-oz. tins, with rubber stopper, "Volger's"	U.S.A.	200 tins	..	tin	0 3 6	
†2490. Ink, Metal Stamp, Blue, 1-oz. bottles	"	10 bots.	..	bottle	0 2 6	
†2491. Ink, Metal Stamp, Black	"	32 "	..	do.	0 2 6	
†2492. Ink, Marking, Indelible, 1-oz. bottles	Aust.	15 "	..	do.	0 0 9	
†2493. Nil.						
PENS, PENCILS, ETC.						
<i>The Samples submitted by the Tenderer for Item 2535 shall be deemed to be samples as regards shape and quality only.</i>						
Bands—Elastic, extra strong, ½-gross boxes—						
*2494. No. 5	Aust.	25 boxes	..	box	0 3 3	} Barnet Glass Rubber Co. Ltd.
*2495. No. 6	"	12 "	..	do.	0 5 6	
*2496. Extra large	"	5 doz.	..	dozen	0 5 0	
*2497. Elastic, thin	"	5 gross	..	gross	0 3 6	
2498-2507. Nil.						
†2508. Erasers—Ink and Pencil, small "Reeves"	Gt. Brit.	100 doz.	..	dozen	0 2 0	} R. C. Paterson and Co. Pty. Ltd.
†2509. Erasers—Ink and Pencil, large "Reeves"	"	10 "	..	do.	0 4 0	
†2510. Erasers—I.R., pink, pliable "Reeves" 16S	"	10 lbs.	..	lb.	0 5 6	
†2511. Erasers—I.R., green, large "Harding", 12S	"	3 "	..	do.	0 12 0	
†2512. Cloths, for Copying Baths, 15½" x 10½" with selvage	U.S.A.	50 doz.	..	dozen	0 4 3	} A. K. Zimmerman
†2513. Cloths, for Copying Baths, 14½" x 9½" without selvage	"		do.	0 4 3		
†2514. Cloths, for Copying Baths, 18" x 11" with selvage	"		do.	0 5 3		
†2515. Cloths, for Copying Baths, 17" x 10" without selvage	"	50 doz.	..	do.	0 5 3	
*2516. Eyelets, in boxes of 1,000	Gt. Brit.	10 boxes	..	box	0 3 6	
2517-2522. Nil.						
Gum—Strong Liquid—						
*2523. 4-oz. bottles	Aust.	100 bots.	..	bottle	0 0 5	} F. J. Mitty
*2524. 6-oz. bottles	"	200 "	..	do.	0 0 8	
2525-2533. Nil.						
†2534. Pencils—Office, "Scholastic," HB	Gt. Brit.	2,000 doz.	..	dozen	0 0 9	} W. Detmold Ltd
†2535. Pencils—Coloured, Blue 895 or Red 896, as ordered, "E. Faber's,"	U.S.A.	500 "	..	do.	0 3 0	
2536. Nil.						
Pencils—Drawing, any letter or number ordered—						
Name of Manufacturer. Brand.						
2537. American Pencil Co. "Venus"	"	500 "	..	do.	0 3 2	} R. C. Paterson and Co. Pty. Ltd.
2538. Do. "Velvet" HB to HH	"	500 "	..	do.	0 2 0	
2539-2585. Nil.						
†2586. Pins—Best London, mixed, in packets	Gt. Brit.	360 lbs.	..	lb.	0 5 6	Hicks, Atkinson and Sons Pty. Ltd.
2587-2599. Nil.						

Item No. and Description.	Country of Manufacture.	Estimated Requirements for One Year.	Contract Quantity.	Rate per —	Rate.	Name of Contractor.	
					£ s. d.		
STAMPS, ETC.							
<i>The Samples exhibited by the Corporation for Items 2609 and 2610 are Samples as regards shape and quality only.</i>							
<i>The measurement of all stamps shall be the "Die" measurement, and the maximum length of any letter shall not exceed ½ inch.</i>							
*2600. Faces, Rubber, for Stamps, lettered "V.R., Cancelled"	Aust.	12	..	each	0 0 3	} Quirk and Morton	
*2601. Faces, Rubber, for Stamps, lettered "Week-end"	"	100	..	do.	0 0 2		
*2602. Faces, Rubber, for Stamps (Goods Clean Receipt)	"	10	..	do.	0 0 6		
*2603. Faces, Rubber, for Stamps (Goods more or less Receipt)	"	10	..	do.	0 0 6		
Refacing Rubber Stamps; all types—							
2604. Oblong, up to 2", as ordered	"	100 lines	..	line	0 0 5		
2605. Oblong, over 2"	"	50 inches of line	..	inch of line	0 0 4		
2606. Circular or oval, and up to 1½", as ordered	"	20	..	each	0 1 4		
2607. Circular or oval, and over 1½", as ordered	"	50 inches	..	½ inch	0 0 5		
†2608. Stamps—Dating, size No. 2	U.S.A.	300	..	each	0 1 6		
Stamps—Rubber, oblong, wooden handle, with brass back, all types—							
*2609. Up to 2", as ordered	Aust.	400 lines	..	line	0 0 7		
*2610. Over 2", as ordered	"	1,000 in. of line	..	inch of line	0 0 5		
2611–2614. Nil.							
Stamps—Rubber, self-inking, nickel—							
†2615. Oblong or round, as ordered, up to 2", as ordered	"	25	..	each	0 7 0		
†2616. Oblong or round, as ordered, over 2" to 3", as ordered	"	5	..	do.	0 9 6		
†2617. Oblong or round, as ordered, over 3" to 4", as ordered	"	2	..	do.	0 12 6		
†2618. Stamps—Rubber, non-self-inking, nickel, dating, with rubber face	"	50	..	do.	0 10 0		
2619. Pads—Self-inking, Excelsior, No. 0, any colour ordered	U.S.A.	10	..	do.	0 1 0		
2620. Pads—Self-inking, Excelsior, No. 1, any colour ordered	"	200	..	do.	0 1 6		
2621. Pads—Self-inking, Excelsior, No. 2, any colour ordered	"	10	..	do.	0 2 0		
2622. Pads—Self-inking, Excelsior, No. 8, any colour ordered	"	5	..	do.	0 1 6		
2623. Pads—Self-inking, "Volger's" Quick-drying, No. 1, "Violet" or any colour available	"	100	..	do.	0 1 6		
TRUCK SEALS.							
*2624. Seals—Truck	Aust.	100,000	..	1,000	1 13 0	} W. J. Harvey Smith	
ARTISTS' COLOURS, ETC.							
2625. Colours—Carmine "Reeves"	Gt. Brit.	30 cakes	..	cake	0 1 0		
2626. Colours—French Blue	"	10	..	do.	0 0 6		
2627. Colours—Hooker's Green No. 1	"	5	..	do.	0 0 5		
2628. Colours—Hooker's Green No. 2	"	5	..	do.	0 0 5		
2629–2630A. Nil.							
2631. Colours—Vermilion	"	100	..	do.	0 0 6		
2632. Colours—Burnt Sienna	"	5	..	do.	0 0 5		

Item No. and Description.	Country of Manufacture.	Estimated Requirements for One Year.	Contract Quantity.	Rate per—	Rate.	Name of Contractor.
					£ s. d.	
ARTISTS' COLOURS, ETC.—continued.						
2633. Nil						
2634. Colours—Gamboge ("Reeves") ..	Gt. Brit.	25 cakes	..	cake	0 0 5	W. J. Harvey Smith
2635-2637. Nil.						
2638. Colours—Yellow Ochre	"	10 "	..	do.	0 0 5	
2639. Colours—Brown Madder	"	5 "	..	do.	0 0 10	
2640. Colours—Sepia	"	5 "	..	do.	0 0 10	
2641. Colours—Payne's Grey	"	10 "	..	do.	0 0 5	
2642. Colours—Cadmium Yellow	"	10 "	..	do.	0 1 0	
2643. Nil.						
2644. Colours—Chinese White	"	25 "	..	do.	0 1 0	
2644A. Colours—Crimson Lake	"	12 "	..	do.	0 0 8	
2645. Colours—Indian Ink	China	10 ozs.	..	oz.	0 1 0	
2646. Nil.						
2647. Colours—Liquid Indian Ink, black ("Alliance") in 1 oz. bottles ..	Gt. Brit.	400 bots.	..	bottle	0 1 5	R. C. Paterson and Co. Pty. Ltd.
2648. Colours—Any colours other than above ("Alliance") in 1 oz. bottles ..	"	5 nests	..	nest	0 3 0	
*2649. Palettes, in Nests	"					
TYPE FOR DATING MACHINES.						
<i>The Samples exhibited by the Corporation are Samples as regards shape and quality only.</i>						
*2650. Type	Aust.	50 lbs.	..	lb.	0 8 9	R. Collie and Co. Pty. Lid.
*2651. Type, Steel, Letters, double, in sets of 12 ..	"	25 sets	..	set	0 18 0	Quirk & Morton
*2652. Type, Steel, Figures, 0 to 9, as ordered ..	"	600	..	each	0 1 4	
PHOTOGRAPHIC SUNDRIES.						
2653-2666. Nil.						
2667. Dry Mounting Tissue, 1/1 Plate ..	U.S.A.	6 gross	..	gross	0 8 0	Kodak (Aust.) Ltd.
2668-2687. Nil.						
Paper, Bromide, any surface ordered—						
2688. 25" long x 25" wide	Aust.	30 rolls	..	roll	0 18 9	Kodak (Aust.) Ltd.
2689. 25" long x 30" wide	"	75 "	..	do.	1 2 6	
2690. 18" x 16"	"	10 gross	..	gross	5 10 3	
2691. 28" x 16"	"	20 "	..	do.	8 5 0	
2692. 8½" x 6½"	"	40 "	..	do.	1 0 0	
2693. 12½" x 10½"	"	10 "	..	do.	2 6 6	
2694. Nil.						
Plates, Photographic Dry, Orthochromatic, backed "Kodak"—						
2695. Nil.						
2696. ¼	"	40 dozen plates	..	dozen	0 3 9	
2697. ½	"	30 "	..	do.	0 7 3	
2698. 12" x 10" Dry Plates, backed, Imperial ..	"	12 "	..	do.	0 17 10	
Plates, Photo. Process "Kodak"—						
2699. ¼	"	12 "	..	do.	0 6 5	
2699A. ⅜	"	12 "	..	do.	0 16 4	
CARBONS.						
<i>As regards Item 2704, the amount of the contract includes the total amounts of £8 10s. for Sea Freight and £4 10s. Marine and War Risk Insurance; and in the event of Contractor requiring to pay any additional amounts for any or all of these charges, the Department will bear such additional amounts. The Department to be made an allowance accordingly in the event of amounts less than the above being paid by the Contractor.</i>						
2700-2703. Nil.						
†2704. Carbons—Flame, Arc, Yellow, solid, ¾" x 14", for G.E. series arc lamps, 50 cycle a.c. ..	U.S.A.		3,000	1,000	76 0 0	Australian General Electric Coy.
2705-2711. Nil						

Item No. and Description.	Country of Manufacture.	Estimated Requirements for One Year.	Contract Quantity.	Rate per—	Rate.	Name of Contractor.
					£ s. d.	
TELEGRAPH AND TELEPHONE SUNDRIES.						
2712-2718. Nil.						
†2719. Cords, Receiver, Western Electric Telephone	U.S.A.	..	3 gross	gross	9 12 0	} O. R. Foster
2720-2726. Nil.						
2727. Diaphragms, Metal, for Western Electric Receivers	"	..	2 "	do.	3 12 0	
2728-2751. Nil.						
†2751A. Sal Ammoniac	Gt. Brit.	..	20 cwt.	cwt.	5 0 0	James Hardie & Co. Pty. Ltd.
2752-2759. Nil.						
ELECTRIC LIGHT MATERIAL.						
2760-2765. Nil.						
†2766. Disc Stoves, 220 volts, 6" diameter ..	U.S.A.	..	8	each	0 17 6	C. R. Foster
2767-2811. Nil.						
†2812. Slabs—Marble, Buchan best quality for Switch Boards, polished on one face and edges, and any sizes and thicknesses ordered up to 24" x 18" x 1"	Aust.	..	100 sq ft.	sq. ft.	0 5 0	Wm. Train & Co.
2813-2835. Nil.						
MOTOR ACCESSORIES.						
<i>The Sample submitted by the Contractor for Item 2840 is a Sample as regards shape and quality only.</i>						
†2836. Belting, Motor, Rubber, in 6' 9" lengths, or multiples thereof, as ordered	Aust.	1,250 ft.	..	foot	0 1 10	Dunlop Rubber Co. of Aust. Ltd.
2837-2839. Nil.						
†2840. Plugs, Sparking, any size or thread ordered	U.S.A.	500	..	each	0 2 3	Cooper Engineering Co. Ltd.
2841-2848. Nil.						
DRYSALTERIES, CHEMICALS, ETC.						
<i>As regards items 2849, 2851, 2853, 2854, 2856, 2858, 2860, 2865, 2866, 1s. 6d. extra will be charged for bottles, and refunded by Contractor on return. As regards items 2852, 2855, and 2859, 4s. extra will be charged for jars and refunded by Contractor on return.</i>						
Acid—						
2849. Acetic, chemically pure	Aust.	40 lbs.	..	lb.	0 3 6	H. B. Selby and Co.
2850. Boracic	Gt. Brit.	5 "	..	dg.	0 1 6	W. and G. Dean Pty. Ltd.

Item No. and Description.	Country of Manufacture.	Estimated Requirements for One Year.	Contract Quantity.	Rate per	Rate.	Name of Contractor.
					£ s. d.	
DRYSALTERIES, CHEMICALS, ETC.—continued.						
ACID—continued.						
2851. Muriatic, Hydrochloric, or Spirits of Salts, as ordered, in Winchester quarts ..	Aust.	5 cwt.		cwt.	1 12 6	H. B. Selby and Co.
2852. Muriatic, Hydrochloric, or Spirits of Salts, as ordered in jars ..	"	100 "		do.	1 10 0	
2853. Hydrochloric, chemically pure, in Winchester quarts ..	"	150 lbs.		lb.	0 0 10	
2854. Nitric, in Winchester quarts ..	"	100 "		do.	0 0 8	
2855. Nitric, in jars ..	"	250 "		do.	0 0 7	
2856. Nitric, chemically pure ..	"	100 "		do.	0 1 3	
2857. Oxalic ..	Gt. Brit.	20 "		do.	0 3 0	
2858. Sulphuric, in Winchester quarts ..	Aust.	200 "		do.	0 0 3	
2859. Sulphuric, in jars ..	"	200 "		do.	0 0 2	
2859A. Nil.						
2860. Sulphuric, chemically pure, in ½-gallon stoppered bottles, each containing 10 lbs.	"	200 "		do.	0 0 10	
2861-2862. Nil.						
2863. Alum—Lump ..	Japan	25 "		do.	0 0 4	
2864. Alum—Pulverized ..	"	250 "		do.	0 0 4	
2865. Ammonia—Liquid, 880 sp., in Winchester quarts ..	Aust.	240 "		do.	0 0 6	
2866. Ammonia—Liquid, 880 sp., chemically pure ..	U.S.A.	40 "		do.	0 1 6	
2867-2868. Nil.						
2869. Borax—Lump ..	Gt. Brit.	10 cwt.		cwt.	3 10 0	W. and G. Dean Pty. Ltd.
2870. Borax—Powdered ..	"	100 lbs.		lb.	0 0 8	
2871-2876. Nil.						
2877. Ferrous—Sulphide ..	"	10 "		do.	0 1 3	H. B. Selby and Co.
2878-2882. Nil.						
2883. Manganese Di-oxide ..	Aust.	100 "		do.	0 0 3	
2884-2887. Nil.						
2888. Potash—Prussiate of ..	Gt. Brit.	200 "		do.	0 6 0	W. and G. Dean Pty. Ltd.
2889-2890. Nil.						
2891. Quicksilver ..	U.S.A.	10 "		do.	0 8 0	H. B. Selby and Co.
2892. Nil.						
2893. Shellac—Orange, white, or brown, as ordered ..	India	500 "		do.	0 3 2	W. and G. Dean Pty. Ltd.
2894. Silver—Nitrate of, crystal ..	Aust.	20 "		do.	2 12 0	H. B. Selby and Co.
2895-2902. Nil.						
2903. Sulphur—Flowers of ..	Japan	25 "		do.	0 0 3	W. and G. Dean Pty. Ltd.
2904. Vaseline, Blond Petrolatum, 36-lb. tins ..	U.S.A.	150 "		do.	0 0 8	Vacuum Oil Co. Pty. Ltd.
2904A. do. do. 7-lb. tins ..	"			do.	0 0 9	
2905-2906. Nil.						
AMBULANCE MATERIAL.						
2907. Nil.						
2907A. Acid, Boracic, in bulk ..	Gt. Brit.	5 lbs.		lb.	0 1 3	Duerdin and Sainsbury
2908-2909. Nil.						
2910. Ammonia—Liquid, 880, in bulk ..	Aust.	3 gals.		gallon	0 5 6	
*2911. Arnica, Tincture of, in bulk ..	"	3 lbs.		lb.	0 5 0	
2912-2913. Nil.						
2914. Balsam, Friar's, Concentrated, in bulk ..	"	5 gals.		gallon	3 12 0	
*2915. Bandages—Calico, Roller, 3" x 5 yds. long	Japan	100 doz.		dozen	0 2 6	
*2916. Bandages—Calico, Roller, 2" x 5 yds. long	"	75 "		do.	0 1 9	
*2917. Bandages—Calico, Roller, 1" x 5 yds. long	"	50 "		do.	0 1 1	

Item No. and Description.	Country of Manufacture.	Estimated Requirements for One Year.	Contract Quantity.	Rate per—	Rate.	Name of Contractor.
					£ s. d.	
AMBULANCE MATERIAL—continued.						
*2918. Bandages—Open wove, 3" x 5 yds. long ..	Japan	75 doz.	..	dozen	0 2 3	} Duerdin and Sainsbury
*2919. Bandages—Open wove, 2" x 5 yds. long ..	"	50 "	..	do.	0 1 4	
*2920. Bandages—Open wove, 1" x 5 yds. long ..	"	25 "	..	do.	0 0 11	
*2921. Bandages—Triangular, Calico ..	Gt. Brit.	100 "	..	do.	0 3 0	
2922. Nil.						
2922A. Bottles, 2 oz. ..	Aust.	3 gross	..	do.	0 1 6	
2922B. Nil						
2922C. Bottles, 4 drachms ..	Japan	1 "	..	do.	0 0 8	
2923. Nil.						
2923A. Collodion ..	Aust.	2 lbs.	..	lb.	0 4 0	
2924-2928. Nil.						
2929. Ginger, Tincture of, bulk ..	"	3 gals.	..	gallon	2 8 0	
2930-2931. Nil.						
2932. Iodine, Tincture of, bulk ..	"	3 "	..	do.	2 16 0	
2933-2935. Nil.						
*2936. Needles, Surgeon's, Assorted, 6 in packet ..	Gt. Brit.	24 pkts.	..	packet	0 1 3	
2937. Nil.						
*2938. Oil, Carron, 4-oz. bottles ..	Aust.	60 bots.	..	doz. bots.	0 4 3	
*2939. Oil, Carron, 8-oz. bottles ..	"	60 "	..	do.	0 7 3	
2940. Oil, Carron, bulk ..	"	5 gals.	..	gallon	0 6 9	
2940A. Oil, Carbolic ..	"	3 "	..	do.	0 10 6	
2941-2945. Nil.						
2946. Sal Volatile—in bulk ..	"	3 "	..	do.	1 16 0	
2947. Nil.						
*2948. Silk, Oil, 30" wide ..	Gt. Brit.	3 lineal yds	..	lin. yard	0 5 0	
2949. Nil.						
*2950. Syringes, Hypodermic, and tablets, in metal case ..	U.S.A.	3	..	each	0 13 0	
*2951. Snake-bite Antidote, "Lauder Brunton's," metal tubes ..	"	25 tubes	..	tube	0 1 3	
2951A-2962. Nil.						
DISINFECTANTS, ETC.						
†2963. Disinfectant—Liquid, low grade, in 4-gallon kero. tins ..	Aust.	1,500 gals.	..	gallon	0 1 9	} Gibson & Son Hansen & Co. A. J. Nance
2964. Oil—Torfol ..	"	250 "	..	do.	0 5 0	
2965. Syphons—Torfol Oil, with necessary lifters ..	"	5	..	each	0 10 6	
†2966. Tablets—Urinal Disinfectants ..	"	20 gross	..	gross	1 5 0	
CARBONIC ACID GAS.						
<i>The empty cylinders will be returned to the contractor at the Telegraph Stores and Ice Works, Spencer-street Station yard.</i>						
2967. Gas, Carbonic Acid, in steel cylinders, containing 56 lbs. of gas each ..	Aust.	20,000 lbs.	..	lb.	0 0 5 1/2	Lemon & Co.
CORKS.						
Corks—						
*2968. Axle-box, two sizes ..	Aust.	1,200 gross	..	gross	0 4 2	} Vogt Bros. & Coy. Pty. Ltd. (in liquidation).
*2969. Battery, three sizes ..	"	20 "	..	do.	0 6 10	
*2970. Bungs, three sizes ..	"	25 "	..	do.	0 10 6	
*2971. Phial ..	"	100 "	..	do.	0 3 0	
*2972. Roof Lamp ..	"	5 "	..	do.	0 5 9	
*2973. Bungs, Wooden, two sizes ..	"	5 "	..	do.	0 7 6	
2974-2981. Nil.						

Item No. and Description.	Country of Manufacture.	Estimated Requirements for One Year.	Contract Quantity.	Rate per	Rate.	Name of Contractor.
					£ s. d.	
FOG SIGNALS.						
<i>Test.—A proportion of the Fog Signals comprised in each delivery will be tested by immersion in water for 24 hours, and after such immersion they must be capable of being exploded by being passed over by any railway truck pushed by hand or by any railway trolley loaded for the purpose. In the event of any proportion of the Fog Signals selected by the Chief Storekeeper from any delivery not fulfilling the aforesaid tests to the satisfaction of the Chief Storekeeper, the whole delivery will be liable to rejection.</i>						
†2982. Signals, Fog, in tin boxes of 1 dozen, "Jackson's" Torpedoes	Canada	1,000 doz.	..	doz.	0 2 3	S. Cohen, Sons and Co. Pty. Ltd.
†2983. Signals, Fog, in paper cylinders of 1 dozen, "Jackson's" Torpedoes	"	3,000 "	..	do.	0 2 1	
*2984. Detonators, Certainty, "Clayton's" patent (machine)	Gt. Brit.	1,000 "	..	do.	0 3 6	McKenzie & Holland Ltd.
PLATERS' MATERIAL.						
<i>The Sample exhibited by the Corporation for Item 3010 is a Sample as regards shape and quality only.</i>						
2985. Anodes—Cast Nickel, 95 per cent., 18" to 24" long, as ordered	Gt. Brit.	250 lbs.	..	lb.	0 3 9	A. L. Campbell and Co. Pty. Ltd.
2986. Anodes—Rolled Nickel, 95 per cent., 18" to 24" long, as ordered	"	100 "	..	do.	0 4 0	
2987-2990. Nil.						
†2991. Crocus—Compo	"	40 "	..	do.	0 0 6	A. L. Campbell and Co. Pty. Ltd.
2992-2994. Nil.						
*2995. Mops—Calico, White, 12 x 140 H.	"	50	..	each	0 15 0	H. B. Selby & Co.
*2996. Mops—Calico, Grey, 9 x 50 B.	"	100	..	do.	0 5 6	
2997-2998. Nil						
2999. Potassium—Cyanide, 100 per cent.	"	200 lbs.	..	lb.	0 2 0	H. B. Selby & Co.
*3000. Rouge—Compo	"	20 "	..	do.	0 1 6	
†3001. Salts—Nickel, best, special double, "W. Canning and Co."	"	200 "	..	do.	0 0 8½	A. L. Campbell & Co. Pty. Ltd.
3002. Nil.						
*3003. Tape—Emery, ½", in pieces of 12 yards each	"	5 pieces	..	piece	0 3 3	A. L. Campbell & Co. Pty. Ltd.
*3004. Tape—Emery, 1", in pieces of 12 yards each	"	5 "	..	do.	0 6 6	
*3005. Tape—Emery, 1½", in pieces of 12 yards each	"	5 "	..	do.	0 9 0	
3006. Nil						
†3007. Tripoli—Compo	"	1,200 lbs.	..	lb.	0 0 9½	A. L. Campbell & Co. Pty. Ltd.
FELT BOBS.						
*3008. 1½" thick, 9" diameter	"	10 "	..	do.	0 6 0	A. L. Campbell & Co. Pty. Ltd.
*3009. 1½" thick, 6" diameter	"	2 "	..	do.	0 6 0	
FELT SHEET.						
*3010. 1½" thick, 3 ft. to 6 ft. square, as ordered	"	56 "	..	do.	0 5 6	A. L. Campbell & Co. Pty. Ltd.
ARABIAN CREAM.						
†3011. Cream—Arabian	Aust.	250 gals.	..	gallon	0 3 6	W. Adams and Co. Ltd.

Item No. and Description.	Country of Manufacture.	Estimated Requirements for One Year.	Contract Quantity.	Rate per—	Rate.	Name of Contractor.
					£ s. d.	
SANITARY PAPER.						
†3012. Paper—Sanitary, ordinary, in 10 oz. rolls	Aust.	1,500 doz. rolls	..	doz. rolls.	0 6 0	Sands & McDougall Pty. Ltd.
†3013. Paper—Sanitary, Oval, in rolls, each sheet branded "Victorian Railways" ..	"	1,500 "	..	do.	0 4 8	Jas. Spicer & Sons Ltd.
ABRASIVE WHEELS.						
Name of manufacturer—The Carborundum Coy.						
Wheels, Abrasive—Any grit and grain ordered						
3014. 20" dia. x 2½" thick x 1½" Arbor Hole, Coppersmiths' use ..	U.S.A.	2	..	each	4 1 0	Eliza Tinsley
3015. 20" dia. x 2½" thick x 1⅞" Arbor Hole, Steel Castings ..	"	2	..	do.	3 6 0	
3016. 20" dia. x 2½" thick x 1⅞" Arbor Hole, Bolts and Nuts ..	"	1	..	do.	3 6 0	
3017. 20" dia. x 2½" thick x 1⅞" Arbor Hole, Iron and Brass Castings ..	"	5	..	do.	4 1 0	
3018. 20" dia. x 2½" thick x 8" Arbor Hole, Small Lathe Tools ..	"	2	..	do.	3 6 0	
3019. 20" dia. x 2½" thick x 1½" Arbor Hole, Mild Steel Ferrules ..	"	1	..	do.	3 6 0	
3020. 20" dia. x 2½" thick x 1½" Arbor Hole, High Speed Lathe Tools ..	"	1	..	do.	3 6 0	
3021. 18" dia. x 2" thick x 1⅞" Arbor Hole, Bolts and Nuts ..	"	1	..	do.	2 4 0	
3022. 5" dia. x 1" thick x 1½" Arbor Hole, Porcelain and Tools ..	"	1	..	do.	0 4 6	
3023. 36" dia. x 3" thick x 21" Arbor Hole, Grinding Iron Castings ..	"	5	..	do.	13 13 0	
3024. 36" dia. x 3" thick x 21" Arbor Hole, Grinding High Speed Steel Tools ..	"	2	..	do.	11 10 0	
3025. 5" dia. x 1" thick, Edge Tools ..	"	1	..	do.	0 3 6	
3026. 14" dia. x 5" x 2½" Arbor Hole, Grit 141, Grade N ..	"	2	..	do.	3 10 0	
3027. 14" dia. x 2" x 1½" hole ..	"	5	..	do.	1 15 6	
3028. 3" dia. x ½" x ½" hole ..	"	2	..	do.	0 1 4	
3029. 1" dia. x 1½" x ½" hole ..	"	2	..	do.	0 1 4	
3030. 12" dia. x 2" thick x 2" hole, Edge Tool Cutters, &c. ..	"	15	..	do.	1 2 6	
3031. 12" dia. x 1" thick x 2" hole, Edge Tool Cutters, &c. ..	"	10	..	do.	0 12 9	
3032. 12" dia. x ¾" thick x 2" hole, Edge Tool Cutters, &c. ..	"	2	..	do.	0 10 6	
3033. 12" dia. x ¾" thick x 2" hole, Edge Tool Cutters, &c. ..	"	1	..	do.	0 10 6	
3034. 12" dia. x ½" thick x 2" hole, Edge Tool Cutters, &c. ..	"	4	..	do.	0 8 3	
3035. 12" dia. x ¼" thick x 2" hole, Edge Tool Cutters, &c. ..	"	3	..	do.	0 5 9	
3036. 8" dia. x 5" thick, Cup Edge Tools, Knives for Planers ..	"	1	..	do.	1 6 0	
3037. 12" dia. x ¾" thick, Circular Saws ..	"	4	..	do.	0 8 3	
3038. 10" dia. x ⅞" thick, Metal Hand Saws ..	"	2	..	do.	0 5 0	
3039. 10" dia. x ¾" thick, Milling Cutters, Taps, &c. ..	"	3	..	do.	0 8 6	
3040. 10" dia. x ½" thick, Milling Cutters, Taps, &c. ..	"	6	..	do.	0 5 0	
3041. 10" dia. x ¾" thick, Milling Cutters, Taps, &c. ..	"	6	..	do.	0 5 0	
3042. 20" dia. x 2½" thick, Edge Tools ..	"	6	..	do.	3 6 0	
3043. 4½" dia. x 1½" thick, Lapping Machine ..	"	1	..	do.	0 5 3	
3044. 3½" dia. x ⅞" thick, Lapping Machine ..	"	1	..	do.	0 2 9	
3045. ½" dia. x 1½" thick, Lapping Machine ..	"	2	..	do.	0 1 4	
3046-3047. Nil.						

Item No. and Description.	Country of Manufacture.	Estimated Requirement for One Year.	Contract Quantity.	Rate per—	Rate.	Name of Contractor.	
TREWHELLA JACKS AND PARTS.							
3048. Jacks, "Trehella" "Wallaby" ..	Aust.	£75	..		£ s. d. Percentage off Price List of Trehella Bros. current from time to time during the period of this contract 12½ %	Trehella Bros. Pty. Ltd.	
3049. Jacks, "Trehella," Platelayers' Track							
Parts for "Trehella" Platelayers' Track							
Jacks—							
3050. Racks							
3051. Right Hand Side Plates ..							
3052. Left Hand Side Plates ..							
3053. Base Plates							
3054. Right Hand Base Angles ..	Aust.	£25	..		nett		
3055. Left Hand Base Angles ..							
3056. Pawls							
3057. Caps							
3058. Ratchets							
3059. Spanners							
3060. Pawl Pins							
3061. Cap Screws (pair)							
3062. Cap Bolts (pair)							
BRASS, GUNMETAL, AND PHOSPHOR BRONZE CASTINGS.							
<i>The Castings to be supplied shall be composed as under:—</i>							
<i>Item No. 3063 (Yellow Brass), 66 per cent. copper and 34 per cent. zinc.</i>							
<i>Item No. 3064 (Gunmetal), 89 per cent. copper and 11 per cent. tin.</i>							
<i>Item No. 3065 (Phosphor Bronze), 88 per cent. copper, 11½ per cent. tin, and ½ per cent. phosphorus.</i>							
<i>The whole of the copper used in the manufacture of the Castings must be from the best wire bars 99.9 per cent.</i>							
<i>The Castings must be supplied with runners and burrs removed, and shall be sound, clean, and smooth, and free from any defects, blowholes, &c.</i>							
<i>All patterns will be supplied by the Corporation, and will be delivered to the Contractor at the railway station nearest to his works, and all such patterns must be returned to the aforesaid station by and at the expense of the Contractor in good order and condition, and must be delivered together with the Castings. In the event of the non-return of any of the patterns, or of their being damaged, the price to be fixed by the Chief Storekeeper shall be paid by the Contractor, or may be deducted from any money due to the Contractor by the Corporation.</i>							
<i>The Stores referred to in this Schedule (if tendered of Australian manufacture or production) shall be wholly manufactured or produced at the factory or works of the Contractor within the Commonwealth of Australia. No subletting will be allowed.</i>							
3063. Castings—Yellow, Brass	Aust.	300 lbs.	..	lb.	0 1 0	James Coppell, Lee & Coy.	
3064. Castings—Gunmetal	"	1,800 "	..	do.	0 1 1		
3065. Castings—Phosphor Bronze	"	250 "	..	do.	0 1 2		

Item No. and Description.	Country of Manufacture.	Estimated Requirements for One Year.	Contract Quantity.	Rate per —	Rate.	Name of Contractor.
					£ s. d.	
OXYGEN.						
<p><i>The Oxygen shall consist of gas compressed in cylinders to a pressure of not less than 120 atmospheres.</i></p> <p><i>The Compressed Oxygen Gas shall be supplied in cylinders, containing six (6), twenty (20), forty (40), one hundred (100), or two hundred (200) cubic feet as ordered.</i></p> <p><i>Oxygen taken from such cylinders comprised in each and every delivery, as the Chief Storekeeper or the Receiving Officer may select, shall, when tested, fulfil the above-mentioned requirements to the satisfaction of the Chief Storekeeper or the Receiving Officer, failing which the whole delivery will be liable to rejection.</i></p> <p><i>Samples of Oxygen taken from such cylinders comprised in each and every delivery, as the Chief Storekeeper or the Receiving Officer may select, shall, when subjected to analysis by any officer appointed by the Chief Storekeeper in that behalf, contain not less than 98 per centum of oxygen, failing which the whole delivery will be liable to rejection.</i></p> <p><i>Cylinders will be charged for when delivered, and on return in good order and condition will be credited at the same rate.</i></p> <p><i>Any Cylinder retained for a period of 30 days will be subject to a rental charge of 6d. per cylinder per month, or any portion of a month.</i></p>						
3066. Oxygen 3067-3068. Nil.	Aust.	250,000 ^{cu} ft.	..	100 cub. ft.	0 8 6	Australian Oxygen Co.
GOLD AND SILVER SYMBOLS FOR PERIODICAL TICKETS.						
<p><i>The samples exhibited by the Corporation for Items Nos. 3069 to 3074 inclusive are for quality, shape, and style of engraving, and the samples for Items Nos. 3075 and 3076 are for shape and style of engraving only. (The samples may be seen on application at the office of the Auditor of Receipts, Room 186, Railway Buildings, Spencer-street.)</i></p> <p><i>The rates for the symbols must exclude the engraving as ordered.</i></p> <p><i>The item in the Schedule named "Engraving" consists of the refilling of the existing name, &c., and engraving such words and figures as may be ordered.</i></p> <p><i>The dies, which are the property of the Corporation, will be loaned to the Contractor "free of charge," and they must be returned to the Auditor of Receipts on completion of the current order, or on demand, in good order and condition, and to the satisfaction of the Chief Storekeeper.</i></p> <p><i>The gold used in the gold symbols must be at least "9 carat," and the silver in the silver symbols at least equal to "coin silver," and the articles ordered and supplied under this Contract may be subjected to any test or tests which the Chief Storekeeper may direct.</i></p> <p><i>The Stores referred to in this Schedule (if tendered of Australian manufacture or production) shall be wholly manufactured or produced at the factory or works of the Contractor within the Commonwealth of Australia. No subletting will be allowed.</i></p>						
*3069. All-lines Tickets (excluding engraving such words and figures as may be ordered) Gold	Aust.	5	..	each	0 9 6	Kilpatrick & Co

Item No. and Description.	Country of Manufacture.	Estimated Requirements for One Year.	Contract Quantity.	Rate per—	Rate.	Name of Contractor.	
					£ s. d.		
GOLD AND SILVER SYMBOLS, ETC.—continued.							
*3070. All-lines Tickets (excluding engraving such words and figures as may be ordered)	Silver	Aust.	2	.. each	0 3 6	Kilpatrick & Co.	
*3071. Melbourne and Geelong Tickets (excluding engraving such words and figures as may be ordered)..	Gold	"	5	.. do.	0 12 6		
*3072. Melbourne and Geelong Tickets (excluding engraving such words and figures as may be ordered)..	Silver	"	5	.. do.	0 3 6		
*3073. Melbourne and Ballarat Tickets (excluding engraving such words and figures as may be ordered)..	Gold	"	5	.. do.	0 13 0		
*3074. Melbourne and Ballarat Tickets (excluding engraving such words and figures as may be ordered)..	Silver	"	5	.. do.	0 4 0		
*3075. Melbourne and Bendigo Tickets (excluding engraving such words and figures as may be ordered)..	Gold	"	5	.. do.	0 12 0		
*3076. Melbourne and Bendigo Tickets (excluding engraving such words and figures as may be ordered)..	Silver	"	5	.. do.	0 3 6		
3077. Engravings (comprising refilling of the existing words and figures on tickets furnished by the Corporation, and engraving thereon such other words and figures as may be ordered)	"	"	1,000	.. Engraving	0 1 6		
3078-3085. Nil.							
BRICKS, BUILDING.							
(BALLARAT DISTRICT.)							
<i>The Bricks will require to be carefully loaded into trucks and consigned as ordered, and such loading must be performed by and at the expense of the Contractor, and to the satisfaction of the Chief Storekeeper.</i>							
<i>The Bricks are to be well burnt, sound, hard, truly shaped, and of uniform size and colour.</i>							
<i>The Stores referred to in this Schedule (if tendered of Australian manufacture or production) shall be wholly manufactured or produced at the factory or works of the Contractor within the Commonwealth of Australia. No subletting will be allowed.</i>							
†3086. Bricks, Building, delivered into railway trucks at Contractor's siding, Ballarat ..	Aust.		50,000	.. 1,000	1 18 0	Robert Selkirk	
BRICKS, BUILDING.							
(FOR USE IN PORTION OF THE NORTH-EASTERN DISTRICT — TOOLAMBA TO KYABRAM, AND BRANCH LINES.)							
<i>The Bricks will require to be carefully loaded into trucks and consigned as ordered, and such loading must be performed by and at the expense of the Contractor, and to the satisfaction of the Chief Storekeeper.</i>							
<i>The Bricks are to be well burnt, sound, hard, truly shaped, and of uniform size and colour.</i>							
<i>The Stores referred to in this Schedule (if tendered of Australian manufacture or production) shall be wholly manufactured or produced at the factory or works of the Contractor within the Commonwealth of Australia. No subletting will be allowed.</i>							
†3087. Bricks, Building, delivered into railway trucks at Shepparton Railway Station	Aust.		10,000	.. 1,000	2 10 0	H. Thompson	
3088. Nil.							

Item No. and Description.	Country of Manufacture.	Estimated Requirements for One Year.	Contract Quantity.	Rate per —	Rate. £ s. d.	Name of Contractor.
CROCKERYWARE, CUTLERY, AND E.P. WARE.						
<p><i>The whole of the items referred to in the Schedule shall, as regards size, shape, badging (if any), and colour lines (if any), be supplied (subject to the General Conditions of Contract) to sample or samples exhibited by the Corporation, which sample or samples may be seen on application to the Chief Storekeeper, and the whole of such items shall, as regards quality and all other considerations excepting size, shape, badging (if any), and colour lines (if any), be supplied (subject to the Conditions of Contract) to samples furnished by the Tenderer with his tender in respect of each and every item tendered for.</i></p> <p><i>Notwithstanding anything to the contrary contained in the Tender, Conditions of Tendering or Conditions of Contract, the Corporation will order from the Contractor, during the period of the Contract, the full estimated requirements shown opposite to Items 3091, 3093 and 3097.</i></p> <p><i>Contractor not to be under obligation to give delivery before November, 1918.</i></p>						
CROCKERYWARE.—						
<p>“Grindley” vitrified unchippable Ironstone china— 3089-3090. Nil. †3091. Plates, Dinner, unchippable, badged, 9 in. over all 3092. Nil. †3093. Plates, Soup, unchippable, badged, 9 in. over all 3094-3096. Nil. †3097. Saucers, Tea, china, badged 3098-3116E. Nil. 3117-3120. Nil.</p>	<p>Gt. Brit.</p>	<p>50 dozen .. 60 100 ..</p>	<p>dozen .. do. .. do.</p>	<p>0 12 10 .. 0 12 10 .. 0 4 11</p>	<p>..</p>	<p>Loftus Moran</p>
METAL GATES FOR OCCUPATION CROSSINGS.						
SPECIFICATION.						
<p><i>The Pipes to be of good ductile mild steel butt, welded ; 1 in. pipes to be 1·05-in. inside diameter and not less than 1·3-in. outside diameter; ½-in. pipes to be 0·62 in. inside diameter and not less than 0·84 in. outside diameter.</i></p> <p><i>Cast Iron is to be good grey iron, free from defects, cast symmetrically and firmly burnt on to the pipes.</i></p> <p><i>Wires to be well shaped, of good ductile mild steel, well galvanized.</i></p> <p><i>Bolts and Nuts are to be of good ductile mild steel, well shaped, with good fitting, well formed, Whitworth threads.</i></p> <p><i>Forgings are to be made of good ductile material, well shaped and finished. All holes to be drilled. All metal-work, except galvanized wire and padlock, to be painted one coat of approved paint.</i></p> <p><i>The whole of the Gate to be finished in a neat and workmanlike manner. With each gate an approved 3" galvanized iron lever padlock with two keys and ½" chain are to be supplied.</i></p>						
<p>3121. Metal Gates, to Print No. 622/18 ..</p>	<p>Aust.</p>	<p>90</p>	<p>..</p>	<p>each</p>	<p>3 10 0</p>	<p>H. V. McKay</p>