



VICTORIA GOVERNMENT GAZETTE.

Published by Authority.

[Registered at the General Post Office, Melbourne, for transmission by post as a newspaper.]

No. 140.]

THURSDAY, JULY 8.

[1920.

Factories and Shops Acts.

DETERMINATION OF THE TINSMITHS BOARD.

NOTE.—This Determination on the 9th July, 1920, applied to the following parts of Victoria, namely:—The Metropolitan District as defined in the Factories and Shops Acts; the cities of Ballarat, Bendigo, Geelong, and Warrnambool; the towns of Ballarat East and Sandringham; and the boroughs of Eaglehawk, Geelong West, Newtown and Chilwell, and Sebastopol.

In accordance with the provisions of the *Factories and Shops Acts*, the Wages Board appointed to “determine the lowest prices or rates of payment payable to any person or persons or classes of persons employed in the process, trade, or business of preparing or manufacturing articles made of tin plate or other sheet metal, including the japanning of such articles,” has made the following Determination, namely:—

(1) That on the 9th day of July, 1920, the last previous Determination of this Board shall be revoked and replaced by this Determination.

(2)

APPRENTICES AND IMPROVERS.

Wages per Week of 48 Hours.				Number (in any place).	
		Apprentices.	Improvers.	Apprentices.	
1st year's experience	...	13s.	13s.	One apprentice to every three or fraction of three workers receiving not less than 75s. per week of 48 hours. An indenture of apprenticeship prescribed was approved on 20th May, 1911. Improvers. One improver to every five or fraction of five workers receiving not less than 78s. per week of 48 hours.	
2nd "	"	19s.	19s.		
3rd "	"	26s.	27s. 6d.		
4th "	"	36s.	40s.		
5th "	"	48s.	52s. 6d.		

(3) **JUVENILE WORKERS** (other than apprentices or improvers)—

		Wages per Week of 48 Hours.		
		1st Year's Experience in Class A.	2nd Year's Experience in Class A.	3rd Year's Experience in Class A.
<i>Under 17 years of age.</i>				
CLASS A.				
(1)	Putting wire handles in camp kettles, wiring handles for kettles and dippers, folding flat tin handles, folding spouts and barrels for kerosene pumps, forming handles for pannikins and dippers, forming rims for lids, notching (except by power machines), using guillotine for above work, holding general sheet metal work for journeymen or soldering canisters other than seams, tops, or bottoms	15 0	21 0	27 0
(2)	Polishing, cleaning, testing to detect leaks, making spouting tubes, cutting and making wire handles, cutting hoop iron and wire for general sheet metal work, blackening or tarring shovels or closet pans, packing, carrying or moving goods, lighting or attending fires or engaged on canister work at topping tins or trimming scrap	15 0	18 0	24 0
<i>Under 21 years of age.</i>				
CLASS B.				
	Soldering down pipes not heavier than 24 gauge or larger than 4 inches in diameter	39 0	48 0	57 0

(3) JUVENILE WORKERS—continued—

	1st Year's Experience in Class C.	2nd Year's Experience in Class C.	3rd Year's Experience in Class C.	4th Year's Experience in Class C.		
CLASS C.						
Repairing leaks in general sheet metal work or assisting at rollers for forming down pipes, or engaged at general sheet metal work on the following machines, viz.:—Burnishing and spinning lathes, curving machines, guillotines for cutting spouting and ridging, stamping machines or presses, or spouting and ridging machines	27 0	36 0	45 0	54 0		
	<i>s. d.</i>	<i>s. d.</i>	<i>s. d.</i>	<i>s. d.</i>		
CLASS D.						
Engaged at canister work on the crank press	33 0	39 0	48 0	57 0		
	<i>s. d.</i>	<i>s. d.</i>	<i>s. d.</i>	<i>s. d.</i>		
CLASS E.						
Engaged at general sheet metal work or canister work on any other power machine or at canister work on the following machines or presses:—monkey, pendulum, screw, or treadle, machines for folding canisters of holding capacity up to and including one pint, beading, bending (other than by angle bender or folder), body forming (other than by angle bender), clenching, crimping, curling, double seaming, flanging, hinge hooking, hinge soating, lock seaming, notching, rolling, squeezing, trimming, or wire forming, or feeding or taking off in connexion with any power soldering machine or employed in connexion with japanning at scouring, cleaning, assisting to polish or general rough work, or engaged on cabinet handles in cutting strips, clips, and holes on guillotine, bending clips round ring, fitting same and opening out ends, or employed at hinge making in cutting metal into strips, or putting in pins	18 0	24 0	30 0	39 0	48 0	57 0
	<i>s. d.</i>	<i>s. d.</i>	<i>s. d.</i>	<i>s. d.</i>	<i>s. d.</i>	<i>s. d.</i>

[OTHER EMPLOYEES WAGES.

Tinsmiths or sheet metal workers who out patterns or make up articles from patterns cut by themselves	88s.	per week of 48 hours
Other tinsmiths or sheet metal workers	84s.	" "
Repairers on general sheet metal work	84s.	" "
Machinists on general sheet metal work	80s.	" "
Solderers of down pipes	84s.	" "
Artistic japanners	84s.	" "
Gold workers	84s.	" "
Ornamental pencil workers	84s.	" "
Filleters	78s.	" "
Grainers	78s.	" "
Liners	78s.	" "
Writers	77s.	" "
Coaters	77s.	" "
Makers or repairers of canisters or oil tins or parts thereof—		
(a) by hand	80s.	" "
(b) by machine	75s.	" "
Cap solderers	80s.	" "
Canister vent closers	80s.	" "
Persons attending—		
(a) Power capping machines	77s.	" "
(b) the metal pot on a power automatic body forming or seam soldering machine or the metal pot on a power automatic end soldering machine	77s.	" "
All others	75s.	" "

(5) TIME OF BEGINNING AND ENDING WORK.

Time of Beginning.	Time of Ending.
7.30 a.m.	12 noon on the day on which the half-holiday is observed.
7.30 a.m.	5.30 p.m. on the other working days of the week.

(6) OVERTIME.

Outside the time of beginning and ending work as herein fixed }
 Within the time of beginning and ending work in excess of the hours fixed in this Determination as a week's work } Time and a half.

(7) SPECIAL RATES.—Double time shall be the special rate for all work done on Sunday, New Year's Day, Foundation Day (26th January), Good Friday, Easter Monday, Eight Hours Day (21st April), King's Birthday, Christmas Day, and Boxing Day; but if any other day be by Act of Parliament or Proclamation substituted for any of the above-named holidays, the special rate shall only be payable for work done on the day so substituted.

(8) PIECE-WORK.—(a) The lowest piece-work price payable to any person for wholly or partly preparing or manufacturing any article described in the following Schedules (which Schedules shall form part of this Determination) shall be the price mentioned in such Schedules.

(b) Wherever the quantity to be given out is stated in the Schedules the prices apply only when the articles are given out in quantities not less than those mentioned in the Schedule.

(c) The Schedules of prices apply to new material only.

(d) Except where otherwise provided, where the sizes of articles to be made under these Schedules do not exactly correspond with the sizes stated in these Schedules, then the price or rate fixed for the next nearest size shall apply; but where the size is half-way between two sizes then the next higher price or rate shall apply.

SCHEDULE A.—GENERAL SHEET METAL WORK.

Articles.	Material.	Size.	When given out in the under-mentioned Quantities or more.	Prices.	
(1.) BASINS.					
WASH-HAND BASINS, hand-made (including blocking of bottoms)	IC tin plate	13 inches ...	3 dozen ...	5s. 5d. per doz.	
" " " " " "		16 " ...	3 " ...	6s. 7d. "	
" " " " " "	IX tin plate	18 " ...	2 " ...	7s. 7d. "	
" " " " " "		13 " ...	2 " ...	6s. 6d. "	
" " " " " "		16 " ...	2 " ...	7s. 3d. "	
" " " " " "		18 " ...	2 " ...	9s. 5d. "	
" " " " " "		20 " ...	1 1/2 " ...	10s. 9d. "	
" " " " " "		22 " ...	1 " ...	13s. 1d. "	
If bottoms supplied for 13 in. basins...				4d. per doz. deducted	
" " " " 16 and 18 in. basins ...				6d. " "	
" " " " 20 and 22 in. basins ...				1s. " "	
If unplated handles 6 gauge wire or under supplied for basins		18, 20, or 22 inches		1s. 6d. per gross handles deducted	
(2.) BATHS.					
CHILD'S BATHS	24-gauge iron or lighter	24 inches ...	3 articles	4s. 1d. each	
" " " " " "		26 " ...	3 " ...	4s. 6d. "	
" " " " " "		28 " ...	3 " ...	4s. 10d. "	
" " " " " "		30 " ...	3 " ...	5s. 2d. "	
" " " " " "		33 " ...	3 " ...	5s. 6d. "	
" " " " " "		36 " ...	3 " ...	6s. 3d. "	
" " " " " "		42 " ...	2 " ...	7s. 3d. "	
FOOT BATHS, oval, moulded, knocked up bottoms	Bodies 26-gauge iron or lighter	16 " ...	6 " ...	24s. 8d. per doz	
" " " " " "		18 " ...	6 " ...	25s. 11d. "	
" " " " " "		20 " ...	6 " ...	27s. 7d. "	
" " " " " "		22 " ...	6 " ...	30s. 4d. "	
" " " " " "		24 " ...	6 " ...	31s. 9d. "	
" " " " " "		26 " ...	6 " ...	33s. 6d. "	
" " " " " "		28 " ...	6 " ...	37s. 7d. "	
" " " " " "		30 " ...	6 " ...	40s. "	
" " " " " "			16 " ...	1 dozen ...	10s. 3d. "
" " " " " "			18 " ...	1 " ...	11s. 9d. "
" " " " " "	Bottoms 24-gauge iron or lighter	20 " ...	1 " ...	13s. 1d. "	
" " " " " "		22 " ...	1 " ...	15s. 3d. "	
" " " " " "		24 " ...	1 " ...	17s. 2d. "	
" " " " " "		26 " ...	1 " ...	19s. 4d. "	
" " " " " "		28 " ...	1 " ...	20s. 9d. "	
" " " " " "		30 " ...	1 " ...	22s. 1d. "	
FRAME BATHS, galvanized iron, up to 6 feet long, up to 22 inches wide, and up to 22 inches deep. (Assistance to be given for knocking up)	26-gauge iron		3 articles	6s. 3d. each	
" " " " " "	24 " "		3 " ...	6s. 3d. "	
" " " " " "	22 " "		2 " ...	7s. 11d. "	
PLUNGE BATHS, moulded	24-gauge iron or lighter	48 inches ...	2 " ...	8s. 3d. "	
" " " " " "		54 " ...	2 " ...	9s. 7d. "	
" " " " " "		60 " ...	2 " ...	10s. 8d. "	
" " " " " "		66 " ...	2 " ...	11s. 5d. "	
" " " " " "		72 " ...	2 " ...	12s. 5d. "	
" " " " " " with raised backs			2 " ...	1s. 1d. each bath extra	
If galvanized iron used for beads for Plunge or Child's Baths				1s. " "	
(3.) BINS.					
FLOUR BINS, with body wired, back-lapped, and swedged; bottom knocked up and hooped or studded (4 studs); lid with a rim not less than 2 1/2 inches deep; top blocked and panned on to rim; hasp and hinge on cover; and three oval wire handles	IXX tin plate or lighter	25 lbs. ...	6 articles	2s. 4d each	
" " " " " "		50 " ...	6 " ...	2s. 11d. "	
" " " " " "		75 " ...	4 " ...	3s. 5d. "	
FLOUR BINS, with body wired, back-lapped, and swedged, for galvanized hoop; hoop about 20 gauge and 1 1/2 inches wide; bottom knocked up; lid with a rim not less than 2 1/2 inches deep; top blocked and panned on to rim; hasp and hinge on cover; and three oval wire handles	Galv. or lead-coated iron, 24-gauge or lighter	100 " ...	3 " ...	5s. 5d. each	
" " " " " "		200 " ...	3 " ...	6s. 3d. "	
" " " " " "		250 " ...	2 " ...	6s. 11d. "	
(4.) BOILERS.					
TIN BOILERS, oval, with pitched covers...	IX tin plate or lighter	3 gallons ...	1 dozen ...	11s. 11d. per doz.	
" " " " " "		4 " ...	1 " ...	13s. 9d. "	
" " " " " "		5 " ...	1 " ...	13s. 9d. "	
" " " " " "		7 " ...	6 articles	18s. 6d. "	
" " " " " "		10 " ...	6 " ...	21s. 5d. "	
" " " " " " oval, with blocked covers			3 " ...	1 dozen ...	15s. 6d. "
" " " " " "			4 " ...	1 " ...	17s. 5d. "
" " " " " "			5 " ...	1 " ...	17s. 5d. "
" " " " " "			7 " ...	6 articles	22s. 5d. "
" " " " " "			10 " ...	6 " ...	25s. 9d. "
" " " " " " oval, with stamped covers			3 " ...	1 dozen ...	10s. 6d. "
" " " " " "			4 " ...	1 " ...	11s. 11d. "
" " " " " "			5 " ...	1 " ...	11s. 11d. "
" " " " " "			7 " ...	6 articles	15s. 6d. "
" " " " " "		10 " ...	6 " ...	19s. 4d. "	
If copper bottoms are used on above—Tinning same				4s. 5d. per doz. extra	

PIECE-WORK—continued.

Articles.	Material.	Size.	When given out in the under-mentioned Quantities or more.	Prices.
BOXES—continued.				
SUGAR BOXES, wired inside and swedged ...	IX tin plate or lighter	No. 0 ...	3 doz. }	4s. 10d. per doz.
" " " " " ...		" 1 ...	3 " " }	4s. 10d. " "
" " " " " ...		" 2 ...	3 " " }	5s. 2d. " "
" " " " " ...		" 3 ...	3 " " }	5s. 11d. " "
" " " " " ...		" 4 ...	3 " " }	6s. 3d. " "
" " " " " (made in two pieces) ...		" 5 ...	3 " " }	6s. 11d. " "
		" 6 ...	3 " " }	7s. 7d. " "
		4d. per doz. extra
TRUNKS, common, moulded (cutting out, top and body edging, moulding, and wiring supplied) 2 swedges ...	26-gauge steel or lighter	20 inches ...	1 dozen ...	12s. 10d. per doz.
" " " " " 2 swedges ...		22 " ...	1 " " ...	12s. 10d. "
" " " " " " 2 swedges ...		24 " ...	1 " " ...	13s. 11d. "
" " " " " 3 swedges ...	24-gauge steel or lighter	26 " ...	1 " " ...	15s. 9d. "
" " " " " " 3 swedges ...		28 " ...	1 " " ...	19s. 5d. "
" " " " " " 3 swedges ...		30 " ...	1 " " ...	20s. 11d. "
" " " " " " 3 swedges ...		33 " ...	1 " " ...	20s. 11d. "
" " " " " 4 swedges ...	26-gauge steel or lighter	20 " ...	1 dozen ...	25s. 11d. "
" " " " " " 2 swedges ...		22 " ...	1 " " ...	25s. 11d. "
" " " " " " 2 swedges ...		24 " ...	1 " " ...	27s. 2d. "
" " " " " " 2 swedges ...		26 " ...	1 " " ...	29s. "
" " " " " 3 swedges ...	24-gauge steel or lighter	28 " ...	1 " " ...	31s. 8d. "
" " " " " " 3 swedges ...		30 " ...	1 " " ...	34s. 9d. "
" " " " " " 3 swedges ...		33 " ...	1 " " ...	42s. 10d. "
" " " " " 4 swedges ...	26-gauge steel or lighter	20 " ...	1 dozen ...	36s. 3d. "
" " " " " " 2 swedges ...		22 " ...	1 " " ...	36s. 3d. "
" " " " " " 2 swedges ...		24 " ...	1 " " ...	36s. 3d. "
" " " " " 3 swedges ...	24-gauge steel or lighter	26 " ...	1 " " ...	37s. 6d. "
" " " " " " 3 swedges ...		28 " ...	1 " " ...	38s. 7d. "
" " " " " " 3 swedges ...		30 " ...	1 " " ...	41s. 5d. "
" " " " " 4 swedges ...	26-gauge steel or lighter	30 " ...	1 " " ...	42s. 10d. "
" " " " " " 2 swedges ...		33 " ...	1 " " ...	42s. 10d. "
" " " " " " 2 swedges ...		36 " ...	1 " " ...	45s. 6d. "
" " " " " 3 swedges ...	26-gauge steel or lighter	20 " ...	1 dozen ...	19s. 5d. "
" " " " " " 2 swedges ...		22 " ...	1 " " ...	19s. 5d. "
" " " " " " 2 swedges ...		24 " ...	1 " " ...	20s. 11d. "
" " " " " 3 swedges ...	24-gauge steel or lighter	26 " ...	1 " " ...	22s. 4d. "
" " " " " " 3 swedges ...		28 " ...	1 " " ...	24s. 10d. "
" " " " " " 3 swedges ...		30 " ...	1 " " ...	27s. 6d. "
" " " " " 4 swedges ...	26-gauge steel or lighter	30 " ...	1 " " ...	27s. 6d. "
" " " " " " 2 swedges ...		33 " ...	1 " " ...	45s. 6d. "
" " " " " " 2 swedges ...		36 " ...	1 " " ...	45s. 6d. "
" " " " " 3 swedges ...	26-gauge steel or lighter	20 " ...	1 dozen ...	31s. "
" " " " " " 2 swedges ...		22 " ...	1 " " ...	31s. "
" " " " " " 2 swedges ...		24 " ...	1 " " ...	33s. 1d. "
" " " " " 3 swedges ...	24-gauge steel or lighter	26 " ...	1 " " ...	34s. 9d. "
" " " " " " 3 swedges ...		28 " ...	1 " " ...	38s. 7d. "
" " " " " " 3 swedges ...		30 " ...	1 " " ...	41s. 5d. "
" " " " " 4 swedges ...	26-gauge steel or lighter	30 " ...	1 " " ...	42s. 10d. "
" " " " " " 2 swedges ...		33 " ...	1 " " ...	42s. 10d. "
" " " " " " 2 swedges ...		36 " ...	1 " " ...	57s. 3d. "
" " " " " 3 swedges ...	24-gauge steel or lighter	20 " ...	1 dozen ...	68s. 4d. "
" " " " " " 2 swedges ...		22 " ...	1 " " ...	68s. 4d. "
" " " " " " 2 swedges ...		24 " ...	1 " " ...	68s. 4d. "
" " " " " 3 swedges ...	26-gauge steel or lighter	26 " ...	1 " " ...	20s. 3d. "
" " " " " " 2 swedges ...		28 " ...	1 " " ...	20s. 3d. "
" " " " " " 2 swedges ...		30 " ...	1 " " ...	21s. "
" " " " " 4 swedges ...	24-gauge steel or lighter	26 " ...	1 " " ...	22s. 5d. "
" " " " " " 2 swedges ...		28 " ...	1 " " ...	25s. 6d. "
" " " " " " 2 swedges ...		30 " ...	1 " " ...	27s. 2d. "
" " " " " 3 swedges ...	26-gauge steel or lighter	30 " ...	1 " " ...	27s. 2d. "
" " " " " " 2 swedges ...		33 " ...	1 " " ...	42s. 10d. "
" " " " " " 2 swedges ...		36 " ...	1 " " ...	42s. 10d. "
" " " " " 4 swedges ...	26-gauge steel or lighter	20 " ...	1 dozen ...	83s. 1d. "
" " " " " " 2 swedges ...		22 " ...	1 " " ...	83s. 1d. "
" " " " " " 2 swedges ...		24 " ...	1 " " ...	84s. 9d. "
" " " " " 3 swedges ...	24-gauge steel or lighter	26 " ...	1 " " ...	84s. 9d. "
" " " " " " 3 swedges ...		28 " ...	1 " " ...	36s. 3d. "
" " " " " " 3 swedges ...		30 " ...	1 " " ...	36s. 3d. "
" " " " " 4 swedges ...	26-gauge steel or lighter	30 " ...	1 " " ...	39s. 3d. "
" " " " " " 2 swedges ...		33 " ...	1 " " ...	42s. 1d. "
" " " " " " 2 swedges ...		36 " ...	1 " " ...	42s. 1d. "
" " " " " 3 swedges ...	24-gauge steel or lighter	20 " ...	6 articles	53s. 1d. "
" " " " " " 2 swedges ...		22 " ...	6 " "	64s. 9d. "
" " " " " " 2 swedges ...		24 " ...	6 " "	64s. 9d. "
" " " " " 4 swedges ...	26-gauge steel or lighter	20 " ...	1 dozen ...	26s. 3d. "
" " " " " " 2 swedges ...		22 " ...	1 " " ...	26s. 3d. "
" " " " " " 2 swedges ...		24 " ...	1 " " ...	27s. 2d. "
" " " " " 3 swedges ...	24-gauge steel or lighter	26 " ...	1 " " ...	29s. 8d. "
" " " " " " 2 swedges ...		28 " ...	1 " " ...	32s. 5d. "
" " " " " " 2 swedges ...		30 " ...	1 " " ...	34s. 6d. "
" " " " " 4 swedges ...	26-gauge steel or lighter	30 " ...	1 " " ...	34s. 6d. "
" " " " " " 2 swedges ...		33 " ...	6 articles	52s. 9d. "
" " " " " " 2 swedges ...		36 " ...	6 " "	52s. 9d. "
" " " " " 3 swedges ...	24-gauge steel or lighter	20 " ...	1 dozen ...	37s. 11d. "
" " " " " " 2 swedges ...		22 " ...	1 " " ...	39s. 3d. "
" " " " " " 2 swedges ...		24 " ...	1 " " ...	40s. 9d. "
" " " " " 4 swedges ...	26-gauge steel or lighter	26 " ...	1 " " ...	44s. 1d. "
" " " " " " 2 swedges ...		28 " ...	1 " " ...	47s. 7d. "
" " " " " " 2 swedges ...		30 " ...	1 " " ...	51s. 9d. "
" " " " " 3 swedges ...	24-gauge steel or lighter	30 " ...	1 " " ...	51s. 9d. "
" " " " " " 2 swedges ...		33 " ...	1 " " ...	53s. 9d. "
" " " " " " 2 swedges ...		36 " ...	1 " " ...	53s. 9d. "

PIECE-WORK—continued.

Articles.	Material.	Size.	When given out in the under-mentioned Quantities or more.	Prices.	
BOXES—continued.					
TRUNKS, strapped (top wiring supplied)	4 swedges	24-gauge steel or lighter	33 inches ...	6 articles	69s. 9d. per doz.
" " " " " " " "	" " " " " " " "	" " " " " " " "	36 " " " "	6 " " "	77s. 3d. "
" wired, strapped, complete	2 swedges	" " " " " " " "	20 " " " "	1 dozen ...	39s. 4d. "
" " " " " " " "	" " " " " " " "	" " " " " " " "	22 " " " "	1 " " "	40s. 9d. "
" " " " " " " "	" " " " " " " "	" " " " " " " "	24 " " " "	1 " " "	42s. 1d. "
" " " " " " " "	3 swedges	26-gauge steel or lighter	26 " " " "	1 " " "	45s. 6d. "
" " " " " " " "	" " " " " " " "	" " " " " " " "	28 " " " "	1 " " "	49s. "
" " " " " " " "	" " " " " " " "	" " " " " " " "	30 " " " "	1 " " "	53s. 10d. "
" " " " " " " "	4 swedges	" " " " " " " "	30 " " " "	1 " " "	55s. 3d. "
" " " " " " " "	" " " " " " " "	" " " " " " " "	33 " " " "	1 " " "	71s. 1d. "
" " " " " " " "	" " " " " " " "	" " " " " " " "	36 " " " "	6 articles	78s. 7d. "
" cabin, common, moulded (cutting out, top and body edging, moulding, and wiring supplied)	2 swedges	26-gauge steel or lighter	24 " " " "	1 dozen ...	15s. 5d. "
" " " " " " " "	" " " " " " " "	" " " " " " " "	26 " " " "	1 " " "	16s. 11d. "
" " " " " " " "	3 swedges	" " " " " " " "	28 " " " "	1 " " "	17s. 6d. "
" " " " " " " "	" " " " " " " "	" " " " " " " "	30 " " " "	1 " " "	19s. 5d. "
" " " " " " " "	4 swedges	24-gauge steel or lighter	33 " " " "	1 " " "	30s. 1d. "
" " " " " " " "	" " " " " " " "	" " " " " " " "	" " " " " " " "	" " " " " " " "	" " " " " " " "
" cabin, moulded, strapped (cutting out, top and body edging, moulding, and wiring supplied)	2 swedges	26-gauge steel or lighter	24 " " " "	1 " " "	27s. 2d. "
" " " " " " " "	3 swedges	" " " " " " " "	26 " " " "	1 " " "	29s. "
" " " " " " " "	" " " " " " " "	" " " " " " " "	28 " " " "	1 " " "	30s. 4d. "
" " " " " " " "	" " " " " " " "	" " " " " " " "	30 " " " "	1 " " "	31s. 9d. "
" " " " " " " "	4 swedges	24-gauge steel or lighter	33 " " " "	6 articles...	34s. 9d. "
" " " " " " " "	" " " " " " " "	" " " " " " " "	36 " " " "	6 " " "	39s. 4d. "
" cabin, moulded (moulding and wiring supplied)	2 swedges	26-gauge steel or lighter	24 " " " "	1 dozen ...	21s. 7d. "
" " " " " " " "	3 swedges	" " " " " " " "	26 " " " "	1 " " "	23s. 6d. "
" " " " " " " "	" " " " " " " "	" " " " " " " "	28 " " " "	1 " " "	24s. 10d. "
" " " " " " " "	" " " " " " " "	" " " " " " " "	30 " " " "	1 " " "	26s. 4d. "
" " " " " " " "	4 swedges	24-gauge steel or lighter	33 " " " "	6 articles...	38s. 2d. "
" " " " " " " "	" " " " " " " "	" " " " " " " "	" " " " " " " "	" " " " " " " "	" " " " " " " "
" cabin, strapped (moulding and wiring supplied)	2 swedges	26-gauge steel or lighter	24 " " " "	1 dozen ...	33s. 1d. "
" " " " " " " "	3 swedges	" " " " " " " "	26 " " " "	1 " " "	34s. 9d. "
" " " " " " " "	" " " " " " " "	" " " " " " " "	28 " " " "	1 " " "	37s. 3d. "
" " " " " " " "	" " " " " " " "	" " " " " " " "	30 " " " "	1 " " "	38s. 7d. "
" " " " " " " "	4 swedges	24-gauge steel or lighter	33 " " " "	6 articles...	42s. 1d. "
" " " " " " " "	" " " " " " " "	" " " " " " " "	36 " " " "	6 " " "	50s. "
" " " " " " " "	" " " " " " " "	" " " " " " " "	" " " " " " " "	" " " " " " " "	" " " " " " " "
" cabin, common, wired (cutting out, top and body edging, and top and body wiring supplied)	2 swedges	26-gauge steel or lighter	24 " " " "	1 dozen ...	21s. "
" " " " " " " "	3 swedges	" " " " " " " "	26 " " " "	1 " " "	22s. 9d. "
" " " " " " " "	" " " " " " " "	" " " " " " " "	28 " " " "	1 " " "	26s. 3d. "
" " " " " " " "	" " " " " " " "	" " " " " " " "	30 " " " "	1 " " "	27s. 7d. "
" " " " " " " "	4 swedges	24-gauge steel or lighter	33 " " " "	6 articles...	34s. 6d. "
" " " " " " " "	" " " " " " " "	" " " " " " " "	36 " " " "	6 " " "	40s. 9d. "
" " " " " " " "	" " " " " " " "	" " " " " " " "	" " " " " " " "	" " " " " " " "	" " " " " " " "
" cabin, strapped, wired (cutting out, top and body edging, and top and body wiring supplied)	2 swedges	26-gauge steel or lighter	24 " " " "	1 dozen ...	34s. 9d. "
" " " " " " " "	3 swedges	" " " " " " " "	26 " " " "	1 " " "	36s. 3d. "
" " " " " " " "	" " " " " " " "	" " " " " " " "	28 " " " "	1 " " "	37s. 11d. "
" " " " " " " "	" " " " " " " "	" " " " " " " "	30 " " " "	1 " " "	39s. 4d. "
" " " " " " " "	4 swedges	24-gauge steel or lighter	33 " " " "	6 articles...	42s. 1d. "
" " " " " " " "	" " " " " " " "	" " " " " " " "	36 " " " "	6 " " "	48s. 3d. "
" " " " " " " "	" " " " " " " "	" " " " " " " "	" " " " " " " "	" " " " " " " "	" " " " " " " "
" cabin, common, wired (top wiring supplied)	2 swedges	26-gauge steel or lighter	24 " " " "	1 dozen ...	27s. 11d. "
" " " " " " " "	3 swedges	" " " " " " " "	26 " " " "	1 " " "	29s. 8d. "
" " " " " " " "	" " " " " " " "	" " " " " " " "	28 " " " "	1 " " "	33s. 1d. "
" " " " " " " "	" " " " " " " "	" " " " " " " "	30 " " " "	1 " " "	34s. 6d. "
" " " " " " " "	4 swedges	24-gauge steel or lighter	33 " " " "	6 articles...	42s. 1d. "
" " " " " " " "	" " " " " " " "	" " " " " " " "	36 " " " "	6 " " "	49s. "
" " " " " " " "	" " " " " " " "	" " " " " " " "	" " " " " " " "	" " " " " " " "	" " " " " " " "
" cabin, strapped, wired (top wiring supplied)	2 swedges	26-gauge steel or lighter	24 " " " "	1 dozen ...	39s. 4d. "
" " " " " " " "	3 swedges	" " " " " " " "	26 " " " "	1 " " "	40s. 9d. "
" " " " " " " "	" " " " " " " "	" " " " " " " "	28 " " " "	1 " " "	42s. 1d. "
" " " " " " " "	" " " " " " " "	" " " " " " " "	30 " " " "	1 " " "	46s. 11d. "
" " " " " " " "	4 swedges	24-gauge steel or lighter	33 " " " "	6 articles...	53s. "
" " " " " " " "	" " " " " " " "	" " " " " " " "	36 " " " "	6 " " "	57s. 3d. "
" " " " " " " "	" " " " " " " "	" " " " " " " "	" " " " " " " "	" " " " " " " "	" " " " " " " "
" cabin, strapped, wired, complete	2 swedges	26-gauge steel or lighter	24 " " " "	1 dozen ...	42s. 1d. "
" " " " " " " "	3 swedges	" " " " " " " "	26 " " " "	1 " " "	44s. 1d. "
" " " " " " " "	" " " " " " " "	" " " " " " " "	28 " " " "	1 " " "	46s. 2d. "
" " " " " " " "	" " " " " " " "	" " " " " " " "	30 " " " "	1 " " "	49s. "
" " " " " " " "	4 swedges	24-gauge steel or lighter	33 " " " "	6 articles...	54s. 6d. "
" " " " " " " "	" " " " " " " "	" " " " " " " "	36 " " " "	6 " " "	59s. 4d. "
" " " " " " " "	" " " " " " " "	" " " " " " " "	" " " " " " " "	" " " " " " " "	" " " " " " " "
If corners fitted on lids for 20-inch to 30-inch common trunks	8d. per doz. trunks extra
Swivels, end-handles and corners of all trunks supplied.					
Wires for all moulded trunks supplied.					
Wires for tops of wired trunks supplied.					

PIECE-WORK—continued.

Articles.	Material.	Size.	When given out in the under-mentioned Quantities or more.	Prices.
BUCKETS—continued.				
ALL MILK BUCKETS—If ears soldered to outside of bucket	1s. 7d. per doz. extra
TIN BUCKETS, with flat bottoms and stamped ears	IC tin plate	11 inches diameter x 9 inches deep	6 dozen ...	4s. 8d. per doz.
TIN BUCKETS, with tin hoop and stamped ears ...	IC tin plate ...	13 inches diameter x 9 inches deep	6 " ...	5s. 5d. "
" with 1½-in. or 1¼-in. hoop and strap	IC tin plate ...	" " "	2 " ...	7s. 7d. "
" with 1½-in. hoop and strap	IX tin plate ...	" " "	2 " ...	8s. 3d. "
" with 1½-in. hoop and strap	IXX tin plate ...	" " "	2 " ...	9s. 5d. "
If bails supplied for strapped tin buckets	3d. per doz. deducted
(8.) CANISTERS.				
ROUND CANISTERS, with slipped on bottle neck (top blanks supplied)	IC tin plate	½ lb. ...	4 dozen ...	4s. per doz.
" " " "		1 " ...	4 " ...	4s. 5d. "
" " " "		2 lbs. ...	4 " ...	4s. 8d. "
" " " "		3 " ...	3 " ...	5s. "
" " " "	4 " ...	3 " ...	5s. 11d. "	
(9.) CANS.				
CREAM CANS, grooved, three hoops, double rim cover (including use of guillotine)	20-gauge tinned steel or lighter, or DXXXX tin plate or lighter	20 quarts ...	1 dozen ...	6s. 11d. each
" " " " " "		30 " ...	1 " ...	6s. 11d. "
" " " " " "		40 " ...	1 " ...	7s. 7d. "
" four hoops, double rim cover (including use of guillotine)		40 " ...	1 " ...	7s. 11d. "
" three hoops, single rim cover (including use of guillotine)		20 " ...	1 " ...	5s. 5d. "
" " " " " "		30 " ...	1 " ...	5s. 5d. "
" four " " " " "		40 " ...	1 " ...	6s. 3d. "
" " " " " "		40 " ...	1 " ...	6s. 6d. "
" If not cleaned and tested by maker		All sizes	3d. per can deducted
" If hoops supplied for		6d. per doz. hoops deducted
" If cover stamping or blocking supplied for	40 quarts ...	1s. 6d. per doz. deducted
" If bottoms supplied for	40 " ...	1s. per doz. deducted
HARVEST CANS, with pannikin supplied	IX tin plate or lighter	2 quarts ...	1½ dozen ...	8s. 7d. per doz.
" " " "		3 " ...	1½ " ...	9s. 5d. "
" " " "		4 " ...	1½ " ...	10s. 1d. "
" " " "		6 " ...	1 " ...	10s. 9d. "
" " " "		8 " ...	1 " ...	11s. 4d. "
" " " "		10 " ...	1 " ...	12s. 7d. "
" " " " if with spouts		12 " ...	1 " ...	14s. 1d. "
" " " " " "	All sizes	2s. 5d. per doz. extra	
HOT WATER CANS, knocked up bottoms	IX tin plate or lighter	3 pints ...	1 dozen ...	15s. 11d. per doz.
" " " "		2 quarts ...	1 " ...	15s. 11d. "
" " " "		3 " ...	1 " ...	19s. 4d. "
" " " "		4 " ...	1 " ...	19s. 4d. "
" " " " wired, bottom let in...		3 pints ...	1 " ...	17s. 5d. "
" " " "		2 quarts ...	1 " ...	17s. 5d. "
" " " "		3 " ...	1 " ...	20s. 9d. "
" " " "		4 " ...	1 " ...	20s. 9d. "
HOT WATER CANS	26-gauge galv. iron or lighter	All sizes	3s. 9d. per doz. extra
JACK SHAY CANS, straight body	IC tin plate	1 quart ...	2 dozen ...	6s. 11d. per doz.
" " " " tapered body		1 " ...	2 " ...	9s. 1d. "
MINERS' CANS	IC tin plate	1½ pints ...	2 " ...	7s. 3d. "
" " " "		2 " ...	2 " ...	7s. 3d. "
" " " "		3 " ...	2 " ...	7s. 7d. "
" " " "		4 " ...	2 " ...	8s. 7d. "
" " " "		6 " ...	1½ " ...	9s. 5d. "
RAILWAY MILK CANS, grooved, two hoops (including use of guillotine, cleaning and testing)	20-gauge tinned steel or lighter, or DXXXX tin plate or lighter	20 quarts ...	1 " ...	5s. each
" " " " three hoops		30 " ...	1 " ...	5s. "
" " " " four hoops		30 " ...	1 " ...	5s. 5d. "
" " " " three hoops		40 " ...	1 " ...	5s. 5d. "
" " " " four hoops		40 " ...	1 " ...	5s. 11d. "
" " " " four hoops or less		50 " ...	6 articles...	7s. 11d. "
" " " " If hoops supplied		All sizes	6d. per doz. hoops deducted

PIECE-WORK—continued.

Articles.	Material.	Size.	When given out in the under-mentioned Quantities or more.	Prices.	
CANS—continued.					
RAILWAY MILK CANS, if bottoms supplied	...	All sizes	...	1s. per doz. deducted	
TOILET CANS, with knocked up bottoms (studs supplied)	IX tin plate or lighter	6 quarts	1 dozen	22s. 5d. per doz.	
" " " " " "		8 " "	1 " "	24s. 9d. "	
" " " " " "		10 " "	1 " "	27s. 2d. "	
" " " " " "		12 " "	1 " "	29s. 8d. "	
" " " " " "		16 " "	1 " "	33s. 3d. "	
" " body wired, and bottom let in		6 " "	1 " "	24s. 9d. "	
" " " " " "		8 " "	1 " "	25s. 7d. "	
" " " " " "		10 " "	1 " "	30s. 4d. "	
" " " " " "		12 " "	1 " "	32s. 8d. "	
" " " " " "		16 " "	1 " "	36s. 6d. "	
" " " " " "	26-gauge galv. iron or lighter	All sizes	...	4s. 8d. per doz. extra	
(10.) COLANDERS.					
HAND-MADE COLANDERS, machine-punched, with side handles	IX tin plate or lighter	9 inches	4 dozen	5s. 6d. per doz.	
" " " " " "		11 " "	4 " "	6s. 0d. "	
" " " " " "		13 " "	3 " "	7s. 11d. "	
" " " " " "		15 " "	1½ " "	9s. 3d. "	
COLANDERS—If punched with hand punch	...	All sizes	...	2s. 5d. per doz. extra	
(11.) COVERS.					
MEAT COVERS, with perforated zinc bodies (straight sides) and pitched top	IX tin plate or lighter	12 inches	3 dozen	4s. 10d. per doz.	
" " " " " "		14 " "	3 " "	5s. 2d. "	
" " " " " "		16 " "	3 " "	5s. 6d. "	
" " " " " "		18 " "	3 " "	6s. 3d. "	
" " " " " "		20 " "	2 " "	6s. 11d. "	
" " " " " "		22 " "	1½ " "	8s. 3d. "	
" " " " " "		24 " "	1 " "	9s. 7d. "	
" " with perforated zinc bodies (taper sides) and pitched top		12 " "	3 " "	5s. 6d. "	
" " " " " "		14 " "	3 " "	6s. 8d. "	
" " " " " "		16 " "	3 " "	6s. 6d. "	
" " " " " "	18 " "	3 " "	7s. 3d. "		
" " " " " "	20 " "	2 " "	7s. 11d. "		
" " " " " "	22 " "	1½ " "	9s. 7d. "		
" " " " " "	24 " "	1 " "	11s. "		
" " with perforated zinc bodies (taper sides) single rim, and blocked tops (wheeling found)...	IIX tin plate or lighter	14 inches	3 dozen	7s. 7d. per doz.	
" " " " " "		15 " "	3 " "	7s. 11d. "	
" " " " " "		16 " "	3 " "	8s. 3d. "	
" " " " " "		17 " "	3 " "	9s. "	
" " " " " "		18 " "	3 " "	9s. 7d. "	
" " " " " "		20 " "	1 " "	11s. "	
" " " " " "		22 " "	1 " "	12s. 5d. "	
" " " " " "		24 " "	1 " "	15s. 2d. "	
" " with double rims if stamped or blocked tops supplied for	All sizes	...	2s. 1d. per doz. extra
" " " " " "		...	14 inches	...	6d. per dozen deducted
" " " " " "	...	15 " "	...	6d. "	
" " " " " "	...	16 " "	...	9d. "	
" " " " " "	...	17 " "	...	9d. "	
" " " " " "	...	18 " "	...	9d. "	
" " " " " "	...	20 " "	...	1s. "	
" " " " " "	...	22 " "	...	1s. "	
" " " " " "	...	24 " "	...	1s. "	
(12.) DIPPERS.					
COMMON DIPPERS	IX tin plate or lighter	2 quarts	6 dozen	2s. 7d. per doz.	
" " " " " "		3 " "	6 " "	2s. 7d. "	
BEST DIPPERS, bossed		2 " "	4 " "	4s. 5d. "	
" " " " " "		3 " "	4 " "	4s. 5d. "	
" " " " " "		4 " "	2 " "	5s. 5d. "	
DIPPERS—Soldering studs on	4d. per doz. dippers extra	
(13.) DISHES.					
DEVON DISHES, about 9 inches deep, flat bottoms	IX tin plate or lighter	14 inches	3 dozen	5s. 6d. per doz.	
" " " " " "		16 " "	3 " "	6s. 6d. "	
" " " " " "		18 " "	2 " "	7s. 7d. "	
" " " " " "		20 " "	1 " "	8s. 7d. "	
" " " " " "		22 " "	1 " "	10s. "	
hoops	...	All sizes	...	1s. 7d. per doz. extra	

PIECE-WORK—continued.

Articles.	Material.	Size.	When given out in the under-mentioned Quantities or more.	Prices.
DISHES—continued.				
MILK DISHES	IX tin plate or lighter	17 inches ...	2 dozen ...	5s. 11d. per doz.
"		18 1/2 " ...	2 " ...	6s. 11d. "
"		20 " ...	2 " ...	7s. 11d. "
SCALDING DISHES, about 6 inches deep, flat bottoms	IX tin plate or lighter	22 " ...	2 " ...	8s. 7d. "
"		14 " ...	2 " ...	5s. 5d. "
"		16 " ...	2 " ...	5s. 11d. "
ROUND DISHES, flat bottoms, made ready for galvanizing	IX tin plate or lighter	18 " ...	2 " ...	7s. 7d. "
"		14 inches ...	3 dozen ...	4s. 6d. per doz.
"		15 " ...	3 " ...	4s. 10d. "
"	IX tin plate or lighter	17 " ...	3 " ...	5s. 11d. "
"		... "	...	4d. per doz. dishes extra
"		12 x 8 inches	3 dozen ...	4s. 6d. per doz.
SQUARE DISHES, tin	IX tin plate or lighter	13 x 9 " "	3 " ...	5s. 2d. "
"		13 x 9 " "	3 " ...	5s. 6d. "
"		14 x 10 " "	3 " ...	5s. 11d. "
"		16 x 11 " "	3 " ...	5s. 11d. "
"		16 x 12 " "	2 " ...	5s. 11d. "
"		17 x 12 " "	2 " ...	6s. 11d. "
"		18 x 12 " "	2 " ...	6s. 11d. "
"		18 x 14 " "	2 " ...	7s. 7d. "
"		20 x 14 " "	2 " ...	7s. 11d. "
"	"	"	"	3d. per doz. deducted
" if formed in angle-bender	"	"	"	"
(14.) DREDGERS.				
FLOUR DREDGERS (tops and feet supplied)	IC tin plate	No. 1 ...	6 dozen ...	2s. 8d. per doz.
"		No. 2 ...	6 " ...	3s. 4d. "
(15.) FEEDERS.				
CARPENTERS' FEEDERS	IX tin plate or lighter	...	4 dozen ...	3s. 10d. per doz.
OIL FEEDERS, funnel shape		1/2 pint ...	2 " ...	6s. 6d. "
"		1 " ...	2 " ...	7s. 3d. "
"		2 pints ...	2 " ...	7s. 7d. "
" for drays—McCormick's pattern		...	2 " ...	6s. 6d. "
REAPING MACHINE OIL FEEDERS		...	2 " ...	8s. 7d. "
If spouts supplied for Feeders (except Carpenters' Feeders)	"	"	"	9d. per doz. deducted
(16.) FRAMES.				
SPONGE CAKE FRAMES	IC tin plate	All sizes	1 dozen	17s. 5d. per doz.
(17.) FUNNELS.				
FUNNELS, without rims, not wired	IC tin plate	1/2 pint ...	8 dozen ...	1s. 8d. per doz.
" " wired		1/2 " ...	6 " ...	2s. 7d. "
" " " "		3/4 " ...	6 " ...	2s. 7d. "
" " " "		1 " ...	4 " ...	2s. 11d. "
" " " "		1 1/4 pints ...	4 " ...	2s. 11d. "
" " " "		2 " ...	4 " ...	3s. 7d. "
" " " "		2 1/2 " ...	4 " ...	3s. 7d. "
" with rims		4 " ...	3 " ...	4s. 8d. "
" " " "		6 " ...	3 " ...	5s. 5d. "
" " " "	IX tin plate or lighter	8 " ...	2 " ...	5s. 11d. "
" " " "		10 " ...	1 1/2 " ...	7s. 7d. "
" " " "		12 " ...	1 1/2 " ...	8s. 7d. "
(18.) GRATERS.				
BREAD GRATERS, half round (punched plates supplied)	IC tin plate	No. 1 ...	6 dozen ...	2s. 5d. per doz.
" " " "		" 2 ...	6 " ...	2s. 11d. "
" " " punched by hand...		" 1 ...	3 " ...	3s. 11d. "
" " " " "		" 2 ...	3 " ...	4s. 8d. "
" " round (punched plates supplied)		" 1 ...	3 " ...	3s. 7d. "
" " " " "		" 2 ...	3 " ...	4s. "
" " round (punched plates and graters on sides supplied)		" 1 ...	3 " ...	4s. "
" " " " "		" 2 ...	3 " ...	4s. 5d. "
" " round punched by hand		" 1 ...	3 " ...	5s. 5d. "
" " " " "		" 2 ...	3 " ...	5s. 11d. "
NUTMEG GRATERS (punched plates supplied)	IC tin plate	All sizes	12 " ...	1s. 8d. "

PIECE-WORK—continued.

Articles.	Material.	Size.	When given out in the under-mentioned Quantities or more.	Prices.	
(19.) HODS.					
COAL HODS, with stamped feet	24-gauge iron or lighter	No. 1 ...	1 dozen ...	12s. 5d. per doz.	
" with feet hand-made and riveted on		" 2 ...	1 " ...	12s. 10d. "	
" with knocked-up feet		" 1 ...	1 " ...	14s. 1d. "	
" with stamped feet		" 2 ...	1 " ...	14s. 6d. "	
" with knocked-up feet	" 1 ...	1 " ...	17s. 2d. "		
" with stamped feet	" 2 ...	1 " ...	17s. 2d. "		
" with knocked-up feet	26-gauge iron or lighter	" 1 ...	1 " ...	11s. 5d. "	
" with feet hand-made and riveted on		" 2 ...	1 " ...	11s. 9d. "	
" with knocked-up feet		" 1 ...	1 " ...	12s. 10d. "	
" with feet hand-made and riveted on		" 2 ...	1 " ...	13s. 1d. "	
" with knocked-up feet	" 1 ...	1 " ...	15s. 11d. "		
" with feet hand-made and riveted on	" 2 ...	1 " ...	15s. 11d. "		
" with stamped feet	28-gauge iron or lighter	" 1 ...	1 " ...	12s. 1d. "	
" with feet hand-made and riveted on		" 2 ...	1 " ...	12s. 5d. "	
" hooped		" 1 ...	1 " ...	11s. 9d. "	
" when half-covered	All gauges ...	All sizes ...		7s. 3d. per doz. extra	
(20.) KETTLES.					
CAMP KETTLES, with stamped covers supplied	IX tin plate or lighter	1 quart ...	6 dozen ...	2s. 7d. per doz.	
" " " " " " "		1 1/2 quarts...	6 " ...	2s. 11d. "	
" " " " " " "		2 " ...	6 " ...	3s. 3d. "	
" " " " " " "		3 " ...	4 " ...	3s. 7d. "	
" " " " " " "		4 " ...	4 " ...	3s. 11d. "	
" " " " " " "		6 " ...	4 " ...	4s. 2d. "	
" " " " " " "		8 " ...	3 " ...	5s. 3d. "	
" " " " " " "		3 dozen assorted, not less than 1 dozen either size.	10 " ...		5s. 11d. "
" " " " " " "			12 " ...		7s. 3d. "
" with stamped covers, finished lid handles, rims ready for tacking, and circular blanks for bottoms supplied		IX tin plate or lighter	1 quart ...	6 dozen ...	2s. 2d. per doz.
" " " " " " "			1 1/2 quarts	6 " ...	2s. 5d. "
" " " " " " "			2 " ...	6 " ...	2s. 7d. "
" " " " " " "			3 " ...	4 " ...	2s. 11d. "
" " " " " " "			4 " ...	4 " ...	3s. 3d. "
" " " " " " "	6 " ...		4 " ...	3s. 7d. "	
" " " " " " "	8 " ...		3 " ...	4s. 2d. "	
" " " " " " "	3 dozen assorted, not less than 1 dozen either size.		10 " ...		5s. 6d. "
" " " " " " "			12 " ...		6s. 11d. "
" with stamped covers, finished lid handles, rims ready for tacking, and use of circle cutters for bottoms	IX tin plate or lighter		1 quart	6 dozen ...	2s. 4d. per doz.
" " " " " " "			1 1/2 quarts	6 " ...	2s. 7d. "
" " " " " " "			2 " ...	6 " ...	2s. 11d. "
" " " " " " "			3 " ...	6 " ...	3s. "
" " " " " " "			4 " ...	4 " ...	3s. 4d. "
" " " " " " "		6 " ...	4 " ...	3s. 11d. "	
" " " " " " "		8 " ...	3 " ...	4s. 10d. "	
" " " " " " "		3 dozen assorted, not less than 1 dozen either size.	10 " ...		5s. 6d. "
" " " " " " "			12 " ...		6s. 11d. "
" with stamped covers, finished lid handles, finished rims, and circular blanks for bottoms supplied		IX tin plate or lighter	1 quart	6 dozen ...	2s. 1d. per doz.
" " " " " " "			1 1/2 quarts	6 " ...	2s. 4d. "
" " " " " " "			2 " ...	6 " ...	2s. 5d. "
" " " " " " "			3 " ...	4 " ...	2s. 11d. "
" " " " " " "			4 " ...	4 " ...	3s. 3d. "
" " " " " " "	6 " ...		4 " ...	3s. 7d. "	
" " " " " " "	8 " ...		3 " ...	4s. 2d. "	
" " " " " " "	3 dozen assorted, not less than 1 dozen either size.		10 " ...		5s. 4d. "
" " " " " " "			12 " ...		6s. 11d. "

PIECE-WORK—continued.

Articles.	Material.	Size.	When given out in the under-mentioned Quantities or more.	Prices.
KETTLES—continued.				
CAMP KETTLES, with stamped covers, finished lid handles, finished rims, and use of circle cutters for bottoms	IX tin plate or lighter	1 quart ...	6 dozen ...	2s. 2d. per doz.
" " " " " " " " " " " " " "		1½ quarts	6 " ...	2s. 5d. "
" " " " " " " " " " " " " "		2 " ...	6 " ...	2s. 7d. "
" " " " " " " " " " " " " "		3 " ...	4 " ...	2s. 11d. "
" " " " " " " " " " " " " "		4 " ...	4 " ...	3s. 3d. "
" " " " " " " " " " " " " "		6 " ...	4 " ...	3s. 7d. "
" " " " " " " " " " " " " "		8 " ...	3 " ...	4s. 10d. "
" " " " " " " " " " " " " "		3 dozen assorted, not less than 1 dozen either size	10 " ...	5s. 6d. "
" " " " " " " " " " " " " "			12 " ...	
" " " " " " " " " " " " " "				
COPPER KETTLES (planishing and tinning supplied)		1 lb. copper or lighter	4 pints ...	6 articles...
" " " " " " " " " " " " " "	5 " ...		6 " ...	27s. 7d. "
" " " " " " " " " " " " " "	6 " ...		6 " ...	29s. 8d. "
" " " " " " " " " " " " " "	7 " ...		6 " ...	32s. 5d. "
" " " " " " " " " " " " " "	All sizes	1s. 7d. per doz. extra
FISH KETTLES (body handles supplied and covers wheeled)	DXXX tin plate or lighter	14 inches ...	6 articles...	41s. 5d. per doz.
" " " " " " " " " " " " " "		16 " ...	3 " ...	52s. 5d. "
" " " " " " " " " " " " " "		18 " ...	3 " ...	62s. 1d. "
" " " " " " " " " " " " " "		20 " ...	3 " ...	71s. 8d. "
" " " " " " " " " " " " " "		22 " ...	3 " ...	82s. 1d. "
" " " " " " " " " " " " " "		24 " ...	3 " ...	95s. 2d. "
" " " " " " " " " " " " " "		14 "	2s. 6d. per doz. extra
" " " " " " " " " " " " " "		16 "	3s. 4d. "
" " " " " " " " " " " " " "		18 "	4s. 5d. "
" " " " " " " " " " " " " "		20 "	5s. "
" " " " " " " " " " " " " "		22 "	5s. 11d. "
" " " " " " " " " " " " " "		24 "	6s. 11d. "
TEA KETTLES, oval, with tin bottoms		IX tin plate or lighter	3 pints ...	1½ dozen...
" " " " " " " " " " " " " "	4 " ...		1½ " ...	10s. 1d. "
" " " " " " " " " " " " " "	5 " ...		1½ " ...	11s. 4d. "
" " " " " " " " " " " " " "	6 " ...		1 " ...	12s. 1d. "
" " " " " " " " " " " " " "	8 " ...		1 " ...	13s. 10d. "
" " " " " " " " " " " " " "	3 " ...		1½ " ...	10s. 1d. "
" " " " " " " " " " " " " "	4 " ...		1½ " ...	11s. 4d. "
" " " " " " " " " " " " " "	5 " ...		1½ " ...	12s. 1d. "
" " " " " " " " " " " " " "	6 " ...		1 " ...	14s. 6d. "
" " " " " " " " " " " " " "	8 " ...		1 " ...	14s. 6d. "
" " " " " " " " " " " " " "	3 " ...		1½ " ...	10s. 9d. "
" " " " " " " " " " " " " "	4 " ...		1½ " ...	11s. 6d. "
" " " " " " " " " " " " " "	5 " ...		1½ " ...	12s. 5d. "
" " " " " " " " " " " " " "	6 " ...		1 " ...	13s. 10d. "
" " " " " " " " " " " " " "	8 " ...		1 " ...	15s. 3d. "
" " " " " " " " " " " " " "	All sizes	1s. 7d. per doz. extra
" " " " " " " " " " " " " "	1 pint ...		3 dozen ...	4s. 5d. per doz.
" " " " " " " " " " " " " "	2 pints ...		3 " ...	5s. 5d. "
" " " " " " " " " " " " " "	3 " ...		2 " ...	6s. 6d. "
" " " " " " " " " " " " " "	4 " ...		2 " ...	7s. 3d. "
" " " " " " " " " " " " " "	5 " ...	2 " ...	8s. 4d. "	
" " " " " " " " " " " " " "	6 " ...	2 " ...	9s. 1d. "	
" " " " " " " " " " " " " "	8 " ...	1 " ...	10s. 9d. "	
" " " " " " " " " " " " " "	1 pint ...	3 " ...	4s. 8d. "	
" " " " " " " " " " " " " "	2 pints ...	3 " ...	5s. 11d. "	
" " " " " " " " " " " " " "	3 " ...	2 " ...	6s. 11d. "	
" " " " " " " " " " " " " "	4 " ...	2 " ...	7s. 7d. "	
" " " " " " " " " " " " " "	5 " ...	2 " ...	8s. 8d. "	
" " " " " " " " " " " " " "	6 " ...	2 " ...	9s. 5d. "	
" " " " " " " " " " " " " "	8 " ...	1 " ...	11s. 4d. "	
" " " " " " " " " " " " " "	All sizes ...	3 " ...	1s. 7d. per doz. extra	
TEA KETTLES, blocking covers and blocking and swedging breasts of	IX tin plate or lighter	1 pint	2s. 1d. per doz. extra
" " " " " " " " " " " " " "		2 pints	2s. 1d. "
" " " " " " " " " " " " " "		3 "	2s. 1d. "
" " " " " " " " " " " " " "		4 "	2s. 11d. "
" " " " " " " " " " " " " "		5 "	2s. 11d. "
" " " " " " " " " " " " " "		6 "	2s. 11d. "
" " " " " " " " " " " " " "		8 "	3s. 3d. "
(21.) LAMPS.				
WALL LAMPS, with fonts	IXX tin plate or lighter Tops, 1-lb. copper, or IXX tin plate or lighter	No. 1 ...	3 articles...	43s. 1d. per doz.
" " " " " " " " " " " " " "		" 2 ...	3 " ...	46s. 4d. "
" " " " " " " " " " " " " "		" 3 ...	3 " ...	50s. "

PIECE-WORK—continued.

Articles.	Material.	Size.	When given out in the under-mentioned Quantities or more.	Prices.
(22.) MEASURES.				
MILK MEASURES	IC tin plate	1 pint	6 dozen	3s. 3d. per doz.
"		1 " "	4 " "	4s. " "
"		2 pints	3 " "	4s. 5d. "
OIL MEASURES, straight sides	IX tin plate or lighter	1 pint	3 " "	4s. 8d. "
"		1 " "	3 " "	5s. 5d. "
"		1 quart	2 " "	6s. 11d. "
"	IX tin plate or lighter	2 quarts	2 " "	7s. 11d. "
"		4 " "	2 " "	9s. 5d. "
"		1 pint	1 " "	11s. 7d. "
SPIRIT MEASURES	IX tin plate or lighter	1 " "	1 " "	12s. 10d. "
"		2 pints	1 " "	17s. 2d. "
"		4 " "	1 " "	19s. 3d. "
"	IXX tin plate or lighter	1 gallon	1 " "	22s. 1d. "
"		2 gallons	6 articles...	24s. 10d. "
(23.) PAILS.				
SLOP PAILS, with stamped tops, bottoms, and breasts supplied	IX tin plate or lighter	No. 1	2 dozen	9s. 5d. per doz.
"		" 2	2 " "	10s. 1d. "
"		" 3	2 " "	13s. 1d. "
"		" 4	2 " "	15s. 2d. "
" stamped tops and bottoms supplied, hand-made breasts	IX tin plate or lighter	" 1	2 " "	11s. 11d. "
"		" 2	2 " "	13s. 5d. "
"		" 3	2 " "	16s. 2d. "
"		" 4	2 " "	19s. 4d. "
" hand-made	IX tin plate or lighter	" 1	2 " "	15s. 2d. "
"		" 2	2 " "	17s. 3d. "
"		" 3	2 " "	21s. " "
"		" 4	2 " "	23s. 1d. "
" made with black or galvanized iron lids bottoms feet	26-gauge iron or lighter	All sizes	...	4d. per doz. extra
"		"	...	4d. " "
Balls and ears to be supplied for all sizes	IXX tin plate or lighter	No. 1	1 dozen	12s. 10d. per doz.
TOILET PAILS		" 2	1 " "	14s. 1d. " "
"		" 3	1 " "	15s. 2d. " "
" if feet and funnels supplied		All sizes	...	1s. 6d. per doz. deducted
(24.) PANS.				
ASHPANS, common	23-gauge iron or lighter	No. 1	4 dozen	5s. per doz.
"		" 2	4 " "	5s. 5d. "
"		" 3	4 " "	5s. 9d. "
"	26-gauge iron or lighter	" 1	4 " "	5s. 9d. "
"		" 2	4 " "	6s. 6d. "
" with tin bead		" 3	4 " "	7s. 3d. "
Venetians for Ashpans (2 in set)	IX tin plate or lighter	All sizes	...	1s. 7d. per doz. extra
" (3 in set)		"	2 dozen	6s. 6d. per doz. sets of venetians
CLOSETPANS, tapered to nest	26-gauge iron or lighter	17 1/2 x 15 x 13 inches	2 " "	7s. 11d. " "
" straight sides		26-gauge iron or lighter	17 x 13 x 13 inches	2 " "
"	26-gauge iron or lighter	18 x 14 x 14 inches	2 " "	7s. 11d. "
"		24-gauge iron...	All sizes	1 1/2 dozen of any one size
" if made with single strap one rivet in bottom	IX tin plate or lighter	"	...	4d. per doz. pans extra
" if made of galvanized iron		"	...	8d. " "
DOUGHPANS	IXX tin plate or lighter	14 inches	2 dozen	1s. 7d. " "
"		16 " "	2 " "	8s. 8d. per doz.
"		18 " "	2 " "	9s. 5d. "
"		20 " "	2 " "	11s. 7d. "
"		22 " "	1 " "	13s. 10d. "
DUSTPANS	IX tin plate or lighter	No. 1	2 1/2 " "	15s. 11d. "
"		" 2	2 1/2 " "	5s. 5d. "
"		" 3	2 1/2 " "	6s. 6d. "
" with cover		" 1	2 " "	6s. 11d. "
"		" 2	2 " "	7s. 11d. "
YANKEE, CORNISH, OR FLAT BOTTOM PANS	IC tin plate	" 3	2 " "	8s. 8d. "
"		" 4	2 " "	9s. 5d. "
"		13 inches	4 " "	4s. 5d. "
"		14 " "	4 " "	4s. 8d. "
"		15 " "	4 " "	4s. 8d. "
"	IC tin plate	16 " "	3 " "	5s. 5d. "
"		17 " "	3 " "	6s. 6d. "
"		18 " "	3 " "	6s. 6d. "

PIECE-WORK—continued.

Articles.	Material.	Size.	When given out in the under-mentioned Quantities or more.	Prices.	
(25.) PANNIKINS.					
PANNIKINS, with bottoms supplied	IX tin plate or lighter	½ pint	2 gross	8s. 8d. per gross	
" " if handle blanks supplied		1 "	1½ "	10s. 1d. "	
				3d. per gross deducted	
(26.) POTS.					
COFFEE-POTS, common	IX tin plate or lighter	2 pints	3 dozen	6s. 6d. per doz.	
" " " " " "		3 "	3 "	6s. 11d. "	
" " " " " "		4 "	2 "	7s. 11d. "	
" " " " " "		5 "	2 "	8s. 8d. "	
" " " " " "		6 "	2 "	10s. 1d. "	
" " " " " "		7 "	1½ "	11s. 4d. "	
" " " " " "		8 "	1½ "	12s. 10d. "	
" " best, riveted spouts and tin handles		All sizes		3s. 3d. per doz. extra	
(27.) PUMPS.					
KEROSENE PUMPS (funnel top or plain barrel top blanks supplied)	IC tin plate		4 dozen	4s. 5d. per doz.	
(28.) SAFES.					
MEAT SAFES, round	Zinc or IX tin plate or lighter. Trays 28-gauge iron or lighter	12 inches	1 dozen	29s. per doz.	
" " " " " "		14 "	1 "	30s. 4d. "	
" " " " " "		16 "	1 "	33s. 1d. "	
" " " " " "		18 "	1 "	37s. 2d. "	
" " " " " "		20 "	6 articles	41s. 5d. "	
" " " " " "		22 "	6 "	45s. 6d. "	
" " " " " "		24 "	6 "	52s. 5d. "	
" " loose bottoms if trays supplied		All sizes		1s. 5d. per doz. extra	
" " square, with half-round, D shape, or basin shape top and zinc fronts (trays supplied)		All sizes		1s. 6d. per doz. deducted	
" " " " " " " "		12 inches	1 dozen	30s. 4d. per doz.	
" " " " " " " "		14 "	1 "	33s. 1d. "	
" " " " " " " "		16 "	1 "	35s. 11d. "	
" " " " " " " "		18 "	1 "	38s. 7d. "	
" " " " " " " "		20 "	6 articles	42s. 9d. "	
" " square, with flat tops (with cup) having tapered sides and zinc fronts (trays supplied)	Zinc or IX tin plate or lighter	12 "	1 dozen	32s. 5d. "	
" " " " " " " "		14 "	1 "	35s. 2d. "	
" " " " " " " "		16 "	1 "	37s. 11d. "	
" " " " " " " "		18 "	1 "	40s. 9d. "	
" " " " " " " "		20 "	6 articles	44s. 9d. "	
" " " " " " " "		12 "	1 dozen	34s. 6d. "	
" " " " " " " "		14 "	1 "	37s. 2d. "	
" " " " " " " "		16 "	1 "	40s. "	
" " " " " " " "		18 "	1 "	42s. 9d. "	
" " " " " " " "		20 "	6 articles	46s. 11d. "	
" " square, with flat tops (with cup) having concave sides and zinc fronts (trays supplied)		All sizes		1s. 6d. per dozen safes deducted	
" " " " " " " "		All sizes			
" " if fittings supplied					
(29.) SAUCEPANS.					
TIN SAUCEPANS, with tin bottoms (iron handles supplied)	IX tin plate or lighter	1 pint	6 dozen	2s. 11d. per doz.	
" " " " " "		2 pints	4 "	3s. 3d. "	
" " " " " "		3 "	4 "	3s. 8d. "	
" " " " " "		4 "	4 "	4s. "	
" " " " " "		6 "	3 "	4s. 5d. "	
" " " " " "		8 "	3 "	4s. 8d. "	
" " " " " "		10 "	2 "	5s. "	
" " with galvanized-iron bottoms (iron handles supplied)		Bodies IX tin plate or lighter; Bottoms 28-gauge galv. iron	1 pint	6 "	3s. 3d. "
" " " " " "			2 pints	4 "	3s. 8d. "
" " " " " "			3 "	4 "	4s. "
" " " " " "	4 "		4 "	4s. 5d. "	
" " " " " "	6 "		3 "	4s. 8d. "	
" " " " " "	8 "		3 "	5s. "	
" " with tinned-copper bottoms (iron handles supplied)	Bodies IX tin plate or lighter	1 pint	3 "	4s. "	
" " " " " "		2 pints	3 "	4s. 5d. "	
" " " " " "		3 "	3 "	4s. 8d. "	
" " " " " "		4 "	2 "	5s. "	
" " " " " "		6 "	2 "	5s. 5d. "	
" " " " " "		8 "	2 "	5s. 9d. "	
" " " " " "		10 "	2 "	6s. 8d. "	
" " tinning copper bottoms making flat tin handles for cover stamping supplied	All sizes		1s. 7d. per doz. extra		
" " " " " " " "			1s. 3d. "		
" " " " " " " "			8½d. per doz.		

PIECE-WORK—continued.

Articles.	Material.	Size.	When given out in the under-mentioned Quantities or more.	Prices.	
(30.) SCOOPS.					
GROCCERS' SCOOPS—Drawer, without handles ...			4 dozen as-sorted, not less than 1 dozen of any one size	2s. 5d. per doz.	
" " front wired or pieced, with handles	IX tin plate or lighter	5 inches ...	3 dozen ...	6s. 6d. "	
" " " " " "		6 " ...	3 " ...	7s. 3d. "	
" " " " " "		7 " ...	2 " ...	8s. 8d. "	
" " " " " "		8 " ...	2 " ...	9s. 5d. "	
" " " " " "		10 " ...	1½ " ...	11s. 4d. "	
" " " " " "		12 " ...	1 " ...	12s. 7d. "	
" " front not wired or pieced, with handles	IX tin plate or lighter	5 " ...	3 " ...	5s. "	
" " " " " "		6 " ...	3 " ...	5s. 9d. "	
" " " " " "		7 " ...	2 " ...	7s. 3d. "	
" " " " " "		8 " ...	2 " ...	8s. 8d. "	
" " " " " "		10 " ...	1½ " ...	9s. 7d. "	
" " " " " "		12 " ...	1 " ...	11s. 9d. "	
" " galvanized iron, front wired or pieced, with handles	24-gauge galv. iron or lighter	5 " ...	1 " ...	9s. 7d. "	
" " " " " "		6 " ...	1 " ...	10s. 9d. "	
" " " " " "		7 " ...	1 " ...	11s. 11d. "	
" " " " " "		8 " ...	1 " ...	13s. 9d. "	
" " " " " "		10 " ...	1 " ...	16s. 3d. "	
" " " " " "		12 " ...	1 " ...	18s. 3d. "	
(31.) SKIMMERS.					
COOKS' SKIMMERS (handles supplied) ...	IXX tin plate or lighter		3 dozen ...	5s. per doz.	
MILK SKIMMERS, with ring handles ...	DXXXX tin plate or lighter	6½ inches ...	4 " ...	2s. 11d. "	
" " " " " "		8 " ...	4 " ...	3s. 8d. "	
" " " " " "		9 " ...	4 " ...	4s. "	
" " " " " "		10 " ...	4 " ...	4s. 5d. "	
(32.) STANDS.					
COCKATOO STANDS ...	IX tin plate or lighter	17 inches ...	6 articles ...	30s. 3d. per doz.	
" " " " " "		20 " ...	6 " ...	32s. 5d. "	
" " " " " "		26-gauge galv. iron or lighter, or zinc	17 " ...	3 " ...	40s. "
" " " " " "		20 " ...	3 " ...	47s. 7d. "	
(33.) STEAMERS.					
STEAMERS ...	IXX tin plate or lighter	No. 4 ...	2 dozen ...	6s. 11d. per doz.	
" " " " " "		" 5 ...	2 " ...	6s. 11d. "	
" " " " " "		" 6 ...	1½ " ...	7s. 7d. "	
" " " " " "		" 7 ...	1½ " ...	8s. 8d. "	
" " " " " "		" 8 ...	1½ " ...	9s. 5d. "	
" " " " " "		" 9 ...	1 " ...	10s. 1d. "	
" " " " " "		" 10 ...	1 " ...	11s. 11d. "	
" " " " " "		" 11 ...	1 " ...	13s. 9d. "	
" " " " " "		" 12 ...	1 " ...	14s. 6d. "	
" " if handles supplied for ...					3d. per doz. steamers deducted
(34.) STRAINERS.					
GRAVY STRAINERS, hand made ...	IC tin plate	Small ...	3 dozen ...	4s. 9d. per doz.	
" " " " if perforated bottoms supplied		Large ...	3 " ...	5s. 5d. "	
GRUEL STRAINERS ...	IX tin plate or lighter	All sizes ...	3 dozen ...	6d. " deducted	
MILK STRAINERS, wired ...		8½ inches	3 " ...	5s. 5d. per doz.	
" " " " " "		10 " ...	3 " ...	4s. 1d. "	
" " " " " "		11 " ...	3 " ...	4s. 9d. "	
" " " " " "		12 " ...	3 " ...	5s. 2d. "	
" " " " " "		14 " ...	2 " ...	5s. 6d. "	
" " " " " " with rim ...		8½ " ...	2 " ...	6s. 2d. "	
" " " " " "		10 " ...	2 " ...	5s. 6d. "	
" " " " " "		11 " ...	2 " ...	6s. 3d. "	
" " " " " "		12 " ...	2 " ...	6s. 11d. "	
" " " " " "	14 " ...	2 " ...	7s. 3d. "		
MILK CAN STRAINERS, knocked up rims ...	IX tin plate ...		1 " ...	11s. 11d. "	
" " " " " "	IXX tin plate ...		1 " ...	15s. 6d. "	
(35.) TINS.					
BREAD TINS (made of five pieces) ...	IX tin plate or lighter	1 lb. ...	3 dozen ...	5s. per doz.	
" " " " " "		2 " ...	3 " ...	5s. "	
" " " " " "		4 " ...	2 " ...	5s. 5d. "	
" " " " " "		6 " ...	2 " ...	7s. 3d. "	
COBURG BREAD TINS ...	IX tin plate ...		3 " ...	4s. 8d. "	
EXHIBITION BREAD TINS, single ...		IXXXX tin plate or lighter, or 24-gauge iron or lighter	2 lb. ...	6 articles ...	24s. 9d. "
" " " " " "		4 " ...	6 " ...	31s. "	
" " " " " " double ...		2 " ...	3 " ...	62s. 1d. "	
" " " " " "		4 " ...	3 " ...	72s. 5d. "	

PIECE-WORK—continued.

Articles.	Material.	Size.	When given out in the under-mentioned Quantities or more.	Prices.		
TINS—continued.						
CAKE TINS, AND CAKE RINGS, with use of knocking-up machine	IC tin plate	4 inches ...	1 gross ; not less than 3 dozen of any one size	17s. 7d. per gross		
" " " " " "		5 " ...		19s. 4d. "		
" " " " " "		6 " ...		20s. 8d. "		
" " " " " "		7 " ...		24s. 2d. "		
" " " " " "		8 " ...		25s. 11d. "		
" " " " " "		9 " ...		27s. 7d. "		
" " " " " "		10 " ...		31s. "		
" " " " " "		11 " ...		36s. 2d. "		
" " " " " "		12 " ...		41s. 5d. "		
" " " " " loose bottoms ...		All sizes ...		15s. 11d. " extra		
QUEEN CAKE TINS, hearts ...		IC tin plate		...	4 dozen ...	4s. per doz.
" " diamonds	6 " ...	1s. 10d. "
SANDWICH TINS, with use of knocking-up machine	IC tin plate	6 inches ...	1 gross ; not less than 3 dozen of any one size	20s. 9d. per gross		
" " " " " "		7 " ...		24s. 2d. "		
" " " " " "		8 " ...		25s. 11d. "		
" " " " " "		9 " ...		27s. 7d. "		
" " " " " "		10 " ...		31s. "		
" " " " " "		11 " ...		36s. 2d. "		
" " " " " "	12 " ...	41s. 5d. "				
SWISS ROLL TINS, wired, with use of angle bender	IC tin plate	12 x 8 inches	4 dozen ...	3s. 8d. per doz.		
" " " " " "		13 x 9 "	4 " ...	4s. "		
" " " " " "		14 x 10 "	4 " ...	4s. "		
" " " " " "		15 x 11 "	4 " ...	4s. 5d. "		
" " " " " "		16 x 12 "	4 " ...	4s. 8d. "		
" " " not wired, with use of angle bender		12 x 8 "	4 " ...	2s. 11d. "		
" " " without use of angle bender ...		All sizes	8d. " extra		
(36.) TUBS.						
BLACK IRON TUBS, round or oval, without hoop or strap	26-gauge iron or lighter	16 inches ...	2 dozen ...	6s. 6d. per doz		
" " " " " "		18 " ...	2 " ...	7s. 3d. "		
" " " " " "		20 " ...	2 " ...	7s. 11d. "		
" " " " " "		22 " ...	2 " ...	8s. 3d. "		
" " " " " "		24 " ...	1½ " ...	9s. 5d. "		
" " " " " "		26 " ...	1½ " ...	10s. 6d. "		
" " " " " "		28 " ...	1½ " ...	12s. 5d. "		
" " " " " "		30 " ...	1 " ...	14s. 1d. "		
" " " with hoop ...		16 " ...	2 " ...	7s. 3d. "		
" " " " " "		18 " ...	2 " ...	8s. 3d. "		
" " " " " "		20 " ...	2 " ...	8s. 3d. "		
" " " " " "		22 " ...	2 " ...	9s. 5d. "		
" " " " " "		24 " ...	1½ " ...	10s. 1d. "		
" " " " " "		26 " ...	1½ " ...	11s. 11d. "		
" " " " " "		28 " ...	1½ " ...	13s. 1d. "		
" " " " " "		30 " ...	1 " ...	15s. 2d. "		
" " " " " "		24-gauge iron or lighter	33 " ...	6 articles...	19s. 4d. "	
" " " " " "		36 " ...	6 " ...	25s. 6d. "		
" " " hooped and strapped ...		16 " ...	2 dozen ...	9s. 1d. "		
" " " " " "		18 " ...	2 " ...	9s. 7d. "		
" " " " " "		20 " ...	2 " ...	10s. 1d. "		
" " " " " "		22 " ...	2 " ...	11s. 4d. "		
" " " " " "		24 " ...	1½ " ...	11s. 11d. "		
" " " " " "		26 " ...	1½ " ...	13s. 9d. "		
" " " " " "	28 " ...	1½ " ...	15s. 6d. "			
" " " " " "	30 " ...	1 " ...	17s. 7d. "			
" " " " " "	24-gauge iron or lighter	33 " ...	6 articles...	21s. 3d. "		
" " " " " "	36 " ...	6 " ...	28s. 7d. "			
TIN TUBS, round, without hoop	IX tin plate or lighter	15 " ...	2 dozen ...	6s. 11d. "		
" " " " " "		16 " ...	2 " ...	6s. 11d. "		
" " " " " "		18 " ...	1½ " ...	8s. 8d. "		
" " " " " "		20 " ...	1½ " ...	9s. 5d. "		
" " " " " "		22 " ...	1½ " ...	10s. 1d. "		
" " " " " "		24 " ...	1 " ...	11s. 11d. "		
" " " with tinned or galvanized iron or black iron hoop ...		IX tin plate or lighter	15 " ...	2 " ...	8s. 8d. "	
" " " " " "			16 " ...	2 " ...	8s. 8d. "	
" " " " " "			18 " ...	1½ " ...	10s. 1d. "	
" " " " " "			20 " ...	1½ " ...	11s. 4d. "	
" " " " " "			22 " ...	1½ " ...	11s. 11d. "	
" " " " " "			24 " ...	1 " ...	13s. 10d. "	
" " " oval, without hoop ...	IX tin plate or lighter	16 " ...	2 " ...	9s. 5d. "		
" " " " " "		18 " ...	1½ " ...	10s. 1d. "		
" " " " " "		20 " ...	1½ " ...	11s. 4d. "		
" " " " " "		22 " ...	1½ " ...	12s. 7d. "		
" " " " " "	IXX tin plate or lighter	24 " ...	1 " ...	14s. 6d. "		
" " " with tinned or galvanized iron or black iron hoop...	IX tin plate or lighter	16 " ...	2 " ...	11s. 4d. "		
" " " " " "		18 " ...	1½ " ...	11s. 11d. "		
" " " " " "		20 " ...	1½ " ...	12s. 7d. "		
" " " " " "		22 " ...	1½ " ...	14s. 6d. "		
" " " " " "		IXX tin plate or lighter	24 " ...	1 " ...	16s. 4d. "	

PIECE-WORK—continued.
SCHEDULE B.—CANISTER WORK.

	Price per gross.			
	Lap seam, without assistance.	Lock seam, without assistance.	Lock seam with one assistant.	Lock seam, with two assistants.
	s. d.	s. d.	s. d.	s. d.
SOLDERING SEAMS—all work rolled—up to and including 2½ inches in diameter—				
Up to and including 2 inches deep	0 8½	0 7½	0 6½	0 5
Over 2 inches deep and up to and including 3½ inches deep	0 9½	0 8½	0 7½	0 5½
" 3½ " " " 4½ " "	0 10	0 8½	0 7½	0 5½
" 4½ " " " 5½ " "	0 11½	0 10	0 8½	0 7½
" 5½ " " " 7 " "	1 4½	0 11½	0 10	0 8½
Over 2½ inches and up to and including 3½ inches in diameter—				
Up to and including 2 inches deep	0 8½	0 7½	0 6	0 5
Over 2 inches deep and up to and including 3½ inches deep	0 9½	0 8½	0 7½	0 5½
" 3½ " " " 5 " "	0 11	0 8½	0 7½	0 5½
" 5 " " " 6 " "	1 0½	0 10	0 8½	0 7½
" 6 " " " 7 " "	1 3½	1 0½	0 10½	0 9½
" 7 " " " 8 " "	1 10½	1 5	1 3½	1 2½
Over 3½ inches and up to and including 4½ inches in diameter—				
Up to and including 2 inches deep	0 10	0 7½	0 6½	0 5
Over 2 inches deep and up to and including 3½ inches deep	0 11	0 8½	0 7½	0 5½
" 3½ " " " 5 " "	1 0½	0 9½	0 8½	0 7½
" 5 " " " 6 " "	1 2½	0 11	0 9½	0 7½
" 6 " " " 7 " "	1 4½	1 0½	0 11½	0 10
" 7 " " " 8 " "	1 9½	1 5	1 3½	1 2½
Over 4½ inches, and up to and including 5½ inches in diameter—				
Up to and including 2½ inches deep	0 11½	0 8½	0 7½	0 5½
Over 2½ inches deep, and up to and including 4½ inches deep	1 3½	0 11½	0 9½	0 7½
" 4½ " " " 6 " "	1 8	1 2½	1 0½	0 11
" 6 " " " 7 " "	1 11	1 5	1 3½	1 2½
" 7 " " " 8 " "	2 0½	1 6½	1 5½	1 3½
Over 5½ inches, and up to and including 6½ inches in diameter—				
Up to and including 3 inches deep	1 3½	0 11	0 9½	0 7½
Over 3 inches deep, and up to and including 4½ inches deep	1 6½	1 0½	0 10½	0 9½
" 4½ " " " 6 " "	1 9½	1 2½	1 0½	0 11
" 6 " " " 8 " "	2 0½	1 6½	1 5½	1 3½
MEAT TINS—				
Seaming and rolling meat tin bodies (round) on clamps—				
½ lb.	1 3½
1 " tongue	1 3½
1½ lbs.	1 3½
2 " long	1 3½
2½ " "	1 3½
3 " "	1 4½
6 " (including putting on tops and bottoms)	3 10½
Seaming ½ lb. or 1 lb. on 1 cylinder—				
" 2 lbs.	0 9
" ½ or 1 lb. on 2 cylinders	0 10
" 2 lbs. " " "	0 7½
" ½ lb. or 1 lb. on 3 to 6 cylinders (with 2 boys)	0 9
" 2 lbs. " " "	0 3½
Seaming meat tins (tapered square) on one former—				
1 lb.	0 9
2 lbs.	0 10
6 " "	1 2
Price per 1,000 ends.				
Squeezing—12 oz. or 1 lb. (tapered square)				
" 1½ lbs.	2 10
" 2 " "	3 0
" 6 " "	3 3½
Price per 100 ends.				
Jokering—½ lb. (round, or tapered square)				
" 1 " "	0 4½
" 1½ lbs. " "	0 4½
" 3 " "	0 6
" 4 " "	0 8½
" 5 " "	0 8½
" 6 " "	0 8½
SOLDERING TOPS OR BOTTOMS OF EMPTY TINS—(spiriting provided)—				
Price per gross:				
	Not crimped or rolled on.	Crimped.	Rolled on.	
	s. d.	s. d.	s. d.	s. d.
Up to and including 3 inches in diameter	1 0	0 11½	0 9½	0 9½
Over 3 inches diameter, and up to and including 3½ inches in diameter	1 1½	1 0½	1 0	1 0
" 3½ " " " 4½ " "	1 9½	1 7½	1 4½	1 4½
" 4½ " " " 5 " "	2 0½	1 9½	1 7½	1 7½
" 5 " " " 6 " "	2 7½	2 4½	2 1½	2 1½
ROUND WORK (SOLDERING).				
Price per gross.				
JAM TINS—Closing, 1 lb., topped, and crimped				
" 2 lb. " " "	1 3½
CAKE TINS—				
2 lbs., soldering	13 9
4 " "	15 6
6 " "	17 4
6 " cutting	1 10½

PIECE-WORK—continued.
ROUND WORK (SOLDERING)—continued.

	Per gross s. d.
CAPPING—Soldering on caps, all work cleaned, caps put on—	
Cap up to and including 1½ inches in diameter in 6-lb. tin or less	1 3½
" over 1½ and up to and including 2½ inches in diameter in 6-lb. tin or less	1 5
" " 2½ " " " 2½ " " " " " "	1 6½
" " 2½ " " " 3½ " " " " " "	1 8½
" " 3½ " " " 3½ " " " " " "	2 1½
Capping pulp tins, up to 40-lbs., work cleaned and caps put on—	
Round cap	4 3½
Square cap, 3½ to 5 inches square	5 5
SQUARE WORK.	
Jam tins, 6 lbs., soldering only, with use of spring	13 9
" 6 " notching, bending, and folding	6 11
" 14 " soldering only, without use of spring	16 6
" 14 " " with use of spring	18 0
" 20 " " without use of spring	17 2
" 20 " " with use of spring	19 0
" 28 " " without use of spring	17 2
" 28 " " with use of spring	19 0
" 14, 20, and 28 lbs., notching, bending, and folding	8 7 extra
Pulp tin, 40 lbs., soldering only, without use of spring	25 2
" 40 " " with use of spring	25 2
" 40 " " lock seam	25 2
Cutting out above sizes	2 1 extra
Notching, bending, and folding so that spring is not necessary, all above sizes, except 6 lbs.	12 0
Notching, bending, and folding, so that spring is necessary at one end	10 6
BISCUIT TINS—	
1 lb., soldering	5 4
2 lbs. " "	6 7
4 " " "	10 6
6 " " "	10 6
6 " " two seams	12 0
6 lbs., glass, soldering	15 6
14 " plain, " "	16 2
14 " glass, " "	20 8
25 " plain, " "	18 0
30 " " " "	18 0
40 " " " "	18 0
50 " " " "	20 8
Unseal	18 0
¾-lb. packet	16 2
9 lbs. Cabin	14 10
Wafer, Ice and Cup, soldering	14 10
" Cream, Henley and Variety, soldering	6 7
Afternoon Tea, soldering	6 7
1 lb., cutting bodies	0 5½
2 lbs. " "	0 5½
6 " " "	1 10
1 lb., cutting ends	0 2
2 lbs. " "	0 2
4 " cutting at guillotine	1 5
9 " " " "	2 4
30 " " " "	3 3
40 " " " "	3 3
50 " " " "	3 3
Plain and Packet, cutting at guillotine	2 11
Small Wafer	0 11
30 lbs., closing, soldering	6 11
40 " " " "	8 7
50 " " " "	9 10
FLOUR TINS—	
40 lbs., soldering	16 2
50 " " "	20 8
HONEY TINS—	
56 lbs., soldering	25 2
OIL OR VARNISH TINS—	
½ gallon, soldering ends and lock seam	14 6
1 " " " "	17 4
2 " " " "	23 5
OBLONG TINS—(reputed or imperial measure)—	
1 pint, plain, soldering, lock seam (with two assistants)	0 7½
1 " " " " (with one assistant)	0 8½
1 " " " " (without assistance)	0 10
1 quart " " " (with two assistants)	0 7½
1 " " " " (with one assistant)	0 8½
1 " " " " (without assistance)	0 10
Soldering, all above tins, if made of decorated or varnished tin plate	0 2 extra each end
1 pint, rolled on ends, soldering	2 7½ each end
1 " crimped, soldering	2 8½ " "
1 " not crimped or rolled on, soldering	2 11 " "
1 quart, rolled on ends, soldering	2 9 " "
1 " crimped, soldering	2 11 " "
1 " not crimped, soldering	3 7½ " "
TOBACCO TINS—	
2 lbs., closing	7 3 per 100
3 lbs. " "	8 5 " "

PIECE-WORK—*continued.*

OIL TINS—		OVAL WORK.		Per gross.
				s. d.
$\frac{1}{2}$	pint, lock seams, soldering (with two assistants)	0 5
$\frac{1}{2}$	" " " (with one assistant)	0 7 $\frac{1}{2}$
$\frac{1}{2}$	" " " (without assistance)	0 10
$\frac{1}{2}$	" lap " " (" ")	0 10
$\frac{1}{2}$	" rolled on ends	2 5 each end
$\frac{1}{2}$	" crimped on ends	2 1 "
$\frac{1}{2}$	" slipped on ends	2 9 "

STAMPING WORK ON POWER MACHINES OR PRESSES (NOT USING SCRAP).

				Per gross.
				s. d.
Up to and including $3\frac{1}{4}$	inches in diameter of cutting die	0 1 $\frac{1}{2}$
Over $3\frac{1}{4}$ and up to and including 4	inches in diameter of cutting die	0 1 $\frac{1}{2}$
" 4	" " $4\frac{1}{2}$ "	0 2
" 4 $\frac{1}{2}$	" " $5\frac{1}{2}$ "	0 2 $\frac{3}{4}$
" 5 $\frac{1}{2}$	" " $6\frac{1}{2}$ "	0 3

DEFINITION.

9. For the purposes of this Determination, "sheet metal" shall mean sheet metal 10-gauge or lighter.

F. H. BOLTON, J.P.,
Chairman.

Dated at Melbourne the 9th day of June, 1920.

