

VICTORIA GOVERNMENT GAZETTE.

Published by Authority.

[Registered at the General Post Office, Melbourne, for transmission by post as a newspaper.]

No. 117.]

FRIDAY, SEPTEMBER 14.

[1923.

Factories and Shops Acts.

DETERMINATION OF THE TINSMITHS BOARD.

Norm.—This Determination on the 15th September, 1923, applied to the following parts of Victoria, namely:—The Metropolitan District as defined in the Factories and Shops Acts; the cities of Ballarat, Bendigo, Geelong, Sandringham, and Warnambool; the town of Geelong West; and the boroughs of Eaglehawk, Newtown and Chilwell, and Sebastopol.

In accordance with the provisions of the Factories and Shops Acts, the Wages Board appointed to "determine the lowest prices or rates of payment payable to any person or persons or classes of persons employed in the process, trade, or business of preparing or manufacturing articles made of tin plate or other sheet metal, including the japanning of such articles," has made the following Determination, namely:—

(1) That on the 15th day of September, 1923, the last previous Determination of this Board shall be revoked and replaced by this Determination.

(2)

APPRENTICES AND IMPROVERS.

Wages per Week of 48 Hours.			Number (In any place).	
	Apprentices.	Improvers.	Apprentices.	
1st year's experience	15s.	15s.	One apprentice to every three or fraction of three workers receiving not less than 87s. 6d per week of 48 hours.	
2nd " " " " " " " " " "	22s. 6d.	22s. 6d.	An indenture of apprenticeship prescribed was approved on 20th May, 1911.	
3rd " " " " " " " " " "	30s. 6d.	32s. 6d.	Improvers.	
4th " " " " " " " " " "	41s. 6d.	47s.	One improver to every five or fraction of five workers receiving not less than 95s. 6d. per week of 48 hours.	
5th " " " " " " " " " "	50s.	61s.		

(3) JUVENILE WORKERS (other than apprentices or improvers)—

	Wages per Week of 48 Hours.		
	1st Year's Experience in Class A.	2nd Year's Experience in Class A.	3rd Year's Experience in Class A.
<i>Under 17 years of age.</i>			
CLASS A.			
(1) Putting wire handles in camp kettles, wiring handles for kettles and dippers, folding flat tin handles, folding spouts and barrels for kerosene pumps, forming handles for pannikins and dippers, forming rims for lids, notching (except by power machines), using guillotine for above work, holding general sheet metal work for journeymen or soldering canisters other than seams, tops, or bottoms	17 6	24 6	31 6
(2) Polishing, cleaning (other than spiriting), testing to detect leaks (except in 4-gallon petrol, kerosene, or pulp tins), making spouting tubes, cutting and making wire handles, cutting hoop iron and wire for general sheet metal work, blackening or tarring shovels or closet pans, packing, carrying or moving goods, lighting or attending fires or engaged on canister work at topping tins or trimming scrap	17 6	21 6	28 0
<i>Under 21 years of age.</i>			
CLASS B.			
Soldering down pipes not heavier than 24 gauge or larger than 4 inches in diameter	48 0	56 0	66 0

(3) JUVENILE WORKERS—continued.

	1st Year's Experience in Class C.	2nd Year's Experience in Class C.	3rd Year's Experience in Class C.	4th Year's Experience in Class C.		
CLASS C.						
Repairing tanks in general sheet metal work (other than old work) or assisting at rollers for forming down pipes, or engaged at general sheet metal work on the following machines, viz.:—Brushing and spinning lathes, curving machines, guillotines for cutting spouting and ridging, stamping machines or presses, or spouting and ridging machines ..	s. d. 31 6	s. d. 41 6	s. d. 52 6	s. d. 63 0		
CLASS D.						
Engaged at canister or tin toy work on the crank press ..	s. d. 46 0	s. d. 56 0	s. d. 66 0			
CLASS E.						
Engaged at general sheet metal work or canister or tin toy work on any other power machine or at canister or tin toy work on the following machines or presses:—Monkey, pendulum, screw, or treadle, machines for folding canisters of holding capacity up to and including one pint, bending (other than by angle bender or folder), body forming (other than by angle bender), clenching, crimping, curving, double seaming, flanging, hinge hooking, hinge seating, lock seaming, notching, rolling, squeezing, trimming, or wire forming, or feeding or taking off in connexion with any power soldering machine or employed in connexion with japanning at scouring, cleaning, assisting to polish or general rough work, or engaged on cabinet handles in cutting strips, clips, and holes on guillotine, bending clips round ring, fitting same and opening out ends, or employed at hinge making in cutting metal into strips, or putting in pins ..	s. d. 21 6	s. d. 28 0	s. d. 35 0	s. d. 46 0	s. d. 56 0	s. d. 66 0

(4) OTHER EMPLOYEES WAGES.

Tinsmiths or sheet metal workers who cut patterns or make up articles from patterns out by themselves or from blue prints or architectural drawings ..	106s. 6d. per week of 48 hours
Other tinsmiths or sheet metal workers ..	102s. 6d. " "
Repairers on general sheet metal work ..	102s. 6d. " "
Machinists on general sheet metal work ..	98s. 6d. " "
Solderers of down pipes ..	
Operators of—	
(a) Oxy-acetylene welding machines or quasi-arc electric welding plants ..	117s. 6d. " "
(b) Electric spot, seam, or butt welders ..	100s. 6d. " "
Picklers ..	99s. 3d. " "
Tinners ..	105s. 3d. " "
Artistic japanners ..	102s. 6d. " "
Gold workers ..	
Ornamental pencil workers ..	96s. 6d. " "
Filleters ..	
Grainers ..	
Liners ..	
Writers ..	95s. 6d. " "
Coaters ..	
Makers or repairers of canisters, oil tins, or tin toys or parts thereof—	
(a) by hand ..	95s. 6d. " "
(b) by machine ..	90s. 6d. " "
Canister vent closers ..	99s. " "
Persons soldering caps on tins containing substance with an artificial temperature of 150 deg. F. or over ..	
Other cap solderers ..	95s. 6d. " "
Persons attending—	
(a) Power capping machines ..	95s. 6d. " "
(b) the metal pot on a power automatic body forming or seam soldering machine or the metal pot on a power automatic end soldering machine ..	
(c) All others ..	
(c) All others ..	87s. 6d. " "

(5) TIME OF BEGINNING AND ENDING WORK.

Time of Beginning.	Time of Ending.
7.30 a.m.	12 noon on the day on which the half-holiday is observed.
7.30 a.m.	5.30 p.m. on the other working days of the week.

(6) OVERTIME.

Outside the time of beginning and ending work as herein fixed .. }
 Within the time of beginning and ending work in excess of the hours fixed in this Determination as a week's work .. } Time and a half.

(7) SPECIAL RATES.—Double time shall be the special rate for all work done on Sunday, New Year's Day, Foundation Day (26th January), Good Friday, Easter Monday, Eight Hours Day (21st April), King's Birthday, Christmas Day, and Boxing Day: but if any other day be by Act of Parliament or Proclamation substituted for any of the above-named holidays, the special rate shall only be payable for work done on the day so substituted.

(8) TIME WAGES.—Any person employed on time wages for less than the number of hours fixed for an ordinary week's work shall for each hour worked up to one-half the number of hours fixed be paid at the ordinary wages rate with an addition of thirty-three and a third per centum.

(9) PRICE WORK.—(a) The lowest piece-work price payable to any person for wholly or partly preparing or manufacturing any article described in the following Schedules (which Schedules shall form part of this Determination) shall be the price mentioned in such Schedules.

(b) Wherever the quantity to be given out is stated in the Schedules the prices apply only when the articles are given out in quantities not less than those mentioned in the Schedule.

(c) The Schedules of prices apply to new material only.

(d) Except where otherwise provided, where the sizes of articles to be made under these Schedules do not exactly correspond with the sizes stated in these Schedules, then the price or rate fixed for the next nearest size shall apply; but where the size is half-way between two sizes then the next higher price or rate shall apply.

PIECE-WORK—continued.

Articles.	Material.	Size.	When given out in the under-mentioned Quantities or more.	Prices.
BOXES—continued.				
SUGAR BOXES, wired inside and swedged	IX tin plate or lighter	No. 0	3 doz	5s. 6d. per doz.
" " " "		" 1	3 "	5s. 6d. "
" " " "		" 2	3 "	5s. 11d. "
" " " "		" 3	3 "	6s. 9d. "
" " " "		" 4	3 "	7s. 2d. "
" " " (made in two pieces)		" 5	3 "	7s. 11d. "
		" 6	3 "	8s. 8d. "
		5d. per doz. extra
TRUNKS, common, moulded (cutting out, top and body edging, moulding, and wiring supplied)				
" " " " 2 swedges	26-gauge steel or lighter	20 inches	1 dozen	14s. 7d. per doz.
" " " " " "		22 "	1 "	14s. 7d. "
" " " " " "		24 "	1 "	15s. 11d. "
" " " " 3 swedges		26 "	1 "	17s. 11d. "
" " " " " "		28 "	1 "	22s. 1d. "
" " " " 4 swedges	24-gauge steel or lighter	30 "	1 "	23s. 10d. "
" " " " " "		33 "	6 articles	41s. 4d. "
moulded, strapped (cutting out, top and body edging, moulding, and wiring supplied)				
" " " " 2 swedges	26-gauge steel or lighter	20 "	1 dozen	29s. 6d. "
" " " " " "		22 "	1 "	29s. 6d. "
" " " " " "		24 "	1 "	31s. "
" " " " 3 swedges		26 "	1 "	33s. "
" " " " " "		28 "	1 "	36s. 1d. "
" " " " 4 swedges	24-gauge steel or lighter	30 "	1 "	39s. 7d. "
" " " " " "		33 "	6 articles	48s. 10d. "
		36 "	6 "	59s. "
common, moulded (moulding and wiring supplied)				
" " " " 2 swedges	26-gauge steel or lighter	20 "	1 dozen	25s. 5d. "
" " " " " "		22 "	1 "	25s. 5d. "
" " " " " "		24 "	1 "	27s. 4d. "
" " " " 3 swedges		26 "	1 "	29s. 2d. "
" " " " " "		28 "	1 "	32s. 3d. "
" " " " 4 swedges	24-gauge steel or lighter	30 "	1 "	35s. 6d. "
" " " " " "		33 "	6 articles	57s. 8d. "
moulded, strapped (moulding and wiring supplied)				
" " " " 2 swedges	26-gauge steel or lighter	20 "	1 dozen	35s. 4d. "
" " " " " "		22 "	1 "	35s. 4d. "
" " " " " "		24 "	1 "	37s. 9d. "
" " " " 3 swedges		26 "	1 "	39s. 7d. "
" " " " " "		28 "	1 "	44s. "
" " " " 4 swedges	24-gauge steel or lighter	30 "	1 "	47s. 3d. "
" " " " " "		33 "	1 "	48s. 10d. "
		36 "	6 articles	65s. 3d. "
				77s. 11d. "
common, wired (cutting out, top and body edging, and top and body wiring supplied)				
" " " " 2 swedges	26-gauge steel or lighter	20 "	1 dozen	23s. 1d. "
" " " " " "		22 "	1 "	23s. 1d. "
" " " " " "		24 "	1 "	23s. 11d. "
" " " " 3 swedges		26 "	1 "	25s. 6d. "
" " " " " "		28 "	1 "	29s. 1d. "
" " " " 4 swedges	24-gauge steel or lighter	30 "	1 "	31s. "
" " " " " "		33 "	6 articles	43s. 10d. "
wired, strapped (cutting out, top and body edging, and top and body wiring supplied)				
" " " " 2 swedges	26-gauge steel or lighter	20 "	1 dozen	37s. 9d. "
" " " " " "		22 "	1 "	37s. 9d. "
" " " " " "		24 "	1 "	39s. 7d. "
" " " " 3 swedges		26 "	1 "	41s. 4d. "
" " " " " "		28 "	1 "	44s. 9d. "
" " " " 4 swedges	24-gauge steel or lighter	30 "	1 "	48s. "
" " " " " "		33 "	6 articles	60s. 6d. "
		36 "	6 "	73s. 10d. "
common (top wiring supplied)				
" " " " 2 swedges	26-gauge steel or lighter	20 "	1 dozen	29s. 11d. "
" " " " " "		22 "	1 "	29s. 11d. "
" " " " " "		24 "	1 "	31s. "
" " " " 3 swedges		26 "	1 "	33s. 10d. "
" " " " " "		28 "	1 "	36s. 11d. "
" " " " 4 swedges	24-gauge steel or lighter	30 "	1 "	39s. 5d. "
" " " " " "		33 "	6 articles	60s. 2d. "
strapped (top wiring supplied)				
" " " " 2 swedges	26-gauge steel or lighter	20 "	1 dozen	43s. 3d. "
" " " " " "		22 "	1 "	44s. 9d. "
" " " " " "		24 "	1 "	46s. 6d. "
" " " " 3 swedges		26 "	1 "	50s. 3d. "
" " " " " "		28 "	1 "	54s. 3d. "
" " " " 4 swedges	26-gauge steel or lighter	30 "	1 "	59s. "
" " " " " "		30 "	1 "	61s. 3d. "

PIECE-WORK—continued.

Articles.	Material.	Size.	When given out in the under-mentioned Quantities or more.	Prices.
BOXES—continued.				
Trunks, strapped (top wiring supplied)	4 swedges	24-gauge steel or lighter	33 inches ... 6 articles	79s. 6d. per doz.
" " " " " " " "	" " " " " " " "	" " " " " " " "	36 " " " " " " " "	88s. 1d. "
" " " " " " " "	2 swedges	" " " " " " " "	20 " " " " " " " "	44s. 10d. "
" " " " " " " "	" " " " " " " "	" " " " " " " "	22 " " " " " " " "	46s. 6d. "
" " " " " " " "	" " " " " " " "	" " " " " " " "	24 " " " " " " " "	48s. "
" " " " " " " "	3 swedges	26-gauge steel or lighter	26 " " " " " " " "	51s. 11d. "
" " " " " " " "	" " " " " " " "	" " " " " " " "	28 " " " " " " " "	55s. 10d. "
" " " " " " " "	" " " " " " " "	" " " " " " " "	30 " " " " " " " "	61s. 5d. "
" " " " " " " "	4 swedges	" " " " " " " "	30 " " " " " " " "	63s. "
" " " " " " " "	" " " " " " " "	" " " " " " " "	33 " " " " " " " "	81s. "
" " " " " " " "	" " " " " " " "	" " " " " " " "	36 " " " " " " " "	89s. 7d. "
" " " " " " " "	" " " " " " " "	" " " " " " " "	" " " " " " " "	" " " " " " " "
" " " " " " " "	2 swedges	26-gauge steel or lighter	24 " " " " " " " "	17s. 7d. "
" " " " " " " "	" " " " " " " "	" " " " " " " "	26 " " " " " " " "	19s. 4d. "
" " " " " " " "	3 swedges	" " " " " " " "	28 " " " " " " " "	20s. "
" " " " " " " "	" " " " " " " "	" " " " " " " "	30 " " " " " " " "	22s. 2d. "
" " " " " " " "	4 swedges	24-gauge steel or lighter	33 " " " " " " " "	34s. 4d. "
" " " " " " " "	" " " " " " " "	" " " " " " " "	" " " " " " " "	" " " " " " " "
" " " " " " " "	2 swedges	26-gauge steel or lighter	24 " " " " " " " "	31s. "
" " " " " " " "	3 swedges	" " " " " " " "	26 " " " " " " " "	33s. "
" " " " " " " "	" " " " " " " "	" " " " " " " "	28 " " " " " " " "	34s. 7d. "
" " " " " " " "	" " " " " " " "	" " " " " " " "	30 " " " " " " " "	36s. 2d. "
" " " " " " " "	4 swedges	24-gauge steel or lighter	33 " " " " " " " "	39s. 7d. "
" " " " " " " "	" " " " " " " "	" " " " " " " "	36 " " " " " " " "	44s. 10d. "
" " " " " " " "	" " " " " " " "	" " " " " " " "	" " " " " " " "	" " " " " " " "
" " " " " " " "	2 swedges	26-gauge steel or lighter	24 " " " " " " " "	28s. 2d. "
" " " " " " " "	3 swedges	" " " " " " " "	26 " " " " " " " "	30s. 6d. "
" " " " " " " "	" " " " " " " "	" " " " " " " "	28 " " " " " " " "	32s. 2d. "
" " " " " " " "	" " " " " " " "	" " " " " " " "	30 " " " " " " " "	34s. "
" " " " " " " "	4 swedges	24-gauge steel or lighter	33 " " " " " " " "	48s. 7d. "
" " " " " " " "	" " " " " " " "	" " " " " " " "	" " " " " " " "	" " " " " " " "
" " " " " " " "	2 swedges	26-gauge steel or lighter	24 " " " " " " " "	37s. 9d. "
" " " " " " " "	3 swedges	" " " " " " " "	26 " " " " " " " "	39s. 7d. "
" " " " " " " "	" " " " " " " "	" " " " " " " "	28 " " " " " " " "	42s. 6d. "
" " " " " " " "	" " " " " " " "	" " " " " " " "	30 " " " " " " " "	44s. "
" " " " " " " "	4 swedges	24-gauge steel or lighter	33 " " " " " " " "	48s. "
" " " " " " " "	" " " " " " " "	" " " " " " " "	36 " " " " " " " "	57s. "
" " " " " " " "	" " " " " " " "	" " " " " " " "	" " " " " " " "	" " " " " " " "
" " " " " " " "	2 swedges	26-gauge steel or lighter	24 " " " " " " " "	23s. 11d. "
" " " " " " " "	3 swedges	" " " " " " " "	26 " " " " " " " "	25s. 11d. "
" " " " " " " "	" " " " " " " "	" " " " " " " "	28 " " " " " " " "	29s. 11d. "
" " " " " " " "	" " " " " " " "	" " " " " " " "	30 " " " " " " " "	31s. 5d. "
" " " " " " " "	4 swedges	24-gauge steel or lighter	33 " " " " " " " "	39s. 4d. "
" " " " " " " "	" " " " " " " "	" " " " " " " "	36 " " " " " " " "	46s. 6d. "
" " " " " " " "	" " " " " " " "	" " " " " " " "	" " " " " " " "	" " " " " " " "
" " " " " " " "	2 swedges	26-gauge steel or lighter	24 " " " " " " " "	39s. 7d. "
" " " " " " " "	3 swedges	" " " " " " " "	26 " " " " " " " "	41s. 4d. "
" " " " " " " "	" " " " " " " "	" " " " " " " "	28 " " " " " " " "	43s. 3d. "
" " " " " " " "	" " " " " " " "	" " " " " " " "	30 " " " " " " " "	44s. 10d. "
" " " " " " " "	4 swedges	24-gauge steel or lighter	33 " " " " " " " "	48s. "
" " " " " " " "	" " " " " " " "	" " " " " " " "	36 " " " " " " " "	55s. "
" " " " " " " "	" " " " " " " "	" " " " " " " "	" " " " " " " "	" " " " " " " "
" " " " " " " "	2 swedges	26-gauge steel or lighter	24 " " " " " " " "	31s. 10d. "
" " " " " " " "	3 swedges	" " " " " " " "	26 " " " " " " " "	33s. 10d. "
" " " " " " " "	" " " " " " " "	" " " " " " " "	28 " " " " " " " "	37s. 9d. "
" " " " " " " "	" " " " " " " "	" " " " " " " "	30 " " " " " " " "	39s. 4d. "
" " " " " " " "	4 swedges	24-gauge steel or lighter	33 " " " " " " " "	48s. "
" " " " " " " "	" " " " " " " "	" " " " " " " "	36 " " " " " " " "	55s. 10d. "
" " " " " " " "	" " " " " " " "	" " " " " " " "	" " " " " " " "	" " " " " " " "
" " " " " " " "	2 swedges	26-gauge steel or lighter	24 " " " " " " " "	44s. 10d. "
" " " " " " " "	3 swedges	" " " " " " " "	26 " " " " " " " "	46s. 6d. "
" " " " " " " "	" " " " " " " "	" " " " " " " "	28 " " " " " " " "	48s. "
" " " " " " " "	" " " " " " " "	" " " " " " " "	30 " " " " " " " "	53s. 6d. "
" " " " " " " "	4 swedges	24-gauge steel or lighter	33 " " " " " " " "	55s. 1d. "
" " " " " " " "	" " " " " " " "	" " " " " " " "	36 " " " " " " " "	60s. 5d. "
" " " " " " " "	" " " " " " " "	" " " " " " " "	" " " " " " " "	65s. 3d. "
" " " " " " " "	2 swedges	26-gauge steel or lighter	24 " " " " " " " "	48s. "
" " " " " " " "	3 swedges	" " " " " " " "	26 " " " " " " " "	50s. 3d. "
" " " " " " " "	" " " " " " " "	" " " " " " " "	28 " " " " " " " "	52s. 8d. "
" " " " " " " "	" " " " " " " "	" " " " " " " "	30 " " " " " " " "	55s. 10d. "
" " " " " " " "	4 swedges	24-gauge steel or lighter	33 " " " " " " " "	58s. 2d. "
" " " " " " " "	" " " " " " " "	" " " " " " " "	36 " " " " " " " "	62s. 2d. "
" " " " " " " "	" " " " " " " "	" " " " " " " "	" " " " " " " "	67s. 7d. "
" " " " " " " "	" " " " " " " "	" " " " " " " "	" " " " " " " "	" " " " " " " "
If corners fitted on lids for 20-inch to 30-inch common trunks	9d. per doz. trunk ^s extra
Swivels, end-handles and corners of all trunks supplied.
Wires for all moulded trunks supplied.
Wires for tops of wired trunks supplied.

PIECE-WORK—continued.

Articles.	Material.	Size.	When given out in the under-mentioned Quantities or more.	Prices.
BUCKETS—continued.				
ALL MILK BUCKETS—If ears soldered to outside of bucket	1s. 10d. per doz. extra
TIN BUCKETS, with flat bottoms and stamped ears	IC tin plate	11 inches diameter x 9 inches deep	6 dozen	5s. 4d. per doz.
TIN BUCKETS, with tin hoop and stamped ears	IC tin plate	13 inches diameter x 9 inches deep	6 "	6s. 2d. "
" with 1½-in. or 1¼-in. hoop and strap	IC tin plate	" "	2 "	6s. 8d. "
" with 1½-in. hoop and strap	IX tin plate	" "	2 "	9s. 5d. "
" with 1¼-in. hoop and strap	IXX tin plate	" "	2 "	10s. 9d. "
If bails supplied for strapped tin buckets	3d. per doz. deducted
(8.) CANISTERS.				
ROUND CANISTERS, with slipped on bottle neck (top blanks supplied)	IC tin plate	½ lb.	4 dozen	4s. 7d. per doz.
" " " "		1 "	4 "	5s. "
" " " "		2 lbs.	4 "	5s. 4d. "
" " " "		3 "	3 "	5s. 9d. "
" " " "	4 "	3 "	6s. 9d. "	
(9.) CANS.				
CREAM CANS, grooved, three hoops, double rim cover (including use of guillotine)	20-gauge tinned steel or lighter, or DXXXX tin plate or lighter	20 quarts	1 dozen	7s. 11d. each
" " " "		30 "	1 "	7s. 11d. "
" " " "		40 "	1 "	8s. 8d. "
" four hoops, double rim cover (including use of guillotine)		40 "	1 "	9s. "
" three hoops, single rim cover (including use of guillotine)		20 "	1 "	6s. 2d. "
" " " "		30 "	1 "	6s. 2d. "
" " " "		40 "	1 "	7s. 2d. "
" four " " "		40 "	1 "	7s. 5d. "
" If not cleaned and tested by maker		All sizes	...	3d. per can deducted
" If hoops supplied for		6d. per doz. hoops deducted
" If cover stamping or blocking supplied for	1s. 6d. per doz. deducted	
" If bottoms supplied for	1s. per doz. deducted	
HARVEST CANS, with pannikin supplied	IX tin plate or lighter	2 quarts	1½ dozen	9s. 9d. per doz.
" " " "		3 "	1½ "	10s. 10d. "
" " " "		4 "	1½ "	11s. 6d. "
" " " "		6 "	1 "	12s. 3d. "
" " " "		8 "	1 "	12s. 11d. "
" " " "		10 "	1 "	14s. 4d. "
" " " " if with spouts		12 "	1 "	16s. 1d. "
" " " "	All sizes	...	2s. 9d. per doz. extra	
HOT WATER CANS, knocked up bottoms	IX tin plate or lighter	3 pints	1 dozen	18s. 2d. per doz.
" " " "		2 quarts	1 "	18s. 2d. "
" " " "		3 "	1 "	22s. "
" " " "		4 "	1 "	22s. "
" wired, bottom let in...		3 pints	1 "	19s. 10d. "
" " " "		2 quarts	1 "	19s. 10d. "
" " " "		3 "	1 "	23s. 8d. "
" " " "	4 "	1 "	23s. 8d. "	
HOT WATER CANS	26-gauge galv. iron or lighter	All sizes	...	4s. 3d. per doz. extra
JACK SHAY CANS, straight body	IC tin plate	1 quart	2 dozen	7s. 11d. per doz.
" tapered body		1 "	2 "	10s. 4d. "
MINERS' CANS	IC tin plate	1½ pints	2 "	8s. 3d. "
" " " "		2 "	2 "	8s. 3d. "
" " " "		3 "	2 "	8s. 8d. "
" " " "		4 "	2 "	9s. 9d. "
" " " "		6 "	1½ "	10s. 9d. "
RAILWAY MILK CANS, grooved, two hoops (including use of guillotine, cleaning and testing)	20-gauge tinned steel or lighter, or DXXXX tin plate or lighter	20 quarts	1 "	5s. 9d. each
" " " three hoops		30 "	1 "	5s. 9d. "
" " " four hoops		30 "	1 "	6s. 2d. "
" " " three hoops		40 "	1 "	6s. 2d. "
" " " four hoops		40 "	1 "	6s. 9d. "
" " " four hoops or less		50 "	6 articles	9s. "
" " If hoops supplied		All sizes	...	6d. per doz hoops deducted

PIECE-WORK—continued.

Articles.	Material.	Size.	When given out in the under-mentioned Quantities or more.	Priees.
CANS—continued.				
RAILWAY MILK CANS, if bottoms supplied	...	All sizes	...	1s. per doz. deducted
TOILET CANS, with knocked up bottoms (studs supplied)	IX tin plate or lighter	6 quarts	1 dozen	25s. 6d. per doz.
" " " " " "		8 " "	1 " "	28s. 3d. "
" " " " " "		10 " "	1 " "	31s. " "
" " " " " "		12 " "	1 " "	33s. 10d. "
" " " " " "		16 " "	1 " "	37s. 11d. "
" " " " " " body wired, and bottom let in		6 " "	1 " "	28s. 3d. "
" " " " " " " "		8 " "	1 " "	32s. 7d. "
" " " " " " " "		10 " "	1 " "	34s. 7d. "
" " " " " " " "		12 " "	1 " "	37s. 3d. "
" " " " " " " "		16 " "	1 " "	41s. 7d. "
" " " " " " " "	26-gauge galv. iron or lighter	All sizes	...	5s. 4d. per doz. extra
(10.) COLANDERS.				
*HAND-MADE COLANDERS, machine-punched, with side handles	IX tin plate or lighter	9 inches	4 dozen	6s. 3d. per doz.
" " " " " " " "		11 " "	4 " "	7s. 5d. "
" " " " " " " "		13 " "	3 " "	9s. " "
" " " " " " " "		15 " "	1½ " "	10s. 7d. "
COLANDERS—If punched with hand punch	...	All sizes	...	2s. 9d. per doz. extra
(11.) COVERS.				
MEAT COVERS, with perforated zinc bodies (straight sides) and pitched top	IX tin plate or lighter	12 inches	3 dozen	5s. 6d. per doz.
" " " " " " " "		14 " "	3 " "	5s. 11d. "
" " " " " " " "		16 " "	3 " "	6s. 3d. "
" " " " " " " "		18 " "	3 " "	7s. 2d. "
" " " " " " " "		20 " "	2 " "	7s. 11d. "
" " " " " " " "		22 " "	1½ " "	9s. 5d. "
" " " " " " " "		24 " "	1 " "	10s. 11d. "
" " " " " " " " with perforated zinc bodies (taper sides) and pitched top		12 " "	3 " "	6s. 3d. "
" " " " " " " "		14 " "	3 " "	7s. 2d. "
" " " " " " " "		16 " "	3 " "	7s. 5d. "
" " " " " " " "	18 " "	3 " "	8s. 3d. "	
" " " " " " " "	20 " "	2 " "	9s. " "	
" " " " " " " "	22 " "	1½ " "	10s. 11d. "	
" " " " " " " "	24 " "	1 " "	12s. 6d. "	
" " " " " " " " with perforated zinc bodies (taper sides) single rim, and blocked tops (wheeling found)	IXX tin plate or lighter	14 inches	3 dozen	8s. 8d. per doz.
" " " " " " " "		15 " "	3 " "	9s. " "
" " " " " " " "		16 " "	3 " "	9s. 5d. "
" " " " " " " "		17 " "	3 " "	10s. 3d. "
" " " " " " " "		18 " "	3 " "	10s. 11d. "
" " " " " " " "		20 " "	1 " "	12s. 6d. "
" " " " " " " "		22 " "	1 " "	14s. 2d. "
" " " " " " " "		24 " "	1 " "	17s. 3d. "
" " " " " " " " with double rims if stamped or blocked tops supplied for	...	All sizes	...	2s. 4d. per doz. extra
" " " " " " " "	14 inches	6d. per dozen deducted
" " " " " " " "	15 " "	6d. " "
" " " " " " " "	16 " "	9d. " "
" " " " " " " "	17 " "	9d. " "
" " " " " " " "	18 " "	9d. " "
" " " " " " " "	20 " "	1s. " "
" " " " " " " "	22 " "	1s. " "
" " " " " " " "	24 " "	1s. " "
(12.) DIPPERS.				
COMMON DIPPERS	IX tin plate or lighter	2 quarts	6 dozen	2s. 11d. per doz.
" " " " " " " "		3 " "	6 " "	2s. 11d. " "
BEST DIPPERS, bossed		2 " "	4 " "	5s. " "
" " " " " " " "		3 " "	4 " "	5s. " "
" " " " " " " "		4 " "	2 " "	6s. 2d. " "
DIPPERS—Soldering studs on	5d. per doz. dippers extra
(13.) DISHES.				
DEVON DISHES, about 9 inches deep, flat bottoms	IX tin plate or lighter	14 inches	3 dozen	6s. 3d. per doz.
" " " " " " " "		16 " "	3 " "	7s. 5d. "
" " " " " " " "		18 " "	2 " "	8s. 8d. "
" " " " " " " "		20 " "	1 " "	9s. 9d. "
" " " " " " " " with hoops		22 " "	1 " "	11s. 5d. "
" " " " " " " "	...	All sizes	...	1s. 10d. per doz. extra

PIECE-WORK—continued.

Articles.	Material.	Size.	When given out in the under-mentioned Quantities or more.	Prices.	
(19.) HODS.					
COAL HODS, with stamped feet	24-gauge iron or lighter	No. 1	1 dozen	14s. 2d. per doz.	
" " " " " " " "		" 2	1 " "	14s. 7d. "	
" " with feet hand-made and riveted on		" 1	1 " "	16s. 1d. "	
" " " " " " " "		" 2	1 " "	16s. 6d. "	
" " with knocked-up feet		" 1	1 " "	19s. 7d. "	
" " " " " " " "		" 2	1 " "	19s. 7d. "	
" " with stamped feet		" 1	1 " "	13s. "	
" " " " " " " "		" 2	1 " "	13s. 5d. "	
" " with feet hand-made and riveted on		26-gauge iron or lighter	" 1	1 " "	14s. 7d. "
" " " " " " " "			" 2	1 " "	14s. 11d. "
" " with knocked-up feet			" 1	1 " "	18s. 2d. "
" " " " " " " "		" 2	1 " "	18s. 2d. "	
" " with feet hand-made and riveted on	28-gauge iron or lighter	" 1	1 " "	13s. 9d. "	
" " " " " " " "		" 2	1 " "	14s. 2d. "	
" " hooped	All gauges	" 1	1 " "	13s. 5d. "	
" " when half-covered		All sizes	...	8s. 3d. per doz. extra	
(20.) KETTLES.					
CAMP KETTLES, with stamped covers supplied	IX tin plate or lighter	1 quart	6 dozen	2s. 11d. per doz.	
" " " " " " " "		1½ quarts	6 " "	3s. 4d. "	
" " " " " " " "		2 " "	6 " "	3s. 9d. "	
" " " " " " " "		3 " "	4 " "	4s. 1d. "	
" " " " " " " "		4 " "	4 " "	4s. 6d. "	
" " " " " " " "		6 " "	4 " "	4s. 9d. "	
" " " " " " " "		8 " "	3 " "	6s. "	
" " " " " " " "		10 " "	3 dozen assorted, not less than 1 dozen either size	6s. 9d. "	
" " " " " " " "		12 " "	dozen either size	8s. 3d. "	
" " with stamped covers, finished lid handles, rims ready for tacking, and circular blanks for bottoms supplied		IX tin plate or lighter	1 quart	6 dozen	2s. 6d. per doz.
" " " " " " " "			1½ quarts	6 " "	2s. 9d. "
" " " " " " " "			2 " "	6 " "	2s. 11d. "
" " " " " " " "			3 " "	4 " "	3s. 4d. "
" " " " " " " "			4 " "	4 " "	3s. 9d. "
" " " " " " " "			6 " "	4 " "	4s. 1d. "
" " " " " " " "			8 " "	3 " "	4s. 9d. "
" " " " " " " "			10 " "	3 dozen assorted, not less than 1 dozen either size	6s. 3d. "
" " " " " " " "			12 " "	dozen either size	7s. 11d. "
" " with stamped covers, finished lid handles, rims ready for tacking, and use of circle cutters for bottoms	IX tin plate or lighter		1 quart	6 dozen	2s. 8d. per doz.
" " " " " " " "			1½ quarts	6 " "	2s. 11d. "
" " " " " " " "			2 " "	6 " "	3s. 4d. "
" " " " " " " "			3 " "	6 " "	3s. 6d. "
" " " " " " " "			4 " "	4 " "	3s. 9d. "
" " " " " " " "			6 " "	4 " "	4s. 6d. "
" " " " " " " "			8 " "	3 " "	5s. 6d. "
" " " " " " " "			10 " "	3 dozen assorted, not less than 1 dozen either size	6s. 3d. "
" " " " " " " "			12 " "	dozen either size	7s. 11d. "
" " with stamped covers, finished lid handles, finished rims, and circular blanks for bottoms supplied		IX tin plate or lighter	1 quart	6 dozen	2s. 4d. per doz.
" " " " " " " "			1½ quarts	6 " "	2s. 8d. "
" " " " " " " "			2 " "	6 " "	2s. 9d. "
" " " " " " " "			3 " "	4 " "	3s. 4d. "
" " " " " " " "			4 " "	4 " "	3s. 9d. "
" " " " " " " "			6 " "	4 " "	4s. 1d. "
" " " " " " " "			8 " "	3 " "	4s. 9d. "
" " " " " " " "			10 " "	3 dozen assorted, not less than 1 dozen either size	6s. 1d. "
" " " " " " " "			12 " "	dozen either size	7s. 11d. "

PIECE-WORK—continued.

Articles.	Material.	Size.	When given out in the under-mentioned Quantities or more.	Prices.	
(22.) MEASURES.					
MILK MEASURES	1C tin plate	½ pint	6 dozen	3s. 9d. per doz.	
"		1 "	4 "	4s. 7d. "	
"		2 pints	3 "	5s. "	
OIL MEASURES, straight sides	IX tin plate or lighter	½ pint	3 "	5s. 4d. "	
"		1 quart	2 "	6s. 2d. "	
"		2 quarts	2 "	7s. 11d. "	
SPIRIT MEASURES	IX tin plate or lighter	4 "	2 "	8s. "	
"		½ pint	1 "	10s. 9d. "	
"		1 "	1 "	13s. 2d. "	
"	IX tin plate or lighter	2 pints	1 "	14s. 7d. "	
"		4 "	1 "	19s. 7d. "	
"		1 gallon	1 "	21s. 11d. "	
"	IXX tin plate or lighter	2 gallons	1 "	25s. 2d. "	
"		2 gallons	6 articles	28s. 3d. "	
(23.) PAILS.					
SLOP PAILS, with stamped tops, bottoms, and breasts supplied	IX tin plate or lighter	No. 1	2 dozen	10s. 9d. per doz.	
"		" 2	2 "	11s. 6d. "	
"		" 3	2 "	14s. 11d. "	
"		" 4	2 "	17s. 3d. "	
" stamped tops and bottoms supplied, hand-made breasts	IX tin plate or lighter	" 1	2 "	13s. 7d. "	
"		" 2	2 "	15s. 3d. "	
"		" 3	2 "	18s. 5d. "	
"		" 4	2 "	22s. "	
" hand-made	IX tin plate or lighter	" 1	2 "	17s. 3d. "	
"		" 2	2 "	19s. 8d. "	
"		" 3	2 "	23s. 11d. "	
"		" 4	2 "	26s. 4d. "	
" made with black or galvanized iron lids bottoms feet	26-gauge iron or lighter	All sizes	...	5d. per doz. extra	
"		"	5d. " "
Bails and ears to be supplied for all sizes	IXX tin plate or lighter	No. 1	1 dozen	14s. 7d. per doz.	
"		" 2	1 "	16s. 1d. "	
"		" 3	1 "	17s. 3d. "	
" if feet and funnels supplied		All sizes	...	1s. 6d. per doz. deducted	
(24.) PANS.					
ASHPANS, common	26-gauge iron or lighter	No. 1	4 dozen	5s. 9d. per doz.	
"		" 2	4 "	6s. 2d. "	
"		" 3	4 "	6s. 7d. "	
"	26-gauge iron or lighter	" 1	4 "	6s. 7d. "	
"		" 2	4 "	7s. 5d. "	
"		" 3	4 "	8s. 3d. "	
" with tin head	IXX tin plate or lighter	All sizes	...	1s. 10d. per doz. extra	
Venetians for Ashpans (2 in set)		"	2 dozen	7s. 5d. per doz. sets of venetians	
" (3 in set)	IXX tin plate or lighter	"	2 "	9s. "	
CLOSETPANS, tapered to nest		26-gauge iron or lighter	17½ x 15 x 13 inches	2 "	9s. per doz.
" straight sides	26-gauge iron or lighter	17 x 13 x 13 inches	2 "	8s. 3d. "	
"	26-gauge iron or lighter	18 x 14 x 14 inches	2 "	9s. "	
"	24-gauge iron	All sizes	1½ dozen of any one size	1s. 10d. per doz. extra	
" if made with single strap one rivet in bottom	IXX tin plate or lighter	"	...	5d. per doz. extra	
" " double "		"	...	9d. " "	
" if made of galvanized iron	IXX tin plate or lighter	"	...	1s. 10d. " "	
DOUGHPANS		"	...	9s. 10d. per doz.	
"	IXX tin plate or lighter	14 inches	2 dozen	10s. 9d. "	
"		16 "	2 "	13s. 2d. "	
"		18 "	1 "	15s. 9d. "	
"		20 "	1 "	18s. 2d. "	
DUSTPANS	IX tin plate or lighter	No. 1	2½ "	6s. 2d. "	
"		" 2	2½ "	7s. 5d. "	
"		" 3	2½ "	7s. 11d. "	
" with cover		" 1	2 "	9s. "	
"	IX tin plate or lighter	" 2	2 "	9s. 10d. "	
"		" 3	2 "	10s. 9d. "	
YANKEE, CORNISH, OR FLAT BOTTOM PANS		IC tin plate	13 inches	4 "	5s. "
"			14 "	4 "	5s. 4d. "
"	15 "		4 "	6s. 2d. "	
"	16 "		3 "	7s. 5d. "	
"	IX tin plate	17 "	3 "	7s. 5d. "	
"		18 "	3 "	9s. "	

PIECE-WORK—continued.

Articles.	Material.	Size.	When given out in the under-mentioned Quantities or more.	Prices.	
(30.) SCOOPS.					
GROCERS SCOOPS—Drawer, without handles			4 dozen as-sorted, not less than 1 dozen of any one size	2s. 9d. per doz.	
" " front wired or pieced, with handles	IX tin plate or lighter	5 inches	3 dozen	7s. 5d. "	
" " " " " "		6 "	3 "	8s. 3d. "	
" " " " " "		7 "	2 "	9s. 11d. "	
" " " " " "		8 "	2 "	10s. 9d. "	
" " " " " "		10 "	1½ "	12s. 11d. "	
" " " " " "		12 "	1 "	14s. 4d. "	
" " front not wired or pieced, with handles	IX tin plate or lighter	5 "	3 "	5s. 9d. "	
" " " " " "		6 "	3 "	6s. 7d. "	
" " " " " "		7 "	2 "	8s. 3d. "	
" " " " " "		8 "	2 "	9s. 11d. "	
" " " " " "		10 "	1½ "	10s. 11d. "	
" " " " " "		12 "	1 "	13s. 5d. "	
" " galvanized iron, front wired or pieced, with handles	24-gauge galv. iron or lighter	5 "	1 "	10s. 11d. "	
" " " " " "		6 "	1 "	12s. 3d. "	
" " " " " "		7 "	1 "	13s. 7d. "	
" " " " " "		8 "	1 "	15s. 8d. "	
" " " " " "		10 "	1 "	18s. 6d. "	
" " " " " "		12 "	1 "	20s. 10d. "	
(31.) SKIMMERS.					
COOKS' SKIMMERS (handles supplied)	IXX tin plate or lighter		3 dozen	5s. 9d. per doz.	
MILK SKIMMERS, with ring handles	DXXXX tin plate or lighter	6½ inches	4 "	3s. 4d. "	
" " " " " "		8 "	4 "	4s. 2d. "	
" " " " " "		9 "	4 "	4s. 7d. "	
" " " " " "		10 "	4 "	5s. "	
(32.) STANDS.					
COCKATOO STANDS	IX tin plate or lighter	17 inches	6 articles	34s. 6d. per doz.	
" " " " " "		20 "	6 "	36s. 11d. "	
" " " " " "		17 "	3 "	45s. 7d. "	
" " " " " "		20 "	3 "	54s. 3d. "	
(33.) STEAMERS.					
STEAMERS	IXX tin plate or lighter	No. 4	2 dozen	7s. 11d. per doz.	
" " " " " "		" 5	2 "	7s. 11d. "	
" " " " " "		" 6	1½ "	8s. 8d. "	
" " " " " "		" 7	1½ "	9s. 10d. "	
" " " " " "		" 8	1½ "	10s. 9d. "	
" " " " " "		" 9	1 "	11s. 6d. "	
" " " " " "		" 10	1 "	13s. 7d. "	
" " " " " "		" 11	1 "	15s. 8d. "	
" " " " " "		" 12	1 "	16s. 6d. "	
" " if handles supplied for					3d. per doz. steamers deducted
(34.) STRAINERS.					
GRAVY STRAINERS, hand made		IG tin plate	Small	3 dozen	5s. 5d. per doz.
" " " " " "	Large		3 "	6s. 2d. "	
" " " " " " if perforated bottoms supplied		All sizes		6d. " deducted	
GRUEL STRAINERS	IC tin plate	8½ inches	3 dozen	6s. 2d. per doz.	
MILK STRAINERS, wired			3 "	4s. 8d. "	
" " " " " "	IX tin plate or lighter	10 "	3 "	5s. 5d. "	
" " " " " "		11 "	3 "	5s. 11d. "	
" " " " " "		12 "	3 "	6s. 3d. "	
" " " " " "		14 "	2 "	7s. "	
" " " " " " with rim		8½ "	2 "	6s. 3d. "	
" " " " " "		10 "	2 "	7s. 2d. "	
" " " " " "		11 "	2 "	7s. 11d. "	
" " " " " "		12 "	2 "	8s. 3d. "	
" " " " " "	14 "	2 "	9s. "		
MILK CAN STRAINERS, knocked up rims	IX tin plate		1 "	13s. 7d. "	
" " " " " "	IXX tin plate		1 "	17s. 8d. "	
(35.) TINS.					
BREAD TINS (made of five pieces)	IX tin plate or lighter	1 lb.	3 dozen	5s. 9d. per doz.	
" " " " " "		2 "	3 "	5s. 9d. "	
" " " " " "		4 "	2 "	6s. 2d. "	
" " " " " "		6 "	2 "	8s. 3d. "	
COBURG BREAD TINS	IC tin plate		3 "	5s. 4d. "	
EXHIBITION BREAD TINS, single	IXXXX tin plate or lighter, or 24-gauge iron or lighter	2 lb.	6 articles	28s. 3d. "	
" " " " " "		4 "	6 "	35s. 4d. "	
" " " " " " double		2 "	3 "	70s. 9d. "	
" " " " " "		4 "	3 "	82s. 6d. "	

PIECE-WORK—continued.

Articles.	Material.	Sizes.	When given out in the under-mentioned Quantities or more.	Prices.		
TINS—continued.						
CAKE TINS, AND CAKE RINGS, with use of knocking-up machine	IC tin plate	4 inches ...	1 gross ; not less than 3 dozen of any one size	20s. per gross		
" " " " " "		5 " ...		22s. "		
" " " " " "		6 " ...		23s. 6d. "		
" " " " " "		7 " ...		27s. 6d. "		
" " " " " "		8 " ...		29s. 6d. "		
" " " " " "		9 " ...		31s. 5d. "		
" " " " " "		10 " ...		33s. 4d. "		
" " " " " "		11 " ...		41s. 3d. "		
" " " " " "		12 " ...		47s. 3d. "		
" " " " " loose bottoms ...		All sizes ...		18s. 2d. " extra		
QUEEN CAKE TINS, hearts ...		IC tin plate		...	4 dozen ...	4s. 7d. per doz.
" " " diamonds...				...	6 " ...	2s. 1d. "
SANDWICH TINS, with use of knocking-up machine	IC tin plate	6 inches ...	1 gross ; not less than 3 dozen of any one size	23s. 8d. per gross		
" " " " " "		7 " ...		27s. 6d. "		
" " " " " "		8 " ...		29s. 6d. "		
" " " " " "		9 " ...		31s. 5d. "		
" " " " " "		10 " ...		33s. 4d. "		
" " " " " "		11 " ...		41s. 3d. "		
SWISS ROLL TINS, wired, with use of angle bender	IC tin plate	12 x 8 inches	4 dozen ...	4s. 2d. per doz.		
" " " " " "		13 x 9 " "	4 " ...	4s. 7d. "		
" " " " " "		14 x 10 " "	4 " ...	4s. 7d. "		
" " " " " "		15 x 11 " "	4 " ...	5s. "		
" " " " " "		16 x 12 " "	4 " ...	5s. 4d. "		
" " " not wired, with use of angle bender		12 x 8 " "	4 " ...	3s. 4d. "		
" " " without use of angle bender ...		All sizes	9d. " extra		
(36.) TUBS.						
BLACK IRON TUBS, round or oval, without hoop or strap	26-gauge iron or lighter	16 inches ...	2 dozen ...	7s. 5d. per doz		
" " " " " "		18 " ...	2 " ...	8s. 3d. "		
" " " " " "		20 " ...	2 " ...	9s. "		
" " " " " "		22 " ...	2 " ...	9s. 10d. "		
" " " " " "		24 " ...	1½ " ...	10s. 9d. "		
" " " " " "		26 " ...	1½ " ...	12s. "		
" " " " " "		28 " ...	1½ " ...	14s. 2d. "		
" " " " " "		30 " ...	1 " ...	16s. 1d. "		
" " " with hoop		16 " ...	2 " ...	8s. 3d. "		
" " " " " "		18 " ...	2 " ...	9s. 5d. "		
" " " " " "		20 " ...	2 " ...	9s. 10d. "		
" " " " " "		22 " ...	2 " ...	10s. 9d. "		
" " " " " "		24 " ...	1½ " ...	11s. 6d. "		
" " " " " "		26 " ...	1½ " ...	13s. 7d. "		
" " " " " "		28 " ...	1½ " ...	14s. 11d. "		
" " " " " "		30 " ...	1 " ...	17s. 4d. "		
" " " " " "		33 " ...	6 articles...	22s. "		
" " " " " "		36 " ...	6 " ...	29s. 1d. "		
" " " hooped		16 " ...	2 dozen ...	10s. 4d. "		
" " " " " "		18 " ...	2 " ...	10s. 11d. "		
" " " " " "		20 " ...	2 " ...	11s. 6d. "		
" " " " " "		22 " ...	2 " ...	12s. 11d. "		
" " " " " "		24 " ...	1½ " ...	13s. 7d. "		
" " " " " "		26 " ...	1½ " ...	15s. 8d. "		
" " " " " "		28 " ...	1½ " ...	17s. 8d. "		
" " " " " "		30 " ...	1 " ...	20s. "		
" " " " " "		33 " ...	6 articles...	21s. 8d. "		
" " " " " "		36 " ...	6 " ...	32s. 7d. "		
FIN TUBS, round, without hoop		IX tin plate or lighter	15 " ...	2 dozen ...	7s. 11d. "	
" " " " " "			18 " ...	2 " ...	7s. 11d. "	
" " " " " "	20 " ...		1½ " ...	9s. 10d. "		
" " " " " "	22 " ...		1½ " ...	10s. 9d. "		
" " " " " "	24 " ...		1½ " ...	11s. 6d. "		
" " " " " "	22 " ...		1 " ...	13s. 7d. "		
" " " with tinned or galvanized iron or black iron hoop	IX tin plate or lighter		15 " ...	2 " ...	9s. 10d. "	
" " " " " "			16 " ...	2 " ...	9s. 10d. "	
" " " " " "			18 " ...	1½ " ...	11s. 6d. "	
" " " " " "			20 " ...	1½ " ...	12s. 11d. "	
" " " " " "			22 " ...	1½ " ...	13s. 7d. "	
" " " " " "			24 " ...	1 " ...	15s. 9d. "	
" " " oval, without hoop	IX tin plate or lighter	16 " ...	2 " ...	10s. 9d. "		
" " " " " "		18 " ...	1½ " ...	11s. 6d. "		
" " " " " "		20 " ...	1½ " ...	12s. 11d. "		
" " " " " "		22 " ...	1½ " ...	14s. 4d. "		
" " " " " "	IX tin plate or lighter	24 " ...	1 " ...	16s. 6d. "		
" " " with tinned or galvanized iron or black iron hoop...		16 " ...	2 " ...	12s. 11d. "		
" " " " " "		18 " ...	1½ " ...	13s. 7d. "		
" " " " " "		20 " ...	1½ " ...	14s. 4d. "		
" " " " " "	IX tin plate or lighter	22 " ...	1½ " ...	16s. 6d. "		
" " " " " "		24 " ...	1 " ...	18s. 9d. "		

PIECE-WORK—continued.
ROUND WORK (SOLDERING)—continued.

	Per gross s. d.
CAPPING—Soldering on caps, all-work cleaned, caps put on—	
Cap up to and including 1½ inches in diameter in 6-lb. tin or less	1 5½
" over 1½ and up to and including 2¼ inches in diameter in 6-lb. tin or less	1 7½
" " 2¼ " " 2½ " " " " " "	1 9½
" " 2½ " " 3¼ " " " " " "	1 11½
" " 3¼ " " 3½ " " " " " "	2 5½
Capping pulp tins, up to 40-lbs., work cleaned and caps put on—	
Round cap	4 10½
Square cap, 3¼ to 5 inches square	6 2
SQUARE WORK.	
Jam tins, 6 lbs., soldering only, with use of spring	15 8
" 6 " notching, bending, and folding	7 11
" 14 " soldering only, without use of spring	18 10
" 14 " " with use of spring	20 6
" 20 " " without use of spring	19 7
" 20 " " with use of spring	21 8
" 28 " " without use of spring	19 7
" 28 " " with use of spring	21 8
" 14, 20, and 28 lbs., notching, bending, and folding	9 10 extra
Pulp tin, 40 lbs., soldering only, without use of spring	28 8
" 40 " " with use of spring	28 8
" 40 " " lock seam	25 8
Cutting out above sizes	2 4 extra
Notching, bending, and folding so that spring is not necessary, all above sizes, except 6 lbs.	13 8
Notching, bending, and folding, so that spring is necessary at one end	12 0
BISCUIT TINS—	
1 lb., soldering	6 1
2 lbs. "	7 5
4 " "	12 0
6 " "	12 0
6 " " two seams	13 8
6 lbs., glass, soldering	17 8
14 " plain, "	18 5
14 " glass, "	23 6
25 " plain, "	20 6
30 " " "	20 6
40 " " "	20 6
50 " " "	23 6
Unseals	20 6
½-lb. packet	18 5
9 lbs. Cabin	16 11
Wafer, Ice and Cup, soldering	16 11
" Cream, Henley and Variety, soldering	7 6
Afternoon Tea, soldering	7 6
1 lb., cutting bodies	0 6½
2 lbs. "	0 6½
6 " "	2 1
1 lb., cutting ends	0 2½
2 lbs. "	0 2½
4 " cutting at guillotine	1 7
9 " " "	2 8
30 " " "	3 9
40 " " "	3 9
50 " " "	3 9
Plain and Packet, cutting at guillotine	3 4
Small Wafer	1 0½
30 lbs., closing, soldering	7 11
40 " " "	9 9
50 " " "	11 2
FLOUR TINS—	
40 lbs., soldering	18 5
50 " "	23 6
HONEY TINS—	
56 lbs., soldering	28 8
OIL OR VARNISH TINS—	
½ gallon, soldering ends and lock seam	16 6
1 " " "	19 9
2 " " "	26 8
OBLONG TINS—(reputed or imperial measure)—	
1 pint, plain, soldering, lock seam (with two assistants)	0 8½
1 " " " " (with one assistant)	0 9½
1 " " " " (without assistance)	0 11½
1 quart " " " (with two assistants)	0 8½
1 " " " " (with one assistant)	0 9½
1 " " " " (without assistance)	0 11½
Soldering, all above tins, if made of decorated or varnished tin plate	0 2½ extra each end
1 pint, rolled on ends, soldering	3 0
1 " crimped, soldering	3 1
1 " not crimped or rolled on, soldering	3 4
1 quart, rolled on ends, soldering	3 1
1 " crimped, soldering	3 4
1 " not crimped, soldering	4 1½
TOBACCO TINS—	
2 lbs., closing	6 6 per 100
3 lbs. " "	7 6
5 lbs. " "	8 6
If electric iron used—all above sizes	1 0 extra

PIECE-WORK—continued.

OVAL WORK.		Per gross.
		s. d.
OIL TINS—		
$\frac{1}{2}$ pint, lock seams, soldering (with two assistants)		0 5 $\frac{1}{2}$
" " " (with one assistant)		0 8 $\frac{1}{2}$
" " " (without assistance)		0 11 $\frac{1}{2}$
" lap " " (" ")		0 11 $\frac{1}{2}$
" rolled on ends		2 9 each end
" crimped on ends		2 5 "
" slipped on ends		3 1 "

STAMPING WORK ON POWER MACHINES OR PRESSES (NOT USING SCRAP).

		Per gross.
		s. d.
Up to and including $3\frac{1}{4}$ inches in diameter of cutting die		0 1 $\frac{1}{2}$
Over $3\frac{1}{4}$ and up to and including 4 inches in diameter of cutting die		0 2
" 4 " " $4\frac{1}{2}$ " " "		0 2 $\frac{1}{2}$
" $4\frac{1}{2}$ " " $5\frac{1}{4}$ " " "		0 3
" $5\frac{1}{4}$ " " $6\frac{1}{4}$ " " "		0 3 $\frac{1}{2}$

DEFINITION.


9. For the purposes of this Determination, "sheet metal" shall mean sheet metal 10-gauge or lighter.

H. J. RICHARDSON, J.P.,
Chairman.

F. A. MARZORINI,
Secretary.

Dated at Melbourne the 1st day of September, 1923.





VICTORIA GOVERNMENT GAZETTE.

Published by Authority.

[Registered at the General Post Office, Melbourne, for transmission by post as a newspaper.]

No. 118.]

MONDAY, SEPTEMBER 17.

[1923.]

Factories and Shops Acts.

DETERMINATION OF THE GAS METER BOARD.

NOTE.—This Determination on the 24th September, 1923, applied to the following parts of Victoria, namely:—The Metropolitan District as defined in the Factories and Shops Acts; the cities of Ballarat, Bendigo, Geelong, Sandringham, and Warrnambool; the town of Geelong West; and the boroughs of Eaglehawk, Newtown and Chilwell, and Sebastopol.

IN accordance with the provisions of the Factories and Shops Acts, the Wages Board appointed to "determine the lowest prices or rates which may be paid to any persons or classes of persons employed in the process, trade, business, or occupation of making or repairing gas meters" has made the following Determination, namely:—

(1) That on the 24th day of September, 1923, the last and all previous Determinations of this Board shall be revoked and replaced by this Determination.

(2)

Apprentices or Improvers.				Other Employees.			
WAGES.				WAGES.			
				Per week of 48 hours.			
				£ s. d.			
1st year—							
1st six months	20	6	5	11 6
2nd "	23	0	5	11 6
2nd year	28	0	5	11 6
3rd year	37	0		
4th year	54	6	6	0 6
5th year	68	0	5	6 0
PROPORTION (within any place).							
<i>Apprentices.</i>							
One apprentice to every three or fraction of three workers receiving not less than 89s. 6d. per week of 48 hours.							
<i>Improvers.</i>							
One improver to every three or fraction of three workers receiving not less than 89s. 6d. per week of 48 hours.							
				Meter makers or repairers 5 11 6			
				Prepayment meter attachment maker 5 11 6			
				Caster of gratings and covers 5 11 6			
				Head tester (where four or more other testers are employed) 6 0 6			
				Other testers 5 6 0			
				Leading diaphragm tier (where two or more other diaphragm tiers are employed) 5 16 0			
				Other diaphragm tiers, including persons banding, crimping, or wiring 5 0 6			
				Diaphragm cutter 5 0 6			
				Rim, disc, or prepayment meter cash-boxmakers .. 5 5 0			
				Machinist 4 15 6			
				Assistant Machinist 4 12 6			
				All others 4 9 6			

(3) TIME OF BEGINNING AND ENDING WORK { 7.30 a.m. 12 noon on Saturdays, and 7.30 a.m. 5.15 p.m. on the other working days of the week.

(4) OVERTIME.—All work done outside the hours fixed as the times of beginning and ending work, or within such hours in excess of 48 hours in any week, shall be paid for at the rate of time and a half.

(5) TIME RATE.—Any person employed on time wages for less than the number of hours fixed for an ordinary week's work shall for each hour worked up to 24 hours be paid at the ordinary wages rates with the addition of thirty-three per centum.

(6) SPECIAL RATES FOR SUNDAYS AND PUBLIC HOLIDAYS.—All work done on Sunday, Good Friday, Christmas Day, or Eight Hours Day (21st April), shall be paid for at the rate of double time, and on New Year's Day, Foundation Day (26th January), Easter Saturday, Easter Monday, King's Birthday (3rd June), or Boxing Day, at the rate of time and a half, but if any other day be by Act of Parliament or Proclamation substituted for any of the above-named holidays, the special rate shall only be payable for work done on the day so substituted.

PIECE-WORK PRICES.

(7) That the lowest piece-work prices payable to any person engaged in the following kinds of work shall be:—

(a) MAKING TIN DRY ORDINARY METERS, "MET" AND "P. AND C."

	Lights.					
	2.	3.	5.	10.	20.	30.
	per doz. £ s. d.	per doz. £ s. d.	per doz. £ s. d.	per doz. £ s. d.	per doz. £ s. d.	per doz. £ s. d.
<i>Ordinary Meters.</i>						
Making "Met" pattern meters, i.e., doing any work necessary to complete the meter, including the putting together of all parts; preparing gratings and covers (after leaving the mould); putting on pins and wires, forming long and diaphragm chambers, throat pieces, bridges, and back plates; folding edge; breaking edges of side pipes; making valve plates; oiling, sounding, and fixing up all leaks in diaphragms; setting and grinding valves; and tinning all parts	8 5 9	9 6 6	11 2 7
Circular crimped-on diaphragms	0 7 10½	0 7 10½	0 12 11
Putting circular crimped-on ten-light diaphragms into five-light meters	0 12 11
Making "P. and C." pattern meters, i.e., doing any work necessary to complete the meter, including the putting together of all parts, and the making of valve plates; oiling, sounding, and fixing up leaks in diaphragms; setting and grinding valves; preparing gratings and covers (after leaving moulds); putting on pins and wires, and tinning all parts; but not including forming long and diaphragm chambers, throat pieces, bridges, and back plates; punching cock plates; folding edge of same; and breaking edges of side pipes	7 0 6	7 5 4	8 3 4	9 17 11	14 7 2	..

(b) MAKING T.G. PATTERN METERS.

	Lights.					
	2.	3.	5.	10.	20.	..
	per job of 20. £ s. d.	per job of 20. £ s. d.	per job of 20. £ s. d.	per job of 20. £ s. d.	per job of 10. £ s. d.	..
Making "T.G." pattern meters, as follows:—						
(a) Making the case, i.e., soldering sides to bottom; soldering in partition; soldering in valve plate; soldering boss and stud into pipe; soldering on pipes; putting throat pieces in; putting on bottom studs; soldering side stuffing boxes on; putting on guides; soldering on diaphragms and discs; soldering metal tee to tin-tee; sweating tin tee to rod wire and putting them in; sounding leathers; putting in motions; stuffing side boxes; oiling motions and tees; soldering on galleries and backs and fronts; putting on maker's badge						
	4 6 10	4 6 10	5 1 9	6 3 0	4 8 5	..
(b) Putting arms on crank; soldering in bridge; soldering centre stuffing box into cock plate; soldering cock plate to bridge; stuff-centre box; fitting up worm, back stop, and tangent; putting in index, spindle, and step; soldering on door and top arms; cleaning out and buffing gratings and covers; putting on valve nuts and soldering in back plates; topping meter, and putting on inlet badge and seal ring						
	1 16 5	1 16 5	2 0 4	2 13 11	2 0 8	..
Extras:—						
Soldering on short pipe inside meter	0 5 3½	0 5 3½
Greasing rims and banding in circular seamless leathers	0 15 11	0 15 11	0 17 6
Grinding valves	0 6 11	0 11 8	0 13 0
Setting valves	0 8 0	0 8 0	0 8 6

PIECE-WORK PRICES—continued.

(c) MAKING TIN DRY PREPAYMENT METERS.

	Lights.	
	3	5
	per doz. £ s. d.	per doz. £ s. d.
<p>Making "P and C" pattern, i.e., doing any work necessary to complete the meter, including the putting together of all parts, and the making of valve plates; oiling, sounding, and fixing up leaks in diaphragms; setting and grinding valves; preparing gratings and covers after leaving moulds; putting on pins and wires; tinning all parts; soldering prepayment valve seat on bridge; soldering in prepayment valve; soldering top on prepayment valve box; soldering prepayment valve box to meter; soldering stuffing box to prepayment valve box and stuffing same; soldering on lever; soldering on circular box, prepayment movement, and index; soldering on side cash box; soldering hasp to catch piece; soldering catch piece to meter; edging front of money box and attaching same to box; soldering on ring and tab to front of money box; soldering seal cup; soldering in bottom of money box; trying coins in circular box; soldering on direction badge; but not including the following, viz.:- Forming long and diaphragm chambers, throat pieces, bridges and back plates; punching cock plate and folding edge of same; and breaking edges of side pipes</p>	9 3 4	10 11 5
<p>Making Cowan "K" pattern, i.e., doing any work necessary to complete the meter, including the putting together of all parts and the making of valve plates; oiling, sounding, and fixing up leaks in diaphragms; setting and grinding valves; preparing gratings and covers after leaving moulds; tinning all parts; cutting centre tubes and soldering gasway to side; soldering valve seat to gasway; gasway to bridge and valve plate; soldering in prepayment valve; soldering top on prepayment valve box; soldering prepayment valve box to meter; soldering stuffing box to prepayment valve box and stuffing same; soldering on lever; soldering on circular box, prepayment movement and index. soldering on side cash box; soldering hasp to catch piece; soldering catch piece to meter; soldering collar round hasp; assembling pillars, rollers and flags; trying coin in circular box; soldering on direction badge; cutting valve guides, backs, front and tops, but not including the following:—Forming long and diaphragm chambers, throat pieces, bridges, and back plates, punching cockplate and folding edge of same, and breaking edges of side pipes. Penny pattern only: Soldering in bottom of cash box; soldering collar round side pipe. Shilling pattern only: Attach spindle worm and solder rivet to bottom of cash box</p>	9 8 6	10 16 6

	Mark 1, i.e., Meter with Shut-off Valve under Back Plate.	Mark 2, i.e., Meter with Shut-off Valve in Square Box at the Inlet End of Valve Plate.	Mark 3, i.e., Meter with Shut-off Valve on Tin Platform, and enclosed in Angle Box at the Inlet End of Valve Plate.	Mark 4, i.e., Making up 5-light Slot Meters with Second Hand Slot Movements.
	per doz. meters. £ s. d.	per doz. meters. £ s. d.	per doz. meters. £ s. d.	per doz. meters. £ s. d.
Making "Met" pattern, as follows:—				
(a) Preparing gratings after leaving the mould; putting on pins and wires; forming long and diaphragm chambers, throat pieces, bridges, and back plates; punching cock plates and folding edge; and breaking edge of side pipes	9 6 6	9 9 11	9 16 10	9 12 0
Circular crimped-on diaphragms	0 7 10½	0 7 10½	0 7 10½	0 7 10½
(b) Putting in prepayment fittings, index, and spindle; and putting on index door, outside box, and wires	1 5 3	1 5 3
(c) Putting in prepayment fittings, index, and spindle; putting on index door, outside box, and wires; tinning outside box and handle attachment; and filing slot in bearing	1 6 4	..

(d) MAKING RIMS AND DISCS.

	Lights.							
	2.	3.	5.	10.	20.	30.	50.	60.
	per job of 400 rims and 200 discs. £ s. d.	per job of 620 rims. £ s. d.	per job of 580 rims. £ s. d.	per job of 460 rims. £ s. d.	per job of 240 rims. £ s. d.	per job of 240 rims. £ s. d.	per doz. discs. £ s. d.	per doz. discs. £ s. d.
Making rims and discs	5 11 0
Making rims	5 11 0	5 11 0	5 11 0	5 11 0	5 11 0
Making discs	per doz. discs. £ s. d. 0 4 7½	per doz. discs. £ s. d. 0 6 10½	0 16 3	0 16 3
Making rims for circular crimped-on diaphragms	per job of 400 rims. 4 18 10	per job of 400 rims. 5 2 6

PIECE-WORK PRICES—continued.

(e) TESTING METERS.

		2, 3, 5, or 10 Lights.	
		per doz. meters.	
		s. d.	
Testing, including sounding, soldering tangents, and pinning arms:—			
Repaired meters	7	4½
Other meters	7	4½
Testing meters for measurement only	2	9

(f) WIRING OR TYING DIAPHRAGMS.

	2, 3, or 5 Lights.		10 Lights.	
	per pair.		per pair.	
	s. d.		s. d.	
Wiring or tying diaphragms	0	9½	1	1½

(g) MAKING METER CASH BOXES AND HANDLES.

Making prepayment meter cash boxes from cut-out material 8s. 11d. per hundred.
 Making prepayment meter handles 6s. per dozen.
 Making prepayment meter handles, side slot, 1921 pattern 12s. 3½d. per dozen.

(h) RENEWALS.

	Lights.									
	3.	5.	10.	20.	30.	50.	60.	80.	100.	
	per doz.		per doz.		per doz.		per job of 6.		per job of 3.	
	£ s. d.		£ s. d.		£ s. d.		£ s. d.		£ s. d.	
<i>Ordinary Meters.</i>										
Renewing in the following manner ordinary condemned meters from which the top back plate, and back and front have been removed, viz:—										
Dissecting and cleaning all parts fit to be re-used and making a new meter therewith by:—										
Forming diaphragms and long chambers, throat pieces, bridges, back plates; punching cock plate and folding edges; breaking edges of side pipes, any other necessary work ..	10	14 7	11	5 4	19	13 5	22	15 3	28	19 7
Circular, crimped-on diaphragms ..	0	7 10½	0	7 10½	0	12 11
Putting circular crimped-on ten-light diaphragms into five-light meters	0	12 11

NOTE:—

- (a) For 3 and 5-light meters all tin work to be supplied by the employer.
- (b) For 10, 20, and 30-light meters all tin work to be made by the worker excepting back, front, top, rims, and discs.
- (c) For 50 and higher light meters all tin work to be made by the worker except rims and discs.

PIECE-WORK PRICES—continued.

(i) REPAIRING METERS.

	Lights.					
	2.	3.	5.	10.	20.	30.
	each meter.	each meter.	each meter.	each meter.	each meter.	each meter.
	s. d.	s. d.	s. d.	s. d.	s. d.	s. d.
Repairing "Met" pattern meters, i.e., doing such of the following work as may be necessary to restore the meter to good repair, viz.—Removing back and front; removing cock plate and back plate; cleaning meter; re-grinding valves; re-stuffing centre and side stuffing boxes; re-setting valves and top arms; inserting new diaphragms; removing index; putting in new valve arms, index glass, or new tin work	10 5½	10 10	10 5½	12 8	17 8½	20 9
Repairing tin dry ordinary meters in the following manner:—						
(a) Cleaning meter; inserting diaphragms; setting or re-grinding valves; re-stuffing boxes; removing and replacing cock plates and index	8 3	9 2½	10 2	11 2	15 2	..
(b) Cleaning meter; cutting discs; oiling diaphragms; setting or re-grinding valves; re-stuffing boxes; removing cock plate and index; taking off and putting in back and front	6 10	6 10	6 10	7 1	10 4	..
Repairing prepayment slot meters, i.e., doing such of the following work as may be necessary to restore the meter to good repair, viz.:—Cleaning meter; re-grinding valves; re-stuffing boxes; re-setting top arms and valves; removing top and back plates; taking off and replacing back and front, and inserting new diaphragms, new valve arms, and index glass; putting in a new cover to shut off valve; putting on staple and spring, and soldering wire along cash box (but not including repairs to handles)	per job of ten meters. £ s. d.	per job of ten meters. £ s. d.
Altering and re-adjusting handle attachment "Met" pattern prepayment slot meters	1 2 4	1 2 4
Repairing and re-verting 3-light slot meters to 3-light ordinary meters	6 1 ½
			per job of 10 meters. £ s. d.			
Repairing 3-light meters fitted with 5-light circular crimped-on diaphragms—Extra for inserting new circular diaphragms			0 6 8			
Repairing 5-light meters fitted with 10-light circular crimped-on diaphragms—Extra for inserting new circular diaphragms			0 10 7½			
Repairing and re-verting "Met" pattern 3-light slot meters to 5-light ordinary meters, but not including the removal of any prepayment attachments or fittings			7 14 1			

NOTE.—The work of inserting circular pattern diaphragms when repairing P. and C. meters to be paid for at wages rates.

(j) EXTRAS.

	2 Lights.		3 Lights.		5 Lights.		10 Lights.		20 Lights.	
	s. d.	for ten meters.	s. d.	for ten meters.	s. d.	for ten meters.	s. d.	for ten meters.	s. d.	for ten meters.
Putting on:—										
Frame and door (including glass)	6 10	6 10	6 10	6 10	6 10	6 10	6 10	6 10	6 10	6 10
Bottom and studs	13 9	13 9	13 9	13 9	13 9	13 9	13 9	13 9	13 9	13 9
Bridge	10 3	10 3	10 3	10 3	10 3	10 3	10 3	10 3	10 3	10 3
Rod arms	3 5½	3 5½	3 5½	3 5½	3 5½	3 5½	3 5½	3 5½	3 5½	3 5½
Valve arms	2 8	2 8	2 8	2 8	2 8	2 8	2 8	2 8	2 8	2 8
Valve box covers	5 0½	5 0½	5 0½	5 0½	5 0½	5 0½	5 0½	5 0½	5 0½	5 0½
Divisions	23 1	23 1	23 1	23 1	23 1	23 1	23 1	23 1	23 1	23 1
Half-valve plate	24 0	25 9	25 9	27 4	27 4	29 1½	29 1½	30 9	30 9	30 9
New door	1 8	1 8	1 8	1 8	1 8	1 8	1 8	1 8	1 8	1 8
	for ten pairs.	for ten pairs.	for ten pairs.	for ten pairs.	for ten pairs.	for ten pairs.	for ten pairs.	for ten pairs.	for ten pairs.	for ten pairs.
Motion wires	6 10	6 10	6 10	6 10	6 10	6 10	6 10	6 10	6 10	6 10
Throat pieces	10 2	10 2	10 2	10 2	10 2	10 2	10 2	10 2	10 2	10 2
Side chambers	10 2	10 2	10 2	10 2	10 2	10 2	10 2	10 2	10 2	10 2
New sides	46 1	46 1	46 1	46 1	46 1	46 1	46 1	46 1	46 1	46 1
Tees	10 3	10 3	10 3	10 3	10 3	10 3	10 3	10 3	10 3	10 3
Pipes—Inside inlet	20 6	20 6	20 6	20 6	20 6	20 6	20 6	20 6	20 6	20 6
Other Pipes	10 3	10 3	10 3	10 3	10 3	10 3	10 3	10 3	10 3	10 3
Galleries	13 9	13 9	13 9	13 9	13 9	13 9	13 9	13 9	13 9	13 9
	for ten sets.	for ten sets.	for ten sets.	for ten sets.	for ten sets.	for ten sets.	for ten sets.	for ten sets.	for ten sets.	for ten sets.
Guides	3 5½	3 5½	3 5½	3 5½	3 5½	3 5½	3 5½	3 5½	3 5½	3 5½
Feet	3 5½	3 5½	3 5½	3 5½	3 5½	3 5½	3 5½	3 5½	3 5½	3 5½
Rod stuffing boxes	4 6	4 6	4 6	4 6	4 6	4 6	4 6	4 6	4 6	4 6
	for ten meters.	for ten meters.	for ten meters.	for ten meters.	for ten meters.	for ten meters.	for ten meters.	for ten meters.	for ten meters.	for ten meters.
Setting index to zero, taking back plate off, re-stuffing and cleaning valves	20 6	24 0	24 0	24 0	24 0	25 9	25 9	30 9	30 9	30 9
Taking off and putting on back and front only	13 9	15 7	15 7	15 7	15 7	17 2	17 2	24 0	24 0	24 0
Turn over backs and fronts	4 6	4 6	4 6	4 6	4 6	4 6	4 6	4 6	4 6	4 6
Opening meter and condemning	13 9	15 7	15 7	15 7	15 7	15 7	15 7	20 6	20 6	20 6
Piecing cases	5 0½	5 0½	5 0½	5 0½	5 0½	5 0½	5 0½	5 0½	5 0½	5 0½

NOTE.—"Leaks round grating" and "All crutch locks" shall be paid for at wages rates.

PIECE-WORK PRICES—*continued.*

(k) GUILLOTINE OR HAND-PRESS WORK.

Cutting with guillotine, rolling, and forming with press :—											
Backs	2s. 7d. per hundred
Fronts	2s. 7d. "
Tops	2s. 1d. "
Cutting with guillotine and press, and forming :—											
Sides	2s. 2d. "
Bottoms	2s. 9½d. "
Valve plates	2s. 9½d. "
Partitions	2s. 9½d. "
Galleries	1s. 9½d. "
Cutting with guillotine, and pressing (double handed) except by power press—											
Top or bottom rims, 3 and 5 lights	1s. 10½d. "
Cutting with press, and forming :—											
Money boxes	2s. 0d. "
Cutting with guillotine and press :—											
Discs, 10 lights	1s. 4d. "

NOTE.—All materials for piecework, except that set out in sub-clauses (e) and (f) of the piecework schedule, shall be supplied to the employee in good order and condition.

F. H. BOLTON, J.P.,
(Chairman.

W. H. GRAY,
Secretary.

Melbourne, the 7th day of September, 1923