



VICTORIA GOVERNMENT GAZETTE.

Published by Authority.

[Registered at the General Post Office, Melbourne, for transmission by post as a newspaper.]

No. 198.]

SATURDAY, DECEMBER 4.

[1926.

Factories and Shops Acts

DETERMINATION OF THE TINSMITHS BOARD.

NOTE.—This Determination, on the 7th December, 1926, applied to the following parts of Victoria, namely:—The Metropolitan District as defined in the Factories and Shops Acts; the cities of Ballarat, Bendigo, Geelong, Sandringham, and Warrnambool; the towns of Geelong West and Newtown and Chilwell; and the boroughs of Eaglehawk and Sebastopol.

In accordance with the provisions of the Factories and Shops Acts, the Wages Board appointed to “determine the lowest prices or rates of payment payable to any person or persons or classes of persons employed in the process, trade, or business of preparing or manufacturing articles made of tin plate or other sheet metal, including the japanning of such articles,” has made the following Determination, namely:—

(1) That on the 7th day of December, 1926, the last previous Determination of this Board shall be revoked and replaced by this Determination.

(2) **APPRENTICES AND IMPROVERS.**

Wages per Week of 48 Hours.			Number (in any place).	
	Apprentices.	Improvers.		
1st year's experience	15s. 6d.	15s. 6d.	Apprentices.	One apprentice to every three or fraction of three workers receiving not less than 90s. per week of 48 hours. An Indenture of apprenticeship prescribed by the Board was approved on 20th May, 1911.
2nd " " " " " " " "	23s.	23s.	Improvers.	
3rd " " " " " " " "	31s. 6d.	33s. 6d.		
4th " " " " " " " "	42s. 6d.	48s. 6d.		
5th " " " " " " " "	58s.	63s.		

(3) **JUVENILE WORKERS** (other than apprentices or improvers)—

	Wages per Week of 48 Hours.		
	1st Year's Experience in Class A.	2nd Year's Experience in Class A.	3rd Year's Experience in Class A.
<i>Under 17 years of age.</i>	<i>s. d.</i>	<i>s. d.</i>	<i>s. d.</i>
CLASS A.			
(1) Putting wire handles in camp kettles, wiring handles for kettles and dippers, folding flat tin handles, folding spouts and barrels for kerosene pumps, forming handles for pannikins and dippers, forming rims for lids, notching (except by power machines), using guillotine for above work, holding general sheet metal work for journeymen or soldering canisters other than seams, tops, or bottoms	18 0	25 6	32 6
(2) Polishing, cleaning, spiriting, testing to detect leaks (except in 4-gallon petrol, kerosene, or pulp tins), making spouting tubes, cutting and making wire handles, cutting hoop iron and wire for general sheet metal work, blackening or tarring shovels or closet pans, packing, carrying or moving goods, lighting or attending fires or engaged on canister work at topping tins or trimming scrap	18 0	22 0	29 0
<i>Under 21 years of age.</i>	<i>s. d.</i>	<i>s. d.</i>	<i>s. d.</i>
CLASS B.			
Soldering down pipes not heavier than 24 gauge or larger than 4 inches in diameter	47 6	58 0	68 0

(3) JUVENILE WORKERS.—continued.

	1st Year's Experience in Class C.	2nd Year's Experience in Class C.	3rd Year's Experience in Class C.	4th Year's Experience in Class C.		
CLASS C.						
Repairing leaks in general sheet metal work (other than old work) or assisting at rollers for forming down pipes, or engaged at general sheet metal work on the following machines, viz.:—Burnishing and spinning lathes, curving machines, guillotines for cutting spouting and ridging, stamping machines or presses, or spouting and ridging machines ..	s. d. 32 6	s. d. 42 6	s. d. 54 0	s. d. 65 0		
CLASS D.						
Engaged at canister or tin toy work on the crank press	s. d. 47 6	s. d. 58 0	s. d. 68 0			
CLASS E.						
Engaged at general sheet metal work or canister or tin toy work on any other power machine or at canister or tin toy work on the following machines or presses:—Monkey, pendulum, screw, or treadle, machines for folding canisters of holding capacity up to and including one pint, bending, bending (other than work on angle bender or folder exceeding 8 inches), body forming (other than by angle bender), clenching, crimping, curling, double seaming, flanging, hinge hooking, hinge seating, lock beam-seaming, notching, rolling, squeezing, trimming, or wire forming, or feeding or taking off in connexion with any power soldering machine or employed in connexion with japanning at scouring, cleaning, assisting to polish or general rough work, or engaged on cabinet handles in cutting strips, clips, and holes on guillotine, bending clips round ring, fitting same and opening out ends, or employed at hinge making in cutting metal into strips, or putting in pins ..	s. d. 22 0	s. d. 29 0	s. d. 36 0	s. d. 47 6	s. d. 58 0	s. d. 68 0

(4) OTHER EMPLOYEES WAGES.

Tinsmiths or sheet metal workers who cut patterns or make up articles from patterns out by themselves or from blue prints or architectural drawings	114s.	per week of 48 hours
Other tinsmiths or sheet metal workers	105s. 6d.	" "
Repairers on general sheet metal work	105s. 6d.	" "
Machinists on general sheet metal work	101s.	" "
Solders of down pipes	101s.	" "
Operators of—		
(a) Oxy-acetylene welding machines or quasi-arc electric welding plants	114s.	" "
(b) Electric spot, seam, or butt welders	103s.	" "
Picklers	101s. 9d.	" "
Tinners	107s. 9d.	" "
Artistic japanners	105s.	" "
Gold workers	105s.	" "
Ornamental pencil workers	99s.	" "
Filleters	99s.	" "
Grainers	99s.	" "
Liners	99s.	" "
Writers	99s.	" "
Coaters	98s.	" "
Makers or repairers of canisters, oil tins, or tin toys or parts thereof—		
(a) by hand	96s.	" "
(b) by machine	93s.	" "
Canister vent closers working on tins containing substance with an artificial temperature of 150 deg. F. or over	101s. 6d.	" "
Persons soldering caps on tins containing substance with an artificial temperature of 150 deg. F. or over	98s.	" "
Other cap solderers	98s.	" "
Persons attending—		
(a) Power capping machines	98s.	" "
(b) the metal pot on a power automatic body forming or seam soldering machine or the metal pot on a power automatic end soldering machine	98s.	" "
All others	90s.	" "

(5) TIME OF BEGINNING AND ENDING WORK.

Time of Beginning.	Time of Ending.
7.30 a.m.	12 noon on the day on which the half-holiday is observed.
7.30 a.m.	5.30 p.m. on the other working days of the week.

(6) OVERTIME.

Outside the time of beginning and ending work as herein fixed }
 Within the time of beginning and ending work in excess of the hours fixed in this Determination as a week's work } Time and a half.

(7) SPECIAL RATES.—Double time shall be the special rate for all work done on Sunday, New Year's Day, Foundation Day (26th January), Good Friday, Easter Monday, Eight Hours Day (21st April), King's Birthday, Christmas Day, and Boxing Day; but if any other day be by Act of Parliament or Proclamation substituted for any of the above-named holidays, the special rate shall only be payable for work done on the day so substituted.

(8) TIME WAGES.—Any person employed on time wages for less than the number of hours fixed for an ordinary week's work shall for each hour worked up to one-half the number of hours fixed be paid at the ordinary wages rate with an addition of thirty-three and a third per centum.

(9) PRICE WORK.—(a) The lowest piece-work price payable to any person for wholly or partly preparing or manufacturing any article described in the following Schedules (which Schedules shall form part of this Determination) shall be the price mentioned in such Schedules.

(b) Wherever the quantity to be given out is stated in the Schedules the prices apply only when the articles are given out in quantities not less than those mentioned in the Schedule.

(c) The Schedules of prices apply to new material only.

(d) Except where otherwise provided, where the sizes of articles to be made under these Schedules do not exactly correspond with the sizes stated in their Schedules, then the price or rate fixed for the next nearest size shall apply; but where the size is half-way between two sizes then the next higher price or rate shall apply.

PIECE-WORK—continued.

Articles.	Material.	Size.	When given out in the under-mentioned Quantities or more.	Prices.
BOXES—continued.				
TRUNKS, strapped (top wiring supplied)	4 swedges	24-gauge steel or lighter	33 inches ... 6 articles	79s. 6d. per doz.
" " " " " "	" " " " " "	" " " " " "	36 " ... 6 " "	88s. 1d. "
" " wired, strapped, complete	2 swedges	" " " " " "	20 " ... 1 dozen ...	44s. 10d. "
" " " " " " " "	" " " " " "	" " " " " "	22 " ... 1 " ...	46s. 6d. "
" " " " " " " "	" " " " " "	" " " " " "	24 " ... 1 " ...	48s. "
" " " " " " " "	3 swedges	26-gauge steel or lighter	26 " ... 1 " ...	51s. 11d. "
" " " " " " " "	" " " " " "	" " " " " "	28 " ... 1 " ...	55s. 10d. "
" " " " " " " "	" " " " " "	" " " " " "	30 " ... 1 " ...	61s. 5d. "
" " " " " " " "	4 swedges	" " " " " "	30 " ... 1 " ...	63s. "
" " " " " " " "	" " " " " "	" " " " " "	33 " ... 6 articles	81s. "
" " " " " " " "	" " " " " "	" " " " " "	36 " ... 6 "	89s. 7d. "
" " cabin, common, moulded (cutting out, top and body edging, moulding, and wiring supplied)	2 swedges	26-gauge steel or lighter	24 " ... 1 dozen ...	17s. 7d. "
" " " " " " " "	" " " " " "	" " " " " "	26 " ... 1 " ...	19s. 4d. "
" " " " " " " "	3 swedges	" " " " " "	28 " ... 1 " ...	20s. "
" " " " " " " "	" " " " " "	" " " " " "	30 " ... 1 " ...	22s. 2d. "
" " " " " " " "	4 swedges	24-gauge steel or lighter	33 " ... 1 " ...	34s. 4d. "
" " " " " " " "	" " " " " "	" " " " " "	" " " " " "	" " " " " "
" " cabin, moulded, strapped (cutting out, top and body edging, moulding, and wiring supplied)	2 swedges	26-gauge steel or lighter	24 " ... 1 " ...	31s. "
" " " " " " " "	" " " " " "	" " " " " "	26 " ... 1 " ...	33s. "
" " " " " " " "	3 swedges	" " " " " "	28 " ... 1 " ...	34s. 7d. "
" " " " " " " "	" " " " " "	" " " " " "	30 " ... 1 " ...	36s. 2d. "
" " " " " " " "	" " " " " "	" " " " " "	30 " ... 1 " ...	36s. 2d. "
" " " " " " " "	4 swedges	24-gauge steel or lighter	33 " ... 6 articles...	39s. 7d. "
" " " " " " " "	" " " " " "	" " " " " "	36 " ... 6 " ...	44s. 10d. "
" " cabin, moulded (moulding and wiring supplied)	2 swedges	26-gauge steel or lighter	24 " ... 1 dozen ...	28s. 2d. "
" " " " " " " "	" " " " " "	" " " " " "	26 " ... 1 " ...	30s. 6d. "
" " " " " " " "	3 swedges	" " " " " "	28 " ... 1 " ...	32s. 2d. "
" " " " " " " "	" " " " " "	" " " " " "	30 " ... 1 " ...	34s. "
" " " " " " " "	4 swedges	24-gauge steel or lighter	33 " ... 6 articles...	48s. 7d. "
" " " " " " " "	" " " " " "	" " " " " "	" " " " " "	" " " " " "
" " cabin, strapped (moulding and wiring supplied)	2 swedges	26-gauge steel or lighter	24 " ... 1 dozen ...	37s. 9d. "
" " " " " " " "	" " " " " "	" " " " " "	26 " ... 1 " ...	39s. 7d. "
" " " " " " " "	3 swedges	" " " " " "	28 " ... 1 " ...	42s. 6d. "
" " " " " " " "	" " " " " "	" " " " " "	30 " ... 1 " ...	44s. "
" " " " " " " "	4 swedges	24-gauge steel or lighter	33 " ... 6 articles...	48s. "
" " " " " " " "	" " " " " "	" " " " " "	36 " ... 6 " ...	57s. "
" " cabin, common, wired (cutting out, top and body edging, and top and body wiring supplied)	2 swedges	26-gauge steel or lighter	24 " ... 1 dozen ...	23s. 11d. "
" " " " " " " "	" " " " " "	" " " " " "	26 " ... 1 " ...	25s. 11d. "
" " " " " " " "	3 swedges	" " " " " "	28 " ... 1 " ...	29s. 11d. "
" " " " " " " "	" " " " " "	" " " " " "	30 " ... 1 " ...	31s. 5d. "
" " " " " " " "	4 swedges	24-gauge steel or lighter	33 " ... 6 articles...	39s. 4d. "
" " " " " " " "	" " " " " "	" " " " " "	36 " ... 6 " ...	46s. 6d. "
" " " " " " " "	" " " " " "	" " " " " "	" " " " " "	" " " " " "
" " cabin, strapped, wired (cutting out, top and body edging, and top and body wiring supplied)	2 swedges	26-gauge steel or lighter	24 " ... 1 dozen ...	39s. 7d. "
" " " " " " " "	" " " " " "	" " " " " "	26 " ... 1 " ...	41s. 4d. "
" " " " " " " "	3 swedges	" " " " " "	28 " ... 1 " ...	43s. 3d. "
" " " " " " " "	" " " " " "	" " " " " "	30 " ... 1 " ...	44s. 10d. "
" " " " " " " "	4 swedges	24-gauge steel or lighter	33 " ... 6 articles...	48s. "
" " " " " " " "	" " " " " "	" " " " " "	36 " ... 6 " ...	55s. "
" " " " " " " "	" " " " " "	" " " " " "	" " " " " "	" " " " " "
" " cabin, common, wired (top wiring supplied)	2 swedges	26-gauge steel or lighter	24 " ... 1 dozen ...	31s. 10d. "
" " " " " " " "	" " " " " "	" " " " " "	26 " ... 1 " ...	33s. 10d. "
" " " " " " " "	3 swedges	" " " " " "	28 " ... 1 " ...	37s. 9d. "
" " " " " " " "	" " " " " "	" " " " " "	30 " ... 1 " ...	39s. 4d. "
" " " " " " " "	4 swedges	24-gauge steel or lighter	33 " ... 6 articles...	48s. "
" " " " " " " "	" " " " " "	" " " " " "	36 " ... 6 " ...	55s. 10d. "
" " " " " " " "	" " " " " "	" " " " " "	" " " " " "	" " " " " "
" " cabin, strapped, wired (top wiring supplied)	2 swedges	26-gauge steel or lighter	24 " ... 1 dozen ...	44s. 10d. "
" " " " " " " "	" " " " " "	" " " " " "	26 " ... 1 " ...	46s. 6d. "
" " " " " " " "	3 swedges	" " " " " "	28 " ... 1 " ...	48s. "
" " " " " " " "	" " " " " "	" " " " " "	30 " ... 1 " ...	53s. 6d. "
" " " " " " " "	4 swedges	24-gauge steel or lighter	33 " ... 6 articles...	55s. 1d. "
" " " " " " " "	" " " " " "	" " " " " "	36 " ... 6 " ...	60s. 5d. "
" " " " " " " "	" " " " " "	" " " " " "	36 " ... 6 " ...	65s. 3d. "
" " " " " " " "	" " " " " "	" " " " " "	" " " " " "	" " " " " "
" " cabin, strapped, wired, complete	2 swedges	26-gauge steel or lighter	24 " ... 1 dozen ...	48s. "
" " " " " " " "	" " " " " "	" " " " " "	26 " ... 1 " ...	50s. 3d. "
" " " " " " " "	3 swedges	" " " " " "	28 " ... 1 " ...	52s. 8d. "
" " " " " " " "	" " " " " "	" " " " " "	30 " ... 1 " ...	55s. 10d. "
" " " " " " " "	4 swedges	24-gauge steel or lighter	33 " ... 6 articles...	59s. 2d. "
" " " " " " " "	" " " " " "	" " " " " "	36 " ... 6 " ...	62s. 2d. "
" " " " " " " "	" " " " " "	" " " " " "	" " " " " "	" " " " " "
" " " " " " " "	" " " " " "	" " " " " "	" " " " " "	" " " " " "
If corners fitted on lids for 20-inch to 30-inch common trunks	9d. per doz. trunks extra
Swivels, end handles and corners of all trunks supplied.
Wires for all moulded trunks supplied.
Wires for tops of wired trunks supplied.

With 3 per cent. added.

PIECE-WORK—continued.

Articles.	Material.	Size.	When given out in the under-mentioned Quantities or more.	Prices.
BOXES—continued.				
TRUNKS where wiring, moulding, and corner pieces for bodies are not supplied	...	20, 22, 24, and 26 inches	...	6s. 3d. per doz. trunks extra
		28, 30, 33, and 36 inches	...	7s. 11d. per doz. trunks extra
TRUNKS (machine work), cutting out, top and body edging, moulding, and wiring (wires supplied) ...	26-gauge steel or lighter	20 inches ...	3 dozen ...	5s. 5d. per doz
" " " " " " ...		22 " ...	3 " ...	5s. 5d. "
" " " " " " ...		24 " ...	3 " ...	5s. 10d. "
" " " " " " ...		26 " ...	3 " ...	6s. 3d. "
" " " " " " ...		28 " ...	3 " ...	6s. 7d. "
" " " " " " ...		30 " ...	3 " ...	7s. 6d. "
" " " " " " ...		33 " ...	2 " ...	8s. 9d. "
" " " " " " ...		24-gauge steel or lighter	36 " ...	1 " ...
(7.) BUCKETS.				
BLACK IRON BUCKETS, common, stamped or forged ears, two rivet holes ...	28-gauge iron or lighter	11 inches	6 dozen ...	5s. per doz.
" " " " " " ...		12 " ...	6 " ...	5s. "
" " " " " " ...		13 " ...	6 " ...	5s. 4d. "
" " " " " " ...		14 " ...	6 " ...	6s. 2d. "
BLACK IRON BUCKETS, common, stamped or forged ears, three rivet holes ...	28-gauge iron or lighter	11 " ...	3 " ...	5s. 4d. "
" " " " " " ...		12 " ...	3 " ...	5s. 4d. "
" " " " " " ...		13 " ...	3 " ...	5s. 9d. "
" " " " " " ...		14 " ...	3 " ...	6s. 9d. "
BLACK IRON BUCKETS, strapped sides and bottoms ...	26-gauge iron or lighter	11 " ...	2 " ...	7s. 5d. "
" " " " " " ...		12 " ...	2 " ...	7s. 5d. "
" " " " " " ...		13 " ...	2 " ...	8s. 3d. "
" " " " " " ...		14 " ...	2 " ...	9s. "
BLACK IRON BUCKETS, strapped, wrought ears, two rivet holes ...	26-gauge iron or lighter	11 " ...	2 " ...	6s. 9d. "
" " " " " " ...		12 " ...	2 " ...	6s. 9d. "
" " " " " " ...		13 " ...	2 " ...	7s. 5d. "
" " " " " " ...		14 " ...	2 " ...	8s. 8d. "
BLACK IRON BUCKETS, strapped, wrought ears, three rivet holes ...	26-gauge iron or lighter	11 " ...	2 " ...	7s. 5d. "
" " " " " " ...		12 " ...	2 " ...	7s. 5d. "
" " " " " " ...		13 " ...	2 " ...	8s. 3d. "
" " " " " " ...		14 " ...	2 " ...	9s. "
MILK BUCKETS, tin, with bail, hollow bottom, and tin hoop, (bail supplied) ...	IX tin plate or lighter	11 inches diameter x 9 inches deep	4 " ...	6s. 2d. "
" " " " " " ...		13 inches diameter x 9 inches deep	4 " ...	6s. 9d. "
MILK BUCKETS, tin, with hollow bottoms, and tinned or galvanized hoops and bails (bails supplied) ...	IX tin plate or lighter	11 inches diameter x 9 inches deep	4 " ...	6s. 2d. "
" " " " " " ...		13 inches diameter x 9 inches deep	4 " ...	6s. 9d. "
" " " " " " ...		11 inches diameter x 11 inches deep	3 " ...	7s. 5d. "
" " " " " " ...		13 inches diameter x 11 inches deep	3 " ...	9s. "
" " " " " " ...		11 inches diameter x 18 inches deep	1 " ...	9s. 11d. "
" " " " " " ...		12 inches diameter x 18 inches deep	1 " ...	10s. 11d. "
MILK BUCKETS, tin—Making bails for	All sizes	5d. " extra
" " " " " " (if stamped bottom supplied)	"	4d. per doz. deducted
STRAINER MILK BUCKETS, tin, part covered, with lip and brass wire strainer, hollow bottom, and tinned or galvanized hoop and bails (bails supplied) ...	IX tin plate or lighter	11 inches diameter x 9 inches deep	1½ doz.	14s. 11d. per doz.
" " " " " " ...		11 inches diameter x 11 inches deep	1½ " ...	14s. 11d. "
" " " " " " ...		13 inches diameter x 9 inches deep	1½ " ...	15s. 8d. "
With back handle	1s. 11d. per doz. extra

With 3 per cent. added.

PIECE-WORK—continued.

Articles.	Material.	Size.	When given out in the under-mentioned Quantities or more.	Prices.	
BUCKETS—continued.					
ALL MILK BUCKETS—If ears soldered to outside of bucket				1s. 10d. per doz. extra	
TIN BUCKETS, with flat bottoms and stamped ears	IC tin plate	11 inches diameter x 9 inches deep	6 dozen	5s. 4d. per doz.	
TIN BUCKETS, with tin hoop and stamped ears	IC tin plate	13 inches diameter x 9 inches deep	6 " "	6s. 2d. "	
" with 1½-in. or 1¼-in. hoop and strap	IC tin plate	" " "	2 " "	8s. 8d. "	
" with 1½-in. hoop and strap	IX tin plate	" " "	2 " "	9s. 5d. "	
" with 1¼-in. hoop and strap	IXX tin plate	" " "	2 " "	10s. 9d. "	
If bails supplied for strapped tin buckets				3d. per doz. deducted	
(8.) CANISTERS.					
ROUND CANISTERS, with slipped on bottle neck (top blanks supplied)	IC tin plate	½ lb.	4 dozen	4s. 7d. per doz.	
" " " "		1 "	4 " "	5s. " "	
" " " "		2 lbs.	4 " "	5s. 4d. "	
" " " "		3 "	3 " "	5s. 9d. "	
" " " "		4 "	3 " "	6s. 9d. "	
(9.) CANS.					
CREAM CANS, grooved, three hoops, double rim cover (including use of guillotine)	20-gauge tinned steel or lighter, or DXXXX tin plate or lighter	20 quarts	1 dozen	7s. 11d. each	
" " " " " "		30 " "	1 " "	7s. 11d. "	
" " " " " "		40 " "	1 " "	8s. 8d. "	
" four hoops, double rim cover (including use of guillotine)		40 " "	1 " "	9s. " "	
" three hoops, single rim cover (including use of guillotine)		20 " "	1 " "	6s. 2d. "	
" " " " " "		30 " "	1 " "	6s. 2d. "	
" " " " " "		40 " "	1 " "	7s. 2d. "	
" four " " " " "		40 " "	1 " "	7s. 5d. "	
" If not cleaned and tested by maker			All sizes		3d. per can deducted
" If hoops supplied for			" "		6d. per doz. hoops deducted
" If cover stamping or blocking supplied for		40 quarts		1s. 6d. per doz. deducted	
" If bottoms supplied for		40 " "		1s. per doz. deducted	
HARVEST CANS, with pannikin supplied	IX tin plate or lighter	2 quarts	1½ dozen	9s. 9d. per doz.	
" " " " " "		3 " "	1½ " "	10s. 10d. "	
" " " " " "		4 " "	1½ " "	11s. 6d. "	
" " " " " "		6 " "	1 " "	12s. 3d. "	
" " " " " "		8 " "	1 " "	12s. 11d. "	
" " " " " "		10 " "	1 " "	14s. 4d. "	
" " " " " " if with spouts			12 " "	1 " "	18s. 1d. "
" " " " " "		All sizes		2s. 9d. per doz. extra	
HOT WATER CANS, knocked up bottoms	IX tin plate or lighter	3 pints	1 dozen	18s. 2d. per doz.	
" " " " " "		2 quarts	1 " "	18s. 2d. "	
" " " " " "		3 " "	1 " "	22s. " "	
" " " " " "		4 " "	1 " "	22s. " "	
" wired, bottom let in...		3 pints	1 " "	19s. 10d. "	
" " " " " "		2 quarts	1 " "	19s. 10d. "	
" " " " " "		3 " "	1 " "	23s. 8d. "	
" " " " " "	4 " "	1 " "	23s. 8d. "		
HOT WATER CANS	20-gauge galv. iron or lighter	All sizes		4s. 3d. per doz. extra	
JACK SHAY CANS, straight body	IC tin plate	1 quart	2 dozen	7s. 11d. per doz.	
" tapered body		1 " "	2 " "	10s. 4d. "	
MINERS' CANS	IG tin plate	1½ pints	2 " "	8s. 3d. "	
" " " " " "		2 " "	2 " "	8s. 3d. "	
" " " " " "		3 " "	2 " "	8s. 8d. "	
" " " " " "		4 " "	2 " "	9s. 9d. "	
" " " " " "		6 " "	1½ " "	10s. 9d. "	
RAILWAY MILK CANS, grooved, two hoops (including use of guillotine, cleaning and testing)	20-gauge tinned steel or lighter, or DXXXX tin plate or lighter	20 quarts	1 " "	5s. 9d. each	
" " " three hoops " "		30 " "	1 " "	5s. 9d. "	
" " " four hoops " "		30 " "	1 " "	6s. 2d. "	
" " " three hoops " "		40 " "	1 " "	6s. 2d. "	
" " " four hoops " "		40 " "	1 " "	6s. 9d. "	
" " " four hoops or less " "		50 " "	6 articles	9s. " "	
" " If hoops supplied			All sizes		6d. per doz. hoops deducted

With 3 per cent. added.

PIECE-WORK—continued.

Articles.	Material.	Size.	When given out in the under-mentioned Quantities or more.	Prices.
CANS—continued.				
RAILWAY MILK CANS, if bottoms supplied	...	All sizes	...	1s. per doz. deducted
TOILET CANS, with knocked up bottoms (studs supplied)	IX tin plate or lighter	6 quarts	1 dozen	25s. 6d. per doz.
" " " "		8 " "	1 " "	28s. 3d. "
" " " "		10 " "	1 " "	31s. "
" " " "		12 " "	1 " "	33s. 10d. "
" " " "		16 " "	1 " "	37s. 11d. "
" " body wired, and bottom let in		6 " "	1 " "	28s. 3d. "
" " " "		8 " "	1 " "	32s. 7d. "
" " " "		10 " "	1 " "	34s. 7d. "
" " " "		12 " "	1 " "	37s. 3d. "
" " " "		16 " "	1 " "	41s. 7d. "
" " " "	26-gauge galv. iron or lighter	All sizes	...	5s. 4d. per doz. extra
(10.) COLANDERS.				
HAND-MADE COLANDERS, machine-punched, with side handles	IX tin plate or lighter	9 inches	4 dozen	6s. 3d. per doz.
" " " "		11 " "	4 " "	7s. 5d. "
" " " "		13 " "	3 " "	9s. "
" " " "		15 " "	1½ " "	10s. 7d. "
COLANDERS—If punched with hand punch	...	All sizes	...	2s. 9d. per doz. extra
(11.) COVERS.				
MEAT COVERS, with perforated zinc bodies (straight sides) and pitched top	IX tin plate or lighter	12 inches	3 dozen	5s. 6d. per doz.
" " " "		14 " "	3 " "	5s. 11d. "
" " " "		16 " "	3 " "	6s. 3d. "
" " " "		18 " "	3 " "	7s. 2d. "
" " " "		20 " "	2 " "	7s. 11d. "
" " " "		22 " "	1½ " "	9s. 5d. "
" " " "		24 " "	1 " "	10s. 11d. "
" " with perforated zinc bodies (taper sides) and pitched top		12 " "	3 " "	6s. 3d. "
" " " "		14 " "	3 " "	7s. 2d. "
" " " "		16 " "	3 " "	7s. 5d. "
" " " "		18 " "	3 " "	8s. 3d. "
" " " "		20 " "	2 " "	9s. "
" " " "	22 " "	1½ " "	10s. 11d. "	
" " " "	24 " "	1 " "	12s. 6d. "	
" " with perforated zinc bodies (taper sides) single rim, and blocked tops (wheeling found)	IX tin plate or lighter	14 inches	3 dozen	8s. 8d. per doz.
" " " "		15 " "	3 " "	9s. "
" " " "		16 " "	3 " "	9s. 5d. "
" " " "		17 " "	3 " "	10s. 3d. "
" " " "		18 " "	3 " "	10s. 11d. "
" " " "		20 " "	1 " "	12s. 6d. "
" " " "		22 " "	1 " "	14s. 2d. "
" " " "		24 " "	1 " "	17s. 3d. "
" " with double rims if stamped or blocked tops supplied for	...	All sizes	...	2s. 4d. per doz. extra
" " " "	14 inches	6d. per dozen deducted
" " " "	15 " "	6d. "
" " " "	16 " "	9d. "
" " " "	17 " "	9d. "
" " " "	18 " "	9d. "
" " " "	20 " "	1s. "
" " " "	22 " "	1s. "
" " " "	24 " "	1s. "
(12.) DIPPERS.				
COMMON DIPPERS	IX tin plate or lighter	2 quarts	6 dozen	2s. 11d. per doz.
" " " "		3 " "	6 " "	2s. 11d. "
BEST DIPPERS, bossed		2 " "	4 " "	5s. "
" " " "		3 " "	4 " "	5s. "
" " " "		4 " "	2 " "	6s. 2d. "
DIPPERS—Soldering studs on	5d. per doz. dippers extra
(13.) DISHES.				
DEVON DISHES, about 9 inches deep, flat bottoms	IX tin plate or lighter	14 inches	3 dozen	6s. 3d. per doz.
" " " "		16 " "	3 " "	7s. 5d. "
" " " "		18 " "	2 " "	8s. 8d. "
" " " "		20 " "	1 " "	9s. 9d. "
" " " " with hoops		22 " "	1 " "	11s. 5d. "
" " " "	...	All sizes	...	1s. 10d. per doz. extra

With 3 per cent. added.

PIECE-WORK—continued.

Articles.	Material.	Size.	When given out in the under-mentioned Quantities or more.	Prices.	
(30.) SCOOPS.					
GROCERS SCOOPS—Drawer, without handles ...			4 dozen as-sorted, not less than 1 dozen of any one size	2s. 9d. per doz.	
" " front wired or pieced, with handles	IX tin plate or lighter	5 inches ...	3 dozen ...	7s. 5d. "	
" " " " " "		6 " ...	3 " ...	8s. 3d. "	
" " " " " "		7 " ...	2 " ...	9s. 11d. "	
" " " " " "		8 " ...	2 " ...	10s. 9d. "	
" " " " " "		10 " ...	1½ " ...	12s. 11d. "	
" " " " " "		12 " ...	1 " ...	14s. 4d. "	
" " front not wired or pieced, with handles		24-gauge galv. iron or lighter	5 " ...	3 " ...	5s. 9d. "
" " " " " "			6 " ...	3 " ...	6s. 7d. "
" " " " " "			7 " ...	2 " ...	8s. 3d. "
" " " " " "			8 " ...	2 " ...	9s. 11d. "
" " " " " "	10 " ...		1½ " ...	10s. 11d. "	
" " " " " "	12 " ...		1 " ...	13s. 5d. "	
" " galvanized iron, front wired or pieced, with handles	24-gauge galv. iron or lighter		5 " ...	1 " ...	10s. 11d. "
" " " " " "		6 " ...	1 " ...	12s. 3d. "	
" " " " " "		7 " ...	1 " ...	13s. 7d. "	
" " " " " "		8 " ...	1 " ...	15s. 8d. "	
" " " " " "		10 " ...	1 " ...	18s. 6d. "	
" " " " " "	12 " ...	1 " ...	20s. 10d. "		
(31.) SKIMMERS.					
COOKS' SKIMMERS (handles supplied) ...	IXX tin plate or lighter		3 dozen ...	5s. 9d. per doz.	
MILK SKIMMERS, with ring handles ...	DXXXX tin plate or lighter	6½ inches ...	4 " ...	3s. 4d. "	
" " " " " "		8 " ...	4 " ...	4s. 2d. "	
" " " " " "		9 " ...	4 " ...	4s. 7d. "	
" " " " " "		10 " ...	4 " ...	5s. "	
(32.) STANDS.					
COCKATOO STANDS ...	IX tin plate or lighter 26-gauge galv. iron or lighter, or zinc	17 inches ...	6 articles ...	34s. 6d. per doz.	
" " " " " "		20 " ...	6 " ...	36s. 11d. "	
" " " " " "		17 " ...	3 " ...	45s. 7d. "	
" " " " " "		20 " ...	3 " ...	54s. 3d. "	
(33.) STEAMERS.					
STEAMERS ...	IXX tin plate or lighter	No. 4 ...	2 dozen ...	7s. 11d. per doz.	
" " " " " "		" 5 ...	2 " ...	7s. 11d. "	
" " " " " "		" 6 ...	1½ " ...	8s. 8d. "	
" " " " " "		" 7 ...	1½ " ...	9s. 10d. "	
" " " " " "		" 8 ...	1½ " ...	10s. 9d. "	
" " " " " "		" 9 ...	1 " ...	11s. 6d. "	
" " " " " "		" 10 ...	1 " ...	13s. 7d. "	
" " " " " "		" 11 ...	1 " ...	15s. 8d. "	
" " " " " "		" 12 ...	1 " ...	16s. 6d. "	
" " if handles supplied for ...					3d. per doz. steamers deducted
(34.) STRAINERS.					
GRAVY STRAINERS, hand made ...	IC tin plate	Small ...	3 dozen ...	5s. 5d. per doz.	
" " " " " "		Large ...	3 " ...	6s. 2d. "	
" " " " " " if perforated bottoms supplied		All sizes ...		6d. " deducted	
GRUEL STRAINERS ...	IX tin plate or lighter		3 dozen ...	6s. 2d. per doz.	
MILK STRAINERS, wired ...		8½ inches ...	3 " ...	4s. 8d. "	
" " " " " "		10 " ...	3 " ...	5s. 5d. "	
" " " " " "		11 " ...	3 " ...	5s. 11d. "	
" " " " " "		12 " ...	3 " ...	6s. 3d. "	
" " " " " "		14 " ...	2 " ...	7s. "	
" " " " " " with rim ...		8½ " ...	2 " ...	6s. 3d. "	
" " " " " "		10 " ...	2 " ...	7s. 2d. "	
" " " " " "		11 " ...	2 " ...	7s. 11d. "	
" " " " " "		12 " ...	2 " ...	8s. 3d. "	
" " " " " "		14 " ...	2 " ...	9s. "	
MILK CAN STRAINERS, knocked up rims ...		IX tin plate ...		1 " ...	13s. 7d. "
" " " " " "		IXX tin plate ...		1 " ...	17s. 8d. "
(35.) TINS.					
BREAD TINS (made of five pieces) ...	IX tin plate or lighter	1 lb. ...	3 dozen ...	5s. 9d. per doz.	
" " " " " "		2 " ...	3 " ...	5s. 9d. "	
" " " " " "		4 " ...	2 " ...	6s. 2d. "	
" " " " " "	IX tin plate ...	6 " ...	2 " ...	8s. 3d. "	
COBURG BREAD TINS ...			3 " ...	5s. 4d. "	
EXHIBITION BREAD TINS, single ...		IXXXX tin plate or lighter, or 24-gauge iron or lighter	2 lb. ...	6 articles ...	28s. 3d. "
" " " " " "	4 " ...		6 " ...	35s. 4d. "	
" " " " " " double ...	2 " ...		3 " ...	70s. 9d. "	
" " " " " "	4 " ...		3 " ...	82s. 6d. "	

With 3 per cent. added.

PIECE-WORK—continued.

Articles.	Material.	Size.	When given out in the under-mentioned Quantities or more.	Prices.		
TINS—continued.						
CAKE TINS, AND CAKE RINGS, with use of knocking-up machine	IC tin plate	4 inches ...	1 gross ; not less than 3 dozen of any one size	20s. per gross		
" " " " " " " "		5 " ...		22s. "		
" " " " " " " "		6 " ...		23s. 6d. "		
" " " " " " " "		7 " ...		27s. 6d. "		
" " " " " " " "		8 " ...		29s. 6d. "		
" " " " " " " "		9 " ...		31s. 6d. "		
" " " " " " " "		10 " ...		35s. 4d. "		
" " " " " " " "		11 " ...		41s. 3d. "		
" " " " " " " "		12 " ...		47s. 3d. "		
" " " " " loose bottoms ...		All sizes ...		18s. 2d. " extra		
QUEEN CAKE TINS, hearts ...		IC tin plate		...	4 dozen ...	4s. 7d. per doz.
" " diamonds...				...	6 " ...	2s. 1d. "
SANDWICH TINS, with use of knocking-up machine	IC tin plate	6 inches ...	1 gross ; not less than 3 dozen of any one size	23s. 8d. per gross		
" " " " " " " "		7 " ...		27s. 6d. "		
" " " " " " " "		8 " ...		29s. 6d. "		
" " " " " " " "		9 " ...		31s. 5d. "		
" " " " " " " "		10 " ...		35s. 4d. "		
" " " " " " " "		11 " ...		41s. 3d. "		
SWISS ROLL TINS, wired, with use of angle bender	IC tin plate	12 x 8 inches	4 dozen ...	4s. 2d. per doz.		
" " " " " " " "		13 x 9 "	4 " ...	4s. 7d. "		
" " " " " " " "		14 x 10 "	4 " ...	4s. 7d. "		
" " " " " " " "		15 x 11 "	4 " ...	5s. "		
" " " " " " " "		16 x 12 "	4 " ...	5s. 4d. "		
" " not wired, with use of angle bender		12 x 8 "	4 " ...	3s. 4d. "		
" " without use of angle bender ...		All sizes	9d. " extra		
(36.) TUBS.						
BLACK IRON TUBS, round or oval, without hoop or strap	26-gauge iron or lighter	16 inches ...	2 dozen ...	7s. 5d. per doz.		
" " " " " " " "		18 " ...	2 " ...	8s. 3d. "		
" " " " " " " "		20 " ...	2 " ...	9s. "		
" " " " " " " "		22 " ...	2 " ...	9s. 10d. "		
" " " " " " " "		24 " ...	1½ " ...	10s. 9d. "		
" " " " " " " "		26 " ...	1½ " ...	12s. "		
" " " " " " " "		28 " ...	1½ " ...	14s. 2d. "		
" " " " " with hoop ...		30 " ...	1 " ...	16s. 1d. "		
" " " " " " " "		16 " ...	2 " ...	8s. 3d. "		
" " " " " " " "		18 " ...	2 " ...	9s. 5d. "		
" " " " " " " "		20 " ...	2 " ...	9s. 10d. "		
" " " " " " " "		22 " ...	2 " ...	10s. 9d. "		
" " " " " " " "		24 " ...	1½ " ...	11s. 6d. "		
" " " " " " " "		26 " ...	1½ " ...	13s. 7d. "		
" " " " " " " "		28 " ...	1½ " ...	14s. 11d. "		
" " " " " " " "		30 " ...	1 " ...	17s. 4d. "		
" " " " " " " "		33 " ...	6 articles...	22s. "		
" " " " " " " "		36 " ...	6 " ...	29s. 1d. "		
" " " " " hooped and strapped		24-gauge iron or lighter	16 " ...	2 dozen ...	10s. 4d. "	
" " " " " " " "			18 " ...	2 " ...	10s. 11d. "	
" " " " " " " "			20 " ...	2 " ...	11s. 6d. "	
" " " " " " " "			22 " ...	2 " ...	12s. 11d. "	
" " " " " " " "			24 " ...	1½ " ...	13s. 7d. "	
" " " " " " " "			26 " ...	1½ " ...	15s. 8d. "	
" " " " " " " "	28 " ...		1½ " ...	17s. 8d. "		
" " " " " " " "	30 " ...		1 " ...	20s. "		
" " " " " " " "	33 " ...		6 articles...	24s. 8d. "		
" " " " " " " "	36 " ...		6 " ...	32s. 7d. "		
TIN TUBS, round, without hoop	IX tin plate or lighter		15 " ...	2 dozen ...	7s. 11d. "	
" " " " " " " "			16 " ...	2 " ...	7s. 11d. "	
" " " " " " " "		18 " ...	1½ " ...	9s. 10d. "		
" " " " " " " "		20 " ...	1½ " ...	10s. 9d. "		
" " " " " " " "		22 " ...	1½ " ...	11s. 6d. "		
" " " " " " " "		24 " ...	1 " ...	13s. 7d. "		
" " " " " with tinned or galvanized iron or black iron hoop		IX tin plate or lighter	15 " ...	2 " ...	9s. 10d. "	
" " " " " " " "			16 " ...	2 " ...	9s. 10d. "	
" " " " " " " "			18 " ...	1½ " ...	11s. 6d. "	
" " " " " " " "			20 " ...	1½ " ...	12s. 11d. "	
" " " " " " " "			22 " ...	1½ " ...	13s. 7d. "	
" " " " " " " "			24 " ...	1 " ...	15s. 9d. "	
" " " " " oval, without hoop	IX tin plate or lighter	16 " ...	2 " ...	10s. 9d. "		
" " " " " " " "		18 " ...	1½ " ...	11s. 6d. "		
" " " " " " " "		20 " ...	1½ " ...	12s. 11d. "		
" " " " " " " "		22 " ...	1½ " ...	14s. 4d. "		
" " " " " " " "		24 " ...	1 " ...	16s. 6d. "		
" " " " " with tinned or galvanized iron or black iron hoop...		IX tin plate or lighter	16 " ...	2 " ...	12s. 11d. "	
" " " " " " " "	18 " ...		1½ " ...	13s. 7d. "		
" " " " " " " "	20 " ...		1½ " ...	14s. 4d. "		
" " " " " " " "	22 " ...		1½ " ...	16s. 6d. "		
" " " " " " " "	24 " ...		1 " ...	18s. 8d. "		
" " " " " " " "	24 " ...		1 " ...	18s. 8d. "		

With 3 per cent. added.

PIECE-WORK—continued.
SCHEDULE B.—CANISTER WORK.

	Price per gross.			
	Lap seam, without assistance.	Lock seam, without assistance.	Lock seam, with one assistant.	Lock seam, with two assistants.
SOLDERING SEAMS—all work rolled—up to and including 2½ inches in diameter—				
Up to and including 2 inches deep	0 9½	0 8½	0 7	0 5½
Over 2 inches deep and up to and including 3½ inches deep	0 10½	0 9½	0 8½	0 6½
" 3½ " " " 4½ " "	0 11½	0 9½	0 8½	0 6½
" 4½ " " " 5½ " "	1 1	0 11½	0 9½	0 8½
" 5½ " " " 7 " "	1 6½	1 1	0 11½	0 9½
Over 2½ inches and up to and including 3½ inches in diameter—				
Up to and including 2 inches deep	0 9½	0 8½	0 6½	0 5½
Over 2 inches deep and up to and including 3½ inches deep	0 10½	0 9½	0 8½	0 6½
" 3½ " " " 5 " "	1 0½	0 9½	0 8½	0 6½
" 5 " " " 6 " "	1 2	0 11½	0 9½	0 8½
" 6 " " " 7 " "	1 5½	1 2	1 0½	0 10½
" 7 " " " 8 " "	2 1½	1 7½	1 5½	1 4½
Over 3½ inches and up to and including 4½ inches in diameter—				
Up to and including 2 inches deep	0 11½	0 8½	0 7	0 5½
Over 2 inches deep and up to and including 3½ inches deep	1 0½	0 9½	0 8½	0 6½
" 3½ " " " 5 " "	1 2	0 11	0 9½	0 8½
" 5 " " " 6 " "	1 4½	1 0½	0 11	0 8½
" 6 " " " 7 " "	1 6½	1 2½	1 0½	0 11½
" 7 " " " 8 " "	2 0½	1 7½	1 5½	1 4½
Over 4½ inches, and up to and including 5½ inches in diameter—				
Up to and including 2½ inches deep	1 1	0 9½	0 8½	0 6½
Over 2½ inches deep, and up to and including 4½ inches deep	1 5½	1 1	0 10½	0 8½
" 4½ " " " 6 " "	1 10½	1 4½	1 2½	1 0½
" 6 " " " 7 " "	2 2½	1 7½	1 5½	1 4½
" 7 " " " 8 " "	2 4	1 9½	1 7½	1 5½
Over 5½ inches, and up to and including 6½ inches in diameter—				
Up to and including 3 inches deep	1 5½	1 0½	0 11	0 8½
Over 3 inches deep, and up to and including 4½ inches deep	1 9½	1 2	1 0½	0 10½
" 4½ " " " 6 " "	2 0½	1 4½	1 2½	1 0½
" 6 " " " 8 " "	2 4	1 9½	1 7½	1 5½
MEAT TINS—				
Seaming and rolling meat tin-bodies (round) on clamps—				
½ lb.				Price per 100.
1 " tongue				s. d.
1½ lbs.				1 5½
2 " "				1 5½
2 " long				1 5½
2½ " "				1 5½
3 " "				1 5½
6 " (including putting on tops and bottoms)				1 7
4 4½				
Seaming ½ lb. or 1 lb. on 1 cylinder				
2 lbs.				0 10½
½ or 1 lb. on 2 cylinders				0 11½
2 lbs.				0 8½
½ lb. or 1 lb. on 3 to 6 cylinders (with 2 boys)				0 10½
2 lbs.				0 4½
0 5½				
Seaming meat tins (tapered square) on one former—				
1 lb.				0 10½
2 lbs.				0 11½
6 " "				1 4
Price per 1,000 ends.				
Squeezing—12 oz. or 1 lb. (tapered square)				
1½ lbs.				3 3
2 " "				3 5
6 " "				3 9
				6 0
Price per 100 ends.				
Jokering—½ lb. (round, or tapered square)				
¾ " "				0 5½
1 " "				0 5½
1½ lbs. " "				0 5½
3 " "				0 6½
4 " "				0 9½
5 " "				0 9½
6 " "				0 9½
SOLDERING TOPS OR BOTTOMS OF EMPTY TINS—(spiriting provided)—				
Price per gross.				
Not crimped or rolled on.				
Crimped.				
Rolled on.				
Up to and including 3 inches in diameter	1 1½	1 0½	0 11	
Over 3 inches diameter, and up to and including 3½ inches in diameter	1 3	1 2½	1 1½	
" 3½ " " " 4½ " "	2 0½	1 10	1 6½	
" 4½ " " " 5 " "	2 3½	2 0½	1 10½	
" 5 " " " 6 " "	3 0	2 8½	2 4½	
ROUND WORK (SOLDERING).				
Price per gross.				
JAM TINS—Closing, 1 lb., topped, and crimped				
" " 2 lb. " "				1 5½
CAKE TINS—				
2 lbs., soldering				15 8
4 " "				17 8
6 " "				19 9
6 " cutting				2 1½

With 3 per cent. added.

PIECE-WORK—continued.

OVAL WORK.		Per gross.	
		s.	d.
OIL TINS—			
$\frac{1}{2}$ pint, lock seams, soldering (with two assistants)	...	0.	5 $\frac{1}{2}$
$\frac{1}{2}$ " " " (with one assistant)	...	0.	8 $\frac{1}{2}$
$\frac{1}{2}$ " " " (without assistance)	...	0.	11 $\frac{1}{2}$
$\frac{1}{2}$ " lap " " (" ")	...	0.	11 $\frac{1}{2}$
$\frac{1}{2}$ " rolled on ends	...	2.	9 each end
$\frac{1}{2}$ " crimped on ends	...	2.	5 "
$\frac{1}{2}$ " slipped on ends	...	3.	1 "
STAMPING WORK ON POWER MACHINES OR PRESSES (NOT USING SCRAP).			
		Per gross.	
		s.	d.
Up to and including $3\frac{1}{4}$ inches in diameter of cutting die	...	0.	1 $\frac{1}{2}$
Over $3\frac{1}{4}$ and up to and including 4 inches in diameter of cutting die	...	0.	2
" 4 " " $4\frac{1}{2}$ " " "	...	0.	2 $\frac{1}{2}$
" 4 $\frac{1}{2}$ " " $5\frac{1}{2}$ " " "	...	0.	3
" 5 $\frac{1}{2}$ " " 6 $\frac{1}{2}$ " " "	...	0.	3 $\frac{1}{2}$

With 3 per cent. added.

DEFINITION.

9. For the purposes of this Determination, "sheet metal" shall mean sheet metal 10-gauge or lighter.

R. J. EDWARDS,
Chairman.

F. A. MARZORINI,
Secretary.

Dated at Melbourne the 30th day of November, 1926.

