

[2289]



VICTORIA GOVERNMENT GAZETTE.

Published by Authority.

[Registered at the General Post Office, Melbourne, for transmission by post as a newspaper.]

No. 166]

THURSDAY, AUGUST 4.

[1938

No.	Number of Tenders.	Particulars of Contract.	Country of Manufacture or Production.	Amount.	Name of Contractor.
5	..	Railways Stores Suspense Account, Act 3759, Section 105— General Stores as ordered, from 1st April, 1938, to 30th June, 1940, 1st July, 1938, to 30th June, 1939, and 1st July, 1938, to 30th June, 1940.	As per annex ..	Rates as per annex	As per annex

Melbourne, 16th July, 1938.

Schedule of Rates Contracts

FOR THE

SUPPLY OF STORES

TO THE

VICTORIAN RAILWAYS.

E. C. EYERS,

By Order of the Victorian Railways Commissioners.



MOTOR AND ENGINE OILS, ETC.

(Schedule No. 54)

(1st July, 1938, to 30th June, 1940)

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
	Oil, Air Compressor, medium, to specification, in 40/45 gallon drums—							
†2000	“Texaco Algol” ... Exchange Factor ·132d. gallon	U.S.A.	} 1200 gals.	gal.	\$0	2	1	The Texas Co. (A/sia) Ltd.
†2000A	“Silvertown E1” ... Exchange Factor ·12d. gallon	”		”	\$0	1	8½	Elder, Smith & Co. Ltd.
	Oil, Cylinder, for compression ignition engines, in 40/45 gallon drums (suitable for Gardner and Junker engines, airless injection cold starting oil engines, McDonald super road rollers, two and four cycle compression ignition engines of 60 to 200 h.p.)—							
†2001	“Texaco Diesel F” (for Mt. Buffalo) Exchange Factor ·18d. gallon	”	600	”	\$0	3	0	The Texas Co. (A/sia) Ltd.
†2001A	“Dervoil,” light or medium, as ordered (for Gardner Diesel Engines) Exchange Factor ·175d. gallon	U.S.A. and Germ'y	400	”	\$0	2	8½	} The Shell Co. of Aust. Ltd.
†2001B	“Shell C.U. 3” (for State Rivers and W.S. Commission) Exchange Factor ·175d. gallon	Germ'y	800	”	\$0	2	8½	
†2001c	“D.T.E., extra heavy,” (for State Rivers and W.S. Commission) Exchange Factor ·24d. gallon	U.S.A.	2000	”	\$0	3	4	} Vacuum Oil Co. Pty. Ltd.
†2002	Oil, Cylinder, for kerosene engines, to specification, in 4 gallon tins (suitable for Crossley, Coulson, V.R. standard engines, etc.), “Vacme Heavy X” Exchange Factor ·125d. gallon	”	400	”	\$0	2	6½	
	Oil, Cylinder, to specification—							
†2003	Light, for water cooled petrol engines, in 4 gallon tins, “Motor Oil V.I.” Exchange factor ·09d. gallon	”	60	”	\$0	1	10	} The Texas Co. (A/sia) Ltd.
	Medium, for water cooled petrol engines—							
	“Texaco Auto Oil S.A.E. 30”—							
†2004	In 4 gallon tins ... Exchange Factor ·117d. gallon	”	} 1600	”	\$0	1	11	} The Texas Co. (A/sia) Ltd.
†2005	In 40/45 gallon drums ... Exchange Factor ·117d. gallon	”		”	\$0	1	11	

MOTOR AND ENGINE OILS, ETC.—Continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
Oil, Cylinder, to specification—continued—						
Medium, for water cooled petrol engines—continued—						
"Mobiloil A" (for State Rivers & W.S. Commission)—						
† { 2004A	In 4 gallon tins ...	U.S.A.	} 1000 gals.	gal.	\$0 3 4	} Vacuum Oil Co. Pty. Ltd.
	Exchange Factor .225d. gallon					
† { 2005A	In 40/45 gallon drums ...	"	}	"	\$0 3 1	
	Exchange Factor .225d. gallon					
"Castrol X" (for Police Department)—						
† { 2004B	In 4 gallon tins ...	"	} 1200 "	"	\$0 4 0	} C. C. Wakefield & Co. Ltd.
	Exchange Factor .255d. gallon					
† { 2005B	In 40/45 gallon drums ...	"	}	"	\$0 3 9	
	Exchange Factor .255d. gallon					
"Valvoline Medium" (for Mt. Buffalo)—						
† { 2004c	In 4 gallon tins ...	"	} 250 "	"	\$0 5 10½	} J. Carrigan
	Exchange Factor .48d. gallon ...					
† { 2005c	In 40/45 gallon drums ...	"	}	"	\$0 5 4½	
	Exchange Factor .48d. gallon					
Heavy Medium, for water cooled petrol engines—						
"Shell V.R. Heavy Medium"—						
† { 2006	In 4 gallon tins ...	"	} 10,000 "	"	\$0 2 6	} The Shell Co. of Aust. Ltd.
	Exchange Factor .135d. gallon					
† { 2007	In 40/45 gallon drums ...	"	}	"	\$0 2 3	
	Exchange Factor .135d. gallon					
"Silvertown SS. MH"—						
† { 2006A	In 4 gallon tins ...	"	}	"	\$0 2 9¼	} Elder, Smith & Co. Ltd.
	Exchange Factor .155d. gallon					
† { 2007A	In 40/45 gallon drums ...	"	}	"	\$0 2 3¼	
	Exchange Factor .155d. gallon					
"Mobiloil A.F." (for State Rivers & W.S. Commission)—						
† { 2006B	In 4 gallon tins ...	"	} 5000 "	"	\$0 3 4	} Vacuum Oil Co. Pty. Ltd.
	Exchange Factor .225d. gallon					
† { 2007B	In 40/45 gallon drums ...	"	}	"	\$0 3 1	
	Exchange Factor .225d. gallon					
"Castrol XL" (for Police Department)—						
† { 2006c	In 4 gallon tins ...	"	} 1500 "	"	\$0 4 6	} C. C. Wakefield & Co. Ltd.
	Exchange Factor .265d. gallon					
† { 2007c	In 40/45 gallon drums ...	"	}	"	\$0 4 3	
	Exchange Factor .265d. gallon					

MOTOR AND ENGINE OILS, ETC.—Continued.

Item No.	Description	Country of Manufacture	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
Oil, Cylinder, to specification—continued—								
Heavy, for water cooled petrol engines—								
† { 2008	“Valvoline Heavy” (for Mt. Buffalo)—	U.S.A.	350 gals.	gal.	\$0	5	10½	J. Carrigan
	In 4 gallon tins ...							
† { 2009	Exchange Factor .48d. gallon	"	"	"	\$0	5	4½	
	In 40/45 gallon drums ...							
† { 2009A	Exchange Factor .48d. gallon	"	"	"	\$0	2	10½	
	In 40/45 gallon drums ...							
† { 2008A	“Triple Shell” (for Public Works Department)—	"	200 "	"	\$0	3	1½	The Shell Co. of Aust. Ltd.
	In 4 gallon tins ...							
† { 2009A	Exchange Factor .175d. gallon	"	"	"	\$0	2	10½	
	In 40/45 gallon drums ...							
† { 2009B	Exchange Factor .175d. gallon	"	"	"	\$0	3	1	
	In 40/45 gallon drums ...							
† { 2008B	“Mobiloil B.B.” (for State Rivers & W.S. Commission)—	"	500 "	"	\$0	3	4	Vacuum Oil Co. Pty Ltd.
	In 4 gallon tins ...							
† { 2009B	Exchange Factor .225d. gallon	"	"	"	\$0	3	1	
	In 40/45 gallon drums ...							
† { 2010	Exchange Factor .225d. gallon	"	"	"	\$0	2	8	The Shell Co. Aust. Ltd.
	“Shell V.R. Extra Heavy”—							
† { 2011	In 4 gallon tins ...	"	"	"	\$0	2	5	
	Exchange Factor .16d. gallon							
† { 2010A	In 40/45 gallon drums ...	"	8000 "	"	\$0	2	11½	Elder, Smith & Co. Ltd.
	Exchange Factor .16d. gallon							
† { 2011A	“Silvertown SS. XH”—	"	"	"	\$0	2	5½	
	In 40/45 gallon drums ...							
† { 2010B	Exchange Factor .16d. gallon	"	"	"	\$0	3	4	Vacuum Oil Co. Pty Ltd.
	“Mobiloil B” (for State Rivers and W.S. Commission)—							
† { 2011B	In 4 gallon tins ...	"	500 "	"	\$0	3	1	
	Exchange Factor .225d. gallon							
† { 2010C	In 40/45 gallon drums ...	"	"	"	\$0	4	8	C. C. Wakefield Co. Ltd.
	Exchange Factor .32d. gallon							
† { 2011C	“Castrol XXL” (for Police Department)—	"	1000 "	"	\$0	4	5	
	In 4 gallon tins ...							
† { 2012	Exchange Factor .32d. gallon	"	"	"	\$0	2	8½	Vacuum Oil Co. Pty Ltd.
	Oil, Refrigerating machine, extra light, to specification, in 4 gallon tins, “Arctic C, Heavy”							
† { 2013-2015	Exchange Factor .14d. gallon	"	160 "	"	\$0	2	8½	
	Nil							

MACHINERY OILS, ETC.

(Schedule No. 55)

(1st July, 1938, to 30th June, 1940)

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
†2016	Oil, Bearing, light, "Kalif D.D.," for marine steam engines, to specification, in 40/45 gallon drums (for Public Works Department) Exchange Factor, .125d. gal.	U.S.A., Japan & Vict.	1000 gals.	gal.	\$0	2	5½	Vacuum Oil Co. Pty. Ltd.
†2017	Oil, Bearing, to specification— Extra Light, "Shell G. 915," in 4 gallon tins (suitable for small electric motors, light line shafting, pumps small machines, spindles, automatic signal mechanism, power sewing machines, power separators, light printing machines and ring oil bearings) Exchange Factor, .113d. gal.	U.S.A.	400 "	"	\$0	1	8	The Shell Co. of Aust. Ltd.
†2018	Light, "X.L. Light Machine," in 40/45 gallon drums (suitable for signal apparatus, medium line shafting, light ball bearings and races, medium printing machines, small milling machines, and ring oil bearings)	Vict. (partly)	1200 "	"	0	1	7½	Ramsay & Tregan- owan Ltd.
†2019	Medium, "X.L. Medium Machine," in 40/45 gallon drums (suitable for large electric motors and dynamos, heavy ball bearings and races, tricycles, windmills, large pumps, gyratory stone crushers, saw milling machinery, lathes, drilling machines and large milling machines)	Vict. (partly)	8000 "	"	0	1	6	
†2020	Heavy, "X.L. Heavy Machine," in 40/45 gallon drums (suitable for large machine tools, signal mechanism, heavy electric motors, road roller bearings, and heavy engine bearings)	Vict. (partly)	3000 "	"	0	1	8	
†2021	Extra Heavy, "Texaco 5010," in 40/45 gallon drums (suitable for stone crushers, tractors and similar machinery)	U.S.A.	300 "	"	0	1	6	The Texas Co. (A/sia) Ltd.
†2022	Extra Heavy Special, "Texaco A.S.M. 9," in 40/45 gallon drums (suitable for rail and road Motor Transmission Gear)	"	1600 "	"	0	1	10	
†2022A	Extra Heavy Spécial, "Socony S.D. Gear," in 40/45 gallon drums (for Public Works Department) Exchange Factor, .138d. gal.	"	1000 "	"	\$0	2	0½	Vacuum Oil Co. Pty. Ltd.
2023-2025	Nil							

TRANSFORMER AND TURBINE OILS

(Schedule No. 56)

(1st July, 1938, to 30th June, 1940)

†2026	Oil, Transformer and Switch Gear, light, "Gargoyle Transformer A," to specification, in 40/45 gallon drums Exchange factor .198d. gal.	U.S.A.	2500 gals.	gal.	\$0	2	7	Vacuum Oil Co. Pty. Ltd.
†2027	Oil, Turbine, medium, "Valvoline," to specification, in 40/45 gallon drums Exchange factor, .46d. gal.	"	4000 "	"	\$0	4	11	J. Carrigan
†2027A	Oil, Turbine, "Gargoyle D.T.E. Heavy Medium," in 40/45 gallon drums (for State Rivers and W. S. Commission) Exchange factor, .22d. gal.	"	5000 "	"	\$0	3	2	Vacuum Oil Co. Pty. Ltd.
2028-2029	Nil							

OILS, VARIOUS

(Schedule No. 56a)

(1st July, 1938, to 30th June, 1940)

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
†2030	Compound, soluble cutting, antiseptic, in 40/45 gallon drums, "Soluble 100 M" Exchange factor 0.055d. gallon	U.S.A. & Vic.	6000 gals.	gal.	\$0 2 4	Vacuum Oil Co. Pty. Ltd.
†2030A	Compound, soluble cutting, in 40/45 gallon drums, "Clear Dixol" Exchange factor 0.48d. gallon.	U.K.		"	\$0 4 6	W.B. Dick & Co. (Aust.) Pty. Ltd.
†2031	Oil, Fish, for tempering springs, in 40/45 gallon barrels or drums, "Shell No. 1 Pale" Exchange factor 0.27d. gallon	Japan	2000 "	"	\$0 2 10	The Shell Co. of Aust. Ltd.
†2032	Oil, Lard, in 4 gallon tins, "Cutting Oil S1." Exchange factor 0.01d. gallon.	U.S.A. & Vic.	60 "	"	\$0 3 3	Vacuum Oil Co. Pty. Ltd.
†2033	Oil, Lardine, in 4 gallon tins. Exchange factor 0.055d. gallon	U.S.A. & Vic.	200 "	"	\$0 1 11½	
†2034	Oil, Neatsfoot compound, in 40/45 gallon barrels or drums, "X.L."	U.S.A. & Vic.	500 "	"	0 1 11	Ramsay & Treganowan Ltd.
†2035	Oil, Neatsfoot, pure, in 4 gallons tins, "Shell"	Vic.	300 "	"	0 3 0	The Shell Co. of Aust. Ltd.
2036-2039	—Nil					

FUEL OIL, ETC.

(Schedule No. 57)

(1st July, 1938, to 30th June, 1940)

†2040	Distillate, for compression ignition engines, in 40/45 gallon drums, delivered by Contractor in the Metropolitan area—"Light Diesoleum" (for use in road and rail motors in Rolling Stock Branch)	Vic. (partly)	20,000 gals.	gal.	0 0 8½	The Commonwealth Oil Refineries Ltd.
†2040A	"Diesoline" (for use in engines, such as "Junkers," etc., in Way and Works Branch)	Dutch East Indies		"	0 0 8½	The Shell Co of Aust. Ltd.
†2041	Oil, Fuel, to specification, delivered as under:— Into the Corporation's rail tank trucks at Contractor's siding, Port Melbourne, or into the Corporation's tank at Railway Offices, Spencer Street, as ordered	Vic. (partly)	7500 tons	ton	4 12 0	The Commonwealth Oil Refineries Ltd.
	†2041A	Into the Corporation's 40/45 gallon drums at the Contractor's siding at Port Melbourne		"	4 17 3	
†2041B	In Corporation's or Contractor's 40/45 gallon drums, at the Oil Storehouse, Newport, or at the Contractor's Siding, Spotswood, as ordered, "Diesel Oil" (for use at Mt. Buffalo and Mathoura, etc.)	Dutch East Indies	"	"	5 14 0	The Shell Co. of Aust. Ltd.
†2042	Oil, for the manufacture of Pintsch Gas, to specification, delivered into the Corporation's tank trucks at the Contractor's siding, Port Melbourne	Vic. (partly)	450 "	"	4 12 0	The Commonwealth Oil Refineries Ltd.
†2043	Oil, Residual (asphaltic oil), for premixing with bitumen, to specification, in 40/45 gallon drums, delivered by Contractor in the Metropolitan area	Dutch East Indies	12 "	"	5 14 0	The Shell Co. of Aust. Ltd.
2044-2049	—Nil					

MOTOR SPIRIT, ETC.

(Schedule No. 58)

(1st July, 1938, to 30th June, 1940)

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
†2050	Benzol, in cases, 2 x 4 gallon tins, "C.O.R."	N.S.W.	300 gals.	Imp. gal.	0	2	4½	The Commonwealth Oil Refineries Ltd.
	Benzoline, in 40/45 gal. drums, supplied by the Contractor—							
†2051	"Atlantic" (for Air Gas plants) ...	U.S.A.	2,500 "	"	0	2	7	Atlantic Union Oil Co. Ltd.
†2051A	"Shellite" (for Gloria lights) ...	N.S.W.		"	0	1	11	The Shell Co. of Aust. Ltd.
†2052	"Atlantic" (for Air Gas plants) ...	U.S.A.		"	0	2	7	Atlantic Union Oil Co. Ltd.
†2052A	"Shellite" (for Gloria lights) ...	N.S.W.		"	0	1	11	The Shell Co. of Aust. Ltd.
†2053	Benzoline, in cases 2 x 4 gallon tins, "Shellite" (for Gloria lights at Mt. Buffalo)	"	"	0	2	5½		
	Motor Spirit, to specification—							
	In cases, 2 x 4 gal. tins—							
†2054	"Shell" ...	E. Ind's	25,000 "	"	0	2	0½	Vacuum Oil Co. Pty. Ltd.
†2054A	"Plume" ...	Sumatra		"	0	2	0½	
†2054B	"C.O.R. Plus Benzol" ...	Vic. (partly)		"	0	2	0½	
	Delivered by road tanker into drums or tanks or delivered in 40/45 gal. drums, within the Metropolitan area—							
†2055	"Shell" ...	E. Ind's	800,000 "	"	0	1	5½	The Shell Co. of Aust. Ltd.
†2055A	"Plume" ...	Sumatra		"	0	1	5½	Vacuum Oil Co. Pty. Ltd.
†2055B	"C.O.R. Plus Benzol" (also in 24 gallon drums, if ordered)	Vic. (partly)		"	0	1	5½	The Commonwealth Oil Refineries Ltd.
†2055C	"Atlantic" ...	E. Ind's		"	0	1	5½	Atlantic Union Oil Co. Ltd.
†2055D	"Texaco" ...	U.S.A.		"	0	1	5½	The Texas Co. (A/sia) Ltd.
	Delivered by road tanker into the Corporation's underground tank at—							
†2056	Benalla, "Shell" ...	E. Ind's	25,000 "	"	0	1	7	The Shell Co. of Aust. Ltd.
†2056A	"Plume" ...	Sumatra		"	0	1	7	Vacuum Oil Co. Pty. Ltd.
†2057	Echuca, "Shell" ...	E. Ind's	25,000 "	"	0	1	7	The Shell Co. of Aust. Ltd.
†2057A	"Plume" ...	Sumatra		"	0	1	7	Vacuum Oil Co. Pty. Ltd.
†2058	Elmore, "Shell" ...	E. Ind's	12,000 "	"	0	1	6¾	The Shell Co. of Aust. Ltd.
†2058A	"Plume" ...	Sumatra		"	0	1	6¾	Vacuum Oil Co. Pty. Ltd.
†2059	Geelong, "Shell" ...	E. Ind's	5,000 "	"	0	1	6	The Shell Co. of Aust. Ltd.
†2059A	"Plume" ...	Sumatra		"	0	1	6	Vacuum Oil Co. Pty. Ltd.
†2060	State Coal Mine, Wonthaggi, "Shell" ...	E. Ind's	9,000 "	"	0	1	6¾	The Shell Co. of Aust. Ltd.
†2060A	"Plume" ...	Sumatra		"	0	1	6¾	Vacuum Oil Co. Pty. Ltd.

MOTOR SPIRIT, ETC.—Continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
Motor Spirit , to specification—continued—						
Delivered from Contractor's bowser into the Corporation's road motor vehicles at—						
† { 2061	Geelong, "Shell"	E. Ind's	7,000 gals.	Imp. gal.	0 1 6 + 1d. gal. serv. charge	The Shell Co. of Aust. Ltd.
2062	Warburton, "Shell"	"	4,000 "	"	0 1 6½ + 1d. gal. serv. charge	
† 2063 2064-2069—Nil	Naphtha, Solvent, in 40/45 gallon drums	N.S.W.	3,000 "	"	0 1 9	The Broken Hill Pty. Co. Ltd.

KEROSENE AND CASTOR OIL

(Schedule No. 59)

(1st July, 1938, to 30th June, 1940)

Kerosene—						
For Engine Cleaning purposes, "C.O.R. Power"—						
† { 2070	In cases, 2 x 4 gallon tins	Vict. (partly)	35,000 gal.	Imp. gal.	0 1 3½	The Commonwealth Oil Refineries Ltd.
2071	In 24 or 40/45 gallon drums, as ordered					
For Lux Lamps, "Pennant"—						
† { 2072	In cases, 2 x 4 gallon tins	Dutch E. Indies	30,000 "	"	0 1 5	Shell Co. of Aust. Ltd.
2073	In 40/45 gallon drums					
300 deg., High Test, to specification, "M.1103"—						
† { 2074	In cases, 2 x 4 gallon tins	U.S.A.	5000 "	"	\$0 1 7½	Vacuum Oil Co. Pty. Ltd.
2075	Exchange Factor, .113d. gal.					
Illuminating Oil, to specification, "C.O.R. Lighting"—						
† { 2076	In cases, 2 x 4 gallon tins	Vict. (partly)	140,000 "	"	0 1 5	The Commonwealth Oil Refineries Ltd.
2077	In 24 or 40/45 gallon drums, as ordered					
Power Fuel, for "Crossley" or other kerosene engines, to specification, "Voco"—						
† { 2078	In cases, 2 x 4 gallon tins	Sumatra	16,000 "	"	0 1 3½	Vacuum Oil Co. Pty. Ltd.
2079	In 40/45 gallon drums					
2080	Oil, Castor, to specification, "Alba"—	Vict.	1,800 "	"	0 5 9	Lycett Pty. Ltd.
2080A	In 5 gallon drums					
2080B	In 40/45 gallon drums					
2081-2089—Nil						

VARNISHES

(Schedule No. 60)

(1st July, 1938, to 30th June, 1940)

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
†2090	Drier, Liquid Japan (Terebine) to specification, in 1 gallon tins, "Jenson" Oil, hardwood, "Solpah"—	Vict.	4000 gals.	Imp. gal.	0	4	6	H. V. Jenson & Co.
†2091	In 1 gallon tins ...	N.S.W.	200 "	"	0	8	5	Taubmans Pty. Ltd.
†2092	In 4 gallon tins ...	"		"	0	8	0	
†2093	Polish, French, brown, to specification, in 1 gallon tins, "Spartan B 1846"	Vict.	1400 "	"	0	6	8	Hardie Trading Pty. Ltd.
†2094	Polish, French, white, to specification, in 1 gallon tins, "G. W. & Co." Varnish, in 1 gallon tins—	N.S.W.	10 "	"	0	11	6	E. L. Yencken & Co. Pty. Ltd.
†2095	Bronzine, "Elephant" ...	"	400 "	"	0	6	2	Alexander Fergusson Pty. Ltd.
†2096	Copal, to specification, "Taylors" ...	"	200 "	"	0	6	6	H. A. Taylor Ltd.
†2097	Gold Size, to specification...	"	1200 "	"	0	6	8	Taubmans Pty. Ltd.
†2098	Japan, black, "Permalac" ...	Vict.	300 "	"	0	7	3	Permalac Paint & Varnish Products
†2099	Knotting, to specification, "Sherwin Williams Co."	N.S.W.	100 "	"	10	8	6	Sherwin Williams Co. (Aust.) Pty. Ltd.
†2100	Oak, to specification, "Taylors" ...	"	200 "	"	0	5	0	H. A. Taylor Ltd.
†2101	Paper, to specification, "Victoria Varnish Co."	Vict.	10 "	"	0	8	6	Wilkinson, Heywood & Clark
†2102	Spirit, brown or white, as ordered, to specification, "G. W. & Co." Varnish—	N.S.W.	60 "	"	0	6	0	E. L. Yencken & Co. Pty. Ltd.
†2103	Insulating, quick air-drying, black, to specification, "Docker's K 1439"—	"	500 "	"	0	6	2	Wilkinson, Heywood & Clark
	In 1 gallon tins ...				"	0	5	
†2103A	In 4 gallon tins ...	"	"	"	0	5	9	"
†2104	Insulating, quick air-drying, clear, to specification, "L.9."—	"	30 "	"	0	7	10	Taubmans Pty. Ltd.
	In 1 gallon tins ...				"	0	7	
†2104A	In 4 gallon tins ...	"	"	"	0	7	5	"
†2105	Insulating, stoving, black, to specification, "E.85"—	"	600 "	"	0	7	9	Taubmans Pty. Ltd.
	In 1 gallon tins ...				"	0	7	
†2105A	In 4 gallon tins ...	"	"	"	0	7	3	"
2106-2109	—Nil							

SYNTHETIC ENAMEL, LACQUER, ETC.

(Schedule No. 61)

(1st July, 1938, to 30th June, 1940)

Enamel, Synthetic, brushing quality, "Dulux"—									
Black, No. 388-070—									
†	2110	In 1 gallon tins ...	N.S.W.	200 gals.	gal.	1	1	6	British Australian Lead M'frs Pty. Ltd.
	2111	In ½ gallon tins ...	"		"	1	2	0	
	2112	In 1 quart tins ...	"		"	1	2	6	
	2113	In 1 pint tins ...	"		"	1	3	0	

† Less 3% for payment within 7 days, or 2½% within 30 days, from date of delivery.

SYNTHETIC ENAMEL, LACQUER, ETC.—Continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor	
	Enamel, Synthetic, brushing quality, "Dulux"—continued.						
	Clear, No. R.C. 9147—						
† 2114	In 1 gallon tins	N.S.W.	} 3500 gals.	gal.	0 16 6	} British Australian Lead M'frs Pty. Ltd.	
2115	In ½ gallon tins	"		"	0 17 0		
2116	In 1 quart tins	"		"	0 17 6		
2117	In 1 pint tins	"		"	0 18 0		
	Any other standard color ordered, including Suburban Red and Victoria Red, No. 388—						
† 2118	In 1 gallon tins	"	} 3000 "	"	1 2 6		
2119	In ½ gallon tins	"		"	1 3 0		
2120	In 1 quart tins	"		"	1 3 6		
2121	In 1 pint tins	"		"	1 4 0		
	Enamel, Synthetic, brushing quality, "Dulux," Velvet finish, No. 368, any standard colour ordered including Ivory—						
† 2122	In 1 gallon tins	"	} 40 "	"	1 0 6		
2123	In ½ gallon tins	"		"	1 1 0		
2124	In 1 quart tins	"		"	1 1 6		
2125	In 1 pint tins	"		"	1 2 0		
	Ground Coat, for synthetic enamel, "Dulux," any standard colour ordered, including Grey (No. 366-103), Red (No. 366-104), Cream (No. 366-95), White (No. 366-57) and Green (No. 366-94)—						
† 2126	In 1 gallon tins	"	} 1000 "	"	1 2 6		
2127	In ½ gallon tins	"		"	1 3 0		
2128	In 1 quart tins	"		"	1 3 6		
2129	In 1 pint tins	"		"	1 4 0		
	Primer, for synthetic enamel, "Dulux," No. 36707—						
† 2130	In 1 gallon tins	"	} 200 "	"	0 19 6		
2131	In ½ gallon tins	"		"	1 0 0		
2132	In 1 quart tins	"		"	1 0 6		
2133	In 1 pint tins	"		"	1 1 0		
	Primer, for synthetic enamel, for lead coated panels, "Dulux," No. 366-83—						
† 2134	In 1 gallon tins	"	} 20 "	"	1 0 6		
2135	In ½ gallon tins	"		"	1 1 0		
2136	In 1 quart tins	"		"	1 1 6		
2137	In 1 pint tins	"		"	1 2 0		
	Primer, Grey, for synthetic enamel, "Dulux," No. 387-7162—						
† 2138	In 1 gallon tins	"	} 400 "	"	0 15 0		
2139	In ½ gallon tins	"		"	0 15 6		
2140	In 1 quart tins	"		"	0 16 0		
2141	In 1 pint tins	"		"	0 16 6		

SYNTHETIC ENAMEL, LACQUER, ETC.—Continued.

Item No.	Description	Country of Manufacture	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
† 2142 2143 2144 2145	Primer, Oil Base, for synthetic enamel, "Dulux," any standard colour ordered, including Dark Oxide (No. 760-364), Grey (No. 760-032) and White (No. 760-033)—	N.S.W.	800 gals.	gal.	0 15 0	}
	In 1 gallon tins					
	In ½ gallon tins					
	In 1 quart tins					
† 2146 2146A	Putty, for use with synthetic enamel, "Dulux," No. 36608 or 36609, as ordered—	"	4000 lb.	lb.	0 1 2	}
	In 7lb. tins					
† 2147 2148 2149 2150	Surfacer, for synthetic enamel, "Dulux," any standard colour ordered, including Grey (No. 366-26), White (No. 366-27), Cream (No. 366-86) and Red Oxide (No. 366-102)—	"	1000 gals.	gal.	0 17 0	}
	In 1 gallon tins					
	In ½ gallon tins					
	In 1 quart tins					
† 2151 2152 2153 2154 † 2155	Thinners, for Putty, for use with synthetic enamel, "Dulux," No. 3803—	"	20 "	"	0 5 6	}
	In 1 gallon tins					
	In ½ gallon tins					
	In 1 quart tins					
	In 1 pint tins					
† 2155	Zinc Dust, metallic, for use with synthetic enamel, in 1-cwt. cases, "Electrolytic Zinc Co."	"	600 lb.	cwt.	2 17 0	Briscoe & Co. Ltd.
† 2156 2157	Lacquer, Car quality, free from benzol, spraying quality—	Vict.	200 gals.	gal.	0 17 6	}
	Black, "Spartan Auto Lacquer"—					
† 2157	In 1 quart tins	"	"	"	0 19 6	Hardie Trading Pty. Ltd.
*† 2158	Biscuit, in 1 quart tins, "Spartan Auto Lacquer"	"	10 "	"	0 19 6	}
*† 2159	Newport Red, in 1 gallon tins, "Duco"	N.S.W.	10 "	"	0 18 6	
*† 2160	Tan, in 1 quart tins, "Spartan Auto Lacquer"	Vict.	20 "	"	0 19 6	Hardie Trading Pty. Ltd.
† 2161	White, in 1 pint tins, "Duco"	N.S.W.	10 "	"	1 0 6	British Australian Lead M'frs Pty. Ltd.
† 2162 2163	Thinners, Lacquer, for use with Items Nos. 2156 to 2158 and 2160, "Spartan No. 236"—	Vict.	100 "	"	0 5 6	}
	In 4 gallon tins					
† 2163	In 1 gallon tins	"	"	"	0 6 0	Hardie Trading Pty. Ltd.
† 2162A 2163A	Thinners, Lacquer, for use with Items Nos. 2159 and 2161, "Duco"—	N.S.W.	"	"	0 5 6	}
	In 4 gallon tins					
† 2163A	In 1 gallon tins	"	"	"	0 5 9	British Australian Lead M'frs Pty. Ltd.
2164-2169	Nil					

AMBULANCE MATERIAL
(Schedule No. 62).
(1st July, 1938, to 30th June, 1940)

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
2170	Acid, Boracic, B.P., in paper packages, "Stanffer Chemical Co."	U.S.A.	100 lb.	lb.	0	0	6.	Felton Grimwade & Duerdins Ltd.
2171	Ammonia, Vaporole (12 in. tin) ...	N.S.W.	12 tins	tin	0	1	11½	
2172	Arnica, Tincture of, in 2-lb. bottles ...	Vict.	8 lb.	16 fluid ozs. bottle	0	3	6	Felton Grimwade & Duerdins Ltd.
†2173	Aspirin (5 gr.) Tabs., 500 in bottle ...	"	5 btls.	bottle	0	1	10	
	Bandages, roller, calico, "T. J. Smith & Nephew"—							
†2174	3" x 6 yards ...	U.K.	1200 doz.	doz.	0	2	11	
†2175	2" x 6 yards ...	"	800 "	"	0	1	11½	
†2176	1" x 6 yards ...	"	300 "	"	0	0	11	
	Bandages, roller, open wove, "T. J. Smith & Nephew"—							
†2177	3" x 6 yards ...	"	800 "	"	0	1	8½	
†2178	2" x 6 yards ...	"	1000 "	"	0	1	2	
†2179	1" x 6 yards ...	"	800 "	"	0	0	7½	
†2180	Bandages, triangular, calico, in pkts. of 12, cut out of 36" calico	N.S.W.	150 pkts.	pkt.	0	3	0	Greenhalgh's Pty. Ltd.
†2181	Baths, Eye, glass, white, "Aust. Glass Mnfrs."	"	2 doz.	doz.	0	2	9	
†2182	Brushes, camel hair, Goose, "Unden" ...	Germ'y	80 "	"	0	0	8	
2183	Collodion, surgical, B.P., in 2-lb. bottles, "Woolwich, Elliotts"	N.S.W.	8 lb.	lb.	0	2	10	Felton Grimwade & Duerdins Ltd.
2184	Diarrhoea Mixture, in 1-lb. bottles ...	Vict.	12 btls.	btle.	0	3	0	
†2185	Droppers, Eye ...	"	6 doz.	doz.	0	1	9	
2186	Elastoplast, plain, style "A," 3" wide x 5 to 6 yards long, "T. J. Smith & Nephew"	U.K.	60 rolls	roll	0	3	4½	
2187	Embrocation, "Elliman's," 3¼ fluid ounces	"	4 btls.	btle.	0	1	9½	
2188	Eufflavine, B.P., 1 to 1000, in 1-gal. bottles	Vict.	12 gals.	gal.	1	0	0	
†2189	Forceps, splinter, "Gerson & Fersthoff" ...	Germ'y	48 pairs	pair	0	1	1	
†2190	Gauze, plain, 36 x 18 count, 36" wide, in 100-yard rolls, 90-oz. per roll, No. 3	U.K.	120 rolls	roll	0	16	8	
2191	Ginger, Tincture of, B.P., in 2-lb. bottles	Vict.	20 lb.	16 fluid ozs. each	0	5	8	
†2192	Glasses, Medicine; 2 tablespoons, graduated "Aust. Glass Mnfrs."	N.S.W.	12	each	0	0	2½	
2193	Horsehair, for sutures, 24" long, in hanks of 100 strands, "British Drug House"	U.K.	10 hks.	hank	0	1	0	The Surgical Mfg. Co. (Aust.) Pty. Ltd.
2194	Iodine, Tincture of, B.P., 2½%, in 1-gallon jars	Vict.	30 gals.	gal.	2	13	0	
†2195	Jaconnette, 36" wide, "Nth. Brit. Rubber Co."	U.K.	20 yds.	yard	0	1	11	
	Jars, glass, screw top, square, "Aust. Glass Mnfrs."—							Felton Grimwade & Duerdins Ltd.
*2196	1-lb. ...	Vict.	36 doz.	doz.	0	2	11	
*2197	½-lb. ...	"	24 "	"	0	2	6	

AMBULANCE MATERIAL—Continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
	Lint, "T. J. Smith & Nephew"—					
† 2198	Plain, 1-oz. pkt. ...	U.K.	12 doz.	doz.	0 2 7	} Felton Grimwade & Duerdins Ltd.
† 2199	Plain, 1-lb. pkt., 6 yds. long, 18" wide ...	"	24 "	"	1 7 0	
† 2200	Borated, 1-lb. pkt., 3½ to 3¾ yds. long, 17" to 18" wide, not more than 35% boracic acid	"	12 "	"	0 17 6	
† 2201	Lotion, Calamine, in 5-lb. bottles ...	Vict.	20 lb.	16 fluid ozs.	0 1 0	
2202	Lysol, in 1-lb. bottles ...	"	50 "	lb.	0 1 0	} Felton Grimwade & Duerdins Ltd.
2203	Magnesia Sulphate, in paper packages, "Burford & Co."	S. Aust.	12 "	"	0 0 1½	
2204	Melasol, antiseptic solution, in 1-lb. bottles, "Essential Oils"	N.S.W.	12 "	"	0 5 8	
2205	Methylated Spirits, pure, 67.4 overproof, in 4-gallon tins, "Colonial Sugar Co."	"	60 gals.	gal.	0 3 0	
* 2206	Needles, Surgeon's, assorted sizes, 6 in pkt., half curved, "Spencer"	U.K.	250 pkts.	pkt.	0 0 9	} The Surgical Mfg. Co. (Aust.) Pty. Ltd.
2207	Oil, Castor, pure, in 2-lb. bottles, "Lycett"	Vict.	15 lb.	lb.	0 0 11	
† 2208	Oil, Olive, in 1-gallon tins ...	France	3 gals.	gal.	0 12 6	} Felton Grimwade & Duerdins Ltd.
2209	Ointment, Boric, B.P., in 1-lb. jars ...	Vict.	15 lb.	lb.	0 2 2	
2210	Ointment, Zinc, B.P., in 1-lb. jars ...	"	5 "	"	0 1 9	
2211	Peroxide of Hydrogen, 10 volumes, in 1-lb. bottles	N.S.W.	60 "	"	0 0 8½	
	Plaster, Zinc Oxide, "Dalzo"—					
† 2212	1" x 1 yard ...	U.K.	200 doz.	doz.	0 2 3	} Greenhalgh's Pty. Ltd.
† 2213	1" x 10 yards ...	"	50 "	"	0 13 9	
† 2214	2" x 10 yards ...	"	10 "	"	1 3 11	
2215	"Poulticine," in 5-lb. tins ...	Vict.	200 tins	tin	0 4 0	Alfred Lawrence & Co. Ltd.
2216	Potash, Permanganate of, in paper packages, "Rhodia Co."	France	5 lb.	lb.	0 1 0	} Felton Grimwade & Duerdins Ltd.
† 2217	Pins, Safety, rustless, 12 on card, "Roma"	U.K.	200 doz. cards	doz. cards	0 2 5	
2218	Sal Volatile, in 2-lb. bottles ...	Vict.	200 lb.	16 fluid ozs.	0 4 4	
2219	Silk, Oil, 36" wide	6 yds.	yard	...	Nil
2220	Soap, Carbolic, bars ½-lb. each, "Wright's"	Vict.	20 lb.	lb.	0 0 9	} Felton Grimwade & Duerdins Ltd.
† 2221	Stalls, Finger, tanned leather, assorted sizes "Felgrim"	"	3 doz.	doz.	0 3 9	
2222	Tannafax (Tannic Acid jelly) in 20 gramme tubes	N.S.W.	12 "	"	0 9 6	Burroughs Welcome & Co. (Aust.) Pty. Ltd.
† 2223	Wool, Surgeons', plain, 1-oz. cartons, "Lee's"	"	20 "	"	0 2 0	Johnson & Johnson Pty. Ltd.
† 2224	Wool, Surgeons', plain, 1-lb. packets, "H.I."	Vict.	1500 pkts.	pkt.	0 1 4½	Hospital Board of Supplies
2225	Ung. Hydrarg., B.P., in 1-lb. jars ...	"	10 lb.	lb.	0 4 11	Felton Grimwade & Duerdins Ltd.
2226-2230	—Nil					

INDIA-RUBBER HOSE

(Schedule No. 63)

(1st July, 1938, to 30th June, 1939—12 months only)

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor	
					£	s.	d.		
	Hose, I.R., vulcanised, to specification— For compressed air, in 60' lengths, "Kangaroo"—								
†2240	$\frac{3}{8}$ " diameter x 5 ply	N.S.W.	3000 ft.	foot	†0	0	9 $\frac{1}{2}$	Hardie Rubber Co. Ltd.	
†2241	$\frac{1}{2}$ " " x 5 " " " " " " " "	"	4000 "	"	†0	1	0 $\frac{1}{2}$		
†2242	$\frac{3}{4}$ " " x 4 " " " " " " " "	"	240 "	"	†0	1	2		
†2243	For pantographs, $\frac{1}{2}$ " diameter x 6 ply, in 60' lengths, "Barnet Glass"	Vict.	240 "	"	†0	1	4 $\frac{1}{2}$	Barnet Glass Rubber Co. Ltd.	
†2244	For pintsch gas, $\frac{3}{8}$ " diameter x 5 ply, armoured outside, in 40' lengths, "Kangaroo"	N.S.W.	500 "	"	†0	1	8	Hardie Rubber Co. Ltd.	
	For radiators, in 3' lengths, "Barnet Glass"—								
2245	$1\frac{1}{4}$ " diameter x 3 ply	Vict.	300 "	"	†0	1	5	Barnet Glass Rubber Co. Ltd.	
2246	$1\frac{1}{2}$ " " x 3 " " " " " " " "	"		"	"	†0	1		7
2247	$1\frac{3}{4}$ " " x 3 " " " " " " " "	"		"	"	†0	1		10 $\frac{1}{2}$
†2248	2" " x 3 " " " " " " " "	"		"	"	†0	2		1
†2249	$2\frac{1}{4}$ " " x 3 " " " " " " " "	"		"	"	†0	2		2 $\frac{1}{2}$
2250	$2\frac{1}{2}$ " " x 3 " " " " " " " "	"		"	"	†0	2		4 $\frac{1}{2}$
2251	$2\frac{3}{4}$ " " x 3 " " " " " " " "	"		"	"	†0	2		6
2252	3" " x 3 " " " " " " " "	"		"	"	†0	2		8
	For steam, "Barnet Glass"—								
†2253	$\frac{3}{4}$ " diameter x 6 ply, armoured outside, in 60' lengths	"	600 "	"	†0	1	9	Dunlop Perdriau Rubber Co. Ltd.	
†2254	$1\frac{1}{8}$ " diameter x 5 ply, any length ordered	"	60 "	"	†0	2	4		
†2255	For water— $\frac{1}{2}$ " diameter x 3 ply, in 60' lengths, "Barnet Glass"	"	1500 "	"	†0	0	7		
†2256	$\frac{3}{4}$ " diameter x 3 ply, in 60' lengths, "Barnet Glass"	"	5000 "	"	†0	0	8 $\frac{1}{2}$		
†2257	$\frac{3}{4}$ " diameter x 3 ply, armoured outside, in 60' lengths, "Barnet Glass"	"	240 "	"	†0	0	10 $\frac{3}{4}$		
†2258	$\frac{3}{4}$ " diameter x 4 ply, in 60' lengths, "Barnet Glass"	"	350 "	"	†0	0	10 $\frac{1}{4}$		
†2259	For water— 1" diameter x 3 ply, in 60' lengths, "Dunlop"	"	800 "	"	†0	0	10 $\frac{1}{2}$		
†2260	1" diameter x 3 ply, armoured outside, in 60' lengths, "Kangaroo"	N.S.W.	120 "	"	†0	1	1 $\frac{1}{4}$		
†2261	2" diameter x 4 ply, in 40' lengths, "Dunlop"	Vict.	500 "	"	†0	2	6		
†2262	2" diameter x 4 ply, with $\frac{3}{8}$ " thick walls, in 30', 40' or 60' lengths, as ordered, "Dunlop"	"	2250 "	"	†0	3	0		
†2263	$2\frac{1}{2}$ " diameter x 4 ply, in 60' lengths, "Dunlop"	"	1500 "	"	†0	3	0		
†2264	Suction, smooth bore, armoured inside— 2" diameter x 4 ply, in 20' lengths, with plain ends 6" long, "Dunlop"	"	15 lgths.	length	†3	16	8	Dunlop Perdriau Rubber Co. Ltd.	
†2265	$2\frac{3}{4}$ " diameter x 4 ply, in 3' 2" lengths, with plain ends 3" long, "Dunlop"	"	30 "	"	†0	18	6		
†2266	$2\frac{3}{4}$ " diameter x 4 ply, in 3' 7" lengths, with plain ends 3" long, "Dunlop"	"	5 "	"	†1	0	6		
2267-2279	—Nil								

† Less further 2 $\frac{1}{2}$ % discount for payment by the end of the month following month of delivery.

INDIA-RUBBER GOODS

(Schedule No. 64)

(1st July, 1938, to 30th June, 1940)

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
†2280	Bands, I.R., acid resisting, 5" x ½" x ⅛" ...	Vict.	40 grs.	gross	†0	6	4	Dunlop Perdriau Rubber Co. Ltd.
†2281	Boots, ankle, farmyard, I.R., any size ordered, "Waratah No. 1014"	"	40 pairs	pair	†0	10	3	
†2282	Boots, knee, I.R., any size ordered, "Waratah No. 1030"	"	200 "	"	†0	13	3	Barnet Glass Rubber Co. Ltd.
†2283	Boots, knee, I.R., with leather soles and heels, any size ordered, "Waratah No. 1008"	"	30 "	"	†1	9	5	
†2284	Boots, thigh, I.R., any size ordered, "Waratah No. 1002"	"	200 "	"	†1	4	0	Dunlop Perdriau Rubber Co. Ltd.
2285	Bumpers, clip, I.R., ⅝", M.M.B.W. standard	"	10 doz.	doz.	†0	0	10½	
*2286	Bumpers, door, I.R. ...	"	40 "	"	†0	1	6	Kenny Charlesworth Rubber Pty. Ltd.
2287	Bumpers, sanitary seat, I.R., countersunk, M.M.B.W. standard	"	200 "	"	†0	0	4½	
*2288	Bumpers, sash, I.R., ⅝" ...	"	100 "	"	†0	2	0	
*2289	Covers, for Universal test clips, I.R., red or black, as ordered	"	20 "	"	†0	1	7	Dunlop Perdriau Rubber Co. Ltd.
†2290	Fingerettes, I.R., red, medium ...	"	40 "	"	†0	2	3½	
†2291	Gloves, elbow length, I.R., acid resisting, for handling weed poisoning liquid, any size ordered	"	150 pairs	pair	†0	8	6½	Barnet Glass Rubber Co. Ltd.
†2292	Gloves, half gauntlet, I.R., dipped, reinforced thumb, for acid and accumulator work, any size ordered	"	120 "	"	†0	8	3	
†2293	Nil							Barnet Glass Rubber Co. Ltd.
†2294	Goloshes, I.R., men's, any size ordered ...	"	10 "	"	†0	3	9	
†2295	India-rubber Sheet, vulcanized, with canvas insertion— ½" thick ...	"	30 lb.	lb.	†0	2	6	Barnet Glass Rubber Co. Ltd.
2296	⅙" " ...	"	2500 "	"	†0	1	6	
†2297	⅛" " ...	"	4000 "	"	†0	1	6	
2298	⅜" " ...	"	80 "	"	†0	1	8	
2299	¼" " ...	"	120 "	"	†0	1	11	
†2300	India-rubber Sheet, brown, rough surface, up to 30" wide, as ordered— ⅜" thick ...	"	100 "	"	†0	1	6	Kenny Charlesworth Rubber Pty. Ltd.
†2301	¼" " ...	"	1200 "	"	†0	1	3	
†2302	⅜" " ...	"	200 "	"	†0	1	3	
†2303	½" " ...	"	500 "	"	†0	1	3	
†2304	1" " ...	"	1500 "	"	†0	1	3	
†2305	India-rubber Sheet (Matting), brown, backed, ⅜" thick, 72" wide, to specification	"	500 l. yds.	l. yd.	†1	4	2½	Dunlop Perdriau Rubber Co. Ltd.
†2306	India-rubber Stock, camel back, for full circle retreading— 7⅜" x 3½" x ⅜" ...	"	200 lb.	lb.	†0	1	5	The Olympic Tyre & Rubber Co. Ltd.
†2307	8¼" x 5¼" x ½", with ⅙" cushion rubber	"	300 "	"	†0	1	6½	
†2308	10" x 6¼" x ½", " " " "	"	1750 "	"	†0	1	6½	
†2308A	10½" x 6¼" x ⅜", " " " "	"	500 "	"	†0	1	6½	
†2308B	11½" x 7¼" x ⅜", " " " "	"	2000 "	"	†0	1	6½	

† Less further 2½% discount for payment by the end of the month following month of delivery.

INDIA-RUBBER GOODS—Continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
†2309	India-rubber Strip, for windscreens, No. 1	Vict.	3600 ft.	100 ft.	†0	8	4	Dunlop Perdriau Rubber Co. Ltd.
	Plugs, basin, I.R., with N.P. rings and screwed bolts and nuts—							
†2310	1½"	5 doz.	doz.	...			} Nil
†2311	2"	5 "	"	...			
†2312	Plugs, for baths and wash troughs, I.R., red, 2½" top diameter x 2¾" bottom diameter, with N.P. bolt, ring, nuts and washers	...	20 "	"	...			
*2313	Rings, I.R., grey, 5" outside diameter x 4½" inside diameter x ⅛" thick	Vict.	80 "	"	†0	0	9	} Kenny Charlesworth Rubber Pty. Ltd.
	Rings, Packing, hose coupling, I.R., to Blue print dated 31.8.34—							
†2314	for ¾" head	"	240 "	"	†0	1	3	
†2315	for 1" "	"	2400 "	"	†0	1	3	
†2316	Rollers, Feed, I.R., for Edison Mimeograph	"	1000	each	†0	0	8	
†2317	Solution, I.R., in 4-gal. tins	"	2000 lb.	lb.	†0	0	7	
†2318	Solution, vulcanizing, in 4-gal. tins	"	40 gals.	tin	†1	9	0	The Olympic Tyre & Rubber Co. Ltd.
†2319	Stoppers, I.R., soft, grey— No. 1	N.S.W.	10 grs.	gross	†0	5	9	} Hardie Rubber Co. Ltd.
†2320	No. 2	"	20 "	"	†0	6	3	
†2321	No. 3	"	10 "	"	†0	6	9	
†2322	No. 4	"	10 "	"	†0	7	3	
†2323	No. 5	"	10 "	"	†0	7	9	
†2324	Tips, Finger, I.R., pinnacle type	Vict.	720 doz.	doz.	†0	0	6½	Barnet Glass Rubber Co. Ltd.
†2325	Tubing, I.R., ⅜" diameter x ⅛" wall, for gas	"	30 ft.	foot	†0	0	2	} Dunlop Perdriau Rubber Co. Ltd.
†2326	Tubing, I.R., ¼" diameter x ⅛" wall, for acid	"	200 "	"	†0	0	3	
*2327	Washers, Cushion, I.R., 4" x 1⅞" x 1⅝" hole	"	30 doz.	doz	†0	19	0	Kenny Charlesworth Rubber Pty. Ltd.
	Washers, gauge glass, I.R.—							
†2328	½" internal diameter x ¼" square section	"	30 "	"	†0	0	8½	} Dunlop Perdriau Rubber Co. Ltd.
†2329	1" " " x ¼" round "	"	10 "	"	†0	0	7½	
†2330	Hexagonal, for "B. & W." Boilers, 250 lb. pressure	"	80 "	"	†0	2	1¼	
†2331	With canvas insertion, 1⅞" x ⅞" x ⅝" thick	"	40 "	"	†0	1	8	
†2332	Washers, Royle's Union, ½", ¾" or 1", as ordered	"	20 "	"	†0	1	8½	Barnet Glass Rubber Co. Ltd.
2333-2349	—Nil							

† Less 2½% discount for payment by the end of the month following month of delivery.

PACKING, ETC.

(Schedule No. 65)

(1st July, 1938, to 30th June, 1940)

(Except Items Nos. 2367 to 2370A, 2372 to 2378, and 2381 to 2386.—12 months only)

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
†2350	Gaskets, graphited, square, for super-heaters, "B. & W." boilers, "Tucks"	Vict.	2000	100	0	12	6	Tuck's
*2351	Gaskets, Manhole, woven asbestos, high pressure, Admiralty pattern, "Tucks"—Large (for Newport Power Station) ...	"	70	each	0	4	0	
*2352	Small " " " ...	"	100	"	0	2	2	
*2353	Large (for State Coal Mine) ...	"	240	"	0	2	4	
*2354	Small " " " ...	"	10	"	0	2	2	
†2355	Gaskets, oval, for 3" "B. & W." header joints, "Tucks"	"	50,000	100	0	12	6	
†2356	Gaskets, oval, for 4" "B. & W." header joints, "Tucks"	"	10,000	"	0	17	6	
†2357	Packing, Asbestos cord, "Bell's" ...	U.K.	1400 lb.	lb.	0	1	3½	Bell's Asbestos & Engr. (Aust.) Ltd.
	Packing, Asbestos Graphite, compounded, suitable for superheat temperature, piston and valve spindle stuffing boxes, "Tuck's Loco"—							
†2358	¾" diam. ...	Vict.	700	"	0	2	3	Tuck's
†2359	½" " ...	"	2000	"	0	2	3	
†2360	Packing, Asbestos millboard, any thickness ordered, "Tuck's"	U.K.	6000	"	0	0	3½	
†2361	Packing, Asbestos rope, 1" diameter, in coils of 100 feet, "Tuck's"	Vict.	4000 ft.	100 feet	0	11	0	Mica & Insulating Supplies Co.
†2362	Packing, Asbestos tape, 1" wide x 15 mils. thick, "Turner's"	U.K.	2400	100 feet	0	7	6	
†2363	Packing, Asbestos, for valve glands, "Dewrance," Patent Red Indurated, marked "A"	"	10 lb.	lb.	0	12	8	McPherson's Pty. Ltd.
†2364	Packing, Asbestos, for valve glands, "Dewrance," Blue, marked "B"	"	100	"	0	11	9	
†2365	Packing, cotton, white, braided covering, ¾" diameter, "Tuck's"	Vict.	150 ft.	ft.	0	0	6	Tuck's
†2366	Packing, greasy hemp, square, ¾" to 1½", as ordered, "Tuck's"	"	1200 lb.	lb.	0	0	6½	Dunlop Perdriau Rubber Co. Ltd.
†2367	Packing, I.R., ¼" thick, "Sunlight" ...	"	180	"	†0	2	6 less 33¼%	
†2368	Packing, lead impregnated, square—¾", "Pax" ...	N.S.W.	480	"	†0	3	4	Hardie Rubber Co. Ltd.
†2368A	¾", in 60 ft. coils, "Turner's" ...	U.K.		"	"	0	4	
†2369	¾", "Pax" ...	N.S.W.	150	"	†0	3	0	Hardie Rubber Co. Ltd.
†2369A	¾", in 60 ft. coils, "Turner's" ...	U.K.		"	"	0	4	
	Packing, Patent, for use in joints of water, steam or air installations, "Red Jointite"—							Barnet Glass Rubber Co. Ltd.
†2370	¼" thick ...	"	1300	"	†0	0	11½	
†2370A	¼", ⅜", ½" or ¾" thick, as ordered	"		"	"	†0	0	
†2371	Packing, Patent, for use in joints of air, oil, motor spirit or benzol installations, ½", ¾", 1" or 1½" thick, as ordered, in rolls 36" wide, "Jointoid"	"	800	"	0	2	4	Mica & Insulating Supplies Co

† Less 2½% discount for payment by the end of the month following month of delivery.

PACKING, ETC.—Continued.

Item No.	Description	Country of Manufre	Estimated Requirements	Rate per	Rate		Name of Contractor
					£	s. d.	
† 2372	Packing, square, "Paragon"— 1/4" ...	Vict.	70 lb.	lb.	10	3 6	} Dunlop Perdriau Rubber Co. Ltd. } Barnet Glass Rubber Co. Ltd. } Hardie Rubber Co. Ltd. } Dunlop Perdriau Rubber Co. Ltd. } Tuck's } Nil } Hardie Rubber Co. Ltd. } Dunlop Perdriau Rubber Co. Ltd.
† 2374	3/8" ...	"	50 "	"	10	3 3	
† 2375	1/2" ...	"	280 "	"	10	3 3	
† 2376	5/8" ...	N.S.W.	70 "	"	10	2 9	
† 2377	3/4" and over ...	Vict.	1100 "	"	10	2 6	
† 2378	Packing, for sealing crankshafts of two-stroke petrol engines, 3/8" square, "Vertex"	"	20 "	"	10	4 6	
† 2379	Packing, Self-lubricating, square, 1/4", 3/8", 1/2", 5/8" or 3/4", as ordered, "Tuxpal"	"	100 "	"	0	3 6	
† 2380	Packing, "Snowball," or suitable alternative, round, 1/2" or 5/8" diameter, as ordered	"	100 "	"	"	"	
† 2381	Packing, soft core, round, "Paragon"— 1/4" diameter ...	N.S.W.	8 "	lb.	10	3 6	
							† 2382
† 2383	3/8" "	"	15 "	"	10	3 3	
† 2384	1/2" "	"	8 "	"	10	3 3	
† 2385	3/8" "	Vict.	8 "	"	10	2 9	
† 2386	3/4" " and over ...	"	300 "	"	10	2 6	
2387-2400	Nil						

† Less 2½% discount for payment by the end of the month following month of delivery.

BELTING.

(Schedule No. 66)

(1st July, 1938, to 30th June, 1940—except Items Nos. 2420 to 2423—12 Months only)

† 2410	Belting, Leather, cemented with water-proof cement, to specification— Single, up to 6" wide, as ordered ...	Vict.	1200 sq. ft.	sq. ft.	0	2 11	} Joshua Pitt Pty. Ltd.						
† 2411	Double, up to 6" wide, as ordered ...	"	1000 "	"	0	5 11							
† 2412	Belting, Leather, laminated, endless, or otherwise, to specification, any width ordered— 5/16" thick ...	"	160 lin. ft.	lin. ft. of 1 in. width	0	0 10	} Geo. Pizzey & Son Ltd. } Nil (To be manufactured by Workshops Manager, Newport) } Joshua Pitt Pty. Ltd.						
								† 2413	3/8" "	40 "	"	0	1 1
								† 2414	1/2" "	300 "	"	0	1 3
† 2415	Threads, for jointing laminated belting— For 5/16" thick belts ...	"	4 doz.	"	"	"							
								† 2416	3/8" " "	2 "	"	"	
								† 2417	1/2" " "	2 "	"	"	
† 2418	Belts, Leather, without joins, stretched— 4' x 1 1/4" x 1/4" ...	Vict.	36	each	0	2 3							
								† 2419	4' x 1 1/4" x 1/4" ...	"	36	"	0
2420	Belting, Rubberised Canvas, high speed transmission, flat, to specification, any length ordered— Price List No. 184-17/3/37—"Titan"	"	£600	"	"	less 33 1/4%		} Dunlop Perdriau Rubber Co. Ltd. } Barnet Glass Rubber Co. Ltd.					
2420A	Price List No. 9-1/1/38—"Red Transmission" ...	"							"	"	less 33 1/4%		

† Less further 2½% discount for payment by the 25th of the month following month of delivery.

BELTING—Continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
2421	Belting, Rubberised Canvas, high speed transmission, flat, 2½" x 3-ply, to specification, any length ordered— "Titan"	Vict.	} 250 lin. ft.	lin. ft.	£ s. d. 10 1 0½	Dunlop Perdriau Rubber Co. Ltd.
2421A	"Red Transmission"				"	
2422	Belting, Canvas Duck, treated with rubber composition, unstitched, for driving train lighting dynamos, to specification, "Red Transmission"— 3" wide x 4-ply	"	4000 "	"	10 1 6½	} Barnet Glass Rubber Co. Ltd.
2423	4" wide x 4-ply	"	500 "	"	less 33⅓% 10 2 0	
2424-2430	—Nil				less 33⅓%	

† Less further 2½% discount for payment by the 25th of the month following month of delivery.

LEATHER AND LEATHER GOODS

(Schedule No. 67)

(1st July, 1938, to 30th June, 1940)

*†2440	Bags, leather— Cash, large, plain	Vict.	120	each	0 3 3	} Michaelis Hallenstein & Co. Pty. Ltd.
*2441	Electrical Fitters'	"	80	"	1 7 9	
*2442	Guards' Kit, with shoulder straps, lettered "V.R."	"	100	"	1 14 6	M. B. Clarke
†2443	Cases, Attache, leather— 15" x 9" x 5½", inside measurements... ..	"	40	"	1 4 0	} W. Pocknall
†2444	16" x 10" x 6", inside measurements... ..	"	50	"	1 5 6	
†2445	Clogs, leather, split kip, blucher pattern, wooden soles, iron shod, sizes 5 to 10, as ordered, "No. 2193"	Tas.	250 pairs	pair	0 7 0	Cuthbertson Bros.
†2446	Leather, to specification— Basils, not less than 7 sq. ft. each	Vict.	7000	each	0 2 3	Geo. Pizzey & Son Ltd.
†2447	Bag, for kit bags, black or brown as ordered, in backs	"	8 cwt.	cwt.	...	} Nil
†2448	Bag, soft, natural color, in sides	"	300 sq. ft.	sq. ft.	...	
†2449	Bellows, chrome tanned, white or red as ordered, in hides not less than 50 sq. ft. each	Vict.	5 cwt.	lb.	0 2 4	} Zwar Bros. Pty. Ltd.
†2450	Bellows, oil dressed, in backs not more than 27 inches wide	"	30 "	cwt.	10 6 4	
†2451	Chrome, in backs	"	5 "	"	14 18 8	S. P. Reynolds & Co. Pty. Ltd.
†2452	Harness, black, heavy, in sides	"	30 "	lb.	0 1 8	} Zwar Bros. Pty. Ltd.
†2453	Harness, brown, in sides	"	15 "	"	0 1 7	
†2454	Harness, prepared in oil, approx. ¼" thick, black or brown as ordered, in bends	"	5 "	"	0 3 3	
†2455	Hydraulic, ⅝" or ¾" thick, as ordered, in bends	"	100 sq. ft.	sq. ft.	...	} Nil
†2456	Raw Hide, in sides	"	3 cwt.	cwt.	...	
†2457	Rein, Brown, stained, in sides	Vict.	25 "	lb.	0 2 1	} Zwar Bros. Pty. Ltd.
†2458	Satin Hide, in sides	"	600 sq. ft.	sq. ft.	0 1 0½	
†2459	Sole, in backs... ..	"	250 cwt.	cwt.	11 4 0	} W. Braithwaite Pty. Ltd.
†2460	Wax filled, in bends not more than 25" wide	"	5 "	"	15 17 4	
†2461	For Westinghouse Brake Washers, black, in bends not more than 27" wide— Heavy	"	90 "	"	14 14 0	
†2462	Light	"	15 "	"	18 18 0	
2463-2479	—Nil					

FORKS, PICKS AND SHOVELS

(Schedule No. 68)

(1st July, 1938, to 30th June, 1940)

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
†2480	Forks, Stone, 8-prong, "Wallingford" ...	Canada	720	each	0	8	9	Hardware Co. of Australia Pty. Ltd.
†2481	Handles, "D," steel, for shovels, without stales, "Trojan"	Vict.	600	"	0	1	0	Scott & Son Pty. Ltd.
†2482	Picks, Navy, double ended, diamond and chisel points, 7-lb., to specification, "Dreadnought Star"	U.K.	1200	"	0	3	1	T. S. Nettlefold & Sons.
	Shovels, Steel—							
	Coal, square mouth, "D" handle, "Trojan"—							
†2483	No. 6, blades 13 $\frac{1}{8}$ " x 11 $\frac{1}{8}$ " ...	Vict.	40	"	0	4	9	} Scott & Son Pty. Ltd.
†2484	No. 7, blades 14 $\frac{1}{8}$ " x 12 $\frac{1}{8}$ " ...	"	280	"	0	4	11	
†2485	No. 8, blades 15 $\frac{1}{8}$ " x 13 $\frac{1}{8}$ " ...	"	30	"	0	5	1	
	Shovels, Steel—							
†2486	Firemen's, "T" handle ...	N.S.W.	800	"	0	5	6	Tulloch's Phoenix Iron Works Pty. Ltd.
	Fuelman's Coal Scoops—							
†2487	No. 6, with wooden, tubular steel or "Save-Dee" "D" handles, as ordered, blades 17" x 13", "Star"	"	900	"	0	6	3	} T. S. Nettlefold & Sons
2488	Nil							
†2489	No. 7, without handle, blades 17 $\frac{1}{2}$ " x 13 $\frac{1}{2}$ ", "Star"	"	25	"	0	5	2	
	Long handle, "Trojan"—							
†2490	No. 3, round mouth, single bend handle, blades 13" x 10 $\frac{1}{8}$ "	Vict.	800	"	0	3	9	} Scott & Son Pty. Ltd.
†2491	No. 3, round mouth, double bend handle, blades 13 $\frac{1}{8}$ " x 9 $\frac{1}{8}$ "	"	50	"	0	5	0	
†2492	No. 3, square mouth, blades 12 $\frac{1}{2}$ " x 10 $\frac{1}{8}$ "	"	320	"	0	3	9	
	Moulders', No. 2, square mouth, "D" handle, smooth back—							
†2493	"Brades," blades 12" x 9 $\frac{1}{2}$ " ...	U.K.	160	"	0	8	1	McPherson's Pty. Ltd.
†2493A	"Trojan," blades 11 $\frac{1}{8}$ " x 9 $\frac{1}{8}$ " ...	Vict.			0	4	6	
	Navy, metal "D" handle, "Trojan"—							
†2494	No. 3, square mouth, blades 12 $\frac{1}{2}$ " x 10 $\frac{1}{8}$ "	"	2000	"	0	4	6	} Scott & Son Pty. Ltd.
†2495	No. 4, round mouth, blades 13 $\frac{1}{8}$ " x 11 $\frac{1}{8}$ "	"	3000	"	0	4	7	
2496-2509	—Nil							

WOODEN HANDLES

(Schedule No. 69)

(1st July, 1938, to 30th June, 1940)

Item No.	Description	Country	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
†2510	Handles— Adze, N.S.W. Spotted Gum, "Gum-leaf"	N.S.W.	120 doz.	doz.	0	12	6	John Perry Pty. Ltd.
†2511	Axe, 32" long, to drawing No. 190/38, Queensland Spotted Gum, "Klean Kut No. 1"	Q'land	240 "	"	0	10	0	McMicking & Co.
	Broom, hardwood, tapered from 1 $\frac{1}{8}$ " diameter to 1" diameter, commencing $\frac{1}{4}$ " from the end, Victorian Mountain Ash, Porta's "Blue Mountain"—							
†2512	3' 6" long ...	Vict.	50 "	"	0	2	9	} Hardware Co. of Aust. Pty. Ltd.
†2513	6' 0" long ...	"	140 "	"	0	4	4	
*2514	File, 3", to sample "C," N.S.W. Spotted Gum, "Bonser xxx"	N.S.W.	15 "	"	0	0	8 $\frac{1}{2}$	} Hely Brothers Pty. Ltd.
*2515	File, 4", to sample "D," N.S.W. Spotted Gum, "Bonser xxx"	"	35 "	"	0	0	9 $\frac{1}{2}$	
†2516	Hammer, claw, N.S.W. Spotted Gum, "Bonser xxx"	"	25 "	"	0	3	3	

|| Rates are f.o.w. Melbourne, with packing extra at the rate of 4d. per bag.

WOODEN HANDLES—Continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
	Handles, Hammer, hardwood, first quality, to specification—							
†2517	14", N.S.W. Spotted Gum, "Bonser xxx"	N.S.W.	100 doz.	doz.	0	3	0	} Hely Brothers Pty. Ltd.
†2518	16", (small eye), N.S.W. Spotted Gum, "Bonser xxx"	"	150 "	"	0	3	6	
†2519	16", (large eye), N.S.W. Spotted Gum, "Gumleaf"	"	300 "	"	0	3	9	John Perry Pty. Ltd.
†2520	18", Queensland Spotted Gum, "Klean Kut No. 1"	Q'land	120 "	"	0	3	10	McMicking & Co.
†2521	20", (small eye), N.S.W. Spotted Gum, "Bonser xxx"	N.S.W.	60 "	"	0	4	6	Hely Brothers Pty. Ltd.
†2522	20", (large eye), Queensland Spotted Gum, "Klean Kut No. 1"	Q'land	100 "	"	0	4	4	} McMicking & Co.
†2523	24", Queensland Spotted Gum, "Klean Kut No. 1"	"	80 "	"	0	5	0	
†2524	30", Queensland Spotted Gum, "Klean Kut No. 1"	"	200 "	"	0	6	3	
†2525	36", (small eye), N.S.W. Spotted Gum, "Gumleaf"	N.S.W.	800 "	"	0	8	0	John Perry Pty. Ltd.
†2526	36", (large eye), N.S.W. Spotted Gum, "Bonser xxx"	"	100 "	"	0	8	5	} Hely Brothers Pty. Ltd.
†2527	Handles, Hammer, American hickory, first quality, to specification, "Bonser No. 1" 24"	U.S.A. & N.S.W.	100 "	"	0	10	6	
†2528	30"	"	10 "	"	0	15	0	
†2529	36" (small eye)	"	120 "	"	0	16	9	
†2530	Handles, Hatchet, for "Brades" No. 2 axe pattern hatchets, N.S.W. Spotted Gum, "Gumleaf"	N.S.W.	10 "	"	0	4	9	} John Perry Pty. Ltd.
†2531	Handles, Metal Fork, bent, with sockets and tubular metal "D" handles, N.S.W. Spotted Gum, "Gumleaf"	N.S.W. & Vict.	10 "	"	2	4	6	
*†2532	Handles, Mop, ferruled, to specification		60 "	"	...			Nil
†2533	Handles, Pick— "Coal Miners'," No. 85A, N.S.W. Spotted Gum, "Bonser xxx"	N.S.W.	180 "	"	0	5	9	} Hely Brothers Pty. Ltd.
†2534	Miners', "Ballarat"		80 "	"	...			
†2535	Navy, double ended, to specification, N.S.W. Spotted Gum, "Bonser xxx"	N.S.W.	800 "	"	0	10	3	Hely Brothers Pty. Ltd.
2536	Handles, Scythe, Ash, "Derby and Ball," "Horseman," or equal quality	U.K.	15 "	"	3	17	0	Briscoe & Co. Ltd.
†2537	Handles, Shovel, long, bent, to specification, Queensland Yellow Hickory	Q'land & Vict.	140 "	"	0	11	2	} Galvanised Products Pty. Ltd.
†2538	Handles, Shovel, short, bent, with tubular metal "D" tops, to specification, Queensland Yellow Hickory	"	90 "	"	0	16	6	
2539	2540—Nil							

|| Rates are f.o.w. Melbourne, with packing extra at the rate of 4d. per bag.

FILES AND RASPS

(Schedule No. 70)

(1st July, 1938, to 30th June, 1940)

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate	Name of Contractor
†2550	Files, any description or size, as shown in price list, as ordered, "Nicholson"	Canada	£5500		49½%	H. A. Barnard Pty. Ltd.
†2551	Files, block, valve rubber, bastard cut, 7" x 1½", Firth's, "Chain"	U.K.	80	each	£. s. d. 0 6 0½	William Adams & Co. Ltd.
2552	Rasps, any description or size, as shown in price list, as ordered, "Nicholson"	Canada	£200		45%	H. A. Barnard Pty. Ltd.
2553-2560	—Nil					

TUBES AND FITTINGS

(Schedule No. 71)

(1st July, 1938, to 30th June, 1939—12 months only)

Item No.	Description	Country	Estimated Requirements	Rate per	Rate	Name of Contractor
TUBES, Steel, screwed and socketed, of approved thickness, in trade lengths, as ordered—						
2570	Black— ½" diameter	N.S.W.	£400		20%	Stewarts & Lunn (Aust.) Pty. Ltd.
2571	½" "	"			40%	
2572	¾" to 3" diameter	"			57½%	
2573	3½" to 6" "	U.K.			30%	
2574	Galvanized— ½" diameter	N.S.W.	£2500		30%	
2575	¾" to 3" diameter	"			47½%	
2576	3½" to 6" "	U.K.			25%	

TUBES AND FITTINGS—Continued.

Item No.	Description	Country of Manufacture	Estimated Requirements	Rate per	Rate	Name of Contractor
	TUBES, Steel, screwed and socketed, of approved thickness, in trade lengths, as ordered—continued—				Percentage of Price List submitted with tender and firm during the contract period.	
2577	(M) Galvanized— 1/4" diameter	Nil
2578	1/2" to 3" diameter	N.S.W.	£4000		42 1/2%	Stewarts & Lloyds (Aust.) Pty. Ltd.
2579	3 1/2" to 6" "	U.K.		15%		
2580	Steam— 1/4" diameter	N.S.W.	£2500		32 1/2%	
2581	3/8" to 3" diameter	"		47 1/2%		
2582	3 1/2" to 6" "	U.K.		25%		
	TUBES, Steel, plain ends, of approved thickness, any lengths ordered—					
2583	Steam— 1 1/4" diameter	...	15,000 ft.	Nil (to be purchased as required)
2584	2" "	...	3500 "	
2584A	(M) TUBES, Steel, screwed and socketed, galvanised, bitumen lined, 1/2" to 6" diameter, in trade lengths, "Bitulynd"	N.S.W.	15%	Pipe Linings (A/sia) Pty. Ltd.
	FITTINGS, Steel, of approved thickness, as ordered—					
	Black—					
	Bends, Long screws, Springs, Plain Nipples and Barrel Nipples—					
2585	1/4" diameter	"	£20		45%	Stewarts & Lloyds (Aust.) Pty. Ltd.
2586	1/2" "	"		52 1/2%		
2587	3/8" to 3" diameter	"		52 1/2%		
2588	3 1/2" to 6" "	"		25%		
	Flanges—					
2589	Up to 2" diameter	"		45%	Stewarts & Lloyds (Aust.) Pty. Ltd.	
2590	2 1/2" to 6" "	"		55%		
	Sockets plain—					
2591	Up, to 2" diameter	"		20%	Stewarts & Lloyds (Aust.) Pty. Ltd.	
2592	2 1/4" to 3" "	"		20%		
2593	3 1/2" to 6" "	"		20%		
	Reducing Hexagon Bushes, Hexagon Nipples, Reducing Hexagon Nipples and Reducing Sockets (SOLID MACHINED STEEL)—					
2594	Up to 2" diameter	N.S.W.			20%	Stewarts & Lloyds (Aust.) Pty. Ltd.
2595	2 1/2" to 6" "	
2596	Other fittings on price list— Up to 2" diameter	N.S.W. and/or U.K.			20%	Stewarts & Lloyds (Aust.) Pty. Ltd.
2597	2 1/2" to 6" "	U.K.			20%	
	Galvanized—					
	Bends, Long Screws, Springs, Plain Nipples and Barrel Nipples—					
2598	1/4" diameter	N.S.W.			40%	Stewarts & Lloyds (Aust.) Pty. Ltd.
2599	3/8" to 3" diameter	"			50%	
2600	3 1/2" to 6" "	"			20%	

TUBES AND FITTINGS—Continued.

Item No.	Description	Country of Manuf'ro	Estimated Requirements	Rate per	Rate	Name of Contractor		
	FITTINGS, Steel, of approved thickness, as ordered—continued—							
	Galvanised—continued—							
	Flanges—							
2601	Up to 2" diameter...	N.S.W.	£500		40%	Stewarts & Lloyds (Aust.) Pty. Ltd.		
2602	2½" to 6" " ...	"		60%				
2603	Sockets, plain— Up to 2" diameter...	"		15%				
2604	2½" to 3" " ...	"		15%				
2605	3½" to 6" " ...	"		15%				
	Reducing Hexagon Bushes, Hexagon Nipples, Reducing Hexagon Nipples and Reducing Sockets (SOLID MACHINED STEEL)—							
2606	Up to 2" diameter ...	"		15%				
2607	2½" to 6" " ...	"		...	Nil (Malleable iron to be used)			
2608	Other fittings on price list— Up to 2" diameter...	N.S.W. and/or U.K.		15%				
2609	2½" to 6" " ...	"		15%				
	Steam—							
	Bends, Long Screws, Springs, Plain Nipples and Barrel Nipples—							
2610	¼" diameter ...	N.S.W.	£300		47½%	Stewarts & Lloyds (Aust.) Pty. Ltd.		
2611	¾" to 3" diameter ...	"		47½%				
2612	3½" to 6" " ...	"		20%				
	Flanges—							
2613	Up to 2" diameter...	"		40%				
2614	2½" to 6" " ...	"		50%				
	Sockets, plain—							
2615	Up to 2" diameter ...	"		15%				
2616	2½" to 3" " ...	"		15%				
2617	3½" to 6" " ...	"		15%				
	Reducing Hexagon Bushes, Hexagon Nipples, Reducing Hexagon Nipples and Reducing Sockets (SOLID MACHINED STEEL)—							
2618	Up to 2" diameter ...	N.S.W.	15%	Stewarts & Lloyds (Aust.) Pty. Ltd.				
2619	2½" to 6" " ...	"	...	Nil (Malleable iron to be used)				
2620	Other fittings on price list— Up to 2" diameter...	N.S.W. and/or U.K.	15%	Stewarts & Lloyds (Aust.) Pty. Ltd.				
2621	2½" to 6" " ...	"	15%					
2621A	FITTINGS, Steel, galvanised, bitumen lined, as provided on price list, "Bitulynd"	N.S.W.	...	15%	Pipe Linings (A/sia) Pty. Ltd.			

TUBES AND FITTINGS—Continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate	Name of Contractor	
	FITTINGS, Malleable Iron, of approved thickness, "E.W."— Black—				Percentage off Price List submitted with tender and firm during the contract period.		
	Bushes, Hexagon Nipples and Unions—						
2622	¼" to 2" diameter ...	N.S.W.	£80		65%	Stewarts & Lloyds (Aust.) Pty. Ltd.	
2623	2½" to 6" " ...	"			55%		
2624	Other fittings on price list— ¼" to 2" diameter ...	"			65%		
2625	2½" to 6" " ...	"			55%		
	Galvanized— Bushes, Hexagon Nipples and Unions—						
2626	¼" to 2" diameter ...	"	£750		55%		Stewarts & Lloyds (Aust.) Pty. Ltd.
2627	2½" to 6" " ...	"			52½%		
2628	Other fittings on price list— ¼" to 2" diameter ...	"			57½%		
2629	2½" to 6" " ...	"			52½%		
	Steam— Bushes, Hexagon Nipples and Unions—						
2630	¼" to 2" diameter	Nil (Black malleable iron or steam solid machined steel to be used)	
2631	2½" to 6" "		
2632	Other fittings on price list— ¼" to 2" diameter		
2633	2½" to 6" "		
2633A	FITTINGS, Malleable Iron, galvanised, bitumen lined, as provided on price list, "Bitulynd"	N.S.W.	15%	Pipe Linings (A/sia) Pty. Ltd.	
	FITTINGS, Forged Steel— Unions, Ball Jointed, with two bronze seats, "Rockwood"—				£ s. d.		
2634	¼" diameter ...	U.S.A.	60	each	0 2 3	McPherson's Pty. Ltd.	
2635	½" " ...	"	6	"	0 2 9		
2636	¾" " ...	"	300	"	0 3 0		
2637-2669	—Nil		

SPRINGS

(Schedule No. 72)

(1st July, 1938, to 30th June, 1940)

*2670	Springs, Catch Box, 6.B.557, 4½" long, ⅝" inside diameter, 16 coils, hardened and tempered spring steel wire 0.116" diameter. Compression required—35 to 40 lb. per inch.	Vict.	200	dozen	0 2 10½	Brown's Springs Pty. Ltd.
*2671	Springs, Check Valve, ⅝" long, 1¼" outside diameter, 13 coils, bright, hard spring steel wire 0.0124" diameter	...	720	Nil
*2672	Springs, Control Lever, 1¼" long, ⅜" inside diameter, 7 coils, hardened and tempered spring steel wire 0.080" diameter	Vict.	100	dozen	0 0 10½	Central Spring Works
*2673	Springs, Point Lever, W.S., to specification	"	120	"	1 4 0	Henderson's Federal Spring Works Pty. Ltd.
*2674	Springs, Slide, ¾" long, ⅜" inside diameter, 4 coils, hardened and tempered spring steel wire 0.116" diameter	"	700	"	0 1 0	Central Spring Works
*2675	Springs, Train Stop, to blue print No. F. 3044, hardened and tempered square spring steel	"	100	"	0 4 6	Brown's Springs Pty. Ltd.
*2676	Springs, Valve, J.A.P. motor, 2¼" long, ⅜" inside diameter, 8 coils, hardened and tempered spring steel wire 0.092" diameter	"	300	"	0 2 3	
2677-2689	—Nil

GLUE, GUM AND INK
(Schedule No. 73)
(1st July, 1938, to 30th June, 1940)

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
† { 2690 2691	Glue, liquid, "Fixol"— in 1-gallon tins	N.S.W.	4 tins	tin	0	7	6	} W. E. Woods Ltd.
	in 1-lb. jars	"	140 "	doz. tins	0	18	0	
†2692	Glue, marine, black	Vict.	3 cwt.	cwt.	1	8	6	Paul & Gray Ltd.
†2693	Glue, ground	"	40 "	"	2	14	0	Zwar Bros. Pty. Ltd.
†2694	Gum, liquid, in 10-gallon kegs. Empty kegs to be returned to the Contractor at the Metropolitan Receiving Depot	"	250 gals.	gal.	0	4	0	Tyton Adhesives Co.
†2695	Paste, Office, in 10-oz. bottles, with cap and brush, "Emu"	"	2000 bots.	bottle	0	0	3½	Angus & Co. Pty. Ltd.
†2696	Ink, Indian, in ¾ oz. bottles, with quill fillers, any colour ordered, "Higgin's"	U.S.A.	1200 "	doz. bottles	0	15	2	Max Wurcker (1930) Pty. Ltd.
	Ink, metal stamp, in 1-oz. bottles—							
†2697	Black	Vict.	90 "	bottle	0	0	5	} C. G. Roeszler & Son
†2698	Blue	"	45 "	"	0	0	5	
	Ink, rubber stamp, in 2-oz. bottles—							
†2699	Black	"	500 "	"	0	0	6	} Angus & Co. Pty. Ltd.
†2700	Purple	"	1200 "	"	0	0	6	
†2701	Ink, Telegraph, black, in 2-oz. bottles	"	800 "	"				Nil
	Ink, Writing—							
†2702	Blue Black, in sound casks, "Sinclair's." Empty casks to be returned to the Contractor at the Metropolitan Receiving Depot	Vict.	600 gals.	gal.	0	2	3	Spicers & Detmold Ltd.
†2703	Green, 8-oz. bottles, "Stephens"	N.S.W.	70 bots.	bottle	0	0	11½	A. J. Wallace
†2704	Red, 8-oz. bottles, "Sinclair's"	Vict.	2400 "	"	0	0	4½	Spicers and Detmold Ltd.
†2705	Violet, 12-oz. bottles, "Commercial"	"	80 "	"	0	0	6½	Angus & Co. Pty. Ltd.
2706-2719	—Nil							

CANDLES, SOAP, ETC.

(Schedule No. 74)

(1st July, 1938, to 30th June, 1940)

	Candles, Stearine, full weight or short chamber, as ordered, "Electrine"—							
† { 2720 2721 2722	In 1 lb. packets, 6's	Vict.	200 lb.	lb.	0	0	8½	} J. Kitchen & Sons Pty. Ltd.
	In 1 lb. packets, 12's	"	1500 "	"	0	0	8½	
	In 50 lb. or 100 lb. containers, 12's	"	4000 "	"	0	0	8½	
†2723	Glycerine, pure, in 4 gal. tins	"	320 "	"	0	1	4½	G. Mowling & Son Pty. Ltd.
†2724	Soap, abrasive paste, in approx. 24-oz. tins, "Gleemol"	"	20 doz.	doz.	0	4	0	} S. C. Ortlund & Co.
†2725	Soap, liquid cleanser, in 4-gallon tins, for use in floor scrubbing, "Pilot Hygiene"	"	200 gals.	gal.	0	1	5	
†2726	Soap, powdered, in ½-lb. or 1-lb. packets, as ordered,	"	12,000 lb.	lb.	0	0	4½	} J. Kitchen & Sons Pty. Ltd.
†2727	Soap, sand, in boxes of 72 x 12 oz. bars, wrapped, "Pummaso"	"	400 boxes	box	0	9	1	
†2728	Soap, Pumice, wrapped, 4¾ oz., "Mirak" ...	"	6000 cakes	doz. cakes	0	1	2	Mirak Soaps Pty. Ltd.
†2728A	Soap, "Soivol," wrapped, 6-oz. (for Refreshment Services)	"		"	"	0	2	6
†2729	Soap, soft, to specification, in casks 3 to 4 cwt., "Imperial"	"	80 tons	cwt.	1	4	0	
†2730	Soap, toilet, in cakes, wrapped, 3 oz., "Buttermilk"	"	2400 lb.	lb.	0	0	4½	} Arthur Tilley
†2731	Soap, toilet, coloured green, perfumed, in ½ oz. tablets, approx. 2½" x 1¾", branded "V.R.," double-wrapped, "Florida Bouquet"	"	600 gross	gross	0	4	6	
†2732	Soap, yellow, "Prize Medal," to specification, in bars 36 to cwt., unwrapped, in boxes of 1 cwt. net	"	40 tons	cwt.	0	19	6	} J. Kitchen & Sons Pty. Ltd.
†2733	Soda, washing, crystals, in bags	"	30 "	"	0	5	6	
†2734	Tapers, wax, thick, 22" long, "Price's" ...	U.K.	120 lb.	lb.	0	2	5	Briscoe & Co. Ltd.
2735-2749	—Nil							

GAS MANTLES

(Schedule No. 75)

(1st July, 1938, to 30th June, 1940)

Item No.	Description	Country of Manufre	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
	Mantles, incandescent, to specification—					
†2750	Bland, large, hard, inverted, complete with bases, "Ironclad"	U.K.	30 doz.	doz.	0 5 2½	} McMicking & Co.
†2751	Bland, small, hard, inverted, complete with bases, "Ironclad"	"	100 "	"	0 4 8½	
†2752	Coleman Lantern, silk, flexible, small, "Veritas"	"	} 600 "	"	0 3 0	Falk Stadelmann & Co. Ltd.
†2752A	Coleman Lantern, art. silk, flexible, "Sunshine Junior"	Canada		"	0 4 0	Coleman Quick-lite Co. of Aust.
†2753	Gloria Light, No. 20 lamp, heavy silk, "Flexibo"	N.S.W.	150 "	"	0 4 0	Flexibo Lighting Co.
†2754	Lux, 700 C.P., "Ironclad"	U.K.	500 "	"	0 14 7	} McMicking & Co.
†2755	Pintsch Gas, 25 C.P., inverted, complete with bases, "Ironclad"	"	240 "	"	0 3 10	
†2756	Pintsch Gas, 50 C.P., inverted, complete with bases, "Ironclad"	"	2000 "	"	0 4 1	
2757-2769	—Nil					

OFFICE REQUISITES

(Schedule No. 76)

(1st July, 1938, to 30th June, 1940)

	Bands, elastic, in boxes of 1 gross—					
†2770	1½" x 1½" x 1½"	U.K.	300 boxes	box	0 0 3	} Australian Stationery Co.
†2771	2½" x 1½" x 1½"	"	2000 "	"	0 0 4½	
†2772	3" x 1½" x 1½"	Vict.	500 "	"	10 0 5½	} Dunlop Perdriau Rubber Co. Ltd.
†2773	3½" x 1½" x 1½"	"	500 "	"	10 0 11	
†2774	3½" x 1½" x 1½"	"	100 "	"	10 1 4	
†2775	6" x 1½" x 1½"	"	100 "	"	10 1 10½	
	Binders, paper, in boxes of 1 gross—					
†2776	No. 642	U.K.	480 "	"	0 1 11½	R. E. Mustow
†2777	No. 644 "H.K."	N.S.W.	240 "	"	0 3 1	} Sands & McDougall Pty. Ltd.
†2778	Bodkins, with eye	U.K.	200	each	0 1 3	
†2779	Bowls, glass, 3½" at top, with sponge	N.S.W. & Oceania	160	"	0 1 0	Robertson & Mullens Ltd.

† Less 2½% discount for payment by the end of the month following month of delivery.

OFFICE REQUISITES—Continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
†2780	Clips, Bulldog, 2½", No. 1910 ...	U.K.	180 doz.	doz.	0 1 9	Spicers & Detmold Ltd.
	Clips, paper, glider type, clean and free from oil, in boxes of 100, "Best Yet"—					
†2781	Large ...	N.S.W.	100 boxes	box	0 0 1½	Australian Stationery Co.
†2782	Small ...	"	100 "	"	0 0 1½	
†2783	Crayons, pencil, solid, hard quality, lumber, "Leviathan No. 3"— Blue ...	Vict.	180 doz.	doz.	0 1 1	Sands & McDougall Pty. Ltd.
†2784	Crimson ...	"	15 "	"	0 1 7	
†2785	Green ...	"	24 "	"	0 1 7	
†2786	Yellow ...	"	1200 "	"	0 1 1	
†2787	Crayons, school, white, in boxes of 1 gross, "Belco"	"	360 boxes	box	0 1 0½	R. E. Mustow
†2788	Cylinders, Dictaphone, without cartons, in case lots of 100	U.S.A.	400	case of 100	13 10 0	The Dictaphone Co. (Aust.) Pty. Ltd.
†2789	Erasers, pencil, I.R., double bevel, "Viceroy 222"	Canada	120 doz.	doz.	0 1 1	Spicers & Detmold Ltd.
†2790	Erasers, pencil, I.R., small, 48's, "Viceroy"	"	600 "	"	0 0 6	
†2791	Erasers, typewriter, I.R., circular ...	Vict.	240 "	"	†0 1 6	Barnet Glass Rubber Co. Ltd.
†2792	Erasers, typewriter, I.R., octagonal, triple edge	"	60 "	"	†0 1 9½	
	Fasteners, paper, in boxes of 1 gross—					
†2793	R. 1 ...	N.S.W.	800 boxes	box	0 0 4½	Sands & McDougall Pty. Ltd.
†2794	R. 3 ...	"	900 "	"	0 0 5½	
†2795	R. 6 ...	U.K.	800 "	"	0 0 7½	
*2796	Figures, I.R., in sets, in wooden holders ...	Vict.	150 sets	set	0 3 3	C. G. Roeszler & Son
†2797	Files, clip, foolscap, 14" x 9½", No. 85 ...	"	150	each	0 1 3	Sands & McDougall Pty. Ltd.
†2798	Gum, art, approx. 2¼" x 1½" x 1½", "Viscol"	U.S.A.	50 doz.	doz.	0 4 2	Australian Stationery Co.
†2799	Holdings, Pen, small ...	U.K. & N.S.W.	90 gross	gross	0 5 0	R. E. Mustow
†2800	Inkstands, Glass, round, 3½", with fixed metal top	N.S.W.	360	each	0 1 2½	Australian Stationery Co.
†2801	Machines, numbering, 5-wheel, to number in triplicate, ⅜" letters, "No. 5402"	Germ'y	20	"	1 14 6	
	Nibs, pen, stainless steel, in boxes of 1 gross—					
†2802	"Hinks Wells No. 2778F"	U.K.	30 boxes	box	0 5 4	A. J. Wallace
†2803	"Hinks Wells No. 2789EF"	"	15 "	"	0 5 4	
†2804	"W. Mitchell No. G0945"	"	75 "	"	0 5 4	
†2805	"Hinks Wells No. 2761F"	"	150 "	"	0 5 4	
†2806	"W. Mitchell Polygraph"	"	300 "	"	0 5 4	
†2807	"Hinks Wells No. 2725"	"	750 "	"	0 5 4	

† Less 2½% discount for payment by the end of the month following month of delivery.

OFFICE REQUISITES—Continued.

Item No.	Description	Country of Manufro	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
†2808	Pads, blotting, 23" x 18", with corners, "McNeil & Bruce"	Vict.	60	each	0	3	4	R. E. Mustow
†2809	Pins, drawing, medium, No. 4, in boxes of 1 gross	Germ'y	300 boxes	box	0	0	7	Robertson & Mullens Ltd.
†2810	Pins, plated short whites, "Dandy," in packets of 1 oz.	Vict.	1500 lb.	gross pkts.	0	13	6	A. J. Wallace
†2811	Rulers, flat, 15", brass edge ...	"	480	dozen	0	4	5	Australian Stationery Co.
†2812	Sponges, for 3½" bowls ...	Oceania	900	each	0	0	2½	Robertson & Mullens Ltd.
†2813	Staples, wire, No. 1a, for "Hotchkiss" machines, "Acorn"	Canada	360,000	1000	0	0	8	
†2814	Staples, wire, for "Acme" No. 2 machines	Vict.	800,000	"	0	1	2	Sands & McDougall Pty. Ltd.
†2815	Staples, wire, size 2¼ shanks, for No. 4A machines, "Victory"	"	180,000	"	0	1	4	Robertson & Mullens Ltd.
†2816	Wax, bottling, black ...	"	120 lb.	lb.	0	0	3½	Sands & McDougall Pty. Ltd.
†2817	Wax, sealing, red, 7¾" long, "Rajah" ...	"	40 "	"	0	1	6	Spicers & Detmold Ltd.
2818-2839	—Nil							

TYPEWRITING AND DUPLICATING MATERIALS, ETC.

(Schedule No. 77)

(1st July, 1938, to 30th June, 1940)

†2840	Frames, for "Addressograph" machines, style "B" or "Q," as ordered	Vict.	15,000	1000	4	10	0	Spicers & Detmold Ltd.
†2841	Plates, for "Addressograph" machines, style "B"	"	30,000	"	0	17	6	
†2842	Plates, for "Addressograph" machines, style "Q"	"	50,000	"	1	2	6	
†2843	Ink, duplicating, black, first quality ...	N.S.W.	1000 lb.	lb.	0	2	6	F. T. Wimble & Co. Ltd.
†2844	Pads, ink, for E.D. Mimeograph, "A. B. Dick Co."	U.S.A.	300	each	0	1	0	Stott & Hoare Pty. Ltd.
†2845	Ribbons, "Addressograph" machine, purple, "Crown"	N.S.W.	150	"	0	1	3	Columbia Ribbon & Carbon Co. (Aust.)
†2846	Ribbons, "Burrough's" Adding machine, black, "Hallmark"— No. 15, 2¾" wide, 12½' to 14½' long	Vict.	48	"	0	3	9	Ramsay & Hall Pty. Ltd.
†2847	No. 17, 3½" wide, 12½' to 14½' long	"	24	"	0	4	0	
†2848	No. 300 class, 7/16" wide ...	"	48	"	0	1	0	
†2849	Ribbons, "Ditto" machine, purple, "Hallmark"	"	20	"	0	1	6	
†2850	Ribbons, "Elliott-Fisher" Accounting machine, black and red, "Crown"	N.S.W.	48 doz.	doz.	0	8	0	Columbia Ribbon & Carbon Co. (Aust.)
†2851	Ribbons, "Power's" machine, black, "Hallmark"	Vict.	24 "	"	1	1	0	
†2852	Ribbons, Typewriter, copying or non-copying, as ordered, one or two colours, as ordered, on spools to fit any standard machine, as ordered, "Hallmark"	"	360 "	"	0	6	6	
†2853	Stencils, foolscap folio, indestructible, "Gossamer"	"	2000 qrs.	quire	0	4	9	Ramsay & Hall Pty. Ltd.
†2854	Tapes, ticket dating, black, record, 1½" wide, 21' long, "Hallmark"	"	500 doz.	doz.	0	10	6	
†2855	Varnish, obliterating, for dry stencils, in 1-oz. bottles "Hallmark"	"	250 bots.	bottle	0	0	9	
2856-2869	—Nil							

CARDS FOR POWERS MACHINES

(Schedule No. 78)

(1st July, 1938, to 30th June, 1940)

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor	
					£	s.	d.		
	Cards, for " Powers " machines—								
†2870	Code No. 4	...	N.S.W.	160,000	1000	0	7	6	Kalamazoo (Aust.) Ltd.
†2870A	" 4	...	Vict.						
†2871	" 9	...	N.S.W.	80,000	"	0	7	6	Kalamazoo (Aust.) Ltd.
†2871A	" 9	...	Vict.						
†2872	" 34	...	N.S.W.	4,000,000	"	0	7	6	Kalamazoo (Aust.) Ltd.
†2872A	" 34	...	Vict.						
†2873	" 50	...	N.S.W.	6,000,000	"	0	7	6	Kalamazoo (Aust.) Ltd.
†2873A	" 50	...	Vict.						
†2874	" 52	...	N.S.W.	1,000,000	"	0	7	6	Kalamazoo (Aust.) Ltd.
†2874A	" 52	...	Vict.						
†2875	" 54	...	N.S.W.	200,000	"	0	7	6	Kalamazoo (Aust.) Ltd.
†2875A	" 54	...	Vict.						
†2876	" 55	...	N.S.W.	250,000	"	0	7	6	Kalamazoo (Aust.) Ltd.
†2876A	" 55	...	Vict.						
†2877	" 59	...	N.S.W.	400,000	"	0	7	6	Kalamazoo (Aust.) Ltd.
†2877A	" 59	...	Vict.						
†2878	" 60	...	N.S.W.	150,000	"	0	7	6	Kalamazoo (Aust.) Ltd.
†2878A	" 60	...	Vict.						
2879	Extra on tendered rates for colored cards		N.S.W.	...	"	0	1	0	Kalamazoo (Aust.) Ltd.
2879A	"	"	Vict.	...	"	No extra charge			J. J. Miller Ptg. Co. Pty. Ltd.
2880-2889	—Nil								

TELEGRAPH AND TELEPHONE MATERIAL

(Schedule No. 79)

(1st July, 1938, to 30th June, 1940)

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
†2890	Bells, electric, trembling, 3", 12 ohms resistance	...	50	Nil	
†2891	Buzzers, electric, 2½" x 2½" x 10 ohms	...	50	Nil	
†2892	Cells, Dry, "Diamond," to specification, to be branded "Victorian Railways"	Vict.	12,000	each	0	1	4½	} Widdis Diamond Dry Cells Pty. Ltd.
†2893	Cells, Dry, 3-volts, movable terminal, 3½" x 2½" x 1½", "Diamond"	"	160	"	0	0	11	
†2894	Cells, Dry, 1½-volts, "T" size, 1½" x 1½" x 5", "Diamond"	"	120	"	0	1	6	
†2895	Cord, transmitter, braided, 4-conductor	U.K.	300 yds.	yard	0	1	7	} Standard Telephones & Cables Pty. Ltd.
†2896	Cords, switchboard, 2-conductor, 4' 6" long, red or white as ordered	"	600	each	0	2	0	
†2897	Pins, channel, tinned, to take 8 S.W.G. Wire, to A.R.A. Specification No. 2330	U.S.A.	30,000	1000	2	1	3	Charles M. Terry Pty. Ltd.
†2898	Pins, insulator, goose neck, galvanized, ½", with pattern "B" lead head	Vict.	800	100	1	12	11	} McPherson's Pty. Ltd.
†2899	Pins, insulator, Queensland, galvanized, large, to Drawing No. 3—F. 1465	"	600	each	0	0	7½	
†2900	Pins, Telegraph, "N.S.W. Spotted Gum" timber, to Drawing, No. 1—F. 2459 (amended)	N.S.W.	25,000	100	0	9	11	John Perry Pty. Ltd.
†2901	Plugs, 2-conductor, "W.E.," "Ericsson"	U.K.	300	each	0	2	3	Ericsson Telephone M'fg. Co.
†2902	Pots, Porous, Leclanche, to specification, to be branded "Victorian Railways," "Atlas"	"	7000	"	0	1	5	Lawrence & Hanson Electrical Pty. Ltd.
*2903	Refills, for "Neon" arresters, type 27A, "Brach"	U.S.A.	150	"	0	12	6	Charles M. Terry Pty. Ltd.
*2904	Refills, for "Siemens" tube arresters, spark-over voltage to be not less than 300 R.M.S.	U.K.	800	"	0	3	6	Siemens (Aust.) Pty. Ltd.
*2905	Rods, Stay, galvanized, with eye, nut and washer, 5' long x ½" diam.	Vict.	400	"	0	2	0	McPherson's Pty. Ltd.
†2906	Zincs, No. 218, for A.D. Caustic Soda Cells	"	1200	"	0	2	10½	McKenzie & Holland (Aust.) Pty. Ltd.
2907-2919	—Nil							

FUSES AND SWITCHES

(Schedule No. 80)

(1st July, 1938, to 30th June, 1940)

Fuses, Cartridge, "Zed"—									
†2920	4 amps, 230 volts	...	U.K.	12 doz.	doz.	0	6	1	} Siemens (Aust.) Pty. Ltd.
†2921	5 " 500 "	...	"	6 "	"	0	8	3	
†2922	6 " 250 "	...	"	36 "	"	0	6	1	
†2923	10 " 250 "	...	"	18 "	"	0	6	1	
†2924	10 " 500 "	...	"	18 "	"	0	9	9	
†2925	15 " 250 "	...	"	4 "	"	0	8	3	
†2926	15 " 500 "	...	"	36 "	"	0	9	9	
†2927	25 " 500 "	...	"	24 "	"	0	11	2	
†2928	35 " 500 "	...	"	40 "	"	0	13	0	

FUSES AND SWITCHES—Continued.

Item No.	Description	Country of Manufre	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
	Fuses, factory type, with bases, back connected—							
†2929	5 amps, 250 volts, "T & H—Triumph"	Vict.	200 "	doz.	0	8	6	} William Adams & Co. Ltd.
†2930	15 " 250 " "Kantark" design, "Federal"	"	12 "	"	0	9	9	
†2931	15 amps, 500 volts, "T & H—Triumph"	"	48 "	"	1	0	5	
†2932	30 " 500 " "T & H—Triumph"	"	36 "	"	1	0	5	} British General Electric Co. Pty. Ltd.
†2933	60 " 500 " without studs, "T & H—Dee & See"	"	24 "	"	3	5	5	
†2934	100 amps, 500 volts, "Kantark" design, "Federal"	"	2 "	"	6	10	10	William Adams & Co. Ltd.
	Fuses, Ironclad—							
†2935	15 amps, 500 volts, "T. & H." ...	"	96	"	1	9	0	W. G. Watson & Co. Ltd.
†2936	60 " 500 " "M.E.M." ...	U.K.	48	each	0	7	1	Lawrence & Hanson Electrical Pty. Ltd.
	Fuses, replacement, complete with contacts and terminals, back connected, "T. & H."—							
†2937	100 amps, 500 volts, ...	Vict.	24	"	0	9	4	} W. G. Watson & Co. Ltd.
†2938	200 " 500 " ...	"	24	"	0	14	3	
	Switchboards, single circuit, 10 amp., mounted and framed—							
†2939	M.E.N. type, comprising— 1 No.—Switch, "Ring Grip No. 95" 1 No.—Neutral Link, 3-hole 1 No.—Fuse, 10 amp., "T. & H. Triumph" 1 No.—"Zelemite" Slab, 6" x 8" x ¼" 1 No.—Wooden Frame, 2"	Vict.	60	each	0	3	10½	} British General Electric Co. Pty. Ltd.
†2940	Non-M.E.N. type, comprising— 1 No.—Switch, "Ring Grip No. 133" 2 No.—Fuses, 10 amp., "T. & H. Triumph" 1 No.—"Zelemite" Slab, 6" x 8" x ¼" 1 No.—Wooden Frame, 2"	"	120	"	0	5	6½	
†2941	Switches, 2-way, "Crabtree" type, single pole, 5 amps, brass, florentine bronze oxidised, "Tucker No. B5000/1800"	U.K.	24	doz.	1	7	3	Gilbert Lodge & Co. Pty. Ltd.
†2942	Switches, 2-way, 5 amps, 250 volts, "Ring Grip, No. 22"	Vict.	120	"	0	16	9	John Danks & Son Pty. Ltd.
†2943	Switches, ceiling, 5 amps, 250 volts, brown base, "Standard"	N.S.W.	560	each	0	2	1	British General Electric Co. Pty. Ltd.
†2944	Switches, fuse, "Crabtree" type, single pole, 5 amps, brass, florentine bronze oxidised, "Tucker No. B4071/FB"	U.K.	320	doz.	1	9	6	Gilbert Lodge & Co. Pty. Ltd.
	Switches, ironclad, single pole, 5 amps, "Rowco"—							
†2945	Tapped for ¾" conduit ...	Vict.	24	each	0	5	6	} H. Rowe & Co. Pty. Ltd.
†2946	Tapped for ¾" conduit ...	"	24	"	0	5	6	
†2947	Tapped both ends for ¾" conduit, ...	"	24	"	0	5	8	

FUSES AND SWITCHES—Continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
	Switches, ironclad, double pole, "T. & H."—							
†2948	15 amps, 500 volts	Vict.	48	each	0	4	5½	Siemens (Aust.) Pty. Ltd.
†2949	30 ,, 500 ,,	"	120	"	0	5	9½	
†2950	60 ,, 500 ,,	"	18	"	0	14	10	
	Switches, ironclad, 3 pole, "T. & H."—							
†2951	15 amps, 500 volts	"	48	"	0	5	9½	William Adams & Co. Ltd.
†2952	30 ,, 500 ,,	"	60	"	0	7	11½	
†2953	60 ,, 500 ,,	"	12	"	1	0	9	
†2954	Switches, tumbler, single pole, bakelite— 5 amps, 250 volts, "Ring Grip, No. 21 or No. 130," as ordered	"	5000	doz.	0	12	3	Warburton Franki (Melb.) Ltd.
†2955	10 amps, 250 volts, "Ring Grip, No. 95"	"	400	"	0	18	0	A. H. Gibson (Electrical) Co. Pty. Ltd.
†2556	15 amps, 250 volts, "Ring Grip, No. 118"	"	48	"	1	12	0	
†2957	Switches, tumbler, double pole, 10 amps, 250 volts, bakelite, "Ring Grip, No. 133"	"	720	"	1	12	6	
2958-2969	Nil							

REFLECTORS AND SHADES

(Schedule No. 81)

(1st July, 1938, to 30th June, 1940)

	Reflectors, enamelled, conical—							
†2970	10" diam. x 1½" hole	Germ'y	400	each	0	0	10	Australian General Electric Ltd.
†2971	12" ,, x 1½" ,,	"	60	"	0	1	1	
†2972	15" ,, x 1½" ,,	"	150	"	0	2	3	
	Reflectors, vitreous enamelled, to specification—							
†2973	6½" diameter, 1½" hole, "Elex," No. 532N	U.K.	70	"	0	4	2	A. H. Gibson (Electrical) Co. Pty. Ltd.
†2974	6½" diameter (Angle), 1½" hole, "Elex," No. 514F	"	50	"	0	4	8	
†2975	9" diameter (Angle), tapped ½" gas thread, "Elex," No. 515F, with holder, with zinc alloy fittings and waterproof lead washers	"	70	"	0	9	11	
†2976	12" diameter (Angle), tapped ½" gas thread, "Elex," No. 516F, with zinc alloy fittings and waterproof lead washers	"	10	"	0	9	2	
2977	12" diameter, B.C. holder, tapped ½" gas thread, "Benjamin Saflux," No. 2126	"	10	"	0	14	0	Lawrence & Hanson Electrical Pty. Ltd.
†2978	12" diameter, 1½" hole, "Elex," No. 530M	"	30	"	0	4	11	A. H. Gibson (Electrical) Co. Pty. Ltd.
†2979	14" diameter, B.C. holder, tapped ½" gas thread, "Elex," No. 531M, with zinc alloy fittings and waterproof lead washers	"	70	"	0	8	7	

REFLECTORS AND SHADES—Continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £. s. d.	Name of Contractor
Reflectors, vitreous enamelled, to specification, continued—						
2980	14" diameter, B.C. holder, tapped for 3/4" conduit, " Benjamin Saafux," No. 2009	U.K.	20	each	0 17 4	Lawrence & Hanson Electrical Pty. Ltd.
2981	14" diameter, E.S. holder, tapped 1/2" gas thread, " Benjamin Saafux," No. 2010 (R.L.M.)	"	10	"	0 18 2	
2982	15" diameter, E.S. holder, tapped 1/2" gas thread, " Benjamin Saafux," No. 2130	"	180	"	0 18 10	British General Electric Co. Pty. Ltd.
2983	18" diameter, G.E.S. holder, tapped 1/2" gas thread, " Benjamin Saafux," No. 2014 (R.L.M.)	"	140	"	1 10 9	
2984	21" diameter, G.E.S. holder, tapped 1/2" gas thread, " Benjamin Saafux," No. 2134 (for 300 watt G.E.S. lamps)	"	20	"	1 14 11	W. G. Watson & Co. Ltd.
2985	21" diameter, G.E.S. holder, tapped 1/2" gas thread, " Benjamin Saafux," No. 2135 (for 500 watt G.E.S. lamps)	"	20	"	1 14 11	
2986	Elliptical (Angle) type, tapped 1/2" gas thread, " Benjamin Saafux," No. 2086	"	20	"	1 0 4	
†2987	Shades, Opal, conical, 10" diameter x 1 1/8" hole	...	300	Nil
Shades, Opal, enclosed, glassware only, " Crown Crystal," No. 17 series—						
2988	10" diameter	Vict.	150	each	0 5 7	British General Electric Co. Pty. Ltd.
2989	12" "	"	200	"	0 6 8	
2990	14" "	"	80	"	0 8 4	
2991	16" "	"	60	"	0 11 5	
Galleries, 2-piece, ventilated, each complete with coverall canopy and 6' of chain, for No. 17 Series, " Crown Crystal " opal shades—						
†2992	4" ...	"	150	"	0 3 3 1/4	British General Electric Co. Pty. Ltd.
2993	6" ...	"	300	"	0 3 8	
Shades, Opal, enclosed, glassware only, " Superlite "—						
2994	10" diameter	N.S.W.	50	"	0 16 0	Lawrence & Hanson Electrical Co. Ltd.
2995	12" "	"	50	"	0 19 9	
2996	14" "	"	80	"	1 4 6	
2997	16" "	"	20	"	Nil	
Galleries, 2-piece, ventilated, each complete with coverall canopy and 6' of chain, for " Superlite " opal shades—						
†2998	for 10" diameter shades ...	Vict.	50	"	0 3 9	Lawrence & Hanson Electrical Co. Ltd.
2999	" 12" " " ...	"	50	"	0 4 2	
3000	" 14" " " ...	"	80	"	0 4 5	
3001	" 16" " " ...	"	20	"	Nil	
3002-3019—Nil						

ELECTRICAL ACCESSORIES
(Schedule No. 82)
(1st July, 1938, to 30th June, 1940)

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
†3020	Adaptors, bayonet, "G.E.C. No. S.754"	U.K.	90 doz.	doz.	0	3	3	British General Electric Co. Pty. Ltd.
	Adaptors, lamp, flush pin, sunken interior screws—							
†3021	Double contact	...	12 "	} Nil
†3022	Single contact	...	4 "	
†3023	Bases and Shields, radiator, cruciform type, for "Hecla" standard radiators, "Hecla"	Vict.	200 sets	set	0	3	2	H. Rowe & Co. Pty. Ltd.
†3024	Bases, radiator, porcelain portion only, for "Hecla" standard radiators	...	100	Nil
†3025	Blocks, base, wooden, "C.G.C."— 3" diam.	Vict.	240 doz.	doz.	0	0	10½	} Sun Electric Co. Pty. Ltd.
†3026	4" diam.	"	20 "	"	0	2	3	
†3027	6" x 3"	"	60 "	"	0	2	7½	
†3028	9" x 3"	"	30 "	"	0	3	5½	
3029	Briquettes, for "Mox" soldering irons	Sweden	120 "	"	0	4	6	Lawrence & Hanson Electrical Pty. Ltd.
†3030	Clamps, cable, block type, for 7/18 cable, "J. Josephs"	Vict.	48 "	"	0	4	3	H. Rowe & Co. Pty. Ltd.
†3031	Clips, battery, test, universal, 25 amp., without covers, "F.G.S."	N.S.W.	35 "	"	0	3	8	Siemens (Aust.) Pty. Ltd.
†3032	Clips, battery, "T" jaws, ½" spread, 50 amps., "F.G.S."	"	50 "	"	0	5	0	H. Rowe & Co. Pty. Ltd.
	Clips, link, for "Henley" wiring system, "Glover"—							
†3033	Size No. 1	U.K.	10,000	1000	0	10	5	} Lawrence & Hanson Electrical Pty. Ltd.
†3034	" " 2	"	6000	"	0	10	5	
†3035	Compound, Cable, grade "A"	...	6 cwt.	} Nil
†3036	Connectors, "D. & S." type, without plugs	...	25	
	Connectors, porcelain, for "Henley" wiring system, "Duro"—							
†3037	1-way	Germ'y	60 doz.	doz.	0	0	6½	} British General Electric Co. Pty. Ltd.
†3038	2-way	"	60 "	"	0	1	0	
†3039	3-way	"	8 "	"	0	1	6	
*3040	Elements, Radiator, 375 volts, for operation 2 in series on 750 volts, to specification, "Hecla"	Vict.	100	each	0	6	8	} Lawrence & Hanson Electrical Pty. Ltd.
	Elements, Radiator, for "Hecla" standard radiator cones, wired complete, "Hecla"—							
3041	1000 Watt. Rating at 110 volts	"	50	"	0	4	9	
3042	1000 " " 230 " "	"	150	"	0	4	9	
†3043	1000 " " 250 " "	"	100	"	0	4	9	
3044	700 " " 110 " "	"	25	"	0	4	9	
3045	700 " " 230 " "	"	100	"	0	4	9	
3046	700 " " 250 " "	"	25	"	0	4	9	
†3047	Holders, lamp, batten, E.S., bakelite, "Ring Grip No. 56A"	"	25 doz.	doz.	0	14	6	H. Rowe & Co. Pty. Ltd.
	Holders, lamp, batten, with shade carrier rings, B.C.—							
†3048	Bakelite, "Ring Grip No. 30A"	"	100 "	"	0	9	3	} Siemens (Aust.) Pty. Ltd.
†3049	Brass, "Kerson"	U.K.	60 "	"	0	6	10	
	Holders, lamp, cord grip, with shade carrier rings, B.C.—							
†3050	Bakelite, "Ring Grip No. 20A"	Vict.	180 "	"	0	6	0	British General Electric Co. Ltd.
†3051	Brass, "Kerson"	U.K.	60 "	"	0	6	6	Siemens (Aust.) Pty. Ltd.

ELECTRICAL ACCESSORIES—Continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
	Holders, lamp, brass, tapped, with shade carrier rings, B.C., "G.E.C."—							
†3052	½" brass thread	U.K.	50 doz.	doz.	0	6	1	} British General Electric Co. Pty. Ltd.
†3053	⅝" brass thread	"	200 "	"	0	5	11	
	Holders, lamp, for " Benjamin " reflectors, porcelain, tapped ½" gas thread, complete with flanges, long skirt type, " Benjamin "—							
†3054	G.E.S.	"	100	each	0	5	8	} Siemens (Aust.) Pty. Ltd.
†3055	E.S.	"	50	"	0	6	4	
	Holders, lamp, for No. 17 series " Crown Crystal " opal shades, tapped ½" brass thread—							
†3056	G.E.S., " G.E.C. No. S.1186 "	"	150	"	0	2	1	British General Electric Co. Pty. Ltd.
†3057	E.S., " Ring Grip No. 57A "	Vict.	200	doz.	0	18	0	John Danks & Son Pty. Ltd.
†3058	Hooks, insulated, 1½"	30 doz.	Nil
†3059	Lamps, hand, portable, fitted with B.C. holders, reflectors and carrying straps, " Wynyard No. 951 "	Vict.	200	each	0	3	6	} Lawrence & Hanson Electrical Pty. Ltd.
3060	Matches, for " Mox " soldering irons	Sweden	100 boxes	box	0	0	6	
†3061	Plugalls, for kettles, bakelite, metal sheathed, " Ageite No. 7552 "	N.S.W.	200	each	0	0	6½	Australian General Electric Ltd.
†3062	Plugs and Sockets, wall, flat pin, 3 pin, earthing, 10 amp., " Ring Grip No. 54 "	Vict.	180 doz.	doz.	0	11	9	British General Electric Co. Pty. Ltd.
†3063	Plugs, for " D. & S. " connectors	100	Nil
†3064	Plugs, wall, Ironclad, 3 pin, for ¾" conduit, " G.E.C. No. S.594 "	U.K.	24	each	0	10	9	British General Electric Co. Pty. Ltd.
	Roses, ceiling, bakelite—							
†3065	2 plate, " Ring Grip No. 89 "	Vict.	90 doz.	doz.	0	3	9	} Siemens (Aust.) Pty. Ltd.
†3066	3 plate, " Ring Grip No. 90 "	"	10 "	"	0	5	9	
†3067	Sockets, bakelite, for double ended " Strip-lite " lamps, ⅝" diam. cap, " Elex "	"	70	each	0	0	8	A. H. Gibson (Electrical) Co. Pty. Ltd.
	Sockets, Electric Cable, pressed copper, tinned, to Australian Standard Specification No. C56-1929T—							
†3068	100 amps, Type 5T	N.S.W.	60 doz.	doz.	0	2	6	} Australian General Electric Ltd.
†3069	200 " " 8T	"	25 "	"	0	9	0	
	Staples, coppered, insulated, " Maspro "—							
†3070	No. 1, ½"	"	25,000	1000	0	4	6	} A. H. Gibson (Electrical) Co. Ltd.
†3071	No. 2, ⅝"	"	8000	"	0	4	6	
†3072	No. 3, ¾"	"	6000	"	0	4	6	
†3073	Taps, line, nut type, " Henley No. 7674 "	U.K.	24 doz.	doz.	0	4	6	W. T. Henley's Telegraph Works Co. Ltd.
†3074	Tops only, bakelite, for 3 pin 10 amp. wall plugs, " Ring Grip No. 53 "	Vict.	12 "	"	0	5	9	John Danks & Son Pty. Ltd.
†3075	Weights, counterbalance, porcelain	Germany	50	each	0	1	8	Australian General Electric Ltd.
3076 to 3099	—Nil							

CONDUIT PIPE AND FITTINGS

(Schedule No. 83)

(1st July, 1938, to 30th June, 1940)

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
Pipe, Conduit, plain, enamelled, "Amalgamated Conduits Ltd."—						
3100	½"	Vict.	60,000 feet	100 ft.	0 10 0	
3101	¾"	"	6000 "	"	0 14 6	
3102	1"	"	2000 "	"	1 0 11	
3103	1½"	"	1000 "	"	1 16 9	
Pipe, Conduit, screwed, enamelled, "Amalgamated Conduits Ltd."—						
3104	½"	"	16,000 "	"	0 18 8	William Adams & Co. Ltd.
3105	¾"	"	18,000 "	"	1 2 7	
3106	1"	"	9000 "	"	1 13 2	
3107	1½"	N.S.W.	3500 "	"	2 12 6	
3108	1½"	"	500 "	"	4 2 4	
3109	2"	"	1500 "	"	6 7 0	
3110	Pipe, Conduit, welded, unenamelled, ½", "Amalgamated Conduits Ltd."	Vict.	3500 "	"	0 18 7	
Fittings, Conduit, plain—						
3111	Boxes, straight through, ½", "F.G.S."	N.S.W.	48 doz.	doz.	0 7 10	Siemens (Australia) Pty. Ltd.
Elbows—						
3112	½" "Ring Grip"	Vict.	600 "	"	0 2 1	A. H. Gibson (Electrical) Co. Pty. Ltd.
3113	¾" " "	"	72 "	"	0 3 2	
3114	1" " "	"	24 "	"	0 8 6	
3115	1½" "F.G.S."	N.S.W.	12 "	"	0 9 11	Lawrence & Hanson Electrical Pty. Ltd.
Saddles, "Ring Grip"—						
3116	½"	Vict.	1800 "	gross	0 1 2	John Danks & Son Pty. Ltd.
3117	¾"	"	1000 "	"	0 1 4	H. Rowe & Co. Pty. Ltd.
3118	1"	"	240 "	"	0 2 8	
3119	1½"	"	48 "	"	0 4 2	
3120	1½"	"	48 "	"	0 5 0	John Danks & Son Pty. Ltd.
Sleeves—						
3121	½" "Ring Grip"	"	300 doz.	doz.	0 1 11	British General Electric Co. Pty. Ltd.
3122	¾" " "	"	48 "	"	0 2 6	
3123	1" " "	"	24 "	"	0 4 6	William Adams & Co. Ltd.
3124	1½" "F.G.S."	N.S.W.	6 "	"	0 4 11	Lawrence & Hanson Electrical Pty. Ltd.

CONDUIT PIPE AND FITTINGS—Continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor	
Fittings, conduit, plain (continued)—							
Tees—							
3125	½" " Ring Grip" ...	Vict.	240 doz.	doz.	0 2 10	Falk, Stadelmann & Co. Ltd.	
3126	¾" " " ...	"	36 "	"	0 3 9		
3127	1" " " ...	"	6 "	"	0 12 6		
3128	1¼" " Clipsall " ...	S. Aust.	4 "	"	1 7 0	Lawrence & Hanson Electrical Pty. Ltd.	
Fittings, conduit, screwed—							
Bends, internal threads, "T. & S."—							
3129	½" ...	N.S.W.	12 "	"	0 3 9½	British General Electric Co. Pty. Ltd.	
3130	¾" ...	"	36 "	"	0 4 11.9		
3131	1" ...	"	36 "	"	0 7 11½		
3132	1¼" ...	"	6 "	"	0 11 10½		
3133	1½" ...	"	6 "	"	1 1 5		
Boxes, "T. & S."—							
3134	2-way, ½" ...	"	4 "	"	0 6 7	H. Rowe & Co. Pty. Ltd.	
3135	3-way, ½" ...	"	4 "	"	0 7 0		
3136	3-way, ¾" ...	"	24 "	"	0 7 0		
3137	Bushes, reducing, ¾" to ½", "G.E.C." ...	U.K.	18 "	"	0 2 9	British General Electric Co. Pty. Ltd.	
Elbows, "T. & S."—							
3138	½" ...	N.S.W.	80 "	"	0 2 3		
3139	¾" ...	"	90 "	"	0 2 9		
3140	1" ...	"	40 "	"	0 4 7½		
3141	1¼" ...	"	6 "	"	0 8 1½		
3142	Elbows, inspection, 1", "T. & S." ...	"	2 "	"	0 6 5		
Lock Nuts, "T. & S."—							
3143	½" ...	"	6 "	"	0 1 0	A. H. Gibson (Electrical) Co. Ltd.	
3144	¾" ...	"	80 "	"	0 1 2		
3145	1" ...	"	12 "	"	0 1 8		
3146	1¼" ...	"	6 "	"	0 2 4		
Sockets, "T. & S."—							
3147	½" ...	"	24 "	"	0 1 8½	British General Electric Co. Pty. Ltd.	
3148	¾" ...	"	60 "	"	0 2 2½		
3149	1" ...	"	18 "	"	0 2 11½		
3150	1¼" ...	"	36 "	"	0 3 11½		
3151	1½" ...	"	8 "	"	0 5 11½		

CONDUIT PIPE AND FITTINGS.—Continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
Fittings, conduit, screwed (continued)—						
Tees, "T & S"—						
† { 3152	5"	N.S.W.	60 doz.	doz.	0 2 9	} British General Electric Co. Pty. Ltd.
3153	3"	"	24 "	"	0 3 9	
3154	1"	"	8 "	"	0 5 9	
3155	1½"	"	6 "	"	0 11 10	
Bellmouths, bakelite, screwed, "Clipsall"—						
† { 3156	For 5/8" screwed conduit ...	S. Aust.	30 "	"	0 1 8	} William Adams & Co. Ltd.
3157	" 3/4" " " " ...	"	40 "	"	0 1 10	
3158	" 1" " " " ...	"	12 "	"	0 2 3	
Bushes, metal, "Ring Grip"—						
† { 3159	For 5/8" plain conduit ...	Vict.	36 grs.	gross	0 1 5	} H. Rowe & Co. Pty. Ltd.
3160	" 3/4" " " " ...	"	6 "	"	0 1 5	
3161-3169—Nil						

ELECTRODES AND WELDING WIRE

(Schedule No. 84)

(1st July, 1938, to 30th June, 1940)

Electrodes, aluminium, "EMF," 12" long—							
† { 3170	No. 10 s.w.g.	N.S.W.	5,000 feet	100 ft.	0 17 0	} Australian Oxygen & Industrial Gases Pty. Ltd.	
3171	No. 6 s.w.g.	"	5,000 "	"	1 7 6		
Electrodes, for welding cor-ten steel, "EMF"—							
† { 3172	No. 8 s.w.g.	Vict.	} 10,000 "	"	0 8 5	} Australian Oxygen & Industrial Gases Pty. Ltd.	
3172A	No. 10. " " " " ...	"		"	"		0 7 4
3173	No. 12 " " " " ...	"		"	"		0 6 9
3174	No. 14 " " " " ...	"		"	"		0 6 6
Electrodes, mild steel, light coated, suitable for use on 25 cycle A.C. supply—							
† 3175	No. 6 s.w.g., "Robot Brown" ...	"	} 50,000 "	"	0 5 4	} Robot Industries Pty. Ltd.	
† 3175A	No. 6. " " " " " " ...	"		"	"		0 5 3
† 3176	No. 8. " " " " " " ...	"	} 100,000 "	"	0 4 6	} Robot Industries Pty. Ltd.	
† 3176A	No. 8 " " " " " " ...	"		"	"		0 4 8
† 3177	No. 10 " " " " " " ...	"	} 100,000 "	"	0 3 10	} Robot Industries Pty. Ltd.	
† 3177A	No. 10 " " " " " " ...	"		"	"		0 4 1

ELECTRODES AND WELDING WIRE—continued.

Item No.	Description	Country of Manufre	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
	Electrodes, ordinary grade, to specification—							
†3178	No. 6 s.w.g., " Robot F.3 " ...	Vict.	4,000 "	100 ft.	0	7	6	Robot Industries Pty. Ltd.
†3178A	No. 6 " " " E.M.F. General Purpose " ...	"						Australian Oxygen & Industrial Gases Pty. Ltd.
†3179	No. 8 " " " Robot F.3 " ...	"	160,000 "	"	0	5	9	Robot Industries Pty. Ltd.
†3179A	No. 8 " " " E.M.F. General Purpose " ...	"						Australian Oxygen & Industrial Gases Pty. Ltd.
†3180	No. 10 " " " Robot F.3 " ...	"	200,000 "	"	0	4	9	Robot Industries Pty. Ltd.
†3180A	No. 10 " " " E.M.F. General Purpose " ...	"						Australian Oxygen & Industrial Gases Pty. Ltd.
†3181	No. 12 " " " Robot F.3 " ...	"	25,000 "	"	0	4	3	Robot Industries Pty. Ltd.
†3181A	No. 12 " " " E.M.F. General Purpose " ...	"						Australian Oxygen & Industrial Gases Pty. Ltd.
†3182	No. 14 " " " Robot F.3 " ...	"	6,000 "	"	0	3	6	Robot Industries Pty. Ltd.
	Electrodes, structural grade, to specification, suitable for work required to be forged hot—							
†3183	No. 4 s.w.g., " EMF New Era," extra fluxed	"	60,000 "	"	0	11	9	Australian Oxygen & Industrial Gases Pty. Ltd.
†3183A	No. 4 s.w.g., " Quasi-Arc " Mild Steel, T type	"						Robert Bryce & Co. Pty. Ltd.
†3184	No. 6 s.w.g., " EMF New Era," extra fluxed or vertical as ordered	"	700,000 "	"	0	8	11	Australian Oxygen & Industrial Gases Pty. Ltd.
†3184A	No. 6 s.w.g., " Quasi Arc " Mild Steel, T type	"						Robert Bryce & Co. Pty. Ltd.
†3185	No. 8 s.w.g., " EMF New Era," extra fluxed or vertical, as ordered	"	1,600,000 "	"	0	6	8	Australian Oxygen & Industrial Gases Pty. Ltd.
†3185A	No. 8 s.w.g., " Quasi Arc " Mild Steel, T type	"						Robert Bryce & Co. Pty. Ltd.
†3186	No. 8 s.w.g., 12" long, " EMF New Era," extra fluxed or vertical, as ordered	"	10,000 feet	"	0	6	8	Australian Oxygen & Industrial Gases Pty. Ltd.
†3186A	No. 8 s.w.g., 12" long, " Quasi Arc " Mild Steel, T type	"						Robert Bryce & Co. Pty. Ltd.
†3187	No. 10 s.w.g., " EMF New Era," extra fluxed or vertical, as ordered	"	750,000 "	"	0	5	9	Australian Oxygen & Industrial Gases Pty. Ltd.
†3187A	No. 10 s.w.g., 15" long, " Quasi Arc " Mild Steel, T type	"						Robert Bryce & Co. Pty. Ltd.
†3188	No. 12 s.w.g., " EMF New Era," extra fluxed or vertical, as ordered	"	100,000 "	"	0	5	2	Australian Oxygen & Industrial Gases Pty. Ltd.
†3188A	No. 12 s.w.g., 15" long, " Quasi Arc " Mild Steel, T type	"						Robert Bryce & Co. Pty. Ltd.

ELECTRODES AND WELDING WIRE—Continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
Electrodes, structural grade, to specification, suitable for work required to be forged hot—continued—						
†3189	No. 14 s.w.g., "EMF New Era," extra fluxed	Vict.	10,000 feet	100 feet	0 5 0	Australian Oxygen & Industrial Gases Pty. Ltd. Robert Bryce & Co. Pty. Ltd.
†3189A	No. 14 s.w.g., 12" long, "Quasi Arc" Standard Uranium	"		"	0 5 5	
†3190	$\frac{5}{16}$ " diameter, "EMF New Era," extra fluxed	"	12,000 "	"	1 7 6	Australian Oxygen & Industrial Gases Pty. Ltd. Robert Bryce & Co. Pty. Ltd.
†3190A	No. 2 s.w.g., "Quasi Arc" Mild Steel, T type	"		"	1 0 0	
†3191	$\frac{3}{8}$ " diameter, "EMF New Era," extra fluxed	"	5,000 "	"	1 12 6	Australian Oxygen & Industrial Gases Pty. Ltd. Robert Bryce & Co. Pty. Ltd.
†3191A	No. 0 s.w.g., "Quasi Arc" Mild Steel, T type	"		"	1 2 6	
Electrodes, steel, to deposit 0.5 per cent. carbon steel, "Quasi Arc" —						
3192	No. 6 s.w.g.	"	2,000 "	"	0 14 9	Robert Bryce & Co. Pty. Ltd.
†3193	No. 8 "	"	10,000 "	"	0 12 11	
3194	No. 10 "	"	6,000 "	"	0 10 0	
Wire, high tensile steel, Oxy-Acetylene Welding, in coils, to specification "Ryland's"—						
3195	$\frac{1}{8}$ " diameter	N.S.W.	4 cwt.	cwt.	1 15 6	Australian Oxygen & Industrial Gases Pty. Ltd.
†3196	$\frac{3}{16}$ " "	"	6 "	"	1 14 0	
3197	$\frac{1}{4}$ " "	"	12 "	"	1 14 0	
Wire, iron, Oxy-Acetylene welding, in coils, "Ryland's"—						
3198	10 s.w.g.	"	10 "	"	1 5 0	Australian Oxygen & Industrial Gases Pty. Ltd.
†3199	$\frac{1}{16}$ " diameter	"	5 "	"	1 13 6	
3200	$\frac{3}{16}$ " "	"	30 "	"	1 4 0	
3201	$\frac{1}{4}$ " "	"	80 "	"	1 4 0	
Wire, Manganese Bronze, Oxy-Acetylene Welding, in lengths of 3', "Austral Bronze"—						
3202	$\frac{1}{8}$ " diameter	"	10 "	"	\$10 5 0	Australian Oxygen & Industrial Gases Pty. Ltd.
†3203	$\frac{3}{16}$ " "	"	60 "	"	\$ 9 4 6	
3204	$\frac{1}{4}$ " "	"	120 "	"	\$ 9 4 0	
Wire, mild steel, electric welding, in coils, "Rylands"—						
3205	$\frac{1}{16}$ " diameter	"	70 "	"	1 4 6	Australian Oxygen & Industrial Gases Pty. Ltd.
†3206	$\frac{1}{8}$ " "	"	40 "	"	1 5 0	

3207-3219—Nil

"THERMIT" WELDING MATERIAL

(Schedule No. 85)

(1st July, 1938, to 30th June, 1940)

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
	"Thermit" Welding material—							
3220	Coils, copper, preheater ...	N.S.W.	4	each	†3	18	6	R. Granowski
3221	Files, rail, special, "Bird Eagle"	Germany	500	"	†0	14	0	
3222	Gauzes (cores) for preheater ...	N.S.W.	4	"	†0	5	0	
3223	Inserts, size 2 or 3, as ordered ...	U.K.	5000	"	†0	1	0	
3224	Jets, preheater ...	N.S.W.	4	"	†0	5	0	
3225	Matches, ignition ...	Germany	250 tins	tin	†0	5	0	
3226	Mass, lining, crucible ...	Austria	15 cwt.	lb.	†0	0	9	
3227	Patterns, aluminium, for combined process	N.S.W.	4 prs.	pair	†17	17	0	
	Portions, welding, for combined process—							
3228	No. 5515, for 110 and 100 lb. rails, complete with closing portion, slag bridge and size 3 insert	"	10,000	each	†1	2	6	
3229	No. 515, for 90 lb. rails, complete with closing portion, slag bridge and size 3 insert	"		"	†1	2	0	
3230	No. 4515, for 80 and 75 lb. rails, complete with closing portion, slag bridge and size 3 or size 2 insert, as ordered	"		"	†1	1	6	
3231	Portions, welding, for fusion process, No. 520, for 80 and 90 lb. rails	"		"	†1	1	6	
3232	Stones, bottom, crucible ...	"	300	"	†0	5	0	
3233	Thimbles, crucible ...	"	700	"	†0	1	3	
3234	Washers, lead, for preheater ...	"	25	"	†0	0	6	
3235	—Nil.							

† Rates are ex Store, Sydney, and subject to discount of 1½% for payment within 14 days from date of receipt of invoice.

WESTINGHOUSE BRAKE PARTS

(Schedule No. 86)

(1st July, 1938, to 30th June, 1940)

	Westinghouse Brake Parts, to specification, delivered f.o.b., Sydney, with packing extra at cost—							
3240	Adjusters, slack, automatic, for 12", 14" or 16" cylinders, piece No. C. 268.	N.S.W.	80	each	†11	5	3	Westinghouse Brake (Australasia) Pty. Ltd.
3241	Apparatus, Brake, combined, piece No. 497, with 3½" improved triple valve and 8F. "A" bulb, piece No. C. 2260	"	800	"	†16	3	0	
3242	Bushes, Main Valve, for 10" x 10½" air compressors, piece No. 1369	"	24	"	†2	0	0	
3243	Bushes, steel, for discharge valves for 10" x 10½" air compressors (class K.L.), piece No. C. 780.	"	400	"	†0	10	0	
3244	Bushes, steel, for suction valves for 10" x 10½" air compressors (class K.L.), piece No. C. 1454.	"	400	"	†0	8	11	
3245	Caps, steel, for discharge valves for 10" x 10½" air compressors (class K.L.), piece No. C. 1993.	"	400	"	†0	6	4	
3246	Collectors, Dirt, centrifugal, ½", piece No. C. 466.	"	1200	"	†0	15	9	
3247	Collectors, Dirt, centrifugal, 1", with ½" drain cock, piece No. C. 606.	"	6	"	†1	8	11	

† Plus 2% a/c Wage increases.

WESTINGHOUSE BRAKE PARTS—Continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
	Westinghouse Brake Parts, to specification, delivered f.o.b., Sydney, with packing extra at cost—continued—					
3248	Cylinders, Brake, horizontal, long stroke, with boss on cylinder head to take triple valve and with studs for brackets, tapped $\frac{1}{2}$ " gas.— 12", piece No. 518	N.S.W.	2	each	†10 12 0	Westinghouse Brake (Australasia) Pty. Ltd.
3249	14", piece No. 519	"	4	"	†13 9 0	
3250	Diaphragms, for C. 6 regulating feed valves, piece No. 2218	"	80 doz.	doz.	†0 3 0	
3251	Diaphragms, for M.3 regulating feed valves, piece No. C. 430	"	6 "	"	†0 4 2	
3252	Diaphragms, for No. 7 air pump governors, piece No. 1811	"	12 "	"	†0 3 1	
3253	Diaphragms, for $\frac{1}{2}$ " diaphragm cocks; piece No. C. 1919	U.S.A.	50	each	†0 1 10	
3254	Diaphragms, for $\frac{3}{4}$ " diaphragm cocks, piece No. 86,582	"	12	"	†0 3 9	
3255	Governor Valves, air pressure, piece No. C. 311	N.S.W.	6	"	†2 10 6	
3256	Governors, air pressure, 8D, piece No. C. 1932	"	6	"	†17 6 6	
3257	Governors, air pump, No. 7, for 10" x 10 $\frac{1}{2}$ " air compressors (class K.L.), piece No. C. 1178	"	40	"	†6 15 9	
3258	Heads, Top, complete, for 10" x 10 $\frac{1}{2}$ " air compressors (class K.L.), piece No. 1738	"	12	"	†18 6 9	
3259	Heads, Hose Coupling, $\frac{3}{4}$ " with end to fit 1 $\frac{1}{2}$ " inside diameter hose pipe, piece No. 3500A	"	400	"	†0 10 6	
†3260	Leathers, Piston Packing— 6", Piece No. 2806	"	600	"	†0 3 6	
†3261	8", piece No. 2826	"	1000	"	†0 4 10	
†3262	10", piece No. 2841	"	800	"	†0 6 10	
†3263	13", piece No. 3143	"	160	"	†0 10 6	
†3264	15", piece No. 3153	"	100	"	†0 12 4	
†3265	16", piece No. 2886	"	400	"	†0 14 0	
3266	Pistons, without rings, for M3 Feed valves, piece No. C. 337	"	2	"	†0 12 4	
3267	Reservoirs, auxiliary, 15" x 38", piece No. 513	"	6	"	†5 15 6	
3268	Rings, for "CB" feed valves, improved, N.W., piece No. C. 2065	"	50	"	†0 1 2	
3269	Rings, for M.3 feed valves, No. 1, piece No. C. 1073	"	24	"	†0 2 1	
3270	Rings, for M. 3 feed valves, No. 2, piece No. C. 1074	"	12	"	†0 2 1	

† Plus 2% a/c wages increases.

WESTINGHOUSE BRAKE PARTS—Continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
	Westinghouse Brake Parts, to specification, delivered f.o.b., Sydney, with packing extra at cost—continued—							
3271	Rings, Piston Packing, lap joint, for 3½" improved triple valves— No. 1, piece No. C. 1036	N.S.W.	2000	each	10	2	5	Westinghouse Brake (Australasia) Pty. Ltd.
3272	No. 2, piece No. C. 1037	"	1200	"	10	2	5	
3273	No. 3, piece No. C. 1038	"	1400	"	10	2	5	
3274	No. 4, piece No. C. 1039	"	2400	"	10	2	5	
3275	No. 5, piece No. C. 1040	"	2000	"	10	2	5	
3276	No. 6, piece No. C. 1155	"	1200	"	10	2	5	
3277	Rings, Piston, for 3" triple valves, 2-970" diameter, piece No. C. 1849	"	150	"	10	2	1	
3278	Rings, Piston, for double check valves, piece No. 3993	"	200	"	10	1	3	
	Rings, Piston, for No. 7 air pump governors—							
3279	No. 1, piece No. 6160	"	150	"	10	1	5	
3280	No. 2, piece No. C. 1210	"	25	"	10	1	5	
3281	Seals, Cage Bush, for regulating valves of M. 3 feed valves, piece No. 81,012	U.S.A.	600	"	10	0	6½	
3282	Seals, regulating valve bush, for M. 3 feed valve, piece No. 81,013	"	400	"	10	0	5½	
3283	Sleeves, type "B" lubricator, piece No. C. 24	N.S.W.	50	"	10	2	11	
3284	Spindles, Centre, type "B" lubricator, piece No. C. 22	"	25	"	10	4	9	
3285	Springs, Adjusting, for C.6 feed valves, piece No. 2212	"	2 doz.	doz.	10	4	11	
3286	Springs, for 1" Bent Cocks, piece No. 2425	"	800	"	10	4	0	
3287	Springs, Piston, for C. 6 feed valves, piece No. 5553	"	2	"	10	2	6	
3288	Springs, Piston, for No. 7 governors, zinc sprayed, piece No. 6161	"	6	"	10	2	6	
3289	Springs, Regulating Valve, for M.3 feed valves, piece No. C. 451	"	2	"	10	8	11	
3290	Springs, Slide Valve, for C.6 regulating feed valves, piece No. 2252	"	50	"	10	2	1	
3291	Springs, Slide Valve, for M.3 feed valves, piece No. C. 428	"	1	"	10	5	6	
3292	Valves, Air Reducing, piece No. C. 567	"	6	each	12	17	9	
3293	Valves, Feed, M.3, complete, piece No. C. 434	"	80	"	19	1	9	
3294	Valves, Regulating, for M.3 feed valves, piece No. C. 427	"	12	"	10	2	3	
3295	Valves, Slide, for C.6 feed valves, piece No. 5990	"	160	"	10	8	11	
3296	Valves, Triple, improved, with 8 F."A" bulbs, piece No. C. 2260	"	200	"	17	14	6	
3297	Valves, Suction, steel, for 10" x 10½" air compressors (class K.L.), piece No. C. 2009	"	500	"	10	6	10	
3298	Valves, Discharge, steel, for 10" x 10½" air compressors (class K.L.), Piece No. C. 2012	"	500	"	10	5	11	
3299-3310	—Nil.							

† Plus 2% a/c wages increases.

GAS COKE, COAL TAR AND CREOSOTE
(Schedule No. 87)
(1st July, 1938, to 30th June, 1940)

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor		
					£	s.	d.			
3311	Gas Coke, to specification— Loose, delivered free on rails at Pigott Street Siding, West Melbourne	Vict.	4500 tons	ton	1	9	9	The Metropolitan Gas Co. Colonial Gas Association Ltd.		
3311A	Loose, delivered free on rails at Footscray, Box Hill or Oakleigh			ton	1	9	9			
3312	Loose, delivered within a radius of one mile from the Spencer Street Railway Station			ton	1	11	9	The Metropolitan Gas Co.		
3313	Bagged, delivered free on rails at Pigott Street Siding, West Melbourne or Spencer Street			1200	ton	1	10		9	
3314	Bagged, delivered within a radius of one mile from the Spencer Street Railway Station (including the Electrical Depot Storehouse)			ton	1	12	9			
3315	Loose, delivered into bins at Ballarat North Workshops, or bagged, delivered to the Ballarat Refreshment Rooms			500	ton	2	3		6	Ballaarat Gas Co.
3316	Loose, delivered into bins at Bendigo North Workshops, or bagged, delivered direct to the Bendigo Refreshment Rooms			400	ton	2	5	0	Bendigo Gas Co.	
3317	Bagged, delivered to the Ararat Refreshment Rooms, or into trucks at Ararat Railway Station for the Loco. Depot, Ararat			80	ton	2	7	6	The Gas Supply Co. Ltd.	
3318	Coal Tar, to specification— Delivered at the Contractor's works at— West Melbourne			Vict.	5000 gals.	gal.	0	0	4	The Metropolitan Gas Co. Albion Quarrying Co. Pty. Ltd.
3318A	North Geelong					gal.	0	0	4	
3318B	Ballarat	gal.	0			0	5 $\frac{7}{8}$			
3318C	Bacchus Marsh	gal.	0			0	5 $\frac{3}{8}$	Coates & Co. Pty. Ltd.		
3318D	Ararat	gal.	0			0	6 $\frac{3}{8}$			
3318E	Stawell	gal.	0			0	6 $\frac{1}{2}$			
3318F	Warracknabeal, Sale or Albury	gal.	0			0	7 $\frac{3}{8}$			
3319	Delivered free on rails at— Spencer Street	Vict.	5000			ton	0	0	4 $\frac{1}{4}$	The Metropolitan Gas Co. Albion Quarrying Co. Pty. Ltd.
3319A	North Geelong					ton	0	0	4 $\frac{1}{4}$	
3319B	Ballarat					ton	0	0	6 $\frac{1}{4}$	Coates & Co. Pty. Ltd.
3319C	Bacchus Marsh			ton	0	0	5 $\frac{1}{4}$			
3319D	Ararat			ton	0	0	6 $\frac{1}{2}$			
3319E	Stawell			ton	0	0	6 $\frac{3}{8}$			
3319F	Warracknabeal, Sale or Albury			ton	0	0	7 $\frac{1}{4}$			
3320	Creosote, Coal Tar, for wood preservation purposes, to specification— In 4 gallon tins, delivered free on rails, Footscray or Spencer Street, or direct to Spotswood General Storehouse, as ordered			1000	ton	0	1	3	Colonial Gas Association Ltd.	
3321	In 40 gallon drums, delivered free on rails, Middle Brighton	800	ton	0	0	9	Brighton Gas Co. Ltd.			
3322-3329	Nil									

UNIFORM BUTTONS, LININGS, ETC.

(Schedule No. 88.)

(1st July, 1938, to 30th June, 1940.)

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
†3330	Buckles, strap, black japanned, for trousers and vests, No. 16	U.K.	120 grs.	gross	0	1	6	} R. J. Harvey
	Buttons—							
	Black bone—							
†3331	Trouser, large, No. 150 ...	Japan	480 "	"	0	0	11	
†3332	Trouser, small, No. 150 ...	"	360 "	"	0	0	10	
†3333	Vest, No. 104 ...	"	100 "	"	0	0	10	
	Buttons—continued—							
	Gilt, to specification—							
*†3334	Large ...	Vict.	8 grs.	gross	1	16	0	} Stokes & Sons Pty. Ltd.
*†3335	Small ...	"	4 "	"	1	4	0	
	White metal, to specification—							
*†3336	Large ...	"	240 "	"	0	9	6	
*†3337	Small ...	"	240 "	"	0	8	6	
	Cloth—							
†3338	Flexhair (Hymo), 31" wide "Resilaire"	Vict. (partly)	2000 l. yds.	l. yd.	0	2	6	Wenzel Pty. Ltd.
†3339	Italian, black, 54" wide, "SS 4714"	U.K.	7000 "	"	0	1	6	Ingot Mills Pty. Ltd.
†3340	Linen, shrunk duck, black, 24" wide, "3980"	"	10,000 "	"	0	0	11½	E. C. Lindsay
†3341	Pocketing, khaki drill, 28" wide, "G645"	"	2400 "	"	0	0	10½	} J. F. & H. Roberts Ltd.
†3342	Silesia, black, 39" to 40" wide, "CS6"	"	6000 "	"	0	0	8½	
†3343	Silesia, printed, 39" to 40" wide, "NH"	"	10,000 "	"	0	1	0½	Ingot Mills Pty. Ltd.
3344-3349	—Nil							

SERGE AND TWILL, ETC.

(Schedule No. 89)

(1st July, 1938, to 30th June, 1940)

†3350	Cloth, Tasmanian Bluey, not less than 56" wide, to specification	...	600 l. yds.	l. yd.	Nil	
†3351	Cloth, for Overcoats, 24 oz. per lin. yd., 58" wide, to specification "C.N. 2"	Vict.,	2000 "	"	0	7	3	} Godfrey Hirst & Co. Pty. Ltd.
†3352	Serge, 18 oz. per lin. yd., 58" wide, to specification "G.C. 6"	"	500 "	"	0	6	7	
†3353	Serge, 20 oz. per lin. yd., 58" wide, to specification	"	25,000 "	"	0	8	2	} Federal Woollen Mills Ltd. Valley Worsted Mills Ltd.
†3354	Twill, dark or light blue, as ordered, 18 oz. per lin. yd., 58" wide, to specification "No. 296"	"	10,000 "	"	0	8	9	
3355-3359	—Nil							

UNIFORM CLOTHING

(Schedule No. 90)

(1st July, 1938, to 30th June, 1940)

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
	Garments, MADE TO MEASURE, from Twill, 18 oz. per lineal yard, to specification—							
	Coats—							
*3360	To sample No. 1 (worn by Station-masters and Night Officers)	Vict.	900	each	2	14	0	Alfred Bowley & Co.
*3361	To sample No. 2 (worn by Asst. Station-masters and Clerk Assistants)	"	700	"	2	7	0	
*3362	To sample No. 3 (worn by Tramway Inspector)	"	2	"	2	13	6	
*3363	To sample No. 4 (worn by Asst. Tramway Inspectors and Passenger Guards)	"	80	"	2	8	0	
*3364	To sample No. 5 (double breasted, light blue) (worn by Head Porters, Senior Porters, Indicator Porters, Parcels Foreman, Yard Foremen, 1st class Ticket Checkers and Supervising Tram Motormen)	"	160	"	2	7	0	
*3365	To sample No. 6 (double breasted, light blue) (worn by Train Conductors and Hall Officer)	"	60	"	2	8	0	
*3366	To sample No. 7 (plain) (worn by Special Ticket Checkers and Luggage Checkers)	"	50	"	2	2	3	
*3367	To sample No. 8 (plain) (worn by Special Inquiry Officers)	"	20	"	2	2	3	
	Vests—							
*3368	To sample No. 12 (worn by Station-masters, Night Officers, Asst. Station-masters, Clerk Assistants, Special Ticket Checkers and Luggage Checkers)	"	1600	"	0	10	3	
*3369	To sample No. 13 (worn by Tramway Inspector, Asst. Tramway Inspectors and Passenger Guards)	"	80	"	0	11	3	
*3370	To sample No. 14 (light blue) (worn by Train Conductors and Hall Officer)	"	60	"	0	11	3	
*3371	To sample No. 15 (worn by Special Inquiry Officers)	"	20	"	0	11	0	

UNIFORM CLOTHING—Continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
	Garments, MADE TO MEASURE, from Twill, 18 oz. per lineal yard, to specification—continued—							
	Trousers—							
*3372	To sample No. 18 (worn by Station-masters, Night Officers, Asst. Station-masters and Clerk Assistants)	Vict.	1700	each	1	0	0	} Alfred Bowley & Co.
*3373	To sample No. 19 (worn by Tramway Inspector, Asst. Tramway Inspector and Passenger Guards)	"	80	"	1	0	0	
*3374	To sample No. 20 (light blue) (worn by Head Porters, Senior Porters, Indicator Porters, Parcels Foremen, Yard Foremen, 1st class Ticket Checkers, Supervising Tram Motormen, Train Conductors and Hall Officer)	"	220	"	1	0	3	
*3375	To sample No. 21 (plain) (worn by Special Ticket Checkers)	"	50	"	1	1	0	
*3376	To sample No. 22 (plain) (worn by Luggage Checkers)	"	2	"	1	0	0	
*3377	To sample No. 23 (plain) (worn by Special Inquiry Officers)	"	20	"	1	1	3	
	Garments, STOCK SIZES, made from Serge, 20 oz. per lineal yard, to specification—							
	Coats—							
*3378	To sample No. 26 (worn by Porters, Rail Motor Drivers, Electric Suburban Guards, Electric Train Drivers, Vanmen and Tram Motormen)	"	4000	"	1	19	6	} Hytone Clothing Pty. Ltd.
*3379	To sample No. 27 (worn by Goods Guards, Shunters, Watchmen, Licensed Luggage Porters and Number Takers)	"	1800	"	1	15	0	
*3380	To sample No. 28 (worn by Operating Porters and Signal Porters)	"	1200	"	1	17	0	
*3381	To sample No. 29 (double breasted) (worn by 2nd class Ticket Checkers and Tram Conductors)	"	150	"	2	5	6	
	Vests—							
*3382	To sample No. 32 (worn by Porters, Rail Motor Drivers, Electric Suburban Guards, Electric Train Drivers, Vanmen, Watchmen, Licensed Luggage Porters, Operating Porters, Signal Porters, 2nd class Ticket Checkers, Tram Conductors and Tram Motormen)	"	5500	"	0	9	9	
*3383	To sample No. 33 (worn by Goods Guards and Shunters)	"	1600	"	0	10	3	
	Trousers—							
*3384	To sample No. 35 (worn by Porters, Rail Motor Drivers, Electric Suburban Guards, Electric Train Drivers, Vanmen, Watchmen, Licensed Luggage Porters, Operating Porters, Signal Porters, 2nd class Ticket Checkers, Tram Conductors, Tram Motormen, Goods Guards and Shunters)	"	7500	"	0	18	3	

UNIFORM CLOTHING—Continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
	Garments, STOCK SIZES, 4, 5, 6 or 7 as ordered, made from Tasmanian Bluey Cloth, to specification—							
*3385	Aprons, to sample No. 37	200	} Nil	
*3386	Coats, to sample No. 38	200		
*3387	Trousers, with bibs, to sample No. 39	250		
	Extras on rates for Items Nos. 3360 to 3367 for supplying and sewing on GOLD WIRE LACE CHEVRONS, as ordered—							
3388	No. 1 (one broad bar)	Vict.	...	each	0	1	} Alfred Bowley & Co.	
3389	No. 2 (one broad bar and one narrow bar)	"	...	"	0	1		
3390	No. 3 (two broad bars)	"	...	"	0	1		
3391	No. 4 (two broad bars and one narrow bar)	"	...	"	0	2		
3392	No. 5 (three broad bars)	"	...	"	0	2		
3393	No. 6 (three broad bars and one narrow bar)	"	...	"	0	2		
3394	No. 7 (four broad bars)	"	...	"	0	2		
3395	No. 8 (four broad bars and one narrow bar)	"	...	"	0	3		
	Extras on rates for Items Nos. 3378 to 3384 for MADE TO MEASURE Serge Garments not provided for in stock sizes, as ordered—							
3396	Coat	"	...	"	0	4	} Hytone Clothing Pty. Ltd.	
3397	Vest	"	...	"	0	2		
3398	Trousers	"	...	"	0	2		
	Allowance for ALTERATIONS or ADJUSTMENTS to completed garments, as ordered—							
3399	Shortening braided coat	"	...	"	0	5	Alfred Bowley & Co.	
3399A	" "	"	...	"	0	7	Hytone Clothing Pty. Ltd.	
3400	Shortening plain coat	"	...	"	0	3	Alfred Bowley & Co.	
3400A	" "	"	...	"	0	3	Hytone Clothing Pty. Ltd.	
3401	Lengthening braided coat	"	...	"	0	5	Alfred Bowley & Co.	
3401A	" "	"	...	"	0	7	Hytone Clothing Pty. Ltd.	
3402	Lengthening plain coat	"	...	"	0	3	Alfred Bowley & Co.	
3402A	" "	"	...	"	0	4	Hytone Clothing Pty. Ltd.	
3403	Shortening sleeves	"	...	"	0	1	Alfred Bowley & Co.	
3403A	" "	"	...	"	0	2	Hytone Clothing Pty. Ltd.	

UNIFORM CLOTHING—Continued.

Item No.	Description	Country of Manufacture	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
	Allowance for ALTERATIONS or ADJUSTMENTS to completed garments, as ordered—continued—					
3404	Lengthening sleeves	Vict.	...	each	0 2 0	Alfred Bowley & Co
3404A	" "	"	...	"	0 3 0	Hytone Clothing Pty Ltd.
3405	Lowering collar of coat	"	...	"	0 1 9	Alfred Bowley & Co
3405A	" "	"	...	"	0 3 6	Hytone Clothing Pty Ltd.
3406	Taking in chest and waist of coat	"	...	"	0 2 6	Alfred Bowley & Co
3406A	" "	"	...	"	0 4 6	Hytone Clothing Pty Ltd.
3407	Inserting dart in arm hole	"	...	"	0 1 6	Alfred Bowley & Co
3407A	" "	"	...	"	no charge	Hytone Clothing Pty Ltd.
3408	Alterations or adjustment to any particular vest	"	...	"	0 1 9	Alfred Bowley & Co
3408A	" "	"	...	"	0 2 6	Hytone Clothing Pty Ltd.
3409	Taking in waist of trousers	"	...	"	0 1 6	Alfred Bowley & Co
3409A	" "	"	...	"	0 2 6	Hytone Clothing Pty Ltd.
3410	Letting out waist of trousers	"	...	"	0 1 9	Alfred Bowley & Co
3410A	" "	"	...	"	0 2 6	Hytone Clothing Pty Ltd.
3411	Taking in seat of trousers	"	...	"	0 1 6	Alfred Bowley & Co
3411A	" "	"	...	"	0 2 6	Hytone Clothing Pty Ltd.
3412	Letting out seat of trousers	"	...	"	0 1 9	Alfred Bowley & Co
3412A	" "	"	...	"	0 2 6	Hytone Clothing Pty Ltd.
3413	Shortening legs of trousers	"	...	"	0 0 6	Alfred Bowley & Co
3413A	" "	"	...	"	0 1 6	Hytone Clothing Pty Ltd.
3414	Lengthening legs of trousers	"	...	"	0 1 0	Alfred Bowley & Co
3414A	" "	"	...	"	0 2 0	Hytone Clothing Pty Ltd.
3415	Taking in legs of trousers	"	...	"	0 1 3	Alfred Bowley & Co
3415A	" "	"	...	"	0 2 6	Hytone Clothing Pty Ltd.
3416	Inserting hip pocket in trousers	"	...	"	0 1 6	Alfred Bowley & Co
3416A	" "	"	...	"	0 2 0	Hytone Clothing Pty Ltd.
3417	Supplying and attaching gold crowns	"	...	pair	0 10 0	Alfred Bowley & Co
3417A	" "	"	...	"	0 12 6	Hytone Clothing Pty Ltd.
3418	Supplying and attaching $\frac{1}{2}$ " " V.R." gold bullion badges	"	...	"	0 7 0	Alfred Bowley & Co
3418A	" "	"	...	"	0 9 6	Hytone Clothing Pty Ltd.
3419	Supplying and attaching $\frac{1}{2}$ " " V.R." silver bullion badges	"	...	"	0 4 6	Alfred Bowley & Co
3419A	" "	"	...	"	0 6 6	Hytone Clothing Pty Ltd.
3420-3429	—Nil					

ALUMINIUM, ANTIMONY, LEAD AND ZINC

(Schedule No. 91)

(1st July, 1938, to 30th June, 1940)

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
3430	Aluminium, ingot, to specification ...	N.S.W.	20 cwt.	cwt.	6 6 0	Ingot Metals Pty. Ltd.
†3431	Aluminium, rod, bright, 1" diameter	240 ft.	Nil
3432	Antimony, regulus of, 99·5% pure, ingot, to specification	N.S.W.	25 tons	ton	§Market price for British Antimony plus percentage (see note)	O. T. Lempriere & Co. Pty. Ltd.
3433	Lead, Antimonial, ingot, to specification	...	40 "	Nil
3434	Lead, Antimonial, strip, 2" wide x ·06" thick, to specification	N.S.W.	30 cwt.	cwt.	§2 8 0	J. McIlwraith & Co. Pty. Ltd.
3435	Lead, pig, soft (remelted), to specification	Vict.	60 tons	ton	Mean of Spot and Forward market prices of Lead, plus Exchange §less £1	} Walter Coop
3436	Lead, pig, soft, produced from new material, to specification	"	8 "	"	§plus £3	
3437	Lead, sheet, any thickness ordered, and cut to any size ordered, to specification	"	30 "	"	§plus £8	
3438	Zinc, electrolytic, ingots, 99·9%, to specification	Tas.	6 "	"	§London spot price of Spelter plus £8	} Briscoe & Co. Ltd.
†3439	Zinc, sheet, perforated, to specification, 84 holes to the square inch, each hole 0·085" diameter, No. 6 zinc gauge (0·011"), in sheets 7' x 3' or 8' x 3', as ordered	U.K. or Belgium	1000 sq. ft.	sq. ft.	0 0 3 ⁷ / ₁₆	Briscoe & Co. Ltd.
†3440	Zinc, sheet, plain, any size ordered, to specification— No. 8 zinc gauge (0·015") No. 9 " " (0·017") No. 10 " " (0·019") No. 11 " " (0·021") No. 12 " " (0·025") No. 13 " " (0·028") No. 14 " " (0·031") No. 20 " " (0·070")	Belgium	1 ton	cwt.	2 6 0	George White & Co. Pty. Ltd.
3441—3449	—Nil					

BRASS PRODUCTS
(Schedule No. 92)
(1st July, 1938, to 30th June, 1940)

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
3450	Brass Rod, high speed machining quality or forging quality, as ordered, to specification, in 6' to 8' lengths— Hexagon, any of the following sizes ordered—	N.S.W.	20 tons	cwt.	\$3 16 5	Austral Bronze Co. Pty. Ltd. Extruded Metals Pty. Ltd.
3450A	" " " "	Vict.		"	\$3 13 6	
	Width across flats					
	Min.	Max.	For Nuts as under:			
	0-334"	0-338"	$\frac{1}{8}$ "			
	0-373"	0-375"	—			
	0-440"	0-445"	$\frac{3}{16}$ "			
	0-498"	0-502"	$\frac{1}{4}$ " R.S.A. Special			
	0-520"	0-525"	$\frac{1}{4}$ " Whitworth			
	0-595"	0-600"	$\frac{5}{16}$ " "			
	0-705"	0-710"	$\frac{3}{8}$ " "			
	0-750"	0-755"	—			
	0-815"	0-820"	$\frac{7}{16}$ " "			
	0-915"	0-920"	$\frac{1}{2}$ " "			
	1-002"	1-010"	$\frac{9}{16}$ " "			
	1-092"	1-100"	$\frac{5}{8}$ " "			
	1-192"	1-200"	$\frac{11}{16}$ " "			
	1-292"	1-300"	$\frac{3}{4}$ " "			
	1-382"	1-390"	$\frac{13}{16}$ " "			
	1-468"	1-480"	$\frac{7}{8}$ " "			
	1-658"	1-670"	1" "			
	1-845"	1-860"	$1\frac{1}{8}$ " "			
	2-035"	2-050"	$1\frac{1}{4}$ " "			
	2-200"	2-220"	$1\frac{3}{8}$ " "			
	2-390"	2-410"	$1\frac{1}{2}$ " "			
	2-555"	2-580"	$1\frac{5}{8}$ " "			
	2-735"	2-760"	$1\frac{3}{4}$ " "			
3451	Round, $\frac{3}{16}$ " to $1\frac{1}{2}$ " diameter, advancing by $\frac{1}{16}$ " and $1\frac{1}{8}$ " to 3" diameter, advancing by $\frac{1}{8}$ ", as ordered	N.S.W.		"	\$3 16 5	Austral Bronze Co. Pty. Ltd.
3451A	Round, $\frac{1}{8}$ " diameter	Vict.	20	"	\$4 13 4	Extruded Metals Pty. Ltd.
3451B	" $\frac{3}{16}$ "	"	"	"	\$4 8 8	
3451C	" $\frac{1}{4}$ " or $\frac{5}{16}$ " diameter, as ordered	"	"	"	\$4 4 0	
3451D	" $\frac{3}{8}$ " or $\frac{1}{2}$ "	"	"	"	\$3 17 0	
3451E	" $\frac{5}{8}$ " to $1\frac{1}{2}$ " diameter, advancing by $\frac{1}{16}$ " and $1\frac{1}{8}$ " to 3" diameter, advancing by $\frac{1}{8}$ ", as ordered	"	"	"	\$3 13 6	

BRASS PRODUCTS—Continued.

Item No.	Description	Country of Manufacture	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
3452	Brass Rod, high speed machining quality or forging quality, as ordered, in 6' to 8' lengths— Square, $\frac{3}{8}$ " to $1\frac{1}{2}$ ", advancing by $\frac{1}{8}$ ", as ordered	N.S.W.	1 ton	cwt.	\$3	16	5	Austral Bronze Co. Pty. Ltd.
3452A	" " " " " " " " " " " "	Vict.		"	\$3	13	6	
3453	Brass Rod, machining and bending quality, to specification, $\frac{1}{2}$ " diameter, in 6' to 8' lengths	N.S.W.	1 cwt.	"	\$3	16	5	Austral Bronze Co. Pty. Ltd.
3453A	" " " " " " " " " " " "	Vict.		"	\$4	6	4	Extruded Metals Pty. Ltd.
3454	Brass, Sheet, cold rolled, hard or soft (annealed), as ordered, to specification— In sheets 4' x 1'— $\frac{3}{8}$ ", $\frac{7}{16}$ " or $\frac{1}{2}$ " thick, as ordered	N.S.W.	8 tons	lb.	\$0	1	2 $\frac{1}{2}$	Austral Bronze Co. Pty. Ltd.
3455	In sheets 6' x 2', 4' x 2', or 4' x 1', as ordered— $\frac{3}{16}$ ", $\frac{1}{4}$ " or $\frac{5}{16}$ " thick, as ordered	"		"	\$0	1	2 $\frac{1}{2}$	
3456	16 s.w. gauge, or heavier, in even gauges, as ordered	"		"	\$0	1	2 $\frac{1}{2}$	
3457	18 or 20 s.w. gauge, as ordered	"		"	\$0	1	2 $\frac{1}{2}$	
3458	22 s.w. gauge	"		"	\$0	1	3	
3459	24 s.w. gauge	"		"	\$0	1	3 $\frac{1}{2}$	
3460	26 s.w. gauge	"		"	\$0	1	4 $\frac{1}{2}$	
3461	28 s.w. gauge	"		"	\$0	1	5 $\frac{1}{2}$	
3462	30 s.w. gauge	"		"	\$0	1	7 $\frac{1}{2}$	
3463	Extra on rate for Item No. 3455 to 3459 for sheets 6' x 3'	"		"	\$0	0	1 $\frac{1}{2}$	
3464	Extra on rate for Item No. 3460 for sheets 6' x 3'	"	"	\$0	0	2		
3465	Extra on rates for Items Nos. 3455 to 3459 for sheets 6' x 2' 6"	"	"	\$0	0	1		
3466	Extra on rate for Item No. 3460 for sheets 6' x 2' 6"	"	"	\$0	0	1 $\frac{1}{2}$		
3466A	Extra on rate for Item No. 3461 for sheets 6' x 2' 6"	"	"	\$0	0	2		
3466B	Extra on rate for Item No. 3462 for sheets 6' x 2' 6"	"	"	\$0	0	3		
Brass Tubing (except Boiler Tubes) solid drawn, to specification, any lengths ordered, "Metal Manufacturers Ltd."—								
3467	$\frac{1}{4}$ " or $\frac{5}{16}$ " outside diameter x 24, 22, 20, 18 or 16 s.w.g., as ordered	"	30 cwt.	"	\$0	2	4	George White & Co. Pty. Ltd.
3468	$\frac{3}{8}$ " or $\frac{7}{16}$ " outside diameter x 20, 18, 16, 14 or 10 s.w.g., as ordered	"		"	\$0	1	10	
3469	$\frac{1}{2}$ " or $\frac{9}{16}$ " outside diameter x 20, 18, 16, 14 or 10 s.w.g., as ordered	"		"	\$0	1	8	
3470	$\frac{5}{8}$ " outside diameter x 20, 18, 16, 14, 12 or 10 s.w.g., as ordered	"		"	\$0	1	8	
3471	$\frac{11}{16}$ " outside diameter x 20, 18 or 16 s.w.g., as ordered	"		"	\$0	1	9	
3472	$\frac{3}{4}$ " outside diameter x 20, 18, 16, 14, 12 or 10 s.w.g., as ordered	"		"	\$0	1	6	
3473	$\frac{13}{16}$ " outside diameter x 22, 16, or 10 s.w.g., as ordered	"		"	\$0	1	10	
3474	$\frac{7}{8}$ ", 1", $1\frac{1}{8}$ ", $1\frac{1}{4}$ " or $1\frac{1}{2}$ " outside diameter x 20, 18, 16, 14, 12 or 10 s.w.g., as ordered (excluding $1\frac{1}{4}$ " x 16 s.w.g.)	"		"	\$0	1	6	
3475	Nil							
3476	$1\frac{1}{4}$ " outside diameter x 16 s.w.g., in minimum orders of 10 cwt. in random lengths from 12' to 18'	"	4 tons	"	\$0	1	3·7	Knox, Schlapp & Co.
3477-3479	Nil							

COPPER PRODUCTS

(Schedule No. 93)

(1st July, 1938, to 30th June, 1940)

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
*3480	Copper Angle, for contactor tips ...	Vict.	12 cwt.	lb.	\$0 0 11 ³ / ₈	Extruded Metals Pty Ltd.
3481	Copper Rod, electrolytic, to specification, $\frac{3}{16}$ " , $\frac{1}{4}$ " , $\frac{5}{16}$ " , $\frac{3}{8}$ " , $\frac{1}{2}$ " , $\frac{5}{8}$ " , $\frac{3}{4}$ " , $\frac{7}{8}$ " or 1" diam., as ordered	N.S.W.	30 "	"	\$0 0 10 ⁷ / ₈	
3482	Copper Rod, for loco. fire boxes, to specification, $\frac{3}{4}$ " to $1\frac{1}{2}$ " diameter, advancing by $\frac{1}{16}$ " , as ordered	"	65 tons	ton	\$97 6 0	
3483	Copper Sheet, to specification, any size on price list, as ordered, " G. E. Crane & Son Pty. Ltd.," or " Austral Bronze Co. Pty. Ltd."— Hot Rolled (soft) ...	"	6 "	lb.	\$Rates as per price list	H. A. Barnard Pty. Ltd.
3484	Cold Rolled (hard or soft, as ordered)	"	2 "	"	\$ "	
3485 to 3502	Nil					
3503	Copper Strip, annealed, to specification, in coils of approx. 50 lb., "Metal Manufactures Ltd."— 2" wide x .125" thick ...	"	2 "	"	\$0 1 0-8	British Insulated Cables Ltd.
3504	2" wide x .06" thick ...	"	6 cwt.	"	\$0 1 6-8	
3505	Copper Strip, for pantographs, to specification and Drawing No. 690E	Vic.	10 tons	ton	\$101 10 0	Extruded Metals Pty. Ltd.
3506	Copper Strip, half moon, to specification and Drawing No. F. 1131, in coils of approx. 80 or 112 lb., "Metal Manufactures Ltd."	N.S.W.	5 cwt.	lb.	\$0 1 9	British Insulated Cables Ltd.
3507	Copper Strip, hard drawn, 10 s.w. gauge, to specification, "Metal Manufactures Ltd."— 2 $\frac{1}{4}$ " wide, in coils of 130 lb. ...	"	5 "	"	\$0 1 0-5	
3508	1 $\frac{1}{2}$ " wide, in coils of 130 lb., or in straight lengths of not less than 12', as ordered	"	20 "	"	\$0 0 11-8	
3509	Copper Tubing, solid drawn, seamless, to specification, in 14' to 18' lengths, "Metal Manufactures Ltd."— $\frac{3}{16}$ " outside diameter x 20 s.w. gauge ...	"	1 "	"	\$0 1 9-7	Knox, Schlapp & Co.
3510	$\frac{1}{4}$ " " x 16 " ...	"	2 "	"	\$0 1 5-7	
3511	$\frac{5}{16}$ " " x 16 " ...	"	5 "	"	\$0 1 5-7	
3512	$\frac{3}{8}$ " " x 16 " ...	"	15 "	"	\$0 1 4-5	
3513	$\frac{1}{2}$ " " x 16 " ...	"	10 "	"	\$0 1 4	
3514	$\frac{1}{4}$ " " x 14 " ...	"	25 "	"	\$0 1 3-3	
3515	$\frac{1}{4}$ " " x 18 " ...	"	20 "	"	\$0 1 4-5	
3516	$\frac{1}{4}$ " " x 14 " ...	"	25 "	"	\$0 1 2-9	
3517	$\frac{1}{4}$ " " x 14 " ...	"	20 "	"	\$0 1 2-6	
3518	1" " x 12 " ...	"	45 "	"	\$0 1 2	
3519	1" " x 8 " ...	"	15 "	"	\$0 1 2-3	
3520	1 $\frac{1}{4}$ " " x 12 " ...	"	80 "	"	\$0 1 1-6	

COPPER PRODUCTS—Continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
	Copper Tubing, solid drawn, seamless, to specification, in 14' to 18' lengths, "Metal Manufactures Ltd."—Continued.					
3521	1½" " x 14 " ...	N.S.W.	1 cwt.	lb.	\$0 1 1·8	Ingot Metals Pty. Ltd
3522	1½" " x 12 " ...	"	1 "	"	\$0 1 1·1	
3523	1½" " x 10 " ...	"	100 "	"	\$0 1 1·1	
3524	1½" " x 10 " ...	"	60 "	"	\$0 1 1·1	
3525	2" " x 10 " ...	"	8 "	"	\$0 1 1·1	
3526	2¼" " x 10 " ...	"	1 "	"	\$0 1 1·1	
3527	2½" " x 10 " ...	"	5 "	"	\$0 1 1·1	
3528	4½" " x 1½" wall ...	"	220 "	"	\$0 1 1·6	
3529	5½" " x 1½" " ...	"	30 "	"	\$0 1 2·1	
3530	5¾" " x 1½" " ...	"	5 "	"	\$0 1 2·1	
3531	5¾" " x 1½" " ...	"	60 "	"	\$0 1 2·1	
3532	5½" " x 1¼" " ...	"	1 "	"	\$0 1 1·9	
3533	6" " x 1¼" " ...	"	5 "	"	\$0 1 1·9	
3534	6½" " x 1¼" " ...	"	5 "	"	\$0 1 2·3	
3535	Copper Tubing, solid drawn (seamless), in 15' lengths, 13 s.w. gauge x 1·143" internal diameter, to specification, "Metal Manufactures Ltd."	"	60 "	"	\$0 1 2	
3536	Phosphor Copper, 15%, in slabs, to specification	"	60 "	"	\$0 1 5½	
3537-3539	—Nil					

MALLEABLE IRON CASTINGS

(Schedule No. 94)

(1st July, 1938, to 30th June, 1940)

3540	Castings, Malleable Iron, to specification—Up to 1 lb. in weight, white heart ...	Vict.	15 tons	lb.	0 0 10	United Engineering & Malleable Co. Pty. Ltd.	
3540A	Up to 1 lb. in weight, black or white heart as ordered	"		"	0 0 10½	Baxter Malleable Pty. Ltd.	
3541	Over 1 lb. up to 5 lb. in weight, white heart	"		"	0 0 9½	United Engineering & Malleable Co. Pty. Ltd.	
3541A	Over 1 lb. up to 5 lb., black or white heart as ordered	"		"	0 0 9	Baxter Malleable Pty. Ltd.	
3542	Over 5 lb. up to 15 lb. in weight, white heart	"		"	0 0 9½	United Engineering & Malleable Co. Pty. Ltd.	
3542A	Over 5 lb. up to 15 lb., black or white heart as ordered	"		"	0 0 8½	Baxter Malleable Pty. Ltd.	
3543	Over 15 lb. in weight, white heart ...	"		"	0 0 9	United Engineering & Malleable Co. Pty. Ltd.	
3543A	Over 15 lb. in weight, black or white heart as ordered	"		"	0 0 8	Baxter Malleable Pty. Ltd.	
	Castings, Malleable Iron, white heart, dressed ready for galvanizing, to specification—			10 tons			United Engineering & Malleable Co. Pty. Ltd.
3544	Up to 1 lb. in weight ...	"			"	0 0 11	
3545	Over 1 lb. up to 5 lb. in weight ...	"			"	0 0 10½	
3546	Over 5 lb. up to 15 lb. in weight ...	"			"	0 0 10½	
3547	Over 15 lb. in weight ...	"			"	0 0 10	
3548	Up to 1 lb. in weight ...	"			"	0 1 1½	
3549	Over 1 lb. up to 5 lb. in weight ...	"			"	0 1 1	
3549A	Over 5 lb. up to 15 lb. in weight ...	"		"	0 1 1		
3549B	Over 15 lb. in weight ...	"		"	0 1 0½		

CARBON STEEL CASTINGS
(Schedule No. 95)
(1st July, 1938, to 30th June, 1940)

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
Castings, Carbon Steel (Grade "A," or "B"), as ordered and as specified—								
3550	Weights under 2 lb.	Vict.	} 6 tons	ton	102	0	0	J. V. Robertson Pty. Ltd.
3550A	" " " " " " " "	"		"	112	0	0	Chas. Ruwolt Pty. Ltd.
3550B	" " " " " " " "	"		"	112	0	0	Steel Co. of Aust. Pty. Ltd.
3550C	" " " " " " " "	"		"	112	0	0	Thompson's Eng. & Pipe Co. Ltd.
3550D	" " " " " " " "	"	"	"	112	0	0	Davies & Baird Pty. Ltd.
3551	Weights, 2 lb. and up to 14 lb.	"	} 80 "	"	66	0	0	J. V. Robertson Pty. Ltd.
3551A	" " " " " " " "	"		"	68	0	0	Chas. Ruwolt Pty. Ltd.
3551B	" " " " " " " "	"		"	68	0	0	Steel Co. of Aust. Pty. Ltd.
3551C	" " " " " " " "	"		"	68	0	0	Thompson's Eng. & Pipe Co. Ltd.
3551D	" " " " " " " "	"	"	"	68	0	0	Davies & Baird Pty. Ltd.
3552	Weights over 14 lb. and up to 1 cwt.	"	} 350 "	"	52	0	0	J. V. Robertson Pty. Ltd.
3552A	" " " " " " " "	"		"	52	0	0	Chas. Ruwolt Pty. Ltd.
3552B	" " " " " " " "	"		"	52	0	0	Steel Co. of Aust. Pty. Ltd.
3552C	" " " " " " " "	"		"	52	0	0	Thompson's Eng. & Pipe Co. Ltd.
3552D	" " " " " " " "	"	"	"	52	0	0	Davies & Baird Pty. Ltd.
3553	Weights over 1 cwt.	"	} 150 "	"	49	0	0	J. V. Robertson Pty. Ltd.
3553A	" " " " " " " "	"		"	51	0	0	Chas. Ruwolt Pty. Ltd.
3553B	" " " " " " " "	"		"	51	0	0	Steel Co. of Aust. Pty. Ltd.
3553C	" " " " " " " "	"		"	51	0	0	Thompson's Eng. & Pipe Co. Ltd.
3553D	" " " " " " " "	"	"	"	51	0	0	Davies & Baird Pty. Ltd.
Castings, Carbon Steel (Grade "A" or "B" as ordered, Moulded within the limits of gauges), as specified—								
3554	Axle Boxes, Car, Van, Wagon, and Engine Tender	"	} 300 "	"	58	0	0	Chas. Ruwolt Pty. Ltd.
3554A	" " " " " " " "	"		"	58	0	0	Steel Co. of Aust. Pty. Ltd.
3554B	" " " " " " " "	"		"	58	0	0	Thompson's Eng. & Pipe Co. Ltd.
3554C	" " " " " " " "	"		"	58	0	0	Davies & Baird Pty. Ltd.
3555	Axle Boxes, Engine, Engine Trailing Truck or Engine Bogie	"	} 30 "	"	52	0	0	J. V. Robertson Pty. Ltd.
3555A	" " " " " " " "	"		"	52	0	0	Chas. Ruwolt Pty. Ltd.
3555B	" " " " " " " "	"		"	52	0	0	Steel Co. of Aust. Pty. Ltd.
3555C	" " " " " " " "	"		"	52	0	0	Thompson's Eng. & Pipe Co. Ltd.
3555D	" " " " " " " "	"	"	"	52	0	0	Davies & Baird Pty. Ltd.

CARBON STEEL CASTINGS—Continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
	Castings, Carbon Steel (Grade "B," moulded within the limits of gauges), as specified—					
	(a) Weights over 14 lb. and up to 1 cwt.—					
3556	Back Stops to Drawings Nos. I.Z. 45-7 and -8, 7611-8, 7636-13, 7643, or Q.N. 3-21	Vict.	} 10 tons	ton	50 0 0	J. V. Robertson Pty. Ltd.
3556A	" " " " " " " " " " " "	"		"	50 0 0	Chas. Ruwolt Pty. Ltd.
3556B	" " " " " " " " " " " "	"		"	50 0 0	Steel Co. of Aust Pty. Ltd.
3556C	" " " " " " " " " " " "	"		"	50 0 0	Thompson's Eng. & Pipe Co. Ltd.
3556D	" " " " " " " " " " " "	"		"	50 0 0	Davies & Baird Pty. Ltd.
3557	Carry Irons to Drawings Nos. IZ. 45-2, 7611-2 or 7636-15	"	} 10 "	"	57 0 0	J. V. Robertson Pty. Ltd.
3557A	" " " " " " " " " " " "	"		"	58 0 0	Chas. Ruwolt Pty. Ltd.
3557B	" " " " " " " " " " " "	"		"	58 0 0	Steel Co. of Aust. Pty. Ltd.
3557C	" " " " " " " " " " " "	"		"	58 0 0	Thompson's Eng. & Pipe Co. Ltd.
3557D	" " " " " " " " " " " "	"		"	58 0 0	Davies & Baird Pty. Ltd.
3558	Centre Plates to Drawings, V. 3-50 or V. 31-21	"	} 5 "	"	48 0 0	Chas. Ruwolt Pty. Ltd.
3558A	" " " " " " " " " " " "	"		"	48 0 0	Steel Co. of Aust. Pty. Ltd.
3558B	" " " " " " " " " " " "	"		"	48 0 0	Thompson's Eng. & Pipe Co. Ltd.
3558C	" " " " " " " " " " " "	"		"	48 0 0	Davies & Baird Pty. Ltd.
3559	Striking Plates to Drawing, No. I.Z. 45-6	"	} 10 "	"	62 0 0	Chas. Ruwolt Pty. Ltd.
3559A	" " " " " " " " " " " "	"		"	62 0 0	Steel Co. of Aust. Pty. Ltd.
3559B	" " " " " " " " " " " "	"		"	62 0 0	Thompson's Eng. & Pipe Co. Ltd.
3559C	" " " " " " " " " " " "	"		"	62 0 0	Davies & Baird Pty. Ltd.
	(b) Weights over 1 cwt.—					
3560	Striking Plates, to Drawings Nos. 7636-14, 7611-1, V. 45.11 or Q.R.45.1	"	} 150 "	"	58 10 0	Chas. Ruwolt Pty. Ltd.
3560A	" " " " " " " " " " " "	"		"	58 10 0	Steel Co. of Aust. Pty. Ltd.
3560B	" " " " " " " " " " " "	"		"	58 10 0	Thompson's Eng. & Pipe Co. Ltd.
3560C	" " " " " " " " " " " "	"		"	58 10 0	Davies & Baird Pty. Ltd.

CARBON STEEL CASTINGS—Continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
Castings, Carbon Steel (Grade "B," moulded within the limits of gauges), as specified—Continued.								
(b) Weights over 1 cwt.—								
3561	Centre Plates to Drawings No. "□" Sided M. car 31'66 or M. car 31'67	Vict.	} 10 tons	ton	48	0	0	Chas. Ruwolt Pty. Ltd.
3561A	" " " " " "	"		"	48	0	0	Steel Co. of Aust. Pty. Ltd.
3561B	" " " " " "	"		"	48	0	0	Thompson's Eng. & Pipe Co. Ltd.
3561C	" " " " " "	"		"	48	0	0	Davies & Baird Pty. Ltd.
3562	Transition Coupler Shanks to Drawings, Nos. 7711 or 5191'13	"	} 5 "	"	50	0	0	J. V. Robertson Pty. Ltd.
3562A	" " " " " "	"		"	60	0	0	Chas. Ruwolt Pty. Ltd.
3562B	" " " " " "	"		"	60	0	0	Steel Co. of Aust. Pty. Ltd.
3562C	" " " " " "	"		"	60	0	0	Thompson's Eng. & Pipe Co. Ltd.
3562D	" " " " " "	"		"	60	0	0	Davies & Baird Pty. Ltd.
3563	Engine Coupler Pockets to Drawing No. 5193'5	"	} 10 "	"	57	0	0	J. V. Robertson Pty. Ltd.
3563A	" " " " " "	"		"	58	0	0	Chas. Ruwolt Pty. Ltd.
3563B	" " " " " "	"		"	58	0	0	Steel Co. of Aust. Pty. Ltd.
3563C	" " " " " "	"		"	58	0	0	Thompson's Eng. & Pipe Co. Ltd.
3563D	" " " " " "	"		"	58	0	0	Davies & Baird Pty. Ltd.
Castings, Carbon Steel (Grade "B," without machining) as specified—								
3564	Crossheads "A," "C," "D," "K," "N," "S," "X," "G," or "NA," as ordered	"	} 15 "	"	70	0	0	Chas. Ruwolt Pty. Ltd.
3564A	" " " " " "	"		"	70	0	0	Steel Co. of Aust. Pty. Ltd.
3564B	" " " " " "	"		"	70	0	0	Thompson's Eng. & Pipe Co. Ltd.
3564C	" " " " " "	"		"	70	0	0	Davies & Baird Pty. Ltd.
Castings, Carbon Steel (Grade "B") as specified—								
3565	Frame Stays	"	} 5 "	"	70	0	0	Chas. Ruwolt Pty. Ltd.
3565A	" " " " " "	"		"	70	0	0	Steel Co. of Aust. Pty. Ltd.
3565B	" " " " " "	"		"	70	0	0	Thompson's Eng. and Pipe Co. Ltd.
3565C	" " " " " "	"		"	70	0	0	Davies and Baird Pty. Ltd.
3566	Junction Fishplates, with wearing surfaces	"	50 "	"	48	0	0	Chas. Ruwolt Pty. Ltd.

CARBON STEEL CASTINGS—Continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
	Wheel Centres (Grade "B," machined), and as specified—							
3567	To Drawing No. 2419B (amended 28.9.29)—E. M. Coach	Vict	100	each	9	6	0	Steel Co. of Aust. Pty. Ltd.
3567A	" " " " " " " " "							
3568	To Drawing, No. 7600 (I.Y. Wagons)	"	20	"	6	18	6	Thompson's Eng. & Pipe Co. Ltd.
3568A	" " " " " " " " "							
3569	To Drawing No. 56E (Std. Car and Wagon)	"	100	"	6	18	6	Steel Co. of Aust. Pty. Ltd.
3569A	" " " " " " " " "							
3570	To Drawing I.Z. 40.1 (amended 1.8.33)—I.Z. Wagons and Vans, etc.	"	1500	"	6	18	6	Steel Co. of Aust. Pty. Ltd.
3570A	" " " " " " " " "							
3571	To Drawing No. 7634 (amended 4.9.33)—V. LL., MM. and FF. Wagons	"	50	"	6	18	6	Steel Co. of Aust. Pty. Ltd.
3571A	" " " " " " " " "							
3572	To Drawing No. 7617 (amended 13.7.34)—T.U. and E. Wagons	"	50	"	6	18	6	Steel Co. of Aust. Pty. Ltd.
3572A	" " " " " " " " "							
3573—3579	Nil							

STEEL TYRES

(Schedule No. 96)

(1st July, 1938, to 30th June, 1940)

STEEL TYRES, MACHINED (as specified)—								
3580	Tyre Item 1. ("A" and "S" leading and trailing wheels)	N.S.W.	300	each	20	10	6	Commonwealth Steel Co. Ltd.
3581	Tyre Item 1A. (Ditto, small bore) ...							
3582	Tyre Item 2. ("A" and "S" driving wheels)	"	200	"	11	7	6	
3583	Tyre Item 3. ("A" and "D" bogie, "D4" and "E" radial, "Y" tender; "S" and "X" trailing truck, all wheels of 5 ton shunting and 5, 7, 10 and 30 ton wrecking cranes)							
3583A	" " " " " " " " "	N.S.W.						Commonwealth Steel Co. Ltd.
3584	Tyre Item 4. ("C," "D" and "X" leading and trailing, and "E" leading wheels)	"	350	"	17	11	7	
3585	Tyre Item 4A. (Ditto, small bore) ...							
3586	Tyre Item 5. ("D" driving, "C" and "X" intermediate and driving, and "E" driving and trailing wheels)							
3587	Tyre Item 14. ("N" trailing truck, "S" bogie, "C," "K," "N" and "X" pony wheels)	Vict.	100	"	9	13	6	Thompson's Eng. & Pipe Co. Ltd.
3587A	" " " " " " " " "							
3588	Tyre Item 18. ("K," "N" and "Y" leading and trailing wheels)	Vict.		"	16	5	0	Thompson's Eng. & Pipe Co. Ltd.
3588A	" " " " " " " " "							
	" " " " " " " " "	N.S.W.		"	16	8	3	Commonwealth Steel Co. Ltd.

STEEL TYRES—Continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
	STEEL TYRES, MACHINED (as specified)—(continued)—							
3589	Tyre Item 18A Ditto, small bore) ...	Vict.	100	each	16	3	0	Thompson's Eng. & Pipe Co. Ltd.
3589A	" " " " ...	N.S.W.			16	13	6	
3590	Tyre Item 19. ("K" and "N" intermediate and driving and "Y" driving wheels)	Vict.	12	"	16	5	0	Thompson's Eng. & Pipe Co. Ltd.
3590A	" " " " ...	N.S.W.			16	8	3	
3591	Tyre Item 20. ("H" 1st driving and trailing wheels), (machining of tyre retaining ring excluded)	"	12	"	19	14	9	Commonwealth Steel Co. Ltd.
3592	Tyre Item 21. ("H" 2nd driving and intermediate wheels), (machining of tyre retaining ring excluded)	"			19	17	0	
3593	Tyre Item 22. ("H" trailing truck wheels)	Vict.	6	"	11	15	0	Thompson's Eng. & Pipe Co. Ltd.
3593A	" " " " ...	N.S.W.			11	17	3	
3594	Tyre Item 23. ("H" bogie wheels) ...	Vict.	12	"	10	5	0	Thompson's Eng. & Pipe Co. Ltd.
3594A	" " " " ...	N.S.W.			10	8	6	
3595	Tyre Item 32. (Electric street cars 2' 2" diameter wheels)	Vict.	60	"	5	6	3	Thompson's Eng. & Pipe Co. Ltd.
3595A	" " " " ...	N.S.W.			5	6	9	
3596	Tyre Item 33. (Electric street cars 2' 8 ⁷ / ₁₆ " diameter wheels)	Vict.	12	"	5	13	3	Thompson's Eng. & Pipe Co. Ltd.
3596A	" " " " ...	N.S.W.			5	15	6	
3597	Tyre Item 34. (Electric Motor and Electric Loco. Coach, all wheels and P.E.R.M. Nos. 56—64 driving bogie wheels)	Vict.	4500	"	9	1	0	Thompson's Eng. & Pipe Co. Ltd.
3597A	" " " " ...	N.S.W.			9	2	3	
3598	Tyre Item 34A. (Ditto, small bore special)	Vict.	4500	"	8	18	0	Thompson's Eng. & Pipe Co. Ltd.
3598A	" " " " ...	N.S.W.			9	2	3	
3599	Tyre Item 34B. (Ditto, small bore) ...	Vict.	6	"	8	19	6	Thompson's Eng. & Pipe Co. Ltd.
3599A	" " " " ...	N.S.W.			9	2	3	
3600	Tyre Item 41. ("G" intermediate wheels)	Vict.	6	"	9	12	6	Thompson's Eng. & Pipe Co. Ltd.
3600A	" " " " ...	N.S.W.			9	15	0	
3601	Tyre Item 42. ("G" leading and driving and "NA" leading and trailing wheels)	Vict.	6	"	9	10	0	Thompson's Eng. & Pipe Co. Ltd.
3601A	" " " " ...	N.S.W.			9	17	3	
3602	Tyre Item 43. ("NA" driving wheels)	Vict.	6	"	11	10	0	Thompson's Eng. & Pipe Co. Ltd.
3602A	" " " " ...	N.S.W.			11	13	6	
3603	Tyre Item 44. ("G" and "NA" pony, and "NA" trailing truck wheels)	Vict.	6	"	10	0	0	Thompson's Eng. & Pipe Co. Ltd.
3603A	" " " " ...	N.S.W.			10	6	6	
3604	Tyre Item 45. (3' 7 ¹ / ₂ " Car, Van and Wagon wheels, Gibson type)	Vict.	20	"	9	17	6	Thompson's Eng. & Pipe Co. Ltd.
3604A	" " " " ...	N.S.W.			9	18	9	

STEEL TYRES—Continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
	STEEL TYRES, MACHINED (as specified)—(continued)—					
3605	Tyre Item 46. (3' 2½" Car, Van and Wagon wheels, Gibson type)	Vict.	100	each	7 12 6	Thompson's Eng. & Pipe Co. Ltd.
3605A	" " " " " " " "	N.S.W.		"	7 14 3	Commonwealth Steel Co. Ltd.
3606	Tyre Item 47. (3' 6¾" Car, Van and Wagon wheels, Gibson type)	Vict.	50	"	9 15 6	Thompson's Eng. & Pipe Co. Ltd.
3606A	" " " " " " " "	N.S.W.		"	9 16 9	Commonwealth Steel Co. Ltd.
3607	Tyre Item 48. (3' 2¼" Car, Van, Wagon and "A," "C," "D," "K," "N" and "X" Engine tender wheels, P.E.R.M. Nos. 56-64 non-driving bogie and P.E.R.M. trailer No. 25, all wheels)	Vict.	6000	"	7 16 6	Thompson's Eng. & Pipe Co. Ltd.
3607A	" " " " " " " "	N.S.W.		"	7 17 9	Commonwealth Steel Co. Ltd.
3608	Tyre Item 49. (Narrow Gauge Car, Van and Wagon wheels)	Vict.	6	"	9 15 0	Thompson's Eng. & Pipe Co. Ltd.
3608A	" " " " " " " "	N.S.W.		"	9 17 3	Commonwealth Steel Co. Ltd.
3609	Tyre Item 50. (3' 0¼" Car, Van, Wagon and "H" and "S" Engine tender wheels, P.E.R.M. No. 55 (driving bogie), Brill R.M. No. 44 and trailer, all wheels)	Vict.	3000	"	7 10 0	Thompson's Eng. & Pipe Co. Ltd.
3609A	" " " " " " " "	N.S.W.		"	7 11 3	Commonwealth Steel Co. Ltd.
3610	Tyre Item 54. (Leading and Trailing wheels, 7-ton shunting crane)	Vict.	12	"	10 15 0	Thompson's Eng. & Pipe Co. Ltd.
3610A	" " " " " " " "	N.S.W.		"	10 16 9	Commonwealth Steel Co. Ltd.
3611	Tyre Item 55. (Driving wheels 7-ton shunting crane)	Vict.	12	"	10 15 0	Thompson's Eng. & Pipe Co. Ltd.
3611A	" " " " " " " "	N.S.W.		"	10 16 9	Commonwealth Steel Co. Ltd.
3612	Tyre Item 56A. (S.E.R.M. driving wheels and trailer, all wheels, small bore)	Vict.	20	"	7 7 6	Thompson's Eng. & Pipe Co. Ltd.
3612A	" " " " " " " "	N.S.W.		"	7 11 6	Commonwealth Steel Co. Ltd.
3613	Tyre Item 57A. (S.E.R.M. front wheels, small bore)	Vict.	20	"	7 0 0	Thompson's Eng. & Pipe Co. Ltd.
3613A	" " " " " " " "	N.S.W.		"	7 5 3	Commonwealth Steel Co. Ltd.
3614	Tyre Item 58A. (D.E.R.M. driving bogie all wheels, small bore)	Vict.	16	"	7 17 6	Thompson's Eng. & Pipe Co. Ltd.
3614A	" " " " " " " "	N.S.W.		"	8 1 3	Commonwealth Steel Co. Ltd.
3615	Tyre Item 59. (P.E.R.M. trailer Nos. 26-30 all wheels)	Vict.	20	"	8 0 0	Thompson's Eng. & Pipe Co. Ltd.
3615A	" " " " " " " "	N.S.W.		"	8 6 0	Commonwealth Steel Co. Ltd.
3616	Tyre Item 60. (Dodge Inspection Car cushioned wheels)	Vict.	12	"	8 10 0	Thompson's Eng. & Pipe Co. Ltd.
3616A	" " " " " " " "	N.S.W.		"	8 13 6	Commonwealth Steel Co. Ltd.
3617	Tyre Item 61. (P.E.R.M. No. 55 Non-driving bogie wheels)	Vict.	4	"	11 0 0	Thompson's Eng. & Pipe Co. Ltd.
3617A	" " " " " " " "	N.S.W.		"	11 1 9	Commonwealth Steel Co. Ltd.
3618	Tyre Item 62A. (D.E.R.M. Non-driving bogie wheels)	Vict.	16	"	8 10 0	Thompson's Eng. & Pipe Co. Ltd.
3618A	" " " " " " " "	N.S.W.		"	8 11 9	Commonwealth Steel Co. Ltd.
3619	Tyre Item 63A. (Buick and Dodge Mail Car, all wheels)	Vict.	20	"	7 5 0	Thompson's Eng. & Pipe Co. Ltd.
3619A	" " " " " " " "	N.S.W.		"	7 12 3	Commonwealth Steel Co. Ltd.
3620-3629	—Nil					

AUTOMATIC COUPLERS AND PARTS

(Schedule No. 97)

(1st April, 1938, to 30th June, 1940)

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor	
	COUPLERS, AUTOMATIC, "Alliance," to specification—				c.i.f. Melb'rne		
3630	Top operated, 2 $\frac{1}{4}$ " x 7" x 5" shank, fitted with clevis transition lugs, to Drawing No. 44-2 (amended 20.6.36)	N.S.W.	800	each	6 16 6	} Bradford, Kendall Ltd.	
3631	Top operated, 2 $\frac{3}{8}$ " x 7" x 5" shank, fitted with clevis transition lugs, to Drawing No. 44-1 (amended 20.6.36)	,,	25	,,	6 12 6		
3632	Bottom operated, 5" x 5" shank, to Drawing No. 44-11 (amended 6.9.35)	,,	200	,,	9 7 6		
3633	Bottom operated, 5" x 5" shank, to Drawing No. 44-13	,,	10	,,	10 13 0		
3634	Top operated, to Drawing No. 5192 (amended 7.8.33)	,,	20	,,	7 7 9		
	Parts for "Alliance" Automatic Couplers, to specification—						
3635	Top Lifters	,,	50	,,	0 3 6		
3636	Bottom Lifters	,,	25	,,	0 4 0		
3637	Knuckles	,,	50	,,	1 8 6		
3638	Knuckle Throwers	,,	50	,,	0 4 6		
3639	Locks, to Bradford, Kendall Ltd., Drawing No. M. 04770-L.	,,	50	,,	0 5 6		
3640-3649	Nil						

FRICTION DRAFT GEAR

(Schedule No. 98)

(1st April, 1938 to 30th June, 1940)

	FRICTION DRAFT GEAR, to specification—					
3650	"Gould 175 Type," complete with one standard follower	N.S.W.	800	each	13 7 3	} Knox, Schlapp & Co.
3651	"Waugh Type A.E. 45-1", complete with all necessary equipment	,,	200	,,	12 4 9	
3652-3659	Nil					

ROLLED STEEL

(Schedule No. 99)

(1st July, 1938, to 30th June, 1940)

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor	
	MILD STEEL ANGLES, to specification No. 2—						
3660	2 united inches up to 3 united inches x $\frac{3}{8}$ " thick and over, in lengths 10' to 60', as ordered	Vict.	} 800 tons	ton	13 15 0	} Melbourne Iron & Steel Mills Pty. Ltd.	
3661	Over 3 united inches up to 4 united inches x $\frac{3}{8}$ " thick and over, in lengths 10' to 60', as ordered	,,		,,	13 15 0		
3662	Over 4 united inches up to 6 united inches by $\frac{1}{2}$ " thick and over, in lengths 10' to 60', as ordered	,,		,,	13 15 0		
3663	Over 6 united inches up to 8 united inches by $\frac{3}{8}$ " thick and over, in lengths 10' to 60', as ordered	,,		,,	13 15 0		
3664	5" x 3" x $\frac{1}{2}$ " thick or over, in lengths 10' to 40', as ordered, cold straightened	N.S.W.		,,	†10 10 0		} Broken Hill Pty. Coy. Ltd.
3664A	„ „ „ „ „ „	,,		,,	†10 10 0		
3665	Over 8 united inches up to 12 united inches x $\frac{1}{2}$ " thick and over, in lengths 10' to 40', as ordered, cold straightened	,,		,,	†10 10 0	} Broken Hill Pty. Coy. Ltd.	
3665A	„ „ „ „ „ „	,,		,,	†10 10 0		} McPherson's Pty. Ltd.
3666	Over 12 united inches x $\frac{1}{2}$ " thick and over, in lengths 10' to 40', as ordered, cold straightened	,,		,,	†11 10 0	} Broken Hill Pty. Coy. Ltd.	
3666A	„ „ „ „ „ „	,,		,,	†11 10 0		} McPherson's Pty. Ltd.

† Rates are c.i.f., Melbourne, and subject to discount of 3 $\frac{1}{2}$ %

ROLLED STEEL—Continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
Extras on rates for Items Nos. 3664 to 3666a—								
3667	For lengths over 40' up to 45' ...	N.S.W.		ton	10	5	0	Broken Hill Pty. Coy. Ltd.
3667A	" " " " " ...	"		"	10	5	0	McPherson's Pty. Ltd.
3668	" " 45' " 50' ...	"		"	11	0	0	Broken Hill Pty. Coy. Ltd.
3668A	" " " " " ...	"		"	11	0	0	McPherson's Pty. Ltd.
Extra on rates for Items Nos. 3660 to 3663—								
3669	For cold straightening ...	Vict.		"	0	5	0	Melbourne Iron & Steel Mills Pty. Ltd.
Extras on rates for Items Nos. 3660 to 3666a (in addition to any other extras ordered)—								
3670	For cutting lengths to a margin of plus or minus $\frac{1}{8}$ "	N.S.W.		"	11	5	0	Broken Hill Pty. Coy. Ltd.
3670A	" " " " " ...	"		"	11	5	0	McPherson's Pty. Ltd.
3670B	" " " " " ...	Vict.		"	0	10	0	Melbourne Iron & Steel Mills Pty. Ltd.
MILD STEEL CHANNELS, to specification No. 2, in lengths 10' to 40', as ordered—								
3671	3" x 1 $\frac{1}{2}$ " ...	N.S.W.	1600 tons	"	12	10	0	Broken Hill Pty. Coy. Ltd.
3671A	" " " " " ...	"		"	12	10	0	McPherson's Pty. Ltd.
3672	4" depth up to, but not including, 6" depth	"		"	11	2	6	Broken Hill Pty. Coy. Ltd.
3672A	" " " " " ...	"		"	11	2	6	McPherson's Pty. Ltd.
3673	6" depth and over, up to 15" depth	"		"	10	10	0	Broken Hill Pty. Coy. Ltd.
3673A	" " " " " ...	"		"	10	10	0	McPherson's Pty. Ltd.
MILD STEEL JOISTS, to specification No. 2, in lengths 10' to 40', as ordered—								
3674	4" depth up to, but not including, 6" depth (excluding 4" x 1 $\frac{3}{4}$ ")	"	40 "	"	11	0	0	Broken Hill Pty. Coy. Ltd.
3674A	" " " " " ...	"		"	11	0	0	McPherson's Pty. Ltd.
3675	6" depth up to 16" depth	"		"	10	10	0	Broken Hill Pty. Coy. Ltd.
3675A	" " " " " ...	"		"	10	10	0	McPherson's Pty. Ltd.
3676	Over 16" depth up to 20" depth	"		"	11	0	0	Broken Hill Pty. Coy. Ltd.
3676A	" " " " " ...	"		"	11	0	0	McPherson's Pty. Ltd.
Extras on rates for Items Nos. 3671 to 3676A—								
3677	For lengths over 40' up to 45' ...	"		"	10	5	0	Broken Hill Pty. Coy. Ltd.
3677A	" " " " " ...	"		"	10	5	0	McPherson's Pty. Ltd.
3678	" " 45' " 50' ...	"		"	11	0	0	Broken Hill Pty. Coy. Ltd.
3678A	" " " " " ...	"		"	11	0	0	McPherson's Pty. Ltd.

† Rates are c.i.f., Melbourne, and subject to discount of 3 $\frac{1}{2}$ %

ROLLED STEEL—Continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
Extras on rates for Items Nos. 3671 to 3676A (in addition to extras under Items Nos. 3677 to 3678A, if ordered)—						
3679	For cutting lengths to a margin of plus or minus $\frac{1}{8}$ "	N.S.W.		ton	†1 5 0	Broken Hill Pty. Coy. Ltd.
3679A	" " " " " "	"		"	†1 5 0	McPherson's Pty. Ltd.
MILD STEEL ROUND BARS, to specification No. 2—						
3680	$\frac{1}{4}$ " diam., in lengths 10' to 35', as ordered	"	700 tons	"	†12 10 0	Broken Hill Pty. Coy. Ltd.
3680A	" " " " " "	"		"	†12 10 0	McPherson's Pty. Ltd.
3681	$\frac{5}{16}$ " diam., in lengths 10' to 35', as ordered	"		"	†12 0 0	Broken Hill Pty. Coy. Ltd.
3681A	" " " " " "	"		"	†12 0 0	McPherson's Pty. Ltd.
3682	$\frac{3}{8}$ " diam., in lengths 10' to 35', as ordered	"		"	†10 10 0	Broken Hill Pty. Coy. Ltd.
3682A	" " " " " "	"		"	†10 10 0	McPherson's Pty. Ltd.
3683	$\frac{1}{2}$ " diam. up to 4" diameter, as ordered (excluding Dogspike Steel under Items Nos. 3693 to 3693B), any length ordered up to 50'	Vict.		"	13 0 0	Melbourne Iron & Steel Mills Pty. Ltd.
MILD STEEL SQUARE BARS, to specification No. 2—						
3684	$\frac{5}{16}$ " square, in lengths 10' to 35', as ordered	N.S.W.	106 "	"	†13 10 0	Broken Hill Pty. Coy. Ltd.
3684A	" " " " " "	"		"	†13 10 0	McPherson's Pty. Ltd.
3685	$\frac{3}{8}$ " square, in lengths 10' to 35', as ordered	"		"	†11 0 0	Broken Hill Pty. Coy. Ltd.
3685A	" " " " " "	"		"	†11 0 0	McPherson's Pty. Ltd.
3686	$\frac{7}{16}$ " square, in lengths 10' to 35', as ordered	"		"	†11 0 0	Broken Hill Pty. Coy. Ltd.
3686A	" " " " " "	"		"	†11 0 0	McPherson's Pty. Ltd.
3687	$\frac{1}{2}$ " square up to 3" square, as ordered (excluding Dogspike Steel under Items Nos. 3693 to 3693B), any lengths ordered up to 50'	Vict.		"	13 0 0	
Extras on rates for Items Nos. 3683 and 3687—						
3688	For LOW CARBON (INGOT IRON) QUALITY , to specification No. 8	"	400 "	"	2 10 0	
3689	For BOILER RIVET QUALITY , to specification No. 7, in sizes $\frac{1}{4}$ " less in diameter than nominal sizes of rivets	"	200 "	"	0 15 0	Melbourne Iron & Steel Mills Pty. Ltd.
3690	For BOILER QUALITY , to specification No. 7	"	20 "	"	0 15 0	
3691	For BESCOM QUALITY, GRADE "A" OR "B," AS ORDERED , to specification No. 9	"	60 "	"	6 15 0	
3692	For SPECIAL ALLOY STEEL FOR AXLES , to specification No. 16	"	2 "	"	43 0 0	

† Rates are c.i.f, Melbourne, and subject to discount of 3½%

ROLLED STEEL—Continued

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
3693	MILD STEEL ROUND OR SQUARE BARS FOR THE MANUFACTURE OF DOGSPIKES, to specification No. 2, $\frac{3}{4}$ " diameter or $\frac{3}{4}$ " square section, as ordered, in lengths 18' to 20'	N.S.W.	2000 tons	ton	†10 10 0	Broken Hill Pty. Coy. Ltd.
3693A	" " " "	"		"	†10 10 0	McPherson's Pty. Ltd.
3693B	" " " "	Vict.		"	13 0 0	Melbourne Iron & Steel Mills Pty. Ltd.
3694	FISHBOLT STEEL ROUND BARS, to specification No. 13, $\frac{7}{8}$ " or 1" diameter, as ordered, in lengths 18' to 20'	N.S.W.	200 "	"	†11 10 0	Broken Hill Pty. Coy. Ltd.
3694A	" " " "	"		"	†11 10 0	McPherson's Pty. Ltd.
	CARBON SPRING STEEL ROUND BARS, to specification No. 5, any length ordered—					
3695	$\frac{3}{8}$ " diameter up to and including 3" diameter, as ordered	"	200 "	"	†15 17 6	Broken Hill Pty. Coy. Ltd.
3695A	" " " " " "	"		"	†15 17 6	McPherson's Pty. Ltd.
3695B	$\frac{1}{2}$ " diameter up to and including 3" diameter, as ordered	Vict.		"	18 0 0	Melbourne Iron & Steel Mills Pty. Ltd.
3696	SILICON CHROME STEEL ROUND BARS, to specification No. 15, $\frac{1}{2}$ " diameter and over, as ordered, any length ordered	"	15 "	"	24 0 0	
	Extra on rates for all Round or Square Bars (in addition to any other extras ordered)—					
3697	For cutting lengths to a margin of plus or minus $\frac{1}{8}$ "	N.S.W.		"	†0 10 0	Broken Hill Pty. Coy. Ltd.
3697A	" " " " " " " "	"		"	†0 10 0	McPherson's Pty. Ltd.
	MILD STEEL FLAT BARS, to specification No. 2, any length ordered up to 60'—					
3698	$\frac{1}{2}$ " to 7" wide x $\frac{1}{8}$ " to $\frac{3}{8}$ " thick	Vict.	2000 "	"	15 0 0	Melbourne Iron & Steel Mills Pty. Ltd.
3699	$\frac{1}{2}$ " to $\frac{3}{8}$ " wide x $\frac{1}{4}$ " thick	"		"	14 0 0	
3700	1" to 9" wide x $\frac{1}{4}$ " thick and over	"		"	13 0 0	
3701	$\frac{3}{8}$ " to $\frac{3}{2}$ " wide x $\frac{1}{8}$ " to $\frac{1}{2}$ " thick	"		"	13 10 0	
	MILD STEEL FLAT BARS, to specification No. 2, in lengths 10' to 35', as ordered—					
3702	Over 9" up to 12" wide x $\frac{1}{4}$ " to 1" thick	N.S.W.		"	†11 10 0	Broken Hill Pty. Coy. Ltd.
3702A	" " " " " " " "	"		"	†11 10 0	McPherson's Pty. Ltd.
	Extras on rates for Items Nos. 3698 to 3701—					
3703	For LOW CARBON (INGOT IRON) QUALITY, to specification No. 8	Vict.	120 "	"	2 10 0	Melbourne Iron & Steel Mills Pty. Ltd.
3704	For BESCOM QUALITY, GRADE "A" OR "B," AS ORDERED, to specification No. 9	"	2 "	"	6 15 0	

† Rates are c.i.f., Melbourne, and subject to discount of 3½%.

ROLLED STEEL—Continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor	
	CARBON STEEL FLAT BARS FOR LAMINATED SPRINGS, to specification No. 3, any length ordered—						
3705	3" wide x 1/2" thick, square edge ...	N.S.W.	1000 tons	ton	15 7 6	Broken Hill Pty. Coy. Ltd.	
3705A	" " " " ...	"		"	"	15 7 6	McPherson's Pty. Ltd.
3705B	" " " " ...	Vict.		"	"	18 10 0	Melbourne Iron & Steel Mills Pty. Ltd.
3706	1" to 6" wide x 3/16" thick and over, as ordered	N.S.W.		"	"	15 7 6	Broken Hill Pty. Co. Ltd.
3706A	" " " " ...	"		"	"	15 7 6	McPherson's Pty. Ltd.
3706B	" " " " ...	Vict.		"	"	18 0 0	Melbourne Iron & Steel Mills Pty. Ltd.
3707	CARBON STEEL FLAT BARS FOR VOLUTE SPRINGS, to specification No. 5, 1" to 6" wide x 3/16" thick and over, as ordered, any length ordered	N.S.W.	100 "	"	15 17 6	Broken Hill Pty. Coy. Ltd.	
3707A	" " " " ...	"		"	"	15 17 6	McPherson's Pty. Ltd.
3707B	" " " " ...	Vict.		"	"	18 0 0	Melbourne Iron & Steel Mills Pty. Ltd.
3708	SILICON CHROME STEEL FLAT BARS FOR VOLUTE SPRINGS, to specification No. 15, 1" to 6" wide x 3/16" thick and over, as ordered, any length ordered	"	180 "	"	24 0 0		
	ROUND EDGE STEEL FLAT BARS FOR DRAFT KEYS, to Drawing No. 7645 and specification No. 14, any length ordered up to 17' 6"—						
3709	5" x 1 1/8" ...	"	30 "	"	17 0 0	Melbourne Iron & Steel Mills Pty. Ltd.	
3710	5" x 1 1/4" ...	"		"	"		17 0 0
	NUT STEEL FLAT BARS, to specification No. 10, in lengths 18' to 20'—						
3711	7/8" x 3/16", for 1/2" nuts ...	N.S.W.	200 "	"	11 10 0	McPherson's Pty. Ltd.	
3711A	" " " " ...	Vict.		"	"	15 10 0	Melbourne Iron & Steel Mills Pty. Ltd.
3712	1 1/16" x 1/16", for 3/4" nuts ...	N.S.W.		"	"	11 10 0	McPherson's Pty. Ltd.
3712A	" " " " ...	Vict.		"	"	15 10 0	Melbourne Iron & Steel Mills Pty. Ltd.
3713	1 1/16" x 1/16", for 1" nuts ...	N.S.W.		"	"	11 10 0	McPherson's Pty. Ltd.
3713A	" " " " ...	Vict.		"	"	15 10 0	Melbourne Iron & Steel Mills Pty. Ltd.
3714	1 1/16" x 1/16", for 7/8" nuts ...	N.S.W.		"	"	11 10 0	McPherson's Pty. Ltd.
3714A	" " " " ...	Vict.		"	"	15 10 0	Melbourne Iron & Steel Mills Pty. Ltd.
3715	1 3/16" x 1 1/16", for 1" nuts ...	N.S.W.		"	"	12 0 0	McPherson's Pty. Ltd.
3715A	" " " " ...	Vict.		"	"	15 10 0	Melbourne Iron & Steel Mills Pty. Ltd.
3716	Sections for nuts over 1", as ordered ...	N.S.W.		"	"	12 0 0	McPherson's Pty. Ltd.
3716A	" " " " ...	Vict.		"	"	15 10 0	Melbourne Iron & Steel Mills Pty. Ltd.

† Rates are c.i.f., Melbourne, and subject to discount of 3 1/4%

ROLLED STEEL—Continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate f s. d.	Name of Contractor
	Extras on rates for all Flat Bars (in addition to any other extras ordered)—					
3717	For cutting lengths to a margin of plus or minus $\frac{1}{8}$ "	N.S.W.		ton	†1 0 0	Broken Hill Pty. Coy. Ltd.
3717A	" " " " ...	"		"	†1 0 0	McPherson's Pty. Ltd.
3717B	" " " " ...	Vict.		"	1 10 0	
	MILD STEEL TYRE RETAINING RING BARS, to specification No. 11, any length ordered—					
3718	To Drawing No. 40-5 and Gauge Drawing No. 48-2	"	} 100 tons	"	25 0 0	} Melbourne Iron & Steel Mills Pty. Ltd.
3719	Channel, to Drawing No. 40-6 and Gauge Drawing No. 48-1	"		"	22 0 0	
3720	To Drawing No. 6748, amended 21.8.37	"		"	22 0 0	
3721	To Drawing No. 7761, for 47B, 48B and 50B Tyres	"		"	21 0 0	
3722	To Drawing No. 7762, for 45B and 46B Tyres	"		"	21 0 0	
*3723	MILD STEEL INTERLOCKING CHANNEL BARS, to specification No. 2, in 12' to 23' lengths, as ordered	"		100 "	"	
*3724	MILD STEEL FISHPLATE BARS FOR INTERLOCKING CHANNELS, to specification No. 2, any length ordered	"	10 "	"	18 5 0	
3725	MILD STEEL COPING, to specification No. 2, 1" or 1½" x ½", as ordered, any length ordered	"	10 "	"	18 0 0	
	REGULAR TRAPEZOIDAL SECTION CARBON STEEL BARS—					
3726	1½" wide at base tapering to 1⅜" wide at top x 1½" high, for Helical Springs, to specification No. 5, any length ordered	N.S.W.	} 40 "	"	†15 17 6	Broken Hill Pty. Co. Ltd.
3726A	" " " " ...	"		"	†15 17 6	} McPherson's Pty. Ltd.
3727	1½" wide at base tapering to 1⅜" wide at top x 1½" high, for Spring Washers for Fishbolts, to specification No. 6, in lengths 18' to 20'	"	} 30 "	"	†24 10 0	
3727A	" " " " ...	Vict.		"	29 0 0	Melbourne Iron & Steel Mills Pty. Ltd.

† Rates are c.i.f., Melbourne, and subject to discount of 3¼%

ROLLED STEEL—Continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor	
	<p>AXLE QUALITY, CLASS T OR U, OR MILD STEEL, all to specification No. 12, or LOW CARBON (INGOT IRON) QUALITY, to specification No. 8, any length ordered, 4' and over—</p> <p>NOTE:—The contract with Broken Hill Pty. Coy. Ltd. does NOT cover LOW CARBON (INGOT IRON) QUALITY.</p>						
	BILLETS AND BLOOMS—						
3728	1½" to 12" square section ...	N.S.W.	} 2000 tons	ton	†10 19 6	Broken Hill Pty Coy. Ltd.	
3728A	" " " " ...	"		"	†10 19 6	McPherson's Pty. Ltd.	
3729	Over 12" up to 13" square section	"		"	†11 9 6	Broken Hill Pty. Coy. Ltd.	
3729A	" " " " ...	"		"	†11 9 6	McPherson's Pty. Ltd.	
3730	Over 13" up to 14" square section	"		"	...	} Nil	
3731	Over 14" up to 15" square section	"		"	...		
3732	Rounds, up to 10" diameter	"		"	...		
	SLABS—						
3733	2·25 to 144 sq. in. sectional area ...	N.S.W.		} 2000 tons	"	†10 19 6	Broken Hill Pty. Coy. Ltd.
3733A	" " " " ...	"			"	†10 19 6	McPherson's Pty. Ltd.
3734	Over 144 to 169 sq. in. sectional area	"	"		†11 9 6	Broken Hill Pty. Coy. Ltd.	
3734A	" " " " ...	"	"		†11 9 6	McPherson's Pty. Ltd.	
3735	Over 169 to 196 sq. in. sectional area	"	"		†11 19 6	Broken Hill Pty. Coy. Ltd.	
3735A	" " " " ...	"	"		†11 19 6	McPherson's Pty. Ltd.	
3736	Over 196 to 225 sq. in. sectional area	"	"		†12 19 6	Broken Hill Pty. Coy. Ltd.	
3736A	" " " " ...	"	"		†12 19 6	McPherson's Pty. Ltd.	
	Extras on rates for Items Nos. 3728 to 3736A—						
3737	For lengths under 4' down to 3' ...	"	} 200 "		"	†1 5 0	Broken Hill Pty. Coy. Ltd.
3737A	" " " " ...	"		"	†1 5 0	McPherson's Pty. Ltd.	
3738	For lengths under 3' down to 2' ...	"		"	†1 10 0	Broken Hill Pty. Coy. Ltd.	
3738A	" " " " ...	"		"	†1 10 0	McPherson's Pty. Ltd.	
	Extras on rates for Items Nos. 3728 to 3736A (in addition to extras under Items Nos. 3737 to 3738A, if ordered)—						
3739	For BESCOM QUALITY, GRADE "A" OR "B," as ordered, to specification No. 9	"		} 200 "	"	†1 0 0	Broken Hill Pty. Coy. Ltd.
3739A	" " " " ...	"			"	†1 0 0	McPherson's Pty. Ltd.
3740	For CARBON SPRING STEEL QUALITY, to specification No. 4	"		} 100 "	"	†0 10 0	Broken Hill Pty. Coy. Ltd.
3740A	" " " " ...	"	"		†0 10 0	McPherson's Pty. Ltd.	

† Rates are c.i.f., Melbourne, and subject to discount of 3½%

ROLLED STEEL—Continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate f s. d.	Name of Contractor	
	MILD STEEL RECTANGULAR PLATES , to specification No. 2, in lengths up to 30' (subject to maximum lengths shown on page 138), with minimum area of 12 sq. ft., and maximum weight 3000 lb. each for plates up to 78" wide—						
3741	$\frac{7}{16}$ " to 2" thick x 36" to 78" wide ...	N.S.W.	3000 tons	ton	†11 0 0	Broken Hill Pty. Coy. Ltd.	
3741A	" " " " ...	"		"	†11 0 0	McPherson's Pty. Ltd.	
3742	$\frac{3}{8}$ " thick x 36" to 78" wide ...	"		"	†11 0 0	Broken Hill Pty. Coy. Ltd.	
3742A	" " " " ...	"		"	†11 0 0	McPherson's Pty. Ltd.	
3743	$\frac{5}{16}$ " thick x 36" to 66" wide ...	"		"	†11 5 0	Broken Hill Pty. Coy. Ltd.	
3743A	" " " " ...	"		"	†11 5 0	McPherson's Pty. Ltd.	
3744	$\frac{1}{4}$ " thick x 36" to 60" wide ...	"		"	†11 10 0	Broken Hill Pty. Coy. Ltd.	
3744A	" " " " ...	"		"	†11 10 0	McPherson's Pty. Ltd.	
3745	$\frac{3}{16}$ " thick x 36" to 60" wide ...	"		"	†11 15 0	Broken Hill Pty. Coy. Ltd.	
3746	7 B.G. (.176") x 36" to 60" wide ...	"		"	†12 10 0		
3747	8 B.G. (.157") x 36" to 60" wide ...	"		"	†13 10 0		
3748	9 B.G. (.140") x 36" to 60" wide ...	"		"	†14 0 0		
3749	10 B.G. ($\frac{1}{8}$ ") x 36" to 60" wide ...	"		"	†14 10 0		
3750	Nil						
	Extra on rate for Item No. 3741A—						
3751	For widths over 78" up to 84" ...	"		"	†1 0 0	McPherson's Pty. Ltd.	
	Extra on rate for Item No. 3742A—						
3752	For widths over 78" up to 84" ...	"		"	†1 7 6		
	Extra on rate for Item No. 3743—						
3753	For widths over 66" up to 72" ...	"		"	†0 5 0	Broken Hill Pty. Coy. Ltd.	
3754	" " 72" " 78" ...	"		"	†0 10 0		
	Extra on rate for Item No. 3743A—						
3755	For widths over 78" up to 84" ...	"		"	†1 15 0	McPherson's Pty. Pty.	
	Extra on rate for Item No. 3744—						
3756	For widths over 60" up to 66" ...	"		"	†0 5 0	Broken Hill Pty. Coy. Ltd.	
3757	" " 66" " 72" ...	"		"	†0 10 0		
3758	" " 72" " 78" ...	"		"	†0 15 0		
	Extra on rate for Item No. 3744A—						
3759	For widths over 78" up to 84" ...	"		"	†2 0 0	McPherson's Pty. Ltd.	

† Rates are c.i.f., Melbourne, and subject to discount of 3½%

ROLLED STEEL—Continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
Extra on rate for Item No. 3745—								
3760	For widths over 60" up to 66" ...	N.S.W.		ton	†0	15	0	} Broken Hill Pty. Coy. Ltd.
3761	" " 66" " 72" ...	"		"	†1	0	0	
3762	" " 72" " 78" ...	"		"	†1	10	0	
3763	" " 78" " 84"	
Extras on rates for Items Nos. 3741 to 3749—								
3764	For widths under 36" down to 24" ...	N.S.W.		ton	†0	7	6	} Broken Hill Pty Coy. Ltd.
3765	" " 24" " 18" ...	"		"	†0	12	6	
3766	For widths under 18" down to, but not including 12"	"		"	†1	0	0	
3767	For lengths over 30' up to 40' (subject to maximum lengths shown on page 138)—	"		"	†0	12	6	
3767A	" " " " ...	"		"	†0	12	6	McPherson's Pty. Ltd.
Extras on rates for Items Nos. 3741 and 3742—								
3768	For areas under 12 sq. ft. down to 8 sq. ft.	"		"	†0	10	0	}
3769	For areas under 8 sq. ft. down to 4 sq. ft.	"		"	†0	15	0	
3770	For areas under 4 sq. ft. down to 2 sq. ft.	"		"	†1	10	0	
3771	For areas under 2 sq. ft. down to 1 sq. ft.	"		"	†2	0	0	
Extras on rates for Items Nos. 3743 to 3749—								
3772	For areas under 12 sq. ft. down to 8 sq. ft.	"		"	†0	15	0	} Broken Hill Pty. Coy. Ltd.
3773	For areas under 8 sq. ft. down to 4 sq. ft.	"		"	†1	5	0	
3774	For areas under 4 sq. ft. down to 2 sq. ft.	"		"	†2	0	0	
3775	For areas under 2 sq. ft. down to 1 sq. ft.	"		"	†2	10	0	
Extras on rates for all plates up to 78" wide (in addition to extras for width, etc., under Items Nos. 3751 to 3775, if ordered)—								
3776	If weight of finished plate exceeds 3000 lb. ...	"		"	†1	0	0	
Extras on rates for Items Nos. 3741 to 3749 (in addition to any other extras ordered)—								
3777	For BOILER QUALITY , to specification No. 7	"	} 300 tons	"	†4	10	0	} McPherson's Pty. Ltd.
3777A	" " " " ...	"		"	"	†4	10	
3778	and 3779—Nil							

† Rates in c.i.f., Melbourne, and subject to discount of 3¼%

BLACK STEEL SHEETS

(Schedule No. 99A)

(1st July, 1938, to 30th June, 1940)

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor																																																											
	BLACK STEEL RECTANGULAR SHEETS, "Sunstar," to specification, any length ordered up to 8' by any width ordered up to 37", subject to minimum area of 11 square feet and maximum sizes shown below—																																																																
3780	$\frac{3}{16}$ " 8 B.G. (.157") or 9 B.G. (.140"), as ordered	N.S.W.	} 300 tons	ton	†19 12 6	} John Lysaght (Aust.) Pty. Ltd. as agents for Lysaght's Newcastle Works Pty. Ltd.																																																											
3781	10 B.G. (.125") to 20 B.G. (.039"), as ordered	"		"	†19 12 6																																																												
3782	21 B.G. (.035") to 24 B.G. (.025"), as ordered	"		"	†19 17 6																																																												
3783	25 B.G. (.022") or 26 B.G. (.019"), as ordered	"		"	†20 12 6																																																												
3784	27 B.G. (.017") or 28 B.G. (.016"), as ordered	"		"	†22 2 6																																																												
3785	29 B.G. (.014") or 30 B.G. (.012"), as ordered	"		"	†24 2 6																																																												
	<p>NOTES.—1. If sheets under 11 sq. ft. in area be required and less than 5 tons of any one size be ordered, the extra under Item No. 3792 shall apply.</p> <p>If more than 5 tons of any one size be ordered, areas under 11 sq. ft. shall be supplied under Items Nos. 3780 to 3785 without extra charge.</p> <p>2. The maximum sizes which may be ordered are as under:—</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th rowspan="2">Gauge.</th> <th colspan="3">MAXIMUM.</th> </tr> <tr> <th>Lgth.</th> <th>Wdth.</th> <th>Area.</th> </tr> </thead> <tbody> <tr> <td></td> <td>Ins.</td> <td>Ins.</td> <td>Sq. ft.</td> </tr> <tr> <td>$\frac{3}{16}$"</td> <td>78</td> <td>48</td> <td>16</td> </tr> <tr> <td>8 and 9 B.G.</td> <td>96</td> <td>48</td> <td>24</td> </tr> <tr> <td>10 to 13 B.G.</td> <td>120</td> <td>48</td> <td>32</td> </tr> <tr> <td>14 and 15 B.G.</td> <td>144</td> <td>48</td> <td>35</td> </tr> <tr> <td>16 B.G.</td> <td>192</td> <td>48</td> <td>48</td> </tr> <tr> <td>17 and 18 B.G.</td> <td>168</td> <td>48</td> <td>40</td> </tr> <tr> <td>19 to 24 B.G.</td> <td>144</td> <td>48</td> <td>42</td> </tr> <tr> <td>25 and 26 B.G.</td> <td>144</td> <td>48</td> <td>36</td> </tr> <tr> <td>27 B.G.</td> <td>144</td> <td>42</td> <td>30</td> </tr> <tr> <td>28 B.G.</td> <td>132</td> <td>40</td> <td>30</td> </tr> <tr> <td>29 B.G.</td> <td>120</td> <td>38</td> <td>30</td> </tr> <tr> <td>30 B.G.</td> <td>96</td> <td>38</td> <td>25</td> </tr> </tbody> </table> <p>The maximum length and width can not be ordered in the same sheet, only the maximum area. The latter divided by the length will give the maximum width for that length, and vice versa.</p> <p>Extras on rates for Items Nos. 3780 to 3785 (subject to maximum sizes shown in note above)—</p>						Gauge.	MAXIMUM.			Lgth.	Wdth.	Area.		Ins.	Ins.	Sq. ft.	$\frac{3}{16}$ "	78	48	16	8 and 9 B.G.	96	48	24	10 to 13 B.G.	120	48	32	14 and 15 B.G.	144	48	35	16 B.G.	192	48	48	17 and 18 B.G.	168	48	40	19 to 24 B.G.	144	48	42	25 and 26 B.G.	144	48	36	27 B.G.	144	42	30	28 B.G.	132	40	30	29 B.G.	120	38	30	30 B.G.	96	38	25
Gauge.	MAXIMUM.																																																																
	Lgth.	Wdth.	Area.																																																														
	Ins.	Ins.	Sq. ft.																																																														
$\frac{3}{16}$ "	78	48	16																																																														
8 and 9 B.G.	96	48	24																																																														
10 to 13 B.G.	120	48	32																																																														
14 and 15 B.G.	144	48	35																																																														
16 B.G.	192	48	48																																																														
17 and 18 B.G.	168	48	40																																																														
19 to 24 B.G.	144	48	42																																																														
25 and 26 B.G.	144	48	36																																																														
27 B.G.	144	42	30																																																														
28 B.G.	132	40	30																																																														
29 B.G.	120	38	30																																																														
30 B.G.	96	38	25																																																														
3786	For lengths over 8' up to 9' ...	"		"	†0 10 0	} John Lysaght (Aust.) Pty. Ltd. as agents for Lysaght's Newcastle Works Pty. Ltd.																																																											
3787	" " 9' " 10' ...	"		"	†1 0 0																																																												
3788	" " 10' " 11' ...	"		"	†1 10 0																																																												
3789	" " 11' " 12' ...	"		"	†2 0 0																																																												
3790	For widths over 37" up to 42" ...	"		"	†0 15 0																																																												
3791	" " 42" " 48" ...	"		"	†1 0 0																																																												
3792	For areas under 11 sq. ft., provided that less than 5 tons of any size be ordered	"		"	†1 5 0																																																												

† Less 2½% discount for payment by the end of the month following month of delivery. Then plus 3/6 per ton for cartage.

BLACK STEEL SHEETS—Continued

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
	Extras on rates for Items Nos. 3780 to 3785 (in addition to extras under Items 3786 to 3792, if ordered)—					
3793	For Reshearing to exact size (plus or minus $\frac{1}{8}$ ")	N.S.W.		ton	£1 5 0	} John Lysaght (Aust.) Pty. Ltd. as agents for Lysaght's Newcastle Works Pty. Ltd.
3794	For Cropping (cutting off flattening machine grip marks)	"		"	£1 10 0	
3795	For Fully Reshearing (Cropping and Reshearing)	"		"	£2 0 0	
3796-3799	—Nil					

† Less 2½ discount for payment by the end of the month following month of delivery.
Then plus 3/6 per ton for cartage.

EXPLOSIVES

(Schedule No. 99B)

(1st July, 1938, to 30th June, 1939.—12 months only.)

3800	Detonators, No. 6, in boxes of 100, delivered f.o.r. Laverton, "Nobel's"	U.K.	200 boxes	box	0 6 0	McMicking & Co.
3801	Detonators, Electric, No. 6, to specification, delivered f.o.r. Laverton, "Nobel's"	"	150,000	1000	13 3 6	Dalgety & Co. Ltd.
3802	Fuse, single thread, in coils of 8 yards, "Nobel's"	Vict.	} 50 coils	coil	0 0 8	} McMicking & Co.
3802A	Fuse, single, thread, in coils of 8 yards, "Nobel's" in cases of 300 coils	"		"	0 0 7	
3803	Gelignite, 50 per cent., in 50 lb. cases, delivered f.o.r. Laverton, "Nobel's"	"	300 cases	case	2 15 0	} Dalgety & Co. Ltd.
3804	Polar Ajax, in 50 lb. cases, delivered f.o.r. Laverton, "Nobel's"	"	2000 "	"	2 8 6	
	Powder, Blasting, nitrate of potash, delivered f.o.r. Laverton, "Curtis & Harvey"—					
3805	In 25 lb. cases	U.K.	} 20 cwt.	"	1 6 3	} McMicking & Co.
3806	In 50 lb. cases	"		"	2 11 6	
	Extras on tendered rates for delivery in Melbourne and suburbs—					
	Detonators (Item No. 3800)—					
3807	In lots under 500	lot	0 2 6	} McMicking & Co.
3808	In lots 500 and over	"	0 3 6	
3809	Gelignite (Item No. 3803)	case	0 2 6	Dalgety & Co. Ltd.
3810	Blasting Powder (Items Nos. 3805 and 3806)	lb.	0 0 0½	McMicking & Co.
3811-3819	—Nil					

BROWN PAPER, TICKET BOARDS, ETC.

(Schedule No. 99D)

(1st July, 1938, to 30th June, 1939—12 Months only)

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
†3830	Checks, Manilla, Luggage— Yellow, to specification	Vict.	150,000	1000	0	4	5	Fahle & Whiting Pty. Ltd.
†3831	White, to specification	"	40,000	"	0	3	6	
*3832	6½" x 2½", printed one side (four stereos supplied), two perforations. Washed. In gangs of four. Boxed in 1000's	"	500,000	"	0	5	11	Spicers & Detmold Ltd.
*3833	Labels, Linen, small, 2½" x 2", "Invicta"	"	15,000	"	0	7	3	Sands & McDougall Pty. Ltd.
†3834	Labels, Manilla, in gangs of four and boxed— No. 5, "Invicta"	"	325,000	"	0	3	2	
†3835	No. 6	"	200,000	"	0	3	0	
†3836	7" x 3½", "Invicta"	"	75,000	"	0	6	11	Fahle & Whiting Pty. Ltd. Sands & McDougall Pty. Ltd.
†3837	Paper, Brown, M.F. Finish— Kraft, Double Imperial, 56 lb., flat or folded, as ordered	"	10 tons	ton	30	7	6	Australian Paper Manufacturers Ltd.
†3838	Kraft, Quad Imperial, 58" x 45", 136 lb.	"	25 reams	ream	1	16	10½	
†3839	Kraft, in rolls, 18" wide, 28 lb. Double Crown substance	"	10 rolls	ton	30	7	6	
†3840	Kraft, in rolls, 30" wide, 80 lb. Double Imperial substance	"	200 "	"	30	7	6	
†3841	M.F. Kraft, 17" x 27", 80 lb.	"	18 reams	ream	1	1	8½	
†3842	M.F. Kraft, Double Imperial, 120 lb.	"	1 "	"	1	12	6½	Wiggins, Teape & Alex. Pirie (Export) Ltd.
†3843	Cloth lined Boards, 20" x 25", any standard colour ordered. "Henleigh"	U.K.	3 gross	gross	3	0	0	
*3844	Manilla Ticket Boards, 22½" x 30¼", packed in bundles of 50	Vict.	5000 sheets	100	4	10	0	Australian Paper Manufacturers Ltd. Wiggins, Teape & Alex. Pirie (Export) Ltd.
†3845	Postcard Boards, coated two sides, 22½" x 28½", 49 lb. per gross, "Town"	U.K.	30 gross	gross	2	4	0	
†3846	Royal Pasteboards, 20" x 25", packed in bundles of 1 gross, with label indicating thickness— 3 sheet, 21 lb.	Vict.	700 "	"	0	8	3	Australian Paper Manufacturers Ltd.
†3847	6 sheet, 48 lb.	"	80 "	"	1	2	1	
†3848	Royal Pulp Boards, 4 sheet, assorted light tints, 26 lb.	"	800 "	"	0	8	0	
†3849	Royal Surface Boards, 20" x 25", packed in bundles of 1 gross, with label indicating colour— Blue, coated one side only, 30/32 lb.	"	10 "	"	0	19	6	Sands & McDougall Pty. Ltd.
†3850	Green, coated two sides, 30/32 lb.	"	12 "	"	1	5	2	
†3851	Red, coated two sides, 28 lb.	Scand.	15 "	"	0	18	6	A. J. Wallace
†3852	Yellow, coated two sides, 28 lb.	Vict.	20 "	"	0	17	6	
†3853	Strawboard, Plain— 25" x 30", 12 oz.	"	35 cwt.	cwt.	0	15	6	Australian Paper Manufacturers Ltd.
†3854	25" x 30", 24 oz.	"	15 "	"	0	17	6	
†3855	25" x 30", 32 oz.	"	10 "	"	0	17	6	
†3856	40" x 30" x ¾"	"	20 "	sheet	0	4	6	
†3857	40" x 30" x ½"	"	20 "	"	0	5	6	
†3858	Strawboard double white lined, 16 oz. substance, 34" x 44", to caliper between .070" and .075"	"	20 "	cwt.	0	19	0	

BROWN PAPER, TICKET BOARDS, ETC.—Continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
†3859	System Boards, 25½" x 30½", any standard colour ordered, "Glory"— 110 lb.	U.K.	4 reams	ream	4 2 6	} Wiggins, Teape & Alex. Pirie (Export) Ltd.
†3860	140 lb.	"	40 "	"	4 15 0	
†3861	170 lb.	"	25 "	"	5 15 0	
†3862	220 lb.	"	4 "	"	7 9 0	
†3863	Tickets Boards, 23" x 25", to specification— Blue	Vict.	3 tons	ton	33 12 0	} Australian Paper Manufacturers Ltd.
†3864	Buff	"	2 "	"	33 12 0	
†3865	Cerise	"	9 "	"	33 12 0	
†3866	Green	"	6 "	"	33 12 0	
†3867	White	"	55 "	"	33 12 0	
†3868	Yellow	"	1 "	"	33 12 0	
†3869	Wood Pulp Boards, 34" x 44", 50's, to caliper between .070" and .075"	Finland	2 "	cwt.	1 17 6	A. J. Wallace
3870-3879	—Nil					

PRINTING AND WRITING PAPERS, ETC.

(Schedule No. 99B)

(1st July, 1938, to 30th June, 1939—12 Months only)

†3880	Paper, Blotting, white, demy— 36 lb. folded	Vict.	120 reams	ream	0 17 3	} Australian Paper Manufacturers Ltd.
†3881	48 lb., 1st quality, folded or flat, as ordered	"	10 "	"	1 4 0	
†3882	Paper, Duplicating, hard sized, quad foolscap, 48 lb.— White	"	1500 "	"	1 2 0	} Nil
†3883	Assorted light tints	"	30 "	"	...	
†3884	Paper, Printing— Glazed Cap, 36" x 24", 45 lb. ...	Vict.	60 "	ream	0 13 7	} Australian Paper Manufacturers Ltd.
†3885	Kraft Brown, Double Royal, 40 lb. ...	"	650 "	"	0 10 11	
†3886	Manila, Carte, Double Crown, 100 lb.	"	140 "	"	1 19 7	
†3887	Smooth Cartridge, Royal, 40 lb. ...	"	100 "	"	0 17 6	
†3888	Paper, Writing, Azure Laid, 17½" x 40", guilotine trimmed all sides (Quad Foolscap Azure, 56 lb. substance)	"	250 "	"	1 1 6	
†3889	Paper, Writing, Bank— Cerise, Quad Foolscap, 28 lb ...	"	60 "	"	0 12 3	
†3890	Old Gold, Double Demy, 25 lb. ...	"	10 "	"	0 10 11½	} Australian Paper Manufacturers Ltd.
†3891	Salmon, Quad Foolscap, 28 lb. ...	"	80 "	"	0 12 3	
†3892	White, Double Demy, 25 lb. ...	"	200 "	"	0 10 11½	
†3893	White, Double Large Post, 22 lb. ...	"	60 "	"	0 9 7½	
†3894	White, Double Royal, 30 lb. ...	"	300 "	"	0 13 1½	
†3895	White, Quad Foolscap, 28 lb. ...	"	1800 "	"	0 12 3	
3896-3899	—Nil					

