

[3015]



VICTORIA GOVERNMENT GAZETTE.

Published by Authority.

[Registered at the General Post Office, Melbourne. for transmission by post as a newspaper.]

No. 267]

THURSDAY, AUGUST 31.

[1939

No.	Number of Tenders.	Particulars of Contract.	Country of Manufacture or Production.	Amount.	Name of Contractor.
47	..	Railways Stores Suspense Account, Act 3759, Section 105— Supply and delivery of General Stores as ordered, during the period 1st July, 1939, to 30th June, 1941.	As per annex ..	Rates as per annex	As per annex

Melbourne, 25th February, 1939.

Schedule of Rates Contracts FOR THE SUPPLY OF STORES TO THE VICTORIAN RAILWAYS.

Periods

1.7.1939 to 30.6.1941

E. C. EYERS,

By Order of the Victorian Railways Commissioner.

SUPPLY AND DELIVERY OF STORES.

As ordered, from 1.7.1939 to 30.6.41.

Items marked * to be supplied (subject to the General Conditions of Contract) to sample or samples exhibited by the Corporation.

Items marked † to be supplied to sample or samples furnished by the Contractor.

No subletting will be allowed.

All rates are exclusive of Sales Tax.

BEARING AND CYLINDER OILS FOR ROLLING STOCK, ETC.

(Schedule No 180)

(1st July, 1939, to 30th June, 1941)

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
†6000	Oil, Bearing, Axle, Black, to specification, in 40/45 gallon drums, "B.817" Exchange Factor, '075d. gal.	U.S.A.	20,000 gals.	gal.	\$0	1	4 $\frac{3}{4}$	Vacuum Oil Co. Pty. Ltd.
†6001	Oil, Bearing, Axle, Red, heavy, to specification, in 40/45 gallon drums, "X.L."	U.S.A. & Vict.	25,000 "	"	0	1	10 $\frac{1}{2}$	} Ramsay & Tregowan Ltd.
†6002	Oil, Bearing, Axle, Red, light, to specification, in 40/45 gallon drums. "X.L."	"	160,000 "	"	0	1	7	
†6003	Oil, Cylinder, Locomotive, Saturated Steam, to specification, in 40/45 gallon drums— "S.C. 2K." Exchange Factor, '115d. gal.	U.S.A.	} 25,000 "	"	\$0	2	1	Elder, Smith & Co. Ltd.
†6003A	"Shell" Exchange Factor, '135d. gal.	U.S.A. & Vict.		"	\$0	2	1	The Shell Co. of Aust. Ltd.
†6004	Oil, Cylinder, Locomotive, Superheater Steam, to specification, in 40/45 gallon drums— "Leader Cylinder" Exchange Factor, '150d. gal.	U.S.A. & Vict.	} 60,000 gals.	gal.	\$0	2	1 $\frac{1}{2}$	The Texas Co. (A/sia) Ltd.
†6004A	"C-796" Exchange Factor, '155d. gal.	"		"	\$0	2	3 $\frac{1}{2}$	} Vacuum Oil Co. Pty Ltd.
†6004B	"600 W" (for S.R. & W.S. Comm.) Exchange Factor, '21d. gal.	"	2500 "	"	\$0	3	5	
†6005	Oil, Cylinder, for Westinghouse Brake Cylinders and Triple Valves, to specification. "Socony T. N." Exchange Factor, '160d. gal.	U.S.A.	1300 "	"	\$0	2	2 $\frac{3}{4}$	} Vacuum Oil Co. Pty Ltd.
6006-6008	—Nil							

BEARING OIL FOR LOCOMOTIVES.

(Schedule No. 180A.)

(1st July, 1939, to 30th June, 1941)

6009	Oil, Bearing, Locomotive, "C.R." to specification, in 40/45 gal. drums Exchange Factor '145d. gal.	U.S.A. and Vict.	60,000 gallons	gal.	\$0	2	6	Vacuum Oil Co. Pty. Ltd.
------	---	------------------	----------------	------	-----	---	---	--------------------------

GREASE, VARIOUS.

(Schedule No. 181)

(1st July, 1939, to 30th June, 1941)

†6010	Compound, Lubricating, for use in the open gears of wheel lathes and other heavy machines, in 35 lb. tins, "Texaco Crater No. 2" Exchange Factor '012d. lb.	U.S.A.	6 cwt.	lb.	\$0	0	3	The Texas Co. (A'sia) Ltd.
†6011	Grease, Antifriction, to specification, in 40 lb. tins, "Shell V.R."	Vict.	90 "	"	0	0	1-66	} The Shell Co. of Aust. Ltd.
†6012	Grease, Compound, for Locomotive Crank and Coupling Rod Pins, to specification, in barrels or drums Exchange Factor '02d. lb.	U.S.A. & Vict.	120 "	"	\$0	0	6 $\frac{1}{4}$	

GREASE, VARIOUS—Continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor	
	Grease, Cup, to specification, "L.M."—						
† { 6013	No. 2, in 5 lb. tins ...	U.S.A.	10 cwt.	lb.	0 0 5½	Atlantic Union Oil Co. Ltd.	
6014	No. 2, in 36 lb. tins ...	& Vict.	1 "	"	0 0 4		
6015	No. 2, in barrels or drums ...	"	100 "	"	0 0 3¾		
† { 6016	No. 3, in 5 lb. tins ...	"	80 "	"	0 0 5¾		
6017	No. 3, in 36 lb. tins ...	"	70 "	"	0 0 4¾		
† 6018	No. 3, in barrels or drums ...	"	20 "	"	0 0 3½		
† 6019	No. 5, in 5 lb. tins ...	"	5 "	"	0 0 6¾		
† 6020	Grease, Gear, to specification, in barrels or drums, "Gargoyle C.N. Gear"	"	280 "	"	0 0 2¾		Vacuum Oil Co. Pty. Ltd.
† 6021	Grease, for Track Lubricators, to specification, in drums, "Texaco 904" Exchange Factor .017d. lb.	U.S.A.	90 "	"	\$0 0 4¾		The Texas Co. (A'sia) Ltd.
	Lubricant, Motor Chassis, to specification—						
† { 6022	Light, in 5 lb. tins, "Hipressure" ... Exchange Factor, .03d. lb	"	120 lb.	"	\$0 0 6½	Atlantic Union Oil Co. Ltd.	
6023	Light, in 36 lb. tins, "Hipressure" ... Exchange Factor, .03d. lb.	"	1200 "	"	\$0 0 4¾		
† { 6024	Medium, in 5 lb. tins, "Mobilgrease No. 5" Exchange Factor, .03d. lb.	U.K.	60 "	"	\$0 0 6½	Vacuum Oil Co. Pty. Ltd.	
6025	Medium, in 36 lb. tins, "Mobilgrease No. 5" Exchange Factor, .03d. lb.	"	300 "	"	\$0 0 4¾		
6026-6029	—Nil						

PETROLEUM JELLY

(Schedule No. 182)

(1st July, 1939, to 30th June, 1941).

† 6030	Petroleum Jelly (Amber), for use on Accumulators and Dynamo Bearings, in 5 lb. tins "Shell Amber" Exchange Factor .017d. lb.	U.S.A.	10 cwt.	lb.	\$0 0 4	The Shell Co. of Aust. Ltd.
† 6031	Petroleum Jelly, for Ambulance use, in 5 lb. tins "Petrolatum 0000" Exchange Factor .019d. lb.	"	1 "	"	\$0 0 5½	Vacuum Oil Co. Pty. Ltd.
† 6032	Petroleum Jelly, for use in Signal Boxes, in 36 lb. tins "Shell Pale Yellow" Exchange Factor .019d. lb.	"	1 "	"	\$0 0 3¾	The Shell Co. of Aust. Ltd.
† 6033	Petroleum Jelly, for Tarpaulin dressing, to specification, in barrels of approx. 5 cwt. each "S.D."	"	250 "	"	0 0 2¼	Ramsay & Treganowan Ltd.
† 6033A	Petroleum Jelly, for Tarpaulin dressing, to specification, in barrels of approx. 5 cwt. each "Shell Dark Crude" Exchange Factor .013d. lb.	"		"	\$0 0 1¾	The Shell Co. of Aust. Ltd.
6034-6039	—Nil					

PARAFFIN WAX

(Schedule No. 183)

(1st July, 1939, to 30th June, 1941)

† 6040	Wax, Paraffin, for tarpaulin dressing, to specification	Sumatra	45 tons	lb.	0 0 4¾	Vacuum Oil Co. Pty. Ltd.
† 6040A	" " " "	Borneo		"	0 0 4¾	The Shell Co. of Aust. Ltd.

PAINT, ENAMEL, ETC.
(Schedule No. 184.)
(1st July, 1939, to 30th June, 1941).

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
†6041	Compound, Boiler, Anti-corrosive, in 1 gallon tins, "Apexior"	N.S.W.	60 gals	gal.	1 12 0	A.E. Supplies Pty. Ltd.
†6042	Enamel, any colour ordered, "Permalac"— In 1 quart tins	Vict.	350 "	"	0 16 0	Permalac Paint & Varnish Products
	†6043				In 1 pint tins	
†6044	Enamel, for use on locomotives, black, in 1 gallon tins, "Permalac"	"	1200 "	"	0 9 3	Permalac Paint & Varnish Products
†6045	Undercoating, for use with Item No. 6044, in 1 gallon tins, "Permalac"	"	400 "	"	0 9 9	
†6046	Enamel, Stoving, black, in ½ gallon tins, "Wm. Docker"	N.S.W.	12 "	"	0 5 2	Wilkinson, Heywood & Clark
†6047	Paint, Acid Resisting, for urinals— Black, in 1 gallon tins, "United"	S. Aust.	60 "	"	10 3 11	British Australian Lead Manufacturers Pty. Ltd.
	†6048				Black, in 4 gallon drums, "United"	
†6049	Red, in 1 gallon tins, "F.898"	N.S.W.	24 "	"	0 7 2	Taubmans Pty. Ltd.
	†6050				Red, in 4 gallon tins, "F.898"	
†6051	Paint, bituminous, black, for dressing bituminous roofing felt, etc., in 4 gallon tins	Vict.	2000 "	"	0 2 3	Charles Atkins & Sons Pty. Ltd.
†6052	Paint, Anti-corrosive, black, bituminous, for overhead equipment, in 4 gallon tins, "Goodlass Wall"	"	60 "	"	0 5 9	E. L. Yencken & Co. Pty. Ltd.
†6053	Paint, Anti-corrosive, Compound, for structural steelwork, "Ruskilla," in 5 gallon drums supplied by the Corporation	"	400 "	"	0 4 8	Hobson's Bay Dock & Engineering Co. Pty. Ltd.
†6054	Paint, Anti-corrosive, grey, for structural steelwork and overhead equipment, in 4 gallon tins, "C.171"	N.S.W.	1200 "	"	0 10 5	Taubmans Pty. Ltd.
†6055	Thinners, Summer, for use with Item No. 6054, in 4 gallon tins, "E.505"	"	300 "	"	0 6 0	
†6056	Thinners, Winter, for use with Item No. 6054, in 4 gallon tins, "E.86"	"	100 "	"	0 6 3	Wm. Adams & Co. Ltd.
†6057	Paint, Anti-corrosive, grey, for steelwork in contact with sea water, "Ferrodor No. 29," in 4 gallon tins	"	50 "	"	0 13 6	
†6058	Paint, Anti-corrosive, for structural steel work, Red Brown, in 4 gallon tins, "Anodite G2830"	Vict.	100 "	"	0 11 6	E. L. Yencken & Co. Pty. Ltd.
†6059	Priming Coat, for use with Item No. 6058, in 4 gallon tins, "Anodite 5188"	"	100 "	"	0 11 6	
†6060	Paint, Anti-fouling, "International," in 4 gallon drums	N.S.W.	15 cwt	cwt.	8 13 6	Hobson's Bay Dock & Engineering Co. Pty. Ltd.
†6061	Paint, Car Cement, black, "E.1456," in 4 gallon tins	"	200 gals.	gal.	0 6 6	Taubmans Pty. Ltd.
†6062	Paint, cold water, in paste form, any colour ordered— In 14 lb. tins	Vict.	20 tons	cwt.	1 2 0	H. V. Jenson & Co.
	†6063				In 56 lb. tins	
†6064	Paint, cold water, distemper, in powder form, any colour ordered, in 5 lb. packets, "Triton"	"	100 pkts.	pkt.	0 1 2	Brodrick, Baseley & Co.
†6065	Paint, Non-fading, post office red, in 1 gallon tins, "B.A.L.M."	N.S.W.	300 gals.	gal.	10 19 6	British Australian Lead Manufacturers Pty. Ltd.
†6066	Paste, Titanium Zinc mixture, for manufacturing paint, in 1 cwt. kegs, "United"	S. Aust.	12 tons	cwt.	12 1 6	

6067-6119—Nil

† Less 2½% discount for payment in 30 days after delivery.

PAINTERS' SUNDRIES, ETC.

(Schedule No. 186)

(1st July, 1939, to 30th June, 1941)

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
†6120	Beeswax ...	Vict.	1 ton	lb.	0 1 4	} W. & G. Dean Pty. Ltd.
	Celluloid, clear, in sheets 54" x 24"—					
†6121	20 mils thick ...	Germ'y	24 sheets	sheet	0 3 9	
†6122	40 mils thick ...	"	24 "	"	0 8 0	
†6123	Cutters, Glass, turret head, No. 1, "Goodell Pratt"	U.S.A.	200	each	0 1 4½	Walker's Hardware Stores Pty. Ltd.
	Dabs, Gilders', Bear Hair, quill bound handles—					
6124	No. 4, "Baker" ...	U.K.	60	"	0 0 11	} E. L. Yencken & Co. Pty. Ltd.
6125	No. 6 " ...	"	12	"	0 1 3	
†6126	No. 8 " ...	"	80	"	0 1 6	
6127	No. 12 " ...	"	16	"	0 2 3	
6128	No. 14 " ...	"	40	"	0 2 9	
†6129	No. 16, "Alligator" ...	Germ'y	40	"	0 3 10	W. & G. Dean Pty. Ltd.
	Fitches, Hog Hair, Lining, "Hill Bros."—					
6130	¼" ...	U.K.	6	"	0 0 5½	} E. L. Yencken & Co. Pty. Ltd.
6131	½" ...	"	12	"	0 0 7	
6132	¾" ...	"	16	"	0 0 9	
6133	1" ...	"	36	"	0 0 10	
6134	Gold Leaf, non-transfer, in books of 25 leaves, "Whiley"	"	300 books	book	0 3 0	
†6135	Knives, Stopping, 6" blade, with riveted handles, "Perigo Bros."	"	400	each	0 1 3	
	Knives, Stripping, 5" blade—					
†6136	1½" wide, "Helmet" ...	"	600	"	0 1 3	} Brooks, Robinson Pty. Ltd.
†6137	2" " " ...	"	200	"	0 1 6	
†6138	3" " "The Eldorado" (for general use)	"	} 300	"	0 1 10½	W. & G. Dean Pty Ltd.
†6138A	3" " "Helmet" (for painters' use)	"		"	"	0 2 0

PAINTERS' SUNDRIES, ETC.—Continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate	Name of Contractor
Pencils, Sable, Best Red, Liner's, quill handles—						
†6139	Lark, "Alligator"	Germ'y	8	each	0 0 6½	} W. & G. Dean Pty Ltd.
†6140	Crow " "	"	20	"	0 0 11	
†6141	Duck, "Hill Bros."	U.K.	16	"	0 0 8	} E. L. Yencken & Co Pty. Ltd.
†6142	Goose " "	"	6	"	0 1 6	
6143	Mid Swan	"	6	"	...	} Nil
6144	Large Swan	"	6	"	...	
Pencils, Sable, Best Red, Writers', quill handles—						
†6145	Lark, "Rigby Battock"	U.K.	24	"	0 0 3	} E. L. Yencken & Co Pty. Ltd.
†6146	Crow	Germ'y	96	"	0 0 5	
†6147	Duck	"	48	"	0 0 7½	} Gibaud & Son Pty Ltd.
†6148	Goose, "Alligator"	"	24	"	0 1 6	
6149	Mid Swan	"	6	"	...	} Nil. (Items Nos. 6149 and 6150 to be ...)
6150	Large Swan	"	6	"	...	
Pencils, Sable, Best Red, Writers', wooden handles, with copper ferrules, "Alligator"—						
†6151	No. 1 (hair 13/16" out of ferrule) ...	Germ'y	48	"	0 0 5½	} E. L. Yencken & Co Pty. Ltd.
†6152	No. 2 (" 13/16" " ") ...	"	12	"	0 0 6	
†6153	No. 3 (" 1" " ") ...	"	48	"	0 0 8½	
†6154	No. 4 (" 1 1/8" " ") ...	"	12	"	0 1 1½	} Gibaud & Son Pty Ltd.
†6155	No. 6 (" 1 3/8" " ") ...	"	12	"	0 1 5	
†6156	No. 8 (" 1 5/8" " ") ...	"	12	"	0 2 6	} E. L. Yencken & Co. Pty. Ltd.
†6157	No. 10 (" 1 1/2" " ") ...	"	12	"	0 4 2	
†6158	No. 11 Special (hair 1 1/2" out of ferrule)	"	24	"	0 5 9	} W. & G. Dean Pty Ltd.
†6159	No. 12 (hair 1 1/2" out of ferrule) ...	"	60	"	0 6 0	
†6160	Plaster of Paris; in bags of 1 cwt. nett, "Victor Plaster Co."	Vict.	50 cwt.	cwt.	0 6 8	} W. & G. Dean Pty Ltd.
†6161	Wood, Plastic, in 1 lb. tins, "Necol," ...	N.S.W.	300 lb.	lb.	0 1 9	
†6162	Fluid, Softening, for Plastic Wood, in pint tins, "Necol"	"	20 pts.	pint	0 1 11	} British Australian Lead Mfrs. Pty. Ltd.
6163-6179	—Nil					

BROOMS, BRUSHES, ETC.

(Schedule No. 187.)

(1st July, 1939, to 30th June, 1941.)

Item No.	Description	Country of Manufre	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
BROOMS—								
†6180	Bass, 13", bored for No. 3 "Gyton's" holder or ordinary handle, as ordered	Vict.	2500	each	0	2	3	} Royal Victorian Institute for the Blind.
†6181	Bass, 15", bored for No. 2 "Gyton's" holder	"	70	"	0	3	6	
†6182	Bassine, 24", bored for No. 2 "Gyton's" holder	"	150	"	0	5	4	
†6183	Bassine, copper wire drawn, 12" ...	"	50	"	0	2	8	
†6184	Java Fibre, 24", bored for No. 2 "Gyton's" holder	"	800	"	0	4	6	
†6185	Hair, 13", bored for No. 3 "Gyton's" holder or ordinary handle, as ordered	"	3600	"	0	3	6	Excelsior Broom & Brush Co.
†6186	Hair and Java, 24", bored for No. 2 "Gyton's" holder	"	700	"	0	7	7	Royal Victorian Institute for the Blind
†6187	Millet and Cane ...	"	2500	"	0	3	0	Excelsior Broom & Brush Co.
BRUSHES—								
†6188	Bottle, twisted wire handle ...	"	100	"	0	0	3½	} Gibaud & Son Pty. Ltd.
†6189	Distemper, Bristle, flat, 6" wide, "Osprey Extra Special"	"	25	"	1	2	6	
†6190	Distemper, Fibre, No. 8 ...	"	100	"	0	1	1½	
†6191	Dusters, Painters', "Boar's Head No. 4	"	400	"	0	3	10	} John Zevenboom & Co.
†6192	Driven Fibre ...	"	1100	"	0	1	9	
Fitches, White Bristle, tin-bound, flat, "Boar's Head"—								
†6193	⅝" wide x ⅝" thick, No. 5 ...	"	550	"	0	0	6	} Gibaud & Son Pty Ltd.
†6194	⅞" wide x ⅞" thick, No. 7 ...	"	350	"	0	0	10	
†6195	1" wide x ⅞" thick, No. 8 ...	"	1100	"	0	1	1	
†6196	Flue, twisted wire handle ...	"	200	"	0	0	5	
†6197	Gum, ⅝" diameter ...	"	350	"	0	0	3	} Royal Victorian Institute for the Blind
†6198	Hand Banister, Bassine, 15" overall ...	"	70	"	0	1	5	
†6199	Hand Banister, Hair and Java, 17" overall	"	3500	"	0	2	8	
†6200	Hand Banister, Java, 12" overall, "No. 2, Ranji"	S. Aust.	500	"	0	0	8½	S. A. Brush Co. Ltd.
†6201	Hand Banister, Wing, horsehair, 14" overall	Vict.	60	"	0	2	6	Royal Victorian Institute for the Blind
†6202	Louvre, Washing ...	"	250	"	0	0	10	Excelsior Broom & Brush Co.
†6203	Painters' 8/0 ...	"	180	"	1	1	0	Gibaud & Son Pty. Ltd.
†6204	Pan ...	"	200	"	Nil
†6205	Pick ...	Vict.	20	"	0	0	9	} Gibaud & Son Pty. Ltd.
†6206	Point Cleaning, standard ...	"	1400	"	0	0	4½	
†6207	Point Cleaning, special, 2" "Wunder"	S. Aust.	400	"	0	1	1½	S. A. Brush Co. Ltd.

BROOMS, BRUSHES, ETC.—Continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
BRUSHES—continued—						
†6208	Sash Tools, white bristle— No. 1 ...	Vict.	100	each	0 0 6	John Zevenboom & Co.
†6209	No. 4 ...	"	500	"	0 0 10 $\frac{3}{4}$	Gibaud & Son Pty. Ltd.
†6210	No. 5, "Super Ranji" ...	S. Aust.	300	"	0 1 4 $\frac{1}{2}$	} S. A. Brush Co. Ltd.
†6211	No. 6 " " ...	"	500	"	0 1 6 $\frac{3}{4}$	
†6212	No. 8 ...	Vict.	400	"	0 3 6	Gibaud & Son Pty. Ltd.
†6213	No. 12 ...	"	100	"	0 8 0	John Zevenboom & Co.
†6214	Scouring, bristle "Bour's Head" ...	"	600	"	0 1 0	Gibaud & Son Pty. Ltd.
†6215	Scrubbing, Boat ...	"	800	"	...	Nil
†6216	Scrubbing, Hand, single wing ...	Vict.	3000	"	0 0 6	Gibaud & Son Pty. Ltd.
†6217	Sewer ...	"	200	"	...	Nil
†6218	Stencil, 1" ...	S. Aust.	450	"	0 0 8	S. A. Brush Co. Ltd.
†6219	Stencil, 1 $\frac{1}{2}$ ", tarpaulin ...	Vict.	50	"	0 3 0	} Gibaud & Son Pty. Ltd.
†6220	Tar, handled ...	"	500	"	0 1 1	
†6221	Typewriter ...	"	20	"	0 0 4	
Varnish, black bristle, bevelled edge—						
†6222	1" wide x $\frac{11}{16}$ " thick, "Ace" ...	S. Aust.	1500	"	0 0 9 $\frac{3}{4}$	} S. A. Brush Co. Ltd.
†6223	2" wide x $\frac{3}{4}$ " thick ...	Vict.	2500	"	0 1 11	
†6224	3" wide x $\frac{5}{8}$ " thick ...	"	1400	"	0 5 8	
†6225	Wall, 3" ...	"	1800	"	0 5 3	} Gibaud & Son Pty. Ltd.
†6226	Weatherboard, 3 $\frac{1}{2}$ " ...	"	700	"	0 7 6	
†6227	Weatherboard, 4" ...	"	1600	"	0 9 0	
†6228	Whisks, Hand, standard ...	"	2000	"	0 0 8	} Royal Victorian Institute for the Blind
†6229	Whisks, Hand, with 15" handles ...	"	200	"	0 0 9 $\frac{1}{2}$	
BRUSHES, STEEL WIRE—						
†6230	Blacksmiths', large ...	"	150	"	0 2 3	} John Zevenboom & Co.
†6231	Blacksmiths', round, handled ...	"	50	"	0 1 1	
†6232	Boiler Tube, 1 $\frac{3}{4}$ " diameter ...	"	250	"	0 1 1 $\frac{1}{2}$	
†6233	Boiler Tube, 2" diameter ...	"	50	"	0 1 1 $\frac{1}{2}$	
†6234	Moulders' ...	"	150	"	0 1 10	} Gibaud & Son Pty. Ltd.
†6235	Oxy-Welders', flat ...	"	400	"	0 1 6	
†6236	Spark Arrester, flat, with 48" handles ...	"	1400	"	0 2 0	
DUSTERS, FEATHER—						
†6237	No. 5 ...	"	360	"	0 1 4 $\frac{1}{2}$	} Excelsior Broom & Brush Co.
†6238	No. 46 ...	"	1200	"	0 3 9	
†6239	No. 46, without wire binding ...	"	360	"	0 3 0	
†6240	Dusters, wool hide, with 2" soft end ...	"	500	"	0 1 3	W. H. Cowley
6241-6249	—Nil					

GLASS.

(Schedule No. 188.)

(1st July, 1939, to 30th June, 1941).

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
†6250	Glass— Amber, plain, 16 oz., any shade ordered ... "Grimm & Co."	Germ'y	80 sq. ft.	sq. ft.	0	1	1	E. L. Yencken & Co. Pty. Ltd.
†6251	Arctic, white ...	N.S.W.	100 "	"	0	0	8	
†6252	Arctic, coloured ...	"	70 "	"	0	1	0	Brooks, Robinson Pty. Ltd.
†6253	Euston, white ...	"	300 "	"	0	0	8	
†6254	Flemish, white, large figure ...	"	1000 "	"	0	0	8	
†6255	Flemish, white, small figure ...	"	800 "	"	0	0	8	
†6256	Flemish, colours other than white as ordered, small figure	"	120 "	"	0	1	0	
†6257	Opal, 21 oz. "Grimm & Co."	Germ'y	200 "	"	0	1	3	E. L. Yencken & Co. Pty. Ltd.
†6258	Muranese, white, large figure, "Pilkington"	U.K.	40 "	"	0	0	9	
†6259	Muranese, white, small figure, "Chance Bros."	"	40 "	"	0	0	9	W. & G. Dean Pty. Ltd.
†6260	Muranese, amber, large figure, "Chance Bros."	"	40 "	"	0	1	1	
†6261	Trimidical, to specification, "Chance Bros."	"	2000 "	"	0	0	9½	
	Plate, Clear, Polished, level, free from blemishes, "Pilkington Bros."—							
6262	$\frac{1}{8}$ " thick— Up to 7 square feet ...	"	800 "	"	0	2	9	Brooks, Robinson Pty. Ltd.
6263	Over 7 up to 15 square feet ...	"	200 "	"	0	2	11	
6264	$\frac{3}{16}$ " thick— Up to 10 square feet ...	"	7000 "	"	0	2	5	
6265	Over 10 up to 20 square feet ...	"	50 "	"	0	2	8	
6266	Over 20 up to 30 square feet ...	"	50 "	"	0	2	11	
6267	$\frac{1}{4}$ " thick— Up to 10 square feet ...	"	6500 "	"	0	2	3	
6268	Over 10 up to 20 square feet ...	"	350 "	"	0	2	6	
6269	Over 20 up to 30 square feet ...	"	100 "	"	0	2	9	
6270	Over 30 up to 40 square feet ...	"	50 "	"	0	2	11	
6271	Over 40 up to 50 square feet ...	"	50 "	"	0	3	2	
6272	$\frac{5}{16}$ " thick— Up to 10 square feet ...	U.K.	100 sq. ft.	sq. ft.	0	2	4	
6273	Over 10 up to 20 square feet ...	"	40 "	"	0	2	8	
	Extras on rates for Items Nos. 6264 to 6271 for—							
6274	Cutting and grinding a 3" diameter hole in an indicated position	Vict.	—	each	0	3	6	
6275	Cutting, grinding and polishing a 3" hole in an indicated position	"	—	"	0	7	0	

GLASS—Continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
	Glass—							
	Plate, Clear, Polished, level, free from blemishes, "Pilkington Bros.,"—Continued—							
	Glass—							
	Plate, Silvered, plain edge—							
6276	$\frac{1}{4}$ " thick— Up to 7 square feet	U.K. & Vict.	800 sq. ft.	sq. ft.	0	3	2	Brooks, Robinson Pty. Ltd.
6277	Over 7 up to 15 square feet	"	50 "	"	0	3	5	
6278	$\frac{5}{16}$ " thick— Up to 7 square feet	"	150 "	"	0	3	3	
6279	Over 7 up to 15 square feet	"	50 "	"	0	3	6	
	Extras on rates for Items Nos. 6264 to 6271 and 6276 to 6279 for—							
6280	$\frac{3}{4}$ " bevel	Vict.	—	lin. ft.	0	0	4	
6281	1" bevel	"	—	"	0	0	5	
6282	Polished Arriss	"	—	"	0	0	3	
6283	Ground Edges	"	—	"	0	0	5	
	Glass—							
†6284	Plate, Silvered, plain edges, $\frac{1}{4}$ " thick, $6\frac{1}{4}$ " x $5\frac{1}{4}$ ", for tricycle mirrors	U.K. & Vict.	400	each	0	0	7	
†6285	Plate, Rolled, Ribbed— $\frac{1}{16}$ " thick	N.S.W.	80 sq. ft.	sq. ft.	0	0	9	
†6286	$\frac{1}{4}$ " thick	"	20 "	"	0	0	9½	
†6287	Plate, Wire cast, $\frac{1}{4}$ " thick	"	10,000 "	"	0	1	0	
†6288	Plate, Wire rolled, $\frac{1}{4}$ " thick	"	1200 "	"	0	1	3	
	Sheet, Clear—							
6289	16 oz.— Up to 40 united inches	"	1000 "	"	0	0	3½	
6290	Over 40 up to 50 united inches	"	2000 "	"	0	0	3½	
6291	21 oz.— 12" x 10"	"	100 sheets	sheet	0	0	4½	
6292	16" x 12"	"	200 "	"	0	0	6½	
6293	16" x 14"	"	150 "	"	0	0	7½	
6294	18" x 12"	"	700 "	"	0	0	7½	
								W. & G. Dean Pty. Ltd.

PLUMBERS' GOODS (VARIOUS).

(Schedule No. 189.)

(1st July, 1939, to 30th June, 1941).

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
6330	Balls, Fire Plug, ebonite, 3½" diameter ...	Vict.	10	each	0 3 3	Dunlop Perdriau Rubber Co. Ltd.
	Bolts, Hook, verandah, with nuts—					
6331	Bent, 3½" long x ¼" diameter	100 doz.	doz.	...	} Requirements to be obtained from Electrical Branch at 9d. a dozen
6332	Straight, 3½" long x ¼" diameter	100 "	"	...	
	Bolts and Nuts, galvanized, rolled threads, mushroom slotted heads, square nuts, "S. Cooke Pty. Ltd."—					
6333	¼" diameter x ¾" long ...	Vict.	30 gross	gross	0 3 1	} Hardware Co. of Aust. Pty. Ltd.
6334	½" " x 1" " ...	"	30 "	"	0 3 3½	
6335	¼" " x 1¼" " ...	"	15 "	"	0 3 7	
6336	¼" " x 1½" " ...	"	60 "	"	0 3 10	
6337	¼" " x 2" " ...	"	200 "	"	0 4 3½	
	Clips, Bracket, nickel plated, with 1½" shanks, "Eze"—					
6338	For ½" copper pipe ...	"	10 doz.	doz.	0 18 0	} Shanks & Co. Pty. Ltd.
6339	For ¾" " ...	"	20 "	"	0 18 0	
6340	For 1" " ...	"	6 "	"	0 18 0	
6341	For 1¼" " ...	"	2 "	"	1 6 0	
6342	For ½" galvanized wrought iron pipe, ...	"	8 "	"	0 18 0	
	Clips, Hose, galvanized—					
6343	½" ...	N.S.W.	12 "	"	0 0 10	} Slade, Allan & Co. Pty. Ltd.
6344	¾" ...	"	30 "	"	0 0 11	
	Clips, Hose, galvanized, double lap, "Ideal"—					
6345	1¼" ...	U.S.A.	60 "	"	0 3 3	} John Danks & Son Pty. Ltd.
6346	1½" ...	"	3 "	"	0 4 0	
6347	1¾" ...	"	12 "	"	0 4 0	
6348	2" ...	"	12 "	"	0 4 3	
6349	2¼" ...	"	4 "	"	0 5 2	
6350	2½" ...	"	12 "	"	0 5 6	
6351	3" ...	"	6 "	"	0 6 0	
6352	3½" ...	"	6 "	"	0 7 3	

PLUMBERS' GOODS (VARIOUS)—Continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
Clips, Pipe, beaded, galvanized—						
6353	$\frac{1}{2}$ " ...	Vict.	250 doz.	doz.	0 0 3 $\frac{1}{2}$	John Mellwraith & Co. Pty. Ltd.
6354	$\frac{3}{4}$ " ...	"	70 "	"	0 0 4 $\frac{1}{2}$	
6355	1", "Longbottom" ...	U.K.	30 "	"	0 0 6	John Danks & Son Pty. Ltd.
6356	Clips, Vent, galvanized, for 1 $\frac{1}{2}$ " galvanized sheet iron pipe	Vict.	20 "	"	0 1 3	
Hooks, Pipe, galvanized, for galvanized wrought iron pipe, "Rollinson"—						
6357	$\frac{1}{2}$ " ...	"	120 "	"	0 0 9	John Mellwraith & Co. Pty. Ltd.
6358	$\frac{3}{4}$ " ...	"	60 "	"	0 1 1 $\frac{1}{2}$	
6359	1" ...	"	20 "	"	0 1 4 $\frac{3}{4}$	
6360	1 $\frac{1}{4}$ " ...	"	30 "	"	0 1 9 $\frac{1}{2}$	
6361	1 $\frac{1}{2}$ " ...	"	6 "	"	0 2 2 $\frac{1}{2}$	
6362	2" ...	"	4 "	"	0 2 6	
6363	Jointing, Bitumen ...	"	6 cwt.	cwt.	0 12 0	John Danks & Son Pty. Ltd.
Menders, Hose, perfect clinching—						
†6364	$\frac{1}{2}$ " ...	N.S.W.	4 doz.	doz.	0 1 9	Slade, Allan & Co. Pty. Ltd.
†6365	$\frac{3}{4}$ " ...	"	30 "	"	0 1 10	
†6366	1", "Popes" ...	S. Aust.	6 "	"	0 7 0	John Danks & Son Pty. Ltd.
Rivets, galvanized, cone head, "Nettlefolds"—						
6367	$\frac{3}{8}$ " long x $\frac{3}{16}$ " diameter ...	Vict.	400 lb.	lb.	0 0 7 $\frac{1}{2}$	Briscoe & Co. Ltd.
6368	$\frac{1}{2}$ " long x $\frac{1}{8}$ " diameter ...	"	300 "	"	0 0 7 $\frac{1}{2}$	
Screws, galvanized, cone head, "Nettlefolds"—						
6369	2" x 12 G ...	"	150 "	"	0 0 9	Briscoe & Co. Ltd.
6370	2 $\frac{1}{2}$ " x 12 G ...	"	2500 "	"	0 0 9	
6371	2 $\frac{1}{2}$ " x 12 G ...	"	400 "	"	0 0 9	
6372	3" x 12 G ...	"	100 "	"	0 0 9	
6373	3 $\frac{1}{2}$ " x 14 G ...	"	200 "	"	0 0 9	
6374	4" x 14 G ...	"	350 "	"	0 0 9	
†6375	Solder, resin cored, .080", "Kembla" ...	N.S.W.	168 "	"	0 2 8 $\frac{1}{2}$	Australian General Electric Ltd.
Spelter, for brazing brass boiler tubes, "Ratcliffe"—						
†6376	No. 1 ...	U.K.	6 cwt.	"	0 1 0	Currie & Richards Pty. Ltd.
†6377	No. 2 ...	"	10 "	"	0 1 0	
†6378	No. 3 ...	"	4 "	"	0 1 0	
†6379	No. 4 ...	"	1 "	"	0 1 0	

PLUMBERS' GOODS (VARIOUS)—Continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
	Spikes, galvanized, for spouting—							
6380	6"	Vict.	400 doz.	doz.	0	0	6	} Briscoe & Co. Ltd.
6381	7"	"	1000 "	"	0	0	6½	
	Tubes, galvanized, for spouting—							
6382	4½"	"	400 "	"	0	0	3½	
6383	5"	"	1000 "	"	0	0	3½	
	Washers, galvanized, cut, round, ⅛ thick, "Nettlefold's"—							
6384	⅝" outside diameter x ⅜" hole	"	4 cwt.	lb.	0	0	9½	
6385	¾" " x ¼" "	"	20 "	"	0	0	8	
6386	¾" " x ⅛" "	"	2 "	"	0	0	7½	
6387-6409	—Nil							

ENAMELLED BATHS, ETC.

(Schedule No. 190)

(1st July, 1939, to 30th June, 1941)

Basins, Lavatory, cast iron, white stainless acid resisting enamelled, 1st quality, with 1½" or 1¼" plug and washer (M), as ordered, to specification—								
6410	22" x 16", flat back	Vict.	80	each	†2 6 0	} Metters K.F.B. Pty. Ltd.		
6410A	" "	N.S.W.			†2 5 6	} John McIlwraith & Co. Pty. Ltd.		
6411	25" x 20", angle	Vict.	80	"	†2 5 6	} Metters K.F.B. Pty. Ltd.		
6411A	" "	N.S.W.			†2 5 0	} John McIlwraith & Co. Pty. Ltd.		
Baths, cast iron, white stainless acid resisting enamelled, 5' 0" or 5' 6" as ordered, type 1 to 4 (as per blue print 692/37), right or left hand outlet, as ordered, to specification—								
6412	1st quality	Vict.	200	"	†10 3 3	} Metters K.F.B. Pty. Ltd.		
6412A	" "	N.S.W.			†10 2 3	} John McIlwraith & Co. Pty. Ltd.		
6413	2nd quality	Vict.	200	"	†9 8 9	} Metters K.F.B. Pty. Ltd.		
6413A	" "	N.S.W.			†9 7 9	} John McIlwraith & Co. Pty. Ltd.		
6414	Cisterns, cast iron, glass enamelled, 3 gallon, with cover, high or low pressure ball cock (M), as ordered, "Chief"	Vict.	200	"	†1 14 6	} John McIlwraith & Co. Pty. Ltd.		
6415	Screens, shower, wired cast glass, 4' 6" x 2' 3", round or rectangular section frames, as ordered, right or left hand, as ordered, to specification	"	120	"	†1 10 0	}		

† Less further 2½% for payment by the end of the month following month of delivery.

ENAMELLED BATHS, ETC.—Continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
	Sinks, cast iron, white stainless acid resisting enamelled, 1st quality, to specification—							
6416	15" x 14", inside measurements	Vict.	80	each	£1 18 6			Metters F.K.B. Pty. Ltd.
					less 27½%			
6416A	15" x 14" " "	N.S.W.			£1 19 0			John McIlwraith & Co. Pty. Ltd.
					less 30%			
6417	18" x 14" " "	Vict.	160		£2 0 6			Metters K.F.B. Pty. Ltd.
							less 27½%	
6417A	18" x 14" " "	N.S.W.			£2 1 0			John McIlwraith & Co. Pty. Ltd.
					less 30%			
6418	21" x 13" " "	Vict.	5		£2 3 0			Metters K.F.B. Pty. Ltd.
							less 27½%	
6418A	21" x 13" " "	N.S.W.			£2 3 6			John McIlwraith & Co. Pty. Ltd.
					less 30%			
6419	24" x 13" " "	Vict.	5		£2 7 6			Metters K.F.B. Pty. Ltd.
							less 27½%	
6419A	24" x 13" " "	N.S.W.			£2 8 0			John McIlwraith & Co. Pty. Ltd.
					less 30%			
6420-6429	—Nil							

‡ Less further 2½% for payment by the end of the month following month of delivery.

EARTHENWARE CLOSET PANS, ETC.

(Schedule No. 191.)

(1st July, 1939, to 30th June, 1941).

6430	Basins, Wash, oval, earthenware, for cars, to drawing No. 1950	Vict.	20	each	2 10 0	} R. Fowler Ltd.
6431	(M) Pans, Closet, earthenware, pedestal, class 6, white, P. or S. trap as ordered, vented or unvented as ordered, right or left hand as ordered	"	200	"	1 11 6	
6432	Pans, Closet, earthenware, for cars, to Drawing No. 6761	"	60	"	2 15 0	
6433	Pans, Closet, earthenware, for cars, to Drawing No. 4072B	"	60	"	2 15 0	
6434-6439	—Nil					

GENERAL HARDWARE, No. 2.
(Schedule No. 193.)
(1st July, 1939, to 30th June, 1941).

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
†6480	Bellows, Moulders', 10", "W. Halliwell"	Vict.	48	each	0 5 3	McPherson's Pty. Ltd.
	Barrows, Wheel, tubular steel, for foundry use—					
6481	3 cubic feet capacity, 16 gauge mild steel body, "Kelso No. 62"	"	30	"	2 1 3	John Danks & Son Pty. Ltd.
6482	5 cwt. capacity, heavy type, 16 gauge mild steel body with 1" pipe handles	"	15	"	3 8 6	A. G. Way & Co. Pty. Ltd.
6483	Bricks, Bath, 12 ounce	U.K.	50 doz.	doz.	0 4 5	Briscoe & Co. Ltd.
6484	Candles, Filter, "Berkfeld,"	"	200	each	0 6 6	Shanks & Co. Pty. Ltd.
6485	Chain, Iron, Communication, bright, 14 gauge	"	8000 feet	100 ft.	0 5 6	Briscoe & Co. Ltd.
6486	Cups, Grease, pressed steel, "Kingfisher"—No. 0, ¼" gas, outside diameter 1½"	"	18 doz.	doz.	0 4 3	Walker's Hardware Stores Pty. Ltd.
6487	No. 1, ¼" " " " 1½"	"	36 "	"	0 4 11	
6488	No. 2, ⅜" " " " 2"	"	8 "	"	0 6 1	
6489	No. 3, ⅜" " " " 2⅜"	"	2 "	"	0 8 9	
†6490	Cups, Oil, spring lid, 1" diameter, ¼" gas, "Rotherham, type SL3"	"	10 "	"	0 12 9	McPherson's Pty. Ltd.
	Glasses—					
†6491	Bullseye, with rubber gaskets, for Detroit lubricators	"	200 "	each	0 1 5	Vacuum Oil Co. Pty. Ltd.
*6492	Gauge, ¾" x 16½" long, suitable for Babcock and Wilcox boilers at 210 lb. pressure, "Bishop's Adamant"	"	50 "	doz.	0 7 0	Bell's Asbestos & Engrg. (Aust.) Ltd.
†6493	Lubricator, 1½" x 3⅜", "Bishop's Adamant"	"	30 "	"	0 5 6	
6494	Holder, Broom, "Gyton's" No. 2, complete with ⅜" bolt, wing nut, flat washer, spring washer and 2 screws	Vict.	300	each	0 2 0	T. H. Gyton
	Mops, Cotton, spiked (heads only)—					
†6495	16-oz. No. 200 C.B.	"	450 doz.	doz.	1 1 0	Downs & Son Pty. Ltd.
†6496	24-oz. No. 200 C.B.	"	5 "	"	1 9 6	
*6497	Pots, Paste (basins), enamelled, 6¼", "Metters"	"	120	each	0 1 6	Briscoe & Co. Ltd.
†6498	Respirators, Dustproof, "No. 80 Health-guard"	U.S.A.	300	"	0 10 0	Excelsior Supply Co. Pty. Ltd.
†6499	Pads, Filter, for "No. 80" respirators, in boxes of 50	Vict.	40 boxes	box	0 4 7	
†6500	Valves, Exhaust, for "No. 80" respirators	U.S.A.	12 gross	doz.	0 16 0	
†6500A	Assemblies, Exhaust Valve, complete, for "No. 80" respirators	"	"	each	0 2 9	
†6501	Scissors, Lamp, "Cousins"	U.K.	12 pairs	pair	0 3 2	Briscoe & Co. Ltd.
†6502	Scissors, Office, 6", "Johnson's 0230"	"	180 "	"	0 2 2	
*6503	Type, Dating, lead	N.S.W.	300 lb.	lb.	0 11 6	R. Collie & Co. Pty. Ltd.
†6504	Whistles, Guards', "Acme Thunderer"	U.K.	700	each	0 1 8½	Briscoe & Co. Ltd.
	Wool, Steel—					
†6505	No. 0, "Austral"	N.S.W.	450 lb.	lb.	10 1 2	R. H. Armstrong & Co. Pty. Ltd.
†6506	No. 1, "Austral"	"	750 "	"	10 1 1½	
†6507	No. 3, in bags of 25 lbs each	Vict.	350 "	"	0 0 6	Jex Pty. Ltd.
6508-6519	—Nil					

† Less 3¼% for payment within 7 days from date of delivery, or 2½% for payment by the end of the month following month of delivery.

POLISHES, CASE HARDENING COMPOSITION, ETC.

(Schedule No. 194)

(1st July, 1939, to 30th June, 1941)

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor	
					£	s.	d.		
†6520	Composition, Case Hardening, fine ...	Vict.	} 20 tons	ton	14	2	6	Hart & Co. Pty. Ltd.	
†6520A	Composition, Case Hardening, fine, "Impregno"	N.S.W.		"	"	16	10	0	Thompson & Williams Pty. Ltd.
†6521	Dressing, Belt, Liquid, in tins containing 1 lb., in minimum quantities of 14 lbs. "Octopus"	S. Aust.		} 336 lb.	lb.	0	2	4	H. Perks & Co. Pty. Ltd.
†6521A	Dressing, Belt, Liquid, in tins containing 1 lb., "Lixall"	"	"		"	0	2	4	G. F. Johnson
6522	Polish, Cleanser, "Wyandotte," or suitable alternative, in casks of 80 lb. Polish, Metal Cleaner—	...	6 casks	Nil	
†6523	For cold metal, paste, "Evershine No. 5," in 8 oz. tins	Vict.	9000 tins	tin	0	0	5½	} A. B. Gibson & Sons Pty. Ltd.	
†6524	For hot metal, liquid, "New Pynerzone," in 6¼ fluid oz. tins	"	1500 "	"	0	0	3½		
†6525	Renovator, Oil, for exterior woodwork, in 1 gallon tins, "Safeguard" Solvent, Rust, "Immunol" —	"	400 gals.	gal.	0	3	3	Safeguard Chemical Co.	
† { 6526	In 15-oz. tins, with reversible spouts ...	"	500 tins	tin	0	1	2	} Hart & Co. Pty. Ltd.	
	In 1-gallon tins ...	"	200 gals.	gal.	0	10	0		
	In 4-gallon tins ...	"	50 "	"	0	9	6		
†6529	Stain, black, in ½ pint tins, "Queen Bee"	N.S.W.	400 doz. tins	doz. tins	10	4	3	R. H. Armstrong & Co. Pty. Ltd.	
6530-6539	—Nil								

† Less 3¼% for payment within 7 days or 2½% within 30 days from the end of the month in which delivery is given.

COPPER BOILERS, STOVES, ETC.

(Schedule No. 195.)

(1st July, 1939, to 30th June, 1941).

Boilers, Copper, blocked, 22 s.w. gauge—								
6540	12-gallon capacity, 8 lb., "S.L.W." ...	N.S.W.	12	each	0	18	6	} John McIlwraith & Co. Pty. Ltd.
6541	14-gallon capacity, 9 lb., "S.L.W." ...	"	80	"	1	0	6	
6542	Doors, Furnace, for coppers, 10" x 8", with frames	Vict.	120	"	10	2	9	Metters K.F.B. Pty. Ltd.
6543	Grates, Company, 16" ...	"	200	"	0	5	8	Robert Grieves
Ovens, Camp, complete with lids.—								
6544	12" ...	"	6	"	0	7	0	A. G. Way & Co. Pty. Ltd.
6545	14" ...	"	18	"	10	14	0	} Metters K.F.B. Pty. Ltd.
6546	16" ...	"	12	"	10	17	0	
6547	Ovens, Colonial, 24" x 12" x 16" ...	"	12	"	1	6	0	Robert Grieves
6548	Stands and Frames, for 14-gallon copper boilers, cast iron, complete with 5 feet of flue piping and ash pan for internal use (uncrated), "Family" type	"	100	"	2	5	0	Anderson & Ritchie Pty. Ltd.

‡ Less further 2½% cash discount for payment by end of month following month of delivery

COPPER BOILERS, STOVES, ETC.—Continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
	Stoves, "Dumpy," without pipe—							
6549	No. 2	Vict.	10	each	†1	5	0	} Metters K.F.B. Pty. Ltd.
6550	No. 3	"	10	"	†1	8	6	
†6551	Stoves, One-fire, "The Clarion," 30" x 27" x 18", complete with 7½ feet of flue piping, rake and poker	"	200	"	4	5	0	Galliers & Klaerr Pty. Ltd.
6552	Trays, Ash, for "Federal" stoves, 11" x 7¾" x 1¼" deep	"	300	"	0	2	3	Robert Grieves
	Parts for "Clarion" Stoves—							
6553	Ashpan	"	...	"	0	4	0	} Galliers & Klaerr Pty. Ltd.
6553A	Box, Flue	"	...	"	0	5	6	
6553B	Cup	"	...	"	0	0	9	
6554	Cover, Fire	"	...	"	0	5	0	
6554A	Clip, Fire door	"	...	"	0	0	9	
6554B	Damper, Back	"	...	"	0	1	0	
6555	Door, Fire, complete	"	...	"	0	6	0	
6555A	Door, Flue	"	...	"	0	1	0	
6555B	Door, Oven	"	...	"	0	6	6	
6555C	Door, Soot	"	...	"	0	0	9	
6556	Front	"	...	"	0	12	6	
6556A	Grating, Bottom	"	...	"	0	4	6	
6557	Grating, Side	"	...	"	0	2	6	
6557A	Knob	"	...	"	0	1	0	
6557B	Pipe, Flue	"	...	foot	0	1	0	
6558	Plate, Back damper	"	...	each	0	1	6	
6558A	Shelf, Oven	"	...	"	0	2	0	
6558B	Slide, Damper, Fire door	"	...	"	0	1	6	
6559	Top	"	...	"	0	12	6	

† Less further 2½% cash discount for payment by end of month following month of delivery.

GRINDSTONES AND ABRASIVE WHEELS.

(Schedule No. 196.)

(1st July, 1939, to 30th June, 1940—12 months only).

6560	Discs, Abrasive, 7" diameter x 24 grit	Vict.	300	100	3	5	0	Frank Wells Pty. Ltd.
6561	Discs, "Besley," 7/16" thick, 22" x 8"— For grinding brass, "Universal"	U.K.	3	each	2	17	0	McPherson's Pty. Ltd.
6562	For grinding steel, "Carborundum"	"	8	"	2	17	0	Eliza Tinsley Pty. Ltd.
6563	Grindstones of approved grit, soft, medium, or hard as ordered, "Pyrmont"— 4" thick x 24" diameter	N.S.W.	10	"	0	19	0	} McPherson's Pty. Ltd.
6564	5" thick x 30" diameter	"	1	"	2	1	0	
6565	7" thick x 48" diameter	"	2	"	8	12	6	Hardware Co. of Aust. Pty. Ltd.

GRINDSTONES AND ABRASIVE WHEELS—Continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
	Wheels, Abrasive, to specification, any size, shape or grit on price list, as ordered— Aluminous Oxide, for high tensile material, "Aloxite"—							Percentage off Price List submitted with tender and firm during contract period
6566	Bakelite bonded, 150 and coarser ...	U.K.	£1600	25%	Eliza Tinsley Pty Ltd.	
6567	" " 180 and finer	Nil	
6568	Ordinary bonded, 150 and coarser...	U.K.		42½%	Eliza Tinsley Pty. Ltd.	
6569	" " 180 and finer	Nil	
6570	Shellac bonded, 150 and coarser ...	U.K.		25%	Eliza Tinsley Pty. Ltd.	
6571	" " 180 and finer	Nil	
	Silicon "Carbidé, for low tensile material, "Carborundum"—							
6572	Bakelite bonded, 150 and coarser ...	U.K.		25%	Eliza Tinsley Pty. Ltd.	
6573	" " 180 and finer	Nil	
6574	Ordinary bonded, 150 and coarser...	U.K.		30%	Eliza Tinsley Pty. Ltd.	
6575	" " 180 and finer	Nil	
6576	Shellac bonded, 150 and coarser ...	U.K.		25%	Eliza Tinsley Pty. Ltd.	
6577	" " 180 and finer	Nil	
6578-6579	—Nil							

ABRASIVE MATERIALS.

(Schedule No. 197.)

(1st July, 1939, to 30th June, 1941).

†6580	Bands, Linisher, jointless, 36" x 4", grade 3/0-120, "Oakey's"	U.K.	6 doz.	doz.	1	1	8	McPherson's Pty. Ltd.
	Cloth, Aluminous Oxide, in sheets, 15" x 15", "Durex Abrasives"—							
† { 6581	No. 36	"	48 sheets	quire	1	14	0	} Eliza Tinsley Pty. Ltd.
6582	No. 40	"	48 "	"	1	11	6	
	Cloth, Emery, in sheets—							
† { 6583	No. F.F., 12" x 8", "S.R.M.,"	Vict.	6 reams	ream	†2	9	6	} Mitchell's Abrasives Pty. Ltd.
6584	No. O	"	30 "	"	†2	9	6	
6585	No. 1	"	40 "	"	†2	9	6	
6586	No. 1½	"	30 "	"	†2	9	6	
† { 6587	No. 2, 11½" x 8½", "Genuine"	U.K.	40 "	"	2	15	0	} A. G. Way Pty. Ltd.
6588	No. 2½	"	10 "	"	2	15	0	
6589	No. 3	"	15 "	"	2	15	0	
†6590	Emery, Powder, in 7 lb. pkts., "Oakey's"— No. 24 hole	"	20 lb.	lb.	0	0	3½	} McPherson's Pty. Ltd.
†6591	No. 60	"	300 "	"	0	0	3½	
†6592	No. 120	"	200 "	"	0	0	3½	

† Less 3¼% for payment within 7 days after delivery, or 2½% for payment by the end of the month following month of delivery.

ABRASIVE MATERIALS—Continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
Paper, Garnet, open or close coating, as ordered, in rolls of 50 yards, "Oakey's"—						
6593	No. 0, 24" wide	U.K.	4 rolls	roll	2 15 6	E. P. Bevan & Son Pty. Ltd.
6594	No. 1, 24" "	"	4 "	"	3 9 3	
6595	No. 1½, 24" "	"	4 "	"	3 15 6	
6596	No. 1½, 30" "	"	6 "	"	4 15 3	
6597	No. 2, 36" "	"	4 "	"	6 6 0	
6598	No. 2½, 24" "	"	2 "	"	4 12 6	
6599	No. 2½, 36" "	"	2 "	"	6 19 0	
6600	Nil					
Paper, Silicon Carbide, waterproof, in sheets, 11" x 9½", "Ondex"—						
6601	180 grit	France	400 quires	quires	0 4 3	Gilbert Lodge & Co. Pty. Ltd.
6602	280 "	"	240 "	"	0 4 3	
Paper, Glass, in sheets, 12" x 10" (in orders of at least 25 reams, made up of one or more items), "Cutter"—						
6603	No. 0	N.S.W.	20 reams	ream	†0 17 9	Briscoe & Co. Ltd.
6604	No. 1	"	20 "	"	†0 17 9	
6605	No. 1½	"	60 "	"	†0 17 9	
6606	No. F. 2	"	30 "	"	†0 17 9	
6607	No. M. 2	"	90 "	"	†1 3 9	
6608	No. S. 2	"	40 "	"	†1 3 9	
6609	No. 2½	"	30 "	"	†1 9 3	
6610	Pumice, Dust, superfine, "Torre"	Italy	15 cwt.	cwt.	0 12 3	W. & G. Dean Pty. Ltd.
6611	Pumice, Dust, No. 3, "Pistoresi"	"	2 "	"	0 12 0	E. L. Yencken & Co. Pty. Ltd.
6612	Pumice, Stone, "Pistoresi"	"	2 "	"	1 7 6	
6613	Stones, Carborundum, scythe, oval, 12", "Union Abrasives Pty. Ltd."	Vict.	60 dozen	doz.	0 12 3	Thos. Warburton Pty. Ltd.
6614	Stones, Carborundum, 8" x 2" x 1", "Alundum"	U.K.	50	each	0 3 3	E. P. Bevan & Son Pty. Ltd.
*6615	Stones, Rubbing, "Schumachers," or suitable alternative		1800	"	...	Nil
Tape, Emery, bias cut, in rolls of 25 yards, "S.R.M."—						
6616	½" wide, No. 1	Vict.	8 rolls	roll	†0 2 0	Mitchell's Abrasives Pty. Ltd.
6617	½" wide, No. 2	"	2 "	"	†0 2 3	
6618	1" wide, No. 1	"	12 "	"	†0 2 5	
6619	1" wide, No. 2	"	4 "	"	†0 2 8	
6620	1½" wide, No. 1	"	12 "	"	†0 2 10	
6621	1½" wide, No. 2	"	2 "	"	†0 3 0	
6222-6629	—Nil					

† Less 3¼% for payment within 7 days after delivery, or 2½% for payment by the end of the month following month of delivery.

BALL BEARINGS, ETC.

(Schedule No. 198.)

(1st July, 1939, to 30th June, 1941):

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
6630	Ball Bearings— "R. & M." M.J. $\frac{3}{4}$ " ($\frac{3}{4}$ " x 2" x $\frac{11}{16}$ ")	U.K.	80	each	0	2	8	Gardner, Waern & Co. Pty. Ltd.
6631	"R. & M." L.J. $1\frac{1}{4}$ " ($1\frac{1}{4}$ " x $2\frac{3}{4}$ " x $\frac{11}{16}$ ")	"	50	"	0	3	9	
6632	"R. & M." M.J. $1\frac{1}{4}$ " ($1\frac{1}{4}$ " x $3\frac{1}{8}$ " x $\frac{7}{8}$ ")	"	30	"	0	4	11	
6633	"S.K.F." No. 6404 (C.003) (20 mm x 72 mm x 19 mm), steel cage	Sweden	70	"	0	4	1	The S.K.F. Ball Bearing Co. Ltd.
6634	"S.K.F." No. 6305 (C.003) (25 mm x 62 mm x 17 mm), steel cage	"	450	"	0	2	6	
6635	Ball Bearings, Hoffman No. A. 15 or suitable alternative (15 mm x 35 mm x 8 mm)	...	100	"	...			Nil
6636	Ball Bearings— Self-aligning type— "S.K.F." No. 1204 (20 mm x 47 mm x 14 mm)	Sweden	120	"	0	2	6	The S.K.F. Ball Bearing Co. Ltd.
6637	Nil							
6638	"S.K.F." No. 1304 (20 mm x 52 mm x 15 mm)	"	250	"	0	2	10	The S.K.F. Ball Bearing Co. Ltd.
6639	"S.K.F." No. 1307 (35 mm x 80 mm x 21 mm)	"	160	"	0	5	9	
6640	"S.K.F." No. 1308 (40 mm x 90 mm x 23 mm)	"	100	"	0	7	4	
6641	Rigid, Deep Groove type— "F.A.G." No. 6204 (20 mm x 47 mm x 14 mm)	U.K.	120	"	0	2	0	E.A. Machin & Co. Pty. Ltd.
6642	"S.K.F." No. 6205 (25 mm x 52 mm x 15 mm)	Sweden	360	"	0	2	1	The S.K.F. Ball Bearing Co. Ltd.
6643	"F.A.G." No. 6206 (30 mm x 62 mm x 16 mm)	U.K.	20	"	0	2	8	E.A. Machin & Co. Pty. Ltd.
6644	"F.A.G." No. 6209 (45 mm x 85 mm x 19 mm)	"	10	"	0	4	10	
6645	"F.A.G." No. 6304 (20 mm x 52 mm x 15 mm)	"	120	"	0	2	3	
6646	"F.A.G." No. 6306 (30 mm x 72 mm x 19 mm)	"	60	"	0	4	2	
6647	"F.A.G." No. 6309 (45 mm x 100 mm x 25 mm)	"	20	"	0	7	3	
6648	Ball Bearings, thrust, "S.K.F." No. 3709, (45 mm x 85 mm x 30 mm)	Sweden	20	"	0	5	3	The S.K.F. Ball Bearing Co. Ltd.
6649	Roller Bearings, flexible— "Pollard" No. 18195 ($1\frac{1}{4}$ " bore x $2\frac{7}{8}$ " outside diameter)	U.K.	500	"	0	3	7	Bearing Service Co. of Aust. Pty. Ltd. National Automotive Service Co. (Division of General Motors, Holden's Ltd.)
6650	"Hyatt" No. 19250 ($1\frac{1}{8}$ " bore x $3\frac{1}{8}$ " outside diameter)	U.S.A.	200	"	0	5	8	
6651	Roller Bearings, single row, "R. & M," No. 1/H.R.J. 25 (25 mm x 80 mm x 21 mm)	U.K.	160	"	0	11	0	Bearing Service Co. of Aust. Pty. Ltd.
6652-6659	Nil							

MOTOR ACCESSORIES

(Schedule No. 199)

(1st July, 1939, to 30th June, 1941).

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate		Name of Contractor
					£	s. d.	
†6660	Belting, Motor, rubber covered, $\frac{7}{8}$ " wide at top x $\frac{11}{16}$ " thick, "V" section, 10-12 ply, any length ordered up to 60'	Vict.	6000 feet	foot	†0	1 3	Barnet Glass Rubber Co. Ltd.
†	6661 Belting, Link, "Whittle," $\frac{5}{8}$ " 6662 " " " $\frac{3}{4}$ "	U.K.	100 "	"	0	2 0	A. G. Healing Ltd.
		"	50 "	"	0	2 6	
*6663	Bushes, Bakelite, insulating, $1\frac{7}{8}$ " tapered to $1\frac{1}{2}$ " x $3\frac{5}{16}$ " long, to specification, "Duperite"	Vict.	200	each	0	1 0	Moulded Products (A/sia.) Pty. Ltd.
†6664	Cement, Gasket, in 1-lb. tins, "I.M.I."...	"	200 tins	tin	0	1 4	Invincible Motor Industries
†6665	Chains, Roller, $\frac{1}{2}$ " pitch x $\frac{1}{8}$ " wide x 4' 6" long, "Renold & Coventry Chain Co."	U.K.	140	each	0	2 3	Replacement Parts Pty. Ltd.
6666	Chains, Roller, 1" pitch x $\frac{1}{2}$ " wide x .625" roller diameter, 6' 2" long, complete with bolt and nut, "Renold & Coventry Chain Co."	"	15	"	3	15 0	Welch, Perrin & Co. Pty. Ltd.
	Cocks, Priming, motor, brass—						
†6667	$\frac{1}{4}$ " gas thread	"	70	"	0	2 6	Vanguard Co. Pty. Ltd.
†6668	$\frac{3}{8}$ " metric thread	"	180	"	0	2 6	
*6669	Fasteners, Belt, for $\frac{3}{4}$ " "V" section rubber motor belting, "King Hook"	"	100 doz.	doz.	1	1 0	A. G. Healing Ltd.
	Fasteners, Belt, "Gem"—						
6670	No. 4	"	100 boxes	box	0	4 4	Walker's Hardware Stores Pty. Ltd.
6671	No. 5	"	20 "	"	0	5 3	
†6672	Fasteners, Belt, slotted button plate, size D, $\frac{3}{8}$ ", "Jackson"	"	70 doz.	doz.	0	4 2	Cameron & Sutherland Pty. Ltd.
6673	Keys, for size D slotted button plate belt fasteners, "Jackson"	"	10 "	"	0	3 0	
	Gaskets, copper asbestos, cylinder—						
*6674	For "K" motors	Vict.	80	each	0	2 4	A. A. Phoenix Co.
*6675	For "S" motors	"	80	"	0	2 9	
*6676	For "K.S." motors	"	200	"	0	2 2	
*6677	Gaskets, Copper Asbestos, induction— For "S" motors	"	80	"	0	0 5	
*6678	For "K.S." motors.	"	120	"	0	0 3 $\frac{1}{2}$	
†6679	Gaskets, copper asbestos, for spark plugs, $\frac{3}{8}$ " metric	"	20 doz.	doz.	0	0 6	
†6680	Gaskets, copper asbestos, valve cap, $1\frac{3}{4}$ " internal diameter x 2" external diameter	"	50 "	"	0	2 0	
†6681	Goggles, Motor, Dust, at least 50% in dark brown fabric	France	1200 pairs	pair	0	0 9 $\frac{1}{4}$	A. G. Healing Ltd.

† Less 2 $\frac{1}{2}$ % discount for payment by end of month following month of delivery.

MOTOR ACCESSORIES—Continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor	
					£	s.	d.		
†6682	Greasers, Alemite— Angle, 45°, 1/8" gas thread, "Alemite" ...	U.K.	40 doz.	doz.	0	4	2	Keep Bros. & Wood Pty. Ltd.	
†6683	Angle, 45°, 1/8" gas thread, "L.S.D." ...	Vict.	10 "	"	0	8	2 1/2	Thorne & Dean Pty. Ltd.	
†6684	Angle, 90°, 1/8" gas thread, "Tecalemite"	U.K.	40 "	"	0	4	2	Keep Bros. & Wood Pty. Ltd.	
†6685	Angle, 90°, 1/8" gas thread, "L.S.D." ...	Vict.	5 "	"	0	7	10 3/4	Thorne & Dean Pty. Ltd.	
†6686	Straight, 1/8" gas thread, "Tecalemite A 310"	U.K.	150 "	"	0	2	0	Keep Bros. & Wood Pty. Ltd.	
†6687	Straight, 1/8" gas thread, "L.S.D." ...	Vict.	40 "	"	0	3	9 3/4	Thorne & Dean Pty. Ltd.	
†6688	Greasers, "Rotherham K. 27," 1/8" gas thread	U.K.	1600	each	0	0	11 1/2	McPherson's Pty. Ltd.	
Paste, Valve Grinding—									
†6689	Coarse, water mixed, in 1-lb. tins, "Power Plus"	N.S.W.	160 tins	tin	0	4	5	Replacement Parts Pty. Ltd.	
†6690	Coarse, oil mixed, in 1 1/4-oz. tubes, "Leggett's"	Vict.	280 tubes	tube	0	0	9	Leggett Products Pty. Ltd.	
†6691	Fine, water mixed, 1-lb. tins, "Power Plus"	N.S.W.	80 tins	tin	0	4	5	Replacement Parts Pty. Ltd.	
†6692	Fine, oil mixed, 1 1/4 oz. tubes, "Leggett's"	Vict.	150 tubes	tube	0	0	9	Leggett Products Pty. Ltd.	
†6693	Punches, Belt, hollow cutter type, for 1/16" hole, "Wynn Timmins"	U.K.	160	doz.	0	7	3	McPherson's Pty. Ltd.	
6694	Punches, Belt, screw type, for 7/8" "V" section rubber motor belting	...	120	Nil	
6695	Rings, Piston, 7 1/4" external diameter x 6 3/8 1/2" internal diameter x .1855" wide, to specification	Vict.	240	each	0	2	7	Phoenix Motors Pty. Ltd.	
6695A	Rings, Piston, 7 1/4" external diameter x 6 3/8 1/2" internal diameter x .1855" wide, to specification, "National"	"		"	"	0	2	7 1/2	A. L. Grant
Taps, Petrol, "push-pull" type, 1/4" gas thread outlet, 1/8" gas thread inlet, with nut and tail—									
†6696	For 1/8" pipe, "Tamac" ...	"	60 doz.	doz.	1	0	0	Berry, Roche & Tamac Pty. Ltd.	
†6696A	" 1/8" " " "Enots" ...	U.K.		"	1	2	0	John Danks & Son Pty. Ltd.	
†6697	For 1/4" pipe, "Tamac" ...	Vict.		20 "	"	1	0	0	Berry, Roche & Tamac Pty. Ltd.
†6697A	" 1/4" " " "Enots" ...	U.K.			"	1	2	0	John Danks & Son Pty. Ltd.
Tubing, Phosphor Bronze, solid drawn, in trade lengths, "Kembla"—									
†6698	1 1/8" external diameter x 7/8" internal diameter	N.S.W.	600 lb.	lb.	0	3	0	Henderson's Federal Spring Works Pty. Ltd.	
†6699	1 3/8" external diameter x 1 1/8" internal diameter	"	800 "	"	0	3	0		

MOTOR ACCESSORIES—Continued.

Item No.	Description	Country of Manufacture	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
†6700	Tubing, Steel, flexible, $\frac{1}{2}$ " "Power Flex. Co."	U.K.	400 ft.	foot	0	0	4 $\frac{1}{2}$	McPherson's Pty. Ltd.
6701	Tubing, Steel, weldless, .30 to .40% carbon, in trade lengths, $\frac{5}{8}$ " external diameter x 12 I.S.W.G., "A. & P."	"	250 "	"	0	0	10	
6702	Tubing, Steel, weldless, in trade lengths, "A. & P."— $\frac{3}{4}$ " external diameter x $\frac{5}{8}$ " internal dia.	"	100 "	"	0	0	5	
6703	$\frac{7}{8}$ " " " x 18 I.S.W.G.	"	60 "	"	0	0	5 $\frac{1}{2}$	
6704	$\frac{7}{8}$ " " " x $\frac{5}{8}$ " internal dia.	"	40 "	"	0	0	10	
6705	1" " " x 10 I.S.W.G.	"	50 "	"	0	0	11	
†6706	1 $\frac{1}{8}$ " " " x $\frac{7}{8}$ " internal dia.	"	100 "	"	0	1	2	
6707	1 $\frac{1}{4}$ " " " x 10 I.S.W.G.	"	150 "	"	0	1	2	
6708	1 $\frac{1}{4}$ " " " x 16 I.S.W.G.	"	2000 "	"	0	0	8 $\frac{3}{4}$	
6709	1 $\frac{1}{2}$ " " " x 10 I.S.W.G.	"	500 "	"	0	1	4	
6710	2" " " x 10 I.S.W.G.	"	50 "	"	0	1	10	
6711	Wire, Copper, flexible, rubber covered, high tension, ignition, 40/010, 7 mm. outside diameter	"	1000 yds.	"	"	"	"	Nil (will be included in Book No. 1)
†6712	Wire, Copper, low tension, braided, rubber insulated, oil and waterproof covered, "No. 152"	Canada	400 "	100 feet	0	6	9	A. G. Healing Ltd.
6713-6729	—Nil							

MAGNETOS, SPARK PLUGS, ETC.

(Schedule No. 200)

(1st July, 1939, to 30th June, 1941)

*6730	Blades, Vibrator, with Tungsten points, "K.W."	U.S.A.	60 pairs	pair	0	0	7 $\frac{1}{2}$	Replacement Parts Pty. Ltd.
†6731	Carburetters, single cylinder engines, "Amal"	U.K.	150	each	2	3	6	A. G. Healing Ltd.
†6732	Carburetters, with strangler, "Solex, type 26 F.V."	"	20	"	3	0	0	
6733	Contacts, Platinum, for "Bosch" magnetos, 75% Platinum, 25% Iridium, .145" diameter x .025" thick, thread 3.5 mm. x 6 mm., "Lorimer"	Vict.	16 pairs	pair	0	9	0	Brooklands Accessories Ltd.
6734	Contacts, Platinum, for "M.L." magnetos, 90% Platinum, 10% Iridium, .145" diameter x .021" thick, thread 3.5 m.m. x 6 m.m., "Lorimer"	"	24 "	"	0	6	4	

MAGNETOS, SPARK PLUGS, ETC.—Continued.

Item No.	Description	Country of Manufacture	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
6735	Contacts, Tungsten, for "Lucas" magnetos, type K.A. 1, .187" diameter x .050" thick, thread 3 B.A., "Lorimer"	Vict.	80 pairs	pair	0	2	4	Brooklands Accessories Ltd.
6736	Contacts, Tungsten, for "E.I.C." magnetos, type A. 1, .140" diameter x .050" thick, thread 7 B.A., "Lorimer"	"	24 "	"	0	1	8	
6737	Contacts, Tungsten, for "B.T.H." magnetos, type K. 1, U.Z., .187" diameter x .050" thick, thread 4 B.A., "Lorimer"	"	60 "	"	0	2	4	
†6738	Controls, Bowden, single lever, for magnetos	U.K.	48	each	0	4	9	A. G. Healing Ltd.
6739	Float and Lever Assembly, "Ford" part No. 6201	Canada	250	"	0	1	10	
6740	Magnetos, high tension, anti-clockwise, for 4 H.P. single cylinder engines, fitted with standard taper shaft, Woodruff Key and safety gap screw, suitable for Bowden control, Type KD 1, "BTH"	U.K.	200	each	3	1	6	Australian General Electric Ltd.
6741	Magnetos, high tension, anti-clockwise, for 4 and 6 H.P. single cylinder engines, fitted with standard taper shaft, Woodruff Key, safety gap screw and continuous metal slip ring, suitable for lever control, Type KD 1, "BTH"	"		"	3	1	6	
Plugs, Sparking, detachable or non-detachable, as ordered—								
†6742	14 mm., standard	Vict.	120	"	0	2	0	Leggett Products Pty. Ltd.
†6742A	" " "	"		"	0	2	0	Olympic Spark Plugs Pty. Ltd.
†6743	½" Metric, standard	"	1200	"	0	2	0	Leggett Products Pty. Ltd.
†6743A	" " "	"		"	0	2	0	Olympic Spark Plugs Pty. Ltd.
†6744	½" Metric, long body	"	60	"	0	2	0	Leggett Products Pty. Ltd.
†6744A	" " "	"		"	0	2	0	Olympic Spark Plugs Pty. Ltd.
†6745	½" Taper, (Ford)	"	1200	"	0	2	0	Leggett Products Pty. Ltd.
†6745A	" " "	"		"	0	2	0	Olympic Spark Plugs Pty. Ltd.
†6746	¾", "S.A.E.," standard, large hexagon	"	300	"	0	2	0	Leggett Products Pty. Ltd.
†6746A	" " "	"		"	0	2	0	Olympic Spark Plugs Pty. Ltd.
†6747	¾", "S.A.E.," long reach, small hexagon "PZ. 23"	"	1440	"	0	2	0	Pyrox Pty. Ltd.
†6747A	¾", "S.A.E.," long reach, small hexagon	"		"	0	2	0	Olympic Spark Plugs Pty. Ltd.

MAGNETOS, SPARK PLUGS, ETC.—Continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate	Name of Contractor
†6748	Spanners, Magneto, in sets of 8, "Pope Products"	S. Aust.	100 sets	set	0 0 8	} A. G. Healing Ltd.
†6749	Spanners, thin, single ended, $\frac{5}{8}$ " across flats	Vict.	600	each	0 0 9	
†6750	Valves, Needle, for "Amal" float chambers, universal length (for both new and old types)	U.K.	80	"	0 1 3	
†6751	Wire, Bowden, Carburetter, stranded, No. 1, unfrayable, "British Ropes"	"	200 yds.	yard	0 0 2 $\frac{1}{2}$	
†6752	Casing for Bowden Wire, under Item No. 6751, "British Ropes"	"	150 "	"	0 0 7 $\frac{1}{2}$	
6753-6769	—Nil					

BRAKE LINING.

(Schedule No. 201.)

(1st July, 1939, to 30th June, 1941).

PRICE LISTS.

Item No. 6770—"Grey Rock" Brake Lining.							Item No. 6770A—"Duron" Brake Lining.					
List Prices per Foot.							List Prices per Foot.					
Width.	THICKNESS.						Width.	THICKNESS.				
	$\frac{1}{8}$ "	$\frac{3}{16}$ "	$\frac{1}{4}$ "	$\frac{5}{16}$ "	$\frac{3}{8}$ "	$\frac{5}{16}$ "		$\frac{3}{8}$ "	$\frac{1}{2}$ "	$\frac{5}{8}$ "	$\frac{3}{4}$ "	
1"	1/10	2/2	2/4	3/3	3/11	4/6	1"	1/8	1/9	2/5	2/11	3/8
1 $\frac{1}{4}$ "	2/4	2/7	2/10	3/9	4/7	5/5	1 $\frac{1}{4}$ "	1/9	2/-	2/8	3/5	4/1
1 $\frac{1}{2}$ "	2/10	3/1	3/3	4/2	5/4	6/4	1 $\frac{1}{2}$ "	2/-	2/3	2/11	3/8	4/7
1 $\frac{3}{4}$ "	3/3	3/7	3/9	4/8	6/-	7/2	1 $\frac{3}{4}$ "	2/5	2/9	3/8	4/5	5/7
2"	3/9	4/-	4/2	5/7	6/11	8/1	2"	2/9	3/2	4/2	5/5	6/3
2 $\frac{1}{4}$ "	4/2	4/6	4/8	6/1	7/7	9/1	2 $\frac{1}{4}$ "	3/2	3/8	4/9	5/11	7/3
2 $\frac{1}{2}$ "	4/8	4/11	5/2	7/-	8/6	9/11	2 $\frac{1}{2}$ "	3/-	3/11	5/4	6/8	8/-
2 $\frac{3}{4}$ "	5/2	5/5	5/7	7/5	9/2	10/10	2 $\frac{3}{4}$ "	3/2	3/8	4/9	5/11	7/3
3"	5/7	5/10	6/1	7/11	9/9	11/8	3"	—	5/4	6/11	8/11	10/8
3 $\frac{1}{4}$ "	5/10	6/3	6/6	8/5	10/6	12/7	3 $\frac{1}{4}$ "	—	5/8	7/5	9/7	11/5
3 $\frac{1}{2}$ "	6/1	6/6	7/-	8/10	11/2	13/5	3 $\frac{1}{2}$ "	—	6/2	8/-	10/4	12/3
4"	6/6	7/3	7/11	10/3	12/9	15/3	4"	—	6/10	9/-	11/10	13/9
4 $\frac{1}{4}$ "	7/-	7/9	8/5	11/-	13/7	16/2	4 $\frac{1}{4}$ "	—	—	11/3	14/10	17/2
4 $\frac{1}{2}$ "	7/5	8/2	8/10	11/8	14/4	17/1	4 $\frac{1}{2}$ "	—	—	—	14/10	17/2
5"	9/3	10/1	10/10	13/11	17/4	20/8	5"	—	—	—	17/9	20/8
5 $\frac{1}{4}$ "	10/3	11/1	11/10	15/6	19/1	22/8	6"	—	—	—	—	—
6"	11/3	12/1	12/10	16/9	20/8	24/7						

BRAKE LINING—Continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
†6770	Lining, Brake, Woven, any size on price list, as ordered, any length ordered, "Grey-Rock"	U.S.A.	£300	...	Percentage off Price List which is firm during contract period Less 60% & 20%	Paton's Brake Replacements Pty.Ltd
†6770A	Lining, Brake, Woven, any size on price list, as ordered, any length ordered, "Duron"	U.K.		...	Less 60% & 10%	
6771-6779	—Nil					

WIREWORLD, ETC.

(Schedule No. 202)

(1st July, 1939, to 30th June, 1941).

†6780	Fabric, Steel Wire, in rolls or sheets, 87" wide, No. 10 I.S.W. Gauge wire, 6" centre to centre transversely, and 6" centre to centre longitudinally	Vict.	4000 lin. yds.	l. yd.	0 1 10	A. R. C. Engineering Co. Pty. Ltd.
6781	Fasteners, Dropper, Fencing, galvanized steel wire, 2½" x 2¼"	...	12 tons	cwt.	...	Agreement purchase
	Gates, Black Iron, tubular frame, 1" internal diameter, with galvanized chain wire filling, 3' 5" or 3' 10" high, as ordered, to specification—					
6782	Double, 8' wide hung, in two leaves; 5' and 3'	Vict.	40 sets	set	1 18 0	Melbourne Wire Works
6783	Single, 3' wide hung	"	40	each	0 16 9	
†6784	Gauze, Brass, any gauges and meshes ordered of standard stock light and medium weight qualities, not exceeding 100 meshes per lineal inch	"	4000 sq. ft.	sq. ft.	0 1 5½	
*6785	Grips, Spring— A	N.S.W.	300 gross	gross	0 9 6	F.R.S. Ideal Spring Co. Ltd.
*6786	W	"	20 "	"	0 5 0	
	Guards, for Booking Windows—					
*6787	Brass wire	Vict.	20 sq. ft.	sq. ft.	0 4 6	Melbourne Wire Works
*6788	Galvanized wire	"	300 "	"	0 2 6	
†6789	Mattresses, Wire, 6' 6" x 2' 6" x 3 ply	"	8	each	1 7 0	

WIREWORK, ETC.—Continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
†6790	Net, Fly Wire, phosphor bronze, for window screens, etc., $\frac{1}{16}$ " mesh x 26 I.S.W. Gauge x 24", 30", or 36" wide, as ordered	Vict.	6000 sq. ft.	sq. ft.	0	0	10	Melbourne Wire Works
	Netting, Chain Wire, galvanized, double knuckled—							
†6791	$1\frac{1}{2}$ " mesh, 12 I.S.W. Gauge, 3' or 3' 6" wide as ordered	"	2400 sq. yds.	sq. yd.	0	1	1	
†6792	$1\frac{1}{2}$ " mesh, 12 I.S.W. Gauge, any width ordered up to 6', except 3' or 3' 6"	"	400 "	"	0	1	1	
†6793	2" mesh, 8 I.S.W. Gauge, any width ordered up to 6'	"	200 "	"	0	2	0	
†6794	2" mesh, 12 I.S.W. Gauge, 3' or 3' 6" wide, as ordered	"	1200 "	"	0	0	11	
†6795	2" mesh, 12 I.S.W. Gauge, any width ordered up to 6', except 3' or 3' 6"	"	200 "	"	0	0	11	
	Netting, Wire, galvanized, $\frac{1}{4}$ " mesh, 20 I.S.W. Gauge, in rolls of 50 lin. yds. "Rylands" B grade—							
6796	24" wide	N.S.W.	6 rolls	roll	1	8	6	
6797	30" wide	"	6 "	"	1	16	3	
6798	36" wide	"	200 "	"	2	3	6	
	Netting, Wire, galvanized, $1\frac{1}{2}$ " mesh, 17 I.S.W. gauge, in rolls of 100 lin. yds.—							
6799	36" wide. "Lysaght's" or "Ryland's" B grade	"	240 "	"	1	17	3	Thos. Mitchell & Co. Pty. Ltd.
6800	42" wide	Vict.	60 "	"	2	5	0	Public Works Department
*6801	Nets, Carriage, hat, to specification	"	300 sq. ft.	sq. ft.	0	1	9	Melbourne Wire Works
6802	Sieves, Brass, $\frac{1}{4}$ " mesh to 50 mesh as ordered, any diameter ordered	"	1200 ins.	1" of dia.	0	0	4	
6803	Sieves, Iron, $\frac{1}{8}$ " to $\frac{1}{16}$ " mesh as ordered, any diameter ordered	"	2400 "	"	0	0	2½	
6804	Sieves, Iron, 24" diameter x 1" mesh, 12 I.S.W. Gauge	"	10	each	0	5	0	
	Springs, Steel, black—							F.R.S. Ideal Spring Co. Ltd.
*6805	9" x 9 I.S.W. Gauge (half)	"	6 gross	gross	1	8	6	
*6806	7" x 11 " " (half)	"	200 "	"	0	17	0	
*6807	6" x 12 " " (full)	"	40 "	"	0	12	6	
*6808	6" x 11 " " (half)	"	40 "	"	0	13	6	
*6809	4" x 11 " " (half)	"	20 "	"	0	11	6	
*6810	5" x 11 " " (half)	"	20 "	"	0	12	6	
*6811	5" x 14 " " (full)	"	40 "	"	0	9	0	
6812	Wire, Woven, mild steel, for spark arresters, 10 I.S.W. Gauge, 3' 4" wide, to specification	"	1000 lin. ft.	lin. ft.	0	7	4	Melbourne Wire Works
†6813	Wire, Woven, galvanized, $\frac{3}{8}$ " mesh, 16 I.S.W. Gauge, 12" wide	"	900 "	"	0	0	8	
6814	6829—Nil							

BLACK STEEL BOLTS AND NUTS

(Schedule No. 203)

(1st July, 1939, to 30th June, 1941)

PRICE LISTS

Bolts and Nuts (B.S.W.), Black Mild Steel, Countersunk head, Nib neck, Hexagon nut—Items Nos. 6833 and 6833a.

Rates per 100.

Length.	McPherson's Pty. Ltd.		West Footscray Eng. Works Pty. Ltd.		McPherson's Pty. Ltd.	
	DIAMETER.					
	$\frac{1}{4}$ "	$\frac{3}{8}$ "	$\frac{1}{2}$ "	$\frac{5}{8}$ "	$\frac{3}{4}$ "	$\frac{7}{8}$ "
1" ...	—	—	9/9	—	—	—
1 $\frac{1}{4}$ " ...	3/-	—	10/6	12/3	—	—
1 $\frac{1}{2}$ " ...	—	5/-	10/0	12/3	—	—
1 $\frac{3}{4}$ " ...	—	—	—	12/6	—	—
1 $\frac{3}{4}$ " ...	—	5/3	11/3	12/6	16/3	—
2" ...	—	—	11/6	13/-	—	—
2 $\frac{1}{8}$ " ...	—	—	—	—	17/3	—
2 $\frac{1}{4}$ " ...	—	—	—	13/9	18/3	—
2 $\frac{3}{8}$ " ...	—	—	—	—	18/6	—
2 $\frac{1}{2}$ " ...	—	—	12/1	14/3	19/-	—
2 $\frac{3}{4}$ " ...	—	—	—	14/9	—	—
2 $\frac{7}{8}$ " ...	—	—	—	—	19/6	—
3" ...	—	6/1	12/9	15/3	19/6	43/9
3 $\frac{1}{2}$ " ...	—	—	13/3	15/6	20/3	46/-
4" ...	—	—	—	16/-	21/6	47/3
4 $\frac{1}{2}$ " ...	—	—	—	16/6	24/6	—
5" ...	—	—	—	17/6	25/6	—
5 $\frac{1}{2}$ " ...	—	—	—	18/6	28/6	—

Bolts and Nuts (B.S.W.), Black Mild Steel, Cup head, Nib neck, Hexagon nut—Item No. 6845.

Rates per 100.

Length.	DIAMETER.				
	$\frac{3}{8}$ "	$\frac{1}{2}$ "	$\frac{5}{8}$ "	$\frac{3}{4}$ "	1"
1" ...	—	11/3	—	—	—
1 $\frac{1}{4}$ " ...	—	11/6	16/3	—	—
1 $\frac{1}{2}$ " ...	—	11/9	16/6	31/9	—
1 $\frac{3}{4}$ " ...	—	12/3	16/9	32/3	—
2" ...	—	12/6	17/-	32/9	—
2 $\frac{1}{4}$ " ...	—	12/9	17/6	33/3	—
2 $\frac{1}{2}$ " ...	—	13/-	17/10	34/-	—
2 $\frac{3}{4}$ " ...	—	—	—	34/6	57/6
3" ...	8/9	13/6	18/6	35/-	—
3 $\frac{1}{2}$ " ...	—	—	19/-	—	61/-

BLACK STEEL BOLTS AND NUTS—Continued.

Bolts and Nuts, black mild steel—

Item No. 6838—Countersunk head, Square neck, Hexagon nut.

Item No. 6846—Cup head, Square neck, Hexagon nut.

Rates per 100—

Length in.	DIAMETER						
	3/16" & 1/4"	5/16"	3/8"	7/16"	1/2"	5/8"	3/4"
3/4	3/11	5/-	7/-	—	—	—	—
1	4/-	5/1	7/1	9/9	10/9	—	—
1 1/4	4/1	5/2	7/2	9/9	11/-	18/6	—
1 1/2	4/2	5/3	7/3	10/-	11/3	19/-	29/-
1 3/4	4/4	5/6	7/6	10/6	11/9	19/6	29/6
2	4/6	5/9	7/9	11/-	12/-	20/-	30/-
2 1/4	4/8	6/-	8/-	11/5	12/3	20/6	30/6
2 1/2	4/10	6/3	8/4	11/10	12/6	21/-	31/-
2 3/4	5/-	6/5	8/8	12/4	12/9	21/6	31/6
3	5/2	6/7	9/-	12/10	13/3	22/-	32/-
3 1/4	5/3	7/-	9/3	—	13/8	22/6	32/6
3 1/2	5/4	7/3	9/6	13/6	14/-	23/-	33/-
3 3/4	5/7	7/6	9/9	—	14/4	23/6	33/6
4	5/9	7/9	10/3	13/9	14/8	24/-	34/-
4 1/2	6/-	8/4	10/9	14/-	15/3	24/6	35/-
5	6/8	8/9	11/3	14/3	16/-	25/6	36/-
5 1/2	7/4	9/3	11/9	14/9	16/6	26/6	37/-
6	8/-	10/-	12/9	15/3	17/-	27/6	38/-
6 1/2	9/3	11/-	13/-	15/6	17/6	29/-	39/-
7	10/3	12/3	13/3	15/9	18/-	30/-	40/-
7 1/2	11/6	13/-	13/6	16/-	18/6	31/-	41/-
8	13/-	13/6	13/9	16/3	19/6	32/-	42/6
8 1/2	—	—	14/-	16/6	20/6	33/-	44/-
9	—	—	14/3	17/-	21/6	34/-	45/6
9 1/2	—	—	14/6	17/6	22/-	35/6	46/6
10	—	—	14/9	18/-	23/-	37/-	47/6
10 1/2	—	—	15/-	19/-	24/-	38/6	48/9
11	—	—	15/3	20/-	25/-	40/-	50/3
11 1/2	—	—	15/9	21/-	26/-	41/6	51/9
12	—	—	16/-	22/-	27/-	43/-	53/6
13	—	—	17/6	—	28/-	46/-	57/6
14	—	—	18/6	—	29/-	49/-	60/-
15	—	—	20/-	—	30/-	52/-	64/-
16	—	—	21/-	—	31/6	55/-	68/-
17	—	—	22/-	—	33/-	58/-	72/-
18	—	—	23/-	—	34/9	61/-	76/-
19	—	—	24/-	—	36/6	64/-	80/-
20	—	—	25/-	—	38/3	67/-	84/-
21	—	—	27/-	—	39/6	69/-	88/-
22	—	—	29/-	—	41/-	71/-	92/-
23	—	—	31/-	—	42/-	73/-	96/-
24	—	—	33/-	—	43/-	75/-	100/-

BLACK STEEL BOLTS AND NUTS—Continued.

Bolts and Nuts, black mild steel—

Item No. 6847—Hexagon head, Round neck, Hexagon nut.

Item No. 6859—Hexagon head, Round neck, 2 Hexagon nuts.

Rates per 100—

Length in.	DIAMETER								
	1/4"	5/16"	3/8"	7/16"	1/2"	5/8"	3/4"	7/8"	1"
1/2	5/4	6/6	9/-	—	—	—	—	—	—
1	5/5	6/7	9/1	11/8	11/6	19/-	—	—	—
1 1/4	5/6	6/8	9/2	11/10	11/9	19/6	28/6	—	—
1 1/2	5/7	6/9	9/3	12/-	12/3	20/-	29/-	42/-	—
1 3/4	5/8	7/2	9/6	12/6	13/-	20/6	29/6	43/-	56/6
2	5/10	7/6	9/9	13/-	13/9	21/-	30/-	44/-	58/-
2 1/4	6/-	7/9	10/3	13/6	14/3	22/-	30/6	45/-	60/-
2 1/2	6/4	8/-	10/9	14/-	14/6	22/6	31/-	46/-	62/-
2 3/4	6/8	8/4	11/3	14/6	15/-	23/-	31/9	47/-	64/-
3	7/-	8/8	11/9	15/-	15/6	23/6	32/6	48/-	66/-
3 1/4	—	—	—	—	16/-	24/-	33/6	49/-	68/-
3 1/2	7/6	9/2	13/-	15/6	16/6	24/6	34/6	50/-	70/-
3 3/4	—	—	—	—	17/-	25/-	35/6	51/-	72/-
4	8/-	9/9	14/-	16/6	17/9	26/-	36/6	52/-	74/-
4 1/4	9/6	11/3	14/3	17/6	19/-	26/6	38/-	53/6	76/-
5	10/-	12/3	14/6	18/6	20/-	27/-	39/6	55/-	78/-
5 1/2	10/9	13/9	14/9	20/-	21/6	28/6	41/-	56/6	80/-
6	11/6	14/6	15/-	21/6	22/6	29/6	42/-	58/-	82/-
6 1/2	—	—	15/6	—	23/6	31/-	44/-	61/-	84/-
7	—	—	16/-	—	24/-	32/6	46/-	63/6	86/-
7 1/2	—	—	16/9	—	24/6	33/9	48/-	66/-	88/-
8	—	—	17/6	—	25/-	35/3	50/-	69/-	91/-
8 1/2	—	—	18/6	—	25/6	36/9	52/-	71/-	95/-
9	—	—	19/6	—	26/-	38/6	54/-	74/-	99/-
9 1/2	—	—	—	—	26/6	40/-	56/-	77/-	103/-
10	—	—	—	—	27/-	41/6	58/-	80/-	107/-
10 1/2	—	—	—	—	28/-	42/9	60/-	83/-	112/-
11	—	—	—	—	29/6	44/-	62/-	86/-	116/-
11 1/2	—	—	—	—	31/-	45/6	64/-	89/-	120/-
12	—	—	—	—	33/-	47/-	66/-	92/-	124/-
13	—	—	—	—	35/-	50/-	68/-	—	—
14	—	—	—	—	37/-	53/6	72/-	—	—
15	—	—	—	—	39/-	56/6	76/-	—	—
16	—	—	—	—	41/-	60/-	80/-	—	—
17	—	—	—	—	43/-	63/-	84/-	—	—
18	—	—	—	—	45/-	66/-	88/-	—	—
19	—	—	—	—	47/-	69/-	92/-	—	—
20	—	—	—	—	49/-	72/-	96/-	—	—
21	—	—	—	—	—	74/-	99/-	—	—
22	—	—	—	—	—	76/6	102/-	—	—
23	—	—	—	—	—	79/-	105/-	—	—
24	—	—	—	—	—	82/-	108/-	—	—

BLACK STEEL BOLTS AND NUTS—Continued.

Bolts and Nuts, black mild steel—

Item No. 6862—Square head, Round neck, Hexagon nut.

Item No. 6869—Square head, Round neck, Square nut.

Rates per 100—

Length in.	DIAMETER			Length in.	DIAMETER		
	$\frac{1}{2}$ "	$\frac{5}{8}$ "	$\frac{3}{4}$ "		$\frac{1}{2}$ "	$\frac{5}{8}$ "	$\frac{3}{4}$ "
1	11/6	19/-	—	10	27/-	41/-	56/-
1 $\frac{1}{4}$	11/9	19/6	—	10 $\frac{1}{2}$	28/-	42/6	57/6
1 $\frac{1}{2}$	12/3	21/3	32/-	11	29/-	44/-	59/-
1 $\frac{3}{4}$	13/-	22/-	32/6	11 $\frac{1}{2}$	30/-	45/-	61/-
2	13/9	22/9	33/-	12	31/-	46/-	63/-
2 $\frac{1}{4}$	14/3	23/6	33/9	13	34/-	49/-	65/-
2 $\frac{1}{2}$	14/6	24/-	34/6	14	36/-	52/6	69/-
2 $\frac{3}{4}$	15/-	24/6	35/6	15	38/-	56/-	72/-
3	15/6	25/-	36/-	16	40/-	59/-	75/-
3 $\frac{1}{4}$	16/-	25/6	37/-	17	42/-	62/-	78/-
3 $\frac{1}{2}$	16/6	26/-	38/-	18	44/-	65/-	82/-
3 $\frac{3}{4}$	17/-	27/-	39/-	19	46/-	68/-	86/-
4	17/6	27/6	40/-	20	48/-	71/-	90/-
4 $\frac{1}{2}$	18/6	28/-	41/-	21	49/6	72/6	94/-
5	19/6	29/-	42/-	22	51/-	74/-	97/-
5 $\frac{1}{2}$	20/6	30/-	43/-	23	52/6	75/6	100/-
6	21/9	31/-	44/-	24	54/-	77/-	103/-
6 $\frac{1}{2}$	23/-	32/-	45/-	25	—	—	106/-
7	23/6	33/-	46/-	26	—	—	109/-
7 $\frac{1}{2}$	24/-	34/-	47/-	27	—	—	112/-
8	24/6	35/6	48/-	28	—	—	115/-
8 $\frac{1}{2}$	25/-	37/-	49/-	29	—	—	118/-
9	25/6	38/6	51/-	30	—	—	121/-
9 $\frac{1}{2}$	26/-	40/-	53/6	—	—	—	—

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
*6830	Bolts and Nuts, black mild steel, Fishplate, $\frac{1}{2}$ " diameter x 2" long	Vict.	15,000	100	0 6 11	S. G. Sewell Pty. Ltd.
*6831	Bolts, black mild steel, Gauge Glass, cup head, without nuts— $\frac{5}{16}$ " diameter x 1 $\frac{3}{4}$ " long	"	6000	"	0 5 11	} McPherson's Pty. Ltd.
*6832	" " x 1 $\frac{5}{8}$ " "	"	18,000	"	0 5 10	
6833	Bolts and Nuts (B.S.W.), black mild steel, to specification— Countersunk head, Nib neck, Hexagon nut, $\frac{1}{4}$ ", $\frac{3}{8}$ ", $\frac{1}{2}$ " or $\frac{3}{4}$ " diameter, by any length on price list, as ordered	"	£350	...	Nett	

Percentage off Price List on page 58, which is firm during contract period

BLACK STEEL BOLTS AND NUTS—Continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
6833A	Bolts and Nuts (B.S.W.), black mild steel, to specification— Countersunk head, Nib neck, Hexagon nut, $\frac{5}{8}$" or $\frac{3}{4}$" diameter, by any length on price list, as ordered	Vict.	£350	...	Nett	West Footscray Eng. Works Pty. Ltd.
	Countersunk head, Nib neck, 2 Hexagon nuts—				£ s. d.	
6834	$\frac{5}{8}$ " diameter x $3\frac{1}{2}$ " long ...	"	500	100	1 2 6	
6835	$\frac{3}{4}$ " " x 3 " " ...	"	800	"	1 8 0	
6836	$\frac{3}{4}$ " " x $3\frac{1}{2}$ " " ...	"	800	"	1 8 9	
6837	$\frac{3}{4}$ " " x 4 " " ...	"	500	"	1 9 6	
	Countersunk head, Square neck, Hexagon nut—				Percentage off Price List on page 54, which is firm during contract period	
6838	$\frac{3}{16}$ " to $\frac{3}{4}$ " diameter x any length ordered, as per price list	"	£600	...	Less 22½%	McPherson's Pty. Ltd.
6839	$\frac{5}{16}$ " diameter x $10\frac{1}{2}$ " long	"	600	100	£ s. d. 0 11 9	
6840	$\frac{1}{2}$ " " x $39\frac{1}{2}$ " " threaded 3"	"	6000	"	2 2 0	S. G. Sewell Pty. Ltd
6841	$\frac{7}{8}$ " " x $3\frac{1}{2}$ " " ...	"	200	"	1 18 3	
6842	$\frac{7}{8}$ " " x 5 " " ...	"	600	"	2 3 0	McPherson's Pty. Ltd.
6843	1 " " x 5 " " ...	"	200	"	2 17 6	S. G. Sewell Pty. Ltd
6844	1 " " x 9 " " ...	"	200	"	3 13 0	McPherson's Pty. Ltd.
					Percentage off Price List on page 53, which is firm during contract period	
6845	Cup head, Nib neck, Hexagon nut, any size on price list, as ordered	"	£100	...	Nett	
					Percentage off Price List on page 54, which is firm during contract period	
6846	Cup head, Square neck, Hexagon nut, $\frac{3}{16}$" to $\frac{3}{4}$" diameter, any length ordered, as per price list	"	£7000	...	Less 40%	McPherson's Pty. Ltd.
	Hexagon head, Round neck, Hexagon nut—				Percentage off Price List on page 55, which is firm during contract period	
6847	$\frac{1}{4}$ " to 1 " diameter, any length ordered, as per price list	"	£7000	...	Less 40%	
6848	$\frac{7}{8}$ " diameter x 16 " long	"	200	100	£ s. d. 3 7 0	
6849	1 " " x $8\frac{1}{2}$ " " threaded 2"	"	600	"	2 12 6	
6850	1 " " x $14\frac{1}{4}$ " " ...	"	200	"	3 19 0	
6851	1 " " x 15 " " ...	"	200	"	4 1 0	
6852	$1\frac{1}{8}$ " " x $3\frac{1}{4}$ " " ...	"	200	"	2 13 6	
6853	$1\frac{1}{8}$ " " x $3\frac{1}{2}$ " " ...	"	200	"	2 13 6	
6854	$1\frac{1}{8}$ " " x $3\frac{3}{4}$ " " ...	"	200	"	2 15 0	
6855	$1\frac{1}{8}$ " " x 7 " " ...	"	200	"	3 7 6	
6856	$1\frac{1}{8}$ " " x 9 " " ...	"	200	"	3 17 6	

BLACK STEEL BOLTS AND NUTS—Continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
Bolts and Nuts (B.S.W.), black mild steel, to specification—						
6857	Hexagon head, Round neck, Hexagon nut, nuts to be spanner tight— $\frac{3}{8}$ " diameter x $8\frac{1}{4}$ " long, threaded $1\frac{1}{2}$ "	Vict.	500	100	1 8 3	} McPherson's Pty. Ltd.
6858	1" " x $8\frac{1}{2}$ " " threaded 2"	"	800	"	2 12 6	
						Percentage off Price List on page 55, which is firm during contract period
6859	Hexagon head, Round neck, 2 Hexagon nuts, $\frac{1}{4}$ " to 1" diameter, any length ordered, as per price list	"	£300	...	Less 32½%	} McPherson's Pty. Ltd.
6860	Hexagon head, Round neck, 2 Hexagon nuts (1 thick and 1 thin)— $\frac{3}{8}$ " diameter x $2\frac{1}{4}$ " long	"	1000	100	£ s. d. 1 5 9	
6861	$\frac{1}{2}$ " " x $3\frac{3}{4}$ " "	"	10,000	"	1 6 9	} S. G. Sewell Pty. Ltd.
Square head, Round neck, Hexagon nut—						
6862	$\frac{1}{2}$ " to $\frac{3}{4}$ " diameter x any length ordered, as per price list	"	£50	...	Less 37½%	} S. G. Sewell Pty. Ltd.
6863	$\frac{3}{8}$ " diameter x $3\frac{1}{2}$ " long	"	200	100	£ s. d. 2 10 0	
6864	$\frac{7}{8}$ " " x $4\frac{3}{4}$ " "	"	200	"	less 35% 2 15 0	} McPherson's Pty. Ltd.
6865	$\frac{7}{8}$ " " x 8" "	"	200	"	less 35% 2 3 3	
Square head, Round neck, 2 Hexagon nuts—						
6866	$\frac{5}{8}$ " diameter x $2\frac{1}{4}$ " long	"	2000	100	1 3 6	} S. G. Sewell Pty. Ltd.
6867	$\frac{5}{8}$ " " x $4\frac{1}{4}$ " "	"	1000	"	less 27½% 1 8 0	
6868	$\frac{5}{8}$ " " x $9\frac{3}{8}$ " "	"	1000	"	less 27½% 1 7 6	} McPherson's Pty. Ltd.
Square head, Round neck, Square nut—						
6869	$\frac{1}{2}$ " to $\frac{3}{4}$ " diameter x any length ordered, as per price list	"	£1500	...	Less 40%	
6870	$\frac{7}{8}$ " diameter x 12" long	"	600	100	2 3 6	} McPherson's Pty. Ltd.
6871	$\frac{7}{8}$ " " x 13" "	"	100	"	2 5 9	
6872	$\frac{7}{8}$ " " x 14" "	"	150	"	2 7 9	
6873	$\frac{7}{8}$ " " x 15" "	"	400	"	2 9 9	
6874	$\frac{7}{8}$ " " x 16" "	"	400	"	2 11 3	
6875	$\frac{7}{8}$ " " x 17" "	"	250	"	2 13 6	
6876	$\frac{7}{8}$ " " x 18" "	"	1200	"	2 15 6	
6877	$\frac{7}{8}$ " " x 19" "	"	1500	"	2 17 6	
6878	$\frac{7}{8}$ " " x 20" "	"	5500	"	2 18 9	
6879	$\frac{7}{8}$ " " x 21" "	"	2000	"	3 1 0	
6880	$\frac{7}{8}$ " " x 22" "	"	8000	"	3 2 6	
6881	$\frac{7}{8}$ " " x 23" "	"	8000	"	3 4 9	
6882	$\frac{7}{8}$ " " x 24" "	"	3000	"	3 7 0	
6883	$\frac{7}{8}$ " " x 25" "	"	1800	"	3 8 0	
6884	$\frac{7}{8}$ " " x 26" "	"	3000	"	3 10 0	
6885	$\frac{7}{8}$ " " x 27" "	"	1200	"	3 12 3	
6886	$\frac{7}{8}$ " " x 28" "	"	800	"	3 14 0	
6887	$\frac{7}{8}$ " " x 29" "	"	300	"	3 16 0	
6888	$\frac{7}{8}$ " " x 30" "	"	1200	"	3 18 3	

BLACK STEEL BOLTS AND NUTS—Continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor	
					£	s.	d.		
Bolts and Nuts (B.S.W.), black mild steel, to specification—									
Tee head, Hexagon nut—									
6889	½" diameter x 1¼" long ...	Vict.	40,000	100	0	9	9	McPherson's Pty. Ltd.	
6890	½" " x 2" " ...	"	8000	"	0	10	1		
6891	½" " x 2½" " ...	"	3000	"	0	10	9		
6892	½" " x 3" " ...	"	1000	"	0	12	6		
6893	½" diameter x 3½" long ...	"	500	"	0	13	3		
6894	⅝" " x 2" " ...	"	500	"	1	0	6		
6895	⅝" " x 2¾" " ...	"	1000	"	1	1	0		
6896	⅝" " x 3¼" " ...	"	400	"	1	2	6		
6897	⅝" " x 3½" " ...	"	200	"	1	3	0		
6898	¾" " x 3" " ...	"	500	"	1	8	0		
6899	¾" " x 3½" " ...	"	1500	"	1	8	6		
Nuts, Hexagon, (B.S.W.), black mild steel, tapped, to specification—									
†6900	⅜" ...	"	15,000	"	0	1	3		
6901	¼" ...	"	55,000	"	0	1	3		
6902	⅝" ...	"	6000	"	0	1	7		
6903	⅜" ...	"	55,000	"	0	1	9½		
6904	½" ...	"	100,000	"	0	2	6½		
6905	⅝" ...	"	140,000	"	0	4	6		
6906	¾" ...	"	75,000	"	0	6	9		
6907	⅞" ...	"	12,000	"	0	10	0		
6908	1" ...	"	50,000	"	0	14	9		
6909	1⅜" ...	"	4000	"	1	0	6		
6910	1½" ...	"	8000	"	1	7	0		
6911	1⅞" ...	"	600	"	1	14	6		
6912	2" ...	"	2000	"	2	5	9		
6913	2½" ...	"	200	"	5	10	0		

BLACK STEEL BOLTS AND NUTS—Continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
	Nuts, Lock, Hexagon, (B.S.W.), black mild steel, tapped, to specification—					
6914	½"	Vict.	3000	100	0 2 9	} McPherson's Pty. Ltd.
6915	⅝"	"	20,000	"	0 4 6	
6916	¾"	"	15,000	"	0 6 9	
6917	⅞"	"	2500	"	0 9 9	
6918	1"	"	3500	"	0 14 9	
6919	1⅛"	"	500	"	1 3 9	
6920	1¼"	"	500	"	1 9 0	
6921-6929	Nil					

BRIGHT STEEL BOLTS AND NUTS

(Schedule No. 204)

(1st July, 1939, to 30th June, 1941).

PRICE LISTS.

Item No. 6930—Bolts and Nuts, Hexagon, Bright Mild Steel, Finished (B.S.W.).

Price per gross.

Length	DIAMETER.										
	⅜"	½"	⅝"	¾"	⅞"	1"	1⅛"	1¼"	1½"	1⅞"	2"
¾"	12/9	12/9	15/-	19/-	—	—	—	—	—	—	—
1"	13/3	13/3	16/-	20/-	25/-	30/-	52/-	—	—	—	—
1¼"	14/3	14/3	17/-	21/-	27/-	32/-	52/-	53/-	78/-	—	—
1½"	15/3	15/3	18/-	22/-	28/-	35/-	52/-	53/-	78/-	—	—
1¾"	16/-	16/-	19/-	23/-	30/-	38/-	54/-	56/-	82/-	94/-	—
2"	17/-	17/-	20/-	25/-	32/-	40/-	56/-	58/-	82/-	100/-	160/-
2¼"	18/6	18/6	22/-	27/6	35/-	42/-	58/-	60/-	86/-	108/-	160/-
2½"	20/-	20/-	24/-	29/-	37/-	44/-	61/-	63/-	90/-	116/-	160/-
2¾"	21/6	21/6	25/6	32/-	39/-	46/-	64/-	66/-	94/-	122/-	160/-
3"	24/-	23/-	27/-	34/-	41/-	48/-	67/-	70/-	98/-	130/-	166/-
3¼"	—	25/-	30/-	36/-	43/-	50/-	70/-	74/-	102/-	136/-	—
3½"	28/-	28/-	32/-	38/-	46/-	54/-	73/-	77/-	106/-	142/-	180/-
3¾"	—	30/-	34/-	40/-	49/-	57/-	76/-	80/-	110/-	148/-	—
4"	32/-	32/-	36/-	42/-	53/-	60/-	79/-	84/-	114/-	154/-	200/-
4½"	—	35/-	39/-	46/-	58/-	64/-	83/-	92/-	118/-	160/-	220/-
4¾"	—	—	—	—	—	—	—	—	122/-	166/-	—
5"	—	—	49/-	53/-	64/-	70/-	90/-	100/-	130/-	172/-	240/-
5½"	—	—	55/-	59/-	70/-	76/-	96/-	108/-	140/-	180/-	260/-
6"	—	—	64/-	66/-	76/-	82/-	102/-	116/-	150/-	190/-	280/-

BRIGHT STEEL BOLTS AND NUTS—Continued.

PRICE LISTS.

Item No. 6931—Bolts and Nuts, Hexagon, Bright Mild Steel, Finished (S.A.E.).
Price per Gross.

Length	DIAMETER.								
	$\frac{3}{16}$ "	$\frac{1}{4}$ "	$\frac{5}{16}$ "	$\frac{3}{8}$ "	$\frac{7}{16}$ "	$\frac{1}{2}$ "	$\frac{9}{16}$ "	$\frac{5}{8}$ "	$\frac{3}{4}$ "
$\frac{3}{4}$ "	10/6	10/6	12/-	14/3	17/-	—	—	—	—
1"	10/6	10/6	12/6	15/3	17/6	23/-	37/-	43/-	—
1 $\frac{1}{4}$ "	11/6	11/6	13/6	16/-	18/-	24/-	40/-	43/-	—
1 $\frac{1}{2}$ "	12/6	12/6	14/6	16/6	19/6	25/-	42/-	45/-	66/-
1 $\frac{3}{4}$ "	13/6	13/6	16/-	17/6	21/-	26/-	44/-	47/-	70/-
2"	14/6	14/6	17/-	18/6	22/-	28/-	46/-	49/-	75/-
2 $\frac{1}{4}$ "	16/-	16/-	18/-	20/-	23/-	30/-	48/-	51/-	80/-
2 $\frac{1}{2}$ "	17/-	17/-	19/-	21/-	25/-	32/-	50/-	53/-	86/-
2 $\frac{3}{4}$ "	18/-	18/-	20/-	23/-	27/-	34/-	53/-	57/-	92/-
3"	19/-	19/-	22/6	25/-	29/-	36/-	56/-	60/-	98/-
3 $\frac{1}{4}$ "	—	22/-	24/6	27/-	32/-	38/-	60/-	63/-	104/-
3 $\frac{1}{2}$ "	25/-	25/-	26/6	29/-	34/-	40/-	63/-	68/-	112/-
3 $\frac{3}{4}$ "	28/-	28/-	30/-	31/-	36/-	42/-	67/-	72/-	120/-
4"	31/-	31/-	33/-	34/-	38/-	44/-	72/-	77/-	126/-
4 $\frac{1}{2}$ "	—	36/-	36/-	38/-	42/-	50/-	76/-	82/-	132/-
5"	—	44/-	44/-	44/-	49/-	57/-	80/-	90/-	144/-
5 $\frac{1}{2}$ "	—	52/-	52/-	52/-	56/-	63/-	90/-	96/-	156/-
6"	—	58/-	58/-	58/-	66/-	70/-	96/-	102/-	168/-

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
6930	Bolts and Nuts (B.S.W.), Hexagon, bright mild steel, finished, to specification— $\frac{3}{16}$ " to 1" diameter x $\frac{3}{4}$ " to 6" long	N.S.W.	£80	...	† Nett	Automatic Engineering Co. Pty. Ltd
6931	Bolts and Nuts (S.A.E.), Hexagon, bright mild steel, finished, to specification— $\frac{3}{16}$ " to $\frac{3}{4}$ " diameter x $\frac{3}{4}$ " to 6" long	"	£20	...	† Nett	
†6932	Nuts, Hexagon, (B.S.W.), bright mild steel, finished, to specification— $\frac{1}{8}$ "	"	24 gross	gross	†0 3 9	
†6933	$\frac{5}{32}$ "	"	12 "	"	†0 3 9	
†6934	$\frac{3}{16}$ "	"	48 "	"	†0 4 3	

†—Less 5% discount for payment by the 8th of the month following month of delivery.

BRIGHT STEEL BOLTS AND NUTS—Continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor	
					£	s.	d.		
Nuts, Hexagon (B.S.W.), bright mild steel, finished, to specification—Continued—									
6935	1/2"	N.S.W.	120 gross	gross	10	4	3	Automatic Engineering Co. Pty. Ltd.	
6936	5/16"	"	200 "	"	10	4	9		
6937	3/8"	"	100 "	"	10	6	0		
6938	7/16"	"	12 "	"	10	7	6		
6939	1/2"	"	160 "	"	10	8	9		
6940	5/8"	"	120 "	"	10	14	3		
6941	3/4"	"	80 "	"	11	1	0		
6942	7/8"	"	80 "	"	11	9	6		
6943	1"	"	80 "	"	12	0	0		
6944	1 1/8"	"	8 "	"	12	19	0		
6945	1 1/4"	"	12 "	"	14	16	0		
6946	1 3/8"	"	4 "	"	16	12	0		
6947	1 1/2"	"	2 "	"	17	16	0		
Nuts, Hexagon (S.A.E.), bright mild steel, finished, to specification—									
6948	1/2"	"	24 doz.	doz.	10	0	4		
6949	5/16"	"	20 "	"	10	0	4 1/2		
6950	3/8"	"	24 "	"	10	0	5		
6951	7/16"	"	4 "	"	10	0	6 1/2		
6952	1/2"	"	6 "	"	10	0	10 1/2		
6953	5/8"	"	12 "	"	10	0	11 1/2		
Nuts, Lock, Hexagon (B.S.W.), bright mild steel, finished, to specification—									
6954	5/16"	"	20 gross	gross	10	4	9		
6955	3/8"	"	8 "	"	10	5	9		
6956	1/2"	"	20 "	"	10	8	6		
6957	5/8"	"	40 "	"	10	13	0		
6958	3/4"	"	8 "	"	11	0	0		
6959	7/8"	"	12 "	"	11	7	0		
6960	1"	"	20 "	"	11	18	0		
6961	1 1/8"	"	8 "	"	12	11	0		
6962	1 1/4"	"	8 "	"	14	10	0		
6963	1 3/8"	"	2 "	"	16	12	0		
Nuts, Hexagon (B.S.W.), bright mild steel, pressed, for rolled thread screws, to specification "K. & W."—									
6964	1/2"	Vict.	60 "	"	0	0	6 1/2	McPherson's Pty. Ltd.	
6965	5/16"	"	80 "	"	0	0	9 1/2		
6966	3/8"	"	10 "	"	0	1	1 1/2		
Nuts, Square (B.S.W.), bright mild steel, pressed, for rolled thread screws, to specification "K & W."—									
6967	1/2"	"	20 "	"	0	0	6		
6968	5/16"	"	40 "	"	0	0	8		
6969	3/8"	"	50 "	"	0	1	0		
6970	1/2"	"	20 "	"	0	1	5		
6971-6979	Nil.								

† Less 5% discount for payment by the 8th of the month following month of delivery.

GALVANISED STEEL BOLTS AND NUTS, AND BRASS NUTS.

(Schedule No. 205)

(1st July, 1939, to 30th June, 1941.)

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
	Bolts and Nuts (B.S.W.), galvanized mild steel, Hexagon head, Round neck, Hexagon nut, to specification, each bolt complete with 2 square galvanized washers, $1\frac{1}{2}$ " x $1\frac{1}{2}$ " x $\frac{1}{8}$ " thick x $\frac{11}{16}$ " round hole—					
6980	$\frac{5}{8}$ " diameter x 9" long ...	Vict.	800	100	1 11 6	
6981	$\frac{5}{8}$ " " x 10" " ...	"	2500	"	1 13 3	
6982	$\frac{5}{8}$ " " x 11" " ...	"	2500	"	1 15 0	
6983	$\frac{5}{8}$ " " x 12" " ...	"	500	"	1 17 6	
6984	$\frac{5}{8}$ " " x 13" " ...	"	200	"	1 19 3	
6985	$\frac{5}{8}$ " " x 14" " ...	"	400	"	2 1 6	
	Nuts, Hexagon, Brass, finished (B.S.W.), to specification "K. & W."—					
†6986	$\frac{1}{8}$ " ...	"	30 gross	gross	0 1 8	McPherson's Pty. Ltd.
†6987	$\frac{1}{8}$ " ...	"	48 "	"	0 2 11	
6988	$\frac{1}{8}$ " ...	"	72 "	"	0 4 3	
6989	$\frac{1}{8}$ " ...	"	9 "	"	0 5 8	
6990	$\frac{1}{8}$ " ...	"	15 "	"	0 9 6	
6991	$\frac{1}{8}$ " ...	"	6 "	"	0 19 3	
6992	$\frac{1}{8}$ " ...	"	4 "	"	1 13 7	
6993	$\frac{1}{8}$ " ...	"	8 "	"	2 18 6	
6994	$\frac{1}{8}$ " ...	"	8 "	"	4 5 0	
	Nuts, Hexagon, Brass, pressed (B.S.W.), to specification "K. & W."—					
†6995	$\frac{1}{8}$ " ...	"	48 "	"	0 0 9	
†6996	$\frac{1}{8}$ " ...	"	24 "	"	0 1 5	
6997	$\frac{1}{8}$ " ...	"	48 "	"	0 2 5	
	Nuts, Wing (Butterfly), Brass "B.D. & Co."—					
†6998	$\frac{1}{8}$ " ...	U.K.	10 doz.	"	0 13 4	Thos. Warburton Pty. Ltd.
†6999	$\frac{1}{8}$ " ...	"	80 "	"	1 10 0	

STEEL AND BRASS WASHERS

(Schedule No. 206)

(1st July, 1939, to 30th June, 1941)

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
	Washers, black mild steel, round plate, with round hole, to specification—					
7000	1" x $\frac{1}{8}$ " x $\frac{1}{8}$ " hole ...	Vict.	8 cwt.	cwt.	1 13 6	C. H. Stevens
7001	1" x $\frac{1}{8}$ " x $\frac{1}{8}$ " " ...	"	8 "	"	1 7 9	
7002	$1\frac{1}{8}$ " x $\frac{1}{8}$ " x $\frac{1}{8}$ " " ...	"	16 "	"	1 8 0	C. H. Stevens
7003	$1\frac{1}{8}$ " x $\frac{1}{8}$ " x $\frac{1}{8}$ " " ...	"	4 "	"	2 2 0	
7004	$1\frac{1}{8}$ " x $\frac{1}{8}$ " x $\frac{1}{8}$ " " ...	"	60 "	"	1 7 9	C. Ebeling & Sons Pty. Ltd.
7005	$1\frac{1}{4}$ " x $\frac{1}{8}$ " x $\frac{1}{8}$ " " ...	"	2 "	"	1 13 6	
7006	$1\frac{1}{4}$ " x $\frac{1}{8}$ " x $\frac{1}{8}$ " " ...	"	60 "	"	1 6 9	C. H. Stevens C. Ebeling & Sons Pty. Ltd.

STEEL AND BRASS WASHERS—Continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
Washers, black mild steel, round plate, with round hole, to specification—continued—								
7007	1½" x ½" x ⅞" "	Vict.	4 cwt.	cwt.	1	10	0	C. H. Stevens
7008	2" x ⅜" x ⅞" "	"	25 "	"	1	7	0	
7009	2" x ¼" x ⅞" "	"	8 "	"	1	7	0	
7010	1½" x ⅞" x ⅞" "	"	2 "	"	1	10	0	C. Ebeling & Sons Pty. Ltd.
7011	1½" x ⅜" x ⅞" "	"	50 "	"	1	6	9	
7012	2" x ⅜" x ⅞" "	"	4 "	"	1	8	0	
7013	2½" x ⅜" x ⅞" "	"	15 "	"	1	7	0	C. H. Stevens
7014	2" x ¼" x ⅞" "	"	35 "	"	1	8	0	
7015	2½" x ¼" x ⅞" "	"	2 "	"	1	10	0	
7016	1½" x ⅜" x ⅞" "	"	2 "	"	2	19	0	C. Ebeling & Sons Pty. Ltd.
7017	1½" x ⅞" x ⅞" "	"	2 "	"	1	13	6	
7018	1½" x ⅜" x ⅞" "	"	10 "	"	1	10	0	
7019	1¾" x ⅜" x ⅞" hole	"	40 "	"	1	6	9	C. Ebeling & Sons Pty. Ltd.
7020	2½" x ¼" x ⅞" "	"	60 "	"	1	6	9	
7021	3" x ¼" x ⅞" "	"	30 "	"	1	7	0	
7022	1½" x ⅜" x ⅞" "	"	2 "	"	1	11	6	C. H. Stevens
7023	2" x ⅜" x ⅞" "	"	40 "	"	1	6	9	
7024	3" x ¼" x ⅞" "	"	8 "	"	1	7	0	
7025	1¾" x ⅞" x 1 ⅞" "	"	2 "	"	1	13	6	C. Ebeling & Sons Pty. Ltd.
7026	2½" x ⅜" x 1 ⅞" "	"	20 "	"	1	10	0	
7027	2½" x ⅞" x 1 ⅞" "	"	10 "	"	1	8	0	
7028	2½" x ⅜" x 1 ⅞" "	"	15 "	"	1	10	0	C. H. Stevens
7029	2½" x ⅜" x 1 ⅞" "	"	25 "	"	1	10	0	
7030	2½" x ⅜" x 1 ⅞" "	"	8 "	"	1	12	0	
7031	2½" x ⅜" x 1 ⅞" "	"	4 "	"	1	13	0	C. Ebeling & Sons Pty. Ltd.
7032	2½" x ⅜" x 1 ⅞" "	"	4 "	"	1	13	0	
7033	3½" x ⅜" x 2 ⅞" "	"	10 "	"	1	13	0	
7034	4" x ⅜" x 2 ⅞" "	"	2 "	"	1	15	0	C. Ebeling & Sons Pty. Ltd.
7035	3½" x ⅜" x 2 ⅞" "	"	2 "	"	1	15	0	
7036	4" x ⅜" x 2 ⅞" "	"	2 "	"	2	5	6	
7037	4" x ¼" x 2 ⅞" "	"	2 "	"	1	15	0	C. Ebeling & Sons Pty. Ltd.
7038	5" x ¼" x 3" "	"	8 "	"	2	17	6	

STEEL AND BRASS WASHERS—Continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
	Washers, black mild steel, round plate, with square hole, to specification—							
7039	1½" x ½" x ⅝" hole ...	Vict.	20 cwt.	cwt.	1	10	0	} C. H. Stevens
7040	1¼" x ⅜" x ⅞" " ...	"	2 "	"	1	10	0	
7041	2" x ⅜" x ⅞" " ...	"	6 "	"	1	8	0	
7042	2" x ⅜" x ⅞" " ...	"	10 "	"	1	8	0	
7043	1½" x ⅜" x ⅞" " ...	"	6 "	"	1	9	0	
7044	2" x ⅜" x ⅞" " ...	"	10 "	"	1	8	0	
	Washers, black mild steel, square plate, with round hole, to specification, "F. L. Kirkby & Co."—							
7045	1½" x 1½" x ⅜" x ⅞" hole ...	N.S.W.	4 "	"	0	19	9	} Gibbs Bright & Co.
7046	2" x 2" x ¼" x ⅞" " ...	"	20 "	"	0	18	0	
7047	2" x 2" x ¼" x ⅞" " ...	"	10 "	"	0	18	0	
7048	2½" x 2½" x ⅜" x 1⅞" " ...	"	5 "	"	0	19	9	
	Washers, black mild steel, square plate, with square hole, to specification—							
7049	1½" x 1½" x ¼" x ⅞" hole ...	Vict.	15 "	"	1	2	0	} McPherson's Pty. Ltd.
7050	2" x 2" x ¼" x ⅞" " ...	"	20 "	"	1	2	0	
7051	2" x 2" x ¼" x ⅞" " ...	"	30 "	"	1	2	0	
	Washers, bright mild steel, round (B.S.W.), with round hole, to specification—							
7052	⅝", "Cooke" ...	"	24 gross	gross	0	0	5½	Harvey Shaw Successors
7053	⅞" ...	U.K.	100 "	"	0	0	8	} McPherson's Pty. Ltd.
7054	¼" ...	"	140 "	"	0	0	10	
7055	⅝", "Cooke" ...	Vict.	12 "	"	0	1	1	} Harvey Shaw Successors
7056	⅜" " ...	"	48 "	"	0	1	4	
7057	⅞" ...	U.K.	12 "	"	0	1	11	McPherson's Pty. Ltd.
7058	½", "Cooke" ...	Vict.	36 "	"	0	2	8	} Harvey Shaw Successors
7059	⅝" " ...	"	12 "	"	0	4	4	
7060	¾" " ...	"	6 "	"	0	5	9	
	Washers, brass, round, with round hole, to specification—							
†7061	⅝", "H. & B." ...	U.K.	15 "	"	0	0	6	Thos. Warburton Pty. Ltd.
†7062	⅞" ...	"	48 "	"	0	0	9	McPherson's Pty. Ltd.
†7063	¼", "H. & B." ...	"	40 "	"	0	1	3	} Thos. Warburton Pty. Ltd.
†7064	⅝" " ...	"	8 "	"	0	1	10	
7065—7089—Nil								

SPRING STEEL WASHERS

(Schedule No. 207)

(1st July, 1939, to 30th June, 1941).

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
Washers, spring steel, round, flat section, to specification—						
7090	$\frac{7}{32}$ " x $\frac{5}{16}$ " x $\frac{3}{16}$ "	...	24 gross	gross	...	Nil
7091	$\frac{1}{4}$ " x $\frac{1}{8}$ " x $\frac{1}{16}$ " "C.S.W."	Vict.	100	"	0 0 5 $\frac{3}{4}$	} McPherson's Pty. Ltd.
7092	$\frac{5}{16}$ " x $\frac{1}{8}$ " x $\frac{1}{16}$ "	"	120	"	0 0 6 $\frac{1}{2}$	
7093	$\frac{5}{8}$ " x $\frac{5}{32}$ " x $\frac{3}{32}$ "	"	40	"	0 1 2	
7094	$\frac{5}{8}$ " x $\frac{1}{4}$ " x $\frac{1}{8}$ "	"	48	"	0 3 0	
Washers, spring steel, round, square section, to specification—						
7095	$\frac{1}{8}$ " x $\frac{1}{32}$ "	...	18 gross	gross	...	Nil
7096	$\frac{3}{16}$ " x $\frac{1}{16}$ " "C.S.W."	Vict.	120	"	0 0 3 $\frac{3}{4}$	} McPherson's Pty. Ltd.
7097	$\frac{1}{4}$ " x $\frac{1}{16}$ "	"	12	"	0 0 4	
7098	$\frac{1}{4}$ " x $\frac{1}{32}$ "	"	250	"	0 0 6	} Henderson's Federal Spring Works Pty. Ltd.
7099	$\frac{1}{4}$ " x $\frac{1}{8}$ "	"	300	"	0 0 9	
7100	$\frac{5}{16}$ " x $\frac{1}{16}$ "	"	20	"	0 0 4	} Henderson's Federal Spring Works Pty. Ltd.
7101	$\frac{5}{16}$ " x $\frac{3}{32}$ "	"	60	"	0 0 7	
7102	$\frac{5}{16}$ " x $\frac{1}{8}$ "	"	360	"	0 0 10	} McPherson's Pty. Ltd.
7103	$\frac{3}{8}$ " x $\frac{1}{16}$ "	"	30	"	0 0 6	
7104	$\frac{3}{8}$ " x $\frac{3}{32}$ " "C.S.W."	"	40	"	0 0 7 $\frac{1}{4}$	} McPherson's Pty. Ltd.
7105	$\frac{3}{8}$ " x $\frac{1}{8}$ "	"	400	"	0 1 0	
7106	$\frac{7}{16}$ " x $\frac{1}{8}$ "	"	20	"	0 1 0	} Henderson's Federal Spring Works Pty. Ltd.
7107	$\frac{1}{2}$ " x $\frac{1}{8}$ "	"	240	"	0 1 0	
7108	$\frac{1}{2}$ " x $\frac{3}{16}$ "	"	120	"	0 2 6	} Henderson's Federal Spring Works Pty. Ltd.
7109	$\frac{5}{8}$ " x $\frac{1}{8}$ "	"	160	"	0 1 3	
7110	$\frac{5}{8}$ " x $\frac{1}{16}$ "	"	6	"	0 2 0	} McPherson's Pty. Ltd.
7111	$\frac{3}{4}$ " x $\frac{3}{16}$ " "C.S.W."	"	200	"	0 3 5 $\frac{3}{4}$	
7112	$\frac{7}{8}$ " x $\frac{3}{16}$ "	"	24	"	0 3 0	} Henderson's Federal Spring Works Pty. Ltd.
7113	$1\frac{1}{4}$ " x $\frac{1}{4}$ "	"	12	"	0 9 0	
7114	$1\frac{1}{4}$ " x $\frac{7}{16}$ "	"	12	"	2 8 0	} Henderson's Federal Spring Works Pty. Ltd.
7115	$1\frac{3}{8}$ " x $\frac{3}{8}$ "	"	4	"	1 0 0	
7116	$1\frac{1}{2}$ " x $\frac{3}{8}$ "	"	6	"	1 2 6	} Henderson's Federal Spring Works Pty. Ltd.
7117	$1\frac{3}{4}$ " x $\frac{3}{8}$ "	"	12	"	1 10 0	
7118-7139	—Nil					

GALVANISED HOOP STEEL

(Schedule No. 208)

(1st July, 1939, to 30th June, 1941)

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
7140	Steel, Hoop, galvanized, "Burnell & Co. Ltd."— 7/8" wide x 20 gauge ...	U.K.	40 cwt.	cwt.	1	17	6	Hawker, Richardson & Co.
7141	1" " x 16 " ...	"	40 "	"	1	12	9	
7142	1" " x 18 " ...	"	30 "	"	1	13	6	
7143	1" " x 20 " ...	"	40 "	"	1	16	9	
7144	1 1/4" " x 16 " ...	"	5 "	"	1	12	9	
7145	1 1/2" " x 14 " ...	"	20 "	"	1	12	9	
7146-7159	Nil							

TOOL STEEL, ETC.

(Schedule No. 209).

(1st July, 1939, to 30th June, 1941)

7160	Steel, Carbon, flat, for welded boiler tube ferrules, .40 to .50% carbon, 1 1/2" wide x 8 gauge, in lengths 16' to 18', to specification, "Duraflex"	N.S.W.	350 cwt.	ton	14	10	0	Commonwealth Steel Co. Ltd.
	Steel, Nickel, round, for case hardening, 3% nickel, to specification, "Nycase"—							
7161	3/16" to 1" diameter, advancing by 1/16", as ordered	"	15 "	cwt.	2	2	6	
7162	1 3/4" to 2 1/4" diameter, advancing by 1/8", as ordered	"	5 "	"	2	2	6	
7163	2 1/2", 2 3/4" or 3" diameter, as ordered ...	"	2 "	"	2	2	6	
	Steel, Nickel, round, not for case hardening, 3% nickel, to specification, "Nyvalve"—							
7164	3/16" to 1" diameter, advancing by 1/16", as ordered	"	1 "	"	2	2	6	
7165	1 3/8" to 2 1/4" diameter, advancing by 1/8", as ordered	"	20 "	"	2	2	6	
7166	2 1/2", 2 3/4" or 3" diameter, as ordered ...	"	1 "	"	2	2	6	
	Steel, Tool, alloy, octagon, for sates and punches, to specification, "Samuel Fox & Co. Ltd."—							
7167	Under 5/8" to 1" across flats, as ordered	U.K.	450 "	"	2	2	6	The United Steel Companies Ltd.
7167A	Under 3/4" to 5/8" across flats, as ordered	"			2	1	6	
7167B	3/4" to 1 1/2" across flats, as ordered ...	"			1	18	6	
	Steel, Tool, alloy, oval, for hand; pneumatic and bar chisels, oil hardening, non tempering, to specification, "Samuel Fox & Co. Ltd."—							
7168	7/8" x 5/8" ...	"	20 "	"	1	17	6	
7169	1" x 3/4" ...	"	160 "	"	1	17	6	
7170	Any other trade size ordered ...	"	10 "	"	1	18	6	

TOOL STEEL, ETC.—Continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
	Steel, Tool, carbon, best warranted, crucible cast, .90 to 1.00% carbon, to specification, "Bohler, E.Z.H."							
	Flat—							
7171	$\frac{1}{2}$ " thick x $\frac{7}{8}$ " to $1\frac{1}{4}$ " wide, advancing by $\frac{1}{8}$ ", as ordered	Austria	1 cwt.	cwt.	3	12	6	Bohler Steel Co
7172	Any other trade size ordered	"	1 "	"	3	12	6	
	Round—							
7173	$\frac{1}{4}$ " to $1\frac{1}{4}$ " diameter, advancing by $\frac{1}{16}$ ", as ordered	"	40 "	"	3	12	6	
7174	$1\frac{3}{8}$ " to $1\frac{3}{4}$ " diameter, advancing by $\frac{1}{8}$ ", as ordered	"	20 "	"	3	12	6	
7175	2" to 4" diameter, advancing by $\frac{1}{4}$ ", as ordered	"	20 "	"	3	12	6	
7176	Square, $\frac{3}{8}$ " to $1\frac{1}{2}$ ", advancing by $\frac{1}{8}$ ", as ordered	"	6 "	"	3	12	6	
	Steel, Tool, Blacksmiths' quality—							
7177	Flat, 1.00% carbon, $1\frac{1}{2}$ " wide x $\frac{1}{16}$ " thick, "Red Label, White Letters"	U.K.	10 "	"	3	5	0	The Eagle & Globe Steel Co. Ltd.
7178	Octagon, .60 to .70% carbon, $\frac{1}{2}$ " to $1\frac{1}{2}$ " across flats, advancing by $\frac{1}{8}$ ", as ordered	"	"	"	"	"	"	Nil (Items Nos. 7167 to 7167B to be used)
7179	Steel, Tool, for pneumatic snaps, round, $\frac{1}{2}$ " to $2\frac{1}{2}$ " diameter, advancing by $\frac{1}{4}$ ", as ordered, to specification, "Pnusnap"	U.K.	5 cwt.	cwt.	4	19	6	William Adams & Co. Ltd.
	Steel, Tool, for shear blades, flat, to specification—							
7180	2" x $\frac{1}{2}$ " "B.C.T.A." ...	"	1 "	"	3	19	0	Commonwealth Steel Co. Ltd.
7180A	2" x $\frac{1}{2}$ ", "Balfour's O.O." ...	"			8	13	6	The Eagle & Globe Steel Co. Ltd.
7181	4" x 1", "B.C.T.A." ...	"	2 "	"	3	19	0	Commonwealth Steel Co. Ltd.
7181A	4" x 1", "Balfour's O.O." ...	"			8	13	6	The Eagle & Globe Steel Co. Ltd.
7182	4 $\frac{1}{2}$ " x 1", "B.C.T.A." ...	"	4 "	"	3	19	0	Commonwealth Steel Co. Ltd.
7182A	4 $\frac{1}{2}$ " x 1", "Balfour's O.O." ...	"			8	13	6	The Eagle & Globe Steel Co. Ltd.
7183	5" x $1\frac{3}{8}$ ", "B.C.T.A." ...	"	4 "	"	3	19	0	Commonwealth Steel Co. Ltd.
7183A	5" x $1\frac{3}{8}$ ", "Balfour's O.O." ...	"			8	13	6	The Eagle & Globe Steel Co. Ltd.
7184	8" x $1\frac{3}{4}$ ", "B.C.T.A." ...	"	2 "	"	3	19	0	Commonwealth Steel Co. Ltd.
7184A	8" x $1\frac{3}{4}$ ", "Balfour's O.O." ...	"			8	13	6	The Eagle & Globe Steel Co. Ltd.
7185	Any other trade size ordered, "B.C.T.A."	"	1 "	"	3	19	0	Commonwealth Steel Co. Ltd.
7185A	Any other trade size ordered, "Balfour's O.O."	"			8	13	6	The Eagle & Globe Steel Co. Ltd.

TOOL-STEEL, ETC.—Continued:

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
7186	Steel, Tool, tungsten, for taps, round, 1.00 to 1.20% carbon, .50 to 1.0% tungsten, .30% maximum manganese, to specification, "Firth W."— ½" to 1½" diameter, advancing by ⅛" as ordered	U.K.	2 cwt.	cwt.	5	15	6	William Adams & Co. Ltd.
7187	1½" to 2½" diameter, advancing by ¼", as ordered	"	8 "	"	5	15	6	
7188	3" to 4" diameter, advancing by ½", as ordered	"	1 "	"	5	15	6	
	Steel, Tool, tungsten, high speed, 18% tungsten, to specification— Brands— Coates & Co. Pty. Ltd.—"Vessey's Special Echo." The Eagle & Globe Steel Co. Ltd.—"Ultra Capital 18%." Gilbert Lodge & Co. Pty. Ltd.—"Novo Superior"							
7189	Flat— 1" x ⅝"	"		lb.	0	3	9	Coates & Co. Pty. Ltd.
7189A	"	"	4 "	"	0	4	5	The Eagle & Globe Steel Co. Ltd.
7189B	"	"	"	"	0	4	5	Gilbert Lodge & Co. Pty. Ltd.
7190	1" x ¾"	"		"	0	3	9	Coates & Co. Pty. Ltd.
7190A	"	"	2 "	"	0	4	5	The Eagle & Globe Steel Co. Ltd.
7190B	"	"	"	"	0	4	5	Gilbert Lodge & Co. Pty. Ltd.
7191	1½" x ⅝"	"		"	0	3	9	Coates & Co. Pty. Ltd.
7191A	"	"	1 "	"	0	4	5	The Eagle & Globe Steel Co. Ltd.
7191B	"	"	"	"	0	4	5	Gilbert Lodge & Co. Pty. Ltd.
7192	1¼" x ¾"	"		"	0	3	9	Coates & Co. Pty. Ltd.
7192A	"	"	2 "	"	0	4	5	The Eagle & Globe Steel Co. Ltd.
7192B	"	"	"	"	0	4	5	Gilbert Lodge & Co. Pty. Ltd.
7193	1¼" x ⅞"	"		"	0	3	9	Coates & Co. Pty. Ltd.
7193A	"	"	4 "	"	0	4	5	The Eagle & Globe Steel Co. Ltd.
7193B	"	"	"	"	0	4	5	Gilbert Lodge & Co. Pty. Ltd.
7194	1¼" x 1"	"		"	0	3	9	Coates & Co. Pty. Ltd.
7194A	"	"	20 "	"	0	4	5	The Eagle & Globe Steel Co. Ltd.
7194B	"	"	"	"	0	4	5	Gilbert Lodge & Co. Pty. Ltd.
7195	1½" x 1¼"	"		"	0	3	9	Coates & Co. Pty. Ltd.
7195A	"	"	20 "	"	0	4	5	The Eagle & Globe Steel Co. Ltd.
7195B	"	"	"	"	0	4	5	Gilbert Lodge & Co. Pty. Ltd.
7196	2" x 1½"	"		"	0	3	9	Coates & Co. Pty. Ltd.
7196A	"	"	5 "	"	0	4	5	The Eagle & Globe Steel Co. Ltd.
7196B	"	"	"	"	0	4	5	Gilbert Lodge & Co. Pty. Ltd.

TOOLS—STEEL, ETC.—Continued.

Item No.	Description	Country of Manufacture	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor	
Steel, Tool, tungsten, high speed, 18% tungsten; to specification—(continued)—							
Flat—continued—							
7197	2½" x 1½"	U.K.	2 cwt.	lb.	0 3 9	Coates & Co. Pty. Ltd.	
7197A	" " " " " " " "	"		"	"	0 4 5	The Eagle & Globe Steel Co. Ltd.
7197B	" " " " " " " "	"		"	"	0 4 5	Gilbert Lodge & Co. Pty. Ltd.
7198	3" x 1½"	"	4 "	"	0 3 9	Coates & Co. Pty. Ltd.	
7198A	" " " " " " " "	"		"	"	0 4 5	The Eagle & Globe Steel Co. Ltd.
7198B	" " " " " " " "	"		"	"	0 4 5	Gilbert Lodge & Co. Pty. Ltd.
7199	3" x 1½"	"	10 "	"	0 3 9	Coates & Co. Pty. Ltd.	
7199A	" " " " " " " "	"		"	"	0 4 5	The Eagle & Globe Steel Co. Ltd.
7199B	" " " " " " " "	"		"	"	0 4 5	Gilbert Lodge & Co. Pty. Ltd.
7200	Any other trade size ordered	"	4 "	"	0 3 9	Coates & Co. Pty. Ltd.	
7200A	" " " " " " " "	"		"	"	0 4 5	The Eagle & Globe Steel Co. Ltd.
7200B	" " " " " " " "	"		"	"	0 4 5	Gilbert Lodge & Co. Pty. Ltd.
Round—							
7201	¼" to 1" diameter, advancing by ⅛" as ordered	"	5 "	"	0 3 9	Coates & Co. Pty. Ltd.	
7201A	" " " " " " " "	"		"	"	0 4 5	The Eagle & Globe Steel Co. Ltd.
7201B	" " " " " " " "	"		"	"	0 4 5	Gilbert Lodge & Co. Pty. Ltd.
7202	1½" to 2½" diameter, advancing by ⅜", as ordered	"	5 "	"	0 3 9	Coates & Co. Pty. Ltd.	
7202A	" " " " " " " "	"		"	"	0 4 5	The Eagle & Globe Steel Co. Ltd.
7202B	" " " " " " " "	"		"	"	0 4 5	Gilbert Lodge & Co. Pty. Ltd.
7203	2½" and upwards, advancing ⅜", as ordered	"	5 "	"	0 4 2	Coates & Co. Pty. Ltd.	
7203A	" " " " " " " "	"		"	"	0 4 5	The Eagle & Globe Steel Co. Ltd.
7203B	" " " " " " " "	"		"	"	0 4 5	Gilbert Lodge & Co. Pty. Ltd.
Square—							
7204	¼" to ½", advancing by ⅛", as ordered	"	1 "	"	0 3 9	Coates & Co. Pty. Ltd.	
7204A	" " " " " " " "	"		"	"	0 4 5	The Eagle & Globe Steel Co. Ltd.
7204B	" " " " " " " "	"		"	"	0 4 5	Gilbert Lodge & Co. Pty. Ltd.
7205	⅝" to 1¼", advancing by ⅜", as ordered	"	15 "	"	0 3 9	Coates & Co. Pty. Ltd.	
7205A	" " " " " " " "	"		"	"	0 4 5	The Eagle & Globe Steel Co. Ltd.
7205B	" " " " " " " "	"		"	"	0 4 5	Gilbert Lodge & Co. Pty. Ltd.
7206	1½" to 2½", advancing by ¼", as ordered	"	10 "	"	0 3 9	Coates & Co. Pty. Ltd.	
7206A	" " " " " " " "	"		"	"	0 4 5	The Eagle & Globe Steel Co. Ltd.
7206B	" " " " " " " "	"		"	"	0 4 5	Gilbert Lodge & Co. Pty. Ltd.
7207-7219	Nil						

STEEL FOR HOT FORGING DIES

(Schedule No. 210)

(1st July, 1939, to 30th June, 1941)

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
	Steel, for Hot Forging Dies, in trade lengths of 6' to 8', to specification, English Steel Corporation, "W9B"—							
7220	5½" square	U.K.	10 cwt.	lb.	0	3	1½	} Commonwealth Steel Co. Ltd.
7221	4" diameter	"	10 "	"	0	3	1½	
7222	7220—Nil							

WATERPROOF OVERCOATS AND PULL-ONS

(Schedule No. 211.)

(1st July, 1939, to 30th June, 1941).

*7230	Waterproof Overcoats, to specification and to measurements supplied by the Corporation	Vict.	600	each	1	7	0	} C. E. Beeston Pty. Ltd.
*7231	Waterproof Pull-Ons, to specification and to measurements supplied by the Corporation	"	400 pairs	pair	0	10	3	
7232	Nil							

CLOTH OVERCOATS

(Schedule No. 212.)

(1st July, 1939 to 30th June, 1941.)

*7233	Overcoats, Cloth, to specification, any size ordered— Single Breasted, to sample No. 1 (worn by Goods Guards, Electric Suburban Guards, Electric Train Drivers, Rail Motor Drivers, Tram Conductors and Tram Motormen)	Vict.	600	each	2	13	6	} J. Cohen
*7234	Single Breasted, to sample No. 2 (worn by Passenger Guards)	"	25	"	2	16	6	
*7235	Double Breasted, British warm type, to sample No. 3 (worn by Ticket Checkers)	"	15	"	2	17	0	
7236	Allowances for alterations and adjustments to completed Overcoats For shortening or lengthening coat	"	...	"	0	3	6	
7237	For shortening or lengthening sleeves	"	...	pair	0	3	0	
7238,	7239—Nil							

UNIFORMS CAPS.

(Schedule No. 213.)

(1st July, 1939, to 30th June, 1941).

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
	Caps, Uniform, to specification, any size ordered—					
*7240	To sample No. 1 (worn by Stationmasters)	Vict.	300	each	0 17 9	Max Borchardt Pty. Ltd.
*7241	To sample No. 2 (worn by Assistant Stationmasters and Clerks)	"	400	"	0 9 7	
*7242	To sample No. 3 (worn by Passenger Guards)	"	100	"	0 9 7	
*7243	To sample No. 4 (worn by Train Conductors, Head Porters, Senior Porters, Indicator Porters, Parcels' Foremen, Supervising Tram Motormen and 1st class Ticket Checkers)	"	150	"	0 9 7	
*7244	To sample No. 5 (worn by Porters, Leading Porters, Goods Guards, Electric Suburban Guards, 2nd class Ticket Checkers, Electric Train Drivers, Rail Motor Drivers, Tram Conductors and Tram Motormen)	"	1600	"	0 8 10	
*7245	To sample No. 6 (worn by Licensed Luggage Porters)	"	20	"	0 8 7	
*7246	To sample No. 7 (worn by Motor Omnibus Drivers)	"	30	"	0 9 10	
*7247	To sample No. 8 (worn by Operating Porters and Porters in Charge)	"	400	"	0 12 10	
7248-7249	—Nil					

FELT HATS

(Schedule No. 214)

(1st July, 1939, to 30th June, 1941.)

*7250	Felt Hats, to specification, any size ordered	Vict.	1200	each	0 10 3	United Felt Hats Pty. Ltd. Coronet Felts Pty. Ltd.
*7250A	Felt Hats, to specification, any size ordered	"		"	0 10 6	
7251-7254	—Nil					

SPONGE CLOTHS.

(Schedule No. 215.)

(Item No. 7255—1st July, 1939, to 30th June, 1940).

(Item No. 7256—1st July, 1939, to 30th June, 1941).

†7255	Cloths, Sponge, whipped, folded— 22" x 18", minimum 14 lb. per gross "Knitweave" Chain Bar Mill Co. Pty. Ltd.	U.K.	3000 gross	gross	0 18 8	E. J. Whyte Pty. Ltd.
†7256	28" x 28", minimum 24 lb per gross "Chas. E. Austin & Sons Ltd."	"	1000 "	"	1 14 0	Ramsay & Treganowan Ltd.
7257-7259	—Nil					

CHAMOIS SKINS AND SPONGES.

(Schedule No. 216).

(1st July, 1939, to 30th June, 1941).

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
†7260	Skins, Chamois, approx. 22" x 23", "Evasoft"	Vict.	1000	each	0	2	1½	C. J. Langford
†7261	Sponges, Carriage, large, perfectly dry, free from sand and impurities, No. 896, not less than 4½ lb. for every 100 sponges	Vict. (partly)	3000	"	0	2	0	J. E. Stone & Co.
†7261A	Sponges, Cellulose, No. 8, 3½" x 6¼" x 2", approx. 5 lb. for every 60 sponges, "Dupont"	U.S.A.						
7262-7269	—Nil							Ramsay & Treganowan Ltd.

DRAPERY, ETC.

(Schedule No. 217.)

(1st July, 1939, to 30th June, 1941).

†7270	Baize, Green, 72" wide	Vict.	300 lin. yds.	l. yd.	0	6	11	The Myer Emporium Ltd.
†7271	Blanketing, dark grey, 63" wide	"	4000 lb.	lb.	0	3	0	Penal & Gaols Dept.
†7272	Blocks, felt, 8" x 3" x ¾"	N.S.W.	1600.	each	0	2	0	Federal Felters Pty. Ltd.
†7273	Buttons, clinch, steel, black, 1¼", without washers, "Paramount"	Vict.	300 grs.	gross	0	4	3	K. G. Luke Pty. Ltd.
†7274	Buttons, metal, black, large	"	1600 "	"	0	3	9	Stokes & Sons Pty. Ltd.
†7275	Calico, Signwriters', 36" wide, "No. F.22"	U.K.	3000 lin. yds.	l. yd.	0	0	4½	The Myer Emporium Ltd.
†7276	Calico, unbleached, 36" wide, for French polishing	"	4000 "	"	0	0	4½	Hicks, Atkinson & Sons Pty. Ltd.
†7277	Calico, unbleached, 72" wide, "No. 687"	"	3000 "	"	0	1	7½	Joyce Bros. Pty. Ltd.
†7278	Calico, white, 36" wide, "G409"	"	2500 "	"	0	0	7	The Gair Manufg. Co. Pty. Ltd.
†7279	Calico, white, 72" wide, "G399"	"	400 "	"	0	1	8¼	
†7280	Cloth, Cheese, brown, 36" wide	"	2000 "	"	0	0	9	Hicks, Atkinson & Sons Pty. Ltd.
†7281	Cloths, Floor, 32" x 22"	N.S.W.	240 doz.	doz.	0	8	6	Daniel Hirst & Son
†7282	Drill, drab, 36" wide, "P.W. 414 C"	Vict.	1600 lin. yds.	l. yd.	0	1	8	John Bentley & Sons (Australia) Pty. Ltd.
†7283	Fabrex, Claret, 50" wide, in pieces of 12 lin. yds., "Pontine No. 1"	"	2400 "	"	0	6	3	Leathercloth Pty. Ltd.
†7283A	Duck, Japanned, Claret, 1st quality, 50" wide, in pieces of 12 lin. yds., "Crocketts No. 7"	U.K.						
†7284	Fabrex, Green, 56" wide, in pieces of 12 lin. yds., "Pontine No. 1"	Vict.	6000 "	"	0	6	3	Leathercloth Pty. Ltd.
†7284A	Duck, Japanned, Green, 1st quality, 50" wide, in pieces of 12 lin. yds., "Crockett's No. 3"	U.K.						
†7285	Dusters, check, 28" x 23"	U.K. & Vict.	60 doz.	doz.	0	6	9	Hicks, Atkinson & Sons Pty. Ltd.
†7286	Elastic, white, ¾" wide	Vict.	20 doz. yds.	doz. yds.	0	1	10	
7287	Felt, air, "S.K. No. 3," or suitable alternative, 5' wide, in rolls 75' long	...	10 rolls	100 sq. ft.	Nil
7288	Felt, tarred, in strips, 36" x 4" x ¾" thick	...	480	each	

DRAPERY, ETC.—Continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
†7289	Felt, vermin proof, mounted on hessian, $\frac{3}{4}$ " thick, 72" wide, "W. K. Thomson"	S. Aust.	200 lin. yds.	l. yd.	0	6	6	Australian Felt Mills Pty. Ltd.
†7290	Felt, white, approx. 52" wide, any length ordered, $\frac{1}{8}$ ", $\frac{1}{4}$ ", $\frac{3}{8}$ ", $\frac{1}{2}$ ", $\frac{5}{8}$ ", $\frac{3}{4}$ " or 1" thick, as ordered	Vict.	1200 lb.	lb.	0	6	6	Mica & Insulating Supplies Co.
†7291	Hessian, for paperhanging, 72" wide, 18 oz.	India	1200 lin. yds.	l. yd.	0	0	6½	Joyce Bros. Pty. Ltd.
†7292	Hessian, for upholstering, 72" wide ...	U.K.	4000 "	"	0	0	10	Alexander & Paterson
†7293	Hessian, flock lined, in pieces 60" x 40", "W. K. Thomson"	S. Aust.	4000 pieces	piece	0	1	1	Australian Felt Mills Pty. Ltd.
	Holland, 1st quality, beige, green or nigger brown, as ordered—							
†7294	36" wide, "King's Best" ...	U.K.	3000 sq. yds.	sq. yd.	0	1	8½	Evan Evans Pty. Ltd.
†7295	Widths other than 36", "Lizard"	"	3000 "	"	0	1	9	} The Gair Manufg. Co. Pty. Ltd.
†7296	Kapok, in bales, "1st Japara" ...	Java	12 cwt.	lb.	0	0	11½	
†7297	Muslin, Butter, 36" wide, "No. 64" ...	U.K.	30,000 l. yds.	l. yd.	0	0	2½	D. & W. Murray Pty. Ltd.
†7298	Textile, black, for blinds, 50" wide, "Leathercloth," "D" quality, shade 70, grain R 33	Vict.	500 "	"	0	4	10	Leathercloth Pty. Ltd.
†7299	Towels, Sanitary, in cartons 1½" diameter x 3" long, with pasted turn-in edges, "Pinc-bak"	"	720 doz.	doz.	0	1	9	Joubert & Joubert Pty. Ltd.
†7300	Velvet, Utrecht, green, 50" wide, "G 371"	U.K.	400 lin. yds.	l. yd.	0	14	6	The Gair Manufg. Co. Pty. Ltd.
	Wadding, Cotton, in rolls 36" wide (folded to 18") x 12 yards long—							
†7301	Bleached, suitable for French polishing, approx. 2¼ lb. per roll	Vict.	50 rolls	lb.	0	1	6	Laycock, Son & Co.
†7302	Unbleached ...	"	600 "	roll	0	2	11	Cotton Dressings Pty. Ltd.
7303-7319	—Nil							

INDIA-RUBBER HOSE.

(Schedule No. 218)

(1st July, 1939, to 30th June, 1940—12 months only).

Hose, I.R., vulcanised, to specification— For compressed air, in 60' lengths—								
†7320	$\frac{3}{8}$ " diameter x 5 ply ...	Vict.	3600 feet	foot	†0	1	2	} Dunlop Perdriau Rubber Co. Ltd.
†7321	$\frac{1}{2}$ " " x 5 " ...	"	} 4000 "	"	†0	1	9	
†7321A	$\frac{1}{2}$ " " x 3 braid, "Wingfoot Cord"	N.S.W.		"	"	†0	1	
†7322	$\frac{3}{4}$ " " x 4 ply ...	Vict.	150 "	"	†0	1	9	} The Goodyear Tyre & Rubber Co. (Aust.) Ltd.
†7323	For pantographs, $\frac{1}{2}$ " diameter x 6 ply, in 60' lengths	"	240 "	"	†0	2	1	
†7324	For pintsch gas, $\frac{5}{8}$ " diameter x 5 ply, armoured outside, in 40' lengths	"	450 "	"	†0	2	6	

† Less further 2½% discount for payment by the end of the month following month of delivery.

INDIA-RUBBER HOSE—Continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
7325	For radiators, in 3' lengths— 1½" diameter x 3 ply ...	N.S.W.	200 feet	foot	£0 1 5 less 33¼%	The Goodyear Tyre & Rubber Co. (Aust.) Ltd.
7326	1½" " x 3 " ...	"		"	£0 1 7 less 33¼%	
7327	1½" " x 3 " ...	"		"	£0 1 10½ less 33¼%	
7328	2" " x 3 " ...	"		"	£0 2 1 less 33¼%	
7329	2½" " x 3 " ...	"		"	£0 2 2½ less 33¼%	
7330	2½" " x 3 " ...	"		"	£0 2 4½ less 33¼%	
7331	2¾" " x 3 " ...	"		"	£0 2 6 less 33¼%	
7332	3" " x 3 " ...	"		"	£0 2 8 less 33¼%	
For steam—						
†7333	¾" diameter x 6 ply, armoured outside, in 60' lengths	Vict.	1050 "	"	£0 2 11 less 33¼%	Barnet Glass Rubber Co. Ltd.
†7334	1½" diameter x 5 ply, any length ordered	"	90 "	"	£0 3 9 less 33¼%	
For water—						
†7335	½" diameter x 3 ply, in 60' lengths, "Kangaroo"	N.S.W.	1500 "	"	£0 0 7 less 5%	Hardie Rubber Co. Ltd.
†7336	¾" diameter x 3 ply, in 60' lengths, "Kangaroo"	"	6000 "	"	£0 0 8½ less 5%	
†7337	¾" diameter x 3 ply, armoured outside, in 60' lengths, "Kangaroo"	"	150 "	"	£0 0 10¼ less 5%	
†7338	¾" diameter x 4 ply, in 60' lengths, "Kangaroo"	"	1050 "	"	£0 0 10¼ less 5%	
†7339	1" diameter x 3 ply, in 60' lengths, "Kangaroo"	"	1200 "	"	£0 0 10½ less 5%	
†7340	1" diameter x 3 ply, armoured outside, in 60' lengths, "Kangaroo"	"	240 "	"	£0 1 1¼ less 5%	
†7341	2" diameter x 4 ply, in 40' lengths, "Kookaburra"	"	450 "	"	£0 3 11 less 33¼%	
†7342	2" diameter x 4 ply, with ⅜" thick walls, in 30', 40' or 60' lengths, as ordered	Vict.	2400 "	"	£0 4 6 less 33¼%	
†7343	2½" diameter x 4 ply, in 60' lengths	"	1500 "	"	£0 4 6 less 33¼%	
†7344	Suction, smooth bore, armoured inside— 2" diameter x 4 ply, in 20' lengths, with plain ends 6" long	"	15 lgths.	length	£5 15 0 less 33¼%	Barnet Glass Rubber Co. Ltd.
†7345	2½" diameter x 4 ply, in 3' 2" lengths, with plain ends 3" long, "Kookaburra"	N.S.W.	30 "	"	£1 4 8 less 25%	Hardie Rubber Co. Ltd.
†7346	2½" diameter x 4 ply, in 3' 7" lengths, with plain ends 3" long, "Kookaburra"	"	5 "	"	£1 7 4 less 25%	
7347-7359—Nil						

† Less further 2½% discount for payment by the end of the month following month of delivery.

OFFICE CHAIRS.

(Schedule No. 219.)

(1st July, 1939, to 30th June, 1941).

7360	Chairs, Office, revolving, "Emu" ...	Vict.	400	each	£1 19 0	Spicers & Detmold Ltd.
------	--------------------------------------	-------	-----	------	---------	------------------------

PENCILS

(Schedule No. 220)

(1st July, 1939, to 30th June, 1941)

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
	Pencil, Colored—							
†7361.	Blue, thick core, " P. 615 "	U.K.	1400 doz.	gross	0	14	5	Sands & McDougall Pty. Ltd. } Copying under Item 7368 to be used
7362	Red, thick core	
7363	Red, thin core	
	Pencils, Copying—							
7364	Hard, to take 1 carbon	Item 7365 to be used
†7365	Extra Hard, to take 2 or more carbons, round, " Invoice " (Royal Sov. Co.)	N.S.W.	2100 doz.	gross	0	11	6	R. E. Mustow } Sands & McDougall Pty. Ltd.
†7366	Blue, round or hexagon, " Invicta " ...	U.S.A.	200 "	"	0	9	9	
†7367	Green " " " " " " " "	"	150 "	"	0	9	9	
†7368	Red " " " " " " " "	"	1000 "	"	0	9	9	
	Pencil, Office—							
†7369	HB, hexagon, " Columbia "	N.S.W.	8000 "	"	0	5	5	} Sands & McDougall Pty. Ltd.
†7370	2H, to take 5 carbons, hexagon, " Columbia "	"	300 "	"	0	5	5	
7371-7379	—Nil							

ARSENITE OF SODA, LIQUID

(Schedule No. 221)

(1st July, 1939, to 30th June, 1941)

7380	Arsenite of Soda, liquid, to specification, in 5 gal. drums	Vict. & Sweden	500 tons	ton	16	8	0	Hart & Co. Pty. Ltd.
7380A	" " " " " " " "	Vict.	200 "	"	17	17	0	Victor Leggo & Farmers Ltd.

CALCIUM CHLORATE CRYSTALS.

(Schedule No. 222.)

(1st July, 1939, to 30th June, 1941.)

	Calcium Chlorate Crystals, to specification, in drums containing approx. 200 lb. nett., " Weedex "—										
7381	35 %	Vict.	} 900 tons	ton	24	10	0	} Industrial Chemicals Pty. Ltd.
7381A	60 %	"		"	41	0	0	

TERNEPLATE DRUMS

(Schedule No. 223)

(1st July, 1939, to 30th June, 1941)

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
†7382	Drums, Terneplate, 22 gauge, 5-gallon, to specification (for Arsenite of Soda)	Vict.	3000	each	0	3	7	Russell & McDonald Pty. Ltd
7383-7389	—Nil							

PARTS FOR ELECTRIC SAFETY CAP LAMPS

(Schedule No. 224)

(1st July, 1939, to 30th June, 1941)

	Parts for "NIFE" electric safety cap lamps—							
7390	Bezels, aluminium, part No. 8/106 ...	U.K.	500	each	0	3	3	} Masse Batteries (Vic.) Pty. Ltd.
7391	Bodies, magnetic lock, part No. 26/106	"	50	"	0	1	0	
7392	Bulbs, Miners, 2.5 volt, double filament, 1.0 and .75 amp., clear, 48 mm, overall length, 25 mm diameter, "Mazda"	"	4000	"	0	1	5	Australian General Electric Ltd.
7393	Bushes, ebonite, for 6 B.A. screws, part No. 32/106	"	50	"	0	0	0½	Masse Batteries (Vic.) Pty. Ltd.
7394	Cable, part No. 17/106A	4000 yds.	100 yds.	...			Nil (will be included in Book No. I)
7395	Clips and Rivets, bezel, part No. 18/106	U.K.	200 pairs	pair	0	0	5	} Masse Batteries (Vic.) Pty. Ltd.
7396	Clips, cable, nickel plated, part No. 16/106	"	50	each	0	0	9	
7397	Clips, cap, part No. 9/106 ...	"	100	"	0	0	9	
7398	Connectors, steel, part No. 43/106 ...	"	24	"	0	0	2	
7399	Contacts, assemblies bulb, part No. 3/106	"	50	"	0	2	6	
7400	Contacts, assembly, complete, part No. 31/106	"	1200	"	0	2	6	
†7401	Caustic Potash, chemically pure, in 56 lb. tins	Sweden	} 2240 lb.	lb.	0	1	11	Felton, Grimwade & Duerdins Ltd.
†7401A	Caustic Potash, chemically pure, in 56 lb. tins, "Berke"	"		"	"	0	2	2
*7402	Fuses, part No. 36/106 ...	U.K.	3000	each	0	0	3	} Masse Batteries (Vic.) Pty. Ltd.
*7403	Glasses, armour plate, part No. 7/106A	"	1600	"	0	1	2	
7404	Intakes, cable, bakelite, part No. 1/106	"	200	"	0	0	9	
7405	Mouldings, bakelite, part No. 2/106 ...	"	600	"	0	7	9	

PARTS FOR ELECTRIC SAFETY CAP LAMPS—Continued.

Item No.	Description	Country of Manufacture	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
--	Parts for "NIFE" electric safety cap lamps—continued—							
7406	Nuts, connector, part No. 44/106 ...	U.K.	2 doz.	dozen	0	0	9	Masse Batteries (Vic.) Pty. Ltd.
*7407	Nuts, steel, 6 B.A., part No. 34/106 ...	"	8 "	"	0	0	9	
7408	Pins, hinge, magnetic lock, part No. 27/106	"	2 "	"	0	1	0	
*7409	Plates, contact, cable socket, part No. 21/106	"	100 "	"	0	0	9	
7410	Plungers, magnetic lock, part No. 28/106	"	200	each	0	0	3	
7411	Reflectors, part No. 4/106 ...	"	100	"	0	1	9	
7412	Rings, terminal, ebonite, red or black, as ordered, part No. 41/106	"	100	"	0	0	4	
*7413	Screws, round head, Whitworth, $\frac{5}{32}$ " , part No. 12/106	"	10 doz.	dozen	0	1	0	
*7414	Screws, round head, 6 B.A., long, part No. 35/106	"	50 "	"	0	0	9	
7415	Screws, sealing, magnetic body, part No. 30/106	"	100	each	0	0	3	
7416	Sheets, insulating, ebonite, red, part No. 24/106	"	200	"	0	0	4½	
*7417	Sleeves, rubber, for steel vents, part No. 39/106	Vict.	350 doz.	gross	0	3	1	Dunlop Perdriau Rubber Co. Ltd.
*7418	Sockets, cable, part No. 20/106 ...	U.K.	400 "	dozen	0	0	9	Masse Batteries (Vic.) Pty. Ltd.
7419	Springs, bulb glass, part No. 11/106 ...	"	100	each	0	0	9	
7420	Springs, magnetic lock, part No. 29/106	"	20 doz.	dozen	0	1	0	
7421	Switches, complete, part No. 10/106 ...	"	200	each	0	2	6	
7422	Terminals, positive or negative, as ordered, part No. 45/106	"	100	"	0	0	5	
7423	Tubes, reinforcing, short, new type, part No. 19/106	"	200	"	0	0	6	
7424	Washers, cable, gland, rubber, part No. 14/106	...	18 doz.	dozen	...			Nil
7425	Washers, cable, gland, steel, part No. 15/106	U.K.	4 "	"	0	1	0	Masse Batteries (Vic.) Pty. Ltd.
*7426	Washers, cadmium, part No. 40/106 ...	"	120 "	"	0	0	9	
7427	Washers, electrolyte level indicator, part No. 37/106	"	50	each	0	0	9	
7428	Washers, reflector, part No. 6/106 ...	"	800	"	0	0	9	
7429	Washers, steel, for terminals, part No. 42/106	"	4 doz.	dozen	0	0	9	
*7430	Washers, steel, for 6 B.A. nuts, part No. 33/106	"	20 "	"	0	0	6	
7431-7469	—Nil							

SAWN TIMBER.
(Schedule No. 226)
(1st July, 1939, to 30th June, 1941)

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
	Hoop Pine, sawn, to specification, as ordered, in random lengths 10' and over—					
7470	12" wide x 1" or 1½" thick	Q'land	40,000	100 Super feet of 1" thick	2 14 3	Wm. Cook Pty. Ltd
7471	12" " x 1½" or 2" "	"		"	2 16 3	
7472	14" " x 1" or 1½" "	"		"	2 15 3	
7473	14" " x 1½" or 2" "	"		"	2 17 3	
7474	16" " x 1" or 1½" "	"		"	2 17 0	
7475	16" " x 1½" or 2" "	"		"	2 19 0	
7476	18" " x 1" or 1½" "	"		"	2 19 0	
7477	18" " x 1½" or 2" "	"		"	3 1 0	
7478	20" " x 1" or 1½" "	"		"	3 1 0	
7479	20" " x 1½" or 2" "	"		"	3 3 0	
7480	21" " x 1" or 1½" "	"		"	3 6 0	
7481	21" " x 1½" or 2" "	"	"	3 8 0		
	Kauri, Queensland, sawn, to specification, as ordered, in random lengths 10' and over—					
7482	12" wide x 1" or 1½" thick	"	15,000	"	2 16 9	Charles Rouch Pty. Ltd.
7483	12" " x 1½" or 2" "	"		"	2 17 0	
7484	14" " x 1" or 1½" "	"		"	2 18 0	
7485	14" " x 1½" or 2" "	"		"	2 18 0	
7486	16" " x 1" or 1½" "	"		"	2 18 9	
7487	16" " x 1½" or 2" "	"		"	2 18 9	
7488	18" " x 1" or 1½" "	"		"	3 0 9	
7489	18" " x 1½" or 2" "	"		"	3 0 9	
7490	21" " x 1" or 1½" "	"		"	3 4 6	
7491	21" " x 1½" or 2" "	"		"	3 4 6	
7492	24" " x 1" or 1½" "	"	"	3 7 0		
7493	24" " x 1½" or 2" "	"	"	3 8 0		
	Radiata Pine, sawn, to specification, 1", 1½", 1¾", 2", 2½" or 3" thick, as ordered, in random lengths 10' and over—					
7494	9" wide	S. Aust.	40,000	"	1 3 3	Wm. Cook Pty. Ltd.
7494A	9" "	"		"	1 8 0	Newman & Stewart
7494B	10" "	"		"	1 4 0	Wm. Cook Pty. Ltd.
7494C	10" "	"		"	1 9 0	Newman & Stewart
7495	12" "	"		"	1 5 3	Wm. Cook Pty. Ltd.
7495A	12" "	"		"	1 10 0	Newman & Stewart
7496	14" "	"		"	1 7 6	Wm. Cook Pty. Ltd.
7496A	14" "	"		"	1 12 0	Newman & Stewart
7497	16" "	"		"	1 9 6	Wm. Cook Pty. Ltd.
7497A	16" "	"		"	1 14 0	Newman & Stewart

MILLED TIMBER—Continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
	Milled Murray Pine, first quality, to specification—		Lineal feet	100				
†7530	Flooring, T. & G., 5½" x ¾", in random lengths, 10' and up	N.S.W.	100,000	lin. ft.	0	14	0	} Mates Ltd.
†7531	Flooring, T. & G., 4" x ¾", in random lengths, 10' and up	"	50,000	"	0	11	0	
†7531A	" " " "	Vict.		"	"	0	11	6
†7532	Lining, T. & G. and V jointed, 3½" x ½", in bundles of even lengths, 10' and up	N.S.W.	2000	"	0	8	6	Mates Ltd.
†7532A	" " " "	Vict.		"	"	0	9	0
	Milled Radiata Pine, to specification, " Woods & Forests' Department"—							
†7533	Flooring, T. & G., 6" x ¾", in random lengths, 10' and up	S. Aust.	180,000	"	1	1	9	Wm. Cook Pty. Ltd.
†7533A	" " " "	"		"	"	1	2	9
†7534	Lining, T. & G. and beaded, 6" x ½", in bundles of even lengths, 10' and up	"	80,000	"	0	14	11	Wm. Cook Pty. Ltd.
†7534A	" " " "	"		"	"	0	15	6
†7535	Lining, T. & G. and V jointed, 6" x ½", in bundles of even lengths, 10' and up	S. Aust.	15,000	"	0	14	11	} Wm. Cook Pty. Ltd.
†7536	Weatherboards, square edge, 2 out of 7" x 1½", in bundles of even lengths, 10' and up	"	20,000	"	0	16	9	
	Milled Red Deal, Baltic, first quality, to specification—							
†7537	Flooring, T. & G., 6" x ¾", in random lengths, 10' and up	Sweden	30,000	"	1	7	9	} John Sharp & Sons Ltd.
†7538	Lining, T. & G. and V jointed, 4" x ½", in bundles of even lengths, 10' and up	Scand'a	4000	"	0	12	6	
7539-7549	—Nil							

MOULDINGS (TIMBER)

(Schedule No. 228)

(1st July, 1939, to 30th June, 1941)

Mouldings, Mountain Ash, Select Quality, to specification—		Country	Lineal feet	100 lin. ft.	Rate			Name of Contractor
Architrave, Sanitary or Bullnosed, as ordered—					£	s.	d.	
†	7550	3" x ¾" ...	2000	lin. ft.	0	10	0	} Charles Rouch Pty. Ltd.
	7551	4" x ¾" ...	10,000	"	0	13	0	
	†7552	Bead, parting, ¾" x ¾", finished sizes	5000	"	0	3	6	} Wm. Cook Pty. Ltd.
	†7553	Cover Strip, dressed all round— 1½" x ½", finished sizes	60,000	"	0	4	3	
	†7554	2" x ¾"	60,000	"	0	5	6	Charles Rouch Pty. Ltd.
	†7555	Picture Rail, 2½" x ¾" ...	6000	"	0	9	6	} Wm. Cook Pty. Ltd.
†	7556	Scotia, Plain— ¾" x ¾", finished sizes ...	3000	"	0	4	6	
	7557	1" x 1"	2000	"	0	7	0	
	7558	1½" x 1½"	25,000	"	0	12	0	}
	7559	1½" x 1½"	10,000	"	0	12	0	

MOULDINGS (TIMBER)—Continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
	Skirting, Sanitary or Bullnosed, as ordered—		Lineal feet	100				
† 7560	7" x 7/8"	Vict.	10,000	lin. ft.	1	4	6	Charles Rouch Pty. Ltd.
7561	9" x 7/8"	"	2000	"	1	12	0	
	Staff Bead—							
† 7562	7/8" x 5/8", finished sizes	"	4000	"	0	4	6	Wm. Cook Pty. Ltd.
7563	1 1/8" x 5/8" " "	"	4000	"	0	5	6	
	Quad. Moulding—							
† 7564	3/4", finished size	"	18,000	"	0	4	6	Wm. Cook Pty. Ltd.
7565	1" " "	"	50,000	"	0	5	11	
7566	1 1/4" " "	"	10,000	"	0	9	0	
† 7567	Skirting, Murray Pine, First Quality, 6" x 7/8", Sanitary or Bullnosed, as ordered, to specification	...	1000	Nil
7568-7579	—Nil							

PLYWOOD

(Schedule No. 229)

(1st July, 1939, to 30th June, 1941).

Plywood, sanded one side, to specification—								
Hoop Pine—								
				Sheets	100			
7580	6' x 3', 3/8" thick, 3-ply	Q'land	8000	sq. ft.	1	0	8	John Sharp & Sons Ltd.
7581	6' x 4', 3/8" thick, 3-ply	"	4000	"	1	3	4	
7582	6' x 3', 1/4" thick, 3-ply	"	3000	"	1	8	4	Gibbs, Bright & Co.
7583	6' x 4', 1/4" thick, 3-ply	"	600	"	1	11	11	
7584	6' x 3', 5/8" thick, 3 or 5-ply, at Contractor's option	"	500	"	1	13	5	John Sharp & Sons Ltd.
7585	6' x 4', 5/8" thick, 3 or 5-ply, at Contractor's option	"	20	"	1	17	10	
7586	6' x 3', 1/2" thick, 5-ply	"	300	"	2	13	4	John Sharp & Sons Ltd.
7587	6' x 4', 1 1/8" thick, 5-ply	"	40	"	4	16	10	
Maple—								
† 7588	6' x 3', 3/8" thick, 3-ply, rotary cut	"	30	"	1	9	5	Neville Smith & Co. Pty. Ltd.
Myrtle—								
7589	6' x 3', 3/8" thick, 3-ply	25	"	Nil
Silver Ash—								
† 7590	6' x 3', 5/8" thick, 5-ply, slice cut	Q'land	400	"	2	13	10	Neville Smith & Co. Pty. Ltd.
7591	6' x 3', 5/8" thick, 5-ply, rotary cut	"	400	"	1	19	7	
† 7592	6' x 3', 3/8" thick, 5-ply, rotary cut	"	200	"	2	4	10	
7593-7599	—Nil							

CARBON BRUSHES.

(Schedule No. 230).

(1st July, 1939, to 30th June, 1941).

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
CARBON BRUSHES—								
*7600	Sample No. 1—Drawing No. F1763A (for AC Slip Rings of Siemens Rotary Converters, 3000, 1500 and 750 k.w.) "Morgan" Grade CM5H.	N.S.W. (partly)	200	each	0	7	1	Lawrence & Hanson Electrical Pty. Ltd.
*7601	Samples No. 2A or 2B—Drawings Nos. F256c or F1765B (for Commutators of Siemens Rotary Converters, 3000, 1500 and 750 k.w.) "Ringsdorff 8601"	Vict. (partly)	500	"	0	2	3	
*7602	Sample No. 3A—Drawing No. F1766A (for AC Slip Rings of Metropolitan-Vickers Rotary Converters, 2250 k.w.) "Acheson Graphite"	"	100	"	0	2	6	
*7603	Sample No. 4—Drawing No. F1642D (for Commutators of Metropolitan-Vickers Rotary Converters, 2250 k.w.) "Ringsdorff RU10"	"	500	"	0	2	0	
*7604	Sample No. 5B—Drawing No. F1772A (for AC Slip Rings of Metropolitan-Vickers Rotary Converters, 525 k.w.) "Acheson Graphite"	"	12	"	0	2	4	
*7605	Sample No. 6—Drawing No. F1640A (for Commutators of Metropolitan-Vickers Rotary Converters, 525 k.w.) "Ringsdorff 8618A"	"	12	"	0	4	4	
*7606	Sample No. 7—Drawing No. F1778B (for AC Slip Rings of General Electric Rotary Converters, 2250 k.w.) "Morgan" Grade CM 6994	N.S.W. (partly)	12	"	0	9	6	H. Hill Harris Pty. Ltd.
*7607	Sample No. 8A—Drawing No. F2392 (for Commutators of General Electric Rotary Converters, 2250 k.w.) "Ringsdorff 8620"	Vict. (partly)	30	"	0	3	7	H. Hill Harris Pty. Ltd.
*7608	Sample No. 9—Drawing No. F1780A (Pilot Brushes of General Electric Rotary Converters, 2250 k.w.) "Le Carbone EG 60A"	France & Vict.	12	"	0	2	0	O. H. O'Brien
*7609	Sample No. 10—Drawing No. F1663B (for AC Slip Rings of British Thompson Houston Rotary Converters, 1000 and 4500 k.w.) "Morgan" Grade CM5H	N.S.W. (partly)	50	"	0	7	3	Lawrence & Hanson Electrical Pty. Ltd.
*7610	Sample No. 11A—Drawing No. F1666A (for Commutators of British Thompson Houston Rotary Converters, 1000 k.w.) "Le Carbone EG 3502"	France & Vict.	100	"	0	6	9	O. H. O'Brien
*7610A	Sample No. 11A—Drawing No. F1666A (for Commutators of British Thompson Houston Rotary Converters, 1000 and 4500 k.w.) "Ringsdorff 4446B"	Vict. (partly)						
*7611	Sample No. 16—Drawing No. F1791B (for Commutators of Motor Generator Sets, 5 k.w.) "Ringsdorff 8618"	"	30	"	0	1	2	H. Hill Harris Pty. Ltd.
*7612	Samples Nos. 23A or 23B—Drawing No. F1554B (for Commutators of British Thompson Houston Rotary Converters, 3000 k.w.) "Le Carbone EG 3502"	France, U.S.A. & Vict.	100	"	0	4	2	
*7613	Sample No. 101A—Drawing No. F2371 (for AC Slip Rings of Turbo Alternator Sets at Newport Power Station) "Morgan" Grade HM6	N.S.W. (partly)	120	"	0	5	9	Lawrence & Hanson Electrical Pty. Ltd.
*7614	Sample No. 104A—Drawing No. F1937 (for Exciters of Turbo Alternator Sets at Newport Power Station) "Morgan" Grade 1.	"	80	"	0	3	11	
7615-7619-Nil.								

BRAKE HOSE PIPES.

(Schedule No. 231)

(1st July, 1939, to 30th June, 1940—12 months only)

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
†7620	Brake Hose Pipes, to specification— 1½" inside dia. x 24" long	Vict.	6,000	each	0 5 0	Dunlop Perdriau Rubber Co. Ltd. Barnet Glass Rubber Co. Ltd. Goodyear Tyre & Rubber Co. of A'sia Pty. Ltd. Hardie Rubber Co. Ltd.
†7620A	" " " "	"		"	0 5 0	
†7620B	" " " "	N.S.W.		"	0 5 0	
†7620C	" " " "	"		"	0 5 0	
7621-7629	Nil					

TINNED PLATES

(Schedule No. 232)

(1st July, 1939, to 30th June, 1940—12 months only.)

	Plates, Tinned Steel, charcoal finish, Primes, 20" x 28"—					
7630	Ix (112 sheets per box)	U.K.	5 boxes	box	4 4 6	Briscoe & Co. Ltd.
7631	Ixx (" " ")	"	40 "	"	4 16 6	
7632	Ixxx (56 sheets per box)	"	30 "	"	2 15 9	
7633	Ixxxx (" " ")	"	6 "	"	3 1 0	
7634	Plates, Tinned Steel, charcoal finish, 6' x 3' x 22 S.W.G. " Baldwins "	"	25 cwt.	cwt.	4 10 0	Edward Duckett & Sons
7635-7639	Nil					

EXPLOSIVES, ETC.

(Schedule No. 233)

(1st July, 1939, to 30th June, 1940.—12 months only.)

7640	Cartridges, smokeless, oil proof, auto. pistol, .32 calibre, in boxes of 25 or 50 as ordered, "Browning"	Belgium	15,000	1000	3 9 0	Evans & Balfour
7641	Detonators, No. 6, in boxes of 100, deli- vered f.o.r. Laverton, "Nobel's"	U.K.	300 boxes	box	0 6 0	McMicking & Co.
7641A	" " " " " " " "	"		"	0 6 0	Dalgety & Co. Ltd.
7642	Detonators, Electric, No. 6, to specifi- cation, delivered f.o.r. Laverton, "No- bel's"	"	150,000	1000	13 3 6	McMicking & Co.
7642A	" " " " " " " "	"		"	13 3 6	Dalgety & Co. Ltd.
7643	Fuse, single thread, in coils of 8 yards— In case lots of 300 coils, "Nobel's" or "Bickford Smith"	Vict.	9000 coils	coil	0 0 6½	McMicking & Co.
7643A	In case lots of 300 coils, "Bendigo Blue"	"		"	0 0 6½	Dalgety & Co. Ltd.
7644	In lots of less than 300 coils "Nobel's" or "Bickford Smith"	"		"	0 0 7	McMicking & Co.
7645	Gelignite, 50 per cent., in 50 lb. cases,— Delivered f.o.r. Laverton,	"	200 cases	case	2 11 0	Dalgety & Co. Ltd.
7646	Delivered where and as directed at State Coal Mine, Wonthaggi	"		"	2 13 10	

BROWN PAPER, TICKET BOARDS, ETC.—Continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
†7675	Royal Pasteboards, 20" x 25", packed in bundles of 1 gross, with label indicating thickness— 3 sheet, 21 lb.	Vict.	700 gross	gross	0 6 7	} Australian Paper M'frers. Ltd.
†7676	6 ,, 48 lb.	"	80 ,,	"	0 15 0	
†7677	Royal Pulp Boards, four sheet, assorted light tints, 26 lb.	"	800 ,,	"	0 8 0	
†7678	Royal Surface Boards, 20" x 25", 30-31 lb., packed in bundles of 1 gross, with label indicating thickness— Blue, coated one side only	"	10 ,,	"	0 19 6	} Sands & McDougall Pty. Ltd.
†7679	Green, coated two sides	"	20 ,,	"	1 2 6	
†7680	Red ,, ,,	"	25 ,,	"	1 0 0	
†7681	Yellow ,, ,,	"	20 ,,	"	0 17 3	
†7682	Strawboard, Plain— 25" x 30", 12 oz.	"	40 cwt.	cwt.	0 15 7½	} Australian Paper M'frers. Ltd.
†7683	25" x 30", 16 oz.	"	20 ,,	"	0 15 7½	
†7684	25" x 30", 24 oz.	"	10 ,,	"	0 17 7½	
†7685	25" x 30", 32 oz.	"	10 ,,	"	0 17 7½	
†7686	40" x 30" x ¾"	"	200 sheets	sheet	0 4 6	
†7687	40" x 30" x "	"	500 ,,	"	0 5 6	
†7688	Strawboard, double white lined, 16 oz. substance, 34" x 44"	"	20 cwt.	cwt.	0 19 0	Australian Paper M'frers. Ltd.
7689	System Boards, 25½" x 30½", any standard colour ordered— 110 lb.	Nil	} Nil
7690	138 to 140 lb....	...	Nil	
7691	170 lb.	Nil	
7692	220 lb.	Nil	
*†7693	Ticket Boards, 23" x 25", to specification— Blue	Vic.	3 tons	ton	32 0 0	} Australian Paper M'frers. Ltd.
*†7694	Buff	"	2 ,,	"	32 0 0	
*†7695	Cerise	"	10 ,,	"	32 0 0	
*†7696	Green	"	6 ,,	"	32 0 0	
*†7697	White	"	70 ,,	"	32 0 0	
*†7698	Yellow	"	1 ,,	"	32 0 0	
†7699	Wood Pulp Boards, No. 1, 34" x 44", 50's, to caliper between .070" and .075"	Finland	3 ,,	cwt.	1 10 0	Alex. Cowan & Sons Ltd.
7700-7709	Nil					

PRINTING AND WRITING PAPERS, ETC.

(Schedule No. 235)

(1st July, 1939, to 30th June, 1940—12 months only.)

Item No.	Description	Country of Manufre	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
Paper, Blotting, white, demy—								
†7710	36 lb., folded	Vict.	100 reams	ream	0	17	3	} Australian Paper M'frers. Ltd.
†7711	48 lb., 1st quality, folded or flat as ordered	"	20 "	"	1	3	0	
Paper, Duplicating, hard sized, quad foolscap, 48 lb.—								
†7712	White, "A.P. & P. Mills"	Tasm'nia	} 1500 "	"	1	0	9	Wiggins Teape & Alex. Pirie (Export) Ltd.
†7712A	White	Vict.		"	"	1	2	0
†7713	Assorted light tints	Scandi'a	100 "	"	1	4	6	Spicers & Detmold Ltd.
Paper, Printing—								
†7714	Glazed Cap, 36" x 24", 45 lb.	Vict.	75 "	"	0	12	11	} Australian Paper M'frers. Ltd.
†7715	Kraft Brown, Double Royal, 40 lb.	"	600 "	"	0	10	6	
†7716	Manilla, Carte, Double Crown, 100 lb.	"	140 "	"	1	17	6	
†7717	Smooth Cartridge, Royal, 40 lb.	"	150 "	"	0	17	6	
†7718	Paper, Writing, Azure Laid, 17½" x 40", guillotine trimmed all sides, 42 lb. (Quad Foolscap Azure, 56 lb. substance), "W.T. & A.P. No. 6701,"	U.K.	250 "	"	1	2	9	Wiggins Teape & Alex. Pirie (Export) Ltd.
Paper, Writing, Bank—								
†7719	Cerise, Quad. Foolscap, 28 lb.	Finland	80 "	"	0	10	1	} Edwards Dunlop & Co. Ltd.
†7720	Old Gold Double Medium, 26 lb.	Scandi'a	10 "	"	0	10	0½	
†7721	Salmon, Quad. Foolscap, 29 lb.	"	40 "	"	0	11	2½	} Alex. Cowan & Sons Ltd.
†7722	White, Double Demy, 25 lb.	Austria	375 "	"	0	8	6½	
†7723	White, Double Large Post, 22 lb.	"	250 "	"	0	7	6	
†7724	White, Double Royal, 30 lb.	"	250 "	"	0	10	2½	
†7725	White, Quad. Foolscap, 29 lb.	"	1800 "	"	0	9	10½	
7726-7739—Nil								

TUBES AND FITTINGS

(Schedule No. 236)

(1st July, 1939, to 30th June, 1940—12 months only)

PRICE LISTS

STEEL TUBES (Items Nos. 7740 to 7751) **AND FITTINGS** (Items Nos. 7753 to 7756, 7760 to 7764, 7768 to 7772, 7776 and 7777).

Nominal Internal Diameter in inches.		$\frac{1}{8}$ & $\frac{1}{4}$	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{3}{4}$	1	1 $\frac{1}{4}$	1 $\frac{1}{2}$	2	2 $\frac{1}{2}$	3	3 $\frac{1}{2}$	4	5	6
Tubes, 2 feet long and over ...	per ft.	-/4	-/4 $\frac{1}{2}$	-/5 $\frac{1}{2}$	-/6 $\frac{1}{2}$	-/9 $\frac{1}{4}$	1/1	1/4 $\frac{1}{2}$	1/10	2/10	3/3	4/-	4/5	6/-	7/6
Long Screws, 3 to 11 $\frac{1}{2}$ inches ...	each	-/8	-/9	-/10	1/1	1/5	1/11	2/6	3/6	6/6	8/6	11/6	13/-	20/-	28/-
Barrel Nipples	-/5	-/5	-/6	-/7	-/9	1/-	1/4	1/9	3/-	4/-	6/-	7/-	12/6	20/-
Bends	-/8	-/9	-/11	1/2	1/7 $\frac{1}{2}$	2/7 $\frac{1}{2}$	3/2	5/2	12/-	18/-	25/-	32/6	105/-	150/-
Springs, not socketed	-/5	-/6	-/7	-/9	1/1 $\frac{1}{2}$	1/11 $\frac{1}{2}$	2/3 $\frac{1}{2}$	3/11	9/6	14/6	20/-	26/6	93/-	132/-
Elbows, Square	-/10	-/11	1/1	1/3	1/6	2/2	2/7	4/3	9/6	14/-	22/-	28/-	95/-	150/-
Elbows, Round	-/11	1/-	1/2	1/5	1/8	2/4	2/10	4/8	10/6	16/-	24/-	30/-	95/-	150/-
Tees	1/-	1/1	1/3	1/7	1/10	2/6	3/1	5/1	11/6	18/-	26/-	32/-	98/-	155/-
Crosses	2/2	2/4	2/9	3/3	4/1	5/6	6/7	10/6	22/-	40/-	56/-	66/8	220/-	350/-
Sockets, Plain	-/3	-/3	-/4	-/5	-/6	-/8	-/10 $\frac{1}{2}$	1/3	2/6	3/6	5/-	6/-	12/-	18/-
Sockets, Diminished	-/4	-/5	-/6	-/7	-/9	1/-	1/4	2/-	5/-	7/-	9/-	11/-	35/-	55/-
Caps	-/3 $\frac{1}{2}$	-/3 $\frac{1}{2}$	-/5	-/6	-/8	1/-	1/3	2/-	4/4	6/-	9/9	10/6	30/-	45/-
Plugs	-/3	-/3	-/4	-/5	-/6	-/8	-/10	1/3	2/6	4/9	7/-	10/-	30/-	48/-
Backnuts	-/2	-/2	-/3	-/3 $\frac{1}{2}$	-/5	-/6	-/8	1/1	2/3	3/6	4/6	5/6	18/-	26/-
Nipples	-/2	-/2	-/3	-/3 $\frac{1}{2}$	-/4	-/6	-/8	1/-	2/3	3/6	4/6	5/6	18/-	26/-
Main Cocks	1/6	1/9	2/3	2/10	4/2	5/4	7/-	11/6	17/6	26/-	40/-	47/9	125/-	165/-
Main Cocks, with Brass Plugs	—	3/4	4/-	5/4	7/6	10/-	13/-	21/-	40/-	50/-	75/-	100/-	225/-	325/-

SOLID MACHINED STEEL FITTINGS, Items Nos. 7779 to 7781.

Nominal Internal Diameter in Inches		$\frac{1}{4}$	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{3}{4}$	1	1 $\frac{1}{4}$	1 $\frac{1}{2}$	2
Reducing Hexagon Bushes ...	per each	-/3 $\frac{1}{2}$	-/3 $\frac{3}{4}$	-/4 $\frac{1}{4}$	-/7 $\frac{1}{4}$	-/9 $\frac{1}{2}$	1/1 $\frac{1}{4}$	1/5	2/7
Hexagon Nipples	-/4 $\frac{1}{2}$	-/4 $\frac{3}{4}$	-/6 $\frac{1}{2}$	-/8 $\frac{1}{2}$	-/11 $\frac{1}{2}$	1/7	2/-	3/-
Reducing Sockets	-/4 $\frac{1}{2}$	-/5	-/6 $\frac{1}{2}$	-/9	1/-	1/5	1/9 $\frac{1}{2}$	2/8 $\frac{1}{2}$
Reducing Hexagon Nipples	-/7 $\frac{1}{4}$	-/7 $\frac{3}{4}$	-/9 $\frac{1}{4}$	1/1	1/4	2/1 $\frac{1}{4}$	2/10 $\frac{1}{2}$	4/2 $\frac{1}{2}$
Back Nuts	-/1 $\frac{1}{4}$	-/1 $\frac{1}{2}$	-/1 $\frac{3}{8}$	-/2 $\frac{1}{8}$	-/3 $\frac{1}{4}$	-/7	-/9 $\frac{1}{2}$	1/3

TUBES AND FITTINGS—Continued.

PRICE LISTS.

STEEL FLANGES, Items Nos. 7757 to 7759, 7765 to 7767 and 7773 to 7775.

—	Per each	4"	5"	6"	8"	10"	12"	14"	16"	18"	20"	24"	30"	36"	48"	60"
Table "D," for steam pressures up to 50 lb. per square inch (black or galvanized) ...	"	—	-/10	1/-	1/2	1/4	1/9	2/-	2/9	5/-	8/6	10/-	11/6	18/-	27/-	
Table "E," for steam pressures over 50 lb. up to 100 lb. per square inch (steam) ...	"	-/9	-/10	1/-	1/2	1/4	1/9	2/-	2/9	5/-	8/6	10/-	11/6	18/-	27/-	
Table "H," for steam pressures over 150 lb. up to 250 lb. per square inch (steam) ...	"	—	—	2/-	2/4	2/8	3/6	4/-	5/6	10/-	17/-	20/-	23/-	36/-	54/-	
Table "J," for steam pressures over 250 lb. up to 350 lb. per square inch (steam) ...	"	—	—	5/3	5/8	6/9	—	11/3	15/-	21/-	31/-	46/-	59/-	75/-	100/-	

"BITULYND" STEEL TUBES (Item No. 7752) AND FITTINGS (Item No. 7778).

Nominal Internal Diameter in Inches.		1/2 & 3/4	1	1 1/4	1 1/2	2	2 1/2	3	3 1/2	4	5	6			
Tubes, 2 feet long and over ...	per foot	—	—	-/6	-/7 1/2	-/10 1/2	1/2 1/4	1/6 1/2	2/-	3/1 1/2	3/7	4/5	4/10	6/6	8/1 1/2
Long Screws, 3 to 11 1/2 inches ...	each	—	—	-/11	1/2 1/2	1/6 1/2	2/1 1/4	2/9	3/10	7/2	9/3	12/6	14/3	22/-	30/9
Barrel Nipples ...	"	-/5	-/5	-/6	-/7	-/9	1/-	1/4	1/9	3/-	4/-	7/6	8/9	15/8	25/-
Bends ...	"	-/8	-/9	-/11	1/2	1/7 1/2	2/7 1/2	3/2	5/2	12/-	18/-	31/3	40/8	131/3	187/6
Springs ...	"	-/5	-/6	-/7	-/9	1/1 1/2	1/11 1/2	2/3 1/2	3/11	9/6	14/6	25/-	33/2	116/-	165/-
Nipples ...	"	-/2	-/2	-/3	-/3 1/2	-/4	-/6	-/8	1/-	2/3	3/6	5/8	6/11	22/6	32/6
Double Bends ...	"	1/8	1/10 1/2	2/3 1/2	2/11	4/1	6/4	7/11	12/11	30/-	45/-	62/6	78/9	262/6	375/-
Y Pieces ...	"	2/8 1/2	2/11	3/5 1/2	3/11	5/1	6/11	8/3	13/2	27/6	50/-	70/-	83/4	275/-	437/6
Socket Unions ...	"	2/6	3/1 1/2	3/9	5/-	6/10 1/2	8/5	10/-	12/6	21/11	27/2	34/4	43/9	82/6	131/3
Hexagon Nipples ...	"	-/5 1/2	-/5 1/2	-/8 1/2	-/11 1/2	1/1 1/2	1/11 1/2	2/6	3/9	7/11	12/6	15/10	22/6	45/-	72/-
Elbows, Round ...	"	1/1 1/2	1/3	1/5 1/2	1/9 1/2	2/1	2/11	3/6 1/2	5/10	13/2	20/-	30/-	37/6	93/9	187/6
Elbows, M. & F. ...	"	1/3	1/5 1/2	1/9 1/2	2/1	2/11	3/6 1/2	4/8 1/2	9/1	20/-	30/-	37/6	93/9	187/6	275/-
Tees ...	"	1/3	1/4 1/2	1/6 1/2	1/11 1/2	2/3 1/2	3/1 1/2	3/10 1/2	7/4 1/2	14/5	22/6	32/6	40/-	122/6	193/9
Crosses ...	"	2/8 1/2	2/11	3/5 1/2	4/1	5/1	6/10 1/2	8/1	13/2	27/6	50/-	70/-	83/4	275/-	437/6
Socketa ...	"	-/3 1/2	-/3 1/2	-/5	-/6 1/2	-/7 1/2	-/10	1/1	1/6 1/2	3/1 1/2	4/4 1/2	6/3	7/6	15/-	22/6
Socketa, Diminished ...	"	-/5	-/6 1/2	-/7 1/2	-/8 1/2	-/11 1/2	1/3	1/8	2/6	6/3	8/9	11/3	13/9	43/9	68/9
Flanges ...	"	-/9	-/10	1/-	1/2	1/4	1/9	2/-	2/9	5/-	8/6	10/-	11/6	18/-	27/-
Caps ...	"	-/4 1/2	-/4 1/2	-/6 1/2	-/7 1/2	-/10	1/3	1/6 1/2	2/6	5/5	7/6	12/2	13/2	37/6	56/3
Plugs ...	"	-/3 1/2	-/3 1/2	-/5	-/6 1/2	-/7 1/2	-/10	1/0 1/2	1/6 1/2	3/1 1/2	6/-	8/9	12/6	37/6	60/-
Back Nuts ...	"	-/2 1/2	-/2 1/2	-/3 1/2	-/4 1/2	-/6 1/2	-/7 1/2	-/10	1/4 1/2	2/9 1/2	4/5	5/8	6/11	22/6	32/6
Bushings ...	"	-/4 1/2	-/4 1/2	-/6	-/8 1/2	-/11 1/2	1/5 1/2	1/10 1/2	3/1 1/2	6/-	10/-	13/9	17/6	32/6	50/-

TUBES AND FITTINGS—Continued.

PRICE LISTS.

MALLEABLE IRON FITTINGS, Items Nos. 7782, 7783, 7791 and 7792.

Internal Diameter in Inches.		$\frac{1}{2}$ to $\frac{3}{8}$	$\frac{1}{2}$	$\frac{3}{4}$	1	1 $\frac{1}{2}$	1 $\frac{1}{2}$	2	2 $\frac{1}{2}$	3	4	5	6
Bends, M. & F. ...	per each	-/10 $\frac{1}{2}$	1/1 $\frac{1}{4}$	1/6	2/3 $\frac{1}{2}$	3/6	5/-	7/6	14/-	21/-	42/-	87/-	130/-
Bends, F. & F. ...	"	1/-	1/2 $\frac{1}{2}$	1/8 $\frac{1}{2}$	2/6	3/10 $\frac{1}{2}$	5/6	8/3 $\frac{1}{2}$	15/5	23/-	40/-	92/-	140/-
Elbows, Even and Reducing ...	"	-/8 $\frac{1}{2}$	-/9 $\frac{1}{2}$	1/2 $\frac{1}{4}$	1/8 $\frac{1}{2}$	2/7 $\frac{1}{2}$	3/6	5/-	9/-	14/-	24/-	63/-	94/-
Elbows, M. & F., Even and Reducing ...	"	-/9 $\frac{1}{2}$	-/10 $\frac{1}{2}$	1/3 $\frac{1}{4}$	1/10 $\frac{1}{2}$	2/9 $\frac{1}{2}$	3/9 $\frac{1}{2}$	5/6	10/-	16/-	27/6	72/-	108/-
Tees, Even and Reducing ...	"	-/9 $\frac{1}{2}$	1/-	1/4 $\frac{1}{2}$	2/-	2/9 $\frac{1}{2}$	4/-	5/6	10/-	16/-	27/6	72/-	108/-
Crosses, Even and Reducing ...	"	1/2 $\frac{1}{2}$	1/4 $\frac{1}{2}$	2/-	2/9 $\frac{1}{2}$	3/7 $\frac{1}{2}$	5/2 $\frac{1}{2}$	7/2 $\frac{1}{2}$	12/-	19/2 $\frac{1}{2}$	33/-	86/-	130/-
Nuts ...	"	-/3	-/3 $\frac{1}{2}$	-/4 $\frac{1}{2}$	-/5 $\frac{1}{2}$	-/7 $\frac{1}{2}$	-/10 $\frac{1}{2}$	1/5 $\frac{1}{2}$	2/1 $\frac{1}{2}$	3/5	6/-	12/-	18/-
Plugs ...	"	-/3	-/3 $\frac{1}{2}$	-/6	-/8	1/-	1/4 $\frac{1}{2}$	1/10 $\frac{1}{2}$	3/3 $\frac{1}{2}$	5/-	9/-	—	—
Caps ...	"	-/3 $\frac{1}{2}$	-/4 $\frac{1}{2}$	-/7 $\frac{1}{2}$	-/9 $\frac{1}{2}$	1/2 $\frac{1}{2}$	1/9 $\frac{1}{2}$	2/3 $\frac{1}{2}$	4/-	6/-	11/-	27/-	38/-
Sockets, Straight ...	"	-/4 $\frac{1}{2}$	-/5 $\frac{1}{2}$	-/7 $\frac{1}{2}$	-/10 $\frac{1}{2}$	1/3 $\frac{1}{2}$	1/9 $\frac{1}{2}$	2/7 $\frac{1}{2}$	4/5	7/-	12/-	21/-	30/-
Sockets, Reducing ...	"	-/5 $\frac{1}{2}$	-/6 $\frac{1}{2}$	-/9	1/-	1/6	2/-	3/-	4/9 $\frac{1}{2}$	7/8 $\frac{1}{2}$	13/-	24/-	37/-
Flanges ...	"	1/2 $\frac{1}{2}$	1/4 $\frac{1}{2}$	2/-	2/2 $\frac{1}{2}$	2/9 $\frac{1}{2}$	3/6	4/6	7/-	9/-	12/6	17/-	26/-
Bends, M. & M. ...	"	—	1/-	1/4 $\frac{1}{2}$	2/2 $\frac{1}{2}$	3/3 $\frac{1}{2}$	4/9 $\frac{1}{2}$	7/-	—	—	—	—	—
Bends, Return ...	"	—	1/7 $\frac{1}{2}$	2/4 $\frac{1}{2}$	3/4 $\frac{1}{2}$	4/9 $\frac{1}{2}$	6/-	10/6	—	—	—	—	—
Bushes ...	"	-/4 $\frac{1}{2}$	-/6	-/8	-/10 $\frac{1}{2}$	1/4 $\frac{1}{2}$	1/9 $\frac{1}{2}$	2/8 $\frac{1}{2}$	4/6	7/-	12/-	22/-	34/-
Hexagon Nipples ...	"	-/6	-/7 $\frac{1}{2}$	-/9 $\frac{1}{2}$	1/-	1/7 $\frac{1}{2}$	2/2 $\frac{1}{2}$	3/2 $\frac{1}{2}$	5/4 $\frac{1}{2}$	8/7 $\frac{1}{2}$	15/-	30/-	47/-
Hexagon Nipples, Reducing ...	"	-/6 $\frac{1}{2}$	-/7 $\frac{1}{2}$	-/10 $\frac{1}{2}$	1/1 $\frac{1}{2}$	1/9 $\frac{1}{2}$	2/4 $\frac{1}{2}$	3/6	5/9 $\frac{1}{2}$	9/6	16/6	—	—
Unions ...	"	2/-	2/4 $\frac{1}{2}$	3/-	3/7 $\frac{1}{2}$	4/9 $\frac{1}{2}$	6/4 $\frac{1}{2}$	9/-	16/-	26/-	50/-	77/-	108/-
Elbows, Side Outlet ...	"	—	1/4 $\frac{1}{2}$	2/2 $\frac{1}{2}$	2/10 $\frac{1}{2}$	4/4 $\frac{1}{2}$	6/-	8/-	—	—	—	—	—
Tees, Side Outlet ...	"	—	1/9 $\frac{1}{2}$	2/7 $\frac{1}{2}$	3/7 $\frac{1}{2}$	5/-	7/-	9/6	—	—	—	—	—

"BITULYND" GALVANISED MALLEABLE IRON FITTINGS, Item No. 7793.

Nominal Internal Diameter in Inches		$\frac{1}{2}$	$\frac{3}{4}$	1	1 $\frac{1}{2}$	1 $\frac{1}{2}$	2	2 $\frac{1}{2}$	3	3 $\frac{1}{2}$	4	5	6
Unions ...	per each	2/3 $\frac{1}{2}$	2/9	3/4	4/5	5/10	8/2	17/7	29/6	41/9	55/-	84/6	118/-
Elbows ...	"	-/9	1/-	1/5 $\frac{1}{2}$	2/-	2/5 $\frac{1}{2}$	3/10 $\frac{1}{2}$	9/10 $\frac{1}{2}$	15/5	19/9	26/4	69/3	103/-
Elbows, M. & F. ...	"	-/9 $\frac{1}{2}$	1/2 $\frac{1}{2}$	1/7 $\frac{1}{2}$	2/3 $\frac{1}{2}$	2/10	4/7	11/-	17/7	23/1	30/9	79/-	118/-
Elbows, 3-way ...	"	1/6 $\frac{1}{2}$	2/5	3/2	4/10	6/7	8/8 $\frac{1}{2}$	16/6	26/5	33/-	44/-	—	—
Tees ...	"	-/10	1/2 $\frac{1}{2}$	1/7 $\frac{1}{2}$	2/3 $\frac{1}{2}$	2/10	4/7	11/-	17/7	23/1	30/9	79/-	118/-
Crosses ...	"	1/-	1/5 $\frac{1}{2}$	2/-	2/9	3/4 $\frac{1}{2}$	5/6	13/2	21/-	27/6	36/3	94/-	143/-
Sockets, Plain and Beaded ...	"	-/5 $\frac{1}{2}$	-/7 $\frac{1}{2}$	-/9 $\frac{1}{2}$	1/0 $\frac{1}{2}$	1/5	2/1 $\frac{1}{2}$	3/10	4/5	6/7	7/8	15/6	23/-
Sockets, Reduced ...	"	-/6	-/8 $\frac{1}{2}$	-/11	1/4 $\frac{1}{2}$	1/7 $\frac{1}{2}$	2/5 $\frac{1}{2}$	5/3	8/4 $\frac{1}{2}$	11/5	14/4	26/-	40/6
Caps ...	"	-/4 $\frac{1}{2}$	-/6 $\frac{1}{2}$	-/8 $\frac{1}{2}$	1/-	1/4 $\frac{1}{2}$	2/1 $\frac{1}{2}$	4/4 $\frac{1}{2}$	6/7	9/11	12/1	—	—
Hexagon Nipples ...	"	-/6	-/8	-/10 $\frac{1}{2}$	1/5 $\frac{1}{2}$	1/10	2/9	5/11 $\frac{1}{2}$	9/4 $\frac{1}{2}$	11/8	16/6	33/-	52/-
Hexagon Nipples, Reduced ...	"	-/8 $\frac{1}{2}$	-/11 $\frac{1}{2}$	1/2 $\frac{1}{2}$	1/11 $\frac{1}{2}$	2/7 $\frac{1}{2}$	3/10	6/4	10/6	13/2 $\frac{1}{2}$	17/8	—	—
Bushes ...	"	-/4 $\frac{1}{2}$	-/6 $\frac{1}{2}$	-/8 $\frac{1}{2}$	1/-	1/3 $\frac{1}{2}$	2/4 $\frac{1}{2}$	4/11 $\frac{1}{2}$	7/8 $\frac{1}{2}$	10/6	13/2	24/-	37/6
Bends, M. & F. ...	"	-/11	1/2 $\frac{1}{2}$	1/10	3/1 $\frac{1}{2}$	4/4 $\frac{1}{2}$	6/5	15/5	23/1	33/-	46/3	95/-	143/-
Bends, F. & F. ...	"	-/11	1/4 $\frac{1}{2}$	2/-	3/9	4/11	7/4	16/6 $\frac{1}{2}$	25/4	36/3	50/6	101/-	154/-
Bends, M. & F., 45 deg. ...	"	-/11 $\frac{1}{2}$	1/4 $\frac{1}{2}$	1/11 $\frac{1}{2}$	3/1	5/2	6/7	12/4	18/5 $\frac{1}{2}$	26/4	37/-	72/6	116/-
Bends, F. & F., 45 deg. ...	"	1/1	1/6 $\frac{1}{2}$	2/2 $\frac{1}{2}$	3/6	5/11 $\frac{1}{2}$	7/8 $\frac{1}{2}$	14/4	20/3	29/9	40/9	—	—
Flanges ...	"	-/8 $\frac{1}{2}$	-/11 $\frac{1}{2}$	1/2 $\frac{1}{2}$	1/5 $\frac{1}{2}$	1/8 $\frac{1}{2}$	2/3	3/8 $\frac{1}{2}$	6/2	—	8/4	13/-	19/7
Plugs ...	"	-/2	-/3	-/4	-/5 $\frac{1}{2}$	-/7 $\frac{1}{2}$	-/10 $\frac{1}{2}$	2/2	3/3	—	5/10	—	—
Back Nuts ...	"	-/2	-/2 $\frac{1}{2}$	-/3	-/4	-/5 $\frac{1}{2}$	-/11 $\frac{1}{2}$	1/4 $\frac{1}{2}$	2/3	—	3/11	—	—

TUBES AND FITTINGS—Continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate	Name of Contractor	
	TUBES, Steel, screwed and socketed, of approved thickness, in trade lengths—				Percentage off Price List submitted with tender and firm during the contract period.		
	Black—						
7740	½" diameter	N.S.W.	£200	...	20%	Stewarts & Lloyds (Aust.) Pty. Ltd.	
7741	¾" "	"		...	40%		
7742	¾" to 3" diameter, as ordered	"		...	57½%		
7743	3½" to 6" " " "	N.S.W. and/or U.K.		...	30%		
	Galvanized—						
7744	½" diameter	N.S.W.	£3000	...	30%		
7745	¾" to 3" diameter, as ordered	"		...	47½%		
7746	3½" to 6" " " "	N.S.W. and/or U.K.		...	25%		
	(M) Galvanized—						
7747	½" to 3" diameter, as ordered	N.S.W.	£4000	...	42½%		
7748	3½" to 6" " " "	N.S.W. and/or U.K.		...	15%		
	Steam—						
7749	½" diameter	N.S.W.	£2000	...	32½%		
7750	¾" to 3" diameter, as ordered	"		...	47½%		
7751	3½" to 6" " " "	N.S.W. and/or U.K.		...	25%		
7752	(M) Tubes, steel, bitumen lined, screwed and socketed, of approved thickness, galvanized, in trade lengths, ½" to 6" diameter, as ordered, "Bitulynd"	N.S.W.	10%	William Adams & Co. Ltd.	
	FITTINGS, Steel, of approved thickness—						
	Black—						
	Bends, Long screws, Springs, Plain Nipples or Barrel Nipples—						
7753	½" diameter	"	£40	...	42½%	Stewarts & Lloyds (Aust.) Pty. Ltd.	
7754	¾" "	"		...	42½%		
7755	¾" to 3" diameter, as ordered	"		...	42½%		
7756	3½" to 6" " " "	"		...	23¾%		
	Flanges—						
7757	½" or ¾" diameter, as ordered	Vict.	£40	...	30% & 20%	Henderson's Federal Spring Works Pty. Ltd.	
7758	½" to 2" " " "	"		...	30% & 20%		
7759	2½" to 6" " " "	"		...	45% & 20%		
7760	Sockets, ½" to 6" diameter, as ordered	N.S.W. and/or U.K.	20%	Stewarts & Lloyds (Aust.) Pty. Ltd.	
7761	Other fittings on price list, ½" to 6" diameter, as ordered	"	20%		

TUBES AND FITTINGS—Continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate	Name of Contractor
	FITTINGS, Steel, of approved thickness (continued)				Percentage off Price List submitted with tender and firm during the contract period.	
	Galvanized—					
	Bends, Long Screws, Springs, Plain Nipples or Barrel Nipples—					
7762	¼" diameter	N.S.W.	}	...	36¼%	} Stewarts & Lloyds (Aust.) Pty. Ltd.
7763	¾" to 3" diameter, as ordered	"		...	36¼%	
7764	3½" to 6" " " "	"		...	20%	
	Flanges—					
7765	¼" or ⅜" diameter, as ordered	Vict.	} £500	...	20% & 20%	} Henderson's F... Spring Works Pty Ltd.
7766	½" to 2" " " "	"		...	20% & 20%	
7767	2½" to 6" " " "	"		...	35% & 20%	
7768	Sockets, ½" to 6" diameter, as ordered	N.S.W. and/or U.K.	}	...	15%	}
7769	Other fittings on price list, ½" to 6" diameter, as ordered	"		...	15%	
	Steam—					
	Bends, Long Screws, Springs, Plain Nipples or Barrel Nipples—					
7770	¼" diameter	N.S.W.	}	...	36¼%	} Stewarts & Lloyds (Aust.) Pty. Ltd.
7771	¾" to 3" diameter, as ordered	"		...	36¼%	
7772	3½" to 6" " " "	"		...	20%	
	Flanges—					
7773	¼" or ⅜" diameter, as ordered	Vict.	} £300	...	20% & 20%	} Henderson's F... Spring Works Pty Ltd.
7774	½" to 2" " " "	"		...	20% & 20%	
7775	2½" to 6" " " "	"		...	35% & 20%	
7776	Sockets, ½" to 6" diameter, as ordered	N.S.W. and/or U.K.	}	...	15%	} Stewarts & Lloyds (Aust.) Pty. Ltd.
7777	Other fittings on price list, ½" to 6" diameter, as ordered	"		...	15%	
7778	FITTINGS, Steel, bitumen lined, of approved thickness, galvanized, any type or size on price list, as ordered, "Bitulynd"	N.S.W.	10%	William Adams & Co. Ltd.

WIRE, VARIOUS

(Schedule No. 237)

(1st July, 1939, to 31st December, 1939—6 months only.)

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
	Wire, Brass, hard or soft drawn, as ordered—							
7830	6 I.S.W. Gauge	Vict.	14 lb.	lb.	0	1	1½	Briscoe & Co. Ltd.
7831	7 " "	"	7 "	"	0	1	1½	
7832	8 " "	"	14 "	"	0	1	1½	
7833	10 " " "Metal Manuf. Ltd."	N.S.W.	560 "	"	0	1	2·3	
7834	11 " "	Vict.	21 "	"	0	1	2½	Briscoe & Co. Ltd
7835	12 " "	"	28 "	"	0	1	3	
7836	14 " " "Metal Manuf. Ltd."	N.S.W.	28 "	"	0	1	3·2	Melbourne Wire Works
7837	16 " " "Metal Manuf. Ltd."	"	7 "	"	0	1	4	
7838	¼" diameter	Vict.	280 "	"	0	1	0½	Briscoe & Co. Ltd.
	Wire, Copper, soft drawn, "Metal Manuf. Ltd."—							
7839	16 I.S.W. Gauge	N.S.W.	112 "	"	\$0	0	11·3	Australian General Elec. Ltd.
7840	18 " "	"	112 "	"	\$0	0	11·5	
7841	¼" diameter	"	280 "	"	\$0	1	0·4	
7842	Wire, Phosphor Bronze, hard drawn, 13 I.S.W. Gauge	U.K.	28 "	"	0	3	6	F.R.S. Ideal Spring Co. Ltd.
	Wire, Steel, Music, polished, "Spencer Wire Co. Ltd."—							
7843	10 I.S.W. Gauge	U.K.	78 lb.	lb.	0	1	4	Gilbert Lodge & Co. Pty. Ltd.
7844	11 " "	"	7 "	"	0	1	4	
7845	12 " "	"	78 "	"	0	1	4	
7846	13 " "	"	21 "	"	0	1	4	
7847	14 " "	"	78 "	"	0	1	4	
7848	15 " "	"	21 "	"	0	1	9	
7849	16 " "	"	56 "	"	0	1	9	
7850	18 " "	"	21 "	"	0	1	10	
7851	19 " "	"	21 "	"	0	2	1	
7852	20 " "	"	7 "	"	0	2	1	
7853	22 " "	"	14 "	"	0	2	4	
7854	23 " "	"	7 "	"	0	2	9	
7855	24 " "	"	3 "	"	0	3	3	
	Wire, Steel, Spring, hard drawn, "Rylands"—							
7856	5 I.S.W. Gauge,	N.S.W.	112 "	"	0	0	3½	F.R.S. Ideal Spring Co. Ltd.
7857	6 " "	"	900 "	"	0	0	3¼	
7858	14 " "	"	84 "	"	0	0	5½	
7859	16 " "	"	28 "	"	0	0	6	
	Wire, Steel, tinned for armature banding, 115 to 125 tons per square inch—							
†7860	17 I.S.W. Gauge (-048")		300 "	"				Nil
†7861	18 " " (-056")		900 "	"				
	Wires, for tying on labels, 26 I.S.W. Gauge, blue annealed finish, in bundles of 1 lb., "Rylands"—							
7862	6" long	N.S.W.	500,000	doz.	0	8	11	Briscoe & Co. Ltd.
7863	9" "	"	500,000	lb.	0	8	11	
7864-7869	Nil							