

[1073]



# VICTORIA GOVERNMENT GAZETTE.

Published by Authority.

[Registered at the General Post Office, Melbourne, for transmission by post as a newspaper.]

No. 67]

MONDAY, MARCH 10.

[1941

No.	Number of Tenders.	Particulars of Contract.	Country of Manufacture or Production.	Amount.	Name of Contractor.
184	..	Railways Stores Suspense Account, Act 3759, Section 105— Supply and delivery of General Stores as ordered, during the period 1st January, 1941, to 31st December, 1941.	As per annex ..	Rates as per annex	As per annex

Melbourne, 7th February, 1941.

## Schedule of Rates Contracts FOR THE SUPPLY OF STORES TO THE VICTORIAN RAILWAYS.

Period

1.1.1941 to 31.12.1941

E. C. EYERS,

By Order of the Victorian Railways Commissioners.

## **SUPPLY AND DELIVERY OF STORES.**

**As ordered, from 1.1.1941 to 31.12.1941.**

---

Items marked \* to be supplied (subject to the General Conditions of Contract) to sample or samples exhibited by the Corporation.

Items marked † to be supplied to sample or samples furnished by the Contractor.

No subletting will be allowed.

All rates are exclusive of Sales Tax.

**ADZES, AXES, ETC.**

(Schedule No. 1).

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
1	Adzes, Carpenters, "Brades"— No. 2, pin pole, "No. 382"	U.K.	12	each	0	5	11	Briscoe & Co. Ltd.
2	No. 2, plain pole, "No. 396"	"	12	"	0	7	8	
3	No. 3, pin pole, "No. 382"	"	12	"	0	6	3	
4	No. 3, plain pole "No. 396"	"	40	"	0	7	11	
†5	Axes, handled, 4½ lb., "Black Diamond"	Canada	900	doz.	5	1	6	F. W. Green & Co.
6	Hatchets, Axe pattern, No. 2, handled, "Brades Criterion"	U.K.	140	each	0	5	2	Briscoe & Co. Ltd.
†7	Hooks, Fern, No. 2, without handles, "Scott Trojan No. 159," size 2	Vict.	50	"	0	3	8	Scott & Son Pty. Ltd.
†8	Mattocks, 4½ lb., without handles, "Ribbed Fern Plumb"	N.S.W.	15	"	0	3	5	John Sharp & Sons Ltd.
†9	Slashers, single edge, straight handled "Scott Trojan No. 213A"	Vict.	15	"	0	7	6	Scott & Son Pty. Ltd.
10-19—Nil								

**SAWS AND HACK SAW BLADES**

(Schedule No. 2)

†	20	Blades, Hack Saw— 9" x ½" x 23 gauge, 18 teeth per inch, "Eclipse"	U.K.	1 gross	gross	0	17	10	McPherson's Pty. Ltd.	
	21	10" x ½" x 23 gauge, 18 teeth per inch, "Eclipse"	"	100	"	"	1	2		6
	22	10" x ½" x 23 gauge, 22 teeth per inch, "Eclipse"	"	1	"	"	1	2		6
	23	10" x ½" x 23 gauge, 32 teeth per inch, "Eclipse"	"	12	"	"	1	2		6
	24	12" x ½" x 23 gauge, 18 teeth per inch, "Eclipse"	"	2	"	"	1	5		0
†25	12" x ½" x 23 gauge, 14 teeth per inch, for use with hand frame for cutting railway rails, "Balfour's"	"	75	"	"	1	6	8	The Eagle & Globe Steel Co. Ltd.	
†26	17" x 1" x 18 gauge, 10 teeth per inch, high speed, 18% Tungsten, for cut- ting railway rails, "Novo"	"	50 dozen	...	...	Net cost into Contractor's store— plus 16½%			Gilbert Lodge & Co. Pty. Ltd.	
	27	Saw, Band, any length ordered up to 108'— ½" x 21 gauge x 6 teeth per inch	Vict.	200 feet	foot	0	0	5½	F. Leech & Co.	
	28	¾" x 21 " x 5 "	"	200	"	0	0	6½		
	29	¾" x 26 " x 7 "	"	350	"	0	0	7½		
	30	¾" x 21 " x 5 "	"	150	"	0	0	7½		
	31	¾" x 21 " x 5 "	"	150	"	0	0	8½		
	32	¾" x 19 " x 5 "	"	150	"	0	0	9½		
	33	1" x 20 " x 4 "	"	50	"	0	0	11		
	34	1½" x 19 " x 4 "	"	150	"	0	1	3		
	35	Saw, Band, flexible back, 1" wide x 20 gauge, 12 teeth per inch, to specification, "Slack Sellar"	U.K.	1000	"	0	1	5		
	36	Saws, Circular, crosscut teeth, 11 gauge, 22" diameter, 60 No. teeth	N.S.W.	5	each	2	7	0		
†	37	Saws, Hand, 26", crosscut teeth, 6 points per inch, "Jumbo"	U.K.	100	"	0	4	8	Briscoe & Co. Ltd.	
38-49—Nil										

**AUGERS.**  
(Schedule No. 3).

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
50	Augers, Screw, for hardwood, with cutting edges sharpened, "Alex. Mathieson & Sons"— $\frac{3}{8}$ " , $\frac{7}{16}$ " or $\frac{1}{2}$ " dia., as ordered	U.K.	40 dozen	dozen	1 9 11	Hardware Co. of Aust. Pty. Ltd.
51	$\frac{9}{16}$ " or $\frac{3}{4}$ " " " " "	"	50 "	"	1 13 9	
52	$\frac{11}{16}$ " or $\frac{3}{4}$ " " " (8 threads per inch on lead screw)	"	250 "	"	2 1 0	
53	$\frac{13}{16}$ " or $\frac{7}{8}$ " " " " "	"	15 "	"	2 4 10	
54	$\frac{15}{16}$ " or 1" " " " "	"	8 "	"	2 10 9	
55-59	Nil					

**SCREWS AND SPLIT PINS.**  
(Schedule No. 4).

Screws, Brass, for wood, any size on price list, as ordered, "Nettlefold's"—					Percentage off Price List	
60	Countersunk head	Vict.	£300	...	less 5% & 2½%	Edward Duckett & Sons
61	Round head	"	£125	...	less 5% & 2½%	
62	Raised head	"	£30	...	plus 5% less 2½%	
Screws, Steel, for wood, any size on price list, as ordered, "Nettlefold's"—						
63	Countersunk head	"	£1000	...	less 32½% & 2½%	Briscoe & Co. Ltd.
64	Round head, japanned	"	£10	...	less 25% & 2½%	Edward Duckett & Sons
65	Screws, Steel, for wood, raised head, any size on price list, as ordered, "Nettlefolds"	"	£5	...	less 17½% & 2½%	Briscoe & Co. Ltd.
66	Screws, Steel, for wood, recessed countersunk head, any size on price list, as ordered, "Guest Keen & Nettlefold's"	U.K.	£25	...	less 22½%	Edwin Wood Pty. Ltd.
67	Screws, Brass, Whitworth rolled thread (stove), round, countersunk or cheese head, as ordered, any size on price list, as ordered, "Nettlefold's"	Vict.	£35	...	less 57½% & 2½%	Briscoe & Co. Ltd.
68	Screws, Steel, Whitworth rolled thread (stove), round or countersunk head, as ordered, any size on price list, as ordered, "Nettlefold's"	"	£125	...	less 60% & 2½%	
69	Nil	...	...	...	...	
70	Nil	...	...	...	...	
71	Nil	...	...	...	...	
Screws, Coach, square head, gimlet point, any size on price list, as ordered—					Percentage off Price List	
72	Sizes up to and including 4" long x up to and including $\frac{3}{8}$ " diameter	Vict.	£100	...	less 32½%	McPherson's Pty. Ltd.
72A	Sizes over 4" long or over $\frac{3}{8}$ " diameter...	"		...	less 35%	
Screws, Coach, square head, gimlet point, galvanized, any size on price list, as ordered—					Percentage off Price List for Items Nos. 72 & 72A	
73	Sizes up to and including 4" long x up to and including $\frac{3}{8}$ " diameter	"	£15	...	Less 32½% then plus 10/- per cwt. for galvanizing	McPherson's Pty. Ltd.
73A	Sizes over 4" long or over $\frac{3}{8}$ " diameter...	"		...	Less 35% then plus 10/- per cwt. for galvanizing	

SCREWS AND SPLIT PINS.—Continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
74	Screws, Coach, square head, patent point, to specification— ½" diameter x 2½" long ... ..	Vict.	13 cwt.	cwt.	2	3	9	McPherson's Pty. Ltd.
75	½" diameter x 5" long ... ..	"	1 "	"	2	1	6	
76	½" diameter x any other length ordered	"	2 "	"	2	3	9	
77	⅝" diameter x 4" long ... ..	"	3 "	"	1	19	6	
78	⅝" diameter x 4½" long ... ..	"	20 "	"	1	14	9	
79	⅝" diameter x any other length ordered	"	6 "	"	1	17	6	
80	¾" diameter x 4" long ... ..	"	3 "	"	1	11	0	
81	¾" diameter x 5" long ... ..	"	50 "	"	1	9	3	
82	¾" diameter x any other length ordered	"	1 "	"	1	16	0	
83	Screws, Set, black, hexagon head, Whitworth head and thread, ⅝" diameter and over, any size on price list, as ordered, to specification	"	£10	...	Percentage off Price List less 20%			
84	Screws, Set, bright, hexagon head, Whitworth head and thread, any size on price list, as ordered, to specification— Sizes up to ½" diameter, "Holdite" ...	N.S.W.	£100	...	List Prices Net			A. V. Watt & Sons
84A	Sizes over ½" diameter, "Allen" ...	"		...	List Prices Net			
85	Pins, Split, steel, any size on price list, as ordered "Nettlefold's"	Vict.	£600	...	Percentage off Price List Less 65% & 2½%			Edward Duckett & Sons
86	Pins, Split, steel, ½" diameter x 7" long	...	15 gross	gross	...	Nil		
87-99—Nil.								

NAILS, ETC.

(Schedule No. 5)

100	Brads, Finishing, wire, ⅜" x 17 gauge, "Cooke's"	Vict.	78 lb.	lb.	10	0	5½	Briscoe & Co. Ltd.
†101	Brads, Moulders', 4", "J. Somerville" ...	U.K.	13 cwt.	cwt.	2	10	0	
†102	Chaplets, Box, ⅝", "Waring Bros" ...	"	3 gross	gross	0	10	6	H. A. Barnard Pty. Ltd.
103	Nails, Clout, steel, countersunk, "Cooke's"— 2¼" x 3 gauge ... ..	Vict.	1 cwt.	cwt.	11	12	9	
104	2½" x 2 gauge ... ..	"	1 "	"	11	12	9	S. Cooke Pty. Ltd.
105	3" x 1 gauge ... ..	"	4 "	"	11	12	9	
106	Nails, Clout, wire, bright, "Cooke's"— ⅝", ¾", ⅞" or 1", as ordered, x 12 gauge	"	4 "	"	11	17	3	Hardware Co. of Aust. Pty. Ltd.
107	½" x 13 gauge ... ..	"	28 lb.	lb.	10	0	4½	
†108	Nails, Clout, wire, galvanized— ¾" x 12 gauge ... ..	"	20 cwt.	cwt.	12	12	9	John R. Bell & Co.
†108A	1", 1¼" or 1½", as ordered, x 12 gauge	"		"	"	12	10	

† Items Nos. 100, 103 to 108A. Less 3% discount for payment within 10 days of date of receipt of invoice or 2½% for payment by end of month following month of delivery.

NAILS, ETC.—Continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
†109	Nails, Dogspikes, "Clyde" pattern, 2½" x ⅜"	Vict.	18 tons	cwt.	1 5 6	McPherson's Pty. Ltd.
*†110	Nails, Furniture, oxidised, ½" long x ⅞" diameter head, in boxes of 1000 No. Nails, Horse-shoe, full counters, in boxes of 25 lb., "Capewell"—	...	10 boxes	box	...	Nil
†111	No. 6	U.K.	4 "	"	†1 12 3	Hardware Co. of Aust. Pty. Ltd.
†112	No. 8, 10 or 12, as ordered	"	6 "	"	†1 8 0	
†113	Nails, Roofing, springhead, spiral type, galvanised, in 1 cwt. cases, 2", 2¼" or 2½", as ordered, x 9 gauge, "Evenden Anchor"	Vict.	3 tons	cwt.	†2 11 6	
114	Nails, Slaters, copper, clout head, round shank, 1¼" or 1½", as ordered, x 12 gauge, "Cooke's"	"	3 cwt.	lb.	†0 1 10½	S. Cooke Pty. Ltd.
115	Nails, Steel, corrugated, black, 4", 5", 6", 7" or 8", as ordered, x ⅜" diameter	"	13 tons	cwt.	†1 4 3	John R. Bell & Co.
116	Nails, Steel, corrugated, galvanised—3" x 1 gauge	"	3 cwt.	"	†2 1 3	
117	4" x ⅜" diameter Nails, Wire, bullet head, any length ordered, to specification—	"		"	†2 1 3	
118	4, 5, 6, 7 or 8 S.W. Gauge, as ordered	"	15 tons	"	†1 0 9	F. Golds Nail Pty. Ltd.
119	9 S.W. Gauge, as ordered	"	5 "	"	†1 1 3	
120	10 " "	"	8 "	"	†1 1 9	
121	11 " "	"	2 "	"	†1 2 9	
122	12 " "	"	6 "	"	†1 3 3	
123	13 " "	"	1 "	"	†1 4 3	
124	14 " "	"	1 "	"	†1 6 3	The Titan Nail & Wire Pty. Ltd.
125	15 " "	"	1 "	"	†1 8 9	
126	Nails, Wire, flat head, to specification, "Titan"—1" or 1½", as ordered, x 15 S.W. Gauge	"	18 cwt.	"	†1 8 9	The Titan Nail & Wire Pty. Ltd.
127	2", 12 S.W. Gauge	"	8 "	"	†1 3 3	
128	Pins, Escutcheon, brass, ⅝" x 16 gauge, "Cooke's"	"	7 lb.	lb.	†0 1 9	S. Cooke Pty. Ltd.
129	Pins, Gimp, japanned, "Cooke's"—½" x 17 gauge	"	450 "	"	†0 0 6½	
130	⅝" or ¾", as ordered, x 18 gauge	"		"	†0 0 9½	
†131	Pins, Panel, countersunk, "Cooke's"—½" or 1", as ordered, x 20 gauge	"	75 "	cwt.	†3 18 3	Briscoe & Co. Ltd.
†132	½", ⅝" or 1", as ordered, x 17 gauge	"	400 "	lb.	†0 0 5½	John Sharp & Sons Ltd.
†133	⅝" x 19 gauge	"	50 "	cwt.	†3 8 3	Briscoe & Co. Ltd.
†134	¾" or 1", as ordered, x 18 gauge,	"	250 "	"	†2 18 3	
†135	1¼" or 1½", as ordered, x 16 gauge	"	750 "	"	†1 14 9	
†136	1½" x 15 gauge	"	500 "	"	†1 12 0	John Sharp & Sons Ltd.
†137	2" x 14 gauge	"	250 "	lb.	†0 0 3	

† Items Nos. 111 to 137. Less 3% discount for payment within 10 days of date of receipt of invoice or 2½% for payment by end of month following month of delivery.

NAILS, ETC.—Continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate f s. d.	Name of Contractor
138	Rivets, Copper, with washers, $\frac{1}{4}$ " , $\frac{3}{8}$ " , $\frac{1}{2}$ " , $\frac{5}{8}$ " , $\frac{3}{4}$ " , $\frac{7}{8}$ " or 1", as ordered, "Cooke's"— 6, 7 or 8 gauge, as ordered	Vict.	225 lb.	lb.	10 1 10	S. Cooke Pty. Ltd.
138A	10 gauge	"		"	10 1 10 $\frac{1}{2}$	
139	Rivets, Copper, without washers, "Cooke's"— $\frac{3}{8}$ " x 8 gauge	"	75 "	"	10 1 5 $\frac{1}{2}$	Hardware Co. of Aust. Pty. Ltd.
140	$\frac{1}{2}$ " x 7 gauge	"	10 "	"	10 1 5 $\frac{1}{2}$	
141	$1\frac{1}{4}$ " x 4 gauge	"	25 "	"	10 1 5 $\frac{1}{2}$	
142	Rivets, Tinman's, tinned, heavy coated, "Nettlefold's"— No. 4	"	10 "	cwt.	13 5 6	Edward Duckett & Sons
143	No. 5	"	10 "	"	13 5 6	
144	No. 6	"	25 "	"	13 5 6	
145	No. 7	"	25 "	"	13 2 6	
146	No. 8 or 9, as ordered	"	325 "	"	13 2 6	
147	No. 10 or 11, as ordered	"	200 "	"	13 1 6	
148	No. 12	"	100 "	"	12 18 6	
149	No. 13, 14 or 15, as ordered	"	175 "	"	12 17 0	
150	No. 16	"	100 "	"	12 15 6	John R. Bell & Co.
151	No. 18 or 20, as ordered	"	200 "	"	12 14 0	
152	Staples, Wire, galvanised— $\frac{1}{2}$ " x 14 gauge	"	1 cwt.	"	11 15 9	John R. Bell & Co.
153	$\frac{3}{4}$ " x 12 gauge	"	3 "	"	11 8 9	
154	1" x 10 gauge	"	1 "	"	11 6 9	
155	$1\frac{1}{2}$ " x 8 gauge	"	12 "	"	11 4 9	Hardware Co. of Aust. Pty. Ltd.
156	Tacks, Copper, wire, $\frac{5}{8}$ " , $\frac{3}{4}$ " or $\frac{7}{8}$ " , as ordered, x 15 gauge, "Cooke's"	"	1000 lb.	lb.	10 1 7 $\frac{1}{2}$	
157	Tacks, Cut, blued, fine, 16 gauge— $\frac{1}{4}$ "	"	15 "	cwt.	4 0 0	H. A. Barnard Pty. Ltd.
158	$\frac{3}{8}$ "	"	100 "	"	3 3 0	
159	$\frac{1}{2}$ "	"	1250 "	"	2 12 6	
160	$\frac{5}{8}$ "	"	125 "	"	2 11 0	
161	Tacks, Cut, tinned, fine, 16 gauge— $\frac{1}{2}$ "	"	100 "	"	3 8 6	Gerrard Wire Tying Machines Co. Pty. Ltd.
162	$\frac{3}{4}$ "	"	450 "	"	3 5 0	
163	Tacks, No. 10, for Gerrard Wire Tacking Machines, in boxes of 25,000	"	50,000	1000	0 1 9	Gerrard Wire Tying Machines Co. Pty. Ltd.

† Items Nos. 138 to 141, 152 to 156. Less 3% discount for payment within 10 days of date of receipt of invoice for or 2 $\frac{1}{2}$ % payment by end of month following month of delivery.  
 † Items Nos. 142 to 151. Less 2 $\frac{1}{2}$ % discount for payment by end of month following month of delivery.

TAPS, DIES, ETC.

(Schedule No. 6)

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
	Dies, Adjustable, 2 $\frac{3}{16}$ " diameter, Whitworth thread (excluding guides), "Patience & Nicholson"—							
180	$\frac{3}{16}$ ", $\frac{1}{4}$ ", $\frac{5}{16}$ " or $\frac{3}{8}$ ", as ordered	Vict.	20	each	0	9	2	} McPherson's Pty. Ltd.
181	$\frac{1}{2}$ "	"	15	"	0	12	0	
182	$\frac{5}{8}$ "	"	8	"	0	13	10	
183	$\frac{3}{4}$ "	"	8	"	0	15	1	
184	$\frac{7}{8}$ "	"	3	"	0	17	0	
185	1"	"	5	"	0	18	11	
	Dies, British Association standard, "Patience & Nicholson"—							
186	Sizes 0 to 8, as ordered	"	25	"	0	1	3	} McPherson's Pty. Ltd.
187	Sizes 9 or 10, as ordered	"	3	"	0	1	11	
	Dies, high speed steel, for "Herbert" patent self-opening die heads, style "C," in sets of four, "Patience & Nicholson"—							
188	For 1" die head, Whitworth thread, sizes $\frac{3}{16}$ " to 1", as ordered,	"	10 sets	set	1	16	7	} Nil
189	For 1 $\frac{1}{4}$ " die head, Whitworth thread, sizes $\frac{7}{16}$ " to 1 $\frac{1}{4}$ ", as ordered	"	13 "	"	2	6	9	
190	For 1 $\frac{1}{2}$ " die head, 11 threads per inch, sizes 1 $\frac{1}{8}$ ", 1 $\frac{1}{4}$ ", 1 $\frac{3}{8}$ " or 1 $\frac{1}{2}$ ", as ordered	"	3 "	"	2	16	0	
191	For 2" die head, 11 threads per inch, sizes 1 $\frac{1}{8}$ ", 1 $\frac{1}{4}$ ", 1 $\frac{3}{8}$ ", 1 $\frac{1}{2}$ " or 1 $\frac{5}{8}$ ", as ordered	"	8 "	"	4	0	9	
	Dies, high speed steel, for "Landis" rotary die heads—							
	Style "F," Whitworth thread, in sets of four—							
192	For $\frac{1}{2}$ " die head, sizes $\frac{3}{16}$ " to $\frac{1}{2}$ ", as ordered	...	3 "	...	...	...	...	} Nil
193	For 1" die head, sizes $\frac{1}{4}$ " to 1 $\frac{1}{2}$ ", as ordered	...	25 "	...	...	...	...	
194	For 3" die head, sizes 1 $\frac{3}{4}$ " or 2 $\frac{1}{4}$ " as ordered	...	1 "	...	...	...	...	
195	To Drawing No. N.Z. 18, for 3" die head, Whitworth thread, any number of threads per inch ordered	...	1 "	...	...	...	...	
196	Dies for 1 $\frac{1}{4}$ " "Landmatic" die head, tangential, to Drawing N.Z. 9, in sets of four, sets to be interchangeable, any size ordered	...	5 "	...	...	...	...	



TAPS, DIES, ETC.—Continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor	
					£	s.	d.		
	Dies, Nut, cast steel, hexagon, Whitworth thread, hardened and tempered, "Patience & Nicholson"—								
197	$\frac{3}{8}$ "	Vict.	3	each	0	2	2		
198	$\frac{1}{2}$ "	"	5	"	0	2	6		
199	$\frac{5}{8}$ "	"	15	"	0	3	2		
200	$\frac{3}{4}$ "	"	8	"	0	3	9		
201	$\frac{7}{8}$ "	"	8	"	0	4	5		
202	1"	"	10	"	0	5	1		
	Taps, Hand Working, British Association standard, taper, intermediate or plug, as ordered, "Patience & Nicholson"—								
203	Sizes 0 to 6, as ordered	"	15 dozen	dozen	0	5	9	McPherson's Pty. Ltd.	
204	Size 7	"	2	"	0	6	4		
205	" 8	"	2	"	0	6	11		
206	" 9	"	2	"	0	8	11		
207	" 10	"	3	"	0	12	8		
	Taps, Hand Working, gas thread, standard engineers' pattern, in sets comprising one taper and one plug tap, "Patience & Nicholson"—								
208	$\frac{1}{8}$ "	"	5 sets	set	0	3	3		
209	$\frac{1}{4}$ "	"	3	"	0	3	8		
210	$\frac{3}{8}$ "	"	3	"	0	4	1		
211	$\frac{1}{2}$ "	"	1	"	0	5	6		
212	$\frac{3}{4}$ "	"	3	"	0	7	6		
213	1"	"	5	"	0	12	4		
	Taps, Hand Working, Whitworth standard, cut thread, taper, intermediate or plug, as ordered, "Patience & Nicholson"—								
214	$\frac{1}{8}$ ", $\frac{1}{16}$ ", $\frac{3}{16}$ ", $\frac{7}{16}$ " or $\frac{1}{4}$ ", as ordered	"	750	each	0	0	5 $\frac{1}{2}$		
215	$\frac{5}{16}$ "	"	75	"	0	0	8 $\frac{1}{2}$		
216	$\frac{3}{8}$ "	"	125	"	0	1	0		
217	$\frac{7}{16}$ "	"	75	"	0	1	0 $\frac{1}{2}$		
218	$\frac{1}{2}$ "	"	75	"	0	1	3		
219	$\frac{9}{16}$ "	"	5	"	0	1	10		
220	$\frac{5}{8}$ "	"	20	"	0	2	0		
221	$\frac{3}{4}$ "	"	75	"	0	2	8 $\frac{1}{2}$		
222	$\frac{7}{8}$ "	"	25	"	0	3	8		
223	1"	"	25	"	0	4	3		

TAPS, DIES, ETC.—Continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor	
	Taps, Hand Working, Whitworth standard, ground thread, taper, intermediate or plug, as ordered—						
224	$\frac{1}{8}$ "	...	40	...	...	}	
225	$\frac{1}{16}$ "	...		...	...		
226	$\frac{3}{16}$ "	...		...	...		
227	$\frac{7}{16}$ "	...		...	...		
228	$\frac{1}{4}$ "	...		...	...		
229	$\frac{5}{16}$ "	...		10	...		
230	$\frac{3}{8}$ "	...		6	...		
231	$\frac{7}{16}$ "	...	10	...			
232	$\frac{1}{2}$ "	...	6	...			
233	$\frac{9}{16}$ "	...	6	...			
234	$\frac{5}{8}$ "	...	3	...			
235	$\frac{3}{4}$ "	...	3	...			
236	$\frac{7}{8}$ "	...	3	...			
237	1"	...	3	...			
	Taps, "National" nut tapping machine, ground threads, Whitworth thread, to Drawing No. 8920-1, and specification—						
238	$\frac{7}{8}$ "	...	20	...	...		
239	1"	...	50	...	...		
240	1 $\frac{1}{8}$ "	...	2	...	...		
241	1 $\frac{1}{4}$ "	...	2	...	...		
	Taps, "National" nut tapping machine, 11 threads per inch, to Drawing No. 8920-2, and specification—						
242	1"	...	2	...	...		
243	1 $\frac{1}{8}$ "	...	10	...	...		
244	1 $\frac{3}{16}$ "	...	15	...	...		
245	1 $\frac{1}{4}$ "	...	3	...	...		
246	1 $\frac{1}{2}$ "	...	2	...	...		
	Reamers, Spiral, with chip breaker, to specification and Drawing N.X. 1 (amended 31.3.39)—						
247	$\frac{5}{16}$ " diameter	...	15	...	...		
248	$\frac{11}{16}$ " "	...	20	...	...		
249	$\frac{13}{16}$ " "	...	5	...	...		
250-269	Nil						

## PORCELAIN INSULATORS, ETC.

(Schedule No. 7)

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
	Blocks, Porcelain, to specification—					
†270	For lightning arrestors, to Drawing No. 5.A.45	Vict.	125	each	0 0 5½	Sunshine Porcelain Potteries Pty. Ltd.
†271	For Fuses, to Drawing No. 1.A.45	"	400	"	0 0 5½	} Australian Porcelain Insulator Co. Pty. Ltd.
†272	For R.S.A. terminal, to Drawing No. 2.A.2	"	1000	"	0 0 4	
†273	Variable resistance, to Drawing No. 2.B.351	"	200	"	0 0 9	
†274	Bobbins, porcelain, resistance, to Drawing No. 2.F.1956	"	200	"	0 0 6½	
	Insulators, Porcelain—					
†275	Brush Holder, to Drawing No. F.2104A	"	100	"	0 1 10	Nilcrom Porcelains (Aust.) Pty. Ltd.
†276	Button, 1½" x 1½" x ⅜" hole	"	1750	"	0 0 2½	} Australian Porcelain Insulator Co. Pty. Ltd.
277	Catenary Centres, to Drawing No. F.2299B and specification	"	25	"	0 3 11	
278	Catenary Ends, to Drawing No. F.2300B and specification	"	50	"	0 3 0	Sunshine Porcelain Potteries Pty. Ltd.
†279	Cleat, 2½" x 1" (two wires)	"	200 pairs	pair	0 0 3½	} Australian Porcelain Insulator Co. Pty. Ltd.
†280	Knob, 2¼" x 1⅜" x ⅞" hole	"	125	each	0 0 7½	
†281	Pin Type, Conference, No. 600/0·1	"	75	"	0 0 7½	
†282	" " " No. 600/0·0	"	200	"	0 0 6½	
283	" " to Drawing No. 1.A.405 and specification, packed in cases of 100 No.	"	12,500	"	0 0 11½	Sunshine Porcelain Potteries Pty. Ltd.
†284	Reel	"	75	"	0 0 7	Australian Porcelain Insulator Co. Pty. Ltd.
*†285	Shackle, 2½" diameter x 1½" high x ¾" hole, "Delta Star"	"	750	"	0 0 4½	} John Joseph & Co. Pty. Ltd.
*†286	Shackle, low tension, 3½" diameter x 3" high x ¾" hole, "Delta Star"	"	250	"	0 0 6½	
*†287	Shackle, 4" diameter x 3" high x ¾" hole "Delta Star"	"	400	"	0 0 11	
†288	Strain, "Egg" type, 1,000 volts, 3½" long	"	30	"	0 1 8	Australian Porcelain Insulator Co. Pty. Ltd.
289	Transposition, to Drawings Nos. F.2317 and 1.A.405, and specification, packed in cases of 20 No.	"	2000	"	0 4 6	Sunshine Porcelain Potteries Pty. Ltd.
†290	Tube, 1" O.D. x ¾" I.D. x 5½" long	"	200	"	0 1 0	} Nilcrom Porcelain (Aust.) Pty. Ltd.
291	Tube, Solid, grooved for oven element, to Drawing No. F.2659 and specification	"	100	"	0 1 4½	
292	80D type, to Drawing No. F.2077A and specification	"	250	"	0 4 8	Australian Porcelain Insulator Co. Pty. Ltd.

293-299—Nil

**LOW VOLTAGE LAMPS AND TORCH ACCESSORIES**  
(Schedule No. 8)

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate		Name of Contractor
					£	s. d.	
†300	Batteries, torch, dry cells, cylindrical, type D.U. 2, to British Standard Specification No. 397/1933, "Diamond"	Vic.	17,500	gross	1	12 9½	Widdis Diamond Dry Cells Pty. Ltd.
301	Electrolyte, dry, for Edison Batteries, in tins of 9.91 lb. net, "Thos. A. Edison"	U.S.A.	5 cwt.	tin	1	16 0	Charles M. Terry Pty. Ltd.
†302	Lamps, Electric, for Automobiles— 6V. 3W., S.B.C., "Mazda" ...	U.K.	180	each	0	0 7½	E. A. Machin & Co. Pty. Ltd.
†303	6V. 3W., S.C.C., "Lucas" ...	"	300	"	0	0 6½	
†304	6V. 3W., M.C.C., "Mazda No. 55"	"	25	"	0	0 7½	E. A. Machin & Co. Pty. Ltd.
†305	6V. 6W., A.S.C.C., "Mazda" ...	"	25	"	0	0 7½	
†306	6V. 21 C.P., S.B.C., "V" filament, "Mazda"	"	25	"	0	0 11¼	E. A. Machin & Co. Pty. Ltd.
†307	6V. 21 C.P., A.S.C.C., "V" filament, "Mazda"	"	125	"	0	0 11¼	
†308	6V. 32/32 C.P., A.S.B.C., double "V" filament, "Mazda No. 1000"	"	100	"	0	1 3	Australian General Electric Pty. Ltd.
†309	6V. 32/32 C.P., pre-focus, double "V" filament, "Mazda No. 2330"	"	40	"	0	1 6¾	
†310	6V. 50 C.P., A.S.C.C., "V" filament, "Mazda"	"	100	"	0	0 11¼	E. A. Machin & Co. Pty. Ltd.
†311	12V. 3W., S.B.C., "Mazda" ...	"	500	"	0	0 7½	
†312	12V. 3W., S.C.C., "Mazda" ...	"	350	"	0	0 7½	E. A. Machin & Co. Pty. Ltd.
†313	12V. 15W., S.B.C., 25 m.m. diameter bulb, "Mazda"	"	50	"	0	0 11¼	
†314	12V. 32 C.P., S.B.C., "V" filament, "Mazda"	"	40	"	0	0 11¼	E. A. Machin & Co. Pty. Ltd.
†315	12V. 32 C.P., S.C.C., "V" filament, "Mazda"	"	150	"	0	0 11¼	
†316	12V. 50 C.P., S.B.C., "V" filament, "Mazda"	"	25	"	0	0 11¼	E. A. Machin & Co. Pty. Ltd.
†317	12V. 50 C.P., S.C.C., "V" filament, "Mazda"	"	25	"	0	0 11¼	
†318	12V. 36/36W., S.B.C., double "V" parallel filaments, "Osram"	"	75	"	0	1 3	A. G. Healing Ltd.
†319	12V. 12W., gas filled, pearl, bus lamps with ordinary B.C., 38 m.m. diameter bulb, "Condor"	"	100	"	0	1 7	Brooklands Accessories Ltd.
	Lamps, Electric, clear, for hand torches, "Philips"—						
†320	2.5 volts, non-focus type ...	Hong Kong	500	100	1	3 6	Wm. Adams & Co. Ltd.
†321	2.5 volts, focus type ...	"	500	"	1	3 6	
†322	3.5 volts, non-focus type ...	"	2000	"	1	3 6	
†323	3.5 volts, focus type ...	"	500	"	1	3 6	
	Lamps, Electric, switchboard, pencil type, "Osram"—						
†324	4 volts ...	U.K.	150	each	0	1 6	British General Electric Co. Pty. Ltd.
†325	6 " ...	"	75	"	0	1 6	
†326	12 " ...	"	25	"	0	1 6	
	Torches, Hand, electric, with lamps, but without cells—						
†327	2-cell, non-focus type, "Magnet" ...	"	25	"	0	2 9	Eveready (Australia) Pty. Ltd.
†328	2-cell, focus type, "No. 3773" ...	Hong Kong	25	"	0	2 3	
†329	3-cell, non-focus type ...	"	100	"	0	2 6	Nil
†330	3-cell, focus type, "No. 3774" ...	Hong Kong	100	each	0	2 6	Eveready (Australia) Pty. Ltd.

**ACCUMULATOR CELLS, BATTERIES, ETC.**

(Schedule No. 9)

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor	
<b>Train Lighting Accumulators, etc.—</b>							
Cells, Accumulator, complete, to specification, with hard rubber boxes and lids—							
340	13 plate, Demi-plante ... ..	N.S.W.	50	each	5 2 6	} Coates & Co. Pty. Ltd.	
341	9 plate „ „ ... ..	„	500	„	4 3 6		
342	Bolts and Nuts, for cell connectors, to specification	„	1600	„	0 0 6		
343	Boxes, Accumulator Cell, complete with lids, to specification— For 21 plate Standard Tonum Cells	„	12	„	2 8 4		
344	For 19 „ „ „ „ ... ..	„	12	„	2 6 6	} Nil	
345	For 15 „ „ „ „ ... ..	„	12	„	„		
346	For 13 plate Demi-plante cells, with hard rubber boxes, including bottom block	N.S.W.	24	each	1 10 6	} Nil	
347	For 11 plate Standard Tonum cells or 9 plate Demi-plante cells, with hard rubber boxes, including bottom block	„	400	„	1 7 0		
Connectors, Cell, flexible to specification—							
†348	Double, 12" long ... ..	„	} 600	„	0 0 10	} Coates & Co. Pty. Ltd.	
†349	Double, 18" long ... ..	„		„	0 0 11½		
†350	Single, 12" long ... ..	„		} 600	„		0 0 7
†351	Single, 18" long ... ..	„			„		0 0 8½
352	Floats, Accumulator, to specification ... ..	„	400 doz.	„	0 0 7½	} Nil	
353	Floats, No-wash cell, to specification ... ..	„	144	„	0 0 7		
Lids, Accumulator Cell, complete, excluding porcelain gaskets, to specification—							
354	For 21 plate Standard Tonum Cells ... ..	„	12	„	„	} Nil	
355	For 19 „ „ „ „ ... ..	„	12	„	„		
356	For 15 „ „ „ „ ... ..	„	12	„	„		
357	For 13 plate Demi-plante Cells ... ..	„	24	„	„		
358	For 11 plate Standard Tonum Cells or 9 plate Demi-plante Cells	„	72	„	„	} Nil	
359	Plates, Positive, Demi-plante or "K" type, as ordered, complete, to specification	„	24	„	„		
360	Plates, Negative, pasted type, complete, to specification	„	24	„	„		
Sections, Negative, pasted type, complete, to specification—							
361	For 21 plate Standard Tonum Cells ...	N.S.W.	12	each	1 14 6	} Coates & Co. Pty. Ltd.	
362	For 19 „ „ „ „ ... ..	„	12	„	1 11 6		
363	For 15 „ „ „ „ ... ..	„	12	„	1 5 0		

ACCUMULATOR CELLS, BATTERIES, ETC.—Continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor	
					£	s.	d.		
<b>Train Lighting Accumulators, etc.—</b>									
Continued—									
Sections, Negative, pasted type, complete, to specification, continued—									
364	For 13 plate Demi-plante Cells ...	N.S.W.	48	each	1	2	0	} Coates & Co. Pty. Ltd.	
365	For 11 plate Standard Tonum Cells ...	"	12	"	0	18	10		
366	For 9 plate Demi-plante Cells ...	"	90	"	0	16	0		
Sections, Positive, complete, to specification—									
367	For 21 plate Standard Tonum Cells ...	"	12	"	2	10	6		
368	For 19 " " " " ...	"	12	"	2	5	9		
369	For 15 " " " " ...	"	12	"	1	16	3		
370	For 13 plate Demi-plante Cells ...	"	24	"	1	11	9		
371	For 11 plate Standard Tonum Cells ...	"	12	"	1	6	6		
372	For 9 plate Demi-plante Cells ...	"	90	"	1	1	3		
Separators, Fork, ebonite, to specification—									
373	Demi-plante ...	"	6 doz.	"	"	"	"	} Nil	
374	Standard Tonum ...	"	6 "	"	"	"	"		
Sheets, bottom, ebonite, 19 B.W.G., to specification—									
375	19 plate, 10" x 5½" ...	"	3 "	"	"	"	"		
376	13 plate, 8⅝" x 5½" ...	"	3 "	"	"	"	"		
377	11 or 9 plate, 5½" x 5½" ...	"	6 "	"	"	"	"		
Sheets, Side, ebonite, 19 B.W.G., to specification—									
378	19 plate, 11½" x 10" ...	"	3 "	"	"	"	"		
379	13 plate, 11½" x 8⅝" ...	"	3 "	"	"	"	"		
380	11 or 9 plate, 11⅝" x 5⅝" ...	"	6 "	"	"	"	"		
381	Tubes, cell testing, ebonite, to specification	N.S.W.	12 "	doz.	0	5	0	} Coates & Co. Pty. Ltd.	
<b>BATTERIES, ETC.</b>									
Batteries—									
382	6 volt, 13 plate, "Exide No. 105A" ...	"	3	each	2	6	4	} A. P. Sutherland	
383	6 volt, 15 plate, "Exide No. 122A" ...	"	5	"	2	12	0		
384	6 volt, 19 plate, "Exide No. 158A" ...	"	3	"	3	3	0		
385	6 volt, 21 plate, "Exide No. G175-2" ...	"	10	"	4	10	7		
Covers, "Locking-ring" type, "Exide"—									
386	for 6 volt, 13 plate batteries ...	"	10	"	0	0	5		
387	for 6 volt, 15 plate batteries ...	"	10	"	0	0	5½		
388	for 6 volt, 19 plate batteries ...	"	2	"	0	0	6½		
389	for 6 volt, 21 plate batteries ...	"	1	"	0	0	7		

ACCUMULATOR CELLS, BATTERIES, ETC.—Continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
BATTERIES, ETC.—Continued.						
386A	Covers, "Lead Insert" type, "Exide"— for 6 volt, 13 plate batteries	N.S.W.	10	each	0 0 8	} A. P. Sutherland
387A	for 6 volt, 15 plate batteries	"	10	"	0 0 9	
388A	for 6 volt, 19 plate batteries	"	2	"	0 1 0	
389A	for 6 volt, 21 plate batteries	"	1	"	0 1 2½	
390	Hydrometers, Battery testing, "Exide"	"	24	"	0 6 8	
391	Plates, Battery, negative, "Exide"	"	400	"	0 0 5	
392	Plates, Battery, positive, "Exide"	"	900	"	0 0 5½	
393	Posts, Strap, with sealing nut, "Exide"— Positive	"	150	"	0 0 5	
394	Negative	"	100	"	0 0 5	
395	Separators, Battery, wooden, "Exide"	"	3000	100	0 6 9	
396	Separators, Battery, rubber, "Exide"	"	900	"	1 15 0	
397-399	—Nil					

INSULATED CABLE AND WIRE

(Schedule No. 10)

Cable, aerial, hard drawn, triple braided, to specification, "Metal Manufactures Pty. Ltd."—							
† {	400	7/-036	N.S.W.	10,000 yds.	1000 yds.	10 4 0	} Australian General Electric Pty. Ltd.
	401	7/-044	"	2500 "	"	13 7 0	
Cable, Lighting, automobile, aluminium armoured, to specification—							
†	402	Single core, 35/-012	"	200 "	"	"	} Nil
† {	403	Twin, 14/-012	"	30 "	"	"	
	404	Three core, one 14/-012 and two 35/-012	"	300 "	"	"	
†	405	Cable, Miners' Cap Lamp, flexible, twin, 64/-006, to specification "Henley"	U.K.	2000 "	100 yds.	4 12 9	} W. T. Henley's Telegraph Works Co. Ltd.
†	406	Cable, Shot-firers, twin, twisted, 4/-018, 1000 yards per drum, to specification, "Henley"	"	18,000 "	"	1 11 7	

INSULATED CABLE AND WIRE—Continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
†407	Cable, Tough rubber sheathed, red or black as ordered, 7/·036, to specification, "Olympic"	Vict.	1250 yds.	100 yds.	2	12	5	Gilbert Lodge & Co. Pty. Ltd.
†407A	Cable, Tough rubber sheathed, red or black as ordered, 7/·036, to specification	U.K.		"	"	2	14	7
†408	Cable, Weatherproof, 7/·036, to specification, "Olympic"	Vict.	2500 "	"	2	9	7	Gilbert Lodge & Co. Pty. Ltd.
†408A	Cable, Weatherproof, 7/·036, to specification, "British Insulated Cables Ltd."	U.K.		"	"	2	11	5
†409	Cable, Welding, flexible, .06 square inch nominal area, 1330/·0076, to specification (See note)	"	250 "	"	18	2	1	The Liverpool Electric Cable Co. Ltd.
†410	Wire, Heater, flexible, asbestos covered, to specification— Twin, 40/·0076. (See note) ...	"	400 "	"	3	2	0	
†411	Three core, 40/·0076, all cores insulated. (See note)	"	200 "	"	4	4	2	
†412	Wire, Ignition, automobile, high tension, 40/·010, 7 mm. outside diameter, to specification, "British Insulated Cables Ltd."	"	500 "	"	1	5	6	Australian General Electric Pty. Ltd.
†413	Wire, Lighting, flexible, two cores, twisted, to specification, "W. T. Glover"— 23/·0076. (See note) ...	"	2000 "	"	1	6	6	Lawrence & Hanson Electrical Pty. Ltd.
†414	40/·0076. (See note) ...	"	5000 "	"	1	14	1	
†415	Wire, Oil proofed, flexible, single core, 110/·0076 to specification. (See note)	"	300 "	"	2	10	7	The Liverpool Electric Cable Co. Ltd.
†416	Wire, Tough rubber sheathed, to specification— Twin, 1/·044, figure 8 section, "Olympic"	Vict.	750 "	"	1	18	9	Gilbert Lodge & Co. Pty. Ltd.
†416A	Twin, 1/·044, oval section, "W. T. Glover"	U.K.		"	"	2	0	2
†417	Twin, 1/·044, oval section, "Olympic"	Vict.	300 "	"	1	18	9	Gilbert Lodge & Co. Pty. Ltd.
†417A	Twin, 1/·044, oval section, "W. T. Glover"	U.K.		"	"	2	0	2
†418	Twin, 3/·036, figure 8 section, "Olympic"	Vict.	500 "	"	3	4	9	Gilbert Lodge & Co. Pty. Ltd.
†418A	Twin, 3/·036, oval section, "W. T. Glover"	U.K.		"	"	3	7	7
†419	Twin, 23/·0076, "Olympic."	Vict.	3000 "	"	2	10	8	Gilbert Lodge & Co. Pty. Ltd.
†419A	Twin, 23/·0076, "W. T. Glover." (See note)	U.K.		"	"	2	12	8
†420	Twin, 40/·0076, "Olympic."	Vict.	2000 "	"	2	19	4	Gilbert Lodge & Co. Pty. Ltd.
†420A	Twin, 40/·0076, "W. T. Glover." (See note)	U.K.		"	"	3	1	7
†421	Three core, 23/·0076, "Olympic."	Vict.	750 "	"	3	3	5	Gilbert Lodge & Co. Pty. Ltd.
†421A	Three core, 23/·0076, "W.T. Glover." (See note)	U.K.		"	"	3	5	9
†422	Three core, 40/·0076, "Olympic."	Vict.	750 "	"	3	15	10	Gilbert Lodge & Co. Pty. Ltd.
†422A	Three core, 40/·0076, "W. T. Glover." (See note)	U.K.		"	"	3	18	9
†423	Wire, Workshops, flexible, twin, circular, 40/·0076, to specification. (See note)	"	2000 "	"	2	0	6	The Liverpool Electric Cable Co. Ltd.
424-429	Nil							



**RESISTANCE AND WINDING WIRES.**

(Schedule No. 11)

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
Wire, Copper, annealed, double cotton covered, "Metal Manufactures Ltd."—						
430	10 S.W. Gauge	N.S.W.	25 lb.	lb.	\$0 1 2-6	Australian General Electric Pty. Ltd.
431	11 "	"	100 "	"	\$0 1 2-9	
432	12 "	"	400 "	"	\$0 1 2-9	
433	13 "	"	700 "	"	\$0 1 3-2	
434	14 "	"	10 "	"	\$0 1 3-6	
435	15 "	"	200 "	"	\$0 1 4-1	
† 436	16 "	"	150 "	"	\$0 1 4-7	
437	17 "	"	10 "	"	\$0 1 5-5	
438	18 "	"	10 "	"	\$0 1 6-3	
439	19 "	"	10 "	"	\$0 1 7-1	
440	20 "	"	100 "	"	\$0 1 8-1	
441	22 "	"	200 "	"	\$0 1 11-2	
442	26 "	"	5 "	"	\$0 2 7-6	
Wire, Copper, strip, annealed, double cotton covered, "Kembla"—						
† 443	.375" wide x .1875" thick	"	3 cwt.	"	\$0 1 3-9	British Insulated Cables Ltd.
444	.375" " x .125" "	"	1 "	"	\$0 1 4-5	
Wire, Copper, annealed, double silk covered—						
445	23 S.W. Gauge	"	8 lb.	"	"	Nil
446	26 "	"	3 "	"	"	
447	28 "	"	5 "	"	"	
448	30 "	"	5 "	"	"	
449	34 "	"	3 "	"	"	
† 450	36 "	"	5 "	"	"	
451	37 "	"	5 "	"	"	
452	38 "	"	3 "	"	"	
453	39 "	"	3 "	"	"	
454	40 "	"	10 "	"	"	

RESISTANCE AND WINDING WIRES—Continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
Wire, Copper, annealed, enamelled, to British Standard Specification No. 156/1932, "Prescot-B.I."—								
455	16 S.W. Gauge ... ..	U.K.	5 lb.	lb.	0	1	6½	Australian General Electric Pty. Ltd.
456	18 " " " " " "	"	50 "	"	0	1	7½	
457	19 " " " " " "	"	100 "	"	0	1	7½	
458	20 " " " " " "	"	13 "	"	0	1	7½	
459	21 " " " " " "	"	10 "	"	0	1	8	
460	22 " " " " " "	"	200 "	"	0	1	8½	
461	24 " " " " " "	"	75 "	"	0	1	10	
462	25 " " " " " "	"	3 "	"	0	1	10½	
463	26 " " " " " "	"	8 "	"	0	1	10½	
464	27 " " " " " "	"	40 "	"	0	1	10½	
465	28 " " " " " "	"	75 "	"	0	1	11½	
466	29 " " " " " "	"	3 "	"	0	1	11½	
467	30 " " " " " "	"	75 "	"	0	2	0½	
468	31 " " " " " "	"	3 "	"	0	2	1½	
469	32 " " " " " "	"	50 "	"	0	2	2	
470	33 " " " " " "	"	3 "	"	0	2	2	
471	34 " " " " " "	"	75 "	"	0	2	2½	
472	35 " " " " " "	"	3 "	"	0	2	4½	
473	36 " " " " " "	"	10 "	"	0	2	5	
474	37 " " " " " "	"	3 "	"	0	2	6	
475	38 " " " " " "	"	8 "	"	0	2	10½	
476	40 " " " " " "	"	10 "	"	0	3	3½	
477	42 " " " " " "	"	3 "	"	0	3	10	
Wire, Copper, annealed, tinned (fuse)—								
478	13 S.W. Gauge ... ..	...	5 "	...	...	...	Nil	
479	16 " " "G.E.C." ... ..	U.K.	5 "	lb.	0	2	4	British General Electric Co. Pty. Ltd.
480	18 " " "Henley" ... ..	"	25 "	"	0	1	9	
481	20 " " "G.E.C." ... ..	"	15 "	"	0	2	5	British General Electric Co. Pty. Ltd.
482	22 " " "Henley" ... ..	"	3 "	"	0	2	6½	
483	24 " " " " " " " "	"	10 "	"	0	2	9	W. T. Henley's Telegraph Works Co. Ltd.
484	29 " " " " " " " "	"	8 "	"	0	3	6	
485	36 " " "G.E.C." ... ..	"	3 "	"	0	4	3	British General Electric Co. Pty. Ltd.

RESISTANCE AND WINDING WIRES—Continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
	Wire, Nickel Chromium, suitable for continuous service at 1100° Centigrade, "Henry Wiggin"—"Super Brightray"—							
486	12 S.W. Gauge	U.K.	5 lb.	lb.	10	14	1	} Johnson & Phillips Ltd.
487	13 "	"	13 "	"	10	14	3	
488	14 "	"	3 "	"	10	14	8	
489	16 "	"	3 "	"	10	15	3	
490	18 "	"	8 "	"	10	16	3	
491	20 "	"	5 "	"	10	17	6	
492	21 "	"	5 "	"	10	18	2	
493	22 "	"	3 "	"	10	19	2	
494	23 "	"	3 "	"	11	0	5	
495	24 "	"	3 "	"	11	1	8	
496	25 "	"	3 "	"	11	3	1	
497	26 "	"	5 "	"	11	5	0	
498	27 "	"	3 "	"	11	7	3	
499	28 "	"	5 "	"	11	8	7	
500	29 "	"	3 "	"	11	9	6	
501	30 "	"	5 "	"	11	10	5	
502-519	—Nil							

‡ Less 33½% trade discount.

BARE COPPER CABLE AND WIRE

(Schedule No. 12)

	Cable, Copper, stranded, hard drawn, to specification, "Kembla"—							
520	7/-036, 0-007 square inch area	N.S.W.	1250 lb.	lb.	§0	1	0	} British Insulated Cables Ltd.
521	7/-048, 0-0125 " "	"	2000 "	"	§0	0	11-3	
522	7/-064, 0-0225 " "	"	1000 "	"	§0	0	11-1	
523	Cable, Copper, stranded, annealed, flexible, 91/-044, 0-14 square inch area, to specification, "Kembla"	"	11,000 "	"	§0	1	0-8	} Australian General Electric Pty. Ltd.
524	Cable, Copper, stranded, annealed, bare, 7/-029, "Kembla"	"	250 "	"	§0	1	1-2	
†525	Cord, Sash, copper, annealed, 49/-018 "Kembla"	"	343 "	"	§0	1	10-8	} British Insulated Cables Ltd.
	Wire, Copper, annealed (soft drawn), "Kembla"—							
526	½" diameter	"	10 cwt.	"	§0	0	10-8	} Australian General Electric Pty. Ltd.
527	6 s.w. gauge	"	15 "	"	§0	0	10-8	
528	14 " "	"	2 "	"	§0	0	11-1	
529	16 " "	"	8 "	"	§0	0	11-2	} British Insulated Cables Ltd.
530	18 " "	"	4 "	"	§0	0	11-4	
531	Wire, Copper, contact, hard drawn, bare, 0-25 square inch, to Drawing No. F. 1460 and specification, "Kembla"	"	5000 lb.	"	§0	0	11-5	} British Insulated Cables Ltd.
532	Wire, Copper, dropper, hard drawn, bare, 0-193" diameter, to specification, "Kembla"	"	3000 "	"	§0	0	11	
533	Wire, Copper, hard drawn, bare, 8 s.w. gauge, "Kembla"	"	250 "	"	§0	0	10-6	} Australian General Electric Pty. Ltd.
534-549	—Nil							

**WIRE, VARIOUS**

(Schedule No. 13)

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
	Wire, Brass, hard or soft drawn, as ordered—					
550	6 S.W. Gauge, "Kembla" ...	N.S.W.	56 lb.	lb.	0 1 4½	Melbourne Wire Works
551	7 " " " ...	"	Nil	"	"	
552	8 " " " "Kembla" ...	N.S.W.	28 lb.	lb.	0 1 4½	Melbourne Wire Works
553	10 " " " " " ...	"	1120 "	"	0 1 3	
554	11 " " " " " ...	"	42 "	"	0 1 5	
555	12 " " " " " ...	"	112 "	"	0 1 5	
556	14 " " " " " ...	"	56 "	"	0 1 5	
557	16 " " " " " ...	"	28 "	"	0 1 5½	
558	¼" diameter, "Cooke" ...	Vict.	448 "	"	0 1 4	Briscoe & Co. Ltd.
	Wire, Iron, charcoal, "Ryland's"—					
559	6 S.W. Gauge ...	N.S.W.	1 cwt.	cwt.	0 17 9	Melbourne Wire Works
560	8 " " " ...	"	1 "	"	0 17 9	
561	12 " " " ...	"	3½ "	"	0 19 3	
562	14 " " " ...	"	1 "	"	1 0 3	
563	16 " " " ...	"	8 "	"	1 3 9	
564	Wire, Iron, Tinman's, 6 to 14 S.W. Gauge, as ordered, "Ryland's"—	"	14 "	"	0 18 3	
†565	Wire, Mild Steel, hard, black, 6 B.W. Gauge ('203"), for spark arresters, to specification "Ryland's"	"	5 tons	ton	15 12 6	Edward Duckett & Sons
†566	Wire, Phosphor Bronze, hard drawn, 13 S.W. Gauge	"	56 lb.	lb.	"	Nil
	Wire, Steel, music, polished—					
567	10 S.W. Gauge, "Christie" ...	U.K.	168 "	"	0 0 10½	Melbourne Wire Works
568	11 " " " " " ...	"	14 "	"	0 0 11	
569	12 " " " " " ...	"	168 "	"	0 0 11¼	
570	13 " " " "Brunton's" ...	"	42 "	"	0 2 6	
571	14 " " " " " ...	"	168 "	"	0 2 9	
572	15 " " " " " ...	"	42 "	"	0 2 9	
573	16 " " " " " ...	"	112 "	"	0 2 9	
574	18 " " " " " ...	"	42 "	"	0 2 9	
575	19 " " " " " ...	"	42 "	"	0 2 9	
576	20 " " " " " ...	"	14 "	"	0 2 9	
577	22 " " " " " ...	"	28 "	"	0 3 9	
578	23 " " " " " ...	"	14 "	"	0 5 6	
579	24 " " " " " ...	"	4 "	"	0 6 3	



STEEL WIRE ROPE.

(Schedule No. 15)

Item No.	Description				Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
Rope, Steel Wire, flexible, galvanized, best patent steel, 90 tons per square inch, hemp main core only, to specification—									
	Circum-ference	Construction	Guaranteed Breaking Strain Cwts.	Aggregate Breaking Strain Cwts.					
620	1/4"	6/7	3 3/4	—	N.S.W.	} 750 feet	foot	0 0 1-125	James Munday & Co
620A	"	"	"	—	"		"	0 0 1-125	Inglis, Smith & Co. Pty. Ltd.
621	1/2"	6/19	14	—	"	} 2500 "	"	0 0 2-15	James Munday & Co.
621A	"	"	"	—	"		"	0 0 2-15	Inglis, Smith & Co. Pty. Ltd.
622	5/8"	6/19	22	—	"	} 7000 "	"	0 0 2-25	James Munday & Co.
622A	"	"	"	—	"		"	0 0 2-25	Inglis, Smith & Co. Pty. Ltd.
623	3/4"	6/19	32	—	"	} 1750 "	"	0 0 2-25	James Munday & Co.
623A	"	"	"	—	"		"	0 0 2-25	Inglis, Smith & Co. Pty. Ltd.
624	1"	6/19	58	66	"	} 250 "	"	0 0 2-4	James Munday & Co.
624A	"	"	"	"	"		"	0 0 2-4	Inglis, Smith & Co. Pty. Ltd.
625	1 1/4"	6/19	90	102	"	} 1500 "	"	0 0 2-8	James Munday & Co.
625A	"	"	"	"	"		"	0 0 2-8	Inglis, Smith & Co. Pty. Ltd.
Rope, Steel Wire, flexible, galvanized, best patent steel, 90 tons per sq. inch (for tail ropes), to specification—									
	Circum-ference	Construction	Guaranteed Breaking Strain Tons	Aggregate Breaking Strain Tons					
626	2 3/4"	6/12	14.8	16.5	"	} 2500 ..	"	0 0 6-85	James Munday & Co.
626A	"	"	"	"	"		"	0 0 6.85	Inglis, Smith & Co. Pty. Ltd.
627	2 1/4"	6/19	15.4	17.5	"	} 250 "	"	0 0 6-8	James Munday & Co.
627A	"	"	"	"	"		"	0 0 6-8	Inglis, Smith & Co. Pty. Ltd.
Rope, Steel Wire, extra flexible, galvanized, best patent steel, 90 tons per sq. inch, hemp main and strand cores (for use on lifting cranes), to specification—									
	Circum-ference	Construction	Guaranteed Breaking Strain Tons	Aggregate Breaking Strain Tons					
628	3/4"	6/24	—	—	"	} 250 "	"	0 0 2-75	James Munday & Co.
628A	"	"	—	—	"		"	0 0 2-75	Inglis, Smith & Co. Pty. Ltd.
629	1"	6/24	2.8	3.3	"	} 1250 "	"	0 0 2-75	James Munday & Co.
629A	"	"	"	"	"		"	0 0 2-75	Inglis, Smith & Co. Pty. Ltd.
630	1 1/4"	6/24	4.3	4.9	"	} 7500 "	"	0 0 3-3	James Munday & Co.
630A	"	"	"	"	"		"	0 0 3-3	Inglis, Smith & Co. Pty. Ltd.
631	1 1/2"	6/24	6.0	6.8	"	} 12,500 ..	"	0 0 3-8	James Munday & Co.
631A	"	"	"	"	"		"	0 0 3-8	Inglis, Smith & Co. Pty. Ltd.
632	1 3/4"	6/24	8.5	9.7	"	} 1500 "	"	0 0 4-85	James Munday & Co.
632A	"	"	"	"	"		"	0 0 4-85	Inglis, Smith & Co. Pty. Ltd.
633	2"	6/24	10.9	12.4	"	} 5000 "	"	0 0 5-65	James Munday & Co.
633A	"	"	"	"	"		"	0 0 5-65	Inglis, Smith & Co. Pty. Ltd.
634	2 1/4"	6/24	14.2	16.2	"	} 2000 "	"	0 0 6-85	James Munday & Co.
634A	"	"	"	"	"		"	0 0 6-85	Inglis, Smith & Co. Pty. Ltd.
635	2 1/2"	6/24	17.2	19.7	"	} 6000 "	"	0 0 7-75	James Munday & Co.
635A	"	"	"	"	"		"	0 0 7-75	Inglis, Smith & Co. Pty. Ltd.

STEEL WIRE ROPE—Continued.

Item No.	Description				Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
	Rope, Steel Wire, flexible, black, patent steel, 70/80 tons per sq. inch (for use on lifts), to specification—								
	Circumference	Construction	Guaranteed Breaking Strain Tons	Aggregate Breaking Strain Tons					
636	1 3/4"	6/19	7.1	8.2 ...	N.S.W.	} 50 feet	foot	0 0 5.75	James Munday & Co. Inglis, Smith & Co. Pty. Ltd.
636A	"	"	"	" ...	"		"	0 0 5.75	
637	2"	6/19	9.8	11.2 ...	"	} 500 "	"	0 0 6.35	James Munday & Co. Inglis, Smith & Co. Pty. Ltd.
637A	"	"	"	" ...	"		"	0 0 6.35	
638	2 1/4"	6/19	12.6	14.1 ...	"	} 50 "	"	0 0 7.55	James Munday & Co. Inglis, Smith & Co. Pty. Ltd.
638A	"	"	"	" ...	"		"	0 0 7.55	
639	2 1/2"	6/19	15.1	17.2 ...	"	} 50 "	"	0 0 8.55	James Munday & Co. Inglis, Smith & Co. Pty. Ltd.
639A	"	"	"	" ...	"		"	0 0 8.55	
	Wire, Stranded, seizing, galvanized, annealed, for serving splices, etc.—								
640		7/18, 0.144" overall diameter		...	"	} 3000 "	"	0 0 0.5	James Munday & Co. Inglis, Smith & Co. Pty. Ltd.
640A	"	"	"	" ...	"		"	0 0 0.5	
641		7/21, 0.096" overall diameter		...	"	} 500 "	"	0 0 0.3	James Munday & Co. Inglis, Smith & Co. Pty. Ltd.
641A	"	"	"	" ...	"		"	0 0 0.3	
642-649	—Nil								

GALVANISED IRON

(Schedule No. 16.)

	Galvanised Iron, Sheet, to specification, "Lysaght's"—									
	Corrugated, 26 gauge, Red "Orb," or Blue "Orb," as ordered—									
650	5', 6', 7' or 8' long, as ordered	...	...	...	N.S.W.	25 tons	ton	25 7 6	} Edward Duckett & Sons	
651	9' long	...	...	...	"	5 "	"	25 17 0		
652	10' "	...	...	...	"	5 "	"	26 6 3		
653	6', 7' or 8' long, as ordered, 1" pitch	...	...	...	"	5 "	"	26 15 6		
	Corrugated, 24 gauge, "Orb"—									
654	5', 6', 7' or 8' long, as ordered	...	...	...	"	60 "	"	23 19 6		
655	9' long	...	...	...	"	15 "	"	24 9 0		
656	10' "	...	...	...	"	10 "	"	24 18 3		
	Corrugated, 24 gauge, special quality for tank making (each sheet to be branded "Tank Making")—									
657	8' long	...	...	...	"	10 "	"	26 15 4		
658	9' "	...	...	...	"	5 "	"	27 4 9		
659	11' "	...	...	...	"	3 "	"	27 14 0		
660	Plain, 28 gauge, "Queen's Head"— 6' long x 2', 2' 6" or 3' wide, as ordered (see note)				"	5 "	"	28 8 0		
661	Plain, 26 gauge, "Queen's Head"— 6' long x 2', 2' 6" or 3' wide, as ordered (see note)				"	15 "	"	27 0 0		
662	Plain, 24 gauge, "Queen's Head"— 6' long x 22", 2', 2' 6" or 3' wide, as ordered (see note)				"	100 "	"	25 12 0		
663	Plain, 22, 20, 18 or 16 gauge, as ordered, "Queen's Head"— 6' long x 2', 2' 6", or 3' wide, as ordered (see note)				"	50 "	"	25 12 0		
664-669	—Nil									

**BLACK STEEL SHEETS**

(Schedule No. 17).

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor	
	<b>BLACK STEEL RECTANGULAR SHEETS, "SUNSTAR," to specification, any length ordered from 60" to 96" inclusive by any width ordered from 21" to 37" inclusive, subject to the maximum sizes shown in clause 9 of specification—</b>						
670	$\frac{3}{16}$ " 8 B.G. (.157") or 9 B.G. (.140"), as ordered	N.S.W.	75 tons	ton	†19 12 6	John Lysaght (Aust.) Pty. Ltd. as agent for Lysaght's Newcastle Works Pty. Ltd.	
671	10 B.G. (.125") to 20 B.G. (.039"), as ordered	"		"	†19 12 6		
672	21 B.G. (.035) to 24 B.G. (.025"), as ordered	"		"	†19 17 6		
673	25 B.G. (.022") or 26 B.G. (.019") as, ordered	"		"	†20 12 6		
674	27 B.G. (.017") or 28 B.G. (.016"), as ordered	"		"	†22 2 6		
675	29 B.G. (.014") or 30 B.G. (.012") as, ordered	"		"	†24 2 6		
	<b>Extra on rates for Items Nos. 670 to 675 (subject to maximum sizes shown in clause 9 of specification)—</b>						
676	For lengths 6" to 10" ...	"	...	"	†1 17 6		
677	" " 11" to 18" ...	"	...	"	†1 5 0		
678	" " 19" to 30" ...	"	...	"	†0 12 6		
679	" " 31" to 59" ...	"	...	"	†0 10 0		
680	" " 97" to 108" ...	"	...	"	†0 10 0		
681	" " 109" to 120" ...	"	...	"	†1 0 0		
682	" " 121" to 132" ...	"	...	"	†1 10 0		
683	" " 133" to 144" ...	"	...	"	†2 0 0		
684	For widths 3" to 8" ...	"	...	"	†1 5 0		
685	" " 9" to 12" ...	"	...	"	†0 12 6		
686	" " 13" to 20" ...	"	...	"	†0 10 0		
687	" " 38" to 42" ...	"	...	"	†0 15 0		
688	" " 43" to 48" ...	"	...	"	†1 0 0		
	<b>Extras on rates for Items Nos. 670 to 675 (in addition to extras under Items 676 to 688, if ordered)—</b>						
689	For reshearing to exact size (plus or minus $\frac{1}{16}$ ")	"	...	"	†1 5 0		
690	For cropping (cutting off flattening machine grip marks)	"	...	"	†1 10 0		
691	For fully reshearing (cropping and reshearing)	"	...	"	†2 0 0		
692-699	—Nil						

† Less 2½% discount for payment by the end of the month following month of delivery. Then plus 3/6 per ton for cartage.



**ROLLED IRON**

(Schedule No. 18)

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
700	WROUGHT IRON, BEST YORKSHIRE, any length ordered, to specification— Round Bars (other than Items Nos. 701 and 702), $\frac{1}{2}$ " to $2\frac{1}{2}$ " diam., advancing by $\frac{1}{8}$ ", as ordered	...	50 tons	ton	...	} Nil.
701	Round Bars for Steam Tight Studs, $\frac{1}{2}$ ", $\frac{5}{8}$ ", $\frac{3}{4}$ ", $\frac{7}{8}$ " or 1" diam., as ordered	...				
702	Round Bars for Crown Stays, 1" diam.	...				
703	Square Bars, in sections shown below :— $\frac{1}{2}$ ", $\frac{3}{16}$ ", $\frac{5}{8}$ ", $\frac{3}{4}$ ", as ordered  $\frac{7}{8}$ " to $1\frac{1}{2}$ ", advancing by $\frac{1}{4}$ ", as ordered  $1\frac{3}{8}$ " to $2\frac{1}{4}$ ", advancing by $\frac{1}{8}$ ", as ordered  $2\frac{1}{2}$ "	...				
704	DOUBLE ROLLED IRON, any length ordered, to specification— Round Bars, in sizes provided under Item No. 700	Vict.	75 "	"	17 0 0	} Melbourne Iron & Steel Mills Pty. Ltd.
705	Square Bars, in sizes provided under Item No. 703	"		"	17 0 0	
706	TREBLE ROLLED IRON, any length ordered, to specification— Round Bars, in sizes provided under Item No. 700	"	35 "	"	24 0 0	
707	Square Bars, in sizes provided under Item No. 703	"		"	24 0 0	
708-719	—Nil					

**BRIGHT STEEL BARS.**

(Schedule No. 19)

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
720	Steel, Bright, round bars, to specification, grade 2 or grade 4 (Free cutting) as ordered, in trade lengths, "Brunton's" or "McKay's"— $\frac{3}{16}$ " diameter	Vict.	3 cwt.	cwt.	1 18 0	} Dane, Taylor & Co. Pty. Ltd.
721	$\frac{1}{4}$ "	"	10 "	"	1 16 0	
722	$\frac{5}{16}$ "	"	8 "	"	1 12 0	
723	$\frac{3}{8}$ "	"	3 "	"	1 9 0	
724	$\frac{7}{16}$ "	"	3 "	"	1 7 0	
725	$\frac{1}{2}$ "	"	13 "	"	1 6 0	
726	$\frac{5}{8}$ "	"	20 "	"	1 4 6	
727	$\frac{3}{4}$ " to $2\frac{1}{2}$ " diameter, advancing by $\frac{1}{16}$ "	"	1000 "	"	1 1 0	
728	$2\frac{5}{8}$ " to 4" " " $\frac{1}{8}$ "	"	125 "	"	1 1 0	

BRIGHT STEEL BARS—Continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
	Steel, Bright, hexagon bars, to specification, grade 2 or grade 4 (free cutting) as ordered, in trade lengths, "Brunton's" or "McKay's"—					
729	0·600" width across flat, for $\frac{5}{8}$ " nuts	Vic.	1 cwt.	cwt.	1 6 0	} Dane, Taylor & Co. Pty. Ltd.
730	0·710" " " " " $\frac{3}{4}$ " "	"	5 "	"	1 5 6	
731	0·820" " " " " $\frac{1}{2}$ " "	"	5 "	"	1 4 6	
732	0·920" " " " " $\frac{1}{2}$ " "	"	75 "	"	1 3 6	
733	1·100" " " " " $\frac{3}{8}$ " "	"	80 "	"	1 3 6	
734	1·300" " " " " $\frac{3}{8}$ " "	"	150 "	"	1 3 6	
735	1·480" " " " " $\frac{3}{8}$ " "	"	200 "	"	1 3 6	
736	1·670" " " " " $\frac{1}{2}$ " "	"	100 "	"	1 3 6	
737	1·860" " " " " $\frac{1}{2}$ " "	"	75 "	"	1 3 6	
738	2·050" " " " " $\frac{1}{2}$ " "	"	50 "	"	1 3 6	
739-749	Nil.					

IRON PISTON CASTINGS

(Schedule No. 20)

750	Castings, Piston, Iron, to specification—"K.S." type, for 2 cycle water cooled engines, app. $3\frac{1}{2}$ " diameter x $4\frac{1}{2}$ " long	Vic.	200	each	0 5 3	} C.B.D. Piston Co.
751	"K" type, for 2 cycle water cooled engines, app. $4\frac{1}{2}$ " diameter x 6" long	"	100	"	0 8 6	
752	"Inspection" type B, for single cylinder air cooled engines, app. $3\frac{3}{8}$ " diameter x 3" long	"	50	"	0 3 4	
753	"Sheffield" 40 B type, for 4 cycle twin opposed air cooled engines, app. $4\frac{1}{2}$ " diameter x 5" long	"	10	"	0 7 0	
754	"Crossley" type, app. $4\frac{1}{2}$ " diameter x $7\frac{1}{2}$ " long	"	6	"	0 14 0	
755-759	Nil					

BRASS LOCK CASTINGS

(Schedule No. 21).

	Castings, yellow brass, unmachined, to specification, (to pattern supplied by the Corporation)—					
*760	$1\frac{1}{2}$ " padlock body, "S.S." or plain, as ordered	Vic.	} 4000 sets	lb.	0 1 4	James Coppell Lee Pty. Ltd.
*760A	" " " " " " " " " " " "	"		"	"	0 1 0
*761	2" padlock, body and parts, to pass ...	"	} 1500 "	"	0 1 6	James Coppell Lee Pty. Ltd.
*761A	" " " " " " " " " " " "	"		"	"	0 1 0 $\frac{1}{2}$
*762	Switch padlock, body and parts ...	"	} 1500 "	"	0 1 6	James Coppell Lee Pty. Ltd.
*762A	" " " " " " " " " " " "	"		"	"	0 1 0 $\frac{1}{2}$
*763	Parts for 2" or switch padlocks, comprising bolts, covers, shackles or tumblers, as ordered	"	} 250 "	"	0 2 6	James Coppell Lee Pty. Ltd.
*763A	" " " " " " " " " " " "	"		"	"	0 2 0
764-769	Nil					

**FIRE BRICKS, ETC.**  
(Schedule No. 22).

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
†770	Bricks, "Bauxite," 9" x 4½" x 3" ...	Vict.	1500	each	0	0	9	The Ordish Fire-brick Co. Pty. Ltd.
†771	Clay, Fire, machine ground, to specification	"	100 tons	ton	2	10	0	
†772	Clay, Fire, extra fine ground...	"	20 "	"	2	15	0	
†773	Composition, boiler covering, soft setting	"	3 "	"	17	10	0	H. Perks & Co. Pty. Ltd.
	Bricks, Fire, locomotive, to Drawing No. 1524 (amended 7.7.39)—							
774	Ordinary, No. 1 ...	"	45,000	100	1	10	0	The Ordish Fire-brick Co. Pty. Ltd.
775	" No. 1A ...	"	5000	"	1	2	6	
776	Side Carrier, No. 2 ...	"	15,000	"	2	5	0	
777	Front Centre, No. 3 ...	"	15,000	"	2	5	0	
	Bricks, Fire, for "N" class engines, to Drawing No. 5343 (amended 16.7.30)—							
778	Side Carrier, R.H., No. 4 ...	"	300	"	2	5	0	
779	Side Carrier, L.H., No. 5 ...	"	300	"	2	5	0	
780	Front, No. 6 ...	"	800	"	2	5	0	
781	Bricks, Fire, for "S" class engines, to Drawing No. S. 21-24-25 (amended 16.2.38)—Mark "A," "B," "C," or "D," as ordered	"	2500	"	11	5	0	The Ordish Fire-brick Co. Pty. Ltd.
782	Bricks, Fire, for "X" class engines, to Drawing No. S. 21-25 (amended 16.2.38) Mark "E," "F," or "G," as ordered	"	1000	"	10	0	0	
	Bricks, Fire, to amended Drawing No. MN 170-1-76 (Rolling Stock Branch)—							
783	Cone Block, No. 9 ...	"	100	"	5	0	0	
784	Circle, No. 11 ...	"	250	"	0	18	0	
785	Straight, No. 12 ...	"	600	"	2	10	0	
786	Cone Block, No. 13 ...	"	100	"	2	10	0	
787	Feeder, No. 15 ...	"	250	"	1	0	0	
788	Straight, 9" x 4½" x 3", No. 16 ...	"	50,000	"	0	17	0	
789	Straight, large, 9", No. 16A ...	"	500	"	1	12	0	
790	Nose, No. 17 ...	"	50	"	8	15	0	
791	Circle, No. 18 ...	"	1500	"	1	17	6	
791A	" " "Special" ...	"		"	"	1	16	0
792	Feeder, No. 19 ...	"	500	"	1	0	0	The Ordish Fire-brick Co. Pty. Ltd.
793	Feeder, No. 20 ...	"	50	"	1	0	0	
794	Burner, No. 23 ...	"	10	each	0	12	6	
795	Circle, No. 25 ...	"	500	100	1	17	6	Sunshine Firebrick Manufacturing Co.
795A	" " "Special" ...	"		"	"	1	16	

## FIRE BRICKS, ETC.—Continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
	Bricks, Fire, to amended Drawing No.MN 170-1-76 (Rolling Stock Branch)--- continued—							
796	Key, No. 26	Vict.	1500	100	0	17	0	The Ordish Fire-brick Co. Pty. Ltd.
797	Wedge, No. 27	"	150	"	0	17	0	
798	Wedge, No. 27A	"	250	"	0	17	0	
799	Brick, 9" x 4½" x 2", No. 28	"	4000	"	0	17	0	
800	Circle, No. 29	"	750	"	2	10	0	
801	Wedge, No. 33	"	750	"	0	17	0	
802	Wedge, No. 33A	"	375	"	0	17	0	
803	Brick, 1½", No. 34	"	2500	"	0	17	0	
804	Circle, No. 35	"	750	"	2	10	0	
805	Burner, No. 36	"	20	each	0	15	0	
806	Wedge, No. 39	"	500	100	0	17	0	
807	Wedge, No. 39A	"	100	"	0	17	0	
808	Feather Edge, No. 40	"	1500	"	0	17	0	
809	Brick, 9" x 4½" x 1", No. 41	"	3000	"	0	17	0	
810	Bullnose, No. 42	"	375	"	0	17	0	
811	Door Brick, No. 43	"	20	"	5	0	0	
812	Door End, R.H., No. 44	"	20	"	5	0	0	
813	Door End, L.H., No. 45	"	20	"	5	0	0	
814	Slabs, No. 46	"	5	each	0	7	6	
815	Block, No. 47	"	20	"	0	15	0	
816	Small, 9" x 3" x 2¼", No. 48	"	4000	100	0	17	0	
817	Small, 9" x 3" x 3", No. 48A	"	2000	"	0	17	0	
818	Small, 9" x 3" x 1", No. 49	"	5000	"	0	17	0	
819	Cupola, No. 50	"	500	"	1	12	0	
820	" " 50A	"	500	"	2	0	0	
821	Arch, No. 51	"	100	"	0	17	0	
822	Burner, Block, No. 53	"	20	each	0	2	6	
823	Vent, No. 54	"	10	100	5	0	0	
824	Vent, No. 55	"	10	"	5	0	0	
825	Top, No. 56	"	20	"	2	10	0	
826	Slab, No. 57	"	6	each	0	10	0	
827	Burner Block, No. 58	"	10	"	0	6	0	
828	Burner Block, No. 60	"	10	"	0	10	0	
829	Burner Block, No. 65	"	20	"	0	2	6	

## FIRE BRICKS, ETC.—Continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor	
	Bricks, Fire to amended Drawing No. MN 170-1--76 (Rolling Stock Branch)—continued—						
830	Burner Block, No. 66 ... ..	Vict.	3	each	0 7 6	The Ordish Fire-brick Co. Pty. Ltd.	
831	Welch Arch Bricks, No. 67 ... ..	"	500	100	1 5 0		
832	Burner Block, No. 69 ... ..	"	3	each	0 12 6		
833	Slab, No. 70 ... ..	"	2	"	0 6 0		
834	Slab, No. 71 ... ..	"	2	"	0 5 0		
835	Slab, No. 72 ... ..	"	50	"	0 6 0		
836	Slab, No. 73 ... ..	"	30	"	0 3 0		
837	Bauxite Brick No. 74 ... ..	"	3500	100	3 15 0		
838	Orcell or other light type firebrick, No. 75	"	100	"	4 0 0		
839	Combustion Arch Brick, No. 76 ... ..	"	20	"	1 0 0		
	Bricks, Fire, to Drawing No. L. 3607 (Newport Power Station)—						
840	Ordinary, 9" x 4½" x 3", No. 1 ... ..	"	30,000	"	0 17 0		
841	Ordinary, 9" x 4½" x 2½", No. 2 ... ..	"	250	"	0 17 0		
842	Lump, 12" x 7" x 1", No. 3 ... ..	"	300	"	3 15 0		
843	Arch G, No. 4 ... ..	"	12,500	"	0 17 0		
844	Arch H, No. 5 ... ..	"	3000	"	1 4 0		
845	Arch T, No. 6 ... ..	"	150	"	0 17 0		
846	Side Lining E, No. 7 ... ..	"	Nil	"	"		
847	Side Lining N, No. 8 ... ..	"	Nil	"	"		
848	Side and Back Wall Y, No. 9 ... ..	Vict.	5000	100	0 17 0		
849	Baffle K, No. 10 ... ..	"	100	"	5 0 0		
850	Baffle F, No. 12 ... ..	"	50	"	5 0 0		
851	Guillotine, 204, No. 18 ... ..	"	125	"	5 0 0		
852	Soot Blower Wedge, 7, No. 19 ... ..	"	50	"	0 17 0		
853	Soot Blower Tile 4, No. 20 ... ..	"	13	"	7 10 0		
854	Soot Blower Tile 5, No. 21 ... ..	"	13	"	7 10 0		
855	Soot Blower Tile 6, No. 22 ... ..	"	150	"	8 15 0		
856	Ash Hopper Tile, 24" x 24" x 3", No. 23	"	250	each	0 9 6		
	Bricks, Fire, to amended Drawing No. 342/37 (Way and Works Branch)—(patterns will be supplied with each order)—						
857	Oil Furnace, No. 1 ... ..	"	5	"	0 4 0		
858	Soldering Iron Heater, No. 2 ... ..	"	10 prs.	pair	0 3 0		
859	Brass Furnace, No. 3 ... ..	"	25	each	0 0 6		
860-870	—Nil						

**FOUNDRY COKE**

(Schedule No. 23)

Item No.	Description	Country of Manufre	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
871	Coke, Foundry, purified, to specification "Mt. Pleasant"	N.S.W.	900 tons	ton	3	6	9	Melbourne Steamship Co. Ltd.

**PORTLAND CEMENT.**

(Schedule No. 24)

872	Cement, Portland, "Arc" in approved multi-wall paper bags, to specification, delivered f.o.r. Fyansford	Vict.	1250 tons	ton	3	8	6	} Australian Cement Ltd.
873	Cement, Portland, rapid hardening "Quikardo," in approved multi-wall paper bags, to specification	"	5 "	"	5	2	0	

⚡—Cartage to Spencer Street will be charged at the following rates—

Up to 3 bags ... 1/6 per bag  
4 to 48 bags ... 5/- the lot

As 48 bags is the maximum load, quantities in excess of 48 bags will be charged as above.

**CONCRETE TROUGHS**

(Schedule No. 25)

874	Troughs, reinforced concrete, to blue print No. 293/39, uncrated, properly loaded into trucks at Spencer Street— For cattle, 6' long, type "A" ...	Vict.	8	each	2	13	6	} George Simpson & Son Pty. Ltd.
875	" " " type "B" ...	"	3	"	2	17	9	
876	For pigs, 8' long, type "C" ...	"	5	"	1	19	9	
877-878-879	" " " type "D" ... —Nil	"	3	"	2	9	4	

**BOOKS, ETC.**

(Schedule No. 26)

†880	Binders, Instantaneous, "Riven"— Foolscap, 13½" x 8½" ...	N.S.W.	300	each	0	2	8	} Edwards Dunlop & Co. Ltd.
†881	Large Quarto, 11" x 8½" ...	"	6	"	0	2	3	
*†882	Books, Copying, "Averil Star" paper— Crown Folio, leaf size 14½" x 9½", 500 leaves, not paged, no index, ¼ basil	Vict.	24	"	0	11	6	} Sands & McDougall Pty. Ltd.
*†883	Crown Folio, leaf size 14½" x 9½", 750 leaves, paged, with index, ½ basil	"	40	"	1	4	6	
*†884	Large Post Folio, leaf size 16½" x 10½", 750 leaves, paged, with index, ½ basil	"	3	"	1	7	6	
*†885	Large Post Folio, leaf size 16½" x 10½", 750 leaves, not paged, no index, ¼ basil	"	6	"	0	16	6	

BOOKS, ETC.—Continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
	Books, Foolscap, leaf size 13" x 8", ruled faint—							
*†886	2 quires, 96 leaves, writing paper, ¼ cloth	Vict.	2500	each	0	1	1·53	Redmond, Inglis & Co. Pty. Ltd.
*†887	2 quires, 96 leaves, azure book paper, ½ basil	"	150	"	0	5	3	D. K. Reade-Watts
*†888	3 quires, 144 leaves, writing paper, full cloth, cut flush	"	120	"	0	1	10	Redmond, Inglis & Co. Pty. Ltd.
*†889	3 quires, 144 leaves, azure book paper, ½ basil	"	150	"	0	6	3	} D. K. Reade-Watts
*†890	4 quires, 192 leaves, azure book paper, ½ basil,	"	150	"	0	7	3	
*†891	4 quires, 192 leaves, azure book paper, ½ basil, single or double cash, paged or folioed, as ordered	"	12	"	0	7	11	
	Books—							
*†892	Manifold, 5" x 8", bound on 5" edge, 100 leaves, in duplicate, (200 in book). First leaf ruled across 5" side and perforated, second leaf plain and fast. Numbered in duplicate 1 to 100, ¼ cloth, plain sides, cut flush, 2 sheets of single-sided pencil carbon paper to be supplied with each book	"	350 doz.	dozen	0	9	3	} J. King Pty. Ltd.
*†893	Manifold, 14½" x 9", bound on 14½" edge, 100 leaves in triplicate, (300 in book). First leaf ruled across 9" edge and perforated, second plain and perforated, third plain and fast. Numbered in triplicate 1 to 100, 2-page alphabetical index in front, ¼ cloth, plain sides, cut flush, 4 sheets single-sided pencil carbon paper to be supplied with each book	"	2	"	2	15	0	
†894	Manifold Quarto, 9¾" x 8¾", 100 leaves in duplicate, supplied with 2 special pen nibs and 2 sheets of pen carbon paper	"	10	"	0	14	6	Redmond, Inglis & Co. Pty. Ltd.
*†895	Memo., Foolscap 8vo, 6½" x 4", 8 sheet, 64 leaves, ruled two sides, round cornered on opening edge, American cloth	"	200	"	0	3	1	Spicers & Detmold Ltd.
*†895A	" " " "	"	900	"	0	3	6½	} Redmond, Inglis & Co. Pty. Ltd.
*†896	Memo., Post 8vo, 7" x 4½", 18 sheet, 144 leaves, ruled two sides, round cornered on opening edge, full rexine	"	60	"	0	8	8	
*†897	Memo., Post 8vo, 7" x 4½", 18 sheet, 144 leaves, ruled two sides, round cornered on opening edge, full rexine, indexed throughout	"	20	"	0	10	7	
†898	Shorthand note, 5" x 8", 100 leaves, ruled two sides, limp cover	"	50	"	0	3	11½	
*†899	Indices, Foolscap, 13½" x 8½"— One leaf to a letter, marble cover ...	...	250	each	...			Nil
*† { 900	One leaf to a letter, ¼ basil, cloth sides turned in	Vict.	18	"	0	4	3	} D. K. Reade-Watts
	Two leaves to a letter, ¼ basil, cloth sides turned in	"	50	"	0	4	9	
	Four leaves to a letter, ¼ basil, cloth sides turned in	"	100	"	0	5	3	
903	Diaries, Australian, "Invicta," as per price list, for 1941	"	£100	...	Percentage off Price List less 35 %			Sands & McDougall Pty. Ltd.
904-919	Nil							

**PAPER BAGS, DRAWING PAPER, ETC.**

(Schedule No. 27)

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
	Bags, Paper, brown, long—							
†920	1 lb. ... ..	Vict.	375,000	1000	†0	3	8	} Edwards Dunlop & Co. Ltd.
†921	2 „ ... ..	„	500,000	„	†0	4	5½	
†922	3 „ ... ..	„	150,000	„	†0	6	2½	
†923	4 „ ... ..	„	350,000	„	†0	7	5½	
†924	6 „ ... ..	„	150,000	„	†0	8	10	
†925	8 „ ... ..	„	100,000	„	†0	11	11	
	Bags, Paper, brown, kraft, heavy—							
†926	1 lb. ... ..	„	3000	„	†0	5	1	} Andrew Jack, Dyson & Co. Pty. Ltd.
†927	2 „ ... ..	„	5000	„	†0	7	2	
†928	3 „ ... ..	„	1000	„	†0	8	0	
†929	4 „ ... ..	„	3000	cwt.	†2	10	6	
†930	6 „ ... ..	„	2000	„	†2	10	6	
†931	8 „ ... ..	„	3000	„	†2	10	6	
†932	10 „ ... ..	„	3000	1000	†1	5	3	} Edwards Dunlop & Co. Ltd.
†933	12 „ ... ..	„	2000	„	1	5	6	
†934	16 „ ... ..	„	1000	cwt.	†2	10	6	Andrew Jack, Dyson & Co. Pty. Ltd.
	Bags, Paper, confectionery—							
†935	4 oz. ... ..	„	60,000	1000	†0	2	8	} Edwards Dunlop & Co. Ltd.
†936	8 „ ... ..	„	80,000	„	†0	3	2½	
†937	16 „ ... ..	„	50,000	„	†0	3	11½	
†938	Bags, Paper, coin, 5" x 7" ... ..	„	10,000	„	†0	5	0	Andrew Jack, Dyson & Co. Pty. Ltd.
†939	Boxes, Cardboard, 7½" x 4" x 2½" inside ... ..	„	18 doz.	doz.	0	1	3¾	Sands & McDougall Pty. Ltd.
	Cards, Visiting, gent.'s, in boxes of 50—							
†940	Round corners ... ..	„	} 300 boxes	„	„	„	„	} Nil
†941	Square corners ... ..	„		„	„	„	„	
	Cartons, library book—							
*†942	Single ... ..	Vict.	750	each	0	0	3½	} Sands & McDougall Pty. Ltd.
*†943	Double ... ..	„	1250	„	0	0	5	
†944	Cloth, Tracing, pencil, single dull, "Imperial," 30" wide, in rolls of 24 yards	U.K.	24 rolls	roll	3	3	6	} W. & G. Dean Pty. Ltd.
*945	Cloth, Tracing, "Sagars," in rolls of 24 yards— 30" wide ... ..	„	60 „	„	3	3	6	
*946	36"/38" wide ... ..	„	12 „	„	3	12	3	

† Items Nos. 929, 930, 931, 934 and 938. Less 3¾% discount for payment within 7 days of date of delivery or 2½% for payment by end of month following month of delivery. Items Nos. 920 to 928, 932 and 935 to 937. Less 2½% discount for payment by end of month following month of delivery.



PAPER BAGS, DRAWING PAPER, ETC.—Continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor.
<b>Envelopes—</b>						
Note, white, first quality—						
†947	5½" x 3½" ... ..	Vict.	6,000	1000	0 7 2	} Sands & McDougall Pty. Ltd.
†948	5½" x 3½" ... ..	"	25,000	"	0 7 4	
†949	Pence, M.G. Manilla, 3" x 2½" ... ..	"	25,000	"	"	Nil
†950	Pocket, Glazed Manilla, 5¼" x 2½" ...	Vict.	30,000	1000	0 7 3	Sands & McDougall Pty. Ltd.
†951	Paper, "Barrett's" adding machine, 2½" wide, in rolls of 100 yards	"	50 rolls	"	"	Nil
†952	Paper, "Burroughs" adding machine, 3⅞" wide, in rolls of 100 yards	"	Nil	"	"	"
Paper, Brown, 60 lb. substance, gummed—						
†953	1" wide, in rolls of approx. 1 lb. ...	"	200 lb.	"	"	} Nil
†954	1" wide, in rolls of approx. 4 oz. ...	"	120 "	"	"	
†955	2" wide, in rolls of approx. 2-lb. ...	"	100 "	"	"	
†956	Paper, Drawing, cartridge, 60" wide, continuous, in rolls of 50 yards	U.K.	30 rolls	roll	2 0 0	Wiggins, Teape & Alex. Pirie (Export) Ltd.
†957	Paper, Oiled, "Hallade" recording machine, 3⅞" wide, in rolls of 60 yards, securely attached to former	"	100 "	"	"	} Nil
*†958	Paper, Tabulating, newsprint quality, for "Power's" machines, 17½" wide, in rolls of 50 yards, approx. 3" in diameter, 1½" diameter core with wooden plugs, wooden plug to have ⅜" centre hole.	"	1000 "	"	"	
*†959	Paper, Tape, M.F. quality, for telegraph instruments, ½" wide, in rolls of approx. 400 yards	"	600 lb.	"	"	
Paper, Tracing, unoiled, continuous, in rolls of 22 yards, "Leighton"—						
†960	30" wide, No. 19 ... ..	U.K.	5 rolls	roll	0 9 9	} W. & G. Dean Pty. Ltd.
†961	40" wide, No. 22 ... ..	"	50 "	"	0 11 6	
†962	Paper, Tracing, "Alliance", 30" wide, in rolls of 20 yards	"	30 "	"	1 9 3	Harding & Halden Pty. Ltd.
†963	Paper, White News, 12" wide, in rolls of 50 yards	"	500 "	"	"	Nil

**CARBON PAPER**  
(Schedule No. 28)

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate	Name of Contractor	
Paper, Carbon—							
†980	“Addressograph” machine, black, 10" x 4"	...	1500 sh'ts	100 sheets	...	Nil	
†981	Billing, blue, 16" x 13", “Recorder” ...	N.S.W.	15,000 „	„	0 3 6	E. Luft & Son Pty. Ltd.	
†982	“Ditto” machine, blue, 39" x 26" ...	Vict.	600 „	„	5 10 0	} Ramsay & Hall Pty. Ltd.	
*†983	“Hallade” recording machine, 3 <sup>11</sup> / <sub>16</sub> " wide, in 25-yard rolls, securely attached to former, “Reflex”	„	40 rolls	roll	0 5 0		
Pen, “Recorder”—							
† {	984	18 <sup>1</sup> / <sub>2</sub> " x 16 <sup>1</sup> / <sub>2</sub> " ...	N.S.W.	2500 sh'ts	100 sheets	0 5 1	} E. Luft & Son Pty. Ltd.
	985	17 <sup>1</sup> / <sub>2</sub> " x 10" ...	„	3000 „	„	0 2 11	
	986	17 <sup>1</sup> / <sub>2</sub> " x 7 <sup>1</sup> / <sub>2</sub> " ...	„	3000 „	„	0 2 2	
	987	8 <sup>1</sup> / <sub>2</sub> " x 6 <sup>1</sup> / <sub>2</sub> " ...	„	1250 „	„	0 1 0	
Pencil, blue, coated two sides on 20-lb. paper, extra rich, “Reflex”—							
† {	988	17 <sup>1</sup> / <sub>2</sub> " x 11 <sup>1</sup> / <sub>4</sub> " ...	Vict.	1000 „	„	0 6 8	} Ramsay & Hall Pty. Ltd.
	989	13 <sup>1</sup> / <sub>2</sub> " x 8 <sup>1</sup> / <sub>2</sub> " ...	„	200 „	„	0 3 4	
Pencil, blue, coated one side on 9-lb. paper, to produce 5 copies—							
†990	27" x 5" ...	N.S.W.	1000 sh'ts	„	0 3 8	Columbia Ribbon & Carbon Co. (Aust.)	
† {	991	24" x 4 <sup>1</sup> / <sub>2</sub> " “Reflex” ...	Vict.	2500 „	„	0 2 10	} Ramsay & Hall Pty. Ltd.
	992	19" x 9" „ ...	„	1500 „	„	0 4 4	
	993	18" x 5 <sup>1</sup> / <sub>2</sub> " „ ...	„	9000 „	„	0 2 6	
	994	17" x 12 <sup>1</sup> / <sub>2</sub> " „ ...	„	9000 „	„	0 5 4	
†995	15" x 5" ...	N.S.W.	3000 sh'ts	„	0 2 1	Columbia Ribbon & Carbon Co. (Aust.)	
†996	15" x 9" “Reflex” ...	Vict.	3000 „	„	0 4 2	Ramsay & Hall Pty. Ltd.	
†997	15" x 8" ...	N.S.W.	1000 „	„	0 3 5	Columbia Ribbon & Carbon Co. (Aust.)	
† {	998	13" x 8" “Reflex” ...	Vict.	150,000 „	„	0 2 6	} Ramsay & Hall Pty. Ltd.
	999	13" x 5" „ ...	„	16,000 „	„	0 1 7	
	1000	12" x 5" „ ...	„	60,000 „	„	0 1 7	
	1001	11 <sup>1</sup> / <sub>2</sub> " x 11 <sup>1</sup> / <sub>2</sub> " „ ...	„	2000 „	„	0 3 6	
	1002	11" x 9" „ ...	„	2000 „	„	0 2 10	
	1003	11" x 6" „ ...	„	10,000 „	„	0 1 10	
	1004	8" x 4" „ ...	„	2000 „	„	0 0 10	
	Typewriting, black, in boxes of 100 sheets—						
To produce 20 copies (corner to be cut off each sheet), “Recorder”—							
† {	1005	16" x 13" ...	N.S.W.	4000 „	„	0 3 7	} E. Luft & Son Pty. Ltd.
	1006	13" x 8" ...	„	60,000 „	„	0 1 9 <sup>1</sup> / <sub>2</sub>	

CARBON PAPER—Continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor	
					£	s.	d.		
Paper, Carbon—continued—									
Typewriting, black, in boxes of 100 sheets—continued.									
† { 1007	To produce 10 copies, "Reflex"—	Vict.	1000 sh'ts	100 sheets	0	4	2	} Ramsay & Hall Pty. Ltd.	
	17" x 13" ... ..								
† { 1008	13" x 8½" ... ..	"	4000 "	"	0	2	1		
To produce 6 copies (corner to be cut off each sheet), "Reflex"—									
† { 1009	16" x 13" ... ..	"	10,000 "	"	0	4	4		
	13" x 8" ... ..	"	100,000 "	"	0	2	2		
To produce 3 copies, "Reflex"—									
† { 1011	17½" x 10" ... ..	"	8000 "	"	0	3	9		
	17½" x 7½" ... ..	"	4000 "	"	0	3	0		
† { 1013	13" x 8" ... ..	"	1000 "	"	0	2	2		
† { 1014	11" x 7½" ... ..	"	11,000 "	"	0	2	0		
† { 1015	10½" x 8½" ... ..	"	10,000 "	"	0	1	9		
† 1016	Typewriting, blue, to produce 3 copies, 12" x 12", in boxes of 100 sheets, "Reflex"	"	15,000 "	"	0	3	3		
† 1017	Typewriting, for "Fanfold" machine, blue, standard weight, 16" x 8½", on 5" plain paper, "Reflex"	"	350 "	"	0	10	6		
Typewriting, for "Parafold" attachment, black—									
† { 1018	3 part sets ... ..	"	75 sets	set	0	0	4		
	6 part sets ... ..	"	125 "	"	0	0	8		
	7 part sets ... ..	"	300 "	"	0	0	9½		
1021-1029	—Nil								

SANITARY PAPER

(Schedule No. 29).

Paper, Sanitary, toilet—								
† 1030	10 lb. Sulphite "A" quality, to specification—	N.S.W.	90 gross rolls	gross rolls	2	9	6	} Robertson & Mullens Ltd.
	Round, in 10-oz. rolls, branded "Victorian Railways" in fast colour on each sheet, perforated, 4½" x 6½", 500 sheets per roll, "British Patent Perforated Paper Co."							
† 1031	Oval, in 8-oz. rolls, branded "Victorian Railways" in fast colour on each sheet, sheets perforated and rolls slotted, 4" x 13¼", approx. 330 sheets per roll, "Veloma"	"	100 "	"	3	0	0	
† 1032	8 lb. Sulphite, in packets, for "Safix" refills, approx. 550 sheets per packet, "Safix"	"	38 gross pkts.	gross pkts.	3	6	3	
1033-1039	—Nil							

**PRINTERS' INK, ETC.**  
(Schedule No. 30)

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
†1040	Compound, "Exstatic" ...	N.S.W.	24 lb.	lb.	0	3	0	F. T. Wimble & Co. Ltd.
†1041	Cord, Page, in 4-oz. balls ...	...	6 doz. balls	...	...	...	...	Nil
†1042	Dryers, Cobalt Linoleate ...	Vict.	60 lb.	lb.	0	3	0	W. O. Brown
†1043	Glue, rubberised or flexible ...	"	250 "	"	0	0	6½	R. Collie & Co. Pty. Ltd.
†1044	Ink, Printing, letterpress—Black ...	"	1000 "	"	0	1	2	S. Cooke Pty. Ltd.
†1045	Blue, Celestial ...	N.S.W.	100 "	"	0	3	6	} F. T. Wimble & Co. Ltd.
†1046	Bronze Blue, in 1-lb. tins ...	"	3 "	"	0	3	3	
†1047	Green, Veredene ...	"	150 "	"	0	3	0	
†1048	Persian Orange ...	"	12 "	"	0	4	0	
†1049	Quick drying, 1st quality, half-tone dense black	Vict.	130 "	"	0	4	9	Browne Bros.
†1050	Quick drying, 1st quality, half-tone mid photo brown red shade	N.S.W.	50 "	"	0	4	6	} F. T. Wimble & Co. Ltd.
†1051	Red, Victor ...	"	400 "	"	0	3	0	
†1052	Violet ...	"	5 "	"	0	4	6	
†1053	Violet, Copying, in 1-lb. tins Ink, Ticket Printing, letterpress, flat, smooth—	"	2 "	"	0	6	0	
*1054	Blue, No. 22 ...	Vict.	60 "	"	0	2	6	} R. Collie & Co. Pty. Ltd.
*1055	Blue, Pale ...	"	100 "	"	0	2	3	
*1056	Brown ...	"	120 "	"	0	2	6	
*1057	Buff ...	"	20 "	"	0	2	6	
*1058	Cerise ...	"	450 "	"	0	2	3	
*1059	Green ...	"	500 "	"	0	2	3	
*1060	Grey, No. 23 ...	"	60 "	"	0	2	6	
*1061	Maroon ...	"	10 "	"	0	2	6	
*1062	Orange ...	"	400 "	"	0	2	4	
*1063	Red ...	"	120 "	"	0	3	0	
*1064	Violet ...	"	120 "	"	0	2	6	
*1065	Yellow ...	"	45 "	"	0	2	3	
*1066	Paper, Manilla, oiled, cylinder, 44" wide, "Pantex," in rolls of approximately 95 lb.	U.S.A.	18 rolls	"	0	1	3	S. Cooke Pty. Ltd.
†1067	Preparation, Transparent Tint ...	Vict.	10 lb.	"	0	2	6	R. Collie & Co. Pty. Ltd.
†1068	Solution, Lye, in 1-gallon jars (see note)	"	4 gals.	gal.	0	5	0	S. Cooke Pty. Ltd.
†1069	Solution, Roller Wash, in 4-gallon tins ...	...	450 "	...	...	...	...	Nil
†1070	Solution, "Sprayomatic," "Paashe" ...	N.S.W.	8 "	gal.	0	10	0	F. T. Wimble & Co. Ltd.
†1071	Varnish, Letterpress, lowering Wire, Stapling, in 4 lb. coils, "Ryland's Waratah"—	Vict.	15 "	"	0	7	6	S. Cooke Pty. Ltd.
†1072	19 gauge ...	N.S.W.	224 lb.	lb.	0	0	6½	} E. Lufft & Son Pty. Ltd.
†1073	22 " ...	"	112 "	"	0	0	7	
†1074	26 " ...	"	56 "	"	0	0	9	
1075-1089	—Nil.							

**RUBBER STAMPS, ETC.**

(Schedule No. 31)

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
*1090	Faces, I.R., for stamps, lettered— " V.R., cancelled " ...	Vict.	125	each	0	0	11½	E. L. Morton
*1091	" Week-end " ...	"	12	"	0	0	1¼	
*1092	" Goods Clean Receipt " ...	"	50	"	0	0	2½	
*1093	" Goods more or less Receipt " ...	"	12	"	0	0	3	
†1094	Pads, Self-inking, purple or black, as ordered, No. 1, 4¼" x 2¾", "Lightning" Refacing self-inking I.R. stamps, including supply of new felt pad, inked with violet ink, and new cushion pad for impression, any style of type ordered—	N.S.W.	750	"	0	0	9	Excelsior Supply Co. Pty. Ltd.
1095	Oblong, up to 2" in length, as ordered	Vict.	250 lines	line	0	0	6	
1096	Oblong, over 2" in length, as ordered	"	75 ins. of line	inch of line or part thereof	0	0	2½	E. L. Morton
1097	Extra on rates for Items Nos 1095 and 1096 for reconditioning of stamp frames Stamps, Dating, "Lightning"—	"	...	each	0	1	0	
†1098	No. 1½ ...	N.S.W.	50 doz.	doz.	0	12	0	
†1099	No. 2 ...	"	5 "	"	0	18	0	
†1100	Stamps, I.R., oblong, wooden handle, with wooden back, any style of type ordered— Up to 2" in length, as ordered ...	Vict.	600 lines	line	0	0	5	E. L. Morton
†1101	Over 2" in length, as ordered ...	"	1250 ins. of line	inch of line or part thereof	0	0	2	
†1102	Stamps, I.R., circular or oval, as ordered, wooden handle with wooden back, any style of type ordered— Up to 1½" in length, as ordered ...	"	3	each	0	1	6	
†1103	Over 1½" in length, as ordered ...	"	10 ins.	¼ inch or part thereof	0	0	6	
1104-1109—Nil								

**BOTTLES, TUMBLERS, ETC.**

(Schedule No. 32).

1110	Beakers, "Pyrex" squat, 600 ccs. ...	...	3 doz.	doz.	...	Nil.		
*1111	Bottles, glass, clear, "White Glass Cork Finish"— 2 dram, vial, round, to specification, "L.414"	Vict.	12 "	"	0	0	4¾	Australian Consolidated Industries Ltd.
1112	2 oz., square, "J.282" ...	"	24 "	"	0	1	3¾	
1113	4 oz., flat, "M.298" ...	"	24 "	"	0	1	10	
1114	6 oz., round, for ink, "L.424" ...	"	24 "	"	0	1	6¼	
1115	7 oz., round, for gum, "J.204" ...	"	60 "	"	0	1	6½	
1116	8 oz., flat, "L.981" ...	"	12 "	"	0	2	2	
1117	Bottles, glass, angular, coloured (Poison), "Star Poisons Amber, Cork Finish"— 1 oz., "M.458" ...	"	36 "	"	0	0	9	The Hoffman Brick & Potteries Ltd.
1118	2 oz., "M.452" ...	"	3 "	"	0	1	0	
*1119	Bottles, Glass, French, 3 oz., round, M.800, "White Glass Cork Finish"— Bottles, stoneware— 1 quart ...	"	96 "	"	0	1	4¼	
1120	1 pint ...	"	30 "	"	0	8	9	The Hoffman Brick & Potteries Ltd.
1121	10 oz. ...	"	24 "	"	0	6	6	
1122	Cells, Glass, Leclanche; outer, for No. 2 Porous Pots	"	50 "	"	0	4	6	
*1123	Decaners, glass, 1½ pint ...	N.S.W.	72 "	"	0	5	8	Australian Consolidated Industries Ltd.
1124	Decaners, glass, 1½ pint ...	"	5 "	"	2	17	6	
*1125	Tumblers, glass, unbadged, 10 oz., No. 108	"	750 "	"	0	3	10	Australian Consolidated Industries Ltd.
1126-1129—Nil								

**CORKS AND BUNGS**  
(Schedule No. 33)

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
	Corks—							
*1130	Axle-box, large quart and extra tapers	N.S.W.	1150 gross	gross	0	2	3	Aucher Pty. Ltd.
*1131	Axle-box, small ...	Vict.	12 "	"	0	1	9	R. A. Bunning Pty. Ltd.
*1132	Bungs, 1 $\frac{3}{4}$ " for 5-gal. drums ...	"	6 "	"	0	8	6	G. P. Embelton & Co.
*1133	Bungs, 1 $\frac{1}{2}$ " tapered to 1 $\frac{3}{8}$ " x 1 $\frac{1}{4}$ " long...	"	12 "	"	0	5	9	
*1134	Bungs, 1 $\frac{5}{16}$ " tapered to 1 $\frac{3}{16}$ " x 1 $\frac{1}{4}$ " long ...	"	6 "	"	0	5	6	R. A. Bunning Pty. Ltd.
*1135	Bungs, 1" tapered to $\frac{7}{8}$ " x 1 $\frac{1}{4}$ " long ...	"	2 "	"	0	3	9	
*1136	Phial ...	"	30 "	"	0	1	4	G. P. Embelton & Co.
*1137	Roof Lamp, 1 $\frac{1}{4}$ " tapered to 1 $\frac{1}{8}$ " x 1 $\frac{1}{4}$ " long	"	3 "	"	0	4	0	
*1138	Shrive, 1 $\frac{1}{4}$ " tapered to 1 $\frac{1}{8}$ " x $\frac{3}{8}$ " long ...	"	3 "	"	0	1	7	
1139	Nil							

**CHEMICALS, ETC.**

(Schedule No. 34)

1140	Acetone, in 1-lb. bottles ...	U.K.	75 lb.	lb.	0	3	6	E. P. Keogh Pty. Ltd.
	Acid—							
1141	Acetic, glacial, chemically pure, in winchester quarts	Vict.	100 "	"	0	2	0	Henry H. York & Co. Pty. Ltd.
1142	Dipping, Jewellers', in 3-gal. jars ...	"	50 "	"	0	1	9	
1143	Hydrochloric, chemically pure, in winchester quarts, to specification	"	300 "	"	0	1	6	
	Hydrochloric, Muriatic, or Spirits of Salts, commercial, to specification—							
1144	In winchester quarts ...	"	30 cwt.	cwt.	1	1	0	W. & G. Dean Pty. Ltd.
1145	In 3-gal. jars, in lots of 6 or less ...	"	2 "	"	1	0	0	
1146	" " " 7 to 18 ...	"	20 "	"	0	19	6	
1147	" " " over 18 to 49 ...	"	200 "	"	0	18	5	
1147A	" " " 50 or over ...	"	250 lb.	lb.	0	17	5	Henry H. York & Co. Pty. Ltd.
1148	Nitric, chemically pure, in winchester quarts, to specification	"	250 lb.	lb.	0	1	9	
	Nitric, commercial, to specification—							
1149	In winchester quarts ...	"	75 "	"	0	0	9	E. P. Keogh Pty. Ltd.
1150	In 3-gal. jars ...	"	8 cwt.	"	0	0	7 $\frac{1}{2}$	
†1151	Oxalic, in 1 cwt. kegs or bags ...	U.K.	3 "	cwt.	8	15	0	Henry H. York & Co. Pty. Ltd.
1152	Sulphuric, chemically pure, to specification, in $\frac{1}{2}$ -gal. stoppered bottles, each containing 9 lb.	Vict.	300 lb.	lb.	0	1	6	
	Sulphuric, commercial, to specification—							
1153	In winchester quarts ...	"	200 "	"	0	0	2	Henry H. York & Co. Pty. Ltd.
1154	In 3-gal. jars ...	"	15 cwt.	ton	9	4	0	
	Sulphuric, for storage batteries, in 3-gal. jars, to specification—							
1155	S.G. 1-100 to 1-215, in lots of 52 jars and over	"	10 tons	cwt.	0	11	0	Commonwealth Fertilisers & Chemicals Ltd.
	S.G. 1-216 to 1-300—							
1156	In lots of 6 to 11 jars ...	"	2 "	"	0	18	8	
1157	In lots of 12 to 35 jars ...	"	2 "	"	0	16	4	
1158	In lots of 36 to 51 jars ...	"	2 "	"	0	12	6	
1159	Ammonia, Liquid, S.G. .890— Commercial, in winchester quarts ...	"	500 lb.	lb.	0	0	5	E. P. Keogh Pty. Ltd.
1160	Chemically pure, in winchester quarts ...	"	100 "	"	0	0	7	
1161	Borax, chemically pure, "20 Mule" ...	U.S.A.	14 "	"	0	6	0	W. & G. Dean Pty. Ltd.
†1162	Borax, lump, in 1 cwt. bags ...	"	20 cwt.	cwt.	1	18	0	
†1163	Borax, powdered, in 1 cwt. bags "20 Mule Team" (see note)	U.K.	10 "	ton	36	12	6	Robert Bryce & Co. Pty. Ltd.
†1164	Calcium Chloride, in drums of approx. 5-cwt.	...	25 tons	...	...	...	...	Nil
†1165	Carbon Di-Sulphide, in 5 gal. drums, in crates, "I.C.L."	Vict.	250 gal.	gal. of 12 lb.	0	7	3	Industrial Chemicals Pty. Ltd.

‡ No charge for cartage is included in the contract rate. For lots of less than 12 jars in one delivery a cartage charge of 3/6 per delivery will be made.

## CHEMICALS, ETC.—Continued

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
†1166	Carbon Tetra-chloride, to Australian Standard Specification No. K.56/1937, in 5 gal. drums— Clear	...	3 tons	...	...	...	} Nil	
†1167	Coloured Red Compound, "Agral No. 3" or suitable alternative, each tin to be supplied with a 2 oz. tin measure—	...	2 "	...	...	...		
1168	In 2-lb. tins	...	...	...	...	...	} Nil	
1169	In 5-lb. tins	...	...	...	...	...		
1170	In 10-lb. tins	...	...	...	...	...		
1171	In 28-lb. tins	Vict.	400 lb.	lb.	10	4 0	Ramsay & Treganowan Ltd.	
†1172	Compound, Degreasing, "Colosyl W.X. Special," in $\frac{1}{2}$ to $2\frac{1}{2}$ cwt. containers, as ordered (see note)	"	10 tons	ton	156	0 0	F. V. Richards	
†1173	Formalin, Liquid, in 3 gal. jars	U.K.	5 cwt.	lb.	0	0 6 $\frac{1}{2}$	Henry H. York & Co. Pty. Ltd.	
1174	Mercury	...	100 lb.	...	...	...	Nil	
1175	Muriate of Ammonia (Sal Ammoniac), fine, in 2 cwt. casks, in 1 ton lots, to specification, "I.C.I."	U.K.	1 ton	cwt.	1	16 0	} Brunner, Mond & Co. (A/asia) Pty. Ltd.	
†1176	Muriate of Ammonia (Sal Ammoniac), lump, in 1 cwt. kegs, "I.C.I." (See note)	"	5 cwt.	"	3	7 8		
†1177	Shellac, Brown, in 28 or 56 lb. packages, "Angelo Bros."	India	3 "	lb.	0	1 0	} W. & G. Dean Pty. Ltd.	
†1178	Shellac, Button, for french polishing, in 28 or 56 lb. packages, "Angelo Bros."	"	3 "	"	0	1 0		
1179	Shellac, Orange, to specification, in 28 or 56 lb. packages, "I.A.T.N."	"	2 "	"	0	1 4 $\frac{3}{8}$	Dixon & Co.	
†1180	Silver Nitrate, crystal, in 25 or 50 oz. bottles	...	15 lb.	...	...	...	Nil	
†1181	Soda Ash, for electroplaters' use	South Aust.	1 cwt.	lb.	0	0 2	Hardie Trading Pty. Ltd.	
1182	Soda, Caustic, liquid, 41.3% NaOH, to specification, in drums of 16 to the ton, "Mt. Lyell"	Vict.	20 tons	ton	10	5 0	} Industrial Chemicals Pty. Ltd.	
	Soda, Caustic, powdered, 98/99% NaOH, "Mt. Lyell"—							
1183	In 1-lb. tins, in case lots	"	2000 tins	tin	0	0 7 $\frac{1}{2}$		
1184	In 2-lb. tins, in case lots	"	3000 "	"	0	1 0 3		
1185	In 7-lb. tins (16 to case)	"	16 "	"	0	3 0 $\frac{3}{8}$		
1186	In 14-lb. tins	"	10 "	"	0	5 11 $\frac{1}{2}$		
1187	In 56-lb. tins	"	5 cwt.	cwt.	2	1 6		
1188	In approx. 1 $\frac{3}{4}$ -cwt. drums	"	8 tons	ton	35	1 9		
1189	Soda, Caustic, powdered, for soda cells, to specification, packed in cases of 50 tins, in lots of 500 tins	"	500 tins	tin	0	1 10		
†1190	Sodium Bi-Carbonate, in bags of approx. 190 lbs.	...	18 cwt.	...	...	...	Nil	
1191	Sodium Metasilicate, "Ardesy," in 1 cwt. bags, in 1 ton lots	N.S.W.	36 cwt.	ton	24	0 0	Ramsay & Treganowan Ltd.	
†1192	Sulphur, Flowers of, in 28-lb. packages, "Mt. Lyell"	Vict.	50 lb.	lb.	0	0 2	W. & G. Dean Pty. Ltd.	
†1192A	Tri-Sodium Phosphate, in 1 cwt. bags, in 1 ton lots,	"	4 tons	ton	29	0 0	Henry H. York & Co. Pty. Ltd.	
1192B	Tubes, Glass, charged with 90% sulphuric acid, to litho. No. 148/25, amended 28/1/28— Blue bead, for conical fire extinguishers	...	200	...	...	...	} Nil	
1192C	Red bead, for cylindrical fire extinguishers	...	100	...	...	...		

† Item No. 1171.—Less 10% trade discount.

† Item No. 1172.—Less 2 $\frac{1}{2}$ % discount for payment within 7 days of date of receipt of invoice.

‡—No charge for cartage is included in the contract rates. Cartage rates for city deliveries are 4/- per ton with a minimum charge of 5/-.

## ACETYLENE AND OXYGEN.

(Schedule No. 40 of 1.1.38)

(1st January, 1938, to 31st December, 1942; 5 years.)

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
1193	Acetylene, dissolved, to specification, in cylinders supplied by the Contractor, including delivery to Newport Workshops or Reclamation Depot, when required	Vict.	175,000 lb. (for 5 years)	lb.	0	1	6	} Australian Oxygen & Industrial Gases Pty. Ltd.
1194-1197	—Nil							
1198	Oxygen, not less than 99%, to specification, including delivery to Newport Workshops, or Reclamation Depot, when required	"	17,500,000 c. feet (for 5 years)	100 c. ft.	0	3	3	
1199-1209	—Nil							

## HELIOGRAPHIC PROCESS MATERIALS, ETC.

(Schedule No. 35)

HELIOGRAPHIC PROCESS MATERIALS.								
1210	Linen, Ferro Prussiate— 30" wide x 20 yards long, "Highlite" ...	Vict.	40 rolls	roll	†2	2	6	Blue Printing Pty. Ltd.
1211	40" wide x 20 yards long, "Peerless" ...	N.S.W.	30 "	"	†2	10	0	Plan Printing & Supplies Pty. Ltd.
1212	Linen, Dyeline, 1st quality, including developer— 30" wide x 20 yards long, "Highlite" ...	Vict.	30 "	"	†2	18	0	Blue Printing Pty. Ltd.
1213	40" wide x 20 yards long, "Peerless" ...	N.S.W.	25 "	"	†3	12	0	Plan Printing & Supplies Pty. Ltd.
1214	Paper, Acute, transparent, "Alliance"— 30" wide x 20 yards long ...	"	50 "	"	†1	10	0	} Harding & Halden Pty. Ltd.
1215	40" wide x 20 yards long ...	"	25 "	"	†2	2	6	
1216	Paper, Dyeline, medium, 110 lb., including developer— 31" wide x 20 yards long, "Peerless" ...	"	300 "	"	†0	11	3	Plan Printing & Supplies Pty. Ltd.
1217	40" wide x 20 yards long, "Highlite" ...	Vict.	125 "	"	†0	14	3	Blue Printing Pty. Ltd.
1218	Paper, Ferro Prussiate, air mail, 55 grams, 30" wide x 20 yards long, "Highlite"	"	10 "	"	†0	8	6	Blue Printing Pty. Ltd.
1219	Paper, Ferro Prussiate, base, smooth finish, 30"/31½" wide	"	6 tons	ton	...			Nil
1220	Paper, Heliographic, water bath, 30" wide x 20 yards long, "Arcus"	N.S.W.	15 rolls	roll	†0	15	9	Max Wurcker (1930) Pty. Ltd.
1221	Paper, Sepia, thin, negative, "Highlite"— 30" wide x 20 yards long ...	Vict.	30 "	"	†1	7	6	} Blue Printing Pty. Ltd.
1222	40" wide x 20 yards long ...	"	2 "	"	†1	17	0	
1223	Carbons for arc lamps, 12" long x 13 m.m. diameter, solid, "Columbia"	Canada	400	100	†3	7	11	Harding & Halden Pty. Ltd.
1224-1229	—Nil.							

† Subject to a discount of 2½% for payment by end of month following month of delivery.



## PHOTOGRAPHIC MATERIALS

(Schedule No. 36).

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor	
					£	s.	d.		
1230	Albums, 12 leaves, loose leaf, 9½" x 6½", "Kodak"	Vict.	75	each	£	0	2	3	Kodak (A'asia) Pty. Ltd.
1231	Chemicals, Pure— Acid, Boric, crystals, chemically pure ...	U.K.	10 lb.	lb.	£	0	1	3	
1232	" Citric, in 1-lb. bottles ...	"	40 "	"	£	0	3	0	
1233	" Pyrogallic, in paper packets ...	"	3 "	"	£	0	18	3	
1234	Amylum (Starch), pulverised, in paper packets	...	50 "	"	...				Nil
†1235	Chrome, Alum, in paper packets, ...	U.K.	225 "	"	£	0	1	9	Kodak (A'asia) Pty. Ltd.
1236	Dextrine, White, in paper packets, "Parsons Bros."	Vict.	28 "	"	0	0	5½		Henry H. York & Co. Pty. Ltd.
1237	Ferri-Ammon-Citrate (green scales) ...	...	150 lb.	"	...				Nil
1238	Hydroquinone, in paper packets ...	U.S.A.	80 "	"	£	0	7	3	Kodak (A'asia) Pty. Ltd.
1239	Metol, in paper packets ...	U.K.	28 "	"	£	0	17	4	
1240	Opaque, "Kodak," No. 1 size ...	Vict.	20 tubes	tube	£	0	1	2	
1241	Para-formaldehyde ...	U.K.	6 lb.	lb.	£	0	12	6	
1242	Potassium Bichromate, in paper packets, "Standard"	U.S.A.	224 "	"	0	1	5		Henry H. York & Co. Pty. Ltd.
1243	Potassium Bromide, in paper packets	"	42 "	"	£	0	3	5	Kodak (A'asia) Pty. Ltd.
1244	" Carbonate, in paper packets	U.K.	14 "	"	£	0	2	0	
1245	" Ferricyanide, in paper packets	"	168 "	"	£	0	6	1	
1246	" Metabisulphite, in paper packets	"	168 "	"	£	0	2	10	
1247	Soda Carbonate (Anhydrous), in paper packets, "Brunner Mond"	S. Aust.	350 "	"	0	0	2		Henry H. York & Co. Pty. Ltd.
1248	" Hyposulphite, in 1-cwt. kegs, "Leggo"	Vict.	30 cwt.	cwt.	£	1	3	6	Kodak (A'asia) Pty. Ltd.
1249	" Sulphide, in 1-lb. bottles ...	...	28 lb.	lb.	...				Nil
1250	" Sulphite (Anhydrous), in 28 lb. sealed tins, "Fletcher Chemical Co."	Vict.	500 "	"	0	0	5½		Henry H. York & Co. Pty. Ltd.
1251	Covers, glass, for lantern slides, "Kodak"— 3½" x 3½" ...	"	150	gross	£	0	9	11	Kodak (A'asia) Pty. Ltd.
1252	4" x 3½" ...	"	100	"	£	0	9	11	
1253	Film, "Kodak"— Cine, Panchromatic, in 100' rolls (rate includes finishing)	U.S.A.	75 rolls	roll	£	1	11	1	Kodak (A'asia) Pty. Ltd.
1254	Cine, Kodachrome, in 50' rolls ...	"	10 "	"	£	1	13	0	
1255	Cut Hyperchrome, "Super Green," 4¼" x 3¼"	Vict.	½ gross	gross	£	1	10	9	
1256	" " " " 5" x 4"	"	2 "	"	£	2	9	6	
1257	" " " " 6½" x 4½"	"	6 "	"	£	3	4	6	
1258	" " " " 12 c.m. x 9 c.m.	"	½ "	"	£	2	4	3	

†—Less 2½% settlement discount for payment within 30 days of delivery.

PHOTOGRAPHIC MATERIALS.—Continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor	
Film "Kodak"—continued.							
Pack, special sensitive, panchromatic—							
1259	4½" x 3½" ... ..	Vict.	50 pkts.	pkt.	‡0 4 9	Kodak (A'asia) Pty. Ltd.	
1260	12 c.m. x 9 c.m. ... ..	"	25 "	"	‡0 5 6		
Panchromatic, "Super Speed,"—							
1261	4½" x 3½" ... ..	"	½ gross	gross	‡1 16 0		
1262	5" x 4" ... ..	"	2 "	"	‡2 12 9		
1263	6½" x 4½" ... ..	"	4 "	"	‡3 12 0		
1264	12 c.m. x 9 c.m. ... ..	"	½ "	"	‡2 6 6		
Spools, photographic roll, "Kodak Verichrome"—							
1265	2½" x 3½", 8 exposures, No. 120 ...	"	900 rolls	roll	‡0 1 3		
1266	2½" x 4½", 8 exposures, No. 116 ...	"	750 "	"	‡0 1 5½		
1267	3½" x 4½", 6 exposures V 118 ...	"	25 "	"	‡0 2 0		
1268	3½" x 5½", 6 exposures, No. 122 ...	"	75 "	"	‡0 2 3		
1269	5" x 4", 6 exposures V 153 ...	"	5 "	"	‡0 2 3		
1270	Globes, Flash Light, "Sashalite"	U.K.	100	each	‡0 1 11		
Measures, Glass—							
1271	2 oz., graduated in drams ... ..	"	6	"	...	Nil	
1272	10 oz., graduated in ounces ... ..	"	12	"	...		
1273	20 oz., graduated in ounces ... ..	"	12	"	...		
1274	Mounting Tissue, Dry, "Kodak," 24" x 20"	Vict.	3 reams	ream	‡4 5 0	Kodak (A'asia) Pty. Ltd.	
1275	Mounts, 10 sheet, 31" x 25" board, round edge, grade BX, brown, grey, white or cream, as ordered, "Kodak"	"	200	100	‡4 4 3		
1276	Mounts, 4 sheet, 30" x 24", cream, white, or brown, as ordered, "Kodak Bonesta"	"	100	"	‡2 12 6		
Paper, Bromide, single weight, any surface ordered, "Kodak"—							
1277	25' long x 25" wide ... ..	"	50 rolls	roll	‡1 3 9	Kodak (A'asia) Pty. Ltd.	
1278	25' long x 30" wide ... ..	"	3 "	"	‡1 8 1		
1279	6½" x 4½" ... ..	"	10,000 sheets	1,000	‡4 10 7		
1280	8½" x 6½" ... ..	"	12,500 "	"	‡9 8 5		
1281	10" x 8" ... ..	"	35,000 "	"	‡11 15 6		
1282	12½" x 10½" ... ..	"	6 gross	gross	‡2 16 9		
1283	15½" x 12½" ... ..	"	3 "	"	‡4 3 9		

‡—Less 2½% settlement discount for payment within 30 days of delivery.

PHOTOGRAPHIC MATERIALS.—Continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
	Paper, Bromide, double weight, any surface ordered, "Kodak"—					
1284	25' long x 25" wide ... ..	Vict.	45 rolls	roll	†1 7 5	Kodak (A'asia) Pty. Ltd.
1285	25' long x 30" wide ... ..	"	3 "	"	†1 12 5	
1286	10" x 8" ... ..	"	2 gross	gross	†1 19 9	
1287	12½" x 10½" ... ..	"	1 "	"	†3 5 2	
1288	15½" x 12½" ... ..	"	15 "	"	†4 15 9	
1289	18" x 16" ... ..	"	20 "	"	†7 2 10	
1290	20" x 16" ... ..	"	4 "	"	†7 18 8	
1291	25" x 14½" ... ..	"	2 "	"	†8 19 10	
1292	28" x 16" ... ..	"	20 "	"	†11 2 3	
1293	28" x 18" ... ..	"	10 "	"	†11 15 0	
1294	Paper Bromide "Kodak 2B12Z," 8½" x 6½"	"	15 "	"	†1 7 8	
1295	Paper, Bromide, "Kodalith," or suitable alternative, 20" wide x 60' long	...	13 rolls	roll	...	Nil
1296	Paper, Bromide, Photostat, 18" wide x 350' long, "Kodak"	"	25 "	"	†8 18 3	Kodak (A'asia) Pty. Ltd.
1297	Paper, Bromide, Post Cards, "Kodak"	"	3 gross	gross	†0 10 0	
1298	Plates, Lantern, "Kodak Austral," 3¼" x 3¼"	"	4 "	"	†1 7 0	
1299	Plates, Photographic, backed, for "Ilford" Auto. Filter, ¼ plate size	...	6 dozen	doz.	...	Nil
	Plates, Photographic, dry, orthochromatic backed, "Kodak Austral"—					
1300	½ ... ..	Vict.	20 "	"	†0 5 8	Kodak (A'asia) Pty. Ltd.
1301	† ... ..	"	35 "	"	†0 10 2	
1302	Plates, Process, "Kodak Austral"— 6½" x 4¼" ... ..	"	3 "	"	†0 4 11	
1303	8½" x 6½" ... ..	"	18 "	"	†0 9 5	
1304	12" x 10" ... ..	"	6 "	"	†1 3 6	
1305	15" x 12" ... ..	"	12 "	"	†2 6 11	
1306	Plates, Process, Panchromatic, "Kodak Austral"— 8½" x 6½" ... ..	"	6 "	"	†0 11 8	
1307	12" x 10" ... ..	"	6 "	"	†1 8 1	
1308	15" x 12" ... ..	"	6 "	"	†2 12 0	
1309	Plates, Panatomic X, backed, "Kodak"— 5" x 4" ... ..	"	3 "	"	†0 4 9	
1310	6½" x 4¾" ... ..	"	90 "	"	†0 6 9	
1311	8½" x 6½" ... ..	"	6 "	"	†0 12 5	
1312	12 cm. x 9 cm. ... ..	"	6 "	"	†0 4 3	
1313-1329	—Nil					

†—Less 2½% settlement discount for payment within 30 days of delivery.



**CORD, ROPE, ETC.**

(Schedule No. 40)

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
† 1360	Cord, Blind, glace, white, "Samson"— 2½ lb. ...	Vict.	150 doz. yds.	doz. yds.	†0	0	10	Downs & Son Pty. Ltd.
	† 1361 3 lb. ...	"	40 "	"	†0	0	11	
	† 1362 Cord, Holland blind, green or nigger brown, as ordered, "Samson" No. 3	"	120 "	"	†0	0	10	
	† 1363 Cord, Marking (chalk), in 1 lb. reels, "Samson"	"	50 lb.	lb.	†0	4	0	
† 1364	Cord, Nicking Line, ½" diameter, "Anchor"	"	175 "	"	†0	2	10	James Miller & Co. Pty. Ltd.
† 1365	Cord, Sash, cotton, braided, in coils, "Kangaroo"— No. 6, circumference ⅝" ...	"	25 "	"	†0	2	11	M. Donaghy & Sons Pty. Ltd.
	† 1366 No. 7, " ⅞" ...	"	8 "	"	†0	2	11	
	† 1367 No. 8, " 1" ...	"	900 "	"	†0	2	8	
	† 1368 No. 9, " 1½" ...	"	60 "	"	†0	2	8	
	† 1369 No. 10, " 1" ...	"	60 "	"	†0	2	8	
† 1370	Cord, Sash, flax, braided, No. 8 (¾" circumference)	"	500 "	"	...	...	Nil	
† 1371	Cord, Whip, 24 ply, "Samson" ...	Vict.	25 "	lb.	†0	4	4½	Downs & Son Pty. Ltd.
† 1372	Marline, 2 cord, in 1 lb. hanks, "Anchor"	"	3 cwt.	"	†0	1	10½	James Miller & Co. Pty. Ltd.
† 1373	Marline, 3 cord, in 1 lb. hanks, "Kangaroo"	"	2 "	"	†0	1	10½	M. Donaghy & Sons Pty. Ltd.
† 1374	Marline, 3 cord, in 14 lb. coils, "Anchor"	"	2 "	"	†0	1	9½	James Miller & Co. Pty. Ltd.
† 1375	Packing, jute, "Kangaroo" ...	"	6 "	"	†0	1	7	M. Donaghy & Sons Pty. Ltd.
† 1376	Packing, jute, No. 1, long, suitable for pipe joints, "Emu"	"	1 "	"	†0	1	11	Geo. Kinnear & Sons Pty. Ltd.
† 1377	Rope, Clothes Line, hemp, ¾" circ., "Anchor"	"	2 "	cwt.	†4	7	0	James Miller & Co. Pty. Ltd.
† 1378	Rope, Europe (tarred), pure sisal, up to 3" circ., as ordered, with blue worsted thread in one strand, "Kangaroo"	"	3 tons	"	†4	11	0	M. Donaghy & Sons Pty. Ltd.
† 1379	Rope, Lashing, pure sisal, "Kangaroo"	"	2 "	"	†4	11	0	
† 1380	Rope, Manila, ½" to 12" circumference, as ordered, 3 strand, fine and long fibre, with blue worsted thread in one strand, to specification, "Kangaroo"	"	6 "	"	†5	14	0	
† 1381	Rope, Manila, stretched, for power transmission, 4" circ., 3 strand, with one blue yarn in one strand, to specification, "Kangaroo"	"	3 "	"	†6	7	0	
† 1382	Rope, pure sisal, 1" circ. to 2" circ., as ordered, with blue yarn in one strand (1½" rope to have in addition one blue strand in each rope), "Kangaroo"	"	20 "	"	†4	11	0	
† 1383	Rope, pure sisal, 2½" circ. to 3" circ., as ordered, with one blue yarn in each strand (2½" rope to have in addition one blue strand in each rope), "Kangaroo"	"	40 "	"	†4	11	0	
1384	Rope, Straw— ½", 680 feet per bundle (See note) ...	"	30 bdls.	bdle.	0	1	9	J. A. Berriman & Sons
1385	1", 340 " " " ( " " ) ...	"	72 "	"	0	1	6	
† 1386	Spun yarn, Jute, "Kangaroo" ...	"	2 cwt.	cwt.	†3	18	0	M. Donaghy & Sons Pty. Ltd.
1387-1389	Nil							

† { Items Nos. 1360 to 1364, 1371, 1372, 1374, 1376 and 1377. Less 20% Trade Discount.  
 " " 1365 to 1369, 1373, 1375, 1378 to 1383 and 1386. Less 22½% Trade Discount.

## THREAD, TWINE, ETC.

(Schedule No. 41)

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
†1390	Thread, cotton, any colour ordered, any number ordered, in 400 yard reels, "Bonds"	N.S.W.	20 doz. reels	doz. reels	†0	6	0	Bryce & Duncan Pty. Ltd.
	Thread, linen, machine, soft, any colour ordered—							
†1391	No. 12 in 2-oz. reels, "Jas. Miller"	Vict.	450 reels	reel	†0	1	8½	
†1392	No. 18 in 2-oz. reels, " "	"	150 "	"	†0	1	11	
†1393	No. 20 in 2-oz. reels, " "	"	350 "	"	†0	2	0½	
†1394	No. 30 in 2-oz. reels, "Miller" ...	U.K.	50 "	"	†0	2	2½	
†1395	No. 40 in 2-oz. reels, " "	"	15 "	"	†0	2	4¼	
†1396	No. 50 in 2-oz. reels, " "	"	400 "	"	†0	2	6	
†1397	Twine, fine, in ¼ lb. balls "Kangaroo" ...	Vict.	10 cwt.	doz. lb.	†0	17	3	M. Donaghy & Sons Pty. Ltd.
†1398	Twine, medium, in ½ lb. balls " "	"	13 "	"	†0	16	9	
†1399	Twine, coarse, in ½ lb. balls " "	"	3 "	"	†0	16	6	
†1400	Twine, coarse, Trimmers', in ½ lb. balls	"	6 "	"	†0	16	6	James Miller & Co. Pty. Ltd.
†1401	Twine, binder, free of oil, in approx. 4½ lb. balls of 1800 ft., "Kangaroo"	"	2 tons	ton	†66	13	0	M. Donaghy & Sons Pty. Ltd.
†1402	Twine, mattress, No. 2, 4-ply, in 1 lb. balls, "Emu"	"	2 cwt.	lb.	0	3	3	Geo. Kinnear & Sons Pty. Ltd.
†1403	Twine, machine, 5 or 6 cord as ordered, pure linen, right or left-hand twist as ordered, in 1 lb. kops, "Jas. Miller"	"	3 "	"	†0	8	0	Bryce & Duncan Pty. Ltd.
†1404	Twine, machine, 6 cord, best pure linen thread, right or left-hand twist as ordered, in 1 lb. kops, "Emu"	"	25 "	"	0	8	0	Geo. Kinnear & Sons Pty. Ltd.
†1405	Twine, machine, 8 cord, best pure linen thread, right-hand twist, in 1 lb. balls, "Emu"	"	14 lb.	"	0	8	0	
†1406	Twine, seaming, flax, 3-ply, "Emu"	"	6 cwt.	"	0	3	6	
1407-1419	Nil							

† Item No. 1400—Less 5% trade discount.  
 " " 1403—Less 12½% trade discount and 2½% settlement discount. ‡  
 " " 1390 to 1396 & 1401—Less 2½% settlement discount. ‡  
 " " 1397 to 1399—Less 7½% trade discount.

‡ For payment by end of month following month of delivery.

## LEATHER GLOVES.

(Schedule No. 44)

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
*†1490	Gloves, chrome tanned leather palm, and canvas back, all leather thumb, "No. 3601"	Vict.	7000 pairs	pair	10	1	4	Simpson's Gloves Pty. Ltd.
*†1491	Gloves, chrome tanned leather palm, and canvas back, leather fingers, with double row of stitching (for use at Reclamation Depot)	"	500 "	"	0	1	9½	Robert S. Don Pty. Ltd.
*†1492	Gloves, all chrome tanned leather, with inturned seams	"	2000 "	"	0	2	1	Lord's Sporting Goods Pty. Ltd.
1493-1499	—Nil							

†—Less 3¼% discount for payment within 7-days, or 2½% for payment within 30 days, of date of delivery.

## WOOL YARN PADS AND SKEINS

(Schedule No. 45).

*†1500	Wool Yarn Pads, to specification, 5" long x 2" diameter to 10" long x 4" diameter, as ordered, "Eagley Mills"	Vict.	10 tons	lb.	0	1	6½	} Foy & Gibson Pty. Ltd. (Eagley Mills)
*†1501	Wool Yarn, in skeins, to specification, 24" long, "Eagley Mills"	"	3 "	"	0	1	5	
1502	—Nil							

## OVERALLS FOR MECHANICS, ETC.

(Schedule No. 46)

*†1503	Overalls, combination, to specification, to be made from Blue Jean, any size ordered (as worn by Motor Omnibus Drivers and Rail Motor Drivers), "Big Ben No. 14"	Vict.	60 suits	suit	0	14	11	} The Sterling Clothing Co. Pty. Ltd.
*†1504	Overalls, bib and brace, with woven "V.R." badge, to specification, to be made from Blue Jean, any size ordered (as worn by Vanmen, etc.), "Big Ben No. 15"	"	250 "	"	0	9	6	
1505	—Nil							

## OVERALLS FOR TYPISTES, ETC.

(Schedule No. 47.)

*†1506	Overalls, Typistes, "Tobralco," with two detachable collars, to specification, including cost of one fitting at Contractor's factory during manufacture	Vict.	250	each	1	2	0	J. Ravensdale Pty. Ltd.
1507-1509	—Nil							

**PNEUMATIC AND SOLID TYRES**

(Schedule No. 48)

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
	Tyres and Tubes, pneumatic, to specification, for motor cars, trucks and buses, as ordered—					
1510	"Dunlop" tyres and "Dunlop Per-driau" tubes, as per price list No. 228, effective 12/4/40	Vict.	} £1000	...	†33½%	Dunlop Perdriau Rubber Co. Ltd.
1510A	"Barnet Glass" as per price list No. 103 effective 12/4/40	"		...	†33½%	Barnet Glass Rubber Co. Ltd.
1510B	"Goodyear" as per price list No. A.42 effective 4/5/40	N.S.W.		...	†33½%	The Goodyear Tyre & Rubber Co. (Aust.) Ltd.
1510C	"Olympic" as per price list No. 15 effective 12/4/40	Vict.		...	†33½%	The Olympic Tyre & Rubber Co. Ltd.
	Tyres, solid rubber, to specification, to be moulded on rims, for industrial trucks—					
1511	6¼" dia. x 6¼" ... ..	Vict.	} 30	each	†2 11 8	Dunlop Perdriau Rubber Co. Ltd.
1511A	" " " " " " " "	"		"	†2 11 8	Barnet Glass Rubber Co. Ltd.
1512	6½" dia. x 5" ... ..	"		"	†1 16 2	Dunlop Perdriau Rubber Co. Ltd.
1512A	" " " " " " " "	"		"	†1 16 2	Barnet Glass Rubber Co. Ltd.
1513	11¼" dia. x 4¼" ... ..	"		"	†2 5 8	Dunlop Perdriau Rubber Co. Ltd.
1513A	" " " " " " " "	"		"	†2 5 8	Barnet Glass Rubber Co. Ltd.
1514	14¾" dia. x 3" ... ..	"		"	†2 16 5	Dunlop Perdriau Rubber Co. Ltd.
1514A	" " " " " " " "	"		"	†2 16 5	Barnet Glass Rubber Co. Ltd.
1515	14¾" dia. x 4" ... ..	"		"	†3 0 6	Dunlop Perdriau Rubber Co. Ltd.
1515A	" " " " " " " "	"		"	†3 0 6	Barnet Glass Rubber Co. Ltd.
1516	16" dia. x 4" ... ..	"		"	†3 8 4	Dunlop Perdriau Rubber Co. Ltd.
1516A	" " " " " " " "	"		"	†3 8 4	Barnet Glass Rubber Co. Ltd.
1517	17¾" dia. x 3½" ... ..	"		"	†4 4 9	Dunlop Perdriau Rubber Co. Ltd.
1517A	" " " " " " " "	"		"	†4 4 9	Barnet Glass Rubber Co. Ltd.
1518	17¾" dia. x 5" ... ..	"		"	†3 17 5	Dunlop Perdriau Rubber Co. Ltd.
1518A	" " " " " " " "	"		"	†3 17 5	Barnet Glass Rubber Co. Ltd.
1519	20" dia. x 3½" ... ..	"		"	†4 3 0	Dunlop Perdriau Rubber Co. Ltd.
1519A	" " " " " " " "	"		"	†4 3 0	Barnet Glass Rubber Co. Ltd.
1520-1529	—Nil					

† Less further 2½% discount for payment by the end of the month following month of delivery.



## CORRUGATED JOINTING RINGS.

(Schedule No. 49)

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
	Rings, Jointing, corrugated, brass (for Newport Loco. Workshops)—							
*1530	Bye Pass Valves to Cylinder, C., K., N. and X Engines	Vict.	250	each	0	0	10	William Black
*1531	Bye Pass Valves to Cylinder, A and D Engines	"	500	"	0	0	9	
*1532	Blower Mountings in Smoke Box, engines in general	"	500	"	0	0	6	
*1533	Injectors, A and C engines	"	150	"	0	1	6	
*1534	Injectors, D, K, N and G engines	"	200	"	0	1	6	
*1535	Safety Valves, engines in general	"	350	"	0	0	9	
*1536	Blow-off Cocks, engines in general	"	800	"	0	0	10	
*1537	Klinger Gauge Cock Mountings, engines in general	"	300	"	0	0	6	
*1538	Chime Whistle Flanged Base, engines in general	"	250	"	0	0	9	
	Rings, Jointing, corrugated, brass (for Newport Power Station)—							
*1539	1 $\frac{1}{4}$ " hole, 2" outside diameter, small corrugations, to sample No. 223	"	12	"	0	0	3 $\frac{1}{2}$	
*1540	1 $\frac{3}{8}$ " hole, 2 $\frac{1}{4}$ " outside diameter, small corrugations, to sample No. 225	"	250	"	0	0	3 $\frac{1}{2}$	
*1541	2 $\frac{1}{2}$ " hole, three-cornered, small corrugations, to sample No. 228	"	50	"	0	1	0	
*1542	2 $\frac{1}{4}$ " hole, to sample No. 229	"	20	"	0	0	9	
*1543	2 $\frac{1}{2}$ " hole, small corrugations, to sample No. 230	"	50	"	0	0	9	
*1544	4" hole, 6 $\frac{1}{2}$ " outside diameter, to sample No. 232	"	5	"	0	1	0	
*1545	4" hole, 6 $\frac{3}{4}$ " outside diameter, to sample No. 233	"	5	"	0	1	1	
*1546	4 $\frac{3}{8}$ " hole, 7 $\frac{1}{2}$ " outside diameter, small corrugations, to sample No. 234	"	5	"	0	1	3	
*1547	5" hole, 8 $\frac{1}{2}$ " outside diameter, to sample No. 237	"	5	"	0	2	0	
*1548	Oblong, 2 $\frac{3}{8}$ " x 4 $\frac{1}{8}$ " inside, 7" x 9" outside, small corrugations, to sample No. 256	"	10	"	0	6	0	
*1549	Oblong, 2 $\frac{3}{8}$ " x 3 $\frac{1}{8}$ " inside, 5 $\frac{1}{4}$ " x 6" outside, small corrugations, to sample No. 257	"	10	"	0	5	0	
*1550	Oblong, 2 $\frac{1}{2}$ " x 4 $\frac{5}{8}$ " inside, 6 $\frac{3}{4}$ " x 8 $\frac{9}{16}$ " outside, small corrugations, to sample No. 259	"	5	"	0	6	0	
	Rings, Jointing, corrugated, steel (for Newport Power Station)—							
*1551	$\frac{1}{2}$ " hole, 4" outside diameter, small corrugations, to sample No. 273	"	250	"	0	0	4	
*1552	$\frac{3}{4}$ " hole, 4" outside diameter, to sample No. 274	"	400	"	0	0	4	
*1553	1" hole, 5" outside diameter, to sample No. 275	"	300	"	0	0	6	
*1554	1 $\frac{1}{4}$ " hole, 5" outside diameter, to sample No. 276	"	250	"	0	0	6	
*1555	1 $\frac{1}{2}$ " hole, 5 $\frac{1}{4}$ " outside diameter, to sample No. 277	"	250	"	0	0	7	
*1556	1 $\frac{1}{8}$ " hole, 4 $\frac{1}{8}$ " outside diameter, small corrugations, to sample No. 278	"	50	"	0	0	7	
*1557	2" hole, 6" outside diameter, to sample No. 279	"	400	"	0	0	7 $\frac{1}{2}$	
*1558	2 $\frac{1}{4}$ " hole, 3 $\frac{1}{8}$ " outside diameter, spigot, small corrugations, to sample No. 281	"	5	"	0	0	5	

CORRUGATED JOINTING RINGS—Continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
Rings, Jointing, corrugated steel (for Newport Power Station)—Continued.						
*1559	2½" hole, 4¾" outside diameter, to sample No. 282	Vict.	50	each	0 0 4½	William Black
*1560	2½" hole, 7" outside diameter, to sample No. 283	"	100	"	0 0 10	
*1561	3" hole, 8" outside diameter, to sample No. 286	"	175	"	0 1 0	
*1562	3½" hole, 9" outside diameter, to sample No. 287	"	25	"	0 1 1½	
*1563	4" hole, 9" outside diameter, to sample No. 288	"	100	"	0 1 1½	
*1564	5" hole, 11" outside diameter, to sample No. 291	"	5	"	0 1 6	
*1565	6" hole, 12" outside diameter, to sample No. 292	"	40	"	0 2 6	
*1566	6½" hole, 10¾" outside diameter, to sample No. 294	"	20	"	0 2 0	
*1567	7" hole, 13" outside diameter, to sample No. 296	"	25	"	0 2 9	
*1568	8" hole, 14½" outside diameter, to sample No. 298	"	5	"	0 3 0	
*1569	9" hole, 12½" outside diameter, small corrugations, to sample No. 300	"	5	"	0 5 0	
*1570	10" hole, 15" outside diameter, to sample No. 302	"	5	"	0 3 0	
*1571	10" hole, 15½" outside diameter, to sample No. 303	"	5	"	0 3 0	
*1572	12" hole, 17" outside diameter, steam traps, to sample No. 306	"	10	"	0 3 9	
*1573	12" hole, 17" outside diameter, to sample No. 307	"	5	"	0 3 9	
*1574	12" hole, 19¼" outside diameter, to sample No. 308	"	15	"	0 4 0	
*1575	13" hole, 20½" outside diameter, to sample No. 310	"	10	"	0 6 6	
*1576	14" hole, 22" outside diameter, to sample No. 312	"	5	"	0 8 0	
*1577	19" hole, 26¼" outside diameter, to sample No. 316	"	10	"	0 9 0	
*1578	19¼" hole, 25½" outside diameter, to sample No. 318	"	5	"	0 9 0	
*1579	19½" hole, 25¼" outside diameter, to sample No. 319	"	10	"	0 8 6	
*1580	For Master Sooting Valve No. 1, to sample No. 323	"	6	"	0 6 0	
*1581	For Master Sooting Valve, No. 2, to sample No. 324	"	15	"	0 5 0	
*1582	Oblong, 6½" x 15½" inside, 12¾" x 21½" outside, to sample No. 329	"	5	"	0 12 0	
*1583	Oblong, 5½" x 10¾" inside, 11½" x 16½" outside, to sample No. 330	"	10	"	0 12 0	
*1584	Oblong, 9" x 5" inside, 15" x 11" outside, to sample No. 333	"	6	"	0 11 6	
*1585	Oval, 3¾" x 5" inside, 5¾" x 7" outside, to sample No. 334	"	5	"	0 2 6	
*1586	Spigot, 6¼" x 2", to sample No. 345	"	35	"	0 0 8½	
1587-1589	—Nil.					

CRUDE SALT  
(Schedule No. 50)

†1590	Salt, Crude, in bags, for the eradication of weeds— Delivered in trucks at Cheetham Siding or Laverton, at contractor's option	Vict.	350 tons	ton	1 6 0	The Cheetham Salt Pty. Ltd.
†1590A	Delivered in trucks at Dimboola or Gerang at Contractor's option	"		"	0 17 6	J. Haines
1590B	Delivered in trucks at Linga	"		"	1 3 9	E. Jones, Union Salt Works

**SAWN OREGON TIMBER.**

(Schedule No. 52.)

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor	
	TIMBER, OREGON, SAWN, ex imported Flitches, to specification— Selected ex Merchantable, any length ordered up to 32'—						
1600	1" to 12" wide, as ordered x 1" to 5" thick, as ordered	Canada	} 60,000	super feet of 1" thick	100 sup. ft. of 1" thick	} John Sharp & Sons Ltd.	
1601	Over 5" to 12" wide, as ordered x over 5" to 10" thick, as ordered	"		"	3 1 0		
1602	Selected ex Merchantable, any length ordered from 33' to 40'— 1" to 12" wide, as ordered x 1" to 5" thick, as ordered	"		"	3 3 0		
1603	Over 5" to 12" wide, as ordered x over 5" to 10" thick, as ordered	"		"	3 3 0		
1604	Merchantable, any length ordered up to 32'— 1" to 12" wide, as ordered x 1" to 5" thick, as ordered	"		} 2,500	"		2 16 0
1605	Over 5" to 12" wide, as ordered x over 5" to 10" thick, as ordered	"			"		2 16 0
1606	12" wide x 12" thick ... ..	"	"		2 16 0		
1607-1609	Nil						

**STEEL LOCKERS**

(Schedule No. 53).

1610	Lockers, Steel, flat top, with louvre doors, to specification, "Wico"— Single ... ..	Vict.	} 25 lockers	each	1 16 6	} Weickhardt & Co.
1611	In nests of 2 lockers ... ..	"		nest	3 12 6	
1612	In nests of 3 lockers ... ..	"		"	5 8 6	
1613	In nests of 4 lockers ... ..	"		"	7 4 6	
1614	In nests of 5 lockers ... ..	"		"	9 0 6	
1615	In nests of 6 lockers ... ..	"		"	10 16 6	
1616	Lockers, Steel, sloping top, with perforated doors, to specification, "Wico"— Single ... ..	"	} 100 lockers	each	1 19 6	
1617	In nests of 2 lockers ... ..	"		nest	4 0 0	
1618	In nests of 3 lockers ... ..	"		"	5 19 6	
1619	In nests of 4 lockers ... ..	"		"	7 18 0	
1620	In nests of 5 lockers ... ..	"		"	9 18 6	
1621	In nests of 6 lockers ... ..	"		"	11 8 0	
1622-1629	Nil					

**LOCKS AND KEYS.**

(Schedule No. 54)

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
† 1630 1631 1632	<b>Locks, Straight Cupboard, Brass, 3",</b> 2 lever, with duplicate keys— To differ (Type V.R. 60) ...	Vict.	120	each	0 2 6	Joseph W. Harris
	To pass Contractor's series (Type V.R. 60)	"	60	"	0 2 6	
	To pass Departmental series, key No. 52 (Ambulance Boxes), (Type S. 130)	"		"	0 2 6	
† 1633 † 1634	<b>Locks, Mortice—</b> Heavy pattern, reversible, 4", 2 lever, 2 bolts, with one key. To differ— Complete with solid brass furniture, oxidised or brass finish, as ordered (Type V.R. 31), "Hubball"	"	50	"	0 18 6	C. J. White & Sons Pty. Ltd.
	Without furniture, (Type V.R. 31), "Hubball"	"		"	0 10 6	
† 1635	Light pattern, reversible, 3½", 2 bolts, with one key, and complete furniture. To differ. (Type V.R. 30), "Lanes"	N.S.W.	30	"	0 3 3	
† 1636	For Platform Gates, single bolt, spring action, unlocking by carriage key, complete with locking plate, one-way or two-way closing, as ordered (Type S. 153)	Vict.	60	"	0 4 8	Joseph W. Harris
† 1637	<b>Locks, Rim, reversible, 6", 2 bolts, with one key and complete furniture. To differ. (Type V.R. 40), "Legge, No. 3603"</b>	U.K.	600	"	0 4 0	Briscoe & Co. Ltd.
† 1638 1639	<b>Locks, Till, brass, "Hobb's" pattern, 4 lever, with duplicate keys—</b> 2½", to differ. (Type V.R. 53) "Jacksons"	Tas.	30	"	0 3 6	Jacksons Lock and Brass Works Pty. Ltd.
	2½", to pass Contractor's series. (Type V.R. 52), "Jacksons"	"	60	"	0 3 6	
† 1640 1641 1642	3", to differ. (Type V.R. 51) ...	Vict.	120	"	0 3 6	Joseph W. Harris
	3", to pass Contractor's series. (Type V.R. 50)	"	60	"	0 3 6	
	3", to pass Departmental series, key No. 53 (Staff Instruments and Staff Boxes) (Type S. 120)	"	20	"	0 3 6	
† 1643	<b>Locks, Box, brass, 4-lever, with duplicate keys, 2½", to differ, (Type V.R. S.152), "Jacksons"</b>	Tas.	20	"	0 3 10½	Jacksons Lock and Brass Works Pty. Ltd.
† 1644 1645 1646	<b>Night Latches, cylinder action, 3½" x 2½", complete, to specification, with triplicate "Yale" pattern paracentric keys to sample No. 32, "Poole"—</b> Standard, to differ. (Type V.R. 20)	Vict.	240	"	0 6 0	W. R. Poole
	Without bolt catch, to differ. (Type V.R. 23)	"	80	"	0 5 10	
	<b>Night Latches, cylinder action, 3½" x 2½", complete, to specification, without keys, pin combination to suit key No. L.S. 22. (Type V.R. 22), "Poole"</b>	"	80	"	0 5 6	
† 1647	<b>Padlocks, brass, for powder vans, complete with locking plates, to pass Departmental series (Type "A"), 3", without keys. (Type V.R. 8P), "Hubball"</b>	"	6	"	1 2 6	C. J. White & Sons Pty. Ltd.

LOCKS AND KEYS—Continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor	
					£	s.	d.		
†1648	<b>Padlocks</b> , mild steel, galvanized, 2", spring shackle, 6 lever, with double bitted duplicate keys, to specification. To differ. (Type V.R. 9P)	...	4 doz.	doz.	...			} Nil	
<b>Keys, Cut—</b>									
*1649	Paracentric, for night latches, to sample No. L.S. 22	...	Nil	...	...				
Pin, for rim locks—									
*1650	To sample No. 46—assorted cuttings	...	12 doz.	doz	...				
*1651	„ No. 47—assorted cuttings	...	2 „	„	...				
*1652	„ No. 50—assorted cuttings	...	1 „	„	...				
*1653	Pin, for reversible rim locks, to sample No. 49—assorted cuttings	...	6 „	„	...				
*1654	Pipe, for Type "A" powder van locks, to sample No. 44, to pass, "Hubball"	Vict.	12	each	0 3 6		C. J. White & Sons Pty. Ltd.		
<b>Keys, Blank—</b>									
Corrugated, for cylinder locks--									
*1655	To sample No. 38	...	1 doz.	doz.	...			} Nil	
*1656	„ No. 39	...	1 „	„	...				
*1657	„ No. 40	...	30 „	„	...				
Flat, for padlocks—									
*1658	To sample No. 29	...	4 „	„	...				
*1659	„ No. 30	...	80 „	„	...				
*1660	„ No. 31	...	8 „	„	...				
Oval, for padlocks—									
*1661	To sample No. 25	...	4 „	„	...				
*1662	„ No. 26	...	24 „	„	...				
*1663	„ No. 27	...	2 „	„	...				
Paracentric, for cylinder locks—									
*1664	To sample No. 32	...	60 „	„	...				
*1665	„ No. 33	...	30 „	„	...				
*1666	„ No. 34	...	6 „	„	...				
*1667	„ No. 42	...	30 „	„	...				
*1668	„ No. 48	...	20 „	„	...				
Paracentric, for padlocks—									
*1669	To sample No. 34A	...	300 „	„	...				

LOCKS AND KEYS—Continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor	
<b>Keys, Blank—(continued)</b>							
Pin, for mortice locks—							
*1670	To sample No. 9 ...	...	1 doz.	doz.	...	} Nil	
*1671	,, No. 10 ...	...	1	,,	...		
*1672	,, No. 11 ...	...	1	,,	...		
*1673	,, No. 12 ...	...	8	,,	...		
Pin, for safe locks—							
*1674	To sample No. 2 ...	...	1	,,	...		
*1675	,, No. 3 ...	...	6	,,	...		
*1676	,, No. 5 ...	...	4	,,	...		
Pin, for padlocks—							
*1677	To sample No. 18 ...	...	1	,,	...		
*1678	,, No. 21 ...	...	1	,,	...		
Pipe, for drawer locks—							
*1679	To sample No. 16 ...	...	8	,,	...		
Pipe, for padlocks—							
*1680	To sample No. 15 ...	...	180	,,	...		
*1681	,, No. 17 ...	...	4	,,	...		
*1682	,, No. 22 ...	...	8	,,	...		
*1683	,, No. 23 ...	...	1	,,	...		
Pipe, for padlocks, double-bitted—							
*1684	To sample No. 51 ...	...	8	,,	...		
Pipe, for safe locks—							
*1685	To sample No. 1 ...	...	2	,,	...		
*1686	,, No. 4 ...	...	1	,,	...		
*1687	,, No. 6 ...	...	6	,,	...		
Pipe, for cupboard locks—							
*1688	To sample No. 7 ...	...	2	,,	...		
*1689	,, No. 8 ...	...	40	,,	...		
*1690	,, No. 19 ...	...	1	,,	...		
*1691	,, No. 20 ...	...	6	,,	...		
1692-1699—	Nil						

## INSULATING MATERIALS

(Schedule No. 55)

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
	"Canvas Bakelite," for electrical purposes, in sheets, 16" x 16"—							
† 1700	$\frac{1}{2}$ " thick, ...	Vict.	15 lb.	lb.	0	5	0	Laminex Pty. Ltd.
† 1701	$\frac{1}{8}$ " thick, ...	"	10 "	"	0	5	0	
† 1702	$\frac{1}{8}$ " to 1" thick, as ordered	"	300 "	"	0	4	8	
† 1703	"Canvas Bakelite," for track insulation purposes, $\frac{3}{8}$ " thick, in sheets,	...	1000 "	...	...	...	...	Nil
	Cloth, Empire, yellow, to specification, in rolls, 36" wide x 50 yards long, "H. D. Symons"—							
† 1704	5 mils. thick ...	U.K.	25 yards	l. yd.	0	1	7 $\frac{1}{2}$	Johnson & Phillip Ltd.
† 1705	7 " " ...	"	200 "	"	0	1	9	
† 1706	10 " " ...	"	50 "	"	0	2	2	
† 1707	15 " " ...	"	25 "	"	0	3	0	
† 1708	Compound, "Chattertons" ...	"	100 lb.	lb.	0	2	5	British General Electric Co. Pty. Ltd.
	Ebonite, Rod, round, to specification, "G.E.C."—							
† 1709	$\frac{3}{8}$ " diameter ...	"	5 "	"	0	3	6	
† 1710	$\frac{1}{2}$ " " ...	"	5 "	"	0	3	6	
† 1711	$\frac{5}{8}$ " " ...	"	5 "	"	0	3	6	
† 1712	$\frac{3}{4}$ " " ...	"	10 "	"	0	3	3	
† 1713	1" " ...	"	15 "	"	0	3	3	
† 1714	1 $\frac{1}{8}$ " " ...	"	5 "	"	0	3	3	
† 1715	1 $\frac{1}{4}$ " " ...	"	15 "	"	0	3	3	
† 1716	1 $\frac{1}{2}$ " " ...	"	15 "	"	0	3	6	
	Ebonite, Sheet, in sheets 3' x 3', to specification—							
† 1717	$\frac{1}{2}$ " thick ...	Vict.	50 "	"	10	2	4	Dunlop Perdriau Rubber Co. Ltd.
† 1718	$\frac{3}{8}$ " " ...	"	10 "	"	10	2	4	
	"Elephantide," Grade 4, polished finish, in rolls approx. 36" wide, "B. & S. Whiteley"—							
† 1719	5 mils. thick ...	U.K.	250 "	"	0	2	2	British General Electric Co. Pty. Ltd.
† 1720	10 " " ...	"	100 "	"	0	1	10	
† 1721	15 " " ...	"	5 "	"	0	1	9	
† 1722	20 " " ...	"	25 "	"	0	1	9	
† 1723	"Elephantide," or suitable alternative, Grade 4, polished finish, in sheets approx. 6' x 3', 30 mils. thick	...	50 sheets	...	...	...	...	Nil

† Less 2½% discount for payment by end of month following month of delivery.

INSULATING MATERIALS—Continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
† { 1724 1725 1726 1727 1728 1729 1730	Fibre, rod, round, red, grey or black, as ordered					} Nil
	$\frac{1}{2}$ " diameter	...	5 lb.	...	...	
	$\frac{5}{8}$ " "	...	5 "	...	...	
	$\frac{3}{4}$ " "	...	10 "	...	...	
	1" "	...	10 "	...	...	
	$1\frac{1}{4}$ " "	...	10 "	...	...	
	$1\frac{1}{2}$ " "	...	15 "	...	...	
† { 1731 1732 1733 1734 1735 1736 †1737	Fibre, sheet, red, grey or black, as ordered, in sheets 6' x 4'—					} British General Electric Co. Pty. Ltd.
	$\frac{1}{16}$ " to $\frac{1}{8}$ " thick, as ordered	U.K.	700 "	lb.	0 2 5	
	$\frac{5}{32}$ " to $\frac{3}{8}$ " " "	"	300 "	"	0 2 8	
	$\frac{1}{2}$ " thick	"	250 "	"	0 2 10	
	$\frac{3}{4}$ " "	...	50 "	...	...	
	$\frac{7}{8}$ " "	...	10 "	...	...	
	1" "	...	125 "	...	...	
†1737	Fibre, vulcanised, "Leatheroid" or suitable alternative, 5, 10 or 15 mils. thick, as ordered, in rolls 36" wide, any length ordered	...	15 "	...	...	} Nil.
† { 1738 1739 †1740 †1741	Fibre, vulcanised, natural grey, for electrical insulation between rail joints, for track signalling purposes—					} R. E. Jeffries & Co.
	Sheet, $\frac{1}{8}$ " thick, approx. 6' 3" x 3' 6", "Castle"	U.K.	250 lb.	lb.	0 1 11 $\frac{1}{2}$	
	Sheet, $\frac{3}{16}$ " thick, approx. 6' 3" x 3' 6", "Castle"	"	3000 "	"	0 1 11 $\frac{1}{2}$	
	Tubing, $1\frac{1}{8}$ " external diameter x $\frac{7}{8}$ " internal diameter, in trade lengths	...	50 "	...	...	
	Tubing, $1\frac{3}{8}$ " external diameter x $1\frac{1}{8}$ " internal diameter, in trade lengths approx. 30", "Castle"	U.K.	500 "	lb.	0 4 7	
† { 1742 1743 1744 1745 †1746	Insulation, sheet, ebony, to specification—					} James Hardie & Co. Pty. Ltd.
	In sheets 4' x 3', unfinished, "Dilex"—					
	$\frac{1}{4}$ " thick ( 6 m.m.)	N.S.W.	100 sq. ft.	sq. ft.	0 1 6	
	$\frac{3}{8}$ " " (10 " )	"	200 "	"	0 1 9	
	$\frac{1}{2}$ " " (12 " )	"	150 "	"	0 2 2	
$\frac{3}{4}$ " " (20 " )	"	50 "	"	0 3 4		
†1746	In sheets, 3' x 2', unpolished, "Zelemite"—					Australian General Electric Pty. Ltd.
	$\frac{3}{4}$ " thick (20 m.m.), cut exactly to size	Sth. Aust.	10 sheets	sheet	1 5 0	



INSULATING MATERIALS—Continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
Extras on rates for items Nos. 1742 to 1745—						
1747	For cutting exactly to any size ordered ...	N.S.W.	...	% on contract rate	Plus 30%	James Hardie & Co. Pty. Ltd.
1748	For $\frac{1}{4}$ " bevel across face ...	...	...	...	...	Nil
1749	For $\frac{1}{4}$ " x $\frac{1}{4}$ " bevel ...	N.S.W.	...	lin. ft.	0 0 3 $\frac{1}{2}$	James Hardie & Co. Pty. Ltd.
Insulation, sheet, grey, to specification, in sheets 4' x 3', 5' x 2' or 5' x 3', as ordered, "Zelemite"—						
† 1750	$\frac{1}{4}$ " thick ...	South Aust.	40 sq. ft.	sq. ft.	0 1 7 $\frac{1}{2}$	} Australian General Electric Pty. Ltd.
1751	$\frac{3}{8}$ " ,, ...	"	50 ,,	"	0 1 10	
Pressboard, to specification, in sheets, approx. 6' x 3'—						
† 1752	12 mils. thick ...	...	50 lb.	...	...	} Nil
1753	30 ,, ,, ...	...	40 ,,	...	...	
1754	40 ,, ,, ...	...	10 ,,	...	...	
† 1755	60 ,, ,, "Whitely" ...	U.K.	60 ,,	lb.	0 1 3 $\frac{1}{2}$	Johnson & Phillips Ltd.
† 1756	Tape, adhesive, black, $\frac{1}{2}$ " wide, in 2 oz. rolls of 10 yards, "Henley" (see note)	"	500 ,,	"	0 2 6	W. T. Henley's Telegraph Works Co. Ltd.
† 1757	Tape, adhesive, black, $\frac{3}{4}$ " wide, in 8 oz. rolls of 23 $\frac{1}{2}$ yards.	Vict.	1500 ,,	doz. rolls	† 0 10 10	Barnet Glass Rubber Co. Ltd.
† 1758	Tape, adhesive, brown, for armature winding, $\frac{3}{4}$ " wide, in 8 oz. rolls of 29 yards, wrapped in tinfoil	"	300 ,,	lb.	† 0 2 3	Dunlop Perdriau Rubber Co. Ltd.
Tape, Empire, yellow, bias cut, to specification, in 72 yard reels, "H. D. Symons"—						
† 1759	$\frac{1}{2}$ " wide, 7 mils. thick, seamless ...	U.K.	5 grs. yds.	gross yds.	0 4 6	} Johnson & Phillips Ltd.
1760	$\frac{3}{4}$ " ,, 7 ,, ,, seamed ...	"	80 ,,	"	0 5 8	
1761	$\frac{3}{4}$ " ,, 7 ,, ,, seamless ...	"	50 ,,	"	0 6 9 $\frac{1}{2}$	
† 1762	1" ,, 7 ,, ,, seamless ...	"	50 ,,	"	0 9 1	
1763	1" ,, 15 ,, ,, seamless ...	"	30 ,,	"	0 14 6	
1764	1 $\frac{1}{2}$ " ,, 7 ,, ,, seamless ...	"	10 ,,	"	0 13 6	
1765	1 $\frac{1}{2}$ " ,, 15 ,, ,, seamless ...	"	10 ,,	"	1 1 10	
† 1766	2" ,, 7 ,, ,, seamless ...	"	10 ,,	"	0 18 1	
† 1767	2" ,, 7 ,, ,, seamed ...	...	...	...	...	Nil
† 1768	Tape, rubber, pure, $\frac{1}{2}$ " wide, in $\frac{1}{2}$ lb. rolls of approx. 110 ft., in cartons	Vict.	10 lb.	lb.	† 0 2 9	Dunlop Perdriau Rubber Co. Ltd.
1769-1779	—Nil					

† Less 2 $\frac{1}{2}$ % discount for payment by end of month following month of delivery.

MICA AND MICA PRODUCTS

(Schedule No. 56)

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
	Mica Sheet, Muscovite, clear ruby, cut to size—					
† { 1780	6" x 4" ... ..	S. Aust.	5 lb.	lb.	1 16 0	} B. Brazzale
1781	8" x 4½" ... ..	"	10 "	"	2 5 0	
	Mica Sheet, Muscovite, spotted, cut to size—					
† { 1782	3" x 2" ... ..	Vict.	50 "	"	0 4 1	} E. C. Menzies Electrical Pty. Ltd.
1783	4" x 4" ... ..	"	3 "	"	0 15 0	
	Mica Sheet, Phlogopite, clear amber, to specification—					
† { 1784	6" x 4", cut to size ... ..	"	} 10 "	"	2 2 0	} British General Electric Co. Pty. Ltd.
1785	In sheets selected to cut 6" x 4" ... ..	"		"	1 12 6	
	Mica Tape, flexible, in 25 yard rolls, to specification—					
† 1786	¾" wide x 5 mils. thick, paper one side only	"	4000 yds.	100 yds.	0 5 0	W. G. Sleightholm
† 1786A	" " " " " " " "	"	4000 "	"	0 8 9	} British General Electric Co. Pty. Ltd.
† 1787	1¼" wide x 4 mils. thick, paper both sides	"	30,000 "	"	0 8 9	
	Mica Washers, with outside edges polished, at least ⅝" thick—					
† 1788	1⅜" outside diameter x ⅜" hole ... ..	"	50 lb.	lb.	0 5 3	W. G. Sleightholm
† 1789	2¼" outside diameter x ⅞" hole ... ..	"	200 "	"	0 6 3	British General Electric Co. Pty. Ltd.
† 1790	Micanite Sheet, commutator plate type, approx. 36" x 24" x 30 mils. thick, to specification		5 "	...	...	} Nil
	Micanite Sheet, hard moulding, shellac bound, approx. 36" x 24"—		5 "	...	...	
† { 1791	15 mils. thick ... ..	...	15 "	...	...	
1792	30 " " ... ..	...	10 "	...	...	
† 1793	75 " " to specification ... ..	...	100 "	...	...	
† 1794	Micanite Sheet, flexible, approx. 40" x 40" x 7 mils. thick	...	1200	...	...	
† 1795	Micanite Tubes, ⅜" x ⅜" x 17" long ... ..	...				
1796-1799	—Nil					

**LINSEED OIL AND WHITE LEAD.**  
(Schedule No. 120)

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
4000	Oil, Linseed, raw, to specification— In cases, 2 x 4 gal. tins ...	...	...	gal.	...			Nil
	Delivered by road tanker—							
† { 4001	Into the Corporation's tanks at New- port Loco. Storehouse	Vict.	} 9500 gals.	"	\$0	2	11½	} Meggitt Ltd.
4001A	Into the Corporation's drums at Oil, Cement and Bulk Storehouse, New- port	"		"	\$0	2	11½	
4002	Oil, Linseed, boiled, to specification— In cases, 2 x 4 gal. tins ...	...	...	"	...			Nil
	Delivered by road tanker—							
† { 4003	Into the Corporation's tanks at New- port Loco. Storehouse	"	} 5000 gals.	"	\$0	3	1½	} Meggitt Ltd.
4003A	Into the Corporation's drums at Oil, Cement and Bulk Storehouse, New- port	"		"	\$0	3	1½	
	Lead, White, in oil, to specification—							
† 4004	In 1-cwt. kegs, "BALM"	N.S.W.	} 50 tons	ton	†\$32	0	0	British Australian Lead Manufrs. Pty. Ltd. Lewis Berger & Sons (Aust.) Pty. Ltd. British Australian Lead Manufrs. Pty. Ltd. Lewis Berger & Sons (Aust.) Pty. Ltd. British Australian Lead Manufrs. Pty. Ltd. Lewis Berger & Sons (Aust.) Pty. Ltd. British Australian Lead Manufrs. Pty. Ltd. Lewis Berger & Sons (Aust.) Pty. Ltd.
† 4004A	In 1-cwt. kegs, "Berger's"	"		"	†\$32	0	0	
† 4005	In 56-lb. kegs, "BALM"	"		"	†\$33	0	0	
† 4005A	In 56-lb. kegs, "Berger's"	"		"	†\$33	0	0	
† 4006	In 28-lb. kegs, "BALM"	"		"	†\$34	0	0	
† 4006A	In 28-lb. kegs, "Berger's"	"		"	†\$34	0	0	
† 4007	In 14-lb. tins, "BALM"	"		"	†\$35	10	0	
† 4007A	In 14-lb. tins, "Berger's"	"		"	†\$35	10	0	
4008, 4009	—Nil							

† Less 3% discount for payment within 14 days of date of delivery, or 2½% for payment by the end of month following month of delivery.

**COLOURS, PIGMENTS AND DYES.**  
(Schedule No. 121)

† 4010	Aluminium, Paste, in 1-lb. tins, "Berger's"	U.K.	} 2 cwt.	lb.	0	4	2	Lewis Berger & Sons (Aust.) Pty. Ltd.
† 4011	Aluminium, Powder, in 1-lb. tins	...		"	...	...	...	
† 4012	Black, Drop, dry, in 1-cwt. kegs or casks, "Berger's, 12004E"	U.K.	2	cwt.	2	13	4	Lewis Berger & Sons (Aust.) Pty. Ltd.
† 4013	Black, Vegetable, in 1-lb. packets	Vict.	22	lb.	0	1	0	John Danks & Son Pty. Ltd.
† 4014	Blue, Prussian, in oil, in 1-lb. tins, "BALM"	S. Aust.	1	"	0	1	9	British Aust. Lead M'frs Pty. Ltd.
† 4015	Blue, Ultramarine, dry, in 7 or 28-lb. pkgs.	U.K.	3	"	0	0	10½	Goodlass, Wall & Co. Pty. Ltd.
† 4016	Brown, Bismarck, dry, in 7 or 28-lb. pkgs., "Taylor's"	N.S.W.	2	"	0	6	0	Taylor's Paints Pty. Ltd. (see note).
† 4017	Brown, Vandyke, dry, in 7-lb. pkgs.	U.K.	½	"	0	0	5½	Goodlass, Wall & Co. Pty. Ltd.
† 4018	Chrome, dry, to specification, in 7 or 14-lb. pkgs. as ordered, "BALM"— Lemon or Middle, as ordered	N.S.W.	2	"	0	1	5	} British Australian Lead M'facturers Pty. Ltd.
† 4018A	Orange	"	2	"	0	1	8	

## COLOURS, PIGMENTS AND DYES—Continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
†4019	Chrome, in oil, Lemon, Middle or Orange, as ordered, to specification, "Aeon"— In 7-lb. tins ... ..	Vict.	9 cwt.	lb.	0 1 2	Charles Atkins & Sons Pty. Ltd.
†4020	In 56-lb. drums ... ..	"		"	0 1 1	
†4021	Green, Brunswick, dry, to specification, in 14 or 28-lb. pkgs., as ordered— Middle, "Aeon" ... ..	"		1 "	"	
†4021A	Light or Deep as ordered, "BALM"	N.S.W.	1 "	"	0 0 8	British Aust. Lead M'frers Pty. Ltd.
†4022	Green, Oxide of Chromium, dry— In 7 or 14-lb. pkgs., "Champion Druce"	U.K.	4 "	"	0 2 4	W. & G. Dean Pty. Ltd.
†4023	In 1 cwt. casks, "Berger's W236" ...	"	10 "	"	0 2 5	Lewis Berger & Sons (Aust.) Pty. Ltd.
†4024	Lead, Red, dry, to specification, in 1 cwt. kegs	Vict.	12 tons	cwt.	1 17 0	Blyth Chemicals Ltd.
†4025	Ochre, Red, dry, to specification, in 14 or 28-lb. pkgs., "Taylor's" ... ..	N.S.W.	4 cwt.	"	0 12 6	Taylor's Paints Pty. Ltd. (see note).
†4026	Ochre, Yellow, dry, to specification, "Minerals Ltd."— In 1 cwt. bags ... ..	Vict.	5 tons	"	0 8 9	W. & G. Dean Pty. Ltd.
†4027	In 14-lb. packets ... ..	"		"	0 11 0	
†4028	Oxide of Iron, brown, dry, ground, to specification, in 1-cwt. bags, f.o.r. Ballarat	"	25 "	ton	4 0 0	Primary Producers Chemicals Pty. Ltd.
†4029	Oxide, Red, in oil, to specification, in 56-lb. drums	"	2 "	"	...	Nil
†4030	Red, Indian, dry, to specification, in 28-lb. pkgs.	U.K.	6 cwt.	cwt.	1 14 0	Goodlass, Wall & Co. Pty. Ltd.
†4031	Red, Mail, dry, in 14 or 28-lb. pkgs., "Goodlass Wall"	Vict.	3 "	"	5 2 8	
†4032	Red, Venetian, in oil, 28-lb. kegs, "Aeon" ... Sienna, Burnt—	"	2 "	"	1 16 0	Charles Atkins & Sons Pty. Ltd.
†4033	In oil, to specification, in 1-cwt. pkgs., "Major's"	N.S.W.	6 "	"	3 10 0	Norman Macleod & Co. Pty. Ltd.
†4034	In oil, to specification, in 14-lb. pkgs., "Major's"	"		lb.	0 0 8	
†4035	In pulp, in 28-lb. pkgs., "Goodlass Wall" Sienna, Raw—	Vict.	½ "	"	0 0 4½	Goodlass, Wall & Co. Pty. Ltd.
†4036	In oil, to specification, in 1-cwt. pkgs., "Major's"	N.S.W.	15 "	cwt.	3 5 0	Norman Macleod & Co. Pty. Ltd.
†4037	In oil, to specification, in 14-lb. pkgs., "Major's"	"		lb.	0 0 7½	
†4038	In pulp, in 28-lb. pkgs., "Goodlass Wall"	Vict.	½ "	cwt.	2 16 0	Goodlass, Wall & Co. Pty. Ltd.
†4039	Umber, Burnt— Dry, to specification, in 7 or 14-lb. pkgs.	Cyprus	½ "	lb.	0 0 3	Goodlass, Wall & Co. Pty. Ltd.
†4040	In oil, to specification, in 1-cwt. pkgs., "Major's"	N.S.W.	6 "	cwt.	3 0 0	Norman Macleod & Co. Pty. Ltd.
†4041	In oil, to specification, in 14-lb. pkgs., "Major's"	"		lb.	0 0 7	
†4042	Vermilion, Pure, deep, in 1 or 7 lb. tins	"	2 "	"	...	Nil
†4043	Whiting (calcium carbonate), for the manufacture of putty, to specification, in approx. 1-cwt. bags, "Gostling's"	U.K.	10 ton	cwt.	0 9 6	Charles Atkins & Sons Pty. Ltd.
†4044	Whiting (calcium carbonate), for ordinary purposes, in 1-cwt. bags, "Special"	Vict.	25 cwt.	"	0 6 1½	S. N. Rodda Pty. Ltd.
†4045	Zinc Oxide (Zinc White), in oil, to specification, in 1-cwt. kegs or drums, "BALM"	S. Aust.	15 "	"	2 5 0	British Aust. Lead M'frers Pty. Ltd.

COLOURS, PIGMENTS AND DYES—Continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
<b>DYES.</b>						
Dyc, B.A. and S.F., to specification, in 10 lb. containers—						
†4046	Black ... ..	...	400 lb.	...	...	Nil
†4047	Blue, "BASF" ... ..	Germ'y	50 "	lb.	0 6 0	} Dychem Trading Co. Pty. Ltd.
†4048	Blue—Greenish, "BASF" ... ..	"	60 "	"	0 6 0	
†4049	Claret ... ..	...	120 "	...	...	Nil
†4050	White, "BASF" ... ..	Germ'y	10 "	lb.	0 6 0	} Dychem Trading Co. Pty. Ltd.
†4051	Yellow " ... ..	"	100 "	"	0 6 0	
<b>STAINS.</b>						
Stain, Wood, in ½-gallon tins, "BALM"—						
†4052	Blackwood ... ..	S. Aust.	6 gals.	gal.	0 10 6	} British Aust. Lead M'frers Pty. Ltd.
†4053	Cedar ... ..	"	6 "	"	0 10 6	
†4054	Walnut ... ..	"	25 "	"	0 10 6	
4055-4069	—Nil					

**COTTON WASTE**

(Schedule No. 122)

†4070	Waste, Cotton, grey, to specification, "Glyca," (see note)	U.K.	50 tons	ton	48 10 0	Gilbert Lodge & Co. Pty. Ltd.
†4071	Waste, Cotton, white, to specification, "Grade A855"	N.S.W.	5 "	...	(See special conditions)	Australian Cotton Manufacturing Co.
4072-4074	—Nil					

**CANE, COIR MATS, ETC.**

(Schedule No. 123)

†4080	Cane, for firebeaters, in 6' lengths, to specification, "Tohiti," or "Malacca"—	Dutch East Indies	1000 lengths.	length.	0 1 0	Grotjan & Co.
†4081	Cane, for manufacture of plugs, ⅝" diameter	...	10 cwt.	cwt.	...	} Nil.
†4082	Cane, for staff carrier handles, in 4' lengths, to specification, "Tohiti," or suitable alternative	...	3 "	"	...	
Matting, Coir, any length ordered—						
4083	24" wide ... ..	Vict.	60 l. yds.	l. yd.	0 2 0	} Royal Victorian Institute for the Blind
4084	27" " ... ..	"	500 "	"	0 2 0	
4085	36" " ... ..	"	25 "	"	0 2 8	
4086	Extra on rates for Items Nos. 4083 to 4085 for binding coir matting	"	500 ft.	foot	0 0 4½	
†4087	Mats, Coir, skeleton, 2' 10" x 2' 0"	"	300	each	0 15 0	
4088-4089	—Nil					

**ROOFING FELT, ETC.**

(Schedule No. 124)

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
†4090	Felt, roofing, bituminous, 3-ply, 36" wide, in rolls of 72', with tacks and cement for fixing, to specification, "Malthoid"	N.S.W.	250 rolls	roll	1	1	0	} Pabco Products Pty. Ltd.
†4091	Felt, roofing, bituminous, 1-ply, 36" wide, in rolls of 72', to specification, "Malthoid"	"	250 "	"	0	12	4	
†4092	Pitch, roofing, in barrels, "Trinidad Native Lake"	British West Indies	10 tons	ton	15	0	0	Neuchatel Asphalte Co. (A/asia) Pty. Ltd.
†4093	Plastic Cement, black, in approx. 10-lb. containers, "Hydroseal"	N.S.W.	½ ton	lb.	0	0	4½	Pabco Products Pty. Ltd.
4094-4099	—Nil							

**SHIP CHANDLERY, ETC.**

(Schedule No. 125)

†4100	Buckles, Brass, roller, ¾"— Single	...	20 grs.	...	...	...	...	} Nil
†4101	Double	...	18 "	...	...	...	...	
†4102	Buckles, Nickel-plated, ⅝", double	U.K.	6 "	gross	0	7	0	W. H. Hunter & Co. Pty. Ltd.
*†4103	Buckles, Nickel-plated, half military, roll, 1"	...	25 doz.	...	...	...	...	} Nil
†4104	Buckles, Nickel-plated, roller, 1", double	...	12 "	...	...	...	...	
†4105	Bunting, red or green, as ordered, 18" wide, all wool, double warp	...	4000 l. yds.	...	...	...	...	} Nil
†4106	Chalk, French, powdered, "Rhodda"	Vict.	56 lb.	lb.	0	0	2	
†4107	Chalk, white, lump	"	30 cwt.	cwt.	0	8	6	Paul & Gray Ltd.
†4108	Eyelets, brass— ⅞" end diameter x ¼" deep x ⅜" rim diameter, "(E.100)"	"	25 grs.	gross	0	2	0	} Eyelets Pty. Ltd.
†4109	¼" end diameter x ⅜" deep x ½" rim diameter, "0B"	"	10 "	"	0	2	6	
*†4110	Eyelets and Brewsters, nickel-plated, double	...	4 "	...	...	...	...	} Nil
*†4111	Eyelets and Rings, brass, with lugs, for wire terminals— ⅜"	...	Nil	...	...	...	...	
*†4112	¼" end diameter x ⅜" deep x ½" rim diameter, 20 S.W.G. brass	Vict.	200 gross	gross	0	7	3	} Eyelets Pty. Ltd.
†4113	Eyelets and Washers, brass, not less than 22 S.W. gauge— ⅝" diameter, "No. 6B"	"	30 "	"	†0	4	11	
†4114	1" " "No. 8B"	"	35 "	"	†0	6	7	
†4115	1½" " "No. 9B"	"	550 "	"	†0	7	8	} Paul & Gray Ltd.
4116	Felt, tarred, in sheets approx. 32" x 40"	U.K.	500 sheets	sheet	0	1	0	
4117	Rosin, common	U.S.A.	25 cwt.	cwt.	1	3	0	Hardie Trading Pty. Ltd.
†4118	Tar, Stockholm— In 1-gallon tins	...	20 gals.	...	...	...	...	} Nil
†4119	In 4-gallon tins	...	60 "	...	...	...	...	
†4120	Thimbles, steel, galvanised, heart shaped— 1"	U.K.	16 gross	gross	0	14	0	} Paul & Gray Ltd.
†4121	1½"	"	3 "	"	0	16	0	
4122-4129	—Nil							

† Less 10% trade discount.

**BITUMINOUS EMULSION.**

(Schedule No. 126)

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor	
					£	s.	d.		
†4130	Emulsion, Bituminous, to specification, in 44-gallon drums— "Colas," delivered at Contractor's works at 110 Hall St., Newport, or within a radius of 10 miles from the G.P.O., Melbourne, or in trucks at Spotswood or Spencer St., as ordered	Vict.	50,000 gallons	gallon	0	0	10 <sup>3</sup> / <sub>4</sub>	The Shell Co. of Aust. Ltd.	
†4130A	"Colbion," delivered at Contractor's works at Madden Grove, Burnley, or within a radius of 10 miles from the G.P.O., Melbourne, or in trucks at Burnley or Spencer St., as ordered	"		"	"	0	0	10 <sup>3</sup> / <sub>4</sub>	Albion Quarrying Co. Pty. Ltd.
†4130B	"Emoleum," delivered at Contractor's works at Arden St., Railway Siding, North Melbourne, or within a radius of 10 miles from the G.P.O., Melbourne, or in trucks at Arden St. as ordered	"		"	"	0	0	10 <sup>3</sup> / <sub>4</sub>	Emoleum (Aust.) Ltd.
4131-4134	Nil								

**ASPHALTIC PAVING MATERIALS, ETC.**

(Schedule No. 127).

4135	Asphalt, Mastic, in blocks of 51 lb. approx.	Vict.	2 tons	cwt.	0	8	6	Neuchatel Asphalt Co. (A/asia) Pty. Ltd.	
4136	Asphalt, Trinidad, in casks of 500 lb. approx.	Trinidad	1 ton	"	0	15	0		
4137	Paint, Bitumastic, black, for use as preliminary coat for Items Nos. 4135 and 4136— In 1 gallon tins	Vict.	30 gals.	gal.	0	8	6		
4138	In 4 gallon tins	"		"	"	0	7	9	
4139	Metal, Bluestone, 1 <sup>1</sup> / <sub>2</sub> " asphaltic, premixed— Delivered into trucks at Spencer Street	"	50 cubic yards	cubic yard	1	4	3	Fowler Road Maintenance Co. Pty. Ltd.	
4140	Delivered on the site of any works within a radius of 10 miles from the Contractor's works	"		"	"	1	6	6	Merri Creek Quarry Pty. Ltd.
4140A	" " " "	"		"	"	1	5	9	Fowler Road Maintenance Co. Pty. Ltd.
4141	Metal, Bluestone, 1" asphaltic, premixed— Delivered into trucks at Albion siding	"	50 cubic yards	"	1	4	6	Albion Quarrying Co. Pty. Ltd.	
4142	Delivered on the site of any works within a radius of 10 miles from the Contractor's works	"		"	"	1	7	6	Merri Creek Quarry Pty. Ltd.
4142A	" " " "	"		"	"	1	8	3	Fowler Road Maintenance Co. Pty. Ltd.
4143	Screenings, Bluestone, 3/4" asphaltic, premixed— Delivered into trucks at Stanley siding	"		300 cubic yards	"	1	5	0	The Stanley Quarries Pty. Ltd.
4144	Delivered on the site of any works within a radius of 10 miles from the Contractor's works	"	"		"	1	8	6	
4144A	" " " "	"	"		"	1	8	6	Merri Creek Quarry Pty. Ltd.

ASPHALTIC PAVING MATERIALS, ETC.—Continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor				
					£	s.	d.					
4145	Toppings, Bluestone, ½", asphaltic, pre-mixed— Delivered into trucks at Albion siding	Vict.	400 cubic yards	cubic yard	1	9	0	Albion Quarrying Co. Pty. Ltd.				
4145A	" " " Stanley siding							"	1	10	0	The Stanley Quarries Pty. Ltd.
4145B	" " " North Fitzroy							"	1	10	6	Merri Creek Quarry Pty. Ltd.
4146	Delivered on the site of any works within a radius of 10 miles from the Contractor's works							"	1	13	0	Albion Quarrying Co. Pty. Ltd.
4146A	" " " "							"	1	11	6	Merri Creek Quarry Pty. Ltd.
4147	Tar, Distilled, to specification, delivered at Spotswood General Storehouse or in trucks at Footscray "Loop B" siding, as ordered, in drums to be supplied by the Corporation at Spotswood General Storehouse or Footscray "Loop B" siding							"	400 gals.	gal.	0	0
4148	—Nil											

INCOMBUSTIBLE DUST FOR STONE DUSTING AT STATE COAL MINE.

(Schedule No. 128).

†4149	Dust, incombustible (Lilydale agricultural ground limestone), to specification	Vict.	350 tons	ton	1	2	6	David Mitchell Estate
-------	--	-------	----------	-----	---	---	---	-----------------------

LIME AND LIMESTONE

(Schedule No. 129)

†4150	Lime, Quick, to specification— Delivered into trucks at Kawarren, in bags of 124 lb. net, "Kawa"	Vict.	1,000 bags	bag	0	2	10	P. Alkemade & Sons						
†4150A	Delivered into trucks at Contractor's siding, at Platina, in bags of 140 lb. net, "White Rock"							"	"	0	3	9	White Rock Lime Co. Pty. Ltd.	
†4151	Lime, for Pintsch Gas purification, "Kawa," in bags of 124 lb. delivered at Pintsch Gas Depot, Spencer Street							"	250 "	"	0	3	9	P. Alkemade & Sons
†4152	Lime, Hydrated, to specification, delivered Melbourne, in bags of 50 lb. net, "Limil"							"	350 "	"	0	2	6	David Mitchell Estate
†4153	Limestone, Marble, pure, delivered into trucks at Lilydale							"	300 tons	ton	0	15	0	
4154-4159	—Nil													

LOCOMOTIVE AND MOULDING SAND

(Schedule No. 130)

†4160	Sand, for locomotives, to specification, delivered into railway trucks at— Kelvin siding, Seaford	Vict.	1500 c. yds.	cubic yard	0	2	10	Frankston & Kelvin Sand Pits						
†4160A	Lal Lal							"	"	0	5	0	Ron. R. Parker	
†4160B	Coleraine (see note)							"	"	0	3	6	Permewan Wright Ltd.	
†4160C	Castlemaine							"	"	0	3	6	Henry H. Dalgleish	
†4161	Sand, for brass moulding purposes, "M.S.I." to specification, delivered into railway trucks at Cranbourne							"	75 "	"	0	12	0	R. Carson
†4162	Sand, sea, fine, for blacksmiths' use, to specification, delivered into railway trucks at Kelvin siding, Seaford							"	40 "	"	0	2	10	Frankston & Kelvin Sand Pits
†4163	Sand, sea, fine, for foundry use, to specification, delivered into railway trucks at Kelvin siding, Seaford	"	400 "	"	0	2	10							
4164-4169	—Nil													



**GRAVEL AND BUILDING SAND**  
(Schedule No. 131)

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
†4170	Gravel, for roadways, to specification, delivered into railway trucks at— Glenrowan ... ..	Vict.	} 2500 c. yds.	c. yd.	0 3 0	Glenrowan Quarrying Co.
†4170A	Mangalore ... ..	"		"	0 2 9	J. C. Grattan
†4170B	White Hills ... ..	"		"	0 2 9	R. E. Makepeace
†4170C	Great Western ... ..	"		"	0 4 3	I. A. Hurley
†4170D	Bet Bet ... ..	"		"	0 2 3	L. A. Akers
†4170E	Illabarook ... ..	"		"	0 3 6	A. J. Smith
†4171	Gravel, for footpaths and platforms, to specification, delivered into railway trucks at— Bairnsdale ... ..	"	} 2500 c. yds.	"	0 5 6	A. J. Henham
†4171A	Almurta ... ..	"		"	0 5 9	H. Wheatley
†4171B	Greensborough ... ..	"		"	0 6 6	E. H. Lehmann
†4171C	Glenrowan ... ..	"		"	0 4 0	Glenrowan Quarrying Co.
†4171D	Mangalore ... ..	"		"	0 2 9	J. C. Grattan
†4171E	White Hills ... ..	"		"	0 2 9	R. E. Makepeace
†4171F	Great Western ... ..	"		"	0 4 3	I. A. Hurley
†4171G	Bet Bet ... ..	"		"	0 2 3	L. A. Akers
†4171H	Illabarook ... ..	"	"	0 3 6	A. J. Smith	
†4172	Gravel, for concrete, to specification, delivered into railway trucks at— Seymour, or direct to Seymour Works Depot, as ordered	"	} 2500 c. yds.	"	0 4 0	D. Cale
†4172A	Smythesdale ... ..	"		"	0 3 11	Les. Waller
†4172B	Bet Bet ... ..	"		"	0 3 0	L. A. Akers
†4173	Sand, medium, for building, to specification, delivered into railway trucks at— Cranbourne ... ..	"	} 2500 c. yds.	"	0 2 6	Cranbourne Sand Pty. Ltd.
†4173A	Seymour, or direct to Seymour Works Depot, as ordered	"		"	0 2 3	D. Cale
†4173B	Eaglehawk ... ..	"		"	0 1 6	R. E. Makepeace
†4173C	Coleraine (see note) ... ..	"		"	0 3 6	Permewan Wright Ltd.
†4173D	Ballarat East, or direct to Ballarat Works Depot, as ordered	"		"	0 3 6	G. and E. Waller
†4173E	Carisbrook ... ..	"		"	0 2 6	A. G. Leech
†4174	Sand, coarse, for concrete, to specification, delivered into railway trucks at— Koo-Wee-Rup ... ..	"	} 2500 c. yds.	"	0 4 0	Plowright Albion Koo-Wee-Rup Washed Sand & Gravel Co. Pty. Ltd.
†4174A	Seymour, or direct to Seymour Works Depot, as ordered	"		"	0 2 3	D. Cale
†4174B	Pyalong ... ..	"		"	0 2 6	Newnham Bros.
†4174C	Coleraine (see note) ... ..	"		"	0 3 6	Permewan Wright Ltd.
†4174D	Ballarat, or direct to Ballarat Works Depot, as ordered	"		"	0 5 3	Les. Waller
†4174E	Carisbrook ... ..	"		"	0 2 6	A. G. Leech
4175-4179	Nil					

**BUILDING BRICKS**  
(Country Districts.)  
(Schedule No. 132).

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
<b>BENDIGO DISTRICT.</b>						
4180	Bricks, building, delivered into trucks at Bendigo Railway Station	Vic.	20,000	1000	3 12 0	Johnston & Andrew Bendigo Brick Co
<b>BALLARAT DISTRICT.</b>						
4181	Bricks, building, delivered into trucks at Selkirk's Siding, Ballarat ...	"	60,000	"	3 5 0	James Selkirk Pty. Ltd.
4181A	Ballarat Railway Station	"		"	3 5 0	Martin Stoneware Pipe Ltd.
<b>MARYBOROUGH DISTRICT.</b>						
4182	Bricks, building, delivered into trucks at Selkirk's Siding, Ballarat ...	"	7500	"	3 5 0	James Selkirk Pty. Ltd.
4182A	Ballarat Railway Station	"		"	3 5 0	Martin Stoneware Pipe Ltd.
4183-4188	Nil					

**INFUSORIAL EARTH**  
(Schedule No. 133)

†4189	Earth, Infusorial, ground, "K2," in bags which will remain property of Contractor, to specification, delivered Spencer Street.	Vic.	20 tons	ton	6 15 0	S. N. Rodda Pty. Ltd.
-------	--	------	---------	-----	--------	-----------------------

**ASBESTOS CEMENT AND FIBRE PLASTER SHEETS, ETC.**  
(Schedule No. 134)

†4190	Fibre Plaster Sheets, $\frac{5}{16}$ " thick, 3' to 30' long, advancing by 6", x 3' to 7' wide, advancing by 6", as ordered	Vic.	3500 sq. yds.	sq. yd.	0 1 6	Coburg Plasterboard Co. Pty. Ltd.
†4191	Fibre Plaster Sheets, $\frac{7}{16}$ " thick, 3' to 30' long, (any length) by 6' 7" wide only, as ordered	"	300 "	"	0 1 11½	
4192	Asbestos Cement Plain Sheets, $\frac{3}{16}$ " thick, 3', 4', 5', 6', 7', 8', 9', 10', 11' or 12' long x 1', 1' 6", 2', 3', or 4' wide, as ordered, uncrated— "Durabestos"	"	6500 "	"	10 1 11	Wunderlich Ltd.
4192A	"Fibrolite"	"		"	10 1 11	James Hardie & Co. Pty. Ltd.
4193	Asbestos Cement Corrugated Sheets, $\frac{7}{32}$ " thick x 2' 7½" wide (2' 4½" nett cover). Corrugations to be 1" deep overall x 3" pitch, 5' to 10' long, as ordered, advancing by 6", uncrated— "Durabestos"	"	1500 "	"	10 2 4	Wunderlich Ltd.
4193A	"Fibrolite"	"		"	10 2 4	James Hardie & Co. Pty. Ltd.
4194	Asbestos Cement Corrugated Sheets, approximately $\frac{1}{4}$ " thick x 3' 5¼" wide (3' 3½" nett cover). Corrugations to be 1½" deep overall x 5½" pitch, 5' to 10' long, as ordered, advancing by 6", uncrated, "Durabestos"	"	1500 "	"	10 2 7	Wunderlich Ltd.
4194A	Asbestos Cement Corrugated Sheets, approximately $\frac{1}{4}$ " thick x 3' 5¼" wide (3' 3½" nett cover). Corrugations to be 2" deep overall x 5½" pitch, 5' to 10' long, as ordered, advancing by 6", uncrated, "Fibrolite"	"		"	10 2 7	James Hardie & Co. Pty. Ltd.

† Less 2½% discount for payment by the end of the month following month of delivery.

ASBESTOS CEMENT AND FIBRE PLASTER SHEETS, ETC.—Continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
	Angle, Asbestos Cement, 2" x 2" x $\frac{5}{16}$ ", in 6', 7', 8', 9' or 10' lengths as ordered, uncrated—					
4195	External, "Durabestos" ...	Vict.	200 lin. ft.	100 lin. ft.	†1 3 0	Wunderlich Ltd.
4195A	" " "Fibrolite" ...	"		"	†1 3 0	James Hardie & Co. Pty. Ltd.
4196	Internal, "Durabestos" ...	"	500 "	"	†1 3 0	Wunderlich Ltd.
4196A	" " "Fibrolite" ...	"		"	†1 3 0	James Hardie & Co. Pty. Ltd.
	Ridging, two-piece, Asbestos Cement, 8" wings, in 6' lengths, uncrated—					
4197	"Durabestos" ...	"	10 lgths	lgth.	†0 4 6	Wunderlich Ltd.
4197A	"Fibrolite" ...	"		"	†0 4 6	James Hardie & Co. Pty. Ltd.
	Ridging, two-piece, Asbestos Cement, 12" wings, in 6' lengths, uncrated—					
4198	"Durabestos" ...	"	50 "	"	†0 6 4	Wunderlich Ltd.
4198A	"Fibrolite" ...	"		"	†0 6 4	James Hardie & Co. Pty. Ltd.
	Ridging, Asbestos Cement, approx. 9" wings, in lengths of 3' 6 $\frac{1}{2}$ " (3' 3 $\frac{1}{2}$ " nett cover), suitable for corrugated sheets 3' 5 $\frac{1}{4}$ " wide, uncrated—					
4199	"Durabestos" ...	"	10 "	"	†0 4 10	Wunderlich Ltd.
4199A	"Fibrolite" ...	"		"	†0 4 10	James Hardie & Co. Pty. Ltd.
	Strip, Cover, Asbestos Cement, 2" x $\frac{5}{16}$ ", in 6', 7', 8', 9' or 10' lengths, as ordered, uncrated—					
4200	"Durabestos" ...	"	5000 lin. ft.	100 lin. ft.	†0 11 6	Wunderlich Ltd.
4200A	"Fibrolite" ...	"		"	†0 11 6	James Hardie & Co. Pty. Ltd.
	Washers, Concave, galvanized steel— For securing Asbestos Cement Corrugated Sheets supplied under Item No. 4193					
4201		"	15 gross	gross	†0 1 9	Wunderlich Ltd.
4201A	For securing Asbestos Cement Corrugated Sheets supplied under Item No. 4193A	"		"	†0 1 9	James Hardie & Co. Pty. Ltd.
	Washers, Concave, galvanized steel— For securing Asbestos Cement Corrugated Sheets supplied under Item No. 4194					
4202		"	40 "	"	†0 1 9	Wunderlich Ltd.
4202A	For securing Asbestos Cement Corrugated Sheets supplied under Item No. 4194A	"		"	†0 1 9	James Hardie & Co. Pty. Ltd.
	Washers, "Rexlite"— For securing Asbestos Cement Corrugated Sheets supplied under Item No. 4193					
4203		"	10 "	"	†0 1 3	Wunderlich Ltd.
4203A	For securing Asbestos Cement Corrugated Sheets supplied under Item No. 4193A	"		"	†0 1 3	James Hardie & Co. Pty. Ltd.
	Washers, "Rexlite"— For securing Asbestos Cement Corrugated Sheets supplied under Item No. 4194					
4204		"	35 "	"	†0 1 3	Wunderlich Ltd.
4204A	For securing Asbestos Cement Corrugated Sheets supplied under Item No. 4194A	"		"	†0 1 3	James Hardie & Co. Pty. Ltd.

† Less 2½% discount for payment by the end of the month following month of delivery.

ASBESTOS CEMENT AND FIBRE PLASTER SHEETS, ETC.—Continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
	<b>Extras on contract rates for properly packing in approved crates for transport by rail—</b>					
	<b>Plain and Corrugated Sheets supplied under Items Nos. 4192 to 4194A—</b>					
4205	In 5 to 7 cwt. crates ...	...	...	sq. yd.	0 0 3 (minimum 7/6)	Wunderlich Ltd.
4205A	" " ...	...	...	"	0 0 3 (minimum 7/6)	James Hardie & Co. Pty. Ltd.
4206	In 20 to 30 cwt. crates ...	...	...	"	0 0 2 (minimum £1)	Wunderlich Ltd.
4206A	" " ...	...	...	"	0 0 2 (minimum £1)	James Hardie & Co. Pty. Ltd.
4207	In 2 ton crates ...	...	...	"	0 0 1 (minimum £1)	Wunderlich Ltd.
4207A	" " ...	...	...	"	0 0 1 (minimum £1)	James Hardie & Co. Pty. Ltd.
4208	Angle, supplied under Items Nos. 4195 and 4196 ...	...	...	...	10% of value (minimum 5/-)	Wunderlich Ltd.
4208A	Angle, supplied under Items Nos. 4195A and 4196A ...	...	...	...	10% of value (minimum 5/-)	James Hardie & Co. Pty. Ltd.
4209	Ridging, supplied under Items Nos. 4197, 4198 and 4199 ...	...	...	...	15% of value (minimum 7/6)	Wunderlich Ltd.
4209A	Ridging, supplied under Items Nos. 4197A, 4198A and 4199A ...	...	...	...	15% of value (minimum 7/6)	James Hardie & Co. Pty. Ltd.
4210	Cover Strip, supplied under Item No. 4200 ...	...	...	...	10% of value (minimum 5/-)	Wunderlich Ltd.
4210A	Cover Strip, supplied under Item No. 4200A ...	...	...	...	10% of value (minimum 5/-)	James Hardie & Co. Pty. Ltd.
	<b>Extras on contract rates for delivery, uncrated, within 18 mile radius of G.P.O., other than at Metro. Receiving Depot, f.o.r Spencer St., or f.o.r Contractor's siding—</b>					
4211	Plain and Corrugated sheets, under Items Nos. 4192, 4193 and 4194 ...	...	...	sq. yd.	0 0 1	Wunderlich Ltd.
4211A	Plain and Corrugated Sheets, under Items Nos. 4192A, 4193A and 4194A ...	...	...	"	0 0 1	James Hardie & Co. Pty. Ltd.
4212-4229	—Nil					

ASBESTOS CEMENT PIPES.

(Schedule No. 135).

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor		
	Pipes, Asbestos Cement, "Fibrolite," to specification—							
	High pressure, with asbestos cement socket joints and rubber ring—							
	11' lengths—							
4230	1½" actual inside diam. ...	Vict.	3000 lin. ft.	lin. ft.	0 0 9½	James Hardie & Co. Pty. Ltd.		
4231	2" " " " ...	"		"	0 0 10¾			
	13' 2-4" lengths—							
4232	3" nom. (2¾" act.) inside diam. ...	"		"	0 1 3			
4233	4" nom. (3-563" act.) inside diam. ...	"		"	0 1 4½			
4233A	(M) 4" nom. (3-56" act.) " " ...	"		"	0 1 5¼			
4234	6" nom. (5-5625" act.) " " ...	"		"	0 2 5			
4234A	(M) 6" nom. (5-56" act.) " " ...	"		"	0 2 7¼			
4235	8" nom. (7½" act.) " " ...	"		"	0 3 6			
4236	9" nom. (8¼" act.) " " ...	"		"	0 4 2			
4236A	(M) 9" nom. (8" act.) " " ...	"		"	0 4 7			
4237	10" nom. (9" act.) " " ...	"		"	0 5 3			
4238	12" actual inside diam. ...	"		"	0 6 6			

ASBESTOS CEMENT PIPES—Continued.

Item No.	Description	Country of Manuf'ro	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor		
Pipes, Asbestos cement "Fibrolite," to specification—(continued)—								
High pressure, without joints, ends turned suitable for cast iron Gibault joints—								
11' lengths—								
4239	1½" actual inside diam. ...	Vict.	} 100 lin. ft.	lin. ft.	0 0 8	} James Hardie & Co. Pty. Ltd.		
4240	2 " " " ...	"		"	0 0 9			
13' 2·4" lengths—								
4241	3" nom. (2¾" act.) inside diam. ...	"		"	0 1 0			
4242	4" nom. (3·563" act.) inside diam. ...	"		"	0 1 1½			
4242A	(M) 4" nom. (3·56" act.) " " ...	"		"	0 1 2¼			
4243	6" nom. (5·5625" act.) " " ...	"		"	0 1 11½			
4243A	(M) 6" nom. (5·56" act.) " " ...	"		"	0 2 1¼			
4244	8" nom. (7½" act.) " " ...	"		"	0 2 11½			
4245	9" nom. (8¼" act.) " " ...	"		"	0 3 6			
4245A	(M) 9" nom. (8" act.) " " ...	"		"	0 3 10¼			
4246	10" nom. (9" act.) " " ...	"		"	0 4 6			
4247	12" actual inside diam. ...	"		"	0 5 8			
Medium pressure, with asbestos cement socket joint and rubber ring, 13' 2·4" lengths—								
4248	4" nom. (3·875" act.) inside diam. ...	"	} 1000 "	"	0 1 3½	} James Hardie & Co. Pty. Ltd.		
4249	6" nom. (5·76" act.) " " ...	"		"	0 2 0			
4250	8" actual " " ...	"		"	0 3 0			
4251	9" nom. (8¾" act.) " " ...	"		"	0 3 9			
4252	10" actual " " ...	"		"	0 4 6			
4253	12" " " " ...	"		"	0 5 9			
Medium pressure, without joints, ends turned suitable for cast iron Gibault joints, 13' 2·4" lengths—								
4254	4" nom. (3·875" act.) inside diam. ...	"	} 500 "	"	0 1 0½	} Nil		
4255	6" nom. (5·76" act.) " " ...	"		"	0 1 7			
4256	8" actual " " ...	"		"	0 2 6			
4257	9" nom. (8¾" act.) " " ...	"		"	0 3 3			
4258	10" actual " " ...	"		"	0 3 9			
4259	12" " " " ...	"		"	0 4 11			
Low pressure, with asbestos cement socket joint and rubber ring, 13' 2·4" lengths—								
4260	6" actual inside diam. ...	"	} 500 "	"	"	} Nil		
4261	8" nom. (8¼" act.) inside diam. ...	"		"	"			
4262	9" actual " " ...	"		"	"			
4263	10" " " " ...	"		"	"			
4264	12" " " " ...	"	"	"				

ASBESTOS CEMENT PIPES—Continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
Pipes, Asbestos cement "Fibrolite," to specification—(continued)—								
Low pressure, without joints, ends turned suitable for cast iron Gibault joints, 13 2.4" lengths—								
4265	6" actual inside diam. ...	...	} 500 lin. ft.	...	...	...	} Nil	
4266	8" nom. (8¼" act.) inside diam. ...	...		...	...	...		
4267	9" actual " " ...	...		...	...	...		
4268	10" " " " ...	...		...	...	...		
4269	12" " " " ...	...		...	...	...		
4270-4279	Nil							

REINFORCED CONCRETE PIPES.

(Schedule No. 136)

Pipes, Reinforced Concrete, to specification—								
4280	9" diameter x 4' or 6' long, as ordered, butt joints	Vict.	} 600 ft.	foot	0	1	11	Hume Pipe Co. (Aust.) Ltd.
4280A	" " " " " " " "	"		"	"	0	1	11
4280B	" " " " " " " "	"	"	"	0	1	11	Rocla Ltd.
4281	9" diameter x 4' or 6' long, as ordered, spigot and faucet joints	"	} 400 "	"	0	2	0	Hume Pipe Co. (Aust.) Ltd.
4281A	" " " " " " " "	"		"	"	0	2	0
4281B	" " " " " " " "	"	"	"	0	2	0	Rocla Ltd.
4282	12" diameter x 4' or 6' long, as ordered, butt joints	"	} 700 "	"	0	2	6	Hume Pipe Co. (Aust.) Ltd.
4282A	" " " " " " " "	"		"	"	0	2	6
4282B	" " " " " " " "	"	"	"	0	2	6	Rocla Ltd.
4283	12" diameter x 4', 6' or 8' long, as ordered, spigot and faucet joints	"	} 800 "	"	0	2	8	Hume Pipe Co. (Aust.) Ltd.
4283A	" " " " " " " "	"		"	"	0	2	8
4283B	" " " " " " " "	"	"	"	0	2	8	Rocla Ltd.
4284	15" diameter x 4', 6' or 8' long, as ordered, butt or interlocking joints, as ordered	"	} 2000 "	"	0	3	5	Hume Pipe Co. (Aust.) Ltd.
4284A	" " " " " " " "	"		"	"	0	3	5
4284B	" " " " " " " "	"	"	"	0	3	5	Rocla Ltd.
4285	15" diameter x 4' or 8' long, as ordered, spigot and faucet joints	"	} 400 "	"	0	3	8	Hume Pipe Co. (Aust.) Ltd.
4285A	" " " " " " " "	"		"	"	0	3	8
4285B	" " " " " " " "	"	"	"	0	3	8	Rocla Ltd.

REINFORCED CONCRETE PIPES.—Continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
	Pipes, Reinforced Concrete, to specification—continued—					
4286	18" diameter x 4', 6' or 8' long, as ordered, butt or interlocking joints, as ordered	Vict.	1200 ft.	foot	0 4 1	Hume Pipe Co. (Aust.) Ltd.
4286A	" " " "			"	0 4 1	The Reinforced Concrete & Monier Pipe Construction Co. Pty. Ltd.
4286B	" " " "			"	0 4 1	Rocla Ltd.
4287	18" diameter x 4' long, spigot and faucet joints	"	100 "	"	0 4 5	Hume Pipe Co. (Aust.) Ltd.
4287A	" " " "			"	0 4 5	The Reinforced Concrete & Monier Pipe Construction Co. Pty. Ltd.
4287B	" " " "			"	0 4 5	Rocla Ltd.
4288	21" diameter x 4' or 8' long, as ordered, butt or interlocking joints, as ordered	"	300 ft.	"	0 5 5	Hume Pipe Co. (Aust.) Ltd.
4288A	" " " "			"	0 5 5	The Reinforced Concrete & Monier Pipe Construction Co. Pty. Ltd.
4288B	" " " "			"	0 5 5	Rocla Ltd.
4289	21" diameter x 4' long, spigot and faucet joints	"	50 "	"	0 5 10	Hume Pipe Co. (Aust.) Ltd.
4289A	" " " "			"	0 5 10	The Reinforced Concrete & Monier Pipe Construction Co. Pty. Ltd.
4289B	" " " "			"	0 5 10	Rocla Ltd.
4290	24" diameter x 4', 6' or 8' long, as ordered, butt or interlocking joints, as ordered	"	2500 "	"	0 6 6	Hume Pipe Co. (Aust.) Ltd.
4290A	" " " "			"	0 6 6	The Reinforced Concrete & Monier Pipe Construction Co. Pty. Ltd.
4290B	" " " "			"	0 6 6	Rocla Ltd.
4291	27" diameter x 4' or 8' long, as ordered, butt or interlocking joints, as ordered	"	200 "	"	0 8 8	Hume Pipe Co. (Aust.) Ltd.
4291A	" " " "			"	0 8 8	Rocla Ltd.
4292	30" diameter x 4' or 8' long, as ordered, butt or interlocking joints, as ordered	"	300 "	"	0 9 9	Hume Pipe Co. (Aust.) Ltd.
4292A	" " " "			"	0 9 9	The Reinforced Concrete & Monier Pipe Construction Co. Pty. Ltd.
4292B	" " " "			"	0 9 9	Rocla Ltd.
4293	36" diameter x 4' or 8' long, as ordered, butt or interlocking joints, as ordered	"	560 "	"	0 13 2	Hume Pipe Co. (Aust.) Ltd.
4293A	" " " "			"	0 13 2	The Reinforced Concrete & Monier Pipe Construction Co. Pty. Ltd.
4293B	" " " "			"	0 13 2	Rocla Ltd.
4294	42" diameter x 4' or 8' long, as ordered, butt or interlocking joints, as ordered	"	200 "	"	0 15 10	Hume Pipe Co. (Aust.) Ltd.
4294A	" " " "			"	0 15 10	Rocla Ltd.
4295	48" diameter x 4' or 8' long, as ordered, butt or interlocking joints, as ordered	"	50 "	"	1 0 0	Hume Pipe Co. (Aust.) Ltd.
4295A	" " " "			"	1 0 0	Rocla Ltd.
4296-4299	Nil					

**STONEWARE PIPES AND FITTINGS**  
(Schedule No. 137)

Item No.	Description	Country of Manufacture	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
	Salt Glazed Vitrified Stoneware, to specification— Drain Pipes—					
4300	4" diameter x 2' in length ...	Vict.	6,000 ft.	foot	0 0 7	Martin Stoneware Pipe Ltd.
4300A	4" diameter x 2' in length ...	"		"	0 0 7	G. D. Guthrie & Co. Pty. Ltd.
4300B	4" diameter x 2' in length ...	"		"	0 0 7	The Hoffman Brick & Potteries Ltd.
4301	(M) 4" diameter x 2' in length ...	"	3,000 "	"	0 1 0	
4302	6" diameter x 2' in length (or 3' if available), as ordered	"	25,000 "	"	0 1 0	Martin Stoneware Pipe Ltd.
4302A	6" diameter x 2' in length ...	"		"	0 1 0	G. D. Guthrie & Co. Pty. Ltd.
4302B	6" diameter x 2' in length ...	"		"	0 1 0	The Hoffman Brick & Potteries Ltd.
4303	(M) 6" diameter x 2' in length ...	"	1,000 "	"	0 1 10	
4304	9" diameter x 2' in length (or 3' if available), as ordered	"	10,000 "	"	0 1 5	Martin Stoneware Pipe Ltd.
4304A	9" diameter x 2' or 3' in length, as ordered	"		"	0 1 5	G. D. Guthrie & Co. Pty. Ltd.
4304B	9" diameter x 2' or 3' in length, as ordered	"		"	0 1 5	The Hoffman Brick & Potteries Ltd.
4305	(M) Basins, Gully, No. 22 ...	"	5	each	0 9 9	
	Bends—					
4306	4" ...	"	150	"	0 1 8	Martin Stoneware Pipe Ltd.
4306A	4" ...	"		"	0 1 8	G. D. Guthrie & Co. Pty. Ltd.
4306B	4" ...	"		"	0 1 8	The Hoffman Brick & Potteries Ltd.
4307	(M) 4" ...	"	350	"	0 3 7	
4308	6" ...	"	40	"	0 3 2	Martin Stoneware Pipe Ltd.
4308A	6" ...	"		"	0 3 2	G. D. Guthrie & Co. Pty. Ltd.
4308B	6" ...	"		"	0 3 2	The Hoffman Brick & Potteries Ltd.
4309	(M) 6" ...	"	10	"	0 7 3	
4310	9" ...	"	5	"	0 6 6	Martin Stoneware Pipe Ltd.
4310A	9" ...	"		"	0 6 6	G. D. Guthrie & Co. Pty. Ltd.
4310B	9" ...	"		"	0 6 6	The Hoffman Brick & Potteries Ltd.
	Discs—					
4311	4" ...	"	200	"	0 0 4	Martin Stoneware Pipe Ltd.
4311A	4" ...	"		"	0 0 4	G. D. Guthrie & Co. Pty. Ltd.
4311B	4" ...	"		"	0 0 4	The Hoffman Brick & Potteries Ltd.
4312	6" ...	"	25	"	0 0 7	Martin Stoneware Pipe Ltd.
4312A	6" ...	"		"	0 0 7	G. D. Guthrie & Co. Pty. Ltd.
4312B	6" ...	"		"	0 0 7	The Hoffman Brick & Potteries Ltd.
	Elbows—					
4313	4" ...	"	5	"	0 1 9	Martin Stoneware Pipe Ltd.
4313A	4" ...	"		"	0 1 9	G. D. Guthrie & Co. Pty. Ltd.
4313B	4" ...	"		"	0 1 9	The Hoffman Brick & Potteries Ltd.
4314	(M) Inlets, level, double, 4", No. 10 ...	"	3	"	0 13 6	
4315	(M) " " single, 4", No. 8 ...	"	5	"	0 7 6	



STONEWARE PIPES AND FITTINGS—Continued.

Item No.	Description	Country of Manufre	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
Salt Glazed Vitrified Stoneware, to specification—Continued—						
Junctions, single, right angle, oblique, 45 deg. or 60 deg., as ordered—						
4316	4" x 4" ... ..	Vict.	50	each	0 2 2	Martin Stoneware Pipe Ltd.
4316A	4" x 4" ... ..	"		"	0 2 2	G. D. Guthrie & Co. Pty. Ltd.
4316B	4" x 4" ... ..	"		"	0 2 2	The Hoffman Brick & Potteries Ltd.
4317	(M) 4" x 4" ... ..	"	300	"	0 3 8	
4318	6" x 4" ... ..	"	30	"	0 4 2	Martin Stoneware Pipe Ltd.
4318A	6" x 4" ... ..	"		"	0 4 2	G. D. Guthrie & Co. Pty. Ltd.
4318B	6" x 4" ... ..	"		"	0 4 2	The Hoffman Brick and Potteries Ltd.
4319	(M) 6" x 4" ... ..	"	20	"	0 7 3	
4320	6" x 6" ... ..	"	25	"	0 4 2	Martin Stoneware Pipe Ltd.
4320A	6" x 6" ... ..	"		"	0 4 2	G. D. Guthrie & Co. Pty. Ltd.
4320B	6" x 6" ... ..	"		"	0 4 2	The Hoffman Brick & Potteries Ltd.
4321	(M) 6" x 6" ... ..	"	25	"	0 7 3	
4322	9" x 4" ... ..	"	30	"	0 6 4	Martin Stoneware Pipe Ltd.
4322A	9" x 4" ... ..	"		"	0 6 4	G. D. Guthrie & Co. Pty. Ltd.
4322B	9" x 4" ... ..	"		"	0 6 4	The Hoffman Brick & Potteries Ltd.
4323	9" x 6" ... ..	"	8	"	0 6 4	Martin Stoneware Pipe Ltd.
4323A	9" x 6" ... ..	"		"	0 6 4	G. D. Guthrie & Co. Pty. Ltd.
4323B	9" x 6" ... ..	"		"	0 6 4	The Hoffman Brick & Potteries Ltd.
Tops, adjustable, for yard gullies—						
4324	(M) No. 24, oval inlet ... ..	"	2	"	0 9 9	The Hoffman Brick & Potteries Ltd.
4325	(M) No. 25, round inlet ... ..	"	2	"	0 9 9	
Tops for Boundary Traps—						
4326	(M) 4" x 4", No. 27A ... ..	"	20	"	0 3 4	The Hoffman Brick & Potteries Ltd.
4327	(M) 6" x 4" or 6" x 6", as ordered, No. 28A	"	5	"	0 7 3	
4328	(M) Tops, for silt traps, with perforated buckets, No. 17	"	3	"	1 18 0	
4329	(M) Traps, Boundary, 4", No. 15 ... ..	"	2	"	0 9 9	
4330	(M) Traps, Boundary, 6", No. 16 ... ..	"	2	"	1 6 0	
4331	(M) Traps, Disconnecter, 4", No. 13 ... ..	"	50	"	0 7 6	
4332	(M) Traps, Gully, No. 12 ... ..	"	10	"	0 10 3	
4333	4330—Nil					

**CAST IRON WATER PIPES**

(Schedule No. 138).

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
4340	Pipes, Cast Iron, Water, to specification— 3" diameter x 9' lengths	Vict.	4 tons	ton	12	5	0	} Montcath & Sons Pty. Ltd.
4341	4" " x 9' "	"	7 "	"	13	0	0	
4342	4" " x 12' "	"	½ "	"	12	15	0	
4343	5" " x 9' "	"	2 "	"	13	0	0	
4344	6" " x 9' "	"	10 "	"	13	0	0	
4345	6" " x 12' "	"	2 "	"	12	15	0	
4346	9" " x 9' "	"	1 "	"	14	0	0	
4347	9" " x 12' "	"	½ "	"	13	10	0	
4348	10" " x 9' "	"	½ "	"	14	0	0	
4349	10" " x 12' "	"	½ "	"	13	10	0	

**CAST IRON WATER FITTINGS**

(Schedule No. 139).

4350	Joints, "Gibault," Cast Iron, complete with bolts and rings, for cast iron or asbestos cement pipes, to specification, "J. & T. M."— 1½"	Vict.	40	each	0	3	7	} J. & T. Muir Pty. Ltd.
4351	2"	"	50	"	0	4	3	
4352	3"	"	150	"	0	4	7	
4353	4"	"	200	"	0	5	9	
4354	6"	"	80	"	0	9	1	
4355	9"	"	10	"	0	14	0	
4356	Fittings, Water Supply, Cast Iron, standard Melbourne and Metropolitan Board of Works pattern, as set out hereunder, to specification "J. & T. M." (Patterns to be provided by the Contractor)—  Tees, Single, 90° branch, socket ends— 3" x 3" branch 18" x 4" branch 4" x 3" " 5" x 5" " 5" x 3" " 15" x 5" " 6" x 3" " 6" x 6" " 9" x 3" " 9" x 6" " 10" x 3" " 10" x 6" " 12" x 3" " 12" x 6" " 3" x 4" " 15" x 6" " 4" x 4" " 18" x 6" "	"	3 tons	ton	25	10	0	

CAST IRON WATER FITTINGS—Continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
4357	<p>List of Fittings provided for under Item No. 4356—Continued—</p> <p><b>Tees, Single, 90° branch, socket ends—continued—</b></p> <p>5" x 4" " 12" x 9" "</p> <p>6" x 4" " 18" x 9" "</p> <p>7" x 4" " 12" x 12" "</p> <p>9" x 4" " 15" x 12" "</p> <p>10" x 4" " 18" x 12" "</p> <p>12" x 4" " 20" x 12" "</p> <p>15" x 4" " 24" x 18" "</p> <p><b>Bends, 90°, spigot and faucet—</b> 3", 4", 5", 6", 7", 9", 12", 15" or 18"</p> <p><b>Bends, 45°, spigot and faucet—</b> 3", 4", 5", 6", 7", 9", 12", 15" or 18"</p> <p><b>Crosses, 2 No. 90° branches, socket ends—</b> 4" x 2 No. 3" branches</p> <p>4" x " 4" "</p> <p>5" x " 4" "</p> <p>6" x " 4" "</p> <p>9" x " 6" "</p> <p>10" x " 4" "</p> <p>16" x " 6" "</p> <p>18" x " 6" "</p> <p><b>Thimbles—</b> 3", 4", 5", 6", 7", 8", 9", 10", 12", 14", 15", 16", 18", 20", 24", 27" or 30"</p> <p><b>Blank Ends—</b> 3", 4", 5", 6", 9" or 15"</p> <p><b>Reducing Pieces, spigot and faucet—</b> 4" to 3" 7" to 6" 12" to 10" 5" to 4" 9" to 6" 15" to 12" 6" to 4" 9" to 7" 18" to 12" 6" to 5" 12" to 9"</p> <p><b>Washouts or Footstep Bends—</b> 3", 4", 5", 6", 7", 9" or 12"</p> <p><b>Reducing Distance Pieces for 4" washouts or footstep bends—</b> 4" to 3"</p> <p><b>Fire Plug Tees, socket ends, with 3" flanged fire plug branch—</b> 3", 4", 5", 6", 7", 9", 12", 15" or 18"</p> <p><b>Fire Plug Extension Pieces, 3" diameter—</b> 6", 9" or 12" long</p> <p><b>Thimbles, Hatch Box—</b> 4", 5" or 6", with or without tops 7", 9", 10" or 12" with tops</p>	Vict.	1 ton	ton	30 0 0	J. & T. Muir Pty Ltd.
4358,	4359—Nil					

CAST IRON AND LEAD PLUMBERS' FITTINGS

(Schedule No. 140)

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
<b>CAST IRONWARE.</b>						
Bends, Soil Pipe, cast iron, $\frac{5}{16}$ " metal, any angle ordered—						
4360	3" diameter ... ..	Vict.	2	each	0 5 10	} John Danks & Son Pty. Ltd.
4361	4" " ... ..	"	30	"	0 8 6	
Branches, Soil Pipe, cast iron, $\frac{5}{16}$ " metal, looking up or down, any angle ordered—						
4362	3" diameter x 2" diameter (spigot ends to be 10" longer than standard size)	"	2	"	0 10 3	} J. & T. Muir Pty. Ltd.
4363	3" diameter x 3" diameter ... ..	"	2	"	0 6 8	
4364	4" " x 3" " ... ..	"	2	"	0 11 2	
4365	4" " x 4" " ... ..	"	10	"	0 11 2	
4366	Branches, Soil Pipe, cast iron, $\frac{5}{16}$ " metal, 45/90°, 4" diameter x 4" diameter	"	5	"	1 2 8	
4367	Covers, Boundary Top, No. 197, cast iron	"	3	"	0 3 0	} John Danks & Son Pty. Ltd.
Gratings, cast iron, galvanised—						
4368	No. 24A, 6 $\frac{1}{2}$ ", for gully basins ... ..	"	50	"	0 1 6	
4369	No. 61, 6 $\frac{1}{2}$ ", for disconnector traps ... ..	"	60	"	0 1 2	} J. & T. Muir Pty. Ltd.
4370	For floor traps ... ..	"	2	"	0 1 6	
4371	For Stoneware, silt trap tops, round or square, as ordered	"	3	"	0 6 4	} John Danks & Son Pty. Ltd.
4372	Pieces, Extension, cast iron, 4" diameter x 12" long	"	10	"	0 5 4	
4373	Pieces, Extension, closet, cast iron, 4" diameter x 12" long	"	5	"	0 5 4	} J. & T. Muir Pty. Ltd.
4374	Pipe, Soil, cast iron, $\frac{5}{16}$ " metal— 3" diameter x 6' lengths ... ..	"	10 lengths	length	0 13 0	
4375	4" " x 3' " ... ..	"	10	"	0 13 4	John Danks & Son Pty. Ltd.
4376	4" " x 3' " with inspection opening	"	15	"	0 17 3	J. & T. Muir Pty. Ltd.
4377	4" " x 6' " ... ..	"	20	"	0 19 8	John Danks & Son Pty. Ltd.
4378	4" " x 9' " ... ..	"	20	"	1 4 0	J. & T. Muir Pty. Ltd.
Sockets, Soil Pipe, cast iron—						
4379	3" diameter ... ..	"	10	each	0 2 6	} John Danks & Son Pty. Ltd.
4380	4" " ... ..	"	12	"	0 3 0	
4381	Tops, Adjustable, cast iron, 2" diameter, out of 4" diameter to 4" diameter out of 4" diameter, as ordered	"	6	"	0 10 0	

CAST IRON AND LEAD PLUMBERS' FITTINGS—Continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor	
CAST IRONWARE—Continued.							
4382	Tops, Gully, cast iron, square, No. 24A ...	Vict.	2	each	0 11 6	John Danks & Son Pty. Ltd.	
4383	Traps, Floor, cast iron, 2", with grating— For cast iron pipe ...	"	2	"	0 11 8		
4384	For wrought iron pipe ...	"	2	"	0 15 0	J. & T. Muir Pty. Ltd.	
4385	Traps, Urinal, cast iron, 3", with spigot ends	"	2	"	0 18 0		
LEADWARE, ETC.							
4386	Cones, lead, No. 8 ...	"	120	"	0 0 4½	Walter Coop	
4387	" " No. 10 ...	"	20	"	0 0 5½		
4388	Pipe, lead, any size ordered ...	"	2 tons	cwt.	2 1 6		
Traps, lead, solid drawn, with wiped trap screws—							
4389	P., 1½" ...	"	20	each	0 3 0		
4390	P., 2" ...	"	15	"	0 4 1		
4391	S., 2" ...	"	12	"	0 5 2		
4392-4399	—Nil						

BRASS AND BRAZED METAL PLUMBERS' FITTINGS

(Schedule No. 141)

BRASSWARE.							
Bends, brass, plain, any angle ordered—							
4400	(M) 1½" ...	Vict.	120	each	0 1 6½	John McIlwraith Co. Pty. Ltd.	
4401	(M) 1½" ...	"	80	"	0 1 10		
4402	(M) 2" ...	"	100	"	0 2 3		
Bends, brass, with inspection opening, any angle ordered—							
4403	(M) 1½" ...	"	120	"	0 1 11	Galliers & Klaerr Pty. Ltd.	
4404	(M) 1½" ...	"	100	"	0 2 3		
4405	(M) 2" ...	"	130	"	0 2 10		
4406	Bushes, brass, 1" x ¾", brass threads ...	"	20	"	0 0 10	John McIlwraith & Co. Pty. Ltd.	
Caps and Linings, brass, with screwed tail pieces—							
4407	(M) 1½" ...	"	100	"	0 1 9		
4408	(M) 1½" ...	"	15	"	0 1 10		
4409	(M) 2" ...	"	80	"	0 2 2		
4410	... ..	...	...	...	...		

BRASS AND BRAZED METAL PLUMBERS' FITTINGS—Continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor	
BRASSWARE—Continued.							
4411	Connections, brass, lead to iron— (M) 1½" ... ..	Vict.	10	each	0 2 10	} John McIlwraith & Co. Pty. Ltd.	
4412	(M) 1½" ... ..	"	5	"	0 3 3		
4413	(M) 2" ... ..	"	15	"	0 4 1		
4414	Directors, Water, brass, with nozzle only— ½" ... ..	"	6	"	0 0 11	} John Danks & Son Pty. Ltd.	
4415	¾" ... ..	"	36	"	0 1 4		
4416	1" ... ..	"	10	"	0 3 4		
*4417	Elbows, brass, 1", brass thread ... ..	"	25	"	0 1 8		
4418	Ferrules, brass, straight union, for lead— (M), ¾" ... ..	"	4	"	0 2 2	} John McIlwraith & Co. Pty. Ltd.	
4419	(M), 1" ... ..	"	5	"	0 3 8		
*4420	(M) Fittings, brass, complete, including rubber plugs, for 2-compartment wash troughs	"	60 sets	set	0 9 9	Kennedy's Concrete Works Pty. Ltd.	
*4421	(M) Gratings, Urinal, brass ... ..	"	15	each	0 5 10	} Kennedy's Concrete Works Pty. Ltd.	
Junctions, brass, plain, any angle ordered—							
4422	(M) 1¼" x 1¼" ... ..	"	60	"	0 2 4		
4423	(M) 1½" x 1¼" ... ..	"	2	"	0 2 8		
4424	(M) 1½" x 1½" ... ..	"	20	"	0 2 7		
4425	(M) 2" x 1½" ... ..	"	10	"	0 2 11		
4426	(M) 2" x 2" ... ..	"	25	"	0 3 8		
Junctions, brass, with inspection opening, any angle ordered—							
4427	(M) 1½" x 1½" ... ..	"	15	"	0 2 11		} John McIlwraith & Co. Pty. Ltd.
4428	(M) 1½" x 1½" ... ..	"	15	"	0 3 1		
4429	(M) 2" x 2" ... ..	"	12	"	0 4 0		
Junctions, brass, plain, 45/90°—							
4430	(M) 1¼" x 1¼" ... ..	"	6	"	0 3 1	} Kennedy's Concrete Works Pty. Ltd.	
4431	(M) 1½" x 1½" ... ..	"	6	"	0 3 8		
4432	(M) 2" x 1¼" ... ..	"	10	"	0 4 3		
4433	(M) 2" x 1½" ... ..	"	10	"	0 4 4		
4434	(M) 2" x 2" ... ..	"	10	"	0 4 7		
Nipples, brass, brass or iron thread, as ordered—							
4435	½", plain ... ..	"	0	"	0 0 3	} John Danks & Son Pty. Ltd.	
4436	½", hexagon ... ..	"	0	"	0 0 5½		
4437	¾", plain ... ..	"	2	"	0 0 5		
4438	¾", hexagon ... ..	"	20	"	0 0 6		

BRASS AND BRAZED METAL PLUMBERS' FITTINGS—Continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
BRASSWARE—Continued.						
4439	Nuts, Rings and Tails, brass, in sets— ½"	...	30 sets	set	...	} Nil.
4440	¾"	...	60 "	"	...	
4441	1"	...	10 "	"	...	
4442	(M) Pieces, Extension, brass, 2" diameter, any length ordered	Vict.	100 in.	inch	0 0 6	Galliers & Klaerr Pty. Ltd.
4443	Plugs, brass, ¾", long taper, iron thread	"	20	each	0 0 7	John McIlwraith & Co. Pty. Ltd.
4444	Rings, Hose, brass, for bib cocks, ¾" ...	"	100	"	0 0 6	John Danks & Son Pty. Ltd.
*4445	Screws, Trap, brass, complete with ring and leather washer to Drawing No. 208—40	"	100 doz.	dozen	0 12 0	Webb Industries Pty. Ltd.
*4446	(M) Spreaders, Urinal, brass, ¾", brass thread	"	60	each	0 2 0	John Danks & Son Pty. Ltd.
4447	Tails, Cistern, brass, reducing, screwed for 1" iron thread, female	...	5	...	...	Nil.
*4448	Tees, brass, 1", brass thread ...	Vict.	12	each	0 1 9	} John Danks & Son Pty. Ltd.
*4449	Tees, brass, reducing, 1" brass x 1" brass x 1" gas thread	"	12	"	0 2 9	
Traps, P, brass, with brass trap screw—						
4450	(M) 1½"	"	100	"	0 3 8	John McIlwraith & Co. Pty. Ltd.
4451	(M) 1½"	"	10	"	0 3 10	Galliers & Klaerr Pty. Ltd.
4452	(M) 2"	"	125	"	0 5 8	John McIlwraith & Co. Pty. Ltd.
Unions, Barrel, brass, female, conical ground in joint—						
4453	¾", brass thread ...	"	20	"	0 0 8	} John Danks & Son Pty. Ltd.
4454	¾", iron thread ...	"	6	"	0 0 10	
4455	½" " " ...	"	6	"	0 1 0	
4456	¾" " " ...	"	20	"	0 1 2	
4457	1" " " ...	"	10	"	0 1 8	
*4458	Unions, Barrel, brass, male and female, 1", brass thread	"	12	"	0 2 6	} John Danks & Son Pty. Ltd.
4459	Unions, Hose, brass, double, ¾", iron thread	"	10	"	0 1 6	
Unions, Hose, brass, Metropolitan Fire Brigade Standard, to Blue Print No. 205/09—						
4460	Female part only ...	"	120	"	0 6 9	} John McIlwraith & Co. Pty. Ltd.
4461	Male part only ...	"	50	"	0 5 9	
4462	Unions, Royle's Pattern, brass, without rubbers, ¾"	"	40	"	0 1 2	} John Danks & Son Pty. Ltd.
4463	(M) Wastes, floor, brass, cup pattern, 2", screwed for lead floors	"	20	"	0 4 6	
BRAZED METALWARE						
Elbows, brazed metal, iron thread—						
4464	¾"	"	12	"	0 0 9½	} John Danks & Son Pty. Ltd.
4465	1"	"	20	"	0 1 1	
4466	1¼"	"	12	"	0 1 4	

BRASS AND BRAZED METAL PLUMBERS' FITTINGS—Continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
BRAZED METALWARE—Continued.						
4467	Tees, brazed metal, iron thread— ¾"	Vict.	20	each	0 1 0	} John Danks & Son Pty. Ltd.
4468	1" x ¾"	"	15	"	0 1 2	
4469	Unions, brazed metal, iron thread, male and female— 1"	"	10	"	0 3 0	
4470	1½"	"	10	"	0 3 11	
4471-4479	—Nil					

PLUMBERS' COPPER TUBING AND FITTINGS

(Schedule No. 142).

Tubing, Copper, suitable for compression couplings, in trade lengths of 16' to 19',—							
4480	(M) ½" outside diameter x 18 S.W.G.	N.S.W.	600 feet	lb.	0 1 5.4	} H. A. Barnard Pty. Ltd.	
4481	(M) ¾" " " x 18 "	"	1400 "	"	0 1 4.3		
4482	(M) 1" " " x 18 "	"	600 "	"	0 1 4		
4483	(M) 1½" " " x 16 "	"	250 "	"	0 1 4.9		
4484	(M) 1½" " " x 16 "	"	100 "	"	0 1 4.5		
4485	(M) 2" " " x 16 "	"	100 "	"	0 1 4.5		
Tubing, copper, suitable for screwed connections, in trade lengths of 16' to 19'—							
4486	(M) ⅜" outside diam. x 13 S.W.G.	"	30 "	"	0 1 4.5		
4487	(M) 1 ⅜" " " x 13 "	"	30 "	"	0 1 3.9		
4488	(M) 1 ⅝" " " x 12 "	"	40 "	"	0 1 3.6		
4489	(M) 1 ⅞" " " x 12 "	"	30 "	"	0 1 3.1		
4490	(M) 1 ⅞" " " x 12 "	"	30 "	"	0 1 3.1		
4491	(M) 2 ⅞" " " x 11 "	"	30 "	"	0 1 3.1		
Bends, copper alloy, male and female, "McIlwraith"—							
4492	(M) ½"	Vict.	10	each	0 0 11½	} John McIlwraith & Co. Pty. Ltd.	
4493	(M) ¾"	"	10	"	0 1 6		
4494	(M) 1"	"	10	"	0 2 3		
Elbows, Double Union, compression, "G & K"—							
4495	(M) ½" copper	"	20	"	0 2 8	} Galliers & Klaerr Pty. Ltd.	
4496	(M) ¾"	"	100	"	0 3 0		
4497	(M) 1"	"	30	"	0 4 7		
4498	(M) 1½"	"	10	"	0 5 10		
4499	(M) 1½"	"	15	"	0 9 4		
4500	(M) 2"	"	10	"	0 14 0		



PLUMBERS' COPPER TUBING AND FITTINGS—Continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor	
4501	Elbows, Single Union, compression, male or female, as ordered, "G & K"— (M) ½" iron x ½" copper ...	Vict.	2	each	0 2 3	Galliers & Klaerr Pty. Ltd.	
4502	(M) ½" " x ¾" " ...	"	30	"	0 2 9		
4503	(M) ¾" " x ¾" " ...	"	10	"	0 2 0		
4504	(M) ¾" " x 1" " ...	"	5	"	0 4 0		
4505	(M) 1" " x 1" " ...	"	5	"	0 4 0		
†4506	Roses, Shower, 8" diameter, copper, nickel-plated, female connection, ¾" or ½", as ordered	"	120	"	0 3 8½	H. A. Barnard Pty. Ltd.	
	Tees, Treble Union, compression, plain, "G & K"—						
4507	(M) ½" copper ...	"	10	"	0 3 4	Galliers & Klaerr Pty. Ltd.	
4508	(M) ¾" " ...	"	20	"	0 3 11		
4509	(M) 1" " ...	"	10	"	0 6 2		
4510	(M) 1½" " ...	"	5	"	0 13 0		
4511	(M) 2" " ...	"	5	"	0 18 0		
	Tees, Treble Union, compression, reducing branch, "G & K"—						
4512	(M) ¾" copper x ½" copper ...	"	10	"	0 3 11		
4513	(M) 1" " x ½" " ...	"	5	"	0 6 2		
4514	(M) 1" " x ¾" " ...	"	20	"	0 6 2		
4515	(M) 2" " x 1½" " ...	"	5	"	0 17 6		
	Unions, Double, compression, "G & K"—						
4516	(M) ½" copper x ½" copper ...	"	15	"	0 1 10	Galliers & Klaerr Pty. Ltd.	
4517	(M) ¾" " x ½" " ...	"	10	"	0 2 3		
4518	(M) ¾" " x ¾" " ...	"	40	"	0 2 3		
4519	(M) 1" " x ¾" " ...	"	5	"	0 3 2		
4520	(M) 1" copper x 1" copper ...	"	15	"	0 3 2		
4521	(M) 1½" " x 1½" " ...	"	5	"	0 4 1		
4522	(M) 1½" " x 1½" " ...	"	5	"	0 5 5		
4523	(M) 2" " x 2" " ...	"	5	"	0 8 1		
	Unions, Single, compression, male or female, as ordered, "G & K"—						
4524	(M) ½" iron x ½" copper ...	"	20	"	0 1 10		
4525	(M) ½" " x ¾" " ...	"	30	"	0 2 3		
4526	(M) ½" " x 1" " ...	"	5	"	0 2 9		
4527	(M) ¾" " x ½" " ...	"	5	"	0 2 5		
4528	(M) ¾" " x ¾" " ...	"	25	"	0 2 5		
4529	(M) ¾" " x 1" " ...	"	10	"	0 2 9		
4530	(M) 1" " x ¾" " ...	"	5	"	0 3 4		
4531	(M) 1" " x 1" " ...	"	10	"	0 3 4		
4532-4539	Nil						

## COCKS, VALVES, ETC.

(Schedule No. 143.)

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
4540.	(M) Cocks, Ball, brass, automatic, $\frac{1}{2}$ " ...	Vict.	30	each	0	15	6	Shanks & Co. Pty. Ltd.
	Cocks, Ball, brass, high or low pressure, as ordered, long or short lever, as ordered—							
4541	(M) $\frac{1}{2}$ ", "Prestel" patent ...	"	170	"	0	5	6	} Jinks & Morgan Pty. Ltd.
4542	(M) $\frac{3}{4}$ ", "Prestel" patent ...	"	50	"	0	7	6	
4543	(M) 1", Croydon pattern ...	"	15	"	0	8	3	John McIlwraith & Co. Pty. Ltd.
4544	Cocks, Ball, brass, Lambert's pattern— (M) 2" ...	"	10	"	2	10	0	} John Danks & Son Pty. Ltd.
4545	(M) 3" ...	"	2	"	4	7	0	
	Cocks, Bib or Stop as ordered, bonnetted, brass, nickel-plated, high pressure, labelled "Hot" or "Cold" as ordered, for iron—							
† 4546	(M) $\frac{1}{2}$ " ...	"	120	"	"	"	"	} Nil
4547	(M) $\frac{3}{4}$ " ...	"	15	"	"	"	"	
	Cocks, Bib or Stop as ordered, brass, high pressure—							
4548	(M) $\frac{1}{2}$ " ...	Vict.	320	each	0	2	2 $\frac{1}{2}$	} John Danks & Son Pty. Ltd.
4549	(M) $\frac{3}{4}$ " ...	"	500	"	0	3	9	
4550	(M) 1" ...	"	50	"	0	5	9	John McIlwraith & Co. Pty. Ltd.
	Cocks, Fullway Gate Valve, brass, high pressure—							
4551	(M) $\frac{1}{2}$ " ...	"	60	"	0	4	2	} John Danks & Son Pty. Ltd.
4552	(M) $\frac{3}{4}$ " ...	"	50	"	0	5	3	
4553	(M) 1" ...	"	80	"	0	6	1	
4554	(M) 1 $\frac{1}{4}$ " ...	"	10	"	0	9	9	
4555	(M) 1 $\frac{1}{2}$ " ...	"	20	"	0	11	9	
4556	(M) 2" ...	"	20	"	0	16	0	
4557	(M) 3" ...	"	10	"	2	0	0	
	Cocks, Gas Main, brass, male and female—							
† 4558	$\frac{1}{4}$ ", Tee head, "ESBE" ...	S. Aust.	48	"	0	1	6	} John McIlwraith & Co. Pty. Ltd.
4559	$\frac{1}{2}$ ", " " " " ...	"	20	"	0	2	0	
† 4560	2", Diamond head, without keys ...	Vict.	12	"	1	0	0	John Danks & Son Pty. Ltd.
	Cocks, Mill, brass—							
4561	(M) "A" design, to blue print No. 260/33	"	15	"	2	18	0	} Davies Shephard Pty. Ltd.
4562	(M) "B" design, to blue print No. 1090/08	"	5	"	2	18	0	
4563	(M) "C" design, to blue print No. 1090/08	"	10	"	2	18	0	
† 4564	(M) Cocks, Pillar, bonnetted, brass, chromium plated, $\frac{1}{2}$ ", high pressure, complete with nuts and tails, labelled "Hot" or "Cold" as ordered	"	100	"	"	"	"	Nil
† 4565	Cocks, Plug, steam, brass, diamond head, with handles, female, $\frac{3}{4}$ "	Vict.	20	each	0	6	0	John Danks & Son Pty. Ltd.

COCKS, VALVES, ETC.—Continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor				
† { 4566	Cocks, Range, brass, with brass keys and nuts— ½" ... ..	Vict.	30	each	0 2 1	} John Danks & Son Pty. Ltd.				
							4567	¾" ... ..	5	0 2 5
†4568	Cocks, Range, brass, with brass keys, without nuts, ¾"	"	600	"	0 2 2					
4569	Cocks, Stop, ferruled, bent, brass, with screwed tail pieces, for iron— (M) ½" ... ..	"	10	"	0 3 9		} John McIlwraith & Co. Pty. Ltd.			
4570	(M) ¾" ... ..	"	50	"	0 5 4			} John Danks & Son Pty. Ltd.		
4571	(M) 1" ... ..	"	15	"	0 8 0					
4572	(M) Cocks, Stop, brass, with unions, high pressure, ½"	"	100	"	0 3 3	} John Danks & Son Pty. Ltd.				
†4573	Cocks, Tank, brass, non-leak type, ¾" ...	"	60	"	0 2 6					
† { 4574	Gates, Treacle, cast iron, japanned, gas thread, "S. K. McIver"— 1" ... ..	"	24	"	0 4 3	} Hardware Co. of Aust. Pty. Ltd.				
							4575	1½" ... ..	3	0 5 10
							4576	2" ... ..	20	0 7 4
4577	Valves, Retention, cast iron, spigot and faucet or spigot and flange ends, M.M.B.W. standard— 3" ... ..	"	2	"	4 7 6		} John Danks & Son Pty. Ltd.			
4578	4" ... ..	"	2	"	5 5 0					
4579	6" ... ..	"	1	"	8 7 6					
4580	Valves, Sluice, cast iron, M.M.B.W. standard— 3" ... ..	"	5	"	2 18 6	} John Danks & Son Pty. Ltd.				
4581	4" ... ..	"	15	"	3 17 6					
4582	6" ... ..	"	5	"	6 15 0					
† { 4583	Valves, Steam, brass, "Jenkin's" renewal disc type— ½" ... ..	"	5	"	0 6 0	} John Danks & Son Pty. Ltd.				
							4584	¾" ... ..	15	0 8 0
							4585	1" ... ..	4	0 9 10
†4586	Valves, Steam, brass, with brass seats and valves, "Globe" type— ½" "M. B. John" ... ..	"	30	"	0 3 4		} Hardware Co. of Aust. Pty. Ltd.			
4587	¾" ... ..	"	50	"	0 4 2					
† { 4588	Valves, Steam, brass, with nickel alloy seats and valves, "Rosbin" type, gas thread, tested to 200 lb. per square inch, "M. B. John"— 1" ... ..	"	100	"	0 6 0		} John Danks & Son Pty. Ltd.			
4589						1½" "M. B. John" ... ..		15	0 10 5	
† { 4590						2" ... ..		"	60	"
4591	Valves, Steam, brass, with nickel alloy seats and valves, "Rosbin" type, gas thread, tested to 200 lb. per square inch, "M. B. John"— ½" ... ..	"	150	"	0 10 2	} Hardware Co. of Aust. Pty. Ltd.				
† { 4592	¾" ... ..	"	24	"	0 14 2					
4593	1" ... ..	"	12	"	0 18 5					
4594-4599	Nil									

**GALVANISED IRON AND TINWARE.**

(Schedule No. 144)

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
*4600	Baths, galvanised iron, rolled top, 5' 6", to specification	Vict.	90	each	1	2	9	Kelso Trading Supply Pty. Ltd.
	Buckets, galvanised iron, to specification—							
*4601	12" ... ..	"	1200	"	0	4	0	A. G. Way & Co. Pty. Ltd.
*4602	14" ... ..	"	50	"				
*4603	Cans, Watering, galvanised iron, with rose, 4 gallons	"	20	"				} Nil
4604	Cowls, Educt, galvanised iron, 22G, 4" ...	Vict.	20	each	0	1	6	
	Down-pipe, galvanised iron, 24G, in 6' lengths—							
4605	2" ... ..	"	400 lgths.	lgth.	0	1	5½	} Currie & Richards Pty. Ltd.
4606	2½" ... ..	"	1300 "	"	0	1	7¼	
4607	3" ... ..	"	1500 "	"	0	1	10¼	
4608	4" ... ..	"	350 "	"	0	2	3	} John Sharp & Sons Ltd.
*4609	Lugs, Bucket, small, mild steel, tinned, not less than 17 gauge finished thickness	"	40 doz.	"				Nil
	Pans, Closet, galvanised iron, to specification—							
*4610	Oval ... ..	Vict.	120	each	0	6	10	} H. T. Thomas & Co.
*4611	Round ... ..	"	180	"	0	6	7	
4612	Pipes, Flush, galvanised iron, 1½", any projections ordered, M.M.B.W. standard, "Enticott"	"	80	"	0	3	8	John Danks & Son Pty. Ltd.
	Strainers, Vent, galvanised iron—							
4613	1½" ... ..	"	50	"	0	0	6	} W. E. Cash
4614	2" ... ..	"	10	"	0	0	6	
4615	3" ... ..	"	5	"	0	0	9	
4616	4" ... ..	"	5	"	0	1	6	
*4617	Tins, Sealed, 1-lb. ... ..	"	50 doz.	"				} Nil
*4618	" " 2-lb. ... ..	"	35 "	"				
	Vent-pipe, galvanised iron, 20G, in 6' lengths—							
4619	(M) 3" ... ..	Vict.	50 lgths.	lgth.	0	4	9	} W. E. Cash
4620	(M) 4" ... ..	"	100 "	"	0	5	9	
4621-4629	—Nil							

IRONMONGERY—TOOLS, ETC.

(Schedule, No. 145)

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
Bits, Auger, "Mathieson"—						
4630	$\frac{1}{4}$ ", $\frac{5}{16}$ ", $\frac{3}{8}$ ", $\frac{7}{16}$ " or $\frac{1}{2}$ ", as ordered ...	U.K.	500	each	0 1 11½	Hardware Co. of Australia Pty. Ltd.
4631	$\frac{9}{16}$ " ...	"	150	"	0 2 2	
4632	$\frac{5}{8}$ " ...	"	60	"	0 2 4½	
4633	$\frac{11}{16}$ " ...	"	80	"	0 2 7½	
4634	$\frac{3}{4}$ " ...	"	50	"	0 2 7½	
4635	$\frac{13}{16}$ " ...	"	50	"	0 2 11	
4636	$\frac{7}{8}$ " ...	"	12	"	0 2 11	
†4637	Bits, Nail, German type, "Ridgway"— $\frac{3}{32}$ ", $\frac{5}{32}$ ", $\frac{6}{32}$ ", $\frac{7}{32}$ " or $\frac{8}{32}$ ", as ordered	"	500	doz.	0 5 4	Briscoe & Co. Ltd.
Bits, Solid Centre, coarse thread, 2" x $\frac{1}{2}$ " shank—						
†4638	6" long, excluding shank, any size ordered	...	40 Sths.	...	...	} Nil
†4639	12" long, excluding shank, any size ordered	...	150 "	...	...	
Blocks, Chain, worm geared type, with hand and lift chains for 20' lift, to specification, "Vulcan"—						
4640	10 cwt. ...	Vict.	2	each	8 11 0	} McPherson's Pty. Ltd.
4641	20 cwt. ...	"	1	"	11 2 0	
†4642	Braces, Carpenters', ratchet, 12", "Chapmans No. 61"	U.K.	140	"	0 13 8	}
†4643	Cans, Oil, short spout, size No. 1 ( $2\frac{3}{8}$ " dia.) "Braimes No. 61"	"	200	"	0 1 6	
Chisels, Socket, handled—						
4644	$\frac{1}{2}$ " "Marples No. 801" ...	"	12	"	0 3 0	} Briscoe & Co. Ltd.
4645	$\frac{3}{4}$ " " " ...	"	12	"	0 3 4	
†4646	$\frac{7}{8}$ " " " ...	"	5	"	0 3 6	
4647	1" " " ...	"	50	"	0 3 8	
4648	1½" " " ...	"	40	"	0 4 4	
†4649	1½" "Woodcock" ...	"	30	"	0 4 11	McPherson's Pty. Ltd.
†4650	Feeders, Oil, non-drip, valve spout, approx. $\frac{1}{4}$ pint.	...	30	...	...	Nil.
Feeders, Oil, spring, solid steel, fixed spout, "Rega"—						
†4651	$\frac{1}{2}$ pint ...	N.S.W.	250	each	0 2 4	} McPherson's Pty. Ltd.
4652	1 pint ...	"	100	"	0 3 4	
†4653	Frames, Hack Saw, adjustable, pistol grip	...	200	...	...	Nil
†4654	Hammers, Claw, cast steel, 1½lb., handled, "Brades, No. 1715 x 3"	U.K.	500	each	0 5 7	Briscoe & Co. Ltd.
Hammers, Engineers, cast steel, heads only, "Brades"—						
†4655	1½-lb. ...	"	600	"	0 1 8	} McPherson's Pty. Ltd.
4656	2-lb. ...	"	450	"	0 2 2	

IRONMONGERY—TOOLS, ETC.—Continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
†4657	Hammers, Sledge, double faced, heads only, 10-lb. "Plumb Fern"	N.S.W.	200	each	0 7 1	John Sharp & Sons Ltd.
	Irons, Soldering, handled (copper bar, not cast), "Scott Trojan No. 137"—					
†4658	2-lb. ... ..	Vict.	100	"	0 4 3	} Scott & Son Pty. Ltd.
†4659	2½-lb. ... ..	"	40	"	0 5 2	
†4660	Knives, Shoemakers', "A92-4½ Clip Point"	U.K.	240	gross	†9 12 0	The British United Shoe Machinery Co. of Aust. Pty. Ltd.
	Levels, Spirit, "Rabone's"—					
†4661	8", "1621" ... ..	"	120	each	0 2 3	Briscoe & Co. Ltd.
†4662	24", with plumb ... ..	"	50	"	0 7 6	} Hardware Co. of Australia Pty. Ltd.
†4663	Mallets, Plumbers', wooden, 2½" diam., "Marples"	"	40	"	0 5 4	
†4664	Planes, German Jack, 2", "Marples"	"	30	"	0 7 0	}
†4665	Pliers, angle cutting, 5", "Stubs"	"	20 pairs	pair	0 5 8	
	Pliers, gas, "Highgate"—					
† { 4666	8" ... ..	"	6	"	0 3 10	} Briscoe & Co. Ltd.
† { 4667	10" ... ..	"	15	"	0 6 0	
	Pliers, side cutting, square nose, "Stubs"—					
† { 4668	6" ... ..	"	150	"	0 2 10	}
† { 4669	7" ... ..	"	60	"	0 3 7	
† { 4670	8" ... ..	"	250	"	0 4 4	
†4671	Rakes, steel, handled, 17" x 16 teeth, "Scott Trojan No. 65"	Vict.	150	each	0 2 8	Scott & Son Pty. Ltd.
†4672	Rules, Box, 2', fourfold, "Rabone's 1378"	U.K.	750	"	0 2 8	Briscoe & Co. Ltd.
	Screwdrivers, Electricians—					
† { 4673	8" ... ..	"	20	"	"	} Nil
† { 4674	12" ... ..	"	20	"	"	
	Screwdrivers, flat blade—					
†4675	5", "Moseley" ... ..	U.K.	12	each	0 1 4	McPherson's Pty. Ltd.
† { 4676	6", "Marples 1950B" ... ..	"	20	"	0 1 8	} Briscoe & Co. Ltd.
† { 4677	8" " " ... ..	"	6	"	0 2 4	
† { 4678	10" " " ... ..	"	12	"	0 3 3	
† { 4679	12" " " ... ..	"	12	"	0 3 9	
	Screwdrivers, round blade—					
† { 4680	4", "Marples 1967" ... ..	"	60	"	0 1 0	}
† { 4681	5" " " ... ..	"	12	"	0 1 2	

† Less 2½% discount for payment by end of month following month of delivery.

IRONMONGERY—TOOLS, ETC.—Continued

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
†4682	Screwdrivers, round blade—Continued. 6", "Moseley" ...	U.K.	100	each	0 1 6	McPherson's Pty. Ltd.
4683	7", "Marples 1967" ...	"	30	"	0 1 9½	
†4684	8" " " " ...	"	50	"	0 2 0	Briscoe & Co. Ltd.
4685	10" " " " ...	"	24	"	0 2 6	
4686	12" " " " ...	"	24	"	0 2 11	
†4687	Scythes, bramble, blades only, 24", "W. A. Tyzack" ...	"	100	"	0 10 6	Briscoe & Co. Ltd.
†4688	Scythes, unbreakable point, blades only, 30", "W. A. Tyzack" ...	"	100	"	0 8 6	
	Snips, Steel, Tinman's, straight, "Cousins No. 564"—					Hardware Co. of Australia Pty. Ltd.
4689	10" ...	"	20 pair	pair	0 3 3	
†4690	12" ...	"	20 "	"	0 4 9	
4691	14" ...	"	20 "	"	0 6 6	Briscoe & Co. Ltd.
†4692	Tapes, Measuring, steel, in bakelite cases, with flush handles, "Rabone No. 515"— 33 feet, in feet and decimal yards ...	"	2	each	1 0 6	
4693	66 " " " " " " ...	"	2	"	1 11 0	Briscoe & Co. Ltd.
†4694	66 feet, in feet and links ...	"	25	"	1 6 0	
†4695	Tapes, Measuring, steel, in leather cases, with flush handles, "Rabone No. 415"— 33 feet, in feet and decimal yards ...	"	6	"	1 2 6	
4696	66 " " " " " " ...	"	6	"	1 17 0	Briscoe & Co. Ltd.
†4697	66 feet, in feet and links ...	"	48	"	1 12 0	
4698	Tapes, Measuring, metallic, in bakelite cases, with flush handles, "Rabone No. 271"— 66 feet, in feet and decimal yards ...	"	20	"	0 15 3	Briscoe & Co. Ltd.
4699	66 feet, in feet and links ...	"	20	"	0 15 3	
†4700	Tapes, Measuring, metallic, in leather cases, with flush handles, "Rabone's No. 251"— 66 feet, in feet and decimal yards ...	"	50	"	0 15 0	Briscoe & Co. Ltd.
†4701	66 feet, in feet and links ...	"	40	"	0 15 0	
†4702	Refills for metallic measuring tapes, "Rabone's"— 66 feet, in feet and decimal yards ...	"	12	"	0 8 6	Hardware Co. of Australia Pty. Ltd.
4703	66 feet, in feet and links ...	"	60	"	0 8 6	
†4704	Trowels, Bricklayers', right hand, 12", "Jos. Tyzack, C 61" ...	"	40	"	0 6 3	Briscoe & Co. Ltd.
†4705	Trowels, Plasterers', 11" x 4", "Brades No. 2202" ...	"	25	"	0 7 7	
†4706	Trowels, Pointing, 6", "Brades No. 2058" ...	"	20	"	0 2 6	
†4707	Tubes, Spirit Level, "Rabones No. 1617" (green glass tube)— 1¼" x ½" ...	"	2 doz.	doz.	0 6 6	Briscoe & Co. Ltd.
4708	2¼" x ¾" ...	"	12 "	"	0 6 9	
4709-4729	—Nil					

**SPANNERS AND WRENCHES**

(Schedule No. 146)

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor	
Spanners, Clyburn, steel—							
4730	6" x $\frac{1}{8}$ " nut size ...	...	200	each	...	}	
4731	8" x $\frac{3}{8}$ " " " ...	...	200	"	...		
4732	10" x $\frac{1}{2}$ " " " ...	...	200	"	...		
4733	12" x $\frac{5}{8}$ " " " ...	...	80	"	...		
† 4734	14" x $\frac{3}{4}$ " " " ...	...	60	"	...		
4735	16" x $\frac{7}{8}$ " " " ...	...	15	"	...		
4736	18" x 1" " " ...	...	40	"	...		
4737	21" x $1\frac{1}{8}$ " " " ...	...	12	"	...		
4738	24" x $1\frac{3}{8}$ " " " ...	...	30	"	...		
Spanners, Footprint, steel—							
4739	5 $\frac{1}{2}$ " ...	...	24	"	...		
4740	7" ...	...	6	"	...		
† 4741	9" ...	...	40	"	...		
4742	12" ...	...	24	"	...		
4743	14" ...	...	20	"	...		
Spanners, Set, double ended, steel, drop forged—							
4744	$\frac{3}{8}$ " x $\frac{1}{2}$ " ...	...	600	"	...		
† 4745	$\frac{1}{2}$ " x $\frac{5}{8}$ " ...	...	250	"	...		
4746	$\frac{5}{8}$ " x $\frac{3}{4}$ " ...	...	400	"	...		
Spanners, Set, single ended, steel, drop forged—							
4747	$\frac{1}{4}$ " ...	...	120	"	...		
4748	$\frac{5}{16}$ " ...	...	90	"	...		
4749	$\frac{3}{8}$ " ...	...	140	"	...		
4750	$\frac{7}{16}$ " ...	...	5	"	...		
4751	$\frac{1}{2}$ " ...	...	200	"	...		
4752	$\frac{5}{8}$ " ...	...	200	"	...		
† 4753	$\frac{3}{4}$ " ...	...	300	"	...		
4754	$\frac{7}{8}$ " ...	...	300	"	...		
4755	1" ...	...	200	"	...		
4756	$1\frac{1}{8}$ " ...	...	50	"	...		
4757	$1\frac{1}{4}$ " ...	...	60	"	...		
4758	$1\frac{3}{8}$ " ...	...	30	"	...		
4759	$1\frac{1}{2}$ " ...	...	12	"	...		
4760	$1\frac{3}{4}$ " ...	...	24	"	...		



SPANNERS AND WRENCHES—Continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor	
Wrenches, Stillson's type—							
† 4761	14" ... ..	...	30	each	...	} Nil	
4762	18" ... ..	...	15	"	...		
4763	24" ... ..	...	10	"	...		
Wrenches, Pipe, chain—							
† 4764	To take ½" to 2½" pipe	...	10	"	...		
4765	" " ¾" to 4" " ...	...	5	"	...		

TWIST DRILLS.  
(Schedule No. 147).

Drills, flat, ribbed, for drilling railway rails—						
† 4770	7" ... ..	...	200	...	...	} Nil
4771	1½" ... ..	...	100	...	...	
4772	1¼" ... ..	...	150	...	...	
Drills, twist, carbon, straight shank— (any size on price list, as ordered)— Long series, "P. & N."						
† 4773	½" to ¾" diameter	...	} £10	...	45%	} McPherson's Pty. Ltd.
4773A	¾" to 1" " ...	...		...	40%	
Wire gauge series—						
4774	Any number up to 52, "P. & N." ...	...	£80	...	47½%	} McPherson's Pty. Ltd.
4775	Any number from 61 to 80 ...	...	£80	...	...	
4776	Drills, twist, carbon, square taper shank for ratchet braces (size of shank—¾" x ½" x 1¼"), any diameter ordered	...	£80	...	...	} Nil
Drills, twist, high speed, straight shank (any size on price list, as ordered)—						
Long series—						
4777	Any diameter, "Balfour's Capital" ...	U.K.	} £30	...	33½%	} The Eagle & Globe Steel Co. Ltd.
4777A	½" to 1" diameter, "P. & N." ...	Vict.		...	37½%	
4777B	¾" to 1" " " " " ...	"		...	32½%	
Jobber's series—						
4778	Any diameter, "Balfour's Capital" ...	U.K.	} £800	...	33½%	} The Eagle & Globe Steel Co. Ltd.
4778A	" " "P. & N." ...	Vict.		...	42%	
Letter gauge series—						
4779	Any letter, "Balfour's Capital" ...	U.K.	} £5	...	33½%	} The Eagle & Globe Steel Co. Ltd.
4779A	" " "P. & N." ...	Vict.		...	42%	
Wire gauge series—						
4780	Any number, "Balfour's Capital" ...	U.K.	} £20	...	33½%	} The Eagle & Globe Steel Co. Ltd.
4780A	Nos. 1 to 52, "P. & N." ...	Vict.		...	42%	

TWIST DRILLS—Continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
4781	Drills, twist, high speed, taper shank (any size on price list, as ordered)— 1/8" to 1 1/2" diameter, "Balfour's Capital"	U.K.	£1600	...	33 1/2%	The Eagle & Globe Steel Co. Ltd.
† 4781A	1 3/8" to 2 1/2" " " "	"		...	30%	
4781B	2 9/16" to 3" " " "	"		...	25%	
4781C	1/8" to 1/2" " " " P. & N." ...	Vict.		...	37 1/2%	McPherson's Pty. Ltd.
† 4781D	3/8" to 1" " " "	"		...	32 1/2%	
4781E	1 1/4" to 1 1/2" " " "	"		...	30%	
4781F	1 9/16" to 2" " " "	"	...	27 1/2%		
4782-4789	Nil					

BUILDERS' IRONMONGERY

(Schedule No. 148)

*†4790	Bars, Locking, iron, galvanised, 8", "R. B. Davies"	N.S.W.	60	each	0 1 5	John Sharp & Sons Ltd.
† 4791	Bolts, Barrel, brass, "Rosdda"— 3" ...	"	150	"	0 0 6 1/2	Hardware Co. of Aust. Pty. Ltd.
4792	4" ...	"	24	"	0 0 7 1/2	
4793	6" ...	"	12	"	0 0 10	
†4794	Bolts, Drop, iron, galvanised, 24", "Watson"	Vict.	12	"	0 5 6	Briscoe & Co. Ltd.
† 4795	Bolts, Pad, iron, galvanised, "Watson"— 6" x 1/2" diameter	"	160	doz.	0 6 3	John Sharp & Sons Ltd.
4796	8" x 5/8" "	"	10	"	0 11 9	
4797	10" x 5/8" "	"	180	"	0 13 9	
4798	12" x 5/8" "	"	100	"	0 16 3	
† 4799	Bolts, Tower, iron, japanned, "Rosdda"— 3" ...	N.S.W.	40	"	0 2 6	Hardware Co. of Aust. Pty. Ltd.
4800	4" ...	"	120	"	0 2 9	
4801	6" ...	"	180	"	0 4 5	
† 4802	8" ...	"	36	"	0 6 0	
4803	10" ...	"	40	"	0 9 10	
4804	12" ...	"	24	"	0 11 6	
† 4805	Brackets, Shelf, steel, japanned, "Osborn"— 8" x 6", stayless pattern,	"	80	"	0 2 8	John Danks & Son Pty. Ltd.
4806	10" x 8" " "	"	48	"	0 3 6	
4807	12" x 10", stayed "	"	24	"	0 5 1	
† 4808	Buttons, Cupboard, iron, japanned, "Osborn"— 1 1/2" ...	"	50	"	0 0 6	John Danks & Son Pty. Ltd.
4809	2" ...	"	80	"	0 0 7	
†4810	Catches, Cupboard, "Tilt Kwality"	Vict.	150	"	0 8 0	
*4811	Catches, Spring, for fly wire doors, "Peerless"	"	30	"	0 7 9	

BUILDERS' IRONMONGERY—Continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
	Chain, Chandelier, brass—							
†4812	Light, " Hipkiss No. 983 "	N.S.W.	5 doz. yds.	doz. yds.	0	3	0	} C. J. White & Sons Pty. Ltd.
†4813	Heavy, " Hipkiss No. 219L "	"	12 "	"	0	4	4	
†4814	Extra Heavy, " Hipkiss " No. 225	"	3 "	"	0	10	5	
	Checks, Door, liquid—							
†4815	Light, " Dux B "	Vict.	15	each	1	6	0	} John Danks & Son Pty. Ltd.
†4816	Heavy, " Dux C "	"	12	"	1	15	0	
†4817	Fasteners, Sash, steel, oxidised, 2½", with oxidised screws, " U.E.M."	"	30 doz.	doz.	0	4	1	Hardware Co. of Aust. Pty. Ltd.
†4818	Handles, Chest, steel, japanned, 4",	"	1 "	"	"	"	"	Nil
	Hasps and Staples, steel, japanned—							
†4819	3½", " Osborn "	N.S.W.	144 sets	doz. sets	0	1	3	} Hardware Co. of Aust. Pty. Ltd.
†4820	4" "	"	90 "	"	0	1	4	
†4821	5" "	"	300 "	"	0	1	11	
†4822	6" "	"	180 "	"	0	2	3	
†4823	7", " Rosdda "	"	30 "	"	0	7	0	} John Danks & Son Pty. Ltd.
†4824	6" x ¼", " 030 "	Sweden	240 "	"	0	6	0	
†4825	Hooks and Eyes, brass, 1" "275" (See note)	U.K.	6 doz. prs.	doz. pairs	0	1	6	} John Danks & Son Pty. Ltd.
†4826	Hooks, Cup, brass, round, ¾", "Nettlefolds"	Vict.	10 doz.	doz.	0	0	3½	
	Hooks, Hat and Coat, iron—							
†4827	Japanned, " McMillan's " No. 2	"	50 "	"	0	1	11	} Hardware Co. of Aust. Pty. Ltd.
†4828	Oxidised, " U.E.M." No. 110	"	10 "	"	0	2	6	
†4829	Knobs, Brass, for rim locks, 2¼", milled edge, complete with spindles, " Legge "	U.K.	250 sets	set	0	3	0	} John Danks & Son Pty. Ltd.
†4830	Latches, Gate, surface, " U.E.M."	Vict.	80	each	0	0	8	
†4831	Latches, Suffolk, " U.E.M." ...	"	50	"	0	1	0	E. L. Yencken & Co. Pty. Ltd.
†4832	Lifts, Sash, flush, brass, oxidised, 3½", " J. S."	"	4 doz.	doz.	0	4	0	John Danks & Son Pty. Ltd.
†4833	Lifts, Sash, hook pattern, oxidised, steel, " No. 176 "	"	6 "	"	0	0	9	Briscoe & Co. Ltd.
†4834	Lifts, Sash, ring pattern, brass, " U.E.M."	"	10 "	"	0	5	9	} John Danks & Son Pty. Ltd.
†4835	Pulleys, Secret Axle, 1½", " Rosdda "	N.S.W.	50 "	"	0	3	6	
†4836	Pulls, Drawer, steel, oxidised, " M. & P. "	Vict.	30 "	"	0	1	3	
†4837	Pulls, Drawer, brass	"	5 "	"	0	2	9	
	Rollers, Blind, spring, wooden, complete—							
†4838	42" long x 1¼" diameter, "Gadsden"	"	700	each	0	3	0	Briscoe & Co. Ltd.
†4839	48" " x 1¼" "	"	300	"	"	"	"	} Nil
†4840	72" " x 1½" "	"	50	"	"	"	"	

BUILDERS' IRONMONGERY—Continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
	Springs, Door, spiral—							
† { 4841	10" ... ..	Vict.	100	each	0	0	7	} John Danks & Son Pty. Ltd.
4842	11" ... ..	"	12	"	0	0	9	
† 4843	Springs, Gate, tail, 24", "H.F.S.W."	"	60	"	0	6	0	Henderson's Federal Spring Works Pty. Ltd.
† 4844	Staples, Box, for rim locks, 6", right or left hand, as ordered, "White's"	"	10 doz.	doz.	0	11	0	C. J. White & Sons Pty. Ltd.
† 4845	Sheaves, Ball Bearing, for cupboard doors, $\frac{1}{2}$ " thick, "Weldon"	"	200	gross	1	3	0	John Danks & Son Pty. Ltd.
† 4846	Tracks, Steel, coppered, for ball bearing sheaves under Item No. 4845, in 10' lengths	...	50 lengths	...	...	...	...	Nil
† 4847	Weights, sash, cast iron, any weight ordered between 3 lb. and 27 lb., advancing by $\frac{1}{2}$ lb., in diameters as under— 3 lb. to 5 $\frac{1}{2}$ lb.—1 $\frac{1}{2}$ " diam. 6 lb. to 9 lb.—1 $\frac{1}{2}$ " or 1 $\frac{3}{8}$ " diam., as ordered 9 $\frac{1}{2}$ lb. to 12 lb.—1 $\frac{5}{8}$ " diam. 12 $\frac{1}{2}$ lb. to 19 lb.—1 $\frac{3}{4}$ " diam. 20 lb. to 27 lb.—2" diam.	Vict.	2 tons	cwt.	0	13	0	Briscoe & Co. Ltd.
4848-4869	—Nil							

HINGES

(Schedule No. 149)

	Hinges, Back Flap, steel, bright,—							
† 4870	1 $\frac{1}{2}$ " "Davies No. 253" ... ..	N.S.W.	24 pairs	pair	0	0	2 $\frac{3}{4}$	Briscoe & Co. Ltd.
† { 4871	2" "Rossda" ... ..	"	100	"	0	0	3	} John Danks & Son Pty. Ltd.
4872	2 $\frac{1}{2}$ " " ... ..	"	60	"	0	0	7 $\frac{1}{2}$	
4873	3" " ... ..	"	250	"	0	1	2	
	Hinges, Butt, brass, "No. 1888"—							
† { 4874	1" ... ..	U.K.	12	"	0	0	2 $\frac{1}{4}$	} Briscoe & Co. Ltd.
4875	1 $\frac{1}{4}$ " ... ..	"	50	"	0	0	3	
4876	1 $\frac{1}{2}$ " ... ..	"	60	"	0	0	3 $\frac{1}{2}$	
4877	2" ... ..	"	150	"	0	0	5 $\frac{1}{4}$	
4878	2 $\frac{1}{2}$ " ... ..	"	200	"	0	0	7 $\frac{1}{4}$	
4879	3" ... ..	"	300	"	0	0	9	
4880	4" ... ..	"	10	"	0	0	11 $\frac{1}{2}$	
	Hinges, Butt, steel, "Rossda"—							
† { 4881	2" ... ..	N.S.W.	300	"	0	0	1 $\frac{1}{4}$	} Hardware Co. of Aust. Pty. Ltd.
4882	2 $\frac{1}{2}$ " ... ..	"	200	"	0	0	1 $\frac{1}{2}$	
4883	3" ... ..	"	1000	"	0	0	2 $\frac{1}{2}$	
4884	4" ... ..	"	200	"	0	0	4 $\frac{1}{4}$	

HINGES—Continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
†4885	Hinges, Butterfly, single, nickel-plated "Wells"	N.S.W.	300 pairs	pair	0	0	11	John Danks & Son Pty. Ltd.
4886	Hinges, Gothic, steel, extra strong—10"	Vict.	10 "	lb.	0	0	9	G. A. Hudson
4887	12"	"	30 "	"	0	0	9	
4888	14"	"	12 "	"	0	0	6	
†4889	16"	"	20 "	"	0	0	6	
4890	18"	"	80 "	"	0	0	6	
4891	20"	"	20 "	"	0	0	6	
4892	22"	"	40 "	"	0	0	6	
4893	24"	"	12 "	"	0	0	6	
	Hinges, Strap, straight, steel, bright, "Rossda"—							
4894	4"	N.S.W.	100 "	pair	0	0	4 $\frac{3}{4}$	John Danks & Son Pty. Ltd.
4895	6"	"	60 "	"	0	0	6 $\frac{3}{4}$	
†4896	8"	"	100 "	"	0	0	9	
4897	10"	"	150 "	"	0	1	1	
4898	12"	"	30 "	"	0	1	7 $\frac{1}{2}$	
	Hinges, Tee, steel, bright, "Rossda"—							
4899	4"	"	40 "	"	0	0	2 $\frac{3}{4}$	Hardware Co. of Aust. Pty. Ltd.
4900	6"	"	160 "	"	0	0	3 $\frac{3}{4}$	
4901	8"	"	260 "	"	0	0	4 $\frac{3}{4}$	
†4902	10"	"	80 "	"	0	0	6 $\frac{3}{4}$	
4903	12"	"	200 "	"	0	0	9	
4904	14"	"	40 "	"	0	1	2 $\frac{1}{4}$	John Danks & Son Pty. Ltd.
†4905	16"	"	100 "	"	0	1	5	
4906	18"	"	75 "	"	0	1	9	
†4907	Hinges, Spring, for fly wire doors, "Rossda"	"	100 "	"	0	0	4	
4908-4919	—Nil							

OFFICE SAFES

(Schedule No. 150).

4920	Safes, Office, 18" x 12" x 12" inside measurements, to specification	Vict.	12	each	10	14	0	J. L. Kelly
4921	—Nil							

BEARING METAL

(Schedule No. 151)

4922	Metal, Bearing, for use on turbines and pumps, "Hoyts No. 11"	Vict.	500 lb.	lb.	0	5	6	Hoyt's Metals (Aust.) Agency Pty. Ltd.
4923	Metal, Bearing, for use on coal conveyors and electric motors, "Thermit"	N.S.W.	500 "	"	0	2	0	R. Granowski
4924	—Nil							

**PIG IRON**

(Schedule No. 152).

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
4925	Pig Iron, standard softener, to specification	N.S.W.	1000 tons	ton	5	6	1	The Broken Hill Pty. Co. Ltd.
4926	—Nil							

**CHROMIUM CAST STEEL BAFFLE PLATES.**

(Schedule No. 153)

4927	Plates, Baffle, pattern A-O.189, to drawing No. 5354A, chromium cast steel, to specification	Vict.	600	each	1	13	0	Charles Ruwolt Pty. Ltd.
4928, 4929	—Nil							

**TRACK JACK PARTS**

(Schedule No. 154)

Parts for "Trehwella" pattern Track Jacks—								
*4930	Pinions, ratchet, chrome steel, to specification	Vict.	200	lb.	0	1	0	Mason & Cox (Melb.) Pty. Ltd.
*4931	Plates, side, right and left hand, parts Nos. 2 and 2A	"	20 prs.	pair	0	10	0	Trehwella Bros Pty. Ltd.
*4932	Racks, steel forging, heat treated, part No. 1	"	100	each	0	18	0	
4933-4939	—Nil							

**SPIKES AND PILE SHOES.**

(Schedule No. 155)

Spikes, mild steel, round, cup head, to specification—								
Chisel point—								
4940	4" x ½"	Vict.	1 cwt.	cwt.	1	2	0	Melbourne Iron & Steel Mills Pty. Ltd.
4941	6" x ½"	"	1 "	"	1	2	0	
4942	8" x ½"	"	15 "	"	1	0	6	West Footscray Eng. Works Pty. Ltd.
4943	9" x ½"	"	5 "	"	0	19	0	
4944	10" x ½"	"	10 "	"	0	19	0	Melbourne Iron & Steel Mills Pty. Ltd.
4945	12" x ½"	"	1 "	"	0	19	0	
4946	10" x ¾"	"	2 "	"	0	18	0	Melbourne Iron & Steel Mills Pty. Ltd.
4947	16" x ¾"	"	3 "	"	0	18	0	
4948	19" x ¾"	"	15 "	"	0	18	0	Melbourne Iron & Steel Mills Pty. Ltd.
Diamond point—								
4949	6" x ½"	"	5 "	"	1	2	0	West Footscray Eng. Works Pty. Ltd.
4950	8" x ½"	"	12 "	"	1	0	6	
4951	9" x ½"	"	25 "	"	0	19	0	West Footscray Eng. Works Pty. Ltd.
4952	10" x ½"	"	25 "	"	0	19	0	
4953	12" x ½"	"	12 "	"	0	19	0	Melbourne Iron & Steel Mills Pty. Ltd.
4954	10" x ¾"	"	15 "	"	0	18	0	
4955	16" x ¾"	"	6 "	"	0	18	0	Melbourne Iron & Steel Mills Pty. Ltd.
4956	19" x ¾"	"	60 "	"	0	18	0	
4957	Shoes, pile, mild steel, with cast iron tips, to specification	"	125	each	0	7	0	West Footscray Eng. Works Pty. Ltd.
4958-4969	—Nil							

**STEEL RIVETS**  
(Schedule No. 156)

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
	Rivets, mild steel, to specification—					
	Cup or Pan head as ordered—					
4970	¼" dia. x ¾" long and over, as ordered	Vict.	3 cwt.	cwt.	1 13 6	} McPherson's Pty. Ltd. Workshops Manager, Newport McPherson's Pty. Ltd. Workshops Manager, Newport McPherson's Pty. Ltd. Workshops Manager, Newport McPherson's Pty. Ltd. Workshops Manager, Newport McPherson's Pty. Ltd. Workshops Manager, Newport McPherson's Pty. Ltd.
4971	⅝" " ½" " " " "	"	15 "	"	1 12 0	
4972	⅜" " ½" " " " "	"	5 tons	"	1 9 6	
4973	½" " ¾" " " " "	"	} 16 "	"	1 8 9	
4973A	½" " ¾" " " " "	"		"	"	
4974	⅝" " 1" " " " "	"	} 25 "	"	1 4 0	
4974A	⅝" " 1" " " " "	"		"	"	
4975	¾" " 1" " " " "	"	} 50 "	"	1 1 0	
4975A	¾" " 1" " " " "	"		"	"	
4976	⅞" " 2" " " " "	"	} 5 "	"	1 1 0	
4976A	⅞" " 2" " " " "	"		"	"	
4977	7/8" " 2" " " " "	"	} 10 "	"	1 0 6	
4977A	7/8" " 2" " " " "	"		"	"	
4978	1⅝" " 2½" " " " "	"	3 "	"	1 0 6	
4979	1" " 3" " " " "	"	1 "	"	1 0 6	
	Flat Countersunk head—					
4980	⅝" diameter x 1" long and over, as ordered	"	10 cwt.	"	1 8 9	} McPherson's Pty Ltd.
4981	¾" " 1" " " " "	"	10 "	"	1 5 0	
4982	7/8" " 2" " " " "	"	5 "	"	1 3 0	
4983	1" " 3" " " " "	"	5 "	"	1 3 0	
	Rounded Countersunk head—					
4984	⅞" diameter x 2" long and over, as ordered	"	30 "	"	1 7 3	}
4985	7/8" " 2" " " " "	"	40 "	"	1 7 3	
4986	1⅝" " 2½" " " " "	"	1 "	"	1 7 3	
4987-4999	—Nil					

**CHAIN, VARIOUS**  
(Schedule No. 157).

	Chain, Coil, wrought iron, short link, self-coloured, to specification—					
†5000	3/16" diameter, 16 links per foot ...	Vic.	5 cwt.	cwt.	‡3 10 0	Pitt, Waddell Pty. Ltd.
†5001	¼" diameter, 12 links per foot, No. 10 "Vulcan"	"	10 "	"	‡3 16 6	Brown & Dureau Pty. Ltd.

† Item No. 5000. Less 2½% settlement discount for payment by end of month following month of delivery.  
Item No. 5001—Less 33¼% trade discount and 2½% settlement discount as above.

## CHAIN, VARIOUS—Continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
	Chain, Crane, wrought iron, short link, self-coloured, to specification—					
5002	$\frac{1}{4}$ " diameter, Best best best quality ...	...	15 cwt.	...	...	Nil
5003	$\frac{3}{8}$ " .. .. .	Qld.	10 ..	cwt.	6 16 6	} Falkiner Machinery Co. Pty. Ltd.
5004	$\frac{7}{16}$ " .. .. .	"	4 ..	"	5 4 6	
5005	$\frac{1}{2}$ " .. .. .	"	15 ..	"	4 8 6	
5006	$\frac{5}{8}$ " .. .. .	"	10 ..	"	3 15 0	
5007	$\frac{3}{4}$ " .. .. .	"	40 ..	"	3 9 6	
	Chain, for signalling purposes, to specification—					
*†5008	$\frac{3}{16}$ " diameter, 16 links per foot ...	Vict.	6 ..	"	†3 10 0	} Pitt, Waddell Pty. Ltd.
*†5009	$\frac{1}{4}$ " diameter, 11 links per foot	"	30 ..	"	†2 15 0	
5010-5019	—Nil					

1. Items Nos. 5008 & 5009. Less  $2\frac{1}{2}\%$  settlement discount for payment by end of month following month of delivery.

## FOUNDRY MATERIAL.

(Schedule No. 158.)

†5020	Blacking, Moulders', in bags, "James Cumming & Sons"	N.S.W.	5 tons	cwt.	0 7 0	Gilbert Lodge & Co. Pty. Ltd.
†5021	Cement, Iron, in 7-lb. tins, "Agnew"	Vict.	24 lb.	lb.	0 0 9	Hardware Co. of Aust. Pty. Ltd.
5022	Crucibles, "Morgan's No. FR 70 Super" or suitable alternative	...	50	...	...	} Nil
5023	Crucibles, "Morgan's No. FR 40 Super," or suitable alternative	...	36	...	...	
5024	Crucibles, "Morgan's No. A 25," or suitable alternative	...	12	...	...	
†5025	Dextral, in drums of $2\frac{1}{4}$ cwt. ...	Vict.	10 tons	cwt.	2 10 0	Abel, Lemon & Co. Pty. Ltd.
†5026	Facing, white, in bags, "James Cumming & Sons"	N.S.W.	6 ..	"	0 7 0	Gilbert Lodge & Co. Pty. Ltd.
†5027	Ferro Manganese, 76 to 80% Manganese, in 1 cwt. bags, "U.K. Ferro Manganese Co."	U.K.	18 ..	"	2 5 0	Abel, Lemon & Co. Pty. Ltd.
†5028	Graphite, Compound, in 1-lb. tins (for Rolling Stock Branch), "James Cumming & Sons"	N.S.W.	600 lb.	lb.	0 1 1	Gilbert Lodge & Co. Pty. Ltd.
†5029	Graphite, Compound, in 5-lb. tins (for Electrical Branch), "Dixon's 1st Grade"	U.K.	400 ..	"	0 2 0	W. D. & A. H. Grozier
†5030	Graphite, pure flake, in 5-lb. tins, "James Cumming & Sons"	N.S.W.	220 ..	"	0 1 0	Gilbert Lodge & Co. Pty. Ltd.
†5031	Lining, Furnace, "Silacene," "Thos. Gray & Sons"	U.K.	2 tons	cwt.	0 16 0	A. Noble & Son Ltd.
†5032	Plumbago, Fine, in bags ...	Vict.	6 ..	"	1 16 0	Foundry Supplies Co.
†5033	Wire, Wax, No. 3 ( $\frac{1}{8}$ "), 4 ( $\frac{3}{16}$ "), 6 ( $\frac{1}{4}$ "), or 8 ( $\frac{5}{16}$ ") as ordered	U.K.	100 lb.	lb.	0 2 9	H. A. Barnard Pty. Ltd.
5034-5039	—Nil					



## PLATERS' MATERIAL

(Schedule No. 159)

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
5040	Anodes, cast nickel, 99 per cent. nickel, free from copper and zinc— 18" ... ..	...	100 lb.	lb.	...	} Nil
5041	24" ... ..	...	340 "	"	...	
*†5042	Brushes, scratch, 553P, "Canning" ...	U.K.	12	each	0 4 0	} A. G. Healing Ltd.
*†5043	Brushes, scratch, steel wire, circular, S318, "Canning" ...	"	2	"	0 5 0	
†5044	Compo, White, in 32 oz. tins, "Cruickshank Premier" ...	"	72 tins	tin	0 1 9½	Hardie Trading Pty. Ltd.
†5045	Crocus, Compo, No. 2, "Canning" ...	"	72 lb.	lb.	0 0 6	} A. G. Healing Ltd.
†5046	Felt Bobs (soft grade felt), 1½" thick, "Canning"— 6" diameter ... ..	"	12 "	"	0 10 0	
†5047	9" " ... ..	"	20 "	"	0 9 0	
†5048	Lacquer, Metal, clear, internal, in 1-gal. sealed tins, "Taubmans H3800" ...	N.S.W.	24 gals.	gal.	0 13 0	} Taubmans Pty. Ltd.
†5049	Thinners, Lacquer, for Item No. 5048, in 1-gal. sealed tins, "Taubmans H3893" ...	"	30 "	"	0 7 4	
†5050	Mops, Calico, with binding washers— 9" x 50B, grey ... ..	Vict.	84	each	0 5 3	} A. G. Healing Ltd.
†5051	12" x 105H, white ... ..	"	120	"	0 11 3	
†5052	Potassium Cyanide, 100 per cent., in 1-cwt. cases ...	...	1 cwt.	lb.	...	Nil
†5052A	Sodium Cyanide, in 1-cwt. drums, "Cruickshank" ...	U.K.	1 cwt.	"	0 1 3¾	Hardie Trading Pty. Ltd.
†5053	Salts, Nickel, best double, "Canning" ...	"	56 lb.	"	0 0 9½	} A. G. Healing Ltd.
†5054	Salts, Nickel, best single, "Canning" ...	"	224 "	"	0 0 9½	
†5055	Tripoli, Compo, lustre, "T.L." ...	N.S.W.	15 cwt.	"	0 0 5	Hardie Trading Pty. Ltd.
5056-5069	—Nil					

## LAMPS AND LAMPWARE

(Schedule No. 160)

†5070	Lamps, Burning-off, 1-pint ... ..	...	50	...	...	} Nil	
†5071	Lamps, Hurricane, complete, ... ..	...	200	...	...		
Burners—							
*†5072	Adlake Lamp, to sketch No. 17 ... ..	...	72 doz.	...	...	} A. E. Appleton	
Barton type, without collars, with two adjusting wheels—							
†5073	¼" ... ..	Q'land	300 "	doz.	0 8 9		
†5074	⅜" ... ..	"	100 "	"	0 9 3		
†5075	Cosmo, No. 14 ... ..	...	20 "	...	...	Nil	
†5076	Duplex, 1" wick, without collars ...	U.K.	2 "	doz.	1 5 0	Falk, Stadelmann & Co. Ltd.	

LAMPS AND LAMPWARE—Continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
†5077	Burners—Continued. Burning-off lamp ... ..	...	2 doz.	...	...	...	} Nil	
	Hurricane Lamp, push socket—							
†5078	Suitable for Dietz "Victor" lamps	...	2 "	...	...	...		
†5079	Suitable for "Feuerhand" lamps	...	2 "	...	...	...	} A. E. Appleton	
†5080	"Sun B" type, 1", without collars	Q'land	50 "	doz.	0	8 6		
	Collars, brass—						} Nil	
†5081	For Barton type burners	...	200 "	...	...	...		
*†5082	For 1" "Sun B" type burners	...	40 "	...	...	...		
	Wick—						} Downs & Son Pty. Ltd.	
†5083	Ball, 7-ply, in ½-lb. balls, "Samson 200 C.B."	Vict.	8 cwt.	lb.	0	2 2		
†5084	Castor, 1" wide, in 12-yard rolls	...	20 rolls	...	...	...	Nil	
†5085	Wicks, kerosene, cotton, 8" long— ¼" wide	U.K.	100 gross	gross	0	3 0	} Briscoe & Co. Ltd.	
†5086	¾" "	"	25 "	"	0	3 8		
†5087	⅝" "	"	2 "	"	0	6 6		
†5088	⅞" "	"	8 "	"	0	9 6		
†5089	Cosmo, No. 14	"	24 doz.	doz.	0	2 3		
†5090	Wicks, long time burning, 7½" long, for Adlake lamps	Q'land	200 "	"	0	2 9	A. E. Appleton	
	Parts for Coleman Quick-lite "Scout" kerosene lanterns—						} Coleman Quick-lite Co. of Australia	
*5091	Blocks, Eccentric, tip cleaner, part No. 242-304	Canada	12	each	0	0 5		
*5092	Caps, Burner, complete with screens, Part No. 242-323	"	6	"	0	1 8		
*5093	Generators, part No. TK66	"	70	"	0	3 0		
*5094	Globes, Pyrex, part No. 550	U.K.	200	"	0	3 5		
*5095	Leathers, Pump, new type, part No. 216-509	N.S.W.	20	"	0	0 2		
*5096	Needles, part No. T33	Canada	50	"	0	0 11		
*5097	Plugs, Filler, part No. 242-140	"	5	"	0	1 11		
*5098	Retarders, Fuel, part No. 242K-219	"	72	"	0	0 3		
*5099	Stems, Tip Cleaner, part No. 242K-353	N.S.W.	10	"	0	1 3		
*5100	Tips, Gas, part No. 242K-218	Canada	150	"	0	0 5		
	Parts for "Gloria" lamps—						} Gloria Light Co. Pty. Ltd.	
*5101	Generators	Vict.	80	"	10	2 0		
*5102	Heads, burner	"	70	"	10	2 3		
*5103	Nuts and jams	"	10 pairs	pair	10	0 6		
*5104	Torches	"	35	each	10	0 6		
*5105	Valves, air	"	6	"	10	6 6		

† Items Nos. 5101-5105, less 25% trade discount.

## LAMPS AND LAMPWARE—Continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
*5106	Parts for "Lux" lamps— Burners, tube ... ..	Vict.	25	each	1	1	0	} William Black
*5107	Couplings, kerosene, female ... ..	"	80	"	0	1	0	
*5108	" " male ... ..	"	50	"	0	0	6	
*5109	Caps, iron, flame spreader ... ..	"	20	"	0	2	0	
*5110	Cocks, nose, brass, $\frac{1}{2}$ " ... ..	"	50	"				Nil
*5111	Nipples, 700 C.P. ... ..	Vict.	25	each	0	1	6	} William Black
*5112	Sockets, nipple ... ..	"	25	"	0	0	6	
*5113	Spreaders, flame ... ..	"	12	"	0	10	0	
*5114	Springs, steel, large ... ..	"	10	"				} Nil
*5115	Springs, steel, small ... ..	"	10	"				
*5116	Parts for "Tilley" lamps— Globes, glass, clear, "Pyrex," part No. 192	U.K.	48	each	10	6	0	} T. S. Nettlefold & Sons Pty. Ltd.
*5117	Leathers, for pump, part No. 120 ... ..	"	24	"	10	0	2	
*5118	Reflectors, steel, enamelled, 12", part No. 207	"	6	"	10	7	6	
*5119	Vaporisers, complete, part No. 169 ... ..	"	48	"	10	6	0	
*5120	Washers, clamp for pump, part No. 154	"	12	"	10	0	3 $\frac{1}{2}$	
*5121	Washers, for release valve, part No. 168	"	48	"	10	0	1 $\frac{1}{2}$	
*5122	Washers, for vapouriser base, part No. 153	"	48	"	10	0	2	
*5123	Washers, valve, part No. 155 ... ..	"	12	"	10	0	2	
5124-5139	—Nil							

† Items Nos. 5116-5123, less 15% trade discount.

## LAMP GLASSWARE.

(Schedule No. 161)

†5140	Bowls, Glass, large bland ... ..	Vict.	15 doz.	doz.	0	6	10	} Dott & Co. Pty. Ltd.
	Bowls, Glass, pintsch gas—							
†5141	6", clear ... ..	"	12 "	"	1	0	0	
†5142	6", frosted ... ..	"	30 "	"	1	2	5	
†5143	8", clear ... ..	"	40 "	"	1	14	5	
†5144	8", frosted ... ..	"	80 "	"	1	16	4	
†5145	8", frosted, wreath type ... ..	"	60 "	"	1	16	4	
†5146	8", frosted 3 $\frac{1}{2}$ " from the top, balance in clear glass	"	40 "	"	1	16	4	
†5147	10", clear ... ..	"	30 "	"	2	1	0	
†5148	10", frosted ... ..	"	12 "	"	2	3	6	
†5149	10", frosted 4" from the top, balance in clear glass	"	6 "	"	2	3	6	

LAMP GLASSWARE—Continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
Chimneys, Lamp, glass—								
†5150	Adlake Lamp "A", to dwg. No. F3305	Vict.	300 doz.	doz.	0	5	10	} Dott & Co. Pty. Ltd.
†5151	Cosmo, No. 14	"	24 "	"	0	6	1	
†5152	Cosmo, short	"	120 "	"	0	8	1	
†5153	For Duplex burner, 10" long, bottom diameter 2½", top diameter 1½" or 1¼", or suitable alternative	...	2 "	...	...	...	...	Nil
†5154	Large Slip	Vict.	300 "	doz.	0	7	4	} Dott & Co. Pty. Ltd.
5155	Roof Lamp	"	40 "	"	0	4	10	
Glasses, Lamp—								
†5156	Bent, Clear, "Lux" lamp	N.S.W.	20 "	each	0	4	0	Australian Window Glass Pty. Ltd.
Bent, Green, 21-oz., to specification, "Chance Bros."—								
†5157	2½" external radius x 4¾" long	Vict.	250 "	doz.	1	1	0	} Brooks, Robinson Pty. Ltd.
†5158	2½" " " x 5¼" "	"	20 "	"	1	1	0	
Bent, Ruby, 21-oz., to specification—								
†5159	2½" external radius x 4¾" long	"	50 "	"	1	0	0	
†5160	2½" " " x 4" "	"	50 "	"	1	0	0	} Dott & Co. Pty. Ltd.
†5161	2½" " " x 5¼" "	"	20 "	"	1	0	0	
†5162	Bottom, for roof lamps	"	15 "	"	2	6	10	Australian Window Glass Pty. Ltd.
†5163	Front, for hand signal lamps, clear circles, bevelled, 5" diameter	N.S.W.	160 "	"	0	8	0	} Australian Window Glass Pty. Ltd.
†5164	Front, for hand signal lamps, clear circles, bevelled, 5½" diameter	"	36 "	"	0	8	6	
†5165	Hurricane, ruby, 6½" high	"	6 "	"	1	0	0	Crown Crystal Glass Pty. Ltd.
†5166	Hurricane, white, 6½" high	Vict.	18 "	"	0	7	10	Dott & Co. Pty. Ltd.
Lenses, Concentric, inside corrugations, 5" diameter x 3½" focal, "Chance Bros."—								
†5167	Clear	U.K.	42 "	"	1	3	3	} Gilbert Lodge & Co. Pty. Ltd.
†5168	Ruby, to specification	"	20 "	"	2	9	3	
Lenses, Solid, polished, clear—								
†5169	2" diameter	...	Nil	...	...	...	...	} Nil
†5170	3" "	...	10 doz.	...	...	...	...	
†5171	4" "	...	10 "	...	...	...	...	
†5172	6" "	...	18 "	...	...	...	...	
†5173	Lenses, Solid, polished, ruby, 4" diameter, to specification	...	6 "	...	...	...	...	
5174-5189—Nil								

**TYPEWRITER PARTS, ETC.**

(Schedule No. 163)

Item No.	Description	Catalogue No.	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
PARTS FOR "ROYAL" TYPEWRITING MACHINES—							
5200	Back Spacer Eccentrics and Arms ...	...	...	6	each	...	} Nil
5201	Back Spacer Pawls ...	...	...	6	"	...	
5202	Back Spacer Pawl Studs ...	...	...	6	"	...	
5203	Carriage Ball Pinions ...	...	...	12	"	...	
5204	Carriage Ball Separators ...	...	...	12	"	...	
5205	Carriage Clamps ...	...	...	12	"	...	
5206	Carriage Rolls ...	...	...	6	"	...	} Typewriter Repairs and Supplies Co. Pty. Ltd.
5207	Carriage Straps, Foolscap ...	...	Vict.	6	"	0 1 0	
5208	Carriage Straps, Brief ...	...	"	6	"	0 1 3	
5209	Carriage Straps, Policy ...	...	"	6	"	0 1 7	
5210	Cylinder Tongue Washers ...	...	...	6	"	...	
5211	Escapement Pinions ...	...	...	6	"	...	
5212	Escapement Plates, with rolls ...	...	...	6	"	...	
5213	Escapement Racks, Foolscap ...	...	...	6	"	...	
5214	Escapement Racks, Brief ...	...	...	6	"	...	
5215	Escapement Racks, Policy ...	...	...	6	"	...	
5216	Escapement Wheels ...	...	...	6	"	...	
5217	Feed Roll Release Levers, with gears ...	...	...	6	"	...	} Nil
5218	Glass Panels ...	...	...	6	"	...	
5219	Glass Panel Clamps ...	...	...	6	"	...	
5220	Key Glass Shift Keys ...	...	...	36	"	...	
5221	Key Rings, finger ...	...	...	144	"	...	
5222	Key Rings, shift key ...	...	...	36	"	...	
5223	Line Space Detents, with rolls ...	...	...	36	"	...	
5224	Line Space Levers ...	...	...	6	"	...	
5225	Line Space Lever Links ...	...	...	6	"	...	
5226	Line Space Lever Springs ...	...	...	6	"	...	
5227	Line Space Lever Stops ...	...	...	6	"	...	
5228	Line Space Pawls ...	...	...	6	"	...	
5229	Main Springs ...	...	...	6	"	...	
5230	Margin Stop Handles, left ...	...	...	6	"	...	
5231	Margin Stop Handles, right ...	...	...	6	"	...	

TYPEWRITER PARTS, ETC.—Continued.

Item No.	Description	Catalogue No.	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
PARTS FOR "ROYAL" TYPEWRITING MACHINES—contd.							
5232	Motion Stops, carriage ...	...	...	6	each	...	} Nil
5233	Motion Stops, segment ...	...	...	6	"	...	
5234	Nuts, large ...	...	...	12	"	...	
5235	Nuts, small ...	...	...	12	"	...	
5236	Ribbon Ratchet Pawls ...	...	...	9	"	...	
5237	Ribbon Vibrators ...	...	Vict.	30	"	0 1 0	Typewriter Repairs & Supplies Co. Pty. Ltd.
5238	Ribbon Vibrator Arms ...	...	...	6	"	...	Nil
5239	Rubber Feet ...	...	Vict.	30	gross	1 10 0	Typewriter Repairs & Supplies Co. Pty. Ltd.
5240	Screws, cone ...	...	...	6	each	...	Nil
5241	Screws, large ...	...	Vict.	18	"	0 0 3	} Typewriter Repairs & Supplies Co. Pty. Ltd.
5242	Screws, small ...	...	"	18	"	0 0 3	
5243	Segment Wires ...	...	...	6	"	...	} Nil
5244	Shift Lock Arms ...	...	...	12	"	...	
5245	Shift Mechanism Links ...	...	...	6	"	...	
5246	Tabulator Stops ...	...	...	6	"	...	
5247	Thumb Wheels, left ...	...	...	12	"	...	
5248	Thumb Wheels, right ...	...	...	12	"	...	} Nil
5249	Type ...	...	...	30	"	...	
5250	Type Bars, without type ...	...	Vict.	60	"	0 1 0	Typewriter Repairs & Supplies Co. Pty. Ltd.
5251	Type Bar Guides ...	...	...	12	"	...	} Nil
5252	Type Bar Links ...	...	...	12	"	...	
PARTS FOR "UNDERWOOD" TYPEWRITING MACHINES—							
5253	Back Spacer Pawls ...	...	U.S.A.	6	"	0 1 9	} Stott & Hoare Pty. Ltd.
5254	Back Spacer Pawl Locks ...	...	"	6	"	0 1 0	
5255	Back Spacer Pawl Lock Springs ...	...	"	6	"	0 0 6	
5256	Carriage Frame Bearings, assembled, ball bearing ...	...	"	6	"	0 10 6	
5257	Carriage Frame Pointers, No. 3 ...	...	"	6	"	0 1 3	
5258	Carriage Frame Pointers, No. 5 ...	...	"	6	"	0 1 3	
5259	Carriage Frame Stops ...	...	"	6	"	0 0 9	
5260	Carriage Frame Stop Screws ...	...	"	6	"	0 0 6	
5261	Carriage Links ...	...	"	6	"	0 1 3	
5262	Carriage Straps, Foolscap ...	...	Vict.	6	"	0 1 0	

## TYPEWRITER PARTS, ETC.—Continued.

Item No.	Description	Catalogue No.	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor
						£	s.	d.	
	PARTS FOR "UNDERWOOD" TYPEWRITING MACHINES—continued—								
5263	Carriage Straps, Brief ...	...	Vict.	6	each	0	1	3	} Typewriter Repairs and Supplies Co. Pty. Ltd.
5264	Carriage Straps, Policy ...	...	"	6	"	0	1	7	
5265	Cover Plate Screws ...	...	"	18	"	0	0	2	
5266	Cylinder Thumb Wheels, left—variable line style	...	U.S.A.	12	"	0	6	6	} Stott & Hoare Pty. Ltd.
5267	Cylinder Thumb Wheels, right	...	"	24	"	0	4	6	
5268	Cylinder Shaft Binding Screws	...	Vict.	12	"	0	0	2	} Typewriter Repairs and Supplies Co. Pty. Ltd.
5269	Disengaging Cams, old style	...	U.S.A.	6	"	0	4	6	
5270	Disengaging Cams, new style	...	"	6	"	0	4	6	} Stott & Hoare Pty. Pty.
5271	Envelope Holder Arms ...	...	"	6	"	0	3	0	
5272	Envelope Holder Arm Lugs	...	"	6	"	0	1	0	
5273	Envelope Holder Arm Springs	...	"	6	"	0	0	9	
5274	Feed Roll Release Levers	...	"	6	"	0	1	9	
5275	Feed Roll Release Lever Connecting Links, K model	...	"	12	"	0	1	9	
5276	Feed Roll Release Lever Connecting Links, old model	...	"	12	"	0	1	9	
5277	Feed Roll Release Lever Cranks	...	"	12	"	0	1	6	
5278	Front Margin Rod Nuts	...	Vict.	12	"	0	0	3	
5279	Front Margin Rod Nuts and Bushings, K model	...	"	6	"	0	0	4½	
5280	Front Scales, Foolscap ...	...	U.S.A.	6	"	0	3	0	} Stott & Hoare Pty. Ltd.
5281	Front Scales, Brief ...	...	"	6	"	0	4	0	
5282	Front Scales, Policy ...	...	"	6	"	0	5	6	
5283	Governor Lock Springs	...	"	6	"	0	1	0	} Typewriter Repairs and Supplies Co Pty. Ltd.
5284	Key Rings, large	...	Vict.	36	"	0	0	1½	
5285	Key Rings, small	...	"	144	"	0	0	1½	
5286	Key Glasses, large	...	U.S.A.	12	"	0	0	3	
5287	Line Spacer Levers, old style	...	"	6	"	0	5	6	
5288	Line Spacer Levers, K model	...	"	6	"	0	6	6	
5289	Line Spacer Pawls	...	"	6	"	0	3	6	
5290	Lock Release Lever Switches	...	"	6	"	0	1	6	
5291	Main Springs	...	"	6	"	0	5	0	
5292	Main Spring Ratchet Pawls	...	"	6	"	0	3	0	
5293	Margin Stop Pointers, left	...	"	48	"	0	1	0	} Stott & Hoare Pty. Ltd.
5294	Margin Stop Pointers, right	...	"	48	"	0	1	0	
5295	Margin Stop Pointer Screws	...	"	12	"	0	0	6	

TYPEWRITER PARTS, ETC.—Continued.

Item No.	Description	Catalogue No.	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor	
PARTS FOR "UNDERWOOD" TYPEWRITING MACHINES—								
continued—								
5296	Margin Stop Release Lever Springs, right	...	U.S.A.	12	each	0 0 6	} Stott & Hoare Pty. Ltd.	
5297	Paper Clamps	...	"	30	"	0 1 6		
5298	Paper Clamp Rolls, with support	...	"	30	"	0 0 9		
5299	Ribbon Carriers, assembled, G model	...	"	36	"	0 2 6		
5300	Ribbon Feed Pawls, large	...	"	6	"	0 1 6		
5301	Ribbon Feed Pawls, small	...	"	6	"	0 1 6		
5302	Ribbon Guide Actuating Levers	...	"	6	"	0 3 6		
5303	Ribbon Guide Actuating Lever Brackets	...	"	18	"	0 3 6		
5304	Ribbon Shift Slides, assembled	...	"	6	"	0 6 6	} Typewriter Repairs and Supplies Co. Pty. Ltd.	
5305	Rubber Feet, old model	...	Vict.	36	gross	3 0 0		
5306	Rubber Feet, model 6	...	"	72	"	1 10 0	} Stott & Hoare Pty. Ltd.	
5307	Rubber Foot Caps, model 6	...	U.S.A.	72	each	0 0 6		
5308	Screws, large	...	Vic.	12	"	0 0 3	} Typewriter Repairs and Supplies Co. Pty. Ltd.	
5309	Screws, small	...	"	12	"	0 0 2		
5310	Shift Lock Springs	...	U.S.A.	12	"	0 1 0	} Stott & Hoare Pty. Ltd.	
5311	Tabulator Governor Springs	...	"	6	"	0 1 0		
5312	Type, Pica or Elite	...	"	144	"	0 1 3	} Stott & Hoare Pty. Ltd.	
5313	Type Bars, without type	...	"	6	"	0 2 0		
5314	Type Bar Adjusting Nuts	...	"	6	"	0 0 6		
5315	Type Bar Adjusting Screws	...	"	6	"	0 0 6		
5316	Type Bar Centre Guides	...	"	6	"	0 12 6		
5317	Type Bar Cushions, non-rebounding	...	"	6	"	0 4 0		
5318	Universal Bar Frame Shaft Nuts	...	"	6	"	0 0 6	} Nil	
PARTS FOR "IMPERIAL" TYPEWRITING MACHINES—								
5319	Bell Clamping Nuts	...	...	6	"	...		
5320	Bevelled Glass for Side Plates	...	...	6	"	...		
5321	Carriage Slide Bearings	...	...	6	"	...		
5322	Carriage Stop Screws, left-hand	...	...	6	"	...		
5323	Carriage Straps, assembled	...	Vic.	6	"	0 1 9		} Typewriter Repairs & Supplies Co. Pty. Ltd.
5324	Centre Ribbon Guide Intermediate Lever Bushes	...	...	6	"	...		
5325	Clutch Levers	...	...	6	"	...	} Nil	
5326	Drum Springs	...	...	6	"	...		
5327	Escapement Frame Castings	...	...	6	"	...		
5328	Escapement Stop Plates	...	...	6	"	...		



## TYPEWRITER PARTS, ETC.—Continued.

Item No.	Description	Catalogue No.	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
	PARTS FOR "IMPERIAL" TYPE-WRITING MACHINES—contd.—						
5329	Key Lever Links ... ..	...	...	30	each	...	} Nil
5330	Key Lever Wire Links ... ..	...	...	12	"	...	
5331	Line Indicators, assembled, left-hand	...	...	6	"	...	
5332	Line Indicators, assembled, right-hand	...	...	6	"	...	
5333	Line Spacer Connecting Levers, assembled	...	...	6	"	...	
5334	Line Spacer Lever Fulcrum Brackets	...	...	6	"	...	
5335	Line Spacer Lever Pawl Stop Screws	...	...	6	"	...	
5336	Loose Dogs ... ..	...	...	6	"	...	
5337	Margin Stop Release Springs ... ..	...	...	6	"	...	
5338	Outer Key Top Shells ... ..	...	...	48	"	...	
5339	Platen Locating Levers, assembled	...	...	6	"	...	
5340	Platen Ratchet and Clutch, assembled	...	...	9	"	...	
5341	Pointers ... ..	...	...	6	"	...	
5342	Racks, assembled, 12" ... ..	...	...	6	"	...	
5343	Racks, assembled, 15" ... ..	...	...	6	"	...	
5344	Racks, assembled, 18" ... ..	...	...	6	"	...	
5345	Racks, assembled, 22" ... ..	...	...	6	"	...	
5346	Racks, assembled, 26" ... ..	...	...	6	"	...	
5347	Rack Throw-outs, assembled	...	...	6	"	...	
5348	Rack Throw-out Links ... ..	...	...	6	"	...	
5349	Ribbon Centre Guides ... ..	...	...	30	"	...	
5350	Ribbon Feed Pawls ... ..	...	...	6	"	...	
5351	Ribbon Stop and Operating Link Adjusting Screws	...	...	6	"	...	
5352	Roller Release Levers ... ..	...	...	6	"	...	
5353	Shift Lock Pawls ... ..	...	...	6	"	...	
5354	Stop Rod Clamping Nuts ... ..	...	...	6	"	...	
5355	Stop Rod Washers ... ..	...	...	6	"	...	
5356	Type ... ..	...	...	30	"	...	
5357	Type Bars ... ..	...	...	36	"	...	
5358	Type Bar Forks ... ..	...	...	6	"	...	
5359	Type Bar Wire Links ... ..	...	...	12	"	...	
5360	Type Segment Ball Races ... ..	...	...	6	"	...	
5361	Type Segment Ball Retainers ... ..	...	...	6	"	...	
5362	Universal Bars and Frames, assembled	...	...	3	"	...	

TYPEWRITER PARTS, ETC.—Continued.

Item No.	Description	Catalogue No.	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
PARTS FOR "REMINGTON" TYPEWRITING MACHINES—							
5363	Carriage Line Spacing Levers ...	...	...	3	each	...	Nil
5364	Carriage Retent Springs, complete	...	Vict.	6	"	0 1 3	} Typewriter Repairs and Supplies Co. Pty. Ltd.
5365	Carriage Straps, "A" ...	...	"	6	"	0 1 3	
5366	Carriage Straps, "B" ...	...	"	6	"	0 1 6	
5367	Carriage Straps, "C" ...	...	"	6	"	0 1 7	
5368	Interlineator Locks ...	...	...	12	"	...	Nil
5369	Key Cards, celluloid, unpunched ...	...	Vic.	72	sheet	0 3 0	} Typewriter Repairs and Supplies Co. Pty. Ltd.
5370	Key Rings, large ...	...	"	18	each	0 0 1½	
5371	Key Rings, small ...	...	"	144	"	0 0 1½	
5372	Line Gauges, R ...	...	...	6	"	...	} Nil
5373	Line Gauges, L ...	...	...	6	"	...	
5374	Main Springs ...	...	...	6	"	...	
5375	Paper Guides, left ...	...	...	6	"	...	
5376	Paper Guides, right ...	...	...	6	"	...	
5377	Pinion Wheels ...	...	...	6	"	...	
5378	Ribbon Carriers, old style R ...	...	...	6	"	...	
5379	Ribbon Carriers, new style ...	...	...	12	"	...	
5380	Ribbon Spool Knobs ...	...	Vic.	6	"	0 0 4	
5381	Rubber Feet, old style ...	...	"	12	gross	1 10 0	
5382	Rubber Feet, new style ...	...	"	30	"	1 10 0	} Typewriter Repairs and Supplies Co. Pty. Ltd.
5383	Screws, visible ...	...	...	24	each	...	Nil
5384	Semi-final Margin Stop Springs ...	...	Vic.	12	"	0 0 1	} Typewriter Repairs and Supplies Co. Pty. Ltd.
5385	Shift Locks ...	...	...	12	"	...	
5386	Spacing Dogs, for No. 10 ...	...	...	12	"	...	} Nil
5387	Spacing Dogs, for No. 12 ...	...	...	12	"	...	
5388	Tabulator Blades ...	...	...	12	"	...	
5389	Tabulator, Stops ...	...	...	6	"	...	
5390	Thumb Wheels, left ...	...	...	24	"	...	
5391	Thumb Wheels, right ...	...	...	24	"	...	
5392	Type ...	...	...	72	"	...	} Nil
5393	Type Bars, without type ...	...	...	24	"	...	
5394	Type Bar Guides ...	...	...	6	"	...	
5395	Variable Line Lock Springs ...	...	...	12	"	...	

## TYPEWRITER PARTS, ETC.—Continued.

Item No.	Description	Catalogue No.	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
PARTS FOR "REMINGTON" ADDING MACHINES—							
5396	Actuator Goose Necks ...	...	Vict.	6	each	0 10 6	} Typewriter Repairs and Supplies Co. Pty. Ltd.
5397	Carriage Arm Screws, right ...	...	"	12	"	0 0 3	
5398	Carriage Arm Screw Nuts, right ...	...	"	12	"	0 0 3	
5399	Disconnect Levers ...	...	...	6	"	...	} Nil
5400	Disconnect Lever Springs ...	...	...	6	"	...	
5401	Full Stroke Pawls, upper ...	...	...	6	"	...	
5402	Full Stroke Pawls, lower ...	...	...	6	"	...	
5403	Main Springs, heavy tension ...	...	...	6	"	...	} Nil
5404	Palm Tabulator Levers ...	...	Vict.	3	c'plete unit each	1 5 0	
5405	Totaliser Carrier Gear Wheel ...	...	"	24	"	1 0 0	
5406	Totaliser Cover Screws ...	...	"	24	"	0 0 3	} Typewriter Repairs and Supplies Co. Pty. Ltd.
5407	Totaliser Intermediate Gears ...	...	"	12	"	0 2 6	
5408	Totaliser Latches ...	...	"	6	"	0 12 6	
5409	Totaliser Number Wheels ...	...	...	6	"	...	Nil
5410	Totaliser Sideplates, left ...	...	Vict.	12	"	0 10 0	} Typewriter Repairs and Supplies Co. Pty. Ltd.
5411	Totaliser Sideplates, right ...	...	"	12	"	0 10 0	
5412	Totaliser Stop Work Arms, complete, upper ...	...	"	6	"	1 0 0	
5413	Totaliser Stop Work Arms, complete, lower ...	...	"	6	"	1 0 0	} Nil
5414	Truck Arm Screw Nuts ...	...	...	6	"	...	
PARTS FOR ALL STANDARD MAKES OF TYPEWRITING MACHINES—							
Supplying and Grinding Cylinder Covers for all standard makes of machines in Ordinary Rubber. (Cores to be supplied by the Corporation)—							
5415	10" ...	...	Vict.	54	"	0 4 2	} Typewriter Repairs and Supplies Co. Pty. Ltd.
5416	14" ...	...	"	72	"	0 5 10	
5417	18" ...	...	"	18	"	0 7 6	
5418	20" ...	...	"	6	"	0 8 4	
5419	22" ...	...	"	6	"	0 9 2	
5420	26" ...	...	"	6	"	0 10 10	
5421—5499	Nil						

