

[2279]



VICTORIA GOVERNMENT GAZETTE.

Published by Authority.

[Registered at the General Post Office, Melbourne, for transmission by post as a newspaper.]

No. 205]

MONDAY, JUNE 1.

[1942

No.	Number of Tenders.	Particulars of Contract.	Country of Manufacture or Production.	Amount.	Name of Contractor.
215	..	Railways Stores Suspense Account, Act 3759. Section 105— Supply and delivery of General Stores as ordered, during the period 1st January, 1942, to 31st December, 1942, and 1st January, 1942, to 31st December, 1943.	As per annex ..	Rates as per annex	As per annex

Melbourne, 29th May, 1942.

Schedule of Rates Contracts

FOR THE

SUPPLY OF STORES

TO THE

VICTORIAN RAILWAYS.

PERIODS—

Schedules 1 to 56—1.1.1942 to 31.12.1942.

„ 120 to 153—1.1.1942 to 31.12.1943.

E. C. EYERS,

By Order of the Victorian Railways Commissioners.

SUPPLY AND DELIVERY OF STORES.

**As ordered, from 1.1.1942 to 31.12.1942, and
1.1.1942 to 31.12.1943.**

Items marked * to be supplied (subject to the General Conditions of Contract) to sample or samples exhibited by the Corporation.

Items marked † to be supplied to sample or samples furnished by the Contractor.

No subletting will be allowed.

All rates are exclusive of Sales Tax.

ADZES, AXES, ETC.

(Schedule No. 1).

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
	Adzes, carpenters', "Brades"—							
1	No. 2, pin pole, "No. 382" ...	U.K.	6	each	0	6	3	} Briscoe & Co. Ltd.
2	No. 3 " " " " ...	"	24	"	0	6	7	
3	No. 2, plain pole, "No. 396" ...	"	24	"	0	7	11	
4	No. 3 " " " " ...	"	12	"	0	8	4	
†5	Axes, handled, 4½ lb., "Black Diamond"	Canada	600	doz.	5	6	6	F. W. Green & Co.
6	Hatchets, axe, No. 2, handled, "Fame No. 372"	U.K.	144	each	0	4	4	Briscoe & Co. Ltd.
†7	Hooks, fern, without handles, "Trojan No. 159," size 1	Vict.	48	"	0	4	1	Scott & Son Pty. Ltd.
†8	Mattocks, grubbing, 4½ lb., without handles, "Plumb"	N.S.W.	48	"	0	3	9½	John Sharp & Sons Pty. Ltd.
†9	Slashers, single edge, straight handled, "Trojan No. 213A"	Vict.	24	"	0	8	5	Scott & Son Pty. Ltd.
10-19	—Nil							

SAWS AND HACK SAW BLADES

(Schedule No. 2)

†	20	Blades, hack saw, "Eclipse"— 9" x ½" x 23 gauge, 18 teeth per inch	U.K.	1 gross	gross	0	17	10	} McPherson's Pty. Ltd.
	21	10" x ½" x 23 " 18 " "	"	100 "	"	1	2	6	
	22	10" x ½" x 23 " 22 or 32 teeth per inch, as ordered	"	5 "	"	1	2	6	
	23	12" x ½" x 23 " 18 teeth per inch	"	10 "	"	1	5	6	
	†24	12" x ⅝" x 23 gauge, 14 teeth per inch, for use with hand frame for cutting railway rails	"	75 "	"	1	9	6	
†25	17" x 1" x 18 gauge, 10 teeth per inch, high speed, approx. 18% tungsten, for cutting railway rails	"	50 dozen	doz.	2	1	3		
	Saw, band, any length ordered up to 108'—								
	26	¼" x 21 gauge x 6 teeth per inch	100 feet	} Nil
	27	⅜" x 21 " x 5 "	100 "	
	28	⅜" x 26 " x 7 "	350 "	
	29	½" x 21 " x 5 "	Nil	
	30	⅝" x 21 " x 5 "	Nil	
	31	¾" x 19 " x 5 "	150 feet	Nil
	32	1" x 20 " x 4 "	Nil	
	33	1½" x 19 " x 4 "	Nil	

SAWS AND HACK SAW BLADES—continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
34	Saw, band, flexible back, 1" wide x 20 gauge, 12 teeth per inch, to specification	...	1000 feet	} Nil
35	Saws, circular, crosscut teeth, 11 gauge, 22" diameter, 60 teeth	...	3	
† { 36 37	Saws, crosscut, peg tooth— 5', "Abbeydale"	U.K.	15	each	0 17 3	} Briscoe & Co. Ltd.
	5' 6" "	"	15	"	0 19 0	
	†38	6', "John Cockerill"	"	15	"	
†39	Saws, hand, 26", crosscut teeth, 6 points per inch, "Jumbo"	"	100	"	0 5 3	Hardware Co. of Aust. Pty. Ltd. Briscoe & Co. Ltd.
40-49	Nil					

AUGERS.

(Schedule No. 3).

50	Augers, screw, for hardwood, with cutting edges sharpened, "Ridgway"— $\frac{3}{8}$ ", $\frac{7}{16}$ " or $\frac{1}{2}$ " dia., as ordered	U.K.	90 dozen	dozen	1 3 6	} Briscoe & Co. Ltd.
51	$\frac{1}{8}$ " or $\frac{5}{16}$ " " " "	"	45 "	"	1 5 9	
52	$\frac{11}{16}$ " dia., 8 threads per inch on lead screw	...	Nil
53	$\frac{3}{4}$ " " " "	U.K.	500 dozen	dozen	1 11 3	} Briscoe & Co. Ltd.
54	$\frac{13}{16}$ " or $\frac{7}{8}$ " dia., as ordered	"	60 "	"	1 14 3	
55	$\frac{15}{16}$ " or 1" " " "	"	45 "	"	1 18 9	
56-59	Nil					

SCREWS AND SPLIT PINS

(Schedule No. 4).

60	Screws, brass, for wood, any size on price list, as ordered, "Nettlefold's"— Countersunk head	Vict.	£400	...	Percentage on or off Price List less 5% & 2½%	} Edward Duckett & Sons
61	Raised head	"	£20	...	plus 5%	
62	Round head	"	£100	...	less 2½% less 5% & 2½%	
63	Screws, steel, for wood, any size on price list, as ordered, "Nettlefold's"— Countersunk head	"	£1000	...	less 27½% & 2½%	} Briscoe & Co. Ltd.
64	Raised head	"	£5	...	less 12½% & 2½%	
65	Round head, jappaned	"	£10	...	less 20% & 2½%	Edward Duckett & Sons

SCREWS AND SPLIT PINS—continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
66	Screws, steel, for wood, recessed counter-sunk head, any size on price list, as ordered	...	£20	Nil
67	Screws, brass, Whitworth rolled thread (stove), round, countersunk or cheese head, as ordered, any size on price list, as ordered, "Nettlefold's"	Vict.	£40	...	less 57½% & 2½%	} Briscoe & Co. Ltd.
68	Screws, steel, Whitworth rolled thread (stove), round or countersunk head, as ordered, any size on price list, as ordered, "Nettlefold's"	"	£200	...	less 60% & 2½%	
69	Screws, coach, square head, gimlet point, any size on price list, as ordered— Sizes up to and including 4" long x up to and including ⅜" diameter	"	} £100	...	less 32½%	} McPherson's Pty. Ltd.
69A	Sizes over 4" long or over ⅜" diameter	"		...	less 35%	
70	Screws, coach, square head, gimlet point, galvanised, any size on price list, as ordered— Sizes up to and including 4" long x up to and including ⅜" diameter	"	} £15	...	Percentage off Price List for Items Nos. 69 & 69A Less 32½% then plus 10/- per cwt. for galvanising	
70A	Sizes over 4" long or over ⅜" diameter	"		...	Less 35% then plus 10/- per cwt. for galvanising	
71	Screws, coach, square head, patent point, to specification— ½" diameter x 2½" long	"	10 cwt.	cwt.	2 3 9	} McPherson's Pty. Ltd.
72	½" " x 5" "	...	Nil	
73	½" " x any other length ordered	Vict.	2 cwt.	cwt.	2 3 9	
74	⅝" " x 4" long	...	Nil	} McPherson's Pty. Ltd.
75	⅝" " x 4½" "	Vict.	20 cwt.	cwt.	1 14 9	
76	⅝" " x any other length ordered	"	3 "	"	1 17 6	
77	¾" " x 4" long	...	Nil	} McPherson's Pty. Ltd.
78	¾" " x 5" "	Vict.	50 cwt.	cwt.	1 9 3	
79	¾" " x any other length ordered	"	1 "	"	1 16 0	
80	Screws, set, black, hexagon head, Whitworth head and thread, ⅝" diameter and over, any size on price list, as ordered, to specification	"	£20	...	less 20%	} H. A. Barnard Pty. Ltd.
81	Screws, set, bright, hexagon head, Whitworth head and thread, any size on price list, as ordered, "Brunton's" or "D. & H."	Vict. or N.S.W.	£150	...	plus 10%	
82	Pins, split, steel, any size on price list, as ordered "Nettlefold's"— Up to ⅜" diameter	Vict.	} £600	...	Percentage off Price List less 65% & 2½%	} Edward Duckett & Sons
82A	Over ⅜" "	"		...	less 55% & 2½%	
83	Pins, split, steel— ⅜" diameter x 3½" long	...	5 gross	} Nil
84	½" " x 7" "	...	20 "	
85-99	Nil					

NAILS, ETC.
(Schedule No. 5)

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
100	Brads, finishing, wire, $\frac{3}{4}$ " x 17 gauge ...	Vict.	56 lb.	cwt.	‡2 12 6	S. Cooke Pty. Ltd.
†101	"Cooke's" Brads, moulders', 4", "T. H. Bentley" ...	"	12 cwt.	"	2 10 0	} H. A. Barnard Pty. Ltd.
†102	Chaplets, box, $\frac{7}{8}$ ", "T. H. Bentley" ...	"	3 gross	gross	0 11 6	
	Nails, clout, steel, countersunk, "Cooke's"—					
103	2½" x 3 gauge ...	"	} 3 cwt.	cwt.	‡1 15 0	} S. Cooke Pty. Ltd.
104	2½" x 2 " ...	"		"	‡1 15 0	
105	3" x 1 " ...	"		"	‡1 15 0	
	Nails, clout, wire, bright, to specification—"Cooke's"—					
106	$\frac{5}{8}$ ", $\frac{3}{4}$ ", $\frac{7}{8}$ ", 1" or 1½", as ordered, x 12 gauge	"	3 "	"	‡1 18 0	
107	½" x 13 gauge ...	"	28 lb.	"	‡2 0 6	
108	Nails, clout, wire, galvanised, to specification, $\frac{3}{4}$ ", 1", 1½" or 1¾", as ordered, x 12 gauge, "Cooke's"	"	20 cwt.	"	‡2 11 3	
†109	Nails, dogspikes, "Clyde" pattern, 2½" x $\frac{7}{16}$ "	"	10 tons	"	1 5 6	McPherson's Pty. Ltd.
*†110	Nails, furniture, oxidised, ½" long x $\frac{7}{16}$ " diameter head, in boxes of 1000 No.	...	5 boxes	} Nil
	Nails, horse-shoe, full counters, in boxes of 25 lb.—					
†111	No. 6	2 "	
†112	No. 8, 10 or 12, as ordered	3 "	
P113	Nails, roofing, springhead, spiral type, galvanised, in 1 cwt. cases, 2", 2¼" or 2½", as ordered, x 9 gauge, "Cooke's Even-den Gripwel"	Vict.	3 tons	cwt.	‡2 12 6	} S. Cooke Pty. Ltd
P114	Nails, slaters', copper, clout head, round shank, 1¼" or 1½", as ordered, x 12 gauge, "Cooke's"	"	3 cwt.	lb.	‡0 1 10½	
P115	Nails, steel, corrugated, black, 4", 5", 6", 7" or 8", as ordered, x $\frac{3}{8}$ " diameter, "Cooke's"	"	13 tons	cwt.	‡1 5 0	
	Nails, steel, corrugated, galvanised, "Cooke's"—					
P116	3" x 1 gauge ...	"	} 6 cwt.	"	‡2 2 0	
P117	4" x $\frac{3}{8}$ " diameter ...	"		"	‡2 2 0	
	Nails, wire, bullet head, any length ordered, to specification—					
118	4, 5, 6, 7 or 8 s.w. gauge, as ordered ...	"	} 12 tons	"	‡1 1 6	} F. Golds Nail Pty. Ltd.
118A	" " " " " ...	"		"	‡1 1 6	
119	9 s.w. gauge ...	"		} 5 "	"	‡1 2 0
119A	" " " " " ...	"	"		‡1 2 0	F. Golds Nail Pty. Ltd.

† Items Nos. 100, 103-108, P113-P117, 118 and 119. Less 3% discount for payment within 14 days of date of receipt of invoice or 2½% for payment by end of month following month of delivery.
 ‡ Items Nos. 118A and 119A. Less 3% discount for payment within 10 days of date of receipt of invoice or 2½% for payment by end of month following month of delivery.

NAILS, ETC.—continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
	Nails, wire, bullet head, any length ordered, to specification—continued—					
120	10 s.w. gauge	Vict.	5 tons	cwt.	†1 2 6	S. Cooke Pty. Ltd.
120A	" " " " " "	"		"	"	†1 2 6
121	11 " " " " " "	"	2 "	"	†1 3 6	S. Cooke Pty. Ltd.
121A	" " " " " "	"		"	"	†1 3 6
122	12 " " " " " "	"	5 "	"	†1 4 0	S. Cooke Pty. Ltd.
122A	" " " " " "	"		"	"	†1 4 0
123	13 " " " " " "	"	1 "	"	†1 5 0	S. Cooke Pty. Ltd.
123A	" " " " " "	"		"	"	†1 5 0
124	14 " " " " " "	"	1 "	"	†1 7 0	S. Cooke Pty. Ltd.
124A	" " " " " "	"		"	"	†1 7 0
125	15 " " " " " "	"	1 "	"	†1 9 6	S. Cooke Pty. Ltd.
125A	" " " " " "	"		"	"	†1 9 6
	Nails, wire, flat head, to specification—					
126	1" or 1½", as ordered, x 15 s.w. gauge ...	"	15 cwt.	"	†1 9 6	S. Cooke Pty. Ltd.
126A	" " " " " "	"		"	"	†1 9 6
127	2" x 12 s.w. gauge	"	10 "	"	†1 3 0	
128	Pins, escutcheon, brass, ⅝" x 16 gauge, "Cooke's" Pins, gimp, japanned, "Cooke's"—	"	14 lb.	lb.	†0 1 9	S. Cooke Pty. Ltd.
129	½" x 17 gauge	"	450 "	"	†0 0 6½	
130	⅝" or ¾", as ordered, x 18 gauge	"		"	"	
131	Pins, panel, countersunk, "Cooke's," (see note)— ½" or 1", as ordered, x 20 gauge	"	75 "	"	"	Nil
132	½", ⅝" or 1", as ordered, x 17 gauge ...	Vict.	400 "	cwt.	†2 12 6	S. Cooke Pty. Ltd.
133	⅝" x 19 gauge	"	150 "	"	"	Nil
134	¾" or 1", as ordered, x 18 gauge ...	Vict.	200 "	cwt.	†2 19 0	S. Cooke Pty. Ltd.
135	1¼" or 1¾", as ordered, x 16 gauge ...	"	600 "	"	†1 15 6	
136	1½" x 15 gauge	"	400 "	"	†1 12 9	
137	2" x 14 gauge	"	200 "	"	†1 9 9	
138	Rivets, copper, with washers, ¼", ⅜", ½", ⅝", ¾", 1" or 1", as ordered, "Cooke's"— 6, 7 or 8 gauge, as ordered	"	300 "	lb.	†0 1 10	S. Cooke Pty. Ltd.
138A	10 gauge	"		"	"	

† Items Nos. 120, 121, 122, 123, 124, 125, 126, 128-130, 132 and 134-138A. Less 3% discount for payment within 14 days of date of receipt of invoice or 2½% for payment by end of month following month of delivery.
 † Items Nos. 120A, 121A, 122A, 123A, 124A, 125A, 126A and 127. Less 3% discount for payment within 10 days of date of receipt of invoice or 2½% for payment by end of month following month of delivery.

NAILS, ETC.—continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
Rivets, copper, without washers, "Cooke's"—								
139	$\frac{3}{8}$ " x 8 gauge	Vict.	150 lb.	lb.	10	1	5 $\frac{1}{2}$	S. Cooke Pty. Ltd
140	$\frac{1}{2}$ " x 7 "	"	10 "	"	10	1	5 $\frac{1}{2}$	
141	$1\frac{1}{4}$ " x 4 "	"	10 "	"	10	1	5 $\frac{1}{2}$	
Rivets, Tinman's, tinned, heavy coated, "Cooke's Quikswet"—								
142	No. 4, 5 or 6, as ordered	"	60 "	cwt.	13	4	0	S. Cooke Pty. Ltd
143	No. 7, 8 or 9, " "	"	325 "	"	13	1	0	
144	No. 10 or 11, " "	"	200 "	"	13	0	0	
145	No. 12	"	200 "	"	12	17	0	
146	No. 13, 14 or 15, as ordered	"	250 "	"	12	15	6	
147	No. 16	"	100 "	"	12	14	0	
148	No. 17	"	25 "	"	12	13	0	
149	No. 18 or 20, as ordered.	"	200 "	"	12	12	6	
Staples, wire, galvanised, "Anchor"—								
150	$\frac{1}{2}$ " x 14 gauge	"	1 cwt.	"	11	16	6	
151	$\frac{3}{4}$ " x 12 "	"	3 "	"	11	9	6	
152	1" x 10 "	"	1 "	"	11	7	6	
153	$1\frac{1}{2}$ " x 8 "	"	6 "	"	11	5	6	
154	Tacks, copper, wire, $\frac{1}{2}$ ", $\frac{5}{8}$ ", $\frac{3}{4}$ " or $\frac{7}{8}$ ", as ordered, x 15 gauge, "Cooke's"	"	750 lb.	lb.	10	1	8	
Tacks, cut, blued, fine, 16 gauge, "Cooke's"—								
155	$\frac{1}{4}$ "	"	15 "	cwt.	15	9	6	S. Cooke Pty. Ltd
156	$\frac{3}{8}$ "	"	300 "	"	14	19	3	
57	$\frac{1}{2}$ "	"	1250 "	"	14	0	3	
158	$\frac{5}{8}$ "	"	125 "	"	13	19	0	
Tacks, cut, tinned, fine, 16 gauge, "Cooke's"—								
159	$\frac{1}{2}$ "	"	100 "	"	15	5	3	S. Cooke Pty. Ltd
160	$\frac{3}{4}$ "	"	300 "	"	15	3	0	
161	Tacks, double pointed, copper coated, $\frac{1}{2}$ ", "Cooke's"	"	25 "	"	13	2	6	Gerrard Wire Tying Machines Co. Pty. Ltd.
162	Tacks, No. 10, for Gerrard wire-tying machines, in boxes of 25,000	"	25,000	1000	0	1	8	
163-179	Nil							

{ Items Nos. 139-154. Less 3% discount for payment within 14 days of date of receipt of invoice, or 2 $\frac{1}{2}$ % for payment by end of month following month of delivery.
 { Items Nos. 155-161. Less 15% trade discount and less a further 3% for payment within 14 days of date of receipt of invoice or 2 $\frac{1}{2}$ % for payment by end of month following month of delivery.

TAPS, DIES, ETC.
(Schedule No. 6)

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor	
180	Dies, adjustable, 2 $\frac{3}{8}$ " diameter, Whitworth thread (excluding guides), to specification, "P & N"— $\frac{3}{16}$ ", $\frac{1}{4}$ ", $\frac{5}{16}$ " or $\frac{3}{8}$ ", as ordered	Vict.	20	each	0 10 10	} McPherson's Pty. Ltd.	
181	$\frac{1}{2}$ "	"	15	"	0 11 6		
182	$\frac{5}{8}$ "	"	8	"	0 13 3		
183	$\frac{3}{4}$ "	"	8	"	0 14 6		
184	$\frac{7}{8}$ "	"	10	"	0 16 3		
185	1"	"	10	"	0 18 1		
186	Dies, British Association standard, to specification, "P & N"— Sizes 0 to 8, as ordered	"	150	"	0 1 2 $\frac{1}{2}$		
187	Sizes 9 or 10, ,, ,,	"	50	"	0 1 10		
188	Dies, high speed steel, for "Herbert" patent self-opening die heads, style "C," in sets of four, to specification, "P & N"— For 1" die head, Whitworth thread, sizes $\frac{3}{16}$ " to 1", as ordered	"	50 sets	set	1 15 0		
189	For 1 $\frac{1}{4}$ " die head, Whitworth thread, sizes $\frac{7}{16}$ " to 1 $\frac{1}{4}$ ", as ordered	"	50 "	"	2 2 5		
190	For 1 $\frac{1}{2}$ " die head, 11 threads per inch, sizes 1 $\frac{1}{2}$ ", 1 $\frac{1}{4}$ ", 1 $\frac{3}{8}$ " or 1 $\frac{1}{2}$ ", as ordered	"	3 "	"	2 12 8		
191	For 2" die head, 11 threads per inch, sizes 1 $\frac{1}{2}$ ", 1 $\frac{1}{4}$ ", 1 $\frac{3}{8}$ ", 1 $\frac{1}{2}$ " or 1 $\frac{5}{8}$ ", as ordered	"	8 "	"	3 15 10		
192	Dies, high speed steel, for "Landis" rotary die heads, to specification, "P & N"— Style "F," Whitworth thread, in sets of four— For $\frac{1}{2}$ " die head, sizes $\frac{3}{16}$ " to $\frac{1}{2}$ ", as ordered	"	3 "	"	1 19 3		} Nil
193	For 1" die head, sizes $\frac{1}{4}$ " to 1 $\frac{1}{2}$ ", as ordered	"	50 "	"	2 8 4		
194	For 3" die head, sizes 1 $\frac{3}{4}$ " or 2 $\frac{1}{4}$ " as ordered	"	1 "	"	...		
195	To drawing No. N.Z. 18, for 3" die head, Whitworth thread, any number of threads per inch ordered	"	5 "	"	...		
196	Dies for 1 $\frac{1}{4}$ " "Landmatic" die head, tangential, to drawing No. N.Z. 9, in sets of four, sets to be interchangeable, any size ordered, to specification	"	20 "	"	...		
197	Dies, nut, cast steel, hexagon, Whitworth thread, hardened and tempered, to specification, "P & N"— $\frac{3}{8}$ "	Vict.	9	each	0 2 1	} McPherson's Pty. Ltd.	
198	$\frac{1}{2}$ "	"	20	"	0 2 5		
199	$\frac{5}{8}$ "	"	20	"	0 3 0		
200	$\frac{3}{4}$ "	"	20	"	0 3 7		
201	$\frac{7}{8}$ "	"	30	"	0 4 3		
202	1"	"	10	"	0 4 10		

TAPS, DIES, ETC.—continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor	
Taps, hand working, British Association standard, taper, intermediate or plug, as ordered, to specification, "P & N"—							
203	Sizes 0 to 6, as ordered ...	Vict.	50 dozen	dozen	0 5 6	McPherson's Pty. Ltd.	
204	Size 7 ...	"	10 "	"	0 6 1		
205	" 8 ...	"	10 "	"	0 6 8		
206	" 9 ...	"	8 "	"	0 8 5		
207	" 10 ...	"	6 "	"	0 12 1		
Taps, hand working, gas thread, standard engineers' pattern, in sets comprising one taper and one plug tap, to specification, "P & N"—							
208	1/8" ...	"	20 sets	set	0 3 1 1/2		
209	1/4" ...	"	3 "	"	0 3 6		
210	3/8" ...	"	3 "	"	0 3 11 1/2		
211	1/2" ...	"	5 "	"	0 5 3		
212	3/4" ...	"	3 "	"	0 7 3		
213	1" ...	"	5 "	"	0 11 11		
Taps, hand working, Whitworth standard, cut thread, taper, intermediate or plug, as ordered, to specification, "P & N"—							
214	1/8", 3/16", 1/4", 5/16", 3/8" or 1/2", as ordered ...	"	2000	each	0 0 5 1/2		
215	5/16" ...	"	400	"	0 0 8 1/2		
216	3/8" ...	"	350	"	0 0 11 1/2		
217	7/16" ...	"	80	"	0 1 0 1/2		
218	1/2" ...	"	400	"	0 1 2 1/2		
219	5/8" ...	"	70	"	0 1 9		
220	3/4" ...	"	150	"	0 1 11 1/2		
221	7/8" ...	"	30	"	0 2 5		
222	1" ...	"	100	"	0 2 7 1/2		
223	1 1/8" ...	"	20	"	0 3 6		
224	1 1/4" ...	"	100	"	0 3 6		
225	1" ...	"	80	"	0 4 0 1/2		

TAPS, DIES, ETC.—continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor	
	Taps, hand working, Whitworth standard, ground thread, taper, intermediate or plug, as ordered, to specification, "TEC"—						
226	$\frac{1}{8}$ "	N.S.W.	20	each	0 3 8	Gilbert Lodge & Co. Pty. Ltd.	
227	$\frac{5}{32}$ "	"		"	0 3 3		
228	$\frac{3}{16}$ "	"		"	0 3 5		
229	$\frac{7}{32}$ "	"		"	0 7 6		McPherson's Pty. Ltd.
230	$\frac{1}{4}$ "	"		"	0 3 6		
231	$\frac{5}{16}$ "	"	20	"	0 3 7	Gilbert Lodge & Co. Pty. Ltd.	
232	$\frac{3}{8}$ "	"	6	"	0 4 1		
233	$\frac{7}{16}$ "	"	10	"	0 4 6		
234	$\frac{1}{2}$ "	"	6	"	0 4 8		
235	$\frac{3}{16}$ "	"	6	"	0 13 6	McPherson's Pty. Ltd.	
236	$\frac{1}{8}$ "	"	3	"	0 6 4	Gilbert Lodge & Co. Pty. Ltd.	
237	$\frac{3}{4}$ "	"	3	"	0 8 8		
238	$\frac{7}{8}$ "	"	3	"	0 10 4		
239	1"	"	3	"	0 11 8		
	Taps, "National" nut tapping machine, ground threads, Whitworth thread, to drawing No. 8920-1, and specification, "TEC"—						
240	$\frac{7}{8}$ "	"	12	"	0 14 7	Gilbert Lodge & Co. Pty. Ltd.	
241	1"	"	12	"	0 15 9		
242	$1\frac{1}{8}$ "	"	2	"	0 19 3		
243	$1\frac{1}{4}$ "	"	2	"	1 3 4		
244	1"	Vict.	2	"	0 15 9		
245	$1\frac{1}{8}$ "	"	10	"	0 19 3		
246	$1\frac{3}{16}$ "	"	3	"	1 1 7		
247	$1\frac{1}{2}$ "	"	3	"	1 3 4		
248	$1\frac{1}{2}$ "	"	2	"	1 18 0		
	Reamers, spiral, with chip breaker, to specification and drawing N.X. 1 (amended 31.3.39), "TEC"—						
249	$\frac{3}{16}$ " diameter	N.S.W.	30	"	0 16 1	Gilbert Lodge & Co. Pty. Ltd.	
250	$\frac{11}{16}$ " "	"	20	"	1 2 9		
251	$\frac{11}{16}$ " "	"	20	"	1 11 3		
252-269	—Nil						

PORCELAIN INSULATORS, ETC.

(Schedule No. 7)

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
	Bases, porcelain, to specification—							
†270	For lightning arrestors, to drawing No. 5.A.45	Vict.	50	each	0	0	5½	Sunshine Porcelain Potteries Pty. Ltd.
†271	For fuses, to drawing No. 1.A.45	„	400	„	0	0	5½	} Australian Porcelain Insulator Co. Pty. Ltd.
†272	For R.S.A. terminal, to drawing No. 2.A.2	„	1000	„	0	0	4	
†273	Variable resistance, to drawing No. 2.B.351	„	400	„	0	0	9	
†274	Bobbins, porcelain, resistance, to drawing No. 2.F.1956	„	150	„	0	0	6½	
	Insulators, porcelain—							
†275	Brush Holder Yoke, to drawing No. F.2104A	„	100	„	0	2	3	Nilcrom Porcelains (Aust.) Pty. Ltd.
†276	Button, 1½" x 1½" x ¾" hole	„	1750	„	0	0	2½	Sunshine Porcelain Potteries Pty. Ltd.
277	Catenary Centres, to drawing No. F.2299B and specification	„	50	„	0	3	11	Australian Porcelain Insulator Co. Pty. Ltd.
278	Catenary Ends, to drawing No. F.2300B and specification	„	200	„	0	3	0	Sunshine Porcelain Potteries Pty. Ltd.
†279	Cleat, 2½" x 1" (two wires)	„	500 pairs	pair	0	0	3½	Australian Porcelain Insulator Co. Pty. Ltd.
†280	Knob, 2½" x 1½" x ⅞" hole	Vict.	400	each	0	0	7½	Sunshine Porcelain Potteries Pty. Ltd.
†281	Pin type, conference, No. 600/0.1	„	150	„	0	0	7½	} Australian Porcelain Insulator Co. Pty. Ltd.
†282	„ „ „ No. 600/0.0	„	200	„	0	0	6½	
283	„ „ to drawing No. 1.A.405 and specification, packed in cases of 50 No.	„	12,500	„	0	0	11½	Sunshine Porcelain Potteries Pty. Ltd.
†284	Reel	„	400	„	0	0	6¾	} Australian Porcelain Insulator Co. Pty. Ltd.
*†285	Shackle, 2½" diameter x 1½" high x ¾" hole	„	2000	„	0	0	5½	
*†286	Shackle, low tension, 3½" diameter x 3" high x ¾" hole,	„	150	„	0	0	7½	
*†287	Shackle, 4" diameter x 3" high x ¾" hole	„	400	„	0	1	1	
†288	Strain, "Egg" type, 1,000 volts, 3½" long	„	30	„	0	1	8	
289	Transposition, to drawings Nos. F.2317 and 1.A.405, and specification, packed in cases of 20 No.	„	600	„	0	4	6	Sunshine Porcelain Potteries Pty. Ltd.
†290	Tube, 1" O.D. x ¾" I.D. x 5½" long	„	200	„	0	1	0	Mica & Insulating Supplies Co.
291	Tube, solid, grooved, for oven element, to drawing No. F.2659 and specification	„	50	„	0	1	10	Nilcrom Porcelains (Aust.) Pty. Ltd.
292	80D type, to drawing No. F.2077A and specification	„	250	„	0	4	8½	Australian Porcelain Insulator Co. Pty. Ltd.

LOW VOLTAGE LAMPS AND TORCH ACCESSORIES

(Schedule No. 8)

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
†300	Batteries, torch, dry cells, cylindrical, type D.U. 2, to British Standard Specification No. 397-1933, "Eveready"	N.S.W.	20,000	gross	1	12	9½	Eveready (Aust.) Pty. Ltd.
301	Electrolyte, dry, for Edison batteries, in tins of 9·19 lb. net, "Thos. A. Edison"	U.S.A.	5 cwt.	tin	1	16	0	Charles M. Terry Pty. Ltd.
†302	Lamps, electric, for automobiles— 6V., 3W., S.B.C., single or double contact, as ordered, "Crompton"	U.K. or U.S.A.	250	each	0	0	7½	Noyes Bros. (Melb.) Ltd.
†303	6V., 3W., S.C.C., single contact, "Osram"	"	750	"	0	0	7½	A. G. Healing Ltd.
†304	6V., 3W., M.C.C., single contact, "Crompton"	"	25	"	0	0	7½	
†305	6V., 6W., A.S.C.C., single contact, "Crompton"	"	50	"	0	0	7½	
†306	6V., 18 W., S.B.C., "V" filament, single or double contact, as ordered, "Crompton"	"	50	"	0	0	11¼	
†307	6V., 18 W., A.S.C.C., "V" filament, single or double contact, as ordered, "Crompton"	"	125	"	0	0	11¼	
†308	6V., 25 W., A.S.B.C., double "V" filament, "Crompton"	"	100	"	0	1	3	
†309	6V., 25 W., pre-focus, double "V" filament, "Crompton"	"	75	"	0	1	6¼	
†310	6V., 35 W., A.S.C.C., "V" filament, single contact, "Crompton"	"	100	"	0	0	11¼	
†311	12V., 3W., S.B.C., double contact, "Crompton"	"	200	"	0	0	7½	
†312	12V., 3W., S.C.C., single contact, "Crompton"	"	350	"	0	0	7½	Noyes Bros. (Melb.) Ltd.
†313	12V., 15W., S.B.C., 25 m.m. diameter bulb, single or double contact, as ordered, "Crompton"	"	250	"	0	0	11¼	
†314	12V., 25 W., S.B.C., "V" filament, single contact, "Crompton"	"	40	"	0	0	11¼	
†315	12V., 25 W., "V" filament, double contact, "Crompton"	"	150	"	0	0	11¼	
†316	12V., 35 W., S.B.C., "V" filament, single contact, "Crompton"	"	25	"	0	0	11¼	
†317	12V., 35 W., S.C.C., "V" filament, double contact, "Crompton"	"	25	"	0	0	11¼	
†318	12V., 36/36W., S.B.C., double "V" parallel filaments, "Crompton"	"	150	"	0	1	3	
†319	12V., 12W., gas filled, pearl, bus lamps with ordinary B.C., 38 m.m. diameter bulb, double contact, "Crompton"	"	100	"	0	1	7	
	Lamps, electric, clear, for hand torches, focus type, "Osram"—							
†320	2·5 volts	"	200	100	1	5	6	
†321	3·5 "	"	2500	"	1	5	6	
	Lamps, electric, switchboard, pencil type, "Osram"—							
†322	4 volts	"	100	each	0	1	6	British General Electric Co. Pty. Ltd.
†323	6 "	"	250	"	0	1	6	
†324	12 "	"	10	"	0	1	6	
	Torches, hand, electric, with lamps, but without cells, focus type—							
†325	2-cell, "Eveready"	Hong Kong	350	"	0	2	3	Eveready (Aust.) Pty. Ltd.
†326	3-cell, "Dog's Head"	"	100	"	0	2	10½	William Adams & Co. Ltd.

ACCUMULATOR CELLS, BATTERIES, ETC.

(Schedule No. 9)

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
Train Lighting Accumulators, etc.—						
Cells, accumulator, complete, to specification, with hard rubber boxes and lids—						
340	13 plate, Demi-plante	N.S.W.	50	each	5 3 6	} Coates & Co. Pty. Ltd.
341	9 plate " "	"	240	"	4 4 6	
342	Bolts and Nuts, for cell connectors, to specification	"	1600	"	0 0 6	
Boxes, accumulator cell, complete with lids, to specification—						
343	For 19 plate Standard Tonum Cells, seasoned Tasmanian oak	"	12	"	2 8 0	} Coates & Co. Pty. Ltd.
344	For 13 plate Demi-plante cells, hard rubber, including bottom blocks	"	24	"	1 10 6	
345	For 11 plate Standard Tonum cells or 9 plate Demi-plante cells, hard rubber, including bottom blocks	"	400	"	1 7 0	
Connectors, cell, flexible, to specification—						
†346	Double, 12" long	N.S.W.	} 1000	each	0 0 10	} Coates & Co. Pty. Ltd.
†347	" 18" "	"		"	0 0 11½	
†348	Single, 12" "	"	} 400	"	0 0 7	
†349	" 18" "	"		"	0 0 8½	
350	Floats, accumulator, to specification	"	300 doz.	"	0 0 8¼	
351	Floats, No-wash cell, to specification	"	300	"	0 0 7¼	
Lids, accumulator cell, complete, excluding porcelain gaskets, to specification—						
352	For 19 plate Standard Tonum cells	...	Nil	} Coates & Co. Pty. Ltd.
353	For 13 plate Demi-plante cells	...	Nil	
354	For 11 plate Standard Tonum cells or 9 plate Demi-plante cells	...	Nil	
355	Plates, positive, Demi-plante or "K" type, as ordered, complete, to specification	...	Nil	
356	Plates, negative, pasted type, complete, to specification	...	Nil	
Sections, negative, box or pasted type, as ordered, complete, to specification—						
357	For 19 plate Standard Tonum cells	N.S.W.	12	each	1 12 9	} Coates & Co. Pty. Ltd.
358	For 15 plate " " "	Nil	
359	For 13 plate Demi-plante cells	N.S.W.	48	each	1 2 9	} Coates & Co. Pty. Ltd.
360	For 9 plate " " "	"	240	"	0 16 6	

ACCUMULATOR CELLS, BATTERIES, ETC.—continued.

Item No.	Description.	Country of Manuf're.	Estimated Requirements.	Rate per	Rate. £ s. d.	Name of Contractor.
Train Lighting Accumulators, etc.— continued—						
361	Sections, positive, complete, to specification— For 19 plate Standard Tonum cells ...	N.S.W.	12	each	2 7 3	} Coates & Co. Pty. Ltd.
362	For 13 plate Demi-plante cells ...	"	24	"	1 12 6	
363	For 9 plate " " " ...	"	240	"	1 2 0	
364	Separators, fork, ebonite, Demi-plante, to specification	"	6 doz.	doz.	0 4 3	
Sheets, bottom, ebonite, 19 B.W.G., to specification—						
365	13 plate, 8 $\frac{5}{16}$ " x 5 $\frac{1}{2}$ "	Nil	
366	11 or 9 plate, 5 $\frac{3}{8}$ " x 5 $\frac{1}{2}$ "	Nil	
Sheets, side, ebonite, 19 B.W.G., to specification—						
367	13 plate, 11 $\frac{3}{4}$ " x 8 $\frac{5}{16}$ "	Nil	
368	11 or 9 plate, 11 $\frac{3}{16}$ " x 5 $\frac{5}{16}$ "	Nil	
369	Tubes, cell testing, ebonite, to specification	N.S.W.	12 doz.	doz.	0 5 6	} Coates & Co. Pty. Ltd.
370	Wedges, ebonite, for 11 plate Demi-plante cells, to specification	"	300	each	0 0 4	
371	Pulleys, dynamo, Stones T.3, cat. 2270 ...	U.K.	80	"	0 17 0	
BATTERIES, ETC.						
Batteries—						
372	6 volt, 13 plate, "Exide No. 105A" ...	N.S.W.	3	each	2 6 4	} A. P. Sutherland
373	6 " 15 " "Exide No. 122A" ...	"	5	"	2 12 0	
374	6 " 19 " "Exide No. 158A" ...	"	8	"	3 3 0	
375	6 " 21 " "Exide No. G175-2," or suitable alternative	...	Nil	
Covers, "Exide"—						
376	for 6 volt, 13 plate batteries ...	N.S.W.	40	each	0 0 8	} A. P. Sutherland
377	for 6 " 15 " " ...	"	30	"	0 0 9	
378	for 6 " 19 " " ...	"	4	"	0 1 0	
379	for 6 " 21 " " ...	"	2	"	0 0 7	
380	Hydrometers, battery testing, "Ace" ...	"	24	"	0 3 9	
381	Plates, battery, negative, "Exide" ...	"	600	"	0 0 5	}
382	Plates, battery, positive, " " ...	"	2000	"	0 0 5	
Posts, strap, with sealing nut—						
383	Positive	150	} Nil
384	Negative	100	
385	Separators, battery, wooden, "Exide" ...	N.S.W.	3000	100	0 6 9	} A. P. Sutherland
386	Separators, battery, rubber, " " ...	"	2000	"	1 15 0	
387-389—Nil						

INSULATED CABLE AND WIRE
(Schedule No. 10)

Item No.	Description	Country of Manufacture	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
	Cable, aerial, hard drawn, triple braided, to specification, "Kembla"—							
† 390	7/·036	N.S.W.	20,000 yds.	1000 yds.	10	18	6	} Australian General Electric Pty. Ltd.
† 391	7/·044	"	2500 "	"	14	7	6	
	Cable, lighting, automobile, aluminium armoured, to specification—							
† 392	Single core, 35/·012	"	200 "	"	"	"	"	} Nil
† 393	Twin, 14/·012	"	50 "	"	"	"	"	
† 394	Three core, one 14/·012 and two 35/·012	"	100 "	"	"	"	"	
† 395	Cable, miners' cap lamp, flexible, twin, 64/·006, to specification	"	4000 "	"	"	"	"	
† 396	Cable, shot-firers', twin, 4/·018, 1000 yards per drum, to specification	"	18,000 "	"	"	"	"	
† 397	Cable, tough rubber sheathed, red or black, as ordered, 7/·036, to specification, "Olympic" (see note)	Vict.	1300 "	100 yds.	13	1	8	} Gilbert Lodge & Co. Pty. Ltd.
† 398	Cable, weatherproof, 7/·036, to specification, "Olympic" (see note)	"	2500 "	"	12	18	5	
† 399	Cable, welding, flexible, .06 square inch nominal area, 1330/·0076, to specification	"	500 "	"	"	"	"	
	Wire, heater, flexible, asbestos covered, to specification—							
† 400	Twin, 40/·0076.	"	1000 "	"	"	"	"	} Nil
† 401	Three core, 40/·0076; all cores insulated.	"	200 "	"	"	"	"	
† 402	Wire, ignition, automobile, high tension, 40/·010, 7 mm. outside diameter, to specification	"	250 "	"	"	"	"	
	Wire, lighting, office, flexible, two cores, twisted, to specification—							
† 403	23/·0076.	"	4000 "	"	"	"	"	} Gilbert Lodge & Co. Pty. Ltd.
† 404	40/·0076.	"	4000 "	"	"	"	"	
† 405	Wire, oil-proofed, flexible, single core, 110/·0076, to specification	"	300 "	"	"	"	"	
	Wire, tough rubber sheathed, to specification, "Olympic" (see note)—							
† 406	Twin, 1/·044, oval section	Vict.	500 "	100 yds.	12	5	7	} Gilbert Lodge & Co. Pty. Ltd.
† 407	Twin, 3/·036, " " " " " "	"	500 "	"	13	16	3	
† 408	Twin, 23/·0076	"	3000 "	"	12	19	8	
† 409	Twin, 40/·0076	"	4000 "	"	13	9	10	
† 410	Three core, 23/·0076	"	2000 "	"	13	14	7	
† 411	Three core, 40/·0076	"	2000 "	"	14	9	3	
† 412	Wire, workshops, flexible, twin, circular, 40/·0076, to specification	"	500 "	"	"	"	"	Nil

413-419—Nil

† Less 15% trade discount.

RESISTANCE AND WINDING WIRES.
(Schedule No. 11)

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor	
	Wire, copper, annealed, double cotton covered, "Kembla"—						
420	10 s.w. gauge	N.S.W.	25 lb.	lb.	\$0 1 3·8	} Australian General Electric Pty. Ltd.	
421	11 " " " " " "	"	50 "	"	\$0 1 4·1		
422	12 " " " " " "	"	200 "	"	\$0 1 4·1		
423	13 " " " " " "	"	200 "	"	\$0 1 4·4		
424	14 " " " " " "	"	100 "	"	\$0 1 4·8		
425	15 " " " " " "	"	200 "	"	\$0 1 5·3		
426	16 " " " " " "	"	100 "	"	\$0 1 5·9		
427	17 " " " " " "	"	100 "	"	\$0 1 6·7		
428	18 " " " " " "	"	40 "	"	\$0 1 7·5		
429	19 " " " " " "	"	60 "	"	\$0 1 8·3		
430	20 s.w. gauge	"	200 lb.	lb.	\$0 1 9·3	} Australian General Electric Pty. Ltd.	
431	22 " " " " " "	"	100 "	"	\$0 2 0·4		
432	26 " " " " " "	"	5 "	"	\$0 2 8·8		
	Wire, copper, strip, annealed, double cotton covered, "Kembla"—						
433	.375" wide x .1875" thick	"	3 cwt.	"	\$0 1 5·1	} British Insulated Cables Ltd.	
434	.375" " x .125" " " " " " "	"	1 "	"	\$0 1 5·7		
	Wire, copper, annealed, double silk covered—						
435	23 s.w. gauge		8 lb.	} Nil	
436	26 " " " " " "		3 "		
437	28 " " " " " "		5 "		
438	30 " " " " " "		5 "		
439	34 " " " " " "		3 "		
440	36 " " " " " "		5 "		
441	37 " " " " " "		10 "		
442	38 " " " " " "		3 "		
443	39 " " " " " "		3 "		
444	40 " " " " " "		10 "		
	Wire, copper, annealed, enamelled, to British Standard Specification No. 156/1932, "B.I."—						
445	16 s.w. gauge		40 "		} Australian General Electric Pty. Ltd.
446	18, 19 or 20 s.w. gauge, as ordered		80 "		
447	21 s.w. gauge		10 "		
448	22 " " " " " "		150 "		
449	24 " " " " " "	U.K.	30 "	lb.	0 1 10		
450	25, 26 or 27 s.w. gauge, as ordered	"	40 "	"	0 1 10½		
451	28 or 29 " " " " " "	"	75 "	"	0 1 11½		
452	30 s.w. gauge	"	75 "	"	0 2 0½		
453	31 " " " " " "	"	20 "	"	0 2 1½		
454	32 or 33 s.w. gauge, as ordered	"	50 "	"	0 2 2	} Nil	
455	34 s.w. gauge	"	75 "		

RESISTANCE AND WINDING WIRES—continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
Wire, copper, annealed, enamelled, to British Standard Specification No. 156/1932, "B.I."—continued—						
456	35 s.w. gauge	U.K.	3 lb.	lb	0 2 4½	Australian General Electric Pty. Ltd.
457	36 "	"	10 "	"	0 2 5	
458	37 "	"	5 "	"	0 2 6	
459	38 "	"	20 "	"	0 2 10½	
460	40 "	"	10 "	"	0 3 3½	
461	42 "	"	3 "	"	0 3 10	
Wire, copper, annealed, tinned (fuse)—						
462	13 s.w. gauge	"	5 "	"	"	Nil
463	16 "	"	5 "	"	"	
464	18 "	"	10 "	"	"	
465	20 "	"	10 "	"	"	
466	22 "	"	10 "	"	"	
467	24 "	"	20 "	"	"	
468	29 "	"	20 "	"	"	
469	36 "	"	10 "	"	"	
Wire, nickel chromium, suitable for continuous service at 1100° Centigrade, "Super Brightay"—						
470	12 s.w. gauge	U.K.	5 "	lb.	†0 14 1	Johnson & Phillips Ltd.
471	13 "	"	5 "	"	†0 14 3	
472	14 "	"	3 "	"	†0 14 8	
473	16 "	"	3 "	"	†0 15 3	
474	18 "	"	3 "	"	†0 16 3	
475	20 "	"	5 "	"	†0 17 6	
476	21 "	"	5 "	"	†0 18 2	
477	22 "	"	3 "	"	†0 19 2	
478	23 "	"	5 "	"	†1 0 5	
479	24 "	"	100 "	"	†1 1 8	
480	25 "	"	3 "	"	†1 3 1	
481	26 "	"	3 "	"	†1 5 0	
482	27 "	"	3 "	"	†1 7 3	
483	28 "	"	3 "	"	†1 8 7	
484	29 "	"	3 "	"	†1 9 6	
485	30 "	"	10 "	"	†1 10 5	
486-499	Nil					

† Less 33½% trade discount.

BARE COPPER CABLE AND WIRE
(Schedule No. 12)

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
500	Cable, copper, stranded, hard drawn, to specification, "Kembla"— 7/·036, 0·007 square inch area ...	N.S.W.	2000 lb.	lb.	§0	1	1·2	British Insulated Cables Ltd.
501	7/·048, 0·0125 " " " ...	"	3000 "	"	§0	1	0·5	
502	7/·064, 0·0225 " " " ...	"	3000 "	"	§0	1	0·3	
503	Cable, copper, stranded, annealed, flexible, 91/·044, 0·14 square inch area, to specification, "Kembla"	"	11,000 "	"	§0	1	2	
504	Cable, copper, stranded, annealed, bare, 7/·029, "Kembla"	"	500 "	"	§0	1	2·2	Australian General Electric Pty. Ltd.
†505	Cord, sash, copper, annealed, 49/·018 "Kembla"	"	400 "	"	§0	2	0	British Insulated Cables Ltd.
506	Wire, copper, annealed (soft drawn), "Kembla"— ¼" diameter ...	"	5 cwt.	"	§0	1	0	Australian General Electric Pty. Ltd.
507	6 s.w. gauge ...	"	15 "	"	§0	1	0	
508	14 " " ...	"	1 "	"	§0	1	0·3	
509	16 " " ...	"	10 "	"	§0	1	0·4	
510	18 " " ...	"	4 "	"	§0	1	0·7	British Insulated Cables Ltd.
511	Wire, copper, contact, hard drawn, bare, 0·25 square inch. to drawing No. F. 1460 and specification, "Kembla"	"	10,000 lb.	"	§0	1	0·7	Australian General Electric Pty. Ltd.
512	Wire, copper, dropper, hard drawn, bare, 0·193" diameter, to specification, "Kembla"	"	2000 "	"	§0	1	0·2	British Insulated Cables Ltd.
513	Wire, copper, hard drawn, bare, 8 s.w. gauge, "Kembla"	"	250 "	"	§0	0	11·8	Australian General Electric Pty. Ltd.
514-529	—Nil							

WIRE, VARIOUS
(Schedule No. 13)

Wire, brass, hard or soft drawn, as ordered—							
530	¼" diameter ...		224 lb.		}
531	6 or 8 s.w. gauge, as ordered ...		28 "		
532	10 s.w. gauge ...		560 "		
533	11, 12 or 14 s.w. gauge, as ordered ...		56 "		
534	16 s.w. gauge ...		28 "		
Wire, iron, charcoal—							
535	8 s.w. gauge ...		1 cwt.		} Nil
536	12 " " ...		3 "		
537	14 " " ...		1 "		
538	16 " " ...		8 "		
539	Wire, iron, Tinman's, 6 to 14 s.w. gauge, as ordered		15 "		

WIRE, VARIOUS—continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
†540	Wire, mild steel, hard, black, 6 b.w. gauge ('203"), for spark arresters, to specification	...	3 tons	Nil	
	Wire, stapling, in 4 lb. coils, "Rylands Argentised"—							
†541	19 gauge, '039"	N.S.W.	448 lb.	lb.	0	0	5½	} E. Lufft & Son Pty. Ltd.
†542	22 " '030"	"	168 "	"	0	0	6¼	
†543	26 " '021"	"	112 "	"	0	0	8	
	Wire, steel, music, polished, "Rylands"—							
544	10 s.w. gauge	84 "	} Nil	
545	11 " "	28 "		
546	12 " "	168 "		
547	13 " "	42 "		
548	14 " "	N.S.W.	168 "	lb.	0	1		4
549	15 " "	"	28 "	"	0	1	8	} F.R.S. Ideal Spring Co. Ltd.
550	16 " "	"	224 "	"	0	1	9	
551	18 " "	"	448 "	"	0	2	0	
552	19 " "	"	42 "	"	0	2	2	
553	20 " "	"	14 "	"	0	2	3	
554	22 " "	"	14 "	"	0	2	6	
555	23 " "	"	14 "	"	0	2	9	
556	24 " "	"	4 "	"	0	3	6	
	Wire, steel, spring, hard drawn, "Rylands"—							
557	5 s.w. gauge	"	224 "	"	0	0	5	} Nil
558	6 " "	"	900 "	"	0	0	5	
559	10 " "	"	56 "	"	0	0	6	
560	14 " "	"	168 "	"	0	0	6	
561	16 " "	"	28 "	"	0	0	6	
562	Wires, for tying on labels, 26 s.w. gauge, in bundles of 1 lb., 6" or 9" long, as ordered	...	2,000,000		
†563	Seals, lead, truck, with approx. 25 or 26 s.w. gauge wire	...	200,000		
†564	Seals, lead, truck, without wires	...	5000		
565-579	—Nil							

GALVANISED STEEL WIRE
(Schedule No. 14)

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
580	Wire, steel, galvanised, to specification— 6 s.w. gauge	...	15 cwt.	} Nil	
581	10 "	...	30 "		
582	12 "	...	10 "		
583	14 "	...	5 "		
584	16 "	...	50 "		
585	20 "	...	1 "	} Nil	
586	Wire, steel, galvanised, for point and signal operation No. 8 s.w. gauge, to specification, "Rylands"	N.S.W.	2 tons	ton	{31 12 6	{c.i.f.e. Melb.		Rylands Bros. (Aust.) Pty. Ltd.
587	Wire, steel, galvanised, fencing, barbed, 12 s.w. gauge, with 14 s.w. gauge barbs, to specification	...	20 "		} Nil
588	Wire, steel, galvanised, fencing, plain, 8 s.w. gauge, to specification	...	40 "		
589	Wire, steel, stranded, galvanised, signal, 7/17, to specification, "Rylands"	N.S.W.	6 "	ton.	{46 10 0	{c.i.f.e. Melb.		Rylands Bros. (Aust.) Pty. Ltd.
590	Wire, steel, stranded, galvanised, to specification— 7/080	...	5 "	"	53 10 0	...	} The Australian Wire Rope Works Pty. Ltd.	
591	7/144	...	6 miles	"	38 10 0	...		
592-599	Nil							

STEEL WIRE ROPE.
(Schedule No. 15)

Item No.	Rope, steel wire, flexible, galvanised, best patent steel, 90 tons per square inch, hemp main core only, to specification—				Country of Manuf're	Estimated Requirements	Rate per	Rate	Name of Contractor
	Circumference	Construction	Actual breaking strain	Aggregate breaking strain					
			Cwts.	Cwts.					
600	1"	6/7	3½	—	N.S.W.	} 500 feet	foot	0 0 1·125	James Munday & Co.
600A	"	"	"	—	"		"	0 0 1·125	Inglis Smith & Co. Pty. Ltd.
601	½"	6/19	14	—	"	} 2500 "	"	0 0 2·15	James Munday & Co.
601A	"	"	"	—	"		"	0 0 2·15	Inglis Smith & Co. Pty. Ltd.
602	⅝"	6/19	22	—	"	} 5000 "	"	0 0 2·25	James Munday & Co.
602A	"	"	"	—	"		"	0 0 2·25	Inglis Smith & Co. Pty. Ltd.
603	¾"	6/19	32	—	"	} 3000 "	"	0 0 2·25	James Munday & Co.
603A	"	"	"	—	"		"	0 0 2·25	Inglis Smith & Co. Pty. Ltd.
604	1"	6/19	58	66	"	} 500 "	"	0 0 2·4	James Munday & Co.
604A	"	"	"	"	"		"	0 0 2·4	Inglis Smith & Co. Pty. Ltd.
605	1¼"	6/19	90	102	"	} 1000 "	"	0 0 2·8	James Munday & Co.
605A	"	"	"	"	"		"	0 0 2·8	Inglis Smith & Co. Pty. Ltd.

STEEL WIRE ROPE—continued.

Item No.	Description				Country of Manufacture	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
Rope, steel wire, flexible, galvanised, best patent steel, 90-100 tons per sq. inch (for tail ropes), to specification—									
	Circumference	Construction	Actual breaking strain	Aggregate breaking strain					
			Tons	Tons					
606	2 $\frac{3}{4}$ "	6/12	14.8	16.5	N.S.W.	} 2500 feet	foot	0 0 6.85	James Munday & Co.
606A	"	"	"	"	"		"	0 0 6.85	Inglis Smith & Co. Pty. Ltd.
607	2 $\frac{1}{4}$ "	6/19	15.4	17.5	"	} 150 "	"	0 0 6.8	James Munday & Co.
607A	"	"	"	"	"		"	0 0 6.8	Inglis Smith & Co. Pty. Ltd.
Rope, steel wire, extra flexible, galvanised, best patent steel, 90-100 tons per sq. inch, hemp main and strand cores (for use on lifting cranes), to specification—									
	Circumference	Construction	Actual breaking strain	Aggregate breaking strain					
			Tons	Tons					
608	$\frac{3}{4}$ "	6/24	1.5	—	"	} 750 "	"	0 0 2.75	James Munday & Co.
608A	"	"	"	—	"		"	0 0 2.75	Inglis Smith & Co. Pty. Ltd.
609	1"	6/24	2.8	3.3	"	} 7500 "	"	0 0 2.75	James Munday & Co.
609A	"	"	"	"	"		"	0 0 2.75	Inglis Smith & Co. Pty. Ltd.
610	1 $\frac{1}{4}$ "	6/24	4.3	4.9	"	} 2000 "	"	0 0 3.3	James Munday & Co.
610A	"	"	"	"	"		"	0 0 3.3	Inglis Smith & Co. Pty. Ltd.
611	1 $\frac{1}{2}$ "	6/24	6.0	6.8	"	} 6000 "	"	0 0 3.8	James Munday & Co.
611A	"	"	"	"	"		"	0 0 3.8	Inglis Smith & Co. Pty. Ltd.
612	1 $\frac{3}{4}$ "	6/24	8.5	9.7	"	} 1500 "	"	0 0 4.85	James Munday & Co.
612A	"	"	"	"	"		"	0 0 4.85	Inglis Smith & Co. Pty. Ltd.
613	2"	6/24	10.9	12.4	"	} 3000 "	"	0 0 5.65	James Munday & Co.
613A	"	"	"	"	"		"	0 0 5.65	Inglis Smith & Co. Pty. Ltd.
614	2 $\frac{1}{4}$ "	6/24	14.2	16.2	"	} 4000 "	"	0 0 6.85	James Munday & Co.
614A	"	"	"	"	"		"	0 0 6.85	Inglis Smith & Co. Pty. Ltd.
615	2 $\frac{1}{2}$ "	6/24	17.2	19.7	"	} 6000 "	"	0 0 7.75	James Munday & Co.
615A	"	"	"	"	"		"	0 0 7.75	Inglis Smith & Co. Pty. Ltd.
616	4"	6/24	43.6	49.8	"	} 400 "	"	0 1 9	James Munday & Co.
616A	"	"	"	"	"		"	0 1 9	Inglis Smith & Co. Pty. Ltd.

STEEL WIRE ROPE—continued.

Item No.	Description				Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
	Rope, steel wire, flexible, black, patent steel, 80-90 tons per sq. inch (for use on lifts), to specification—								
	Circum-ference	Construction	Actual breaking strain Tons	Aggregate breaking strain Tons					
617	1½"	6/19	8.1	9.3	N.S.W.	} 500 feet	foot	0 0 5.75	James Munday & Co.
617A	"	"	"	"	"		"	0 0 5.75	Inglis Smith & Co. Pty. Ltd.
618	2"	6/19	11.1	12.7	"		"	0 0 6.35	James Munday & Co.
618A	"	"	"	"	"		"	0 0 6.35	Inglis Smith & Co. Pty. Ltd.
619	2¼"	6/19	13.9	15.9	"		"	0 0 7.55	James Munday & Co.
619A	"	"	"	"	"		"	0 0 7.55	Inglis Smith & Co. Pty. Ltd.
620	2½"	6/19	17.0	19.5	"		"	0 0 8.55	James Munday & Co.
620A	"	"	"	"	"		"	0 0 8.55	Inglis Smith & Co. Pty. Ltd.
	Wire, stranded, seizing, galvanised, annealed, for serving splices, etc.—								
621	7/18, 0.144" overall diameter				"		} 3000 "	"	0 0 0.5
621A	"				"	"		0 0 0.5	Inglis Smith & Co. Pty. Ltd.
622	7/21, 0.096" overall diameter				"	} 1000 "	"	0 0 0.3	James Munday & Co.
622A	"				"		"	0 0 0.3	Inglis Smith & Co. Pty. Ltd.
623-629	Nil								

GALVANISED AND TERNE COATED IRON.

(Schedule No. 16)

	Iron, galvanised sheet, to specification, "Lysaghts"—								
	Corrugated, 26 gauge, "Red Orb" or "Blue Orb," as ordered—								
630	6', 7' or 8' long, as ordered	...	N.S.W.	20 tons	ton	25	7	9	} Edward Duckett & Sons
631	9' long	...	"	5 "	"	25	17	3	
632	10' long	...	"	5 "	"	26	6	6	
	Corrugated, 24 gauge, "Orb"—								
633	5', 6', 7' or 8' long, as ordered	...	"	60 "	"	23	19	9	
634	9' long	...	"	15 "	"	24	9	3	
635	10' long	...	"	10 "	"	24	18	6	

GALVANISED AND TERNE COATED IRON—continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
	Iron, galvanised sheet, to specification, "Lysaghts"—continued—							
	Corrugated, 24 gauge, special quality for tank making (each sheet to be branded "Tank Making"), (see note)—							
636	8' long	N.S.W.	10 tons	ton	26	15	7	Edward Duckett & Sons
637	9' long	"	5 "	"	27	5	0	
638	11' long	"	3 "	"	27	14	3	
	Plain, 28 gauge, "Queens Head"—							
639	6' long x 2', 2' 6" or 3' wide, as ordered (see note)	"	5 "	"	28	8	3	
	Plain, 26 gauge, "Queens Head"—							
640	6' long x 2', 2' 6" or 3' wide, as ordered (see note)	"	10 "	"	27	0	3	
	Plain, 24 gauge, "Queens Head"—							
641	6' long x 22", 2', 2' 6" or 3' wide, as ordered (see note)	"	75 "	"	25	12	3	
	Plain, 22, 20, 18 or 16 gauge, as ordered, "Queens Head"—							
642	6' long x 2', 2' 6", or 3' wide, as ordered, (see note)	"	50 "	"	25	12	3	
	Iron, terne coated sheet, "Lysaghts"—							
	Corrugated, 26 gauge, "Red Orb" or "Blue Orb," as ordered—							
630A	6', 7' or 8' long, as ordered	"	(see note)	"	29	6	2	
631A	9' long	"	"	"	29	15	8	
632A	10' long	"	"	"	30	5	8	
	Corrugated, 24 gauge, "Orb"—							
633A	5', 6', 7' or 8' long, as ordered	"	"	"	27	16	11	
634A	9' long	"	"	"	28	6	8	
635A	10' long	"	"	"	28	16	5	
	Plain, 28 gauge—							
639A	6' long x 2', 2' 6" or 3' wide, as ordered	"	"	"	32	4	8	
	Plain, 26 gauge—							
640A	6' long x 2', 2' 6" or 3' wide, as ordered	"	"	"	30	15	5	
	Plain, 24 gauge—							
641A	6' long x 22", 2', 2' 6" or 3' wide, as ordered	"	"	"	29	6	2	
	Plain, 22, 20, 18 or 16 gauge, as ordered—							
642A	6' long x 2', 2' 6", or 3' wide, as ordered	"	"	"	29	6	2	
643-649	—Nil							

BLACK STEEL SHEETS
(Schedule No. 17).

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
	BLACK STEEL RECTANGULAR SHEETS, "SUNSTAR," to specification, any length ordered from 60" to 96" inclusive by any width ordered from 21" to 37" inclusive, subject to the maximum sizes shown in clause 9 of specification—					
650	$\frac{3}{16}$ " 8 B.G. (.157") or 9 B.G. (.140"), as ordered	N.S.W.	} 150 tons	ton	£19 12 6	} John Lysaght (Aust.) Pty. Ltd. as agents for Lysaght's Newcastle Works Pty. Ltd.
651	10 B.G. (.125") to 20 B.G. (.039"), as ordered	"		"	£19 12 6	
652	21 B.G. (.035") to 24 B.G. (.025"), as ordered	"		"	£19 17 6	
653	25 B.G. (.022") or 26 B.G. (.019"), as ordered	"		"	£20 12 6	
654	27 B.G. (.017") or 28 B.G. (.016"), as ordered	"		"	£22 2 6	
655	29 B.G. (.014") or 30 B.G. (.012"), as ordered	"		"	£24 2 6	
	Extra on rates for items Nos. 650 to 655 (subject to maximum sizes shown in clause 9 of specification)—					
656	For lengths 6" to 10" ...	N.S.W.	...	ton	£1 17 6	} John Lysaght (Aust.) Pty. Ltd. as agents for Lysaght's Newcastle Works Pty. Ltd.
657	" " 11" to 18" ...	"	...	"	£1 5 0	
658	" " 19" to 30" ...	"	...	"	£0 12 6	
659	" " 31" to 59" ...	"	...	"	£0 10 0	
660	" " 97" to 108" ...	"	...	"	£0 10 0	
661	" " 109" to 120" ...	"	...	"	£1 0 0	
662	" " 121" to 132" ...	"	...	"	£1 10 0	
663	" " 133" to 144" ...	"	...	"	£2 0 0	
664	For widths 3" to 8" ...	"	...	"	£1 5 0	
665	" " 9" to 12" ...	"	...	"	£0 12 6	
666	" " 13" to 20" ...	"	...	"	£0 10 0	
667	" " 38" to 42" ...	"	...	"	£0 15 0	
668	" " 43" to 48" ...	"	...	"	£1 0 0	
	Extras on rates for items Nos. 650 to 655 (in addition to extras under items 656 to 668, if ordered)—					
669	For reshearing to exact size (plus or minus $\frac{1}{16}$ ")	"	...	"	£1 5 0	}
670	For cropping (cutting off flattening machine grip marks)	"	...	"	£1 10 0	
671	For fully reshearing (cropping and reshearing)	"	...	"	£2 0 0	
672-679	—Nil					

† Less 2½% discount for payment by end of month following month of delivery. Then plus 3/9 per ton for cartage.

ROLLED IRON
(Schedule No. 18)

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
680	IRON, WROUGHT, BEST YORKSHIRE, any length ordered, to specification— Round Bars (other than items Nos. 681 and 682), $\frac{1}{2}$ " to $2\frac{1}{2}$ " diam., advancing by $\frac{1}{8}$ ", as ordered	...	75 tons	} Nil.
681	Round Bars, for steam tight studs, $\frac{1}{2}$ ", $\frac{3}{8}$ ", $\frac{1}{2}$ ", $\frac{3}{4}$ " or 1" diam., as ordered	...				
682	Round Bars, for crown stays, 1" diam.	...				
683	Square Bars, in sections shown below :— $\frac{1}{2}$ ", $\frac{3}{8}$ ", $\frac{1}{2}$ ", $\frac{3}{4}$ ", as ordered $\frac{7}{8}$ " to $1\frac{1}{2}$ ", advancing by $\frac{1}{16}$ ", as ordered $1\frac{1}{8}$ " to $2\frac{1}{4}$ ", " " $\frac{1}{8}$ ", " " $2\frac{1}{2}$ "	...				
684	IRON, DOUBLE ROLLED, any length ordered, to specification— Round Bars, in sizes provided under item No. 680	Vict.		50 "	ton	
685	Square Bars, in sizes provided under item No. 683	"	"	"	17 0 0	
686	IRON, TREBLE ROLLED, any length ordered, to specification— Round Bars, in sizes provided under item No. 680	"	35 "	"	24 0 0	
687	Square Bars, in sizes provided under item No. 683	"	"	"	24 0 0	
688-699	—Nil					

BRIGHT STEEL BARS.

(Schedule No. 19)

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
Steel, bright, round bars, to specification, grade 2 or grade 4 (free cutting) as ordered, any length ordered, "Brunton's" or "H. V. McKay, Massey Harris"—						
700	$\frac{3}{8}$ " diameter	Vict.	3 cwt.	cwt.	1 18 0	} Dane, Taylor & Co. Pty. Ltd.
701	$\frac{1}{2}$ " " " " " " "	"	10 "	"	1 16 0	
702	$\frac{5}{16}$ " " " " " " "	"	8 "	"	1 12 0	
703	$\frac{3}{4}$ " " " " " " "	"	15 "	"	1 9 0	
704	$\frac{7}{16}$ " " " " " " "	"	10 "	"	1 7 0	
705	$\frac{1}{2}$ " " " " " " "	"	40 "	"	1 6 0	
706	$\frac{5}{8}$ " " " " " " "	"	75 "	"	1 4 6	
707	$\frac{3}{4}$ " to $2\frac{1}{2}$ " diameter, advancing by $\frac{1}{16}$ ", as ordered	"	1500 "	"	1 1 0	
708	$2\frac{1}{8}$ " to 4" diameter, advancing by $\frac{1}{8}$ ", as ordered	"	200 "	"	1 1 0	

BRIGHT STEEL BARS—continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
709	Steel, bright, hexagon bars, to specification, grade 2 or grade 4 (free cutting) as ordered, any length ordered—"Brunton's" or "H. V. McKay, Massey Harris"— 0·600" width across flat, for $\frac{5}{8}$ " nuts	Vict.	5 cwt.	cwt.	1	6	6	Dane, Taylor & Co. Pty. Ltd.
710	0·710" " " " " $\frac{3}{8}$ " "	"	10 "	"	1	5	6	
711	0·820" " " " " $\frac{7}{16}$ " "	"	10 "	"	1	4	6	
712	0·920" " " " " $\frac{1}{2}$ " "	"	75 "	"	1	3	6	
713	1·100" " " " " $\frac{5}{8}$ " "	"	150 "	"	1	3	6	
714	1·300" " " " " $\frac{3}{4}$ " "	"	150 "	"	1	3	6	
715	1·480" " " " " $\frac{7}{8}$ " "	"	200 "	"	1	3	6	
716	1·670" " " " " 1" "	"	150 "	"	1	3	6	
717	1·860" " " " " $1\frac{1}{8}$ " "	"	75 "	"	1	3	6	
718	2·050" " " " " $1\frac{1}{4}$ " "	"	75 "	"	1	3	6	
719-729	—Nil.							

IRON PISTON CASTINGS

(Schedule No. 20)

730	Castings, piston, iron, to specification—"K.S." type, for 2 cycle water cooled engines, app. $3\frac{3}{4}$ " diameter x $4\frac{1}{2}$ " long	Vict.	25	each	0	5	9	C.B.D. Piston Co.
731	"K" type, for 2 cycle water cooled engines, app. $4\frac{1}{2}$ " diameter x 6" long	"	50	"	0	9	4	
732	"Inspection" type B, for single cylinder air cooled engines, app. $3\frac{3}{8}$ " diameter x 3" long	"	75	"	0	3	8	
733	"Sheffield" 40 B type, for 4 cycle twin opposed air cooled engines, app. $4\frac{1}{2}$ " diameter x 5" long	"	30	"	0	7	8	
734	"Crossley" type, app. $4\frac{1}{2}$ " diameter x $7\frac{1}{2}$ " long	"	6	"	0	15	5	
735-739	—Nil							

BRASS LOCK CASTINGS

(Schedule No. 21)

*740	Castings, yellow brass, unmachined, to specification, (to pattern supplied by the Corporation)— 1½" padlock, body, "S.S." or plain, as ordered	Vict.	2000 sets	lb.	0	1	2	J. Bell
*741	2" padlock, body and parts, to pass ...	"	1500 "	"	0	1	4	
*742	Switch padlock, body and parts ...	"	1500 "	"	0	1	4	
*743	Parts for 2" or switch padlocks, comprising bolts, covers, shackles or tumblers, as ordered	"	250	"	0	2	9	
744-749	—Nil							

FIRE BRICKS, ETC.
(Schedule No. 22).

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
†750	Bricks, "Bauxite," 9" x 4½" x 3" ...	Vict.	3000	each	0	0	9	The Ordish Fire-brick Co. Pty. Ltd.
†751	Clay, fire, machine ground, to specification	"	100 tons	ton	2	15	0	
†752	Clay, fire, extra fine ground ...	"	20 "	"	3	0	0	
†753	Composition, boiler covering, soft setting (see note)	"	3 "	"	17	0	0	H. Perks & Co. Pty. Ltd.
754	Bricks, fire, locomotive, to drawing No. 1524 (amended 7.7.39), to specification— No. 1, Ordinary ...	"	60,000	100	1	10	0	The Ordish Fire-brick Co. Pty. Ltd.
755	No. 1A, Ordinary ...	"	5000	"	1	2	6	
756	No. 2, Side Carrier ...	"	15,000	"	2	5	0	
757	No. 3, Front Centre ...	"	15,000	"	2	5	0	
758	Bricks, fire, for "N" class engines, to drawing No. 5343 (amended 16.7.30), to specification— No. 4, Side Carrier, R.H. ...	"	500	"	2	5	0	
759	No. 5, Side Carrier, L.H. ...	"	500	"	2	5	0	
760	No. 6, Front ...	"	1000	"	2	5	0	
761	Bricks, fire, for "S" class engines, to drawing No. S. 21·24-25 (amended 16.2.38), to specification, Mark "A," "B," "C," or "D," as ordered	"	2500	"	11	5	0	
762	Bricks, fire, for "X" class engines, to drawing No. S. 21·25 (amended 16.2.38), to specification, Mark "E," "F," or "G," as ordered	"	1500	"	10	0	0	
763	Bricks, fire, to amended drawing No. MN 170·1-76 (Rolling Stock Branch), to specification— No. 9, Cone Block ...	"	100	"	5	0	0	
764	No. 11, Circle ...	"	400	"	0	18	0	
765	No. 12, Straight ...	"	1400	"	2	10	0	
766	No. 13, Cone Block ...	"	100	"	2	10	0	
767	No. 15, Feeder ...	"	250	"	1	0	0	
768	No. 16, Straight, 9" x 4½" x 3" ...	"	50,000	"	0	18	0	
769	No. 16A, Straight, large, 9" ...	"	750	"	1	12	0	
770	No. 17, Nose ...	"	50	"	8	15	0	
771	No. 18, Circle ...	"	2200	"	1	17	6	
771A	" " "Special hard" ...	"		"	"	2	2	0
772	No. 19, Feeder ...	"	100	"	1	0	0	Sunshine Firebrick Manufacturing Co.
773	No. 20, Feeder ...	"	50	"	1	0	0	
774	No. 23, Burner ...	"	10	each	0	12	6	The Ordish Fire-brick Co. Pty. Ltd.
775	No. 25, Circle ...	"	800	100	1	17	6	
775A	" " "Special hard" ...	"		"	"	2	2	0

FIRE BRICKS, ETC.—continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
	Bricks, fire, to amended drawing No. MN 170-1-76 (Rolling Stock Branch), to specification—continued—							
776	No. 26, Key	Vict.	1000	100	0	18	0	The Ordish Fire-brick Co. Pty. Ltd.
777	No. 27, Wedge	"	100	"	0	18	0	
778	No. 27A, Wedge	"	150	"	0	18	0	
779	No. 28, Brick, 9" x 4½" x 2"	"	4500	"	0	18	0	
780	No. 29, Circle	"	500	"	2	10	0	
781	No. 33, Wedge	"	1250	"	0	18	0	
782	No. 33A, Wedge	"	750	"	0	18	0	
783	No. 34, Brick, 1½"	"	3000	"	0	18	0	
784	No. 35, Circle	"	500	"	2	10	0	
785	No. 36, Burner	"	20	each	0	15	0	
786	No. 39, Wedge	"	500	100	0	18	0	
787	No. 39A, Wedge	"	250	"	0	18	0	
788	No. 40, Feather Edge ...	"	1500	"	0	18	0	
789	No. 41, Brick, 9" x 4½" x 1"	"	3000	"	0	18	0	
790	No. 42, Bullnose	"	100	"	0	18	0	
791	No. 43, Door Brick	"	20	"	5	0	0	
792	No. 44, Door End, R.H. ...	"	10	"	5	0	0	
793	No. 45, Door End, L.H. ...	"	10	"	5	0	0	
794	No. 46, Slabs	"	5	each	0	7	6	
795	No. 47, Block	"	10	"	0	15	0	
796	No. 48, Small, 9" x 3" x 2¼"	"	4000	100	0	18	0	
797	No. 48A, Small, 9" x 3" x 3"	"	2000	"	0	18	0	
798	No. 49, Small, 9" x 3" x 1"	"	5000	"	0	18	0	
799	No. 50, Cupola	"	500	"	1	12	0	
800	No. 50A, Cupola	"	100	"	2	0	0	
801	No. 51, Arch	"	50	"	0	18	0	
802	No. 53, Burner Block	"	20	each	0	2	6	
803	No. 54, Vent	"	5	100	5	0	0	
804	No. 55, Vent	"	5	"	5	0	0	
805	No. 56, Top	"	10	"	2	10	0	
806	No. 57, Slab	"	6	each	0	10	0	
807	No. 58, Burner Block	"	10	"	0	6	0	
808	No. 60, Burner Block	"	10	"	0	10	0	
809	No. 65, Burner Block	"	10	"	0	2	6	

FIRE BRICKS, ETC.—continued.

Item No.	Description	Country of Manufacture	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
810	Bricks, fire, to amended drawing No. MN 170-1-76 (Rolling Stock Branch), to specification—continued— No. 66, Burner Block ...	Vict.	3	each	0	7	6	The Ordish Fire-brick Co. Pty. Ltd.
811	No. 67, Welch Arch Bricks ...	„	100	100	1	5	0	
812	No. 69, Burner Block ...	„	3	each	0	12	6	
813	No. 70, Slab ...	„	2	„	0	6	0	
814	No. 71, Slab ...	„	2	„	0	5	0	
815	No. 72, Slab ...	„	50	„	0	6	0	
816	No. 73, Slab ...	„	10	„	0	3	0	
817	No. 74, Bauxite Brick ...	„	3500	100	3	15	0	
818	No. 75, Orcell or other light type firebrick ...	„	50	„	4	0	0	
819	No. 76, Combustion Arch Brick ...	„	750	„	1	0	0	
820	Bricks, fire, to drawing No. L. 3607 (Newport Power Station), to specification— No. 1, Ordinary, 9" x 4½" x 3" ...	„	35,000	„	0	18	0	
821	No. 2, Ordinary, 9" x 4½" x 2½" ...	„	400	„	0	18	0	
822	No. 3, Lump, 12" x 7" x 1" ...	„	300	„	3	15	0	
823	No. 4, Arch G ...	„	8000	„	0	18	0	
824	No. 5, Arch H ...	„	2000	„	1	4	0	
825	No. 6, Arch T ...	„	150	„	0	18	0	
826	No. 7, Side Lining E ...	„	Nil	„	„	„	„	
827	No. 8, Side Lining N ...	„	Nil	„	„	„	„	
828	No. 9, Side and Back Wall Y ...	Vict.	5000	100	0	18	0	
829	No. 10, Baffle K ...	„	50	„	5	0	0	
830	No. 12, Baffle F ...	„	50	„	5	0	0	
831	No. 18, Guillotine, 204 ...	„	100	„	5	0	0	
832	No. 19, Soot Blower Wedge, 7 ...	„	100	„	0	18	0	
833	No. 20, Soot Blower Tile 4 ...	„	100	„	7	10	0	
834	No. 21, Soot Blower Tile 5 ...	„	100	„	7	10	0	
835	No. 22, Soot Blower Tile 6 ...	„	150	„	8	15	0	
836	No. 23, Ash Hopper Tile, 24" x 24" x 3" ...	„	400	each	0	9	6	
837	Bricks, fire, to amended drawing No. 342/37 (Way and Works Branch)—(patterns will be supplied with each order)— No. 1, Oil Furnace ...	„	5	„	0	4	0	
838	No. 2, Soldering Iron Heater ...	„	20 prs.	pair	0	3	0	
839	No. 3, Brass Furnace ...	„	50	each	0	0	6	
840-849	—Nil							

FOUNDRY COKE

(Schedule No. 23)

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
850	Coke, foundry, purified, to specification "Mt. Pleasant" or "Federal"	N.S.W.	1000 tons	ton	3	12	0	Melbourne Steamship Co. Ltd.

PORTLAND CEMENT.

(Schedule No. 24)

851	Cement, Portland, "Arc", in approved multi-wall paper bags, to specification, delivered f.o.r. Fyansford	Vict.	1250 tons	ton	3	5	6	} Australian Cement Ltd.
852	Cement, Portland, rapid hardening "Quikardo," in approved multi-wall paper bags, to specification	"	10 "	"	4	19	0 plus cartage	

CONCRETE TROUGHS

(Schedule No. 25)

853	Troughs, reinforced concrete, to blue print No. 293/39, uncrated— For cattle, 6' long, type "A"	Vict.	8	each	2	17	6	Rocla Ltd.
854	" " " type "B"	"	3	"	3	2	9	} Simpson's Cement Products Rocla Ltd.
855	For pigs, 8' long, type "C"	"	3	"	2	0	0	
856	" " " type "D"	"	5	"	2	14	4	Simpson's Cement Products
857-859	—Nil							

BOOKS, ETC.

(Schedule No. 26)

Binders, instantaneous, "Riven"—								
†860	Foolscap, 13½" x 8½"	N.S.W.	300	each	0	4	0	} Edwards Dunlop & Co. Ltd.
†861	Large Quarto, 11" x 8½"	"	6	"	0	3	3½	
Books, copying, "Averil Star" paper—								
*†862	Crown Folio, leaf size 14¼" x 9¾", 500 leaves, not paged, no index, ¼ basil	Vict.	24	"	0	11	6	} Sands & McDougall Pty. Ltd.
*†863	Crown Folio, leaf size 14¼" x 9¾", 750 leaves, paged, with index, ½ basil	"	10	"	1	4	6	
*†864	Large Post Folio, leaf size 16¼" x 10¼", 750 leaves, paged, with index, ½ basil	"	3	"	1	7	6	
*†865	Large Post Folio, leaf size 16¼" x 10¼", 750 leaves, not paged, no index, ¼ basil	"	6	"	0	16	6	
Books, foolscap, leaf size 13" x 8", ruled faint—								
*†866	2 quires, 96 leaves, writing paper, ¼ cloth	"	1000	"	0	1	1-53	Redmond, Inglis & Co. Pty. Ltd.
*†867	2 quires, 96 leaves, azure book paper, ½ basil	"	100	"	0	5	3	D. K. Reade-Watts
*†868	3 quires, 144 leaves, writing paper, full cloth, cut flush	"	75	"	0	1	10-8	Redmond, Inglis & Co. Pty. Ltd.
*†869	3 quires, 144 leaves, azure book paper, ½ basil	"	100	"	0	6	3	} D. K. Reade-Watts
*†870	4 quires, 192 leaves, azure book paper, ½ basil	"	50	"	0	7	3	
*†871	4 quires, 192 leaves, azure book paper, ½ basil, single or double cash, paged or folioed, as ordered	"	12	"	0	7	11	

BOOKS, ETC.—continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
*†872	Books— Manifold, 5" x 8", bound on 5" edge, 100 leaves, in duplicate, (200 in book), to specification	Vict.	250 doz.	dozen	0	10	7	J. King Pty. Ltd.
*†873	Manifold, 14½" x 9", bound on 14½" edge, 100 leaves in triplicate, (300 in book), to specification	...	3 "	Nil
†874	Manifold Quarto, 9¾" x 8¼", 100 leaves in duplicate, supplied with 2 special pen nibs and 2 sheets of pen carbon paper	Vict.	10 "	dozen	0	14	9	Redmond, Inglis & Co. Pty. Ltd.
*†875	Memo., foolscap 8vo, 6½" x 4", 8 sheet, 64 leaves, ruled two sides, round cornered on opening edge, American cloth	"	600 "	"	0	3	2½	} Spicers & Detmold Ltd.
*†876	Memo., Post 8vo, 7" x 4½", 18 sheet, 144 leaves, ruled two sides, round cornered on opening edge, full rexine	"	60 "	"	0	10	3	
*†877	Memo., Post 8vo, 7" x 4½", 18 sheet, 144 leaves, ruled two sides, round cornered on opening edge, full rexine, indexed throughout	"	20 "	"	0	11	10	
†878	Shorthand Note, 5" x 8", 100 leaves, ruled two sides, limp cover	"	25 "	gross	2	5	8	Sands & McDougall Pty. Ltd.
†879	Files, Shackleton, No. 29568	...	120	Nil
*†880	Indices, foolscap, 13½" x 8¼"— One leaf to a letter, marble cover	Vict.	50	each	0	0	7	Spicers & Detmold Ltd.
*†	881 One leaf to a letter, ¼ basil, cloth sides turned in	"	6	"	0	4	2	} D. K. Reade-Watts
	882 Two leaves to a letter, ¼ basil, cloth sides turned in	"	25	"	0	4	6	
	883 Four leaves to a letter, ¼ basil, cloth sides turned in	"	50	"	0	5	3	
884-899-Nil								

PAPER BAGS, DRAWING PAPER, ETC.

(Schedule No. 27)

†900	Bags, paper, brown, long— 1 lb.	...	Vict.	375,000	1000	†0	3	8	} Andrew Jack, Dyson & Co. Pty. Ltd.
†901	2 "	...	"	500,000	"	†0	4	5	
†902	3 "	...	"	200,000	"	†0	6	2	
†903	4 "	...	"	350,000	"	†0	7	5	
†904	6 "	...	"	150,000	"	†0	8	10	
†905	8 "	...	"	100,000	"	†0	11	10	} Edwards Dunlop & Co. Ltd.
†906	Bags, paper, brown, kraft, heavy— 1 lb.	...	"	6000	"	0	5	1	
†907	2 "	...	"	5000	"	0	7	2	
†908	3 "	...	"	1500	"	0	8	0	
†909	4 "	...	"	3000	"	0	10	6	
†910	6 "	...	"	1500	"	0	16	8	
†911	8 "	...	"	3000	"	1	1	6	
†912	10 "	...	"	2000	"	1	5	3	
†913	12 "	...	"	2000	"	1	9	0	
†914	16 "	...	"	1000	"	1	16	1	

† Less 3¼% discount for payment within 7 days of date of receipt of invoice or 2½% for payment by end of month following month of delivery.

PAPER BAGS, DRAWING PAPER, ETC.—continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
Bags, paper, confectionery—						
†915	4 oz.	Vict.	60,000	1,000	†0 2 7	Andrew Jack, Dyson & Co. Pty. Ltd.
†916	8 „	„	80,000	„	†0 3 2	
†917	16 „	„	50,000	„	†0 3 11	
†918	Bags, paper, coin, 5" x 7"	„	10,000	„	†0 5 3	
†919	Boxes, cardboard, 7½" x 4" x 2½" inside	„	30 doz.	doz.	0 1 7	Sands & McDougall Pty. Ltd.
Cards, visiting, gent.'s, in boxes of 50, "Rajah"—						
†920	Round corners	„	} 300 boxes	box	0 0 4½	Spicers & Detmold Ltd.
†921	Square corners	„		„	0 0 4½	
Cartons, library book—						
*†922	Single	„	750	each	0 0 3	Sands & McDougall Pty. Ltd.
*†923	Double	„	1250	„	0 0 4½	
†924	Cloth, tracing, pencil, single dull, "Imperial," 30" wide, in rolls of 24 yards	U.K.	50 rolls	roll	3 10 0	Max Wurcker (1930) Pty. Ltd.
Cloth, tracing, "Sagars," in rolls of 24 yards—						
*925	30" wide	„	100 „	„	3 8 3	} W. & G. Dean Pty. Ltd.
*926	36"/38" wide	„	30 „	„	3 18 3	
Envelopes—						
Note, white, first quality—						
†927	5½" x 3½", "Hampden"	Vict.	6,000	1000	0 7 0	Spicers and Detmold Ltd.
†928	5½" x 3½"	„	25,000	„	0 7 4	Sands & McDougall Pty. Ltd.
†929	Pence, M.G. manilla, 3" x 2½", "Wages"	„	25,000	„	0 6 0	Spicers & Detmold Ltd.
†930	Pocket, glazed manilla, 5½" x 2½"	„	30,000	„	0 7 3	Sands & McDougall Pty. Ltd.
†931	Paper, "Barrett's" adding machine, 2 ⅞" wide, in rolls of 100 yards	N.S.W.	50 rolls	100 rolls	3 11 0	Edwards Dunlop & Co. Ltd.
†932	Paper, "Burroughs" adding machine, 3 ⅞" wide, in rolls of 100 yards	„	Nil	„	„	„
Paper, brown, 60 lb. substance, gummed—						
†933	1" wide, in rolls of approx. 1 lb.	Vict.	200 lb.	doz.	0 13 0	} Spicers and Detmold Ltd.
†934	1" „ „ „ „ 4 oz.	„	120 „	„	0 15 0	
†935	2" „ „ „ „ 2-lb.	„	100 „	„	0 13 0	
†936	Paper, drawing, cartridge, 60" wide, continuous, in rolls of 50 yards	„	80 rolls	„	„	} Nil
†937	Paper, oiled, "Hallade" recording machine, 3 ⅞" wide, in rolls of 60 yards, securely attached to former	„	100 „	„	„	
*†938	Paper, tabulating, newsprint quality, for "Power's" machines, 17½" wide, in rolls of 50 yards, approx. 3" in diameter, strawboard core with ⅝" centre hole.	N.S.W.	2000 „	roll	0 1 7½	} Edwards Dunlop & Co. Ltd.
*†939	Paper, tape, M.F. quality, for telegraph instruments, ½" wide, in rolls of approx. 300 yards	„	600 lb.	lb.	0 0 9½	

† Less 3½% discount for payment within 7 days of date of receipt of invoice or 2½% for payment by end of month following month of delivery.

PAPER BAGS, DRAWING PAPER, ETC.—continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor.
					£	s.	d.	
†940	Paper, tracing, uncoiled, continuous, in rolls of 20 yards, "Arcus"— 30" wide, No. 1956S ...	U.K.	15 rolls	roll	0	9	0	} Max Wurcker (1930) Pty. Ltd.
†941	40" wide, No. 1957S ...	"	20 "	"	0	15	0	
†942	Paper, tracing, "Duralax," 30" wide, in rolls of 20 yards	"	30 "	"	1	6	10	
†943	Paper, white news, 12" wide, in rolls of 50 yards, $\frac{5}{8}$ " core	N.S.W.	500 "	"	0	1	4 $\frac{3}{4}$	Edwards Dunlop & Co. Ltd.
944-959 - Nil								

CARBON PAPER
(Schedule No. 28)

†960	Paper, carbon, to specification— "Addressograph" machine, black, 10" x 4"	...	1000 sh'ts	Nil	
†961	Billing, blue, 16" x 13", "Reflex" ...	Vict.	12,000 "	100 sheets	†0	4	8	} Ramsay & Hall Pty. Ltd.
†962	"Ditto" machine, blue, 39" x 26", ... "Reflex"	"	600 "	"	†5	10	0	
*†963	"Hallade" recording machine, 3 $\frac{3}{16}$ " wide, in 25-yard rolls, securely attached to former, "Reflex"	"	20 rolls	roll	†0	5	0	
Pen—								
†964	18 $\frac{1}{2}$ " x 16 $\frac{1}{2}$ " ...	N.S.W.	2500 sh'ts	100 sheets	0	7	5	} Columbia Ribbon & Carbon Co. (Aust.)
†965	17 $\frac{1}{2}$ " x 10" ...	"	3000 "	"	0	4	4	
†966	17 $\frac{1}{2}$ " x 7 $\frac{1}{2}$ ", "Reflex" ...	Vict.	2000 "	"	†0	3	10	} Ramsay & Hall Pty. Ltd.
†967	8 $\frac{1}{2}$ " x 6 $\frac{3}{4}$ " ...	"	500 "	"	†0	1	6	
†968	Pencil, blue, coated two sides on 20-lb. paper, extra rich, "Reflex"— 17 $\frac{1}{2}$ " x 11 $\frac{1}{4}$ " ...	"	2000 "	"	†0	8	0	
†969	13 $\frac{1}{2}$ " x 8 $\frac{1}{2}$ " ...	"	200 "	"	†0	4	0	
Pencil, blue, coated one side on 9-lb. paper, to produce 5 copies—								
970	27" x 5" ...	N.S.W.	1000 sh'ts	"	0	3	3	} Columbia Ribbon & Carbon Co. (Aust.)
971	24" x 4 $\frac{1}{2}$ " ...	"	1500 "	"	0	2	9	
†972	19" x 9" ...	"	1500 "	"	0	3	11	
973	18" x 5 $\frac{1}{2}$ " ...	"	7000 "	"	0	2	8	
974	17" x 12 $\frac{1}{2}$ " ...	"	6000 "	"	0	5	2	} Columbia Ribbon & Carbon Co. (Aust.)
975	15" x 5" ...	"	3000 sh'ts	100 sheets	0	1	10	
976	15" x 9" ...	"	3000 "	"	0	3	7	
977	15" x 8" ...	"	1000 "	"	0	3	0	
978	13" x 8" ...	"	100,000 "	"	0	2	5	} Columbia Ribbon & Carbon Co. (Aust.)
979	13" x 5" ...	"	12,000 "	"	0	1	7	
†980	12" x 5" ...	"	50,000 "	"	0	1	7	
981	11 $\frac{1}{2}$ " x 11 $\frac{1}{2}$ " ...	"	2000 "	"	0	3	7	
982	11" x 9" ...	"	2000 "	"	0	2	9	} Columbia Ribbon & Carbon Co. (Aust.)
983	11" x 6" ...	"	6000 "	"	0	1	10	
984	8" x 4" ...	"	1000 "	"	0	0	10	

† Less 2 $\frac{1}{2}$ % special discount.

CARBON PAPER—continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor						
† P985	Typewriting, black, in boxes of 100 sheets—"Reflex"— To produce 20 copies, (corner to be cut off each sheet),— 16" x 13"	Vict.	2500 sh'ts	100 sheets	£0 4 4	} Ramsay & Hall Pty. Ltd.						
							P986	13" x 8"	"	40,000 "	"	£0 2 2
† P987	To produce 10 copies— 17" x 13"	"	2000 "	"	£0 4 4							
							P988	13" x 8½"	"	2000 "	"	£0 2 2
† P989	To produce 6 copies, (corner to be cut off each sheet)— 16" x 13"	"	6000 "	"	£0 4 6							
							P990	13" x 8"	"	50,000 "	"	£0 2 3
P991	To produce 3 copies— 17½" x 10"	"	8000 "	"	£0 3 11							
							P992	17½" x 7½"	"	4000 "	"	£0 3 1
† P993	13" x 8"	"	500 "	"	£0 2 3							
P994	11" x 7¾"	"	5000 "	"	£0 2 1							
P995	10½" x 8½"	"	6000 "	"	£0 1 10							
† P996	Typewriting, blue, to produce 3 copies, 12" x 12", "Reflex"	"	15,000 "	"	£0 3 6							
† P997	Typewriting, for "Fanfold" machine, blue, standard weight, 16" x 8¾", on 5" plain paper, "Reflex"	"	500 "	"	£0 10 6							
† { 998	Typewriting, for "Parafold" attachment, black— 3 part sets	"	120 sets	set	0 0 4	} Lamson Paragon Ltd.						
							999	6 part sets	"	200 "	"	0 0 8
							1000	7 part sets	"	500 "	"	0 0 9½

1001-1009—Nil

† Less 2½% special discount

SANITARY PAPER

(Schedule No. 29).

Paper, sanitary, toilet—						
Mechanical Sulphite, 13 lbs. D.C., "Clinax," to specification—						
†1010	Round, in 10-oz. rolls, 5½" x 4½", approx. 525 sheets per roll	N.S.W.	100 gross rolls	gross rolls	£3 1 0	} Safre Australasian Paper Industry Pty. Ltd.
†1011	Oval, in 8 oz. slotted rolls, 4" x 13¼", approx. 240 double sheets per roll	"	50 "	"	£2 15 4	
†1012	8 lb. Manilla, in packets, for "Safix" refills, 500 sheets per packet	"	50 gross pkts.	gross pkts.	£3 2 3	British Patent Perforated Paper Co. Pty Ltd.

1013-1019—Nil

† Items Nos. 1010 and 1011. Less 2½% discount for payment by end of month following month of delivery.
 † Item No. 1012. Less 3½% discount for payment within 10 days of date of receipt of invoice, or 2½% for payment by end of month following month of delivery.

PRINTERS' INK, ETC.
(Schedule No. 30)

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
†1020	Compound, "Exstatic," "Paragon" ink reducer	Vict.	24 lb.	lb.	0	2	9	R. Collie & Co. Pty. Ltd.
†1021	Cord page, in 4-oz. balls	6 doz. balls	Nil
†1022	Dryers, cobalt elastic ...	Vict.	30 lb.	lb.	0	3	2	R. Collie & Co. Pty. Ltd.
†1023	Glue, flexible ...	"	250 "	"	0	0	7	
	Ink, printing, letterpress, to specification—							
†1024	Black ...	"	800 "	"	0	1	1	S. Cooke Pty. Ltd.
†1025	Blue, Celestial ...	"	50 "	"	0	3	6	
†1026	Bronze Blue, in 1-lb. tins ...	"	3 "	"	0	3	6	R. Collie & Co. Pty. Ltd.
†1027	Green, Veredene ...	"	100 "	"	0	3	0	
†1028	Lemon, middle ...	"	7 "	"	0	2	6	
†1029	" yellow ...	"	7 "	"	0	2	6	
†1030	Persian Orange ...	"	6 "	"	0	4	0	Browne Bros.
†1031	Quick drying, 1st quality, half-tone dense black, "Veloset"	"	200 "	"	0	4	9	
†1032	Quick drying, 1st quality, half-tone mid photo brown red shade	"	30 "	"	0	4	6	R. Collie & Co. Pty. Ltd.
†1033	Red, middle ...	"	7 "	"	0	3	0	S. Cooke Pty. Ltd.
†1034	Red, Victor ...	"	200 "	"	0	3	6	R. Collie & Co. Pty. Ltd.
†1035	Violet ...	"	5 "	"	0	4	6	
†1036	Violet, copying, in 1-lb. tins ...	"	2 "	"	0	6	0	
	Ink, ticket printing, letterpress, flat, smooth, to specification—							
*1037	Blue, No. 22 ...	"	60 "	"	0	2	0	S. Cooke Pty. Ltd.
*1038	Blue, Pale ...	"	80 "	"	0	2	0	
*1039	Brown ...	"	50 "	"	0	2	0	
*1040	Buff ...	"	50 "	"	0	2	0	
*1041	Cerise ...	"	300 "	"	0	2	3	R. Collie & Co. Pty. Ltd.
*1042	Green ...	"	300 "	"	0	2	0	
*1043	Grey, No. 23 ...	"	100 "	"	0	2	0	S. Cooke Pty. Ltd.
*1044	Maroon ...	"	10 "	"	0	2	3	
*1045	Orange ...	"	300 "	"	0	2	0	
*1046	Red ...	"	50 "	"	0	2	3	
*1047	Violet ...	"	120 "	"	0	2	3	
*1048	Yellow ...	"	45 "	"	0	2	0	
*1049	Paper, manilla, oiled, cylinder, 44" wide, in rolls of approximately 100 lb.	...	18 rolls	Nil

PRINTERS' INK, ETC.—continued.

Item No.	Description	Country of Manufre	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
†1050	Preparation, transparent tint ...	Vict.	10 lb.	lb.	0	2	0	} S. Cooke Pty. Ltd.
†1051	Solution, lye, in 1-gallon jars (see note)	„	4 gals.	gal.	0	5	0	
†1052	Solution, roller wash, in 4-gallon tins ...	„	450 „	„	„	„	„	Nil
†1053	Solution, "Sprayomatic," "A.T.F. Mix"	Vict.	16 „	gal.	0	10	6	R. Collie & Co. Pty. Ltd.
†1054	Varnish, letterpress, lowering ...	„	10 „	„	0	7	6	S. Cooke Pty. Ltd.
1055-1069	—Nil.							

RUBBER STAMPS, ETC.

(Schedule No. 31)

	Faces, I.R., for stamps, to specification, lettered—							
*1070	"V.R., cancelled" ...	Vict.	50	each	0	0	3	E. L. Morton
*1071	"Week-end" ...	„	Nil	„	„	„	„	
*1072	"Goods Clean Receipt" ...	Vict.	25	each	0	0	6	} E. L. Morton
*1073	"Goods more or less Receipt" ...	„	20	„	0	0	6	
†1074	Pads, self-inking, purple or black, as ordered; No. 1, 4¼" x 2¾", "Lightning" Refacing self-inking I.R. stamps, including supply of new felt pad, inked with violet ink, and new cushion pad for impression, any style of type ordered, to specification—	N.S.W.	500	„	0	0	9	Excelsior Supply Co. Pty. Ltd.
1075	Oblong, up to 2" in length, as ordered	Vict.	150 lines	line	0	0	6	} E. L. Morton
1076	Oblong, over 2" in length, as ordered	„	30 ins. of line	inch of line or part thereof	0	0	3	
1077	Extra on rates for items Nos. 1075 and 1076, for reconditioning of stamp frames	„	„	each	0	1	3	
	Stamps, dating, "Lightning"—							
†1078	No. 1½ ...	N.S.W.	10 doz.	doz.	0	12	0	} Excelsior Supply Co. Pty. Ltd.
†1079	No. 2 ...	„	2 „	„	0	18	0	
	Stamps, I.R., oblong, wooden handle, with wooden back, any style of type ordered, to specification—							
†1080	Up to 2" in length, as ordered ...	Vict.	600 lines	line	0	0	5	} E. L. Morton
†1081	Over 2" in length, as ordered ...	„	1100 ins. of line	inch of line or part thereof	0	0	2	
	Stamps, I.R., circular or oval, as ordered, wooden handle, with wooden back, any style of type ordered, to specification—							
†1082	Up to 1½" in length, as ordered ...	„	10	each	0	1	6	} E. L. Morton
†1083	Over 1½" in length, as ordered ...	„	10 ns.	¼ inch or part thereof	0	0	6	
1084-1089	—Nil							

BOTTLES, TUMBLERS, ETC.
(Schedule No. 32).

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
1090	Beakers, "Pyrex," squat, 600 ccs.	1 doz.	Nil.	
*1091	Bottles, glass, clear— 2 dram, vial, round, to specification, "L.414"	Vict.	12 "	doz.	0	0	4½	} Australian Glass Manufacturers Co. Pty. Ltd.
1092	2 oz., square, "J.282" ...	"	12 "	"	0	1	3½	
1093	4 oz., flat, "M.298" ...	"	12 "	"	0	1	10	
1094	6 oz., round, for ink, "L.424" ...	"	24 "	"	0	1	6½	
1095	7 oz., round, for gum, "J.204" ...	"	60 "	"	0	1	6½	
1096	8 oz., flat, "L.981" ...	"	12 "	"	0	2	2	
1097	Bottles, glass, angular, coloured (poison)— 1 oz., "M.458" ...	"	24 "	"	0	0	9	
1098	2 oz., "M.452" ...	"	3 "	"	0	1	0	
*1099	Bottles, glass, French, 3 oz., round, M.800	"	96 "	"	0	1	4½	
*1100	Bottles, stoneware— 1 quart	30 "	
1101	1 pint	24 "	
1102	10 oz.	50 "	
*1103	Cells, glass, Leclanche, outer, for No. 2 porous pots	Vict.	36 "	doz.	0	5	8	Australian Glass Manufacturers Co. Pty. Ltd.
1104	Decanters, glass, 1½ pint ...	N.S.W.	5 "	"	2	14	0	} Crown Crystal Glass Pty. Ltd.
*1105	Tumblers, glass, unbadged, 10 oz.— Bulge type ...	"	} 1500 "	"	0	5	6	
*1105A	No. 108 type ...	"		"	0	3	9	
1106-1109	—Nil							

CORKS, BUNGS, ETC.
(Schedule No. 33)

Corks—								
*†1110	Axle-box, large quart and extra tapers	Vict.	750 gross	gross	0	3	6	} H. A. Waxman & Co. Pty. Ltd.
*1111	Axle-box, small ...	"	6 "	"	0	2	9	
*1112	Bungs, 1" tapered to ¾" x 1¼" long ...	"	2 "	"	0	5	3	} G. P. Embelton & Co.
*1113	Bungs, 1 1/8" tapered to 1 1/8" x 1¼" long ...	"	3 "	"	0	7	6	
*1114	Bungs, 1½" tapered to 1 1/8" x 1¼" long...	"	30 "	"	0	10	0	} H. A. Waxman & Co. Pty. Ltd.
*1115	Bungs, 1½" for 5-gal. drums ...	"	6 "	"	0	11	9	
*1116	Phial ...	"	30 "	"	0	2	4	} G. P. Embelton & Co.
*1117	Roof Lamp, 1¼" tapered to 1 1/8" x 1¼" long	"	3 "	"	0	7	3	
*1118	Shrive, 1¼" tapered to 1 1/8" x 5/8" long ...	"	3 "	"	0	2	3	
†1119	Cork, granulated, sheet, 3' x 2' x 1/8"	"	60 sheets	sheet	0	0	11½	
1120-1129	—Nil							

CHEMICALS, ETC.

(Schedule No. 34)

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor	
					£	s.	d.		
1130	Acetone, in 1-gallon containers	30 gal.	Nil		
1131	Acid— Acetic, glacial, chemically pure, in winchester quarts, "Industrial Chemicals"	Vict.	100 lb.	lb.	0	2	0	Henry H. York & Co. Pty. Ltd.	
1132	Dipping, jewellers', in 3-gal. jars, "Industrial Chemicals"	"	50 "	"	0	1	9		
1133	Hydrochloric, chemically pure, to specification, in winchester quarts, "Industrial Chemicals"	"	250 "	"	0	1	6		
1134	Hydrochloric, Muriatic, or Spirits of Salts, commercial, to specification, "Industrial Chemicals"— In winchester quarts ...	"	20 cwt.	cwt.	0	19	0		
1135	In 3-gal. jars, in lots of 6 or less ...	"	2 "	"	0	19	6		
1136	" " " 7 to 18 ...	"	15 "	"	0	18	0		
1137	" " " 19 to 49 ...	"	400 "	"	0	17	5		
1137A	" " " 50 or over	"		"	0	16	5		
1138	Nitric, chemically pure, to specification, in winchester quarts, "Commonwealth Fertilisers"	"	200 lb.	lb.	0	1	9		Henry H. York & Co. Pty. Ltd.
1139	Nitric, commercial, to specification, "Commonwealth Fertilisers"— In winchester quarts ...	"	75 "	"	0	0	9		
1140	In 3-gal. jars ...	"	8 cwt.	"	0	0	7½		
1141	Oxalic, in 1 cwt. kegs or bags ...	U.K.	1 "	cwt.	14	0	0	Kodak (A/asia) Pty. Ltd.	
1142	Sulphuric, chemically pure, to specification, in ½-gal. stoppered bottles, each containing 9 lb., "Commonwealth Fertilisers"	Vict.	400 lb.	lb.	0	1	6	Henry H. York & Co. Pty. Ltd.	
1143	Sulphuric, commercial, to specification, "Commonwealth Fertilisers"— In winchester quarts ...	"	200 "	"	0	0	2		
1144	In 3-gal. jars ...	"	15 cwt.	ton	10	6	6		
1145	Sulphuric, for storage batteries to specification, in 3-gal. jars— S.G. 1-100 to 1-215, in lots of 52 jars and over S.G. 1-216 to 1-300—	"	10 tons	cwt.	0	11	0		Commonwealth Fertilisers & Chemicals Ltd.
1146	In lots of 6 to 11 jars ...	"	2 "	"	0	18	8		
1147	" 12 to 35 jars ...	"		"	0	16	4		
1148	" 36 to 51 jars ...	"		"	0	12	6		
1149	Alum, powdered, in 140 lb. double bags, "Sulphates Pty. Ltd."	N.S.W.	420 lb.	lb.	0	0	2½	W. & G. Dean Pty. Ltd.	

† Item No. 1141. Less 2½% discount for payment by end of month following month of delivery.

‡ Item No. 1146. No charge for cartage is included in the contract rate. For lots of less than 12 jars in one delivery a cartage charge of 3/6 per delivery will be made.

CHEMICALS, ETC.—continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
1150	Ammonia, liquid, S.G. .890— Commercial, in winchester quarts, " R. J. Fletcher "	Vict.	400 lb.	lb.	0	0	5	Henry H. York & Co. Pty. Ltd.
1151	Chemically pure, in winchester quarts ...	"	200 "	"	0	0	7	E. P. Keogh Pty. Ltd.
†1152	Borax, lump, in 1 cwt. bags	15 cwt.	Nil
†1153	Borax, powdered, in 1 cwt. bags	Nil	Nil
†1154	Calcium Chloride, in drums of approx. 5-cwt.	...	5 tons	Nil
†1155	Carbon Disulphide, in 5-gal. drums, of 64 lb. net, in crates	Vict.	300 gal.	drum	1	16	0	Imperial Chemical In- dustries of Australia & New Zealand Ltd. (Chemical Division)
1156	Carbon Tetra-chloride, to specification, in 5-gal. drums— Clear	...	1 ton	} Nil
1157	Coloured Red	...	2 tons	
1158	Compound, " Agral No. 3 " in 28-lb. tins, each tin to be supplied with a 2-oz. tin measure	Vict.	112 lb.	lb.	†0	4	0	Ramsay & Trega- nowan Ltd.
†1159	Compound, degreasing, " Colosyl W.X. Special "	"	20 tons	ton	†56	0	0	F. V. Richards
1160	Mercury, in 7-lb. bottles	84 lb.	Nil
1161	Muriate of Ammonia, (sal ammoniac), fine, in 2-cwt. casks, to specification, " Brun- ner Mond "	N.S.W.	1 ton	cwt.	1	17	6	Henry H. York & Co. Pty. Ltd.
†1162	Muriate of Ammonia, (sal ammoniac), lump, in 1-cwt. kegs (see note)	U.K.	5 cwt.	"	‡4	10	6	Imperial Chemical In- dustries of Australia & New Zealand Ltd. (Chemical Division)
†1163	Shellac, brown, in 28 or 56 lb. packages, " J.No.1.T.N." (see note)	India	1 "	lb.	0	1	3½	} Dixon & Co.
†1164	Shellac, button, for French polishing, in 28 or 56-lb. packages, " Tiny Pure " (see note)	"	1 "	"	0	1	3½	
1165	Shellac, orange, to specification, in 28 or 56-lb. packages, " I.A.T.N." (see note)	"	1 "	"	0	1	4½	
†1166	Silver Nitrate, crystal, in 25 or 50 oz. bottles	Vict.	15 lb.	oz.	0	2	2	Kodak (A/asia) Pty. Ltd.
†1167	Soda Ash, for electroplaters' use, " I.C.I." Soda, caustic, liquid, 41.3% NaOH, to specification, " I.C.L."—	South Aust.	1 cwt.	lb.	0	0	2	Henry H. York & Co. Pty. Ltd.
1168	In drums of 16 to the ton ...	Vict.	} 20 tons	ton	9	16	0	} Imperial Chemical In- dustries of Australia & New Zealand Ltd. (Chemical Division)
1169	In 3-gallon jars ...	"		"	"	9	16	
1170	Soda, caustic, powdered, 98/99% NaOH— In 1-lb. tins, in case lots	...	1000 tins	} Nil
1171	In 2-lb. tins, " "	...	1500 "	
1172	In 7-lb. tins	...	16 "	
1173	In 14-lb. tins	...	10 "	
1174	In 56-lb. drums	...	5 cwt.	
1175	In 1½-cwt. drums	...	4 tons	
1176	Soda, caustic, powdered, for soda cells, to specification	...	250 tins	

† Item No. 1158. Less 10% trade discount.
 † Item No. 1159. Less 1½% special discount and less a further 2½% for payment within 14 days of
 date of receipt of invoice.
 ‡ Item No. 1162. No charge for cartage is included in the contract rate. Cartage rates for city deliveries
 are 4/- per ton, with a minimum charge of 5/-.

CHEMICALS, ETC.—continued

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
†1177	Sodium Bicarbonate, in bags of approx. 190-lb., "Brunner Mond"	South Aust.	10 cwt.	cwt.	0	18	6	Henry H. York & Co. Pty. Ltd.
1178	Sodium Metasilicate, "Ardesy," in 1 cwt. bags, in 1 lot	N.S.W.	1 ton	ton	24	0	0	Ramsay & Treganowan Ltd.
1179	Sulphur, flowers of, in 28-lb. packages, "Commonwealth"	Vict.	56 lb.	lb.	0	0	2	W. & G. Dean Pty. Ltd.
†1180	Tri-Sodium Phosphate, in 1 cwt. bags, in 1 ton lots, "Zanic"	"	4 tons	ton	29	0	0	Consolidated Industrial Agencies Pty. Ltd.
1181	Tubes, glass, charged with 90% sulphuric acid, to litho. No. 148-25, amended 21.8.28— Blue bead, for conical fire extinguishers	...	300	} Nil
1182	Red bead, for cylindrical fire extinguishers	...	75	
1183-1192	—Nil							

ACETYLENE AND OXYGEN.

(Schedule No. 40 of 1.1.38)

1193	Acetylene, dissolved, to specification, in cylinders supplied by the Contractor, including delivery to Newport Workshops or Reclamation Depot, when required	Vict.	175,000 lb. (for 5 years)	lb.	0	1	6	} Australian Oxygen & Industrial Gases Pty. Ltd.
1194-1197	—Nil							
1198	Oxygen, not less than 99%, to specification, including delivery to Newport Workshops or Reclamation Depot, when required	"	17,500,000 c. feet (for 5 years)	100 c. ft.	0	3	3	
1199-1209	—Nil							

HELIOGRAPHIC PROCESS MATERIALS, ETC.

(Schedule No. 35)

1210	Linen, ferro prussiate, in rolls of 20 yards, "Highlite"— 30" wide	Vict.	40 rolls	roll	2	2	9	} Blue Printing Pty. Ltd.
1211	40" wide	"	30 "	"	2	10	5	
1212	Linen, dyeline, 1st quality, including developer, in rolls of 20 yards, "OCE"— 30" wide	Q'd	30 "	"	2	18	0	} Commercial Blue Print Co.
1213	40" wide	"	25 "	"	3	12	5	
1214	Paper, acute, transparent, in rolls of 20 yards— 30" wide	...	10 "	} Nil
1215	40" wide	...	5 "	
1216	Paper, dyeline, medium, 110 grams, including developer, in rolls of 20 yards, "OCE"— 31" wide	Q'd	800 "	roll	0	13	3	} Commercial Blue Print Co.
1217	40" wide	"	300 "	"	0	16	0	

HELIOGRAPHIC PROCESS MATERIALS, ETC.—continued.

Item No.	Description	Country of Manufro	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
1218	Paper, ferro prussiate, air mail, 55 grams, 30" wide x 20 yards long, "Highlite"	Vict.	5 rolls	roll	0	8	10	Blue Printing Pty. Ltd.
1219	Paper, ferro prussiate, base, smooth finish, 30"/31½" wide, "Quality 909"	U.K.	3 tons	ton	144	2	3	Wiggins, Teape and Alex. Pirie (Export) Ltd.
1220	Paper, heliographic, water bath, 30" wide x 20 yards long, "Peerless"	N.S.W.	15 rolls	roll	0	15	6	Plan Printing & Supplies Pty. Ltd.
1221	Paper, sepia, thin, negative, in rolls of 20 yards, "Highlite"— 30" wide	Vict.	30 "	"	1	7	0	} Blue Printing Pty. Ltd.
1222	40" wide	"	2 "	"	1	13	9	
1223	Carbons, for arc lamps, 12" long x 13 m.m. diameter, solid, "Columbia"	Canada	600	100	3	8	4	Harringtons Pty. Ltd.
1224-1229	Nil.							

PHOTOGRAPHIC MATERIALS

(Schedule No. 36).

1230	Albums, 12 leaves, loose leaf, 9½" x 6½", "Kodak"	Vict.	25	each	£0	3	1	} Kodak (A'asia) Pty. Ltd.
1231	Acid, boric, powder, chemically pure, "Kodak"	U.K.	10 lb.	lb.	£0	1	3	
1232	Acid, citric, in 1-lb. bottles, "Kodak"	N.S.W.	20 "	"	£0	3	0	
1233	" pyrogallic, in 1-lb. bottles, "Kodak"	U.K.	3 "	"	£1	3	3	} E. P. Keogh Pty. Ltd.
1234	Amylum, (starch), pulverised, in paper packets	Vict.	40 "	"	0	0	9	
†1235	Chrome, alum, in paper packets, "Kodak"	U.S.A.	225 .	"	£0	2	5	Kodak (A'asia) Pty. Ltd.
1236	Ferri-ammon-citrate, (green scales)	224 "	Nil
1237	Hydroquinone, in 1-lb. bottles, "Kodak"	U.S.A.	80 "	lb.	£0	9	1	} Kodak (A'asia) Pty. Ltd.
1238	Metol, in 1-lb. bottles, "Kodak"	"	56 "	"	£1	0	2	
1239	Opaque, "Kodak," No. 1 size	Vict.	20 tubes	tube	£0	1	3	
1240	Para-formaldehyde	"	6 lb.	lb.	0	12	6	E. P. Keogh Pty. Ltd.
1241	Potassium Bichromate, in paper packets, "White's"	U.K.	224 "	"	0	1	6	Henry H. York & Co. Pty. Ltd.
1242	Potassium Bromide, in paper packets, "Kodak"	"	42 "	"	£0	3	5	Kodak (A'asia) Pty. Ltd.
1243	Potassium Carbonate, in paper packets, "Solway Process Co."	U.S.A.	50 "	"	0	1	6	Henry H. York & Co. Pty. Ltd.
1244	Potassium Ferricyanide, in 1-lb. bottles, "Kodak"	U.K.	168 "	"	£0	8	10	Kodak (A'asia) Pty. Ltd.
1245	Potassium Metabisulphite, in paper packets	...	168 "	Nil
1246	Soda Bisulphite, in 28-lb. tins, "Kodak"	U.K.	168 "	lb.	£0	2	0	Kodak (A'asia) Pty. Ltd.

† Less 2½% discount for payment by end of month following month of delivery.

PHOTOGRAPHIC MATERIALS.—continued.

Item No.	Description	Country of Manufacture	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
1247	Soda Carbonate, anhydrous, in paper packets, "Brunner Mond"	S. Aust.	350 lb.	lb.	0	0	2	Henry H. York & Co. Pty. Ltd.
1248	Soda Hyposulphite, in 1-cwt. kegs, "Kodak"	Vict.	18 cwt.	cwt.	†1	7	3	Kodak (A'asia) Pty. Ltd.
1249	Soda Sulphide, in 1-lb. bottles, "Kodak" (see note)	U.K.	14 lb.	lb.	†0	5	6	
1250	Soda Sulphite, anhydrous, in 28-lb. sealed tins, "Fletcher Chem."	Vict.	500 "	"	0	0	5½	Henry H. York & Co. Pty. Ltd.
	Covers, glass, for lantern slides—							
1251	3¼" x 3¼"	150 "	} Nil
1252	4" x 3¼"	100 "	
	Film—							
1253	Cine, panchromatic, in 100' rolls, processed, "Eastman Kodak Super X or XX," as ordered	Vict.	50 rolls	roll	†1	13	9	}
1254	Cine, Kodachrome, in 100' rolls, processed, "Eastman Kodak"	"	36 "	"	†2	19	3	
	Cut, "Super Green Hyperchrome"—							
1255	4¼" x 3¼" ...	"	½ gross	gross	†1	10	9	}
1256	5" x 4" ...	"	2 "	"	†2	9	6	
1257	6½" x 4½" ...	"	6 "	"	†3	4	6	
1258	12 c.m. x 9 c.m. ...	"	½ "	"	†2	4	3	
	Pack, "Panatomic X" or "Super XX," as ordered—							
1259	4¼" x 3¼" ...	"	50 pkts.	pkt.	†0	5	3½	} Kodak (A'asia) Pty. Ltd.
1260	12 c.m. x 9 c.m. ...	"	25 "	"	†0	6	1½	
	"Panatomic X" or "Super XX," as ordered—							
1261	4¼" x 3¼" ...	"	½ gross	gross	†1	16	0	}
1262	5" x 4" ...	"	2 "	"	†2	11	9	
1263	6½" x 4½" ...	"	4 "	"	†3	12	0	
1264	12 c.m. x 9 c.m. ...	"	½ "	"	†2	6	6	
	Sheet, process, "Kodak"—							
1265	12" x 10" ...	"	1 "	"	†14	14	9	}
1266	15" x 12" ...	"	1 "	"	†27	3	9	
1267	20" x 16" ...	"	1 "	"	†51	15	0	
1268	24" x 20" ...	"	1 "	"	†77	12	6	
1269	30" x 24" ...	"	1 "	"	†116	8	9	

† Less 2½% discount for payment by end of month following month of delivery.

PHOTOGRAPHIC MATERIALS.—continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor	
					f	s.	d.		
Film—continued—									
Spools, photographic roll, "Verichrome"—									
1270	2½" x 3¼", 8 exposures, No. 120 ...	Vict.	800 rolls	roll	£	0	1	2½	Kodak (A'asia) Pty. Ltd.
1271	2½" x 4¼", 8 " No. 116 ...	"	500 "	"	£	0	1	5	
1272	3¼" x 4¼", 6 " No. 118 ...	"	100 "	"	£	0	1	10	
1273	3¼" x 5½", 6 " No. 122 ...	"	200 "	"	£	0	2	1½	
1274	5" x 4", 6 " No. 153 ...	"	5 "	"	£	0	2	1½	
1275	Globes, flash light, "Sashalite" ...	U.K.	100	each	£	0	1	9	
Measures, glass—									
1276	2 oz., graduated in drams, "Eastman Kodak"	U.S.A.	6	"	£	0	1	3	
1277	8 oz., graduated in ounces, "Kodak"	Vict.	12	"	£	0	1	8	
1278	16 oz., " " " "	"	6	"	£	0	2	10	
1279	Mounting Tissue, dry, 24" x 19", "Kodak"	"	3 reams	ream	£	4	5	0	
1280	Mounts, 10 sheet, 31" x 25" board, round edge, grade BX, brown, grey, white or cream, as ordered, "Kodak"	"	200	100	£	4	13	6	
1281	Mounts, 4 sheet, 30" x 24", cream, white, or brown, as ordered, "Kodak"	"	400	"	£	3	19	0	
Paper, bromide, single weight, any surface ordered, "Kodak"—									
1282	25' long x 25" wide ...	"	36 rolls	roll	£	1	3	9	
1283	25' long x 30" wide ...	"	12 "	"	£	1	8	1	
1284	6½" x 4¾" ...	"	10,000 sheets	1,000	£	4	10	6	
1285	8½" x 6½" ...	"	15,000 "	"	£	8	3	10	
1286	10" x 8" ...	"	20,000 "	"	£	11	15	5	
1287	12½" x 10½" ...	"	6 gross	gross	£	2	16	8	
1288	15½" x 12½" ...	"	3 "	"	£	4	3	8	
1289	20" x 16" ...	"	2 "	"	£	6	18	0	
Paper, bromide, double weight, any surface ordered, "Kodak"—									
1290	25' long x 25" wide ...	"	40 rolls	roll	£	1	7	4½	
1291	25' long x 30" wide ...	"	10 "	"	£	1	12	4½	
1292	6½" x 4¾" ...	"	1 gross	gross	£	0	15	3½	
1293	8½" x 6½" ...	"	3 "	"	£	1	7	7½	
1294	10" x 8" ...	"	5 "	"	£	1	19	8	

† Less 2½% discount for payment by end of month following month of delivery.

PHOTOGRAPHIC MATERIALS—continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor	
	Paper, bromide, double weight, any surface ordered, "Kodak"—continued—						
1295	12½" x 10½"	Vict.	1 gross	gross	£3 5 1½	Kodak (A'asia) Pty. Ltd.	
1296	15½" x 12½"	"	10 "	"	£4 15 9		
1297	18" x 16"	"	5 "	"	£7 2 10		
1298	20" x 16"	"	4 "	"	£7 18 8		
1299	25" x 14½"	"	2 "	"	£8 19 10		
1300	28" x 16"	"	10 "	"	£11 2 2		
1301	28" x 18"	"	10 "	"	£12 10 0		
1302	Paper, bromide, "Linotone," 20" wide x 60' long	"	10 rolls	roll	£2 5 4		
1303	Paper, bromide, photostat, 18" wide x 350' long, "Kodak"	"	20 "	"	£8 18 3		
1304	Paper, bromide, post cards, "Kodak"	"	80 gross	gross	£0 9 11		
1305	Paper, "Linotone," 25' long x 40" wide, "Kodak"	"	20 rolls	roll	£1 17 9		
1306	Plates, lantern, "Austral," 3¼" x 3¼"	"	4 gross	gross	£1 7 0		
1307	Plates, photographic, backed, for "Ilford" auto. filter, ¼ plate size	...	6 dozen		Nil
	Plates, photographic, dry, orthochromatic backed, "Austral"—						
1308	6½" x 4¾"	Vict.	20 "	dozen	£0 5 7½	Kodak (A'asia) Pty. Ltd.	
1309	8½" x 6½"	"	10 "	"	£0 10 1½		
1310	Plates, process, "Austral"— 6½" x 4¾"	"	10 "	"	£0 4 10½		
1311	8½" x 6½"	"	10 "	"	£0 9 4½		
1312	12" x 10"	"	6 "	"	£1 3 5½		
1313	15" x 12"	"	12 "	"	£2 6 10½		
1314	20" x 16"	"	12 "	"	£4 7 0		
1315	24" x 20"	"	12 "	"	£7 7 0		
	Plates, process, panchromatic, "Austral"—						
1316	8½" x 6½"	"	5 "	"	£0 11 7½		
1317	12" x 10"	"	2 "	"	£1 8 0¾		
1318	15" x 12"	"	2 "	"	£2 11 11½		
	Plates, backed, "Panatomic X," "Super XX" or "Ortho X," as ordered—						
1319	5" x 4"	"	3 "	"	£0 4 8½		
1320	6½" x 4¾"	"	40 "	"	£0 6 9		
1321	8½" x 6½"	"	6 "	"	£0 12 4½		
1322	12 cm. x 9 cm.	"	6 "	"	£0 4 3		
1323-1329	—Nil						

† Less 2½% discount for payment by end of month following month of delivery.

INDUSTRIAL GASES AND CALCIUM CARBIDE
(Schedule No. 39).

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
1350	Air, compressed, in cylinders of 200 cubic feet, to specification	Vict.	3600 c. ft.	100 c. ft.	0 3 3	} Australian Oxygen & Industrial Gases Pty. Ltd.
1351	Calcium Carbide, lump, 2" to 3" size, or granulated, $\frac{3}{8}$ " to $\frac{5}{8}$ " size, as ordered, to specification, in approx. 2 cwt. drums, "I.X.L."	Tas.	} 125 tons	ton	26 7 6	
1351A	" " " " " "	"		"	26 7 6	} Thos. Mitchell & Co. Pty. Ltd. Miller & Co. (Machinery) Pty. Ltd. Noyes Bros. (Melb.) Ltd.
1351B	" " " " " "	"		"	26 7 6	
1351C	Gas, carbonic acid, in steel cylinders, to specification—	"		"	26 7 6	
1352	In cylinders supplied by the Contractor, each containing 50 lb. of gas	Vict.	6000 lb.	lb.	0 0 4	} Australian Oxygen & Industrial Gases Pty. Ltd.
1353	In cylinders supplied by the Corporation each containing 40 lb. of gas	"	2600 "	"	0 0 4 Less 10%	
1354	Hydrogen, in cylinders of 50, 100 or 200 cubic feet, as ordered, to specification	"	7500 c. ft.	100 c. ft.	0 10 0	
1355-1359	—Nil					

‡ Delivered Metropolitan Receiving Depot, Spencer Street, excluding stevedoring and wharfage charges

CORD, ROPE, ETC.
(Schedule No. 40)

† {	1360	Cord, blind, glace, white, "Samson"— 2½ lb. ...	Vict.	150 doz. yds.	doz. yds.	10 0 10	} Downs & Son Pty. Ltd.
	1361	3 lb. ...	"	40 "	"	10 0 11	
†	1362	Cord, Holland blind, green or nigger brown, as ordered	...	60 "	Nil
†	1363	Cord, marking (chalk), in 1 lb. reels, "Samson"	Vict.	75 lb.	lb.	10 4 0	Downs & Son Pty. Ltd.
†	1364	Cord, nicking line, $\frac{1}{8}$ " diameter, "Anchor"	"	100 "	"	10 3 8	} James Miller & Co. Pty. Ltd.
† {	1365	Cord, sash, cotton, braided, in coils, "Anchor"— No. 6 ...	"	15 "	"	10 3 3	
	1366	No. 8, 9 or 10, as ordered	"	900 "	"	10 3 0	
†	1367	Cord, whip, 24 ply, "Samson"	"	25 "	"	10 4 4½	Downs & Son Pty. Ltd.
†	1368	Marline (genuine), in 1-lb. hanks, "Anchor"— 2 cord ...	"	4 cwt.	"	10 2 2½	} James Miller & Co. Pty. Ltd.
† {	1369	3 "	"	2 "	"	10 2 2½	
	1370	Marline (genuine), 3 cord, in 14-lb. coils, "Anchor"	"	2 "	"	10 2 1½	
†	1371	Packing, flax, pure, "Anchor"	"	5 "	"	10 2 9	
†	1372	Rope, clothes line, hemp, $\frac{3}{8}$ " circ., "Anchor"	"	2 "	cwt.	14 4 9	
† {	1373	Rope, Europe (tarred), hemp, bolt quality, with blue worsted thread in one strand, "Anchor"—(see note)— $\frac{3}{8}$ " & $\frac{7}{8}$ " circumference, as ordered ...	"		"	11 16 9	} James Miller & Co. Pty. Ltd.
	1373A	1" circumference and over	"		"	11 7 0	

† { Items Nos. 1360, 1361, 1363 and 1367. Less 20% trade discount.
† { Items Nos. 1364 to 1366 and 1368 to 1373A. Less 22½% trade discount.

CORD, ROPE, ETC.—continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
† { 1373B	Rope, Europe (tarred), pure sisal, with blue worsted thread in one strand, "Anchor"—	Vict.	3 tons	cwt.	‡5	1	6	} James Miller & Co. Pty. Ltd.
	Under 1" circ., as ordered ...							
† 1373c	1" circ. and over, " "	"	"	"	‡4	14	6	
† 1374	Rope, lashing, New Zealand hemp, "Anchor"	"	2 "	"	‡4	4	9	
† { 1375	Rope, manila, 3-strand, fine and long fibre, with blue worsted thread in one strand, to specification, "Anchor"—	"	10 "	"	‡6	17	3	
	Under 1" circumference, as ordered ...							
† 1375A	1" circumference and over " "	"	"	"	‡6	10	3	
† 1376	Rope, manila, stretched, for power transmission, 4" circ., 3-strand, with one blue yarn in one strand, to specification, "Anchor"	"	4 "	"	‡7	0	0	
† 1377	Rope, sisal hemp, 1" to 2" circ., as ordered, with blue yarn in one strand (1½" rope to have in addition one blue strand in each rope), to specification, "Anchor"	"	10 "	"	‡4	14	6	
† 1378	Rope, sisal hemp, 2¼" to 3" circ., as ordered, with one blue yarn in each strand (2¼" rope to have in addition one blue strand in each rope), to specification, "Anchor"	"	50 "	"	‡4	14	6	
1379	Rope, straw— ½", 680 feet per bundle	"	50 bdls.	bdle.	{ 0	1	9	} J. A. Brown
1380	1", 340 " " "	"	100 "	"	{ 0	1	9	
† 1381	Spun yarn, jute, "Anchor"	"	2 cwt.	cwt.	‡4	19	0	} James Miller & Co. Pty. Ltd.
1382-1389	—Nil							

† Items Nos. 1373B to 1378 and 1381. Less 22½% trade discount.

THREAD, TWINE, ETC.

(Schedule No. 41)

† 1390	Thread, cotton, any colour ordered, any number ordered, in 400 yard reels, "Bonds"	N.S.W.	10 doz. reels	doz. reels	0	6	0	} Bryce & Duncan Pty. Ltd.
† {	Thread, linen, machine, soft, any colour ordered—							
	1391	No. 12 in 2-oz. reels, "Jas. Miller"	Vict.	450 reels	reel	0	1 8½	
	1392	No. 18 " " " " "	"	200 "	"	0	1 11	
	1393	No. 20 " " " " "	"	400 "	"	0	2 2	
	1394	No. 30 on 2-oz. cops, "Miller" ...	U.K.	100 cops	cop	0	2 2½	
	1395	No. 40 " " " " "	"	20 "	"	0	2 4½	
1396	No. 50 " " " " "	"	500 "	"	0	2 6		

THREAD, TWINE, ETC.—continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
†1397	Twine, fine, in ¼ lb. balls, "Anchor" ...	Vict.	10 cwt.	lb.	10	1	6	James Miller & Co. Pty. Ltd.
†1398	Twine, medium, in ½ lb. balls, ,, ...	"	15 "	"	10	1	5½	
†1399	Twine, coarse, in ½ lb. balls, ,, ...	"	3 "	"	10	1	5½	
†1400	Twine, coarse, trimmers', in ½ lb. balls, "Emu"	"	6 "	"	10	2	3¾	Geo. Kinnear & Sons Pty. Ltd.
†1401	Twine, binder, free of oil, in approx. 4½ lb. balls, each approx. 1800 ft., "Anchor"	"	3 tons	ton	163	15	0	James Miller & Co. Pty. Ltd.
†1402	Twine, mattress, No. 2, 4-ply, in 1 lb. balls, "Emu"	"	2 cwt.	lb.	10	3	5¾	Geo. Kinnear & Sons Pty. Ltd.
†1403	Twine, machine, 5 or 6 cord as ordered, pure linen, right or left-hand twist as ordered, in 1 lb. cops, "Brown Label"	"	3 "	"	10	9	8	Bryce & Duncan Pty. Ltd.
†1404	Twine, machine, 6 or 8 cord, as ordered, best pure linen thread, right or left-hand twist, as ordered, in 1 lb. cops, "White Label"	"	15 "	"	10	10	8	
†1405	Twine, seaming, flax, 3-ply	"	10 "	"	0	3	7	Geo. Kinnear & Sons Pty. Ltd.
1406-1419	Nil							

† Trade discount { Items Nos. 1397 to 1399, 1403 and 1404—less 7½%
 " " 1400 and 1402—less 5%
 Item No. 1401—less 2½%

TAPES AND WEBBING.

(Schedule No. 42)

†1420	Tape, cotton, red, in packets of 2 dozen knots, 9 yards per knot— No. 16	...	Nil			
†1421	No. 24	...	Nil			
† {	1422	Tape, cotton, Egyptian, fine, natural colour, 7 mils thick, to specification, "Castle"— ¾" wide, in reels of 1000 yards	U.K.	2000 yds.	1000 yds.	1	19	8	R. E. Jeffries & Co.
	1423	¾" " " 1000 yards	"	5000 "	"	2	3	2	
	1424	¾" " " 72 yards	"	800 gross yds.	gross yds.	0	6	2	
	1425	1" " " 1000 yards	"	4000 yds.	1000 yds.	2	19	0	
†1426	Tape, cotton, Indian, white, 9 mils thick, in reels of 1000 yards, to specification— ¾" wide "Castle"	"	1000 yds.	1000 yds.	2	2	7		
†1427	1" wide	...	2000 "	Nil	
†1428	Tape, cotton, Indian, white, 10 mils thick, in rolls of 72 yards—(see note)— ¾" wide	...	2 gross yds.		
† {	1429	½" wide "Castle"	U.K.	20 "	gross yds.	0	4	3	R. E. Jeffries & Co.
	1430	¾" wide " "	"	5 "	"	0	6	1	
	1431	1" wide " "	"	20 "	"	0	7	10	

TAPES AND WEBBING—continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
†1432	Tape, silk, varnished, straight cut, ½" wide x 4 mils thick, in rolls of 50 yards	...	5 rolls	} Nil
1433	Webbing, cotton, natural colour, in rolls of 72 yards, to specification— ¾" wide x 12 mils thick	6 gross yds.	
†1434	1" ,, x 12 ,, ,,	6 ,,	
†1435	1¼" ,, x 12 ,, ,,	6 ,,	
†1436	1½" ,, x 12 ,, ,,	12 ,,	
†1437	1½" ,, x 23 ,, ,,	3 ,,	
†1438	1½" ,, x 30 ,, ,,	50 ,,	
†1439	Webbing, linen, natural colour— 1" wide x 20 mils thick, in rolls of 24 yards	...	12 ,,	
†1440	1½" wide x 22 mils thick, in rolls of 72 yards	...	12 ,,	
†1441	Webbing, linen, straining, upholsterers', 2" wide	...	5 ,,	
1442-1449	Nil					

LEATHER GLOVES.
(Schedule No. 44)

*†1490	Gloves, chrome tanned leather palm and canvas back, all leather thumb, "S.G. 3601"	Vict.	9400 pairs	pair	10 1 5	Simpson's Gloves Pty. Ltd.
*†1491	Gloves, chrome tanned leather palm and canvas back, leather fingers, with double row of stitching, (for use at Reclamation Depot)	...	Nil	
†1492	Gloves, mitten, all chrome tanned leather, with inturned seams and inside stitching— In pairs ...	Vict.	} 2000 pairs	pair	0 2 10½	} Robert S. Don Pty. Ltd.
†1493	With central thumb ...	"		each	0 1 5¼	
1494-1499	Nil					

† Less 3½% discount for payment within 7 days of date of receipt of invoice, or 2½% for payment by end of month following month of delivery.

WOOL YARN PADS AND SKEINS
(Schedule No. 45).

*†1500	Padding, wool yarn, to specification, 5" long x 2" diameter to 10" long x 4" diameter, as ordered	Vict.	10 tons	lb.	0 1 6½	} Eagley Mills
*†1501	Wool Yarn, in skeins, to specification, 24" long	"	3 "	"	0 1 5	
1502-1504	Nil					

OVERALLS FOR MECHANICS, ETC.
(Schedule No. 46)

*†1503	Overalls, to be made from Blue Jean, "Pound-em," any size ordered, to specification— Combination (as worn by motor omnibus drivers and rail motor drivers)	Vict.	60 suits	suit	0 18 6	} The Sterling Clothing Co. Pty. Ltd.
*†1504	Bib and brace, with woven "V.R." badge (as worn by vanmen, etc.)	"	20 "	"	0 11 9	
1505-	Nil					

OVERALLS FOR TYPISTES, ETC.

(Schedule No. 47.)

Item No.	Description	Country of Manufacture	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
*†1506	Overalls, typistes', "Tobralco," to specification— With two detachable collars ...	Vict.	250	each	1	1	9	The Pioneer Uniform Service A. Harnden
*†1506A	" " " " " " ...	"			1	4	0	
*†1507	With one detachable collar ...	"	50	"	1	0	6	The Pioneer Uniform Service A. Harnden
*†1507A	" " " " " " ...	"			1	3	0	
*†1508	Extra sleeves (cuff to elbow) ...	"	20 prs.	pair	0	2	6	The Pioneer Uniform Service A. Harnden
*†1508A	" " " " " " ...	"			0	3	6	
1509	Nil							

PNEUMATIC AND SOLID TYRES.

(Schedule No. 48)

Item No.	Description	Country of Manufacture	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
Tyres and Tubes, pneumatic, to specification, for motor cars, trucks and buses, as ordered—								
1510	"Dunlop" tyres and "Dunlop Per-driau" tubes, as per price list No. 245, effective 15/1/41	Vict.	£1500	...	†31%			Dunlop Rubber Aust. Ltd. Barnet Glass Rubber Co. Pty. Ltd. The Goodyear Tyre & Rubber Co. (Aust.) Ltd. The Olympic Tyre & Rubber Co. Ltd.
1510A	"Barnet Glass" as per price list No. 114 effective 15/1/41	"		...	†31%			
1510B	"Goodyear" as per price list No. A.43 effective 15/1/41	N.S.W.		...	†31%			
1510C	"Olympic" as per price list No. 16 ... effective 15/1/41	Vict.		...	†31%			
Tyres, solid rubber, to specification, to be moulded on rims, for industrial trucks—								
1511	6½" dia. x 6½" ...	Vict.	40	each	†2	13	0	Dunlop Rubber Aust. Ltd.
1512	6½" dia. x 5" ...	"		"	†1	16	6	
1513	11½" dia. x 4½" ...	"		"	†2	6	1	
1514	14¾" dia. x 3" ...	"		"	†2	17	5	
1515	14¾" dia. x 4" ...	"		"	†3	2	6	
1516	16" dia. x 4" ...	"		"	†3	10	10	
1517	17¾" dia. x 3½" ...	"		"	†4	7	2	
1518	17¾" dia. x 5" ...	"		"	†3	19	10	
1519	20" dia. x 3½" ...	"		"	†4	7	2	
1520-1529	Nil							

† Less further 2½% discount for payment by end of month following month of delivery.

CORRUGATED JOINTING RINGS.
(Schedule No. 49)

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
	Rings, jointing, corrugated, brass (for Newport Loco. Workshops)—							
*1530	By-pass Valves to Cylinder, C., K., N. and X engines	Vict.	250	each	0	0	10	William Black
*1531	By-pass Valves to Cylinder, A and D engines	"	500	"	0	0	9	
*1532	Blower Mountings in smoke box, engines in general	"	500	"	0	0	6	
*1533	Injectors, A and C engines	"	150	"	0	1	6	
*1534	Injectors, D, K, N and G engines	"	200	"	0	1	6	
*1535	Safety Valves, engines in general	"	350	"	0	0	9	
*1536	Blow-off Cocks, engines in general	"	800	"	0	0	10	
*1537	Klinger Gauge Cock Mountings engines in general	"	300	"	0	0	6	
*1538	Chime Whistle Flanged Base, engines in general	"	250	"	0	0	9	
	Rings, jointing, corrugated, brass (for Newport Power Station)—							
*1539	1½" hole, 2" outside diameter, small corrugations, to sample No. 223	"	12	"	0	0	3½	
*1540	1¾" hole, 2¼" outside diameter, small corrugations, to sample No. 225	"	150	"	0	0	3½	
*1541	2¼" hole, three-cornered, small corrugations, to sample No. 228	"	50	"	0	1	0	
*1542	2¼" hole, to sample No. 229	"	20	"	0	0	9	
*1543	2½" hole, small corrugations, to sample No. 230	"	50	"	0	0	9	
*1544	4" hole, 6½" outside diameter, to sample No. 232	"	5	"	0	1	0	
*1545	4" hole, 6¾" outside diameter, to sample No. 233	"	15	"	0	1	1	
*1546	4¾" hole, 7½" outside diameter, small corrugations, to sample No. 234	"	5	"	0	1	3	
*1547	5" hole, 8½" outside diameter, to sample No. 237	"	5	"	0	2	0	
*1548	Oblong, 2¾" x 4½" inside, 7" x 9" outside, small corrugations, to sample No. 256	"	5	"	0	6	0	
*1549	Oblong, 2¾" x 3½" inside, 5¼" x 6" outside, small corrugations, to sample No. 257	"	5	"	0	5	0	
*1550	Oblong, 2½" x 4½" inside, 6¼" x 8½" outside, small corrugations, to sample No. 259	"	5	"	0	6	0	
	Rings, jointing, corrugated, steel (for Newport Power Station)—							
*1551	½" hole, 4" outside diameter, small corrugations, to sample No. 273	"	100	"	0	0	4	
*1552	¾" hole, 4" outside diameter, to sample No. 274	"	200	"	0	0	4	
*1553	1" hole, 5" outside diameter, to sample No. 275	"	100	"	0	0	6	
*1554	1¼" hole, 5" outside diameter, to sample No. 276	"	100	"	0	0	6	
*1555	1½" hole, 5¼" outside diameter, to sample No. 277	"	100	"	0	0	7	
*1556	1¾" hole, 4½" outside diameter, small corrugations, to sample No. 278	"	20	"	0	0	7	
*1557	2" hole, 6" outside diameter, to sample No. 279	"	300	"	0	0	7½	
*1558	2¼" hole, 3½" outside diameter, spigot, small corrugations, to sample No. 281	"	5	"	0	0	5	
*1559	2½" hole, 4¾" outside diameter, to sample No. 282	"	50	"	0	0	4½	

CORRUGATED JOINTING RINGS—continued.

Item No.	Description	Country of Manufacture	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
*1560	Rings, jointing, corrugated, steel (for Newport Power Station)—continued— 2½" hole, 7" outside diameter, to sample No. 283	Vict.	100	each	0	0	10	} William Black
*1561	3" hole, 8" outside diameter, to sample No. 286	"	175	"	0	1	0	
*1562	3½" hole, 9" outside diameter, to sample No. 287	"	25	"	0	1	1½	
*1563	4" hole, 9" outside diameter, to sample No. 288	"	50	"	0	1	1½	
*1564	5" hole, 11" outside diameter, to sample No. 291	"	5	"	0	1	6	
*1565	6" hole, 12" outside diameter, to sample No. 292	"	40	"	0	2	6	
*1566	6½" hole, 10¾" outside diameter, to sample No. 294	"	10	"	0	2	0	
*1567	7" hole, 13" outside diameter, to sample No. 296	"	10	"	0	2	9	
*1568	8" hole, 14½" outside diameter, to sample No. 298	"	5	"	0	3	0	
*1569	9" hole, 12½" outside diameter, small corrugations, to sample No. 300	"	5	"	0	5	0	
*1570	10" hole, 15" outside diameter, to sample No. 302	"	5	"	0	3	0	
*1571	10" hole, 15½" outside diameter, to sample No. 303	"	5	"	0	3	0	
*1572	12" hole, 17" outside diameter, steam traps, to sample No. 306	"	5	"	0	3	9	
*1573	12" hole, 17" outside diameter, to sample No. 307	"	5	"	0	3	9	
*1574	12" hole, 19¼" outside diameter, to sample No. 308	"	15	"	0	4	0	
*1575	13" hole, 20¼" outside diameter, to sample No. 310	"	5	"	0	6	6	
*1576	14" hole, 22" outside diameter, to sample No. 312	"	5	"	0	8	0	
*1577	19" hole, 26¼" outside diameter, to sample No. 316	"	5	"	0	9	0	
*1578	19¼" hole, 25½" outside diameter, to sample No. 318	"	5	"	0	9	0	
*1579	19½" hole, 25¼" outside diameter, to sample No. 319	"	5	"	0	8	6	
*1580	For Master Sooting Valve No. 1, to sample No. 323	"	6	"	0	6	0	
*1581	For Master Sooting Valve, No. 2, to sample No. 324	"	20	"	0	5	0	
*1582	Oblong, 6½" x 15½" inside, 12¾" x 21½" outside, to sample No. 329	"	5	"	0	12	0	
*1583	Oblong, 5½" x 10¾" inside, 11½" x 16½" outside, to sample No. 330	"	5	"	0	12	0	
*1584	Oblong, 9" x 5" inside, 15" x 11" outside, to sample No. 333	"	6	"	0	11	6	
*1585	Oval, 3¾" x 5" inside, 5¾" x 7" outside, to sample No. 334	"	10	"	0	2	6	
*1586	Spigot, 6¼" x 2", to sample No. 345	"	15	"	0	0	8½	
1587-1589	—Nil.							

SAWN OREGON TIMBER.

(Schedule No. 52.)

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
	TIMBER, OREGON, SAWN, to specification—					
	Selected ex Merchantable, any length ordered up to 32'—		super feet of 1" thick	100 sup. ft. of 1" thick		
1600	1" to 12" wide, as ordered x 1" to 5" thick, as ordered	Canada	60,000		‡3 9 0	Wm. Cook Pty. Ltd.
1601	Over 5" to 12" wide, as ordered x over 5" to 10" thick, as ordered	"			‡3 9 0	
1602	1" to 12" wide, as ordered x 1" to 5" thick, as ordered	"			‡3 9 0	
1603	Over 5" to 12" wide, as ordered x over 5" to 10" thick, as ordered	"			‡3 9 0	
1604	12" wide x 12" thick	Nil
	Merchantable, any length ordered up to 32'—					
1605	1" to 12" wide, as ordered x 1" to 5" thick, as ordered	Canada	2,500		‡3 4 0	Wm. Cook Pty. Ltd.
1606	Over 5" to 12" wide, as ordered x over 5" to 10" thick, as ordered	"			‡3 4 0	
1607	12" wide x 12" thick	Nil
1608, 1609	—Nil					

‡ Less 2½% discount for payment by end of month following month of delivery.

STEEL LOCKERS

(Schedule No. 53).

1610	Lockers, steel, flat top, with louvre doors, to specification, "Brownbuilt"— Single	Vict.	40 lockers	each	2 2 6	E. T. Brown Ltd.
1611	In nests of 2 lockers	"		nest	3 19 0	
1612	" " 3 " "	"		"	5 17 6	
1613	" " 4 " "	"		"	7 15 0	
1614	" " 5 " "	"		"	9 12 6	
1615	" " 6 " "	"		"	11 10 0	
	Lockers, steel, sloping top, with perforated doors, to specification, "Brownbuilt"—					
1616	Single	"	25 "	each	2 8 6	E. T. Brown Ltd.
1617	In nests of 2 lockers	"		nest	4 12 6	
1618	" " 3 " "	"		"	6 15 0	
1619	" " 4 " "	"		"	9 0 0	
1620	" " 5 " "	"		"	11 0 0	
1621	" " 6 " "	"		"	13 0 0	
1622-1629	—Nil					

LOCKS AND KEYS
(Schedule No. 54).

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
† { 1630 1631 1632	Locks, straight cupboard, brass, 3", 2 lever, with duplicate keys, to specification— To differ (type V.R. 60) ...	Vict.	100	each	0 3 0	} J. W. Harris
	To pass Contractor's series (type V.R. 60)	"	} 60	"	0 3 0	
	To pass Departmental series, key No. 52 (ambulance boxes), (type S. 130)	"		"	0 3 0	
† 1633 † 1634	Locks, mortice— Heavy pattern, reversible, 4", 2 lever, 2 bolts, with one key, to specification— To differ— Complete with solid brass furniture, oxidised or brass finish, as ordered (type V.R. 31), "Hubball"	"	} 40	"	1 1 6	} C. J. White & Sons Pty. Ltd.
	Without furniture, (type V.R. 31), "Hubball"	"		"	0 13 6	
† 1635	Light pattern, reversible, 3½", 2 bolts, with one key, and complete furniture, to specification, to differ, (type V.R. 30), "Lanes"	N.S.W.	30	"	0 3 6	
† 1636	For platform gates, single bolt, spring action, unlocking by carriage key, complete with locking plate, one-way or two-way closing, as ordered (type S. 153)	Vict.	60	"	0 4 10	J. W. Harris
† 1637	Locks, rim, reversible, 6", 2 bolts, with one key and complete furniture, to specification, to differ, (type V.R. 40), "Lanes No. 710"	N.S.W.	600	"	0 2 6	John Sharp & Sons Pty. Ltd.
† { 1638 1639	Locks, till, brass, "Hobb's" pattern, 4 lever, to specification— 2½", to differ, (type V.R. 53), with duplicate keys	Tas.	30	"	0 3 8	} Jacksons Lock and Brass Works Pty. Ltd.
	2½", to pass Contractor's series, (type V.R. 52), with duplicate keys	"	60	"	0 3 8	
	† { 1640 1641 1642	3", to differ, (type V.R. 51), with duplicate keys	Vict.	150	"	0 3 9
3", to pass Contractor's series, (type V.R. 50) with duplicate keys	"	40	"	0 3 9		
3", to pass Departmental series, key No. 53 (staff instruments and staff boxes), (type S. 120), without keys	"	20	"	0 3 4		
† 1643	Locks, box, brass, 4-lever, with duplicate keys, 2½", to differ, (type V.R. S.152), to specification	Tas.	50	"	0 4 1	Jacksons Lock and Brass Works Pty. Ltd.
† { 1644 1645 1646	Night Latches, cylinder action, 3½" x 2½", complete, to specification, with duplicate "Yale" pattern paracentric keys to sample No. 32— Standard, to differ, (type V.R. 20)	Vict.	160	"	0 6 3	} W. R. Poole
	Without bolt catch, to differ, (type V.R. 23)	"	60	"	0 6 1	
	Night Latches, cylinder action, 3½" x 2½", complete, to specification, without keys, pin combination to suit key No. L.S. 22, (type V.R. 22)	"	20	"	0 5 9	
* 1647	Padlocks, brass, for powder vans, complete with locking plates, to pass Departmental series (type "A"), 3", without keys, (type V.R. 8P), to specification, "Hubball"	"	12	"	1 8 6	C. J. White & Sons Pty. Ltd.

LOCKS AND KEYS—continued.

Item No.	Description	Country of Manufre	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
†1648	Padlocks , mild steel, galvanised, 2", spring shackle, 6 lever, with double bitted duplicate keys, to specification, to differ, (type V.R. 9P)	...	60	Nil	
	Keys, cut—							
*1649	Paracentric, for night latches, to sample No. L.S. 22	...	Nil	} Nil	
	Pin, for rim locks—							
*1650	To sample No. 46—assorted cuttings	...	12 doz.		
*1651	„ No. 47— „ „	...	2 „		
*1652	„ No. 50— „ „	...	1 „		
*1653	Pin, for reversible rim locks, to sample No. 49—assorted cuttings	...	10 „		
*1654	Pipe, for type "A" powder van locks, to sample No. 44, to pass, "Hubball"	Vict.	12	each	0	4 6	C. J. White & Sons Pty. Ltd.	
	Keys, blank—							
	Corrugated, for cylinder locks—						} Nil	
*1655	To sample No. 38	...	1 doz.		
*1656	„ No. 39	...	1 „		
*1657	„ No. 40	...	30 „		
	Flat, for padlocks—							
*1658	To sample No. 29	...	12 „		
*1659	„ No. 30	...	20 „		
*1660	„ No. 31	...	2 „		
	Oval, for padlocks—							
*1661	To sample No. 25	...	4 „		
*1662	„ No. 26	...	4 „		
*1663	„ No. 27	...	2 „		
	Paracentric, for cylinder locks—							
*1664	To sample No. 32	...	80 „		
*1665	„ No. 33	...	30 „		
*1666	„ No. 34	...	6 „		
*1667	„ No. 42	...	50 „		
*1668	„ No. 48	...	6 „		
	Paracentric, for padlocks—							
*1669	To sample No. 34A	...	200 „		

LOCKS AND KEYS—continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
Keys, blank—(continued)						
Pin, for mortice locks—						
*1670	To sample No. 9	1 doz.	
*1671	,, No. 10	1 ,,	
*1672	,, No. 11	1 ,,	
*1673	,, No. 12	8 ,,	
Pin, for safe locks—						
*1674	To sample No. 2	1 ,,	
*1675	,, No. 3	2 ,,	
*1676	,, No. 5	4 ,,	
Pin, for padlocks—						
*1677	To sample No. 18	1 ,,	
*1678	,, No. 21	1 ,,	
Pipe, for drawer locks—						
*1679	To sample No. 16	8 ,,	
Pipe, for padlocks—						
*1680	To sample No. 15	40 ,,	} Nil
*1681	,, No. 17	4 ,,	
*1682	,, No. 22	16 ,,	
*1683	,, No. 23	1 ,,	
Pipe, for padlocks, double-bitted—						
*1684	To sample No. 51	8 ,,	
Pipe, for safe locks—						
*1685	To sample No. 1	2 ,,	
*1686	,, No. 4	1 ,,	
*1687	,, No. 6	2 ,,	
Pipe, for cupboard locks—						
*1688	To sample No. 7	2 ,,°	
*1689	,, No. 8	40 ,,	
*1690	,, No. 19	1 ,,	
*1691	,, No. 20	6 ,,	
1692-1699—Nil						

INSULATING MATERIALS
(Schedule No. 55)

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
† { 1700 1701 1702 1703 1704 1705 1706 1707	Bakelite, rod, round, plain, black, non-brittle, best quality "Phenolite," or suitable alternative— 3/8" diameter	...	5 lb.	} Nil	
	1/2" "	...	5 "		
	5/8" "	...	5 "		
	3/4" "	...	10 "		
	1" "	...	15 "		
	1 1/8" "	...	5 "		
	1 1/4" "	...	15 "		
*†1708	Blocks, linebreaker, grooved type 166640, distance pieces	...	600		
*†1709	Buttons, ebonite, master controller, to specification	Vict.	72	each	†0	2 5	Barnet Glass Rubber Co. Pty. Ltd.	
† { 1710 1711 1712	Canvas Bakelite, for electrical purposes, in sheets, 15 3/4" x 15 1/4" "Laminex"— 1/2" thick	Vict.	5 lb.	lb.	0	8 0	} Laminex Pty. Ltd.	
	1/16" thick	"	5 "	"	0	7 6		
	1/8" to 1" thick, as ordered	"	100 "	"	0	6 6		
†1713	Canvas Bakelite, for track insulation purposes, 3/8" thick, in sheets 4' x 4' or 4' x 2', as ordered, "Tufnol Whale"	U.K.	500 "	"	0	6 3	R. E. Jeffries & Co.	
† { 1714 1715 1716 1717	Cloth, empire, yellow, to specification, in rolls, 36" wide x 50 yards long, "H. D. Symons"— 5 mils. thick	"	50 yards	1. yd.	0	1 7 1/2	} Johnson & Phillips Ltd.	
	7 " "	"	50 "	"	0	1 9		
	10 " "	"	100 "	"	0	2 2		
	15 " "	"	50 "	"	0	3 0		
	Compound, "Chattertons"	...	100 lb.		Nil
† { 1719 1720 1721 1722 1723 1724 1725 1726	Ebonite, rod, round, to specification— 3/8" diameter	Vict.	3 "	lb.	0	9 0	} Barnet Glass Rubber Co. Pty. Ltd.	
	1/2" "	"	3 "	"	0	6 3		
	5/8" "	"	3 "	"	0	6 10		
	3/4" "	"	5 "	"	0	5 8		
	1" "	"	8 "	"	0	4 4		
	1 1/8" "	"	3 "	"	0	4 10		
	1 1/4" "	"	8 "	"	0	4 5		
	1 1/2" "	"	8 "	"	0	3 11		
	†1727	Ebonite, sheet, 3' x 3', to specification, 1/2" or 5/8" thick, as ordered	"	50 "	"	0		2 10

† Less 2 1/4% discount for payment by end of month following month of delivery.

INSULATING MATERIALS—continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate	Name of Contractor
1728	"Elephantide," grade 4, polished finish, in rolls 3' to 4' 6" wide— 5 mils. thick	U.K.	75 lb.	lb.	0 2 2	Mica & Insulating Supplies Co.
1729	10 " " " " " " " "	"	50 "	"	0 2 0	
1730	15 " " " " " " " "	"	5 "	"	0 1 10	
1731	20 " " " " " " " "	"	40 "	"	0 1 10	
1732	"Elephantide," grade 4, polished finish, in sheets approx. 6' x 3', 30 mils. thick	"	25 sheets	sheet	0 6 0	
1733	Fibre, rod, round, red, grey or black, as ordered— $\frac{1}{2}$ " diameter	...	10 lb.	Nil.
1734	$\frac{5}{8}$ " " " " " " " "	...	5 "	
1735	$\frac{3}{4}$ " " " " " " " "	...	5 "	
1736	1" " " " " " " "	...	20 "	
1737	1 $\frac{1}{2}$ " " " " " " " "	...	40 "	
1738	1 $\frac{1}{2}$ " " " " " " " "	...	5 "	
1739	2" " " " " " " "	...	5 "	Nil.
1740	Fibre, sheet, red, grey or black, as ordered— $\frac{1}{16}$ " to $\frac{1}{8}$ " thick, as ordered	...	500 lb.	
1741	$\frac{5}{32}$ " to $\frac{3}{8}$ " " " " " " "	...	50 "	
1742	$\frac{1}{2}$ " thick " " " " " " " "	...	50 "	
1743	$\frac{3}{4}$ " " " " " " " "	...	50 "	
1744	$\frac{7}{8}$ " " " " " " " "	...	5 "	
1745	1" " " " " " " "	...	25 "	Johnson & Phillips Ltd.
1746	Fibre, vulcanised, "Peerless," 5, 10 or 15 mils. thick, as ordered, in rolls 36" wide, any length ordered	U.S.A.	15 "	lb.	0 3 0	
1747	Fibre, vulcanised, natural grey, for electrical insulation between rail joints, for track signalling purposes, "Castle"— Sheet, $\frac{1}{8}$ " thick, 6' 3" x 3' 6"	U.K.	3000 "	"	0 1 11 $\frac{1}{2}$	R. E. Jeffries & Co.
1748	Sheet, $\frac{3}{16}$ " thick, 6' 3" x 3' 6"	"	3000 "	"	0 1 11 $\frac{1}{2}$	
1749	Tubing, 1 $\frac{1}{8}$ " external diameter x $\frac{7}{8}$ " internal diameter, in trade lengths 30" to 32"	"	50 "	"	0 4 8	R. E. Jeffries & Co.
1750	Tubing, 1 $\frac{3}{8}$ " external diameter x 1 $\frac{1}{8}$ " internal diameter, in trade lengths 30" to 32"	"	500 "	"	0 4 7	
1751	Insulation, sheet, ebony, unpolished, to specification, 4' x 3', 5' x 2' or 5' x 3', as ordered, "Zelemite"— $\frac{1}{4}$ " thick (6 m.m.)	South Aust.	50 sq. ft.	sq. ft.	0 1 9	Lawrence & Hanson Electrical Pty. Ltd.
1752	$\frac{3}{8}$ " " (10 ")	"	100 "	"	0 2 1 $\frac{1}{2}$	
1753	$\frac{1}{2}$ " " (12 ")	"	75 "	"	0 2 7	
1754	$\frac{3}{4}$ " " (20 ")	"	25 "	"	0 4 0	
1755	Insulation, sheet, 3' x 2' x $\frac{3}{4}$ " thick (20 m.m.), ebony, unpolished, cut exactly to size, to specification, "Zelemite"	"	5 sheets	sheet	1 5 0	

INSULATING MATERIALS—continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
1756	Extras on rates for items Nos. 1751 to 1754— For cutting exactly to any size ordered ...	Vict.	...	% on contract rate	plus 20%			Lawrence & Hanson Electrical Pty. Ltd.
1757	For ¼" bevel across face ...	"	...	lin. ft.	0 0 3½			
1758	For ¼" x ¼" bevel ...	"	...	"	0 0 4½			
†1759	Insulation, sheet, grey, to specification, 4' x 3', 5' x 2' or 5' x 3', as ordered, "Zelemite"— ¼" thick ...	South Aust.	20 sq. ft.	sq. ft.	0 1 7			Ellis & Clark Ltd.
†1760	½" " ...	"	25 "	"	0 1 9			
†1761	Pieces, distance, moulded, check linebreaker arc chutes, cat. 16641, "Zelemite"	"	300 "	each	0 3 6			
†1762	Pressboard, to specification, in sheets, approx. 72" x 36"— 12 mils. thick	10 lb.			Nil
†1763	30 " "	20 "			
†1764	40 " "	10 "			
†1765	60 " "	60 "			
†1766	Tape, adhesive, black, ½" wide, in 2 oz. rolls of 7½ yards	Vict.	1000 lb.	doz. rolls	†0 3 10			Dunlop Rubber Australia Ltd.
†1767	Tape, adhesive, black, ¾" wide, in 8 oz. rolls of 23½ yards.	"	1000 "	"	†0 10 10			Barnet Glass Rubber Co. Pty. Ltd.
†1768	Tape, adhesive, brown, for armature winding, ¾" wide, in 8 oz. rolls of 29 yards, wrapped in tinfoil	"	100 "	lb.	†0 2 3			
†1769	Tape, empire, yellow, bias cut, to specification, in 72 yard rolls, "H. D. Symons"— ½" wide, 7 mils. thick, seamless ...	U.K.	20 grs. yds.	gross yds.	0 4 6			Johnson & Phillips Ltd.
†1770	¾" " 7 " " " seamed ...	"	80 "	"	0 5 8			
†1771	¾" " 7 " " " seamless ...	"	100 "	"	0 6 9½			
†1772	1" " 7 " " " " ...	"	25 "	"	0 9 1			
†1773	1" " 15 " " " " ...	"	30 "	"	0 14 6			
†1774	1½" " 7 " " " " ...	"	5 "	"	0 13 6			
†1775	1½" " 15 " " " " ...	"	5 "	"	1 1 10			
†1776	2" " 7 " " " " ...	"	10 "	"	0 18 1			
†1777	2" " 7 " " " " seamed			Nil Barnet Glass Rubber Co. Pty. Ltd.
†1778	Tape, rubber, pure, ½" wide, in ½ lb. rolls of approx. 110 ft., in cartons	Vict.	20 lb.	lb.	†0 2 9			
1779-1789	Nil							

† Less 2½% discount for payment by end of month following month of delivery.

MICA AND MICA PRODUCTS

(Schedule No. 56)

†	1790	Mica Sheet, Muscovite, clear ruby, cut to size— 6" x 4" ...	Central Aust.	20 lb.	lb.	1 14 6		B. Brazzale
	1791	8" x 4½" ...	"	5 "	"	2 5 0		
†	1792	Mica Sheet, Muscovite, spotted, cut to size— 3" x 2" ...	"	100 "	"	0 4 3		
	1793	4" x 4" ...	"	3 "	"	0 18 0		

MICA AND MICA PRODUCTS—continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
† { 1794	Mica Sheet, Phlogopite, clear amber, to specification— 6" x 4", cut to size	20 lb.	Nil
	1795							
†1796	Mica Tape, flexible, in 25 yard rolls, to specification— ¾" wide x 5 mils. thick, paper one side only	Vict.	2000 yds.	100 yds.	0	5	0	W. G. Sleightholm
†1797	1½" wide x 4 mils. thick, paper both sides	"	30,000 "	"	0	10	0	Mica & Insulating Supplies Co.
†1798	Mica Washers, with outside edges polished, at least ⅝" thick— 1⅜" outside diameter x ⅜" hole	"	50 lb.	lb.	0	5	3	W. G. Sleightholm
†1799	2¼" " " x ⅜" " "	"	300 "	"	0	6	0	Mica & Insulating Supplies Co.
†1800	Micanite Sheet, commutator plate type, 36" x 24" x 30 mils. thick, to specification	"	5 "	"	0	6	6	British General Electric Co. Pty. Ltd.
†1801	Micanite Sheet, hard moulding, shellac bound— 15 mils. thick, 36" x 18"	"	5 "	"	0	6	0	Johnson & Phillips Ltd.
†1802	30 " " approx. 36" x 24"	"	15 "	"	0	5	6	
†1803	75 " " to specification, approx. 36" x 24"	"	40 "	"	0	6	0	Mica & Insulating Supplies Co.
†1804	Micanite Sheet, flexible, approx. 36" x 24" or 40" x 40", as ordered, x 7 mils. thick	"	100 "	"	0	8	0	
†1805	Micanite Tubes, ⅝½" x ⅜½" x 17" long	"	1200	each	0	1	6	
1806-1819	—Nil							

LINSEED OIL AND WHITE LEAD.

(Schedule No. 120).

† { 4000	Oil, linseed, raw, to specification— In cases, 2 x 4 gal. tins	Vict.	2000 gals.	gal.	\$0	3	9	Meggitt Ltd.	
	4001								Delivered by road tanker into the Corporation's tanks at Newport Workshops
	4002								Delivered by road in the Corporation's drums at Oil, Cement and Bulk Storehouse, Newport
† { 4003	Oil, linseed, boiled, to specification— In cases, 2 x 4 gal. tins	"	1000 "	"	\$0	3	11		
	4004								Delivered by road tanker into the Corporation's tanks at Newport Workshops
	4005								Delivered by road in the Corporation's drums at Oil, Cement and Bulk Storehouse, Newport
†4006	Lead, white, in oil, to specification, in 1-cwt. kegs, "Berger's" (see notes)	N.S.W.	60 tons	ton	†\$30	0	0	Lewis Berger & Sons (Aust.) Pty. Ltd.	
4007-4009	—Nil								

† Less 3% discount for payment within 14 days of date of receipt of invoice, or 2½% for payment by end of month following month of delivery.

COLOURS, PIGMENTS AND DYES.

(Schedule No. 121)

Item No.	Description	Country of Manufacture	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
†4010	Aluminium, powder, in 1-lb. tins	6 cwt.	Nil	
†4011	Black, drop, dry, in 1-cwt. kegs or casks	Vict.	10 "	cwt.	2	14	0	Lewis Berger & Sons (Aust.) Pty. Ltd.
†4012	Black, vegetable, in 1-lb. packets, "Mirror"	"	44 "	lb.	0	0	10½	S. Smith & Co. Pty. Ltd.
†4013	Blue, Prussian, in oil, in 1-lb. tins ...	"	112 lb.	"	0	1	6	Goodlass, Wall & Co. Pty. Ltd.
†4014	Blue, ultramarine, dry, in 7 or 28-lb. pkgs., "Ricketts"	U.K.	4 cwt.	"	0	0	11¾	W. & G. Dean Pty. Ltd.
†4015	Brown, Bismarck, dry, in 7 or 28-lb. pkgs., "R. Special"	"	112 lb.	"	0	5	6	Dixon & Co.
†4016	Brown, Vandyke, dry, in 7-lb. pkgs. ...	"	112 "	"	0	0	5½	Goodlass, Wall & Co. Pty. Ltd.
†4017	Chrome, dry, to specification, in 7 or 14-lb. pkgs., as ordered,— Lemon or middle, as ordered, "BALM"	N.S.W.	2 cwt.	"	0	1	2½	British Aust. Lead M'frs Pty. Ltd.
†4018	Orange, "Mirror" ...	Vict.	2 "	"	0	2	0	S. Smith & Co. Pty. Ltd.
†4019	Chrome, in oil, to specification, in 7-lb. tins— Lemon, "Champion's" ...	N.S.W.	3 "	"	0	0	10½	W. & G. Dean Pty. Ltd.
†4019A	Middle ...	U.K.	7 "	"	0	2	0	Lewis Berger & Sons (Aust.) Pty. Ltd.
†4019B	Orange ...	"		"	0	1	10	
†4020	Green, Brunswick, dry, to specification, in 14-lb. pkgs.— Light or deep, as ordered, "BALM"	N.S.W.	112 lb.	"	0	0	7½	British Aust. Lead M'frs Pty. Ltd.
†4021	Middle	6 cwt.	Nil	
†4022	Green, oxide of chromium, dry, to specification, "Champion's"— In 7 or 14-lb. pkgs. ...	U.K.	6 "	lb.	0	2	4	W. & G. Dean Pty. Ltd.
†4023	In 1 cwt. pkgs. ...	"	10 "	"	0	2	3½	
†4024	Lead, red, dry, to specification, in 1 cwt. kegs	Vict.	10 tons	cwt.	1	18	0	Blyth Chemicals Ltd.
†4025	Ochre, red, dry, to specification, in 14-lb. pkgs., "Bendigo Mineral Earth"	"	6 cwt.	cwt.	0	8	4	W. & G. Dean Pty. Ltd.
†4026	Ochre, yellow, dry, to specification, "Minerals Ltd."— In 1 cwt. bags ...	N.S.W.	10 tons	"	0	8	9	
†4027	In 14-lb. packets ...	"		"	0	10	0	
†4028	Oxide of Iron, brown, dry, ground, to specification, in 1-cwt. bags	Vict.	70 "	ton	3	0	0	Primary Producers Chemicals Pty. Ltd.
†4029	Oxide, red, in oil, to specification, in 56-lb. drums	U.K.	4 "	cwt.	4	0	0	
†4030	Red, Indian, dry, to specification, in 28-lb. pkgs.	"	4 cwt.	"	1	18	0	Goodlass, Wall & Co. Pty. Ltd.
†4031	Red, mail, dry, in 14 or 28-lb. pkgs.	Vict.	6 "	"	5	2	8	
†4032	Red, Venetian, in oil, in 28-lb. kegs, "Champion's"	N.S.W.	2 "	"	1	11	0	W. & G. Dean Pty. Ltd.
†4033	Sienna, burnt— In oil, to specification, in 14-lb. pkgs., "Major's"	"	8 "	"	3	16	9	Norman Macleod & Co. Pty. Ltd.
†4034	In pulp, in 28-lb. pkgs. ...	Vict.	112 lb.	lb.	0	0	4½	Goodlass, Wall & Co. Pty. Ltd.

COLOURS, PIGMENTS AND DYES—continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor	
† { 4035	Sienna, raw, "Major's"—	N.S.W.	} 24 cwt.	cwt.	3 6 9	} Norman Macleod & Co. Pty. Ltd.	
	In oil, to specification, in 1-cwt. pkgs.						
† 4036	" " " 14-lb. pkgs.	"	"	"	3 11 11	"	
† 4037	In pulp, in 28-lb. pkgs. ...	Vict.	112 lb.	"	2 16 0	Goodlass, Wall & Co. Pty. Ltd.	
† 4038	Umber, burnt, to specification— Dry, in 14-lb. pkgs., "Church" ...	U.K.	112 "	lb.	0 0 5½	W. & G. Dean Pty. Ltd.	
† 4039	In oil, in 14-lb pkgs., "Major's" ...	N.S.W.	12 cwt.	cwt.	3 7 1	Norman Macleod & Co. Pty. Ltd.	
† 4040	Vermilion, pure, deep, in 1 or 7 lb. tins	...	2 "	} Nil	
† 4041	Whiting, (calcium carbonate), for the manufacture of putty, to specification, in approx. 1-cwt. bags	...	12 tons		
† 4042	Whiting, (calcium carbonate), for ordinary purposes, in 1-cwt bags, "Special"	Vict.	50 cwt.	cwt.	0 6 9	S. N. Rodda Pty. Ltd.	
† 4043	Zinc Oxide, (zinc white), in oil, to specifi- cation, in 1-cwt. kegs or drums	"	40 "	"	2 10 0	Goodlass, Wall & Co. Pty. Ltd.	
DYES.							
† 4044	Dye, B.A. and S.F., "Libra," to specifi- cation, in 10 lb. containers—	"	}	lb.	0 4 0	} Dychem Trading Co. Pty. Ltd.	
	Black ...						1200 lb.
	Blue ...						400 "
	Blue—Greenish ...						200 "
	Claret ...						200 "
	White ...						20 "
	Yellow ...						500 "
STAINS.							
† 4050	Stain, wood, in ½-gallon tins— Blackwood, Cedar or Walnut, as order- ed, "BALM"	S. Aust.	24 gals.	gal.	0 10 6	British Aust. Lead M'frs Pty. Ltd	
4051-4069—Nil							

COTTON WASTE

(Schedule No. 122)

† 4070	Waste, cotton, to specification—	U.K.	100 tons	ton	54 5 10	Gilbert Lodge & Co. Pty. Ltd.
	Grey, "Glyca"					
† 4071	White, "Astra No. 200"	N.S.W.	8 "	"	62 10 0	Astra Cotton Mills Pty. Ltd.
4072-4079—Nil						

CANE, COIR MATS, ETC.

(Schedule No. 123)

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
†4080	Cane, for firebeaters, in 6' lengths, to specification, "Tohiti," or "Malacca"	Dutch East Indies	1200 lengths.	length.	0	1	0	Grotjan & Co.
†4081	Cane, for manufacture of plugs, $\frac{5}{8}$ " diameter	...	10 cwt.	} Nil.	
†4082	Cane, for staff carrier handles, in 4' lengths, to specification, "Tohiti," or suitable alternative	...	6 "		
	Matting, coir, any length ordered—							
4083	24" wide	Vict.	120 l. yds.	l. yd.	0	2	4½	} Royal Victorian Institute for the Blind
4084	27" "	"	1000 "	"	0	2	4½	
4085	36" "	"	30 "	"	0	3	2	
4086	Extra on rates for items Nos. 4083 to 4085 for binding coir matting	"	...	foot	0	0	6	
†4087	Mats, coir, skeleton, 2' 10" x 2' 0" "Kangaroo"	"	600	each	0	12	0	M. Donaghy & Sons Pty. Ltd.
4088, 4089	—Nil							

ROOFING FELT, ETC.

(Schedule No. 124)

†4090	Felt, roofing, bituminous, 36" wide, in rolls of 72', to specification, "Ormonoid"—3-ply, with tacks and cement for fixing	N.S.W.	200 rolls	roll	1	6	6	} Ormonoid Roofing & Asphalts Ltd.
†4091	1-ply	"	100 "	"	0	17	0	
†4092	Pitch, roofing, "Trinidad Native Lake," in drums of approx. 440 lbs. gross weight	British West Indies	50 drums	ton gross wgt.	15	0	0	Neuchatel Asphalte Co. (A/asia) Pty. Ltd.
†4093	Cement, plastic, in approx. 10-lb. containers—Black, "Duraseal"	N.S.W.	10 cwt.	lb.	0	0	6	Ormonoid Roofing & Asphalts Ltd.
†4094	White	...	10 "	Nil
4095-4099	—Nil							

SHIP CHANDLERY, ETC.

(Schedule No. 125)

†4100	Buckles, brass, roller, $\frac{3}{4}$ "—Single	...	30 grs.	} Nil	
†4101	Double	...	80 "		
†4102	Buckles, nickel-plated, $\frac{5}{8}$ ", double	...	8 "		
*†4103	Buckles, ,, half military roll, 1"	...	50 doz.		
†4104	Buckles, ,, roller, 1", double	...	48 "		
†4105	Bunting, red or green, as ordered, 18" wide, all wool, double warp	...	4000 l. yds.		
†4106	Chalk, French, powdered, "Rodda"	Vict.	112 lb.	lb.	0	0	2	} W. & G. Dean Pty. Ltd.
†4107	Chalk, white, lump, "Black"	"	60 cwt.	cwt.	0	8	0	

SHIP CHANDLERY, ETC.—continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
	Eyelets, brass—					
†4108	$\frac{3}{8}$ " end diameter x $\frac{1}{4}$ " deep x $\frac{11}{16}$ " rim diameter, "E.100"	Vict.	20 grs.	gross	0 2 0	} Eyelets Pty. Ltd.
†4109	$\frac{1}{2}$ " end diameter x $\frac{3}{16}$ " deep x $\frac{1}{2}$ " rim diameter, "OB"	"	10 "	"	0 2 6	
*†4110	Eyelets and Brewsters, nickel-plated, double	...	8 "	Nil
	Eyelets and Rings, brass, with lugs, for wire terminals—					
*†4111	$\frac{3}{8}$ "	...	Nil	
*†4112	$\frac{1}{2}$ " end diameter x $\frac{3}{16}$ " deep x $\frac{1}{2}$ " rim diameter, "OB"	Vict.	200 gross	gross	†0 7 3	} Eyelets Pty. Ltd.
†4113	Eyelets and Washers, brass— $\frac{3}{8}$ " diameter, "6B"	"	500 "	"	†0 4 11	
†4114	1" " "8B"	"	200 "	"	†0 6 7	
†4115	1 $\frac{1}{2}$ " " "9B"	"	400 "	"	†0 7 8	
	Felt, tarred—					
†4116	In sheets approx. 32" x 40"	U.K.	1000 sheets	sheet	0 1 1	Paul & Gray Ltd.
4117	In strips, 36" x 4" x $\frac{3}{8}$ "	...	480	Nil
4118	Rosin, common, "G," in casks of approx. 500 lbs.	U.S.A.	10 cwt.	cwt.	1 8 6	W. & G. Dean Pty. Ltd.
	Tar, Stockholm—					
†4119	In 1-gallon tins	...	40 gals.	} Nil
†4120	In 4-gallon tins	...	120 "	
	Thimbles, steel, galvanised, heart shaped—					
†4121	1"	U.K.	40 gross	gross	0 14 6	} Paul & Gray Ltd.
†4122	1 $\frac{1}{2}$ "	Vict.	2 "	"	1 8 0	
4123-4129	—Nil					

† Less 10% trade discount.

BITUMINOUS EMULSION

(Schedule No. 126).

	Emulsion, bituminous, to specification—					
†4130	"Colas," in 45-gallon drums, delivered at the Contractor's works at 110 Hall St., Newport, or within a radius of 10 miles from the G.P.O., Melbourne, or in railway trucks at Newport or Spencer St., as ordered	Vict. (partly)	} 100,000 gallons	gallon	0 1 0 $\frac{1}{2}$	The Shell Co. of Aust. Ltd.
†4130A	"Emoleum," in 44-gallon drums, delivered at the Contractor's works at Arden St. railway siding, North Melbourne, or within a radius of 10 miles from the G.P.O., Melbourne, or in railway trucks at Arden St., as ordered	"		"	0 1 0 $\frac{1}{2}$	Emoleum (Aust.) Ltd.
4131-4134	—Nil					

ASPHALTIC PAVING MATERIALS, ETC.

(Schedule No. 127).

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor	
4135	Asphalt, mastic, in blocks of 51 lb. ...	Vict.	8 tons	cwt.	0 10 0	Neuchatel Asphalte Co. (A/asia) Pty. Ltd.	
4136	Asphalt, "Trinidad Native Lake," in drums of approx. 440 lb. gross weight	British West Indies	10 drums	ton gross weight	15 0 0		
4137	Paint, bitumastic, black, for use as preliminary coat for items Nos. 4135 and 4136— In 1 gallon tins ...	Vict.	} 80 gals.	gal.	0 9 0		
4138	In 4 " " " " ...	"		"	"	0 8 3	
4139	Metal, bluestone, 1½", asphaltic, premixed— Delivered into railway trucks at Albion siding	"	} 50 cubic yards	cubic yard	1 8 6	} Albion Quarrying Co. Pty. Ltd.	
4140	Delivered on the site of any works within a radius of 10 miles from the Contractor's works (see note)	"		"	"		1 12 6
4141	Metal, bluestone, 1", asphaltic, premixed— Delivered into railway trucks at Albion siding	"	} 100 "	"	1 8 6	} Albion Quarrying Co. Pty. Ltd.	
4142	Delivered on the site of any works within a radius of 10 miles from the Contractor's works (see note)	"		"	"		1 12 6
4143	Screenings, bluestone, ¾", asphaltic, premixed, delivered into railway trucks at— Albion siding ...	"		"	"		1 10 0
4143A	Stanley siding ...	"	} 1200 "	"	1 10 0	} The Stanley Quarries Pty. Ltd. Albion Quarrying Co. Pty. Ltd.	
4144	Delivered on the site of any works within a radius of 10 miles from the Contractor's works (see note)	"		"	"		1 14 0
4144A	" " " " " "	"		"	"	1 14 0	} The Stanley Quarries Pty. Ltd. Merri Creek Quarry Pty. Ltd.
4144B	" " " " " "	"		"	"	1 14 0	
4145	Toppings, bluestone, ¼", asphaltic, premixed, delivered into railway trucks at— Albion siding ...	"		} 1000 "	"	1 16 6	} Albion Quarrying Co. Pty. Ltd. The Stanley Quarries Pty. Ltd.
4145A	Stanley siding ...	"	"		"	1 16 6	
4146	Delivered on the site of any works within a radius of 10 miles from the Contractor's works (see note)	"	"		"	2 0 6	} Albion Quarrying Co. Pty. Ltd. The Stanley Quarries Pty. Ltd.
4146A	" " " " " "	"	"		"	2 0 6	
4146B	" " " " " "	"	"		"	2 0 6	} Merri Creek Quarry Pty. Ltd. Duratar Pty. Ltd.
4147	Tar, distilled, vertical, to specification, delivered in the Corporation's drums at Spotswood General Storehouse or in railway trucks at Footscray "Loop B" siding, as ordered,	"	800 gals.	gal.	0 0 6		
4148	Nil						

INCOMBUSTIBLE DUST FOR STONE DUSTING AT STATE COAL MINE.

(Schedule No. 128).

†4149	Dust, incombustible, (Lilydale agricultural ground limestone), to specification	Vict.	700 tons	ton	1 4 0	David Mitchell Estate
-------	---------------------------------------------------------------------------------	-------	----------	-----	-------	-----------------------

LIME AND LIMESTONE

(Schedule No. 129)

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
†4150	Lime, quick, to specification, "Kawa," in bags of 125 lb. net, delivered into railway trucks at Kawarren	Vict.	1,000 bags	bag	0	2	10	P. Alkemade & Sons
†4151	Lime, for Pintsch gas purification, "Kawa," in bags of 125 lb. net, delivered at Pintsch Gas Depot, Spencer Street	"	500 "	"	0	3	9	
†4152	Lime, hydrated, to specification, "Limil," in bags of approx. 50 lb. delivered Melbourne	"	800 "	"	0	2	6	David Mitchell Estate
†4153	Limestone, marble, pure, delivered into railway trucks at Lilydale	"	400 tons	ton	0	17	6	
4154	4159 —Nil							

LOCOMOTIVE AND MOULDING SAND

(Schedule No. 130)

	Sand, to specification, for locomotives, delivered into railway trucks at—							
†4160	Kelvin siding, Seaford	Vict.	} 3000 c. yds	cubic yard	0	3	0	Frankston & Kelvin Sand Pits
†4160A	Coleraine (see note)	"		"	"	0	3	
†4161	Sand, to specification, for brass moulding purposes (see note)	"	200 "	"	1	7	6	R. Adams
	Sand, sea, fine, to specification, delivered into railway trucks at Kelvin siding, Seaford—							
†4162	For blacksmiths' use	"	60 "	"	0	3	0	} Frankston & Kelvin Sand Pits
†4163	For foundry use	"	600 "	"	0	3	0	
4164	4169 —Nil							

GRAVEL AND BUILDING SAND

(Schedule No. 131)

	Gravel, to specification, for roadways, delivered into railway trucks at—							
†4170	Glenrowan	Vict.	}	c. yd.	0	3	0	Glenrowan Quarrying Co.
†4170A	Mangalore	"		"	"	0	3	0

GRAVEL AND BUILDING SAND—continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor	
†4170B	Gravel, to specification, for roadways, delivered into railway trucks at—continued— White Hills or Epsom ...	Vict.	4000 c. yds.	c. yd.	0 2 9	R. E. Makepeace	
†4170C	Great Western ...	"		"	0 4 3	I. A. Hurley	
†4170D	Bet Bet or Dunolly ...	"		"	0 3 0	L. A. Akers	
†4170E	Illabarook ...	"		"	0 3 6	A. J. Smith	
†4170F	Bairnsdale ...	"		"	0 5 0	A. J. Henham	
†4171	Gravel, to specification, for footpaths and platforms, delivered into railway trucks at— Bairnsdale ...	"		"	0 5 6		
†4171A	Dunolly ...	"		"	0 3 0	P. Raselli	
†4171B	Glenrowan ...	"		3000 "	"	0 4 0	Glenrowan Quarrying Co.
†4171C	Mangalore ...	"			"	0 3 0	J. C. Grattan
†4171D	White Hills or Epsom ...	"			"	0 2 9	R. E. Makepeace
†4171E	Great Western ...	"	"	"	0 4 3	I. A. Hurley	
†4171F	Illabarook ...	"	"	"	0 3 6	A. J. Smith	
†4172	Gravel, to specification, for concrete, delivered into railway trucks at— Havelock ...	"	3000 "	"	0 3 8	A. G. Leech	
†4172A	Haddon ...	"		"	0 3 11	Les. Waller	
†4172B	Bet Bet or Carisbrook ...	"		"	0 3 9	L. A. Akers	
†4173	Sand, medium, to specification, for building, delivered into railway trucks at— Cranbourne ...	"	5000 "	"	0 2 6	Cranbourne Sand Pty. Ltd.	
†4173A	Kelvin siding, Seaford ...	"		"	0 3 6	Frankston & Kelvin Sand Pits	
†4173B	Eaglehawk ...	"		"	0 1 7	R. E. Makepeace	
†4173C	Coleraine (see note) ...	"		"	0 3 6	Permewan Wright Ltd.	
†4173D	Ballarat, or direct to Ballarat Works Depot, as ordered	"		"	0 4 6	Les. Waller	
†4173E	Carisbrook ...	"		"	0 2 6	A. G. Leech	
†4173F	Bairnsdale ...	"		"	0 6 0	A. J. Henham	
†4173G	Avenel or Mangalore ...	"		"	0 2 9	J. C. Grattan	
†4174	Sand, coarse, to specification, for concrete, delivered into railway trucks at— Koo-Wee-Rup ...	"		"	"	0 4 0	Plowright Albion Koo-Wee-Rup Washed Sand & Gravel Co. Pty. Ltd.
†4174A	Bairnsdale ...	"		"	0 5 6	A. J. Henham	
†4174B	Pyalong ...	"	5000 "	"	0 2 7	Newnham Bros.	
†4174C	Coleraine (see note) ...	"		"	0 3 6	Permewan Wright Ltd.	
†4174D	Ballarat, or direct to Ballarat Works Depot, as ordered	"		"	0 5 0	Les. Waller	
†4174E	Carisbrook ...	"	"	"	0 2 6	A. G. Leech	
†4174F	Avenel or Mangalore ...	"	"	"	0 2 9	J. C. Grattan	
4175-4179—Nil							

BUILDING BRICKS
(Country Districts.)
(Schedule No. 132).

Item No.	Description	Country of Manuf'ro	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
BENDIGO DISTRICT.						
4180	Bricks, building, to specification, delivered into railway trucks at Bendigo railway station	Vict.	60,000	1000	3 12 0	Johnston & Andrew Bendigo Brick Co.
BALLARAT DISTRICT.						
4181	Bricks, building, to specification, delivered into railway trucks at— Selkirk's siding, Ballarat ...	"	80,000	"	3 10 0	James Selkirk Pty. Ltd.
4181A	Ballarat East railway station ...	"		"	3 10 0	Martin Stoneware Pipe Ltd.
MARYBOROUGH DISTRICT.						
4182	Bricks, building, to specification, delivered into railway trucks at— Selkirk's siding, Ballarat ...	"	15,000	"	3 10 0	James Selkirk Pty. Ltd.
4182A	Ballarat East railway station ...	"		"	3 10 0	Martin Stoneware Pipe Ltd.
4183-4188	Nil					

INFUSORIAL EARTH
(Schedule No. 133)

†4189	Earth, infusorial, ground, to specification, in bags	Vict.	40 tons	ton	6 15 0	S. N. Rodda Pty. Ltd.
-------	------------------------------------------------------	-------	---------	-----	--------	-----------------------

ASBESTOS CEMENT AND FIBRE PLASTER SHEETS, ETC.
(Schedule No. 134).

†4190	Fibre Plaster Sheets, $\frac{5}{16}$ " thick, 3' to 30' long, advancing by 6", x 3' to 7' wide, advancing by 6", as ordered, to specification	Vict.	4000 sq. yds.	sq. yd.	0 1 7	Coburg Plasterboard Co. Pty. Ltd.
†4191	Fibre Plaster Sheets, $\frac{7}{16}$ " thick, 3' to 30' long, (any length) by 6' 7" wide only, as ordered, to specification	"	800 "	"	0 2 0	
4192	Asbestos Cement Plain Sheets, $\frac{3}{16}$ " thick, 3', 4', 5', 6', 7', 8', 9', 10', 11' or 12' long x 1', 1' 6", 2', 3', or 4' wide, as ordered, to specification, uncrated— " Durabestos "	"	8000 "	"	†0 1 11	Wunderlich Ltd.
4192A	" Fibrolite "	"		"	†0 1 11	James Hardie & Co. Pty. Ltd.
4193	Asbestos Cement Corrugated Sheets, $\frac{7}{16}$ " thick x 2' 7 $\frac{1}{2}$ " wide (2' 4 $\frac{1}{2}$ " net cover). Corrugations to be 1" deep overall x 3" pitch, 5' to 10' long, as ordered, advancing by 6", to specification, uncrated— " Durabestos "	"	1000 "	"	†0 2 4	Wunderlich Ltd.
4193A	" Fibrolite "	"		"	†0 2 4	James Hardie & Co. Pty. Ltd.
4194	Asbestos Cement Corrugated Sheets, approximately $\frac{1}{4}$ " thick x 3' 5 $\frac{1}{4}$ " wide (3' 3 $\frac{1}{4}$ " net cover). Corrugations to be 1 $\frac{3}{8}$ " deep overall x 5 $\frac{3}{4}$ " pitch, 5' to 10' long, as ordered, advancing by 6", to specification, uncrated, " Durabestos "	"	6000 "	"	†0 2 7	Wunderlich Ltd.
4194A	Asbestos Cement Corrugated Sheets, approximately $\frac{1}{4}$ " thick x 3' 5 $\frac{1}{4}$ " wide (3' 3 $\frac{1}{4}$ " net cover). Corrugations to be 2" deep overall x 5 $\frac{3}{4}$ " pitch, 5' to 10' long, as ordered, advancing by 6", to specification, uncrated, " Fibrolite "	"		"	†0 2 7	James Hardie & Co. Pty. Ltd.

† Less 2 $\frac{1}{2}$ % discount for payment by end of month following month of delivery.

ASBESTOS CEMENT AND FIBRE PLASTER SHEETS, ETC.—continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
	Angle, asbestos cement, 2" x 2" x $\frac{5}{16}$ ", in 6', 7', 8', 9' or 10' lengths as ordered, uncrated—							
4195	External, "Durabestos" ...	Vict.	} 1200 lin. ft.	100	†	3	0	Wunderlich Ltd.
4195A	" " "Fibrolite" ...	"		"	"	†	3	0
4196	Internal, "Durabestos" ...	"	} 2000 "	"	†	3	0	Wunderlich Ltd.
4196A	" " "Fibrolite" ...	"		"	"	†	3	0
	Ridging, two-piece, Asbestos Cement, 8" wings, in 6' lengths, uncrated—							
4197	"Durabestos" ...	"	} 20 lgths	lgth.	†	4	6	Wunderlich Ltd.
4197A	"Fibrolite" ...	"		"	"	†	4	6
	Ridging, two-piece, asbestos cement, 12" wings, in 6' leng hs, uncrated—							
4198	"Durabestos" ...	"	} 100 "	"	†	6	4	Wunderlich Ltd.
4198A	"Fibrolite" ...	"		"	"	†	6	4
	Ridging, asbestos cement, approx. 9" wings, in lengths of 3' 6 $\frac{1}{2}$ " (3' 3 $\frac{1}{2}$ " net cover), suitable for corrugated sheets 3' 5 $\frac{1}{4}$ " wide, uncrated—							
4199	"Durabestos" ...	"	} 30 "	"	†	4	10	Wunderlich Ltd.
4199A	"Fibrolite" ...	"		"	"	†	4	10
	Strip, cover, asbestos cement, 2" x $\frac{1}{16}$ ", in 6', 7', 8', 9' or 10' lengths, as ordered, uncrated—							
4200	"Durabestos" ...	"	} 10,000 lin. ft.	100	†	11	6	Wunderlich Ltd.
4200A	"Fibrolite" ...	"		"	"	†	11	6
	Washers, concave, galvanised steel—							
4201	For securing asbestos cement corrugated sheets supplied under item No. 4193	"	} 40 gross	gross	†	1	9	Wunderlich Ltd.
4201A	For securing asbestos cement corrugated sheets supplied under item No. 4193A	"		"	"	†	1	9
4202	For securing asbestos cement corrugated sheets supplied under item No. 4194	"	} 100 "	"	†	1	9	Wunderlich Ltd.
4202A	For securing asbestos cement corrugated sheets supplied under item No. 4194A	"		"	"	†	1	9
	Washers, "Rexlite"—							
4203	For securing asbestos cement corrugated sheets supplied under item No. 4193	"	} 40 "	"	†	1	3	Wunderlich Ltd.
4203A	For securing asbestos cement corrugated sheets supplied under item No. 4193A	"		"	"	†	1	3

† Less 2½% discount for payment by end of month following month of delivery.

ASBESTOS CEMENT AND FIBRE PLASTER SHEETS, ETC.—continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
Washers, "Rexlite"—continued—						
4204	For securing asbestos cement corrugated sheets supplied under item No. 4194	Vict.	} 70 gross	gross	£0 1 3	Wunderlich Ltd.
4204A	For securing asbestos cement corrugated sheets supplied under item No. 4194A	"		"	£0 1 3	James Hardie & Co. Pty. Ltd.
Extras on contract rates for properly packing in approved crates for transport by rail—						
Plain and corrugated sheets supplied under items Nos. 4192 to 4194A—						
4205	In 5 to 7 cwt. crates	sq. yd.	0 0 3 (minimum 7/6)	Wunderlich Ltd.
4205A	" "	"	0 0 3 (minimum 7/6)	James Hardie & Co. Pty. Ltd.
4206	In 20 to 30 cwt. crates	"	0 0 2 (minimum £1)	Wunderlich Ltd.
4206A	" "	"	0 0 2 (minimum £1)	James Hardie & Co. Pty. Ltd.
4207	In 2 ton crates	"	0 0 1 (minimum £1)	Wunderlich Ltd.
4207A	" "	"	0 0 1 (minimum £1)	James Hardie & Co. Pty. Ltd.
4208	Angle, supplied under items Nos. 4195 and 4196	10% of value (minimum 5/-)	Wunderlich Ltd.
4208A	Angle, supplied under items Nos. 4195A and 4196A	10% of value (minimum 5/-)	James Hardie & Co. Pty. Ltd.
4209	Ridging, supplied under items Nos. 4197, 4198 and 4199	15% of value (minimum 7/6)	Wunderlich Ltd.
4209A	Ridging, supplied under items Nos. 4197A, 4198A and 4199A	15% of value (minimum 7/6)	James Hardie & Co. Pty. Ltd.
4210	Cover Strip, supplied under item No. 4200	10% of value (minimum 5/-)	Wunderlich Ltd.
4210A	Cover Strip, supplied under item No. 4200A	10% of value (minimum 5/-)	James Hardie & Co. Pty. Ltd.
Extras on contract rates for delivery, uncrated, within 18 mile radius of G.P.O., other than at Metro. Receiving Depot, f.o.r. Spencer St., or f.o.r. Contractor's siding—						
4211	Plain and corrugated sheets, under items Nos. 4192, 4193 and 4194	sq. yd.	0 0 1	Wunderlich Ltd.
4211A	Plain and corrugated sheets, under items Nos. 4192A, 4193A and 4194A	"	0 0 1	James Hardie & Co. Pty. Ltd.
4212-4229	—Nil					

‡ Less 2½% discount for payment by end of month following month of delivery.

ASBESTOS CEMENT PIPES.
(Schedule No. 135).

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor	
	Pipes, asbestos cement, "Fibrolite," to specification— High pressure, with asbestos cement socket joint and rubber ring— 11' lengths—						
4230	1½" actual inside diam. ...	Vict.	} 12,000 lin. ft.	lin. ft.	0 0 9½	} James Hardie & Co. Pty. Ltd.	
4231	2" " " " ...	"		"	0 0 10½		
	13' 2-4" lengths—						
4232	3" nom. (2¾" act.) inside diam. ...	"		"	0 1 3		
4233	4" nom. (3-563" act.) inside diam. ...	"		"	0 1 4½		
4234	(M) 4" nom. (3-56" act.) " " ...	"		"	0 1 5½		
4235	6" nom. (5-5625" act.) " " ...	"		"	0 2 5		
4236	(M) 6" nom. (5-56" act.) " " ...	"		"	0 2 7½		
4237	8" nom. (7½" act.) " " ...	"		"	0 3 6		
4238	9" nom. (8¼" act.) " " ...	"		"	0 4 2		
4239	(M) 9" nom. (8" act.) " " ...	"		"	0 4 7		
4240	10" nom. (9" act.) " " ...	"		"	0 5 3		
4241	12" actual inside diam. ...	"	"	0 6 6			
	High pressure, without joints, ends turned suitable for cast iron Gibault joints— 11' lengths—						
4242	1½" actual inside diam. ...	Vict.	} 200 lin. ft.	lin. ft.	0 0 8	} James Hardie & Co. Pty. Ltd.	
4243	2" " " " ...	"		"	0 0 9		
	13' 2-4" lengths—						
4244	3" nom. (2¾" act.) inside diam. ...	"		"	0 1 0		
4245	4" nom. (3-563" act.) inside diam. ...	"		"	0 1 1½		
4246	(M) 4" nom. (3-56" act.) " " ...	"		"	0 1 2½		
4247	6" nom. (5-5625" act.) " " ...	"		"	0 1 11½		
4248	(M) 6" nom. (5-56" act.) " " ...	"		"	0 2 1½		
4249	8" nom. (7½" act.) " " ...	"		"	0 2 11½		
4250	9" nom. (8¼" act.) " " ...	"		} 200	0 3 6		
4251	(M) 9" nom. (8" act.) " " ...	"		"	0 3 10½		
4252	10" nom. (9" act.) " " ...	"		"	0 4 6		
4253	12" actual inside diam. ...	"	"	0 5 8			
	Medium pressure, with asbestos cement socket joint and rubber ring, 13' 2-4" lengths—						
4254	4" nom. (3.875" act.) inside diam. ...	"	} 10,000	"	0 1 3½	} James Hardie & Co. Pty. Ltd.	
4255	6" nom. (5-76" act.) " " ...	"		"	0 2 0		
4256	8" actual " " ...	"		"	0 3 0		
4257	9" nom. (8¾" act.) " " ...	"		"	0 3 9		
4258	10" actual " " ...	"		"	0 4 6		
4259	12" " " " ...	"		"	0 5 9		

ASBESTOS CEMENT PIPES—continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
	Pipes, asbestos cement, "Fibrolite," to specification—(continued)—					
	Medium pressure, without joints, ends turned suitable for cast iron Gibault joints, 13' 2·4" lengths—					
4260	4" nom. (3.875" act.) inside diam. ...	Vict.	} 400 lin. ft.	lin. ft.	0 1 0½	}
4261	6" nom. (5·76" act.) " " ...	"		"	0 1 7	
4262	8" actual " " ...	"		"	0 2 6	
4263	9" nom. (8¾" act.) " " ...	"		"	0 3 3	
4264	10" actual " " ...	"		"	0 3 9	
4265	12" " " " ...	"		"	0 4 11	
	Low pressure, with asbestos cement socket joint and rubber ring, 13' 2·4" lengths—					
4266	6" actual inside diam.	} 400 "	} Nil
4267	8" nom. (8¼" act.) inside diam.	
4268	9" actual inside diameter	} Nil
4269	10" " " "	
4270	12" " " "	
4271-4279	—Nil					

REINFORCED CONCRETE PIPES.

(Schedule No. 136)

	Pipes, reinforced concrete, to specification—					
4280	9" diameter x 4' or 6' long, as ordered, butt joints	Vict.	} 1000 ft.	foot	£0 2 1	Hume Pipe Co. (Aust.) Ltd.
4280A	" " " " " " " "	"		"	£0 2 1	The Reinforced Concrete & Monier Pipe Construction Co. Pty. Ltd.
4280B	" " " " " " " "	"		"	£0 2 1	Rocla Ltd.
4281	9" diameter x 4' or 6' long, as ordered, spigot and socket joints	"	} 400 "	"	£0 2 2	Hume Pipe Co. (Aust.) Ltd.
4281A	" " " " " " " "	"		"	£0 2 2	The Reinforced Concrete & Monier Pipe Construction Co. Pty. Ltd.
4281B	" " " " " " " "	"		"	£0 2 2	Rocla Ltd.
4282	12" diameter x 4' or 6' long, as ordered, butt joints	"	} 1400 "	"	£0 2 9	Hume Pipe Co. (Aust.) Ltd.
4282A	" " " " " " " "	"		"	£0 2 9	The Reinforced Concrete & Monier Pipe Construction Co. Pty. Ltd.
4282B	" " " " " " " "	"		"	£0 2 9	Rocla Ltd.

† Rates plus 3%, applicable from 12.9.41.

REINFORCED CONCRETE PIPES—continued.

Item No.	Description	Country of Manuf'ro	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
Pipes, reinforced concrete, to specification—continued—						
4283	12" diameter x 4', 6' or 8' long, as ordered, spigot and socket joints	Vict.	} 1200 ft.	foot	£0 2 11	Hume Pipe Co. (Aust.) Ltd.
4283A	" " " "	"		"	£0 2 11	The Reinforced Concrete & Monier Pipe Construction Co. Pty. Ltd.
4283B	" " " "	"		"	£0 2 11	Rocla Ltd.
4284	15" diameter x 4', 6' or 8' long, as ordered, butt or interlocking joints, as ordered	"	} 2000 "	"	£0 3 9	Hume Pipe Co. (Aust.) Ltd.
4284A	" " " "	"		"	£0 3 9	The Reinforced Concrete & Monier Pipe Construction Co. Pty. Ltd.
4284B	" " " "	"		"	£0 3 9	Rocla Ltd.
4285	15" diameter x 4' or 8' long, as ordered, spigot and socket joints	"	} 400 "	"	£0 4 0	Hume Pipe Co. (Aust.) Ltd.
4285A	" " " "	"		"	£0 4 0	The Reinforced Concrete & Monier Pipe Construction Co. Pty. Ltd.
4285B	" " " "	"		"	£0 4 0	Rocla Ltd.
4286	18" diameter x 4', 6' or 8' long, as ordered, butt or interlocking joints, as ordered	"	} 2000 "	"	£0 4 6	Hume Pipe Co. (Aust.) Ltd.
4286A	" " " "	"		"	£0 4 6	The Reinforced Concrete & Monier Pipe Construction Co. Pty. Ltd.
4286B	" " " "	"		"	£0 4 6	Rocla Ltd.
4287	18" diameter x 4' long, spigot and socket joints	"	} 200 "	"	£0 4 10	Hume Pipe Co. (Aust.) Ltd.
4287A	" " " "	"		"	£0 4 10	The Reinforced Concrete & Monier Pipe Construction Co. Pty. Ltd.
4287B	" " " "	"		"	£0 4 10	Rocla Ltd.
4288	21" diameter x 4' or 8' long, as ordered, butt or interlocking joints, as ordered	"	} 400 "	"	£0 6 0	Hume Pipe Co. (Aust.) Ltd.
4288A	" " " "	"		"	£0 6 0	The Reinforced Concrete & Monier Pipe Construction Co. Pty. Ltd.
4288B	" " " "	"		"	£0 6 0	Rocla Ltd.
4289	21" diameter x 4' long, spigot and socket joints	"	} 50 "	"	£0 6 5	Hume Pipe Co. (Aust.) Ltd.
4289A	" " " "	"		"	£0 6 5	The Reinforced Concrete & Monier Pipe Construction Co. Pty. Ltd.
4289B	" " " "	"		"	£0 6 5	Rocla Ltd.
4290	24" diameter x 4', 6' or 8' long, as ordered, butt or interlocking joints, as ordered	"	} 3000 "	"	£0 7 3	Hume Pipe Co. (Aust.) Ltd.
4290A	" " " "	"		"	£0 7 3	The Reinforced Concrete & Monier Pipe Construction Co. Pty. Ltd.
4290B	" " " "	"		"	£0 7 3	Rocla Ltd.

‡ Rates plus 3%, applicable from 12.9.41.

REINFORCED CONCRETE PIPES.—continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor	
Pipes, reinforced concrete, to specification—continued—							
4291	27" diameter x 4' or 8' long, as ordered, butt or interlocking joints, as ordered	Vict.	400 ft.	foot	£0 9 7	Hume Pipe Co. (Aust.) Ltd.	
4291A	" " " "				"	"	£0 9 7
4292	30" diameter x 4' or 8' long, as ordered, butt or interlocking joints, as ordered	"	1000 "	"	£0 10 9	Hume Pipe Co. (Aust.) Ltd.	
4292A	" " " "				"	£0 10 9	The Reinforced Concrete & Monier Pipe Construction Co. Pty. Ltd.
4292B	" " " "				"	£0 10 9	Rocla Ltd.
4293	36" diameter x 4' or 8' long, as ordered, butt or interlocking joints, as ordered	"	800 "	"	£0 14 6	Hume Pipe Co. (Aust.) Ltd.	
4293A	" " " "				"	£0 14 6	The Reinforced Concrete & Monier Pipe Construction Co. Pty. Ltd.
4293B	" " " "				"	£0 14 6	Rocla Ltd.
4294	42" diameter x 4' or 8' long, as ordered, butt or interlocking joints, as ordered	"	400 "	"	£0 17 6	Hume Pipe Co. (Aust.) Ltd.	
4294A	" " " "				"	£0 17 6	Rocla Ltd.
4295	48" diameter x 4' or 8' long, as ordered, butt or interlocking joints, as ordered	"	100 "	"	£1 2 1	Hume Pipe Co. (Aust.) Ltd.	
4295A	" " " "				"	£1 2 1	Rocla Ltd.
4296-4299	—Nil						

‡ Rates plus 3%, applicable from 12.9.41.

STONEWARE PIPES AND FITTINGS

(Schedule No. 137)

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor	
Salt glazed vitrified stoneware, to specification—							
Drain pipes—							
4300	3" diameter x 2' in length	Vict.	"	foot	0 0 7	Martin Stoneware Pipe Ltd.	
4300A	3" " x 2' "				"	0 0 7	G. D. Guthrie & Co. Pty. Ltd.
4300B	3" " x 2' "				"	0 0 7	The Hoffman Brick & Potteries Ltd.

STONEWARE PIPES AND FITTINGS—continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor	
					£	s.	d.		
	Salt glazed vitrified stoneware, to specification—continued—								
	Drain Pipes—continued—								
4301	4" diameter x 2' in length ...	Vict.	10,000 ft.	foot	0	0	7	Martin Stoneware Pipe Ltd.	
4301A	4" " x 2' " ...	"		"	"	0	0	7	G. D. Guthrie & Co. Pty. Ltd.
4301B	4" " x 2' " ...	"	"	"	0	0	7	The Hoffman Brick & Potteries Ltd.	
4302	(M) 4" diameter x 2' in length ...	"	2,000 "	"	0	1	0		
4303	6" diameter x 2' in length (or 3' if available), as ordered	"	30,000 "	"	0	1	0	Martin Stoneware Pipe Ltd.	
4303A	6" diameter x 2' in length ...	"		"	"	0	1	0	G. D. Guthrie & Co. Pty. Ltd.
4303B	6" " x 2' " ...	"	"	"	0	1	0	The Hoffman Brick & Potteries Ltd.	
4304	(M) 6" diameter x 2' in length ...	"	2,000 "	"	0	1	10		
4305	9" diameter x 2' in length (or 3' if available), as ordered	"	10,000 "	"	0	1	5	Martin Stoneware Pipe Ltd.	
4305A	9" diameter x 2' or 3' in length, as ordered	"		"	"	0	1	5	G. D. Guthrie & Co. Pty. Ltd.
4305B	9" diameter x 2' or 3' in length, as ordered	"		"	"	0	1	5	The Hoffman Brick & Potteries Ltd.
4306	(M) Basins, gully, No. 22 ...	"	10	each	0	9	9		
	Bends—								
4307	4" ...	"	300	"	0	1	8	Martin Stoneware Pipe Ltd.	
4307A	4" ...	"		"	"	0	1	8	G. D. Guthrie & Co. Pty. Ltd.
4307B	4" ...	"		"	"	0	1	8	The Hoffman Brick & Potteries Ltd.
4308	(M) 4" ...	"	400	"	0	3	7		
4309	6" ...	"	100	"	0	3	2	Martin Stoneware Pipe Ltd.	
4309A	6" ...	"		"	"	0	3	2	G. D. Guthrie & Co. Pty. Ltd.
4309B	6" ...	"		"	"	0	3	2	The Hoffman Brick & Potteries Ltd.
4310	(M) 6" ...	"	10	"	0	7	3		
4311	9" ...	"	4	"	0	6	6	Martin Stoneware Pipe Ltd.	
4311A	9" ...	"		"	"	0	6	6	G. D. Guthrie & Co. Pty. Ltd.
4311B	9" ...	"		"	"	0	6	6	The Hoffman Brick & Potteries Ltd.
	Discs—								
4312	4" ...	"	200	"	0	0	4	Martin Stoneware Pipe Ltd.	
4312A	4" ...	"		"	"	0	0	4	G. D. Guthrie & Co. Pty. Ltd.
4312B	4" ...	"		"	"	0	0	4	The Hoffman Brick & Potteries Ltd.
4313	6" ...	"	50	"	0	0	7	Martin Stoneware Pipe Ltd.	
4313A	6" ...	"		"	"	0	0	7	G. D. Guthrie & Co. Pty. Ltd.
4313B	6" ...	"		"	"	0	0	7	The Hoffman Brick & Potteries Ltd.
	Elbows—								
4314	4" ...	"	4	"	0	1	9	Martin Stoneware Pipe Ltd.	
4314A	4" ...	"		"	"	0	1	9	G. D. Guthrie & Co. Pty. Ltd.
4314B	4" ...	"		"	"	0	1	9	The Hoffman Brick & Potteries Ltd.
4315	(M) Inlets, level, double, 4", No. 10 ...	"	6	"	0	13	6	The Hoffman Brick & Potteries Ltd.	
4316	(M) " " single, 4", No. 8 ...	"	10	"	0	7	6		

STONEWARE PIPES AND FITTINGS—continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
	Salt glazed vitrified stoneware, to specification—continued— Junctions, single, square, oblique, 45 deg. or 60 deg., as ordered—					
4317	4" x 4"	Vict.	100	each	0 2 2	Martin Stoneware Pipe Ltd.
4317A	4" x 4"	"		"	0 2 2	G. D. Guthrie & Co. Pty. Ltd.
4317B	4" x 4"	"	400	"	0 2 2	The Hoffman Brick & Potteries Ltd.
4318	(M) 4" x 4"	"		"	0 3 8	
4319	6" x 4"	"	60	"	0 4 2	Martin Stoneware Pipe Ltd.
4319A	6" x 4"	"		"	0 4 2	G. D. Guthrie & Co. Pty. Ltd.
4319B	6" x 4"	"	40	"	0 4 2	The Hoffman Brick & Potteries Ltd.
4320	(M) 6" x 4"	"		"	0 7 3	
4321	6" x 6"	"	20	"	0 4 2	Martin Stoneware Pipe Ltd.
4321A	6" x 6"	"		"	0 4 2	G. D. Guthrie & Co. Pty. Ltd.
4321B	6" x 6"	"	30	"	0 4 2	The Hoffman Brick & Potteries Ltd.
4322	(M) 6" x 6"	"		"	0 7 3	
4323	9" x 4"	"	20	"	0 6 4	Martin Stoneware Pipe Ltd.
4323A	9" x 4"	"		"	0 6 4	G. D. Guthrie & Co. Pty. Ltd.
4323B	9" x 4"	"	16	"	0 6 4	The Hoffman Brick & Potteries Ltd.
4324	9" x 6"	"		"	0 6 4	Martin Stoneware Pipe Ltd.
4324A	9" x 6"	"	"	0 6 4	G. D. Guthrie & Co. Pty. Ltd.	
4324B	9" x 6"	"		"	0 6 4	
	Tops, adjustable, for yard gullies—					
4325	(M) No. 24, oval inlet	"	4	"	0 9 9	
4326	(M) No. 25, round inlet	"	4	"	0 9 9	
	Tops, for boundary traps—					
4327	(M) 4" x 4", No. 27A	"	40	"	0 3 4	
4328	(M) 6" x 4" or 6" x 6", as ordered, No. 26A	"	10	"	0 7 3	The Hoffman Brick & Potteries Ltd.
4329	(M) Tops, for silt traps, with perforated buckets, No. 17	"	6	"	1 18 0	
4330	(M) Traps, boundary, 4", No. 15	"	4	"	0 9 9	
4331	(M) Traps, boundary, 6", No. 16	"	4	"	1 6 0	
4332	(M) Traps, disconnecter, 4", No. 13	"	100	"	0 7 6	
4333	(M) Traps, gully, No. 12	"	20	"	0 10 3	
†4334	Urinals and channels	"	80	"	...	Nil
4335	4339—Nil					

CAST IRON WATER FITTINGS
(Schedule No. 139).

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
	Joints, Gibault, cast iron, complete with bolts and rings, for cast iron or asbestos cement pipes, to specification, "J. & T. M."—					
4350	1½"	Vict.	60	each	0 3 11	} J. & T. Muir Pty. Ltd.
4351	2"	"	40	"	0 4 7	
4352	3"	"	200	"	0 5 1	
4353	4"	"	200	"	0 6 3	
4354	5"	"	30	"	0 9 3	
4355	6"	"	40	"	0 9 9	
4356	9"	"	60	"	0 14 9	
4357	Fittings, water supply, cast iron, standard Melbourne and Metropolitan Board of Works pattern, as set out hereunder, to specification, "J. & T. M." (Patterns to be provided by the Contractor)—	"	10 tons	ton	27 0 0	
	Bends, 45°, spigot and socket— 3", 4", 5", 6", 7", 9", 12", 15" or 18"					
	Bends, 90°, spigot and socket— 3", 4", 5", 6", 7", 9", 12", 15" or 18"					
	Bends, footstep, or Washouts— 3", 4", 5", 6", 7", 9" or 12"					
	Crosses, 2 No. 90° branches, socket ends— 4" x 2 No. 3" branches 4" x " 4" " 5" x " 4" " 6" x " 4" " 9" x " 6" " 10" x " 4" " 16" x " 6" " 18" x " 6" "					
	Ends, blank— 3", 4", 5", 6", 9" or 15"					
	Pieces, fire plug extension, 3" diameter— 6", 9" or 12" long					
	Pieces, reducing, spigot and socket— 4" to 3" 7" to 6" 12" to 10" 5" to 4" 9" to 6" 15" to 12" 6" to 4" 9" to 7" 18" to 12" 6" to 5" 12" to 9"					
	Pieces, distance, reducing, for 4" washouts or footstep bends— 4" to 3"					
	Tees, fire plug, socket ends, with 3" flanged fire plug branch— 3", 4", 5", 6", 7", 9", 12", 15" or 18"					

CAST IRON WATER FITTINGS—continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
	List of fittings provided for under item No. 4357—continued— Tees, single, 90° branch, socket ends— 3" x 3" branch 18" x 4" branch 4" x 3" " 5" x 5" " 5" x 3" " 15" x 5" " 6" x 3" " 6" x 6" " 9" x 3" " 9" x 6" " 10" x 3" " 10" x 6" " 12" x 3" " 12" x 6" " 3" x 4" " 15" x 6" " 4" x 4" " 18" x 6" " 5" x 4" " 12" x 9" " 6" x 4" " 18" x 9" " 7" x 4" " 12" x 12" " 9" x 4" " 15" x 12" " 10" x 4" " 18" x 12" " 12" x 4" " 20" x 12" " 15" x 4" " 24" x 18" " Thimbles— 3", 4", 5", 6", 7", 8", 9", 10", 12", 14", 15", 16", 18", 20", 24", 27" or 30" Thimbles, hatch box— 4", 5" or 6", with or without tops; 7", 9", 10" or 12" with tops					
4358	Fittings, water supply, cast iron, special, other than fittings provided under items Nos. 4350 to 4357, to specification, "J. & T. M." (Patterns to be provided by the Corporation, if required by the Contractor)	Vict.	4 tons	ton	31 10 0	J. & T. Muir Pty. Ltd.
4359	Nil					

CAST IRON AND LEAD PLUMBERS' FITTINGS

(Schedule No. 140)

CAST IRONWARE.						
	Bends, soil pipe, cast iron, $\frac{5}{8}$ " metal, any angle ordered—					
4360	3" diameter	Vict.	4	each	0 6 6	} John Danks & Son Pty. Ltd.
4361	4" "	"	40	"	0 9 6	
	Branches, soil pipe, cast iron, $\frac{5}{8}$ " metal, looking up or down, any angle ordered—					
4362	3" diameter x 2" diameter (spigot ends to be 10" longer than standard size)	"	4	"	0 12 6	} J. & T. Muir Pty. Ltd.
4363	3" diameter x 3" diameter	"	4	"	0 7 6	
4364	4" " x 3" "	"	4	"	0 12 9	
4365	4" " x 4" "	"	10	"	0 12 9	
4366	Branches, soil pipe, cast iron, $\frac{5}{8}$ " metal, 45/90°, 4" diameter x 4" diameter	"	40	"	1 5 6	

CAST IRON AND LEAD PLUMBERS' FITTINGS—continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
CAST IRONWARE—continued.								
4367	Covers, boundary top, No. 197, cast iron	Vict.	4	each	0	3	6	} John Danks & Son Pty. Ltd.
Gratings, cast iron, galvanised—								
4368	No. 24A, 6½", for gully basins ...	"	20	"	0	1	9	} J. & T. Muir Pty. Ltd.
4369	No. 61, 6½", for disconnecter traps ...	"	120	"	0	2	3	
4370	For floor traps ...	"	4	"	0	2	3	} John Danks & Son Pty. Ltd.
4371	For stoneware silt trap tops, round or square, as ordered	"	6	"	0	6	9	
4372	Pieces, extension, cast iron, 4" diameter x 12" long	"	20	"	0	6	0	} J. & T. Muir Pty. Ltd.
4373	Pieces, extension, closet, cast iron, 4" diameter x 12" long	"	10	"	0	6	0	
4374	Pipe, soil, cast iron, ⅝" metal—3" diameter x 6' lengths ...	"	10 lengths	length	0	14	9	} John Danks & Son Pty. Ltd.
4375	4" " x 3' " ...	"	30	"	0	15	0	
4376	4" " x 3' " with inspection opening	"	40	"	0	19	6	} J. & T. Muir Pty. Ltd.
4377	4" " x 6' " ...	"	10	"	1	2	3	
4378	4" " x 9' " ...	"	80	"	1	7	6	} John Danks & Son Pty. Ltd.
Sockets, soil pipe, cast iron—								
4379	3" diameter ...	"	10	each	0	2	9	} John Danks & Son Pty. Ltd.
4380	4" " ...	"	40	"	0	3	3	
4381	Tops, adjustable, cast iron, 2" diameter, out of 4" diameter to 4" diameter out of 4" diameter, as ordered	"	6	"	0	10	9	} John Danks & Son Pty. Ltd.
4382	Tops, gully, cast iron, square, No. 24A ...	"	4	"	0	11	6	
Traps, floor, cast iron, 2", with grating—								
4383	For cast iron pipe ...	"	4	"	0	13	3	} J. & T. Muir Pty. Ltd.
4384	For wrought iron pipe ...	"	4	"	0	17	0	
4385	Traps, urinal, cast iron, 3", with spigot ends	"	4	"	0	18	0	} J. & T. Muir Pty. Ltd.
LEADWARE, ETC.								
4386	Cones, lead, No. 8 ...	"	400	"	0	0	4½	} John Danks & Son Pty. Ltd.
4387	" " No. 10 ...	"	40	"	0	0	5½	
4388	Pipe, lead, any size ordered	"	2 tons	cwt.	2	1	6	} John Danks & Son Pty. Ltd.
Traps, lead, solid drawn, with wiped trap screws—								
4389	P., 1½" ...	"	30	each	0	3	1	} John Danks & Son Pty. Ltd.
4390	P., 2" ...	"	20	"	0	4	3	
4391	S., 2" ...	"	10	"	0	5	3	} John Danks & Son Pty. Ltd.
4392-4399	—Nil							

BRASS AND BRAZED METAL PLUMBERS' FITTINGS
(Schedule No. 141)

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
BRASSWARE.						
4400	Bends, brass, plain, any angle ordered, to specification— (M) 1¼"	Vict.	240	each	0 1 9	} Galliers & Klaerr Pty. Ltd.
4401	(M) 1½"	"	100	"	0 2 1	
4402	(M) 2"	"	100	"	0 2 6	
4403	Bends, brass, with inspection opening, any angle ordered, to specification— (M) 1¼"	"	400	"	0 2 1	
4404	(M) 1½"	"	100	"	0 2 6	
4405	(M) 2"	"	500	"	0 3 2	
4406	Bushes, brass, 1" x ¾", brass threads, to specification	"	300	"	0 1 1	John Danks & Son Pty. Ltd.
4407	Caps and Linings, brass, with screwed tail pieces, to specification— (M) 1¼"	"	100	"	0 2 3	} Galliers & Klaerr Pty. Ltd.
4408	(M) 1½"	"	10	"	0 2 5	
4409	(M) 2"	"	120	"	0 2 11	
4410	Connections, brass, lead to iron, to specification— (M) 1¼"	"	10	"	0 3 6	} Galliers & Klaerr Pty. Ltd.
4411	(M) 1½"	"	10	"	0 4 1	
4412	(M) 2"	"	20	"	0 4 11	
4413	Directors, water, brass, with nozzle only— ½"	"	6	"	0 1 0	} John Danks & Son Pty. Ltd.
4414	¾"	"	50	"	0 1 6	
4415	1"	"	20	"	0 3 6	
*4416	Elbows, brass, 1", brass thread, to specification	"	100	"	0 1 11	} J. W. Kennedy & Sons
*4417	(M) Fittings, brass, complete, to specification, including rubber plugs, for 2-compartment wash troughs	"	120 sets	set	0 10 0	
*4418	(M) Gratings, urinal, brass, to specification	"	10	"	"	Nil
4419	Junctions, brass, plain, any angle ordered, to specification— (M) 1¼" x 1¼"	Vict.	60	each	0 3 1	} Galliers & Klaerr Pty. Ltd.
4420	(M) 1½" x 1½"	"	4	"	0 3 4	
4421	(M) 1½" x 1½"	"	60	"	0 4 0	
4422	(M) 2" x 1½"	"	10	"	0 4 3	
4423	(M) 2" x 2"	"	50	"	0 4 10	
4424	Junctions, brass, with inspection opening, any angle ordered, to specification— (M) 1¼" x 1¼"	"	20	"	0 3 10	
4425	(M) 1½" x 1½"	"	30	"	0 4 2	
4426	(M) 2" x 2"	"	20	"	0 5 0	

BRASS AND BRAZED METAL PLUMBERS' FITTINGS—continued.

Item No.	Descriptor	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor	
					£	s.	d.		
BRASSWARE—continued.									
4427	Junctions, brass, plain, 45/90°, to specification— (M) 1¼" x 1¼"	Vict.	72	each	0	5	11	} John Danks & Son Pty. Ltd.	
4428	(M) 1½" x 1½"	"	6	"	0	5	11		
4429	(M) 2" x 1¼"	"	24	"	0	7	4		
4430	(M) 2" x 1½"	"	20	"	0	7	4		
4431	(M) 2" x 2"	"	20	"	0	7	4		
Nipples, brass, brass or iron thread, as ordered, to specification—									
4432	½", plain	"	24	"	0	0	6	} John Danks & Son Pty. Ltd.	
4433	½", hexagon	"	100	"	0	0	7		
4434	¾", plain	"	10	"	0	0	6		
4435	¾", hexagon	"	30	"	0	0	8		
Nuts, Rings and Tails, brass, in sets—									
4436	½"	"	60 sets	set	0	1	0	} Galliers & Klaerr Pty. Ltd.	
4437	¾"	"	120	"	0	1	4		
4438	1"	"	20	"	0	2	6		
4439	(M) Pieces, extension, brass, 2" diameter, to specification, any length ordered	"	240 in.	inch	0	0	7	} John Danks & Son Pty. Ltd.	
4440	Plugs, brass, ¾", long taper, iron thread, to specification	"	40	each	0	0	9		
4441	Rings, hose, brass, for bib cocks, ¾" ...	"	240	"	0	0	7		
4442	" " " " " " 1" ...	"	36	"	0	0	11	} John Danks & Son Pty. Ltd.	
*4443	Screws, trap, brass, complete with ring and leather washer, to drawing No. 208—40, to specification	"	300 doz.	dozen	0	15	0		
*4444	(M) Spreaders, urinal, brass, ¾", brass thread, to specification	"	120	each	0	2	8	} Nil	
4445	Tails, cistern, brass, reducing, screwed for 1" iron thread, female, to specification	"	30	"	"	"	"		
*4446	Tees, brass, 1", brass thread, to specification	Vict.	120	each	0	2	0		
*4447	Tees, brass, reducing, 1" brass x 1" brass x 1" gas thread, to specification	"	80	"	0	3	0	} John Danks & Son Pty. Ltd.	
Traps, P, brass, with brass trap screw, to specification—									
4448	(M) 1¼"	"	200	"	0	3	11		} Galliers & Klaerr Pty. Ltd.
4449	(M) 1½"	"	20	"	0	4	2		
4450	(M) 2"	"	400	"	0	6	7		
Unions, barrel, brass, female, conical ground-in joint, to specification—									
4451	¾", iron thread	"	12	"	0	0	10	} John Danks & Son Pty. Ltd.	
4452	½" " "	"	100	"	0	1	1		
4453	¾" " "	"	20	"	0	1	4		
*4454	Unions, barrel, brass, male and female, 1", brass thread, to specification	"	120	"	0	3	0		

BRASS AND BRAZED METAL PLUMBERS' FITTINGS—continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
BRASSWARE—continued—						
Unions, hose, brass, Metropolitan Fire Brigade Standard, to blue print No. 205/09—						
4455	Female part only	Vict.	20	each	0 9 6	} John Danks & Son Pty. Ltd.
4456	Male part only	"	20	"	0 9 0	
4457	Unions, Royle's pattern, brass, without rubbers, $\frac{3}{4}$ "	"	100	"	0 1 5	
4458	(M) Wastes, floor, brass, cup pattern, 2", screwed for lead floors, to specification	...	20	Nil
BRAZED METALWARE						
Elbows, brazed metal, iron thread, to specification—						
4459	$\frac{3}{4}$ "	Vict.	80	each	0 0 11	} John Danks & Son Pty. Ltd.
4460	1"	"	20	"	0 1 5	
4461	$1\frac{1}{4}$ "	"	20	"	0 1 9	
Unions, brazed metal, iron thread, male and female, to specification—						
4462	1"	"	10	"	0 3 6	}
4463	$1\frac{1}{4}$ "	"	10	"	0 4 6	
4464-4479	—Nil					

PLUMBERS' COPPER TUBING AND FITTINGS

(Schedule No. 142).

Tubing, copper, suitable for compression couplings, in trade lengths of 16' to 19', to specification—							
4480	(M) $\frac{1}{2}$ " outside diameter x 18 s.w.g.	N.S.W.	532 lbs.	lb.	\$0 1 6 $\frac{3}{4}$	} H. A. Barnard Pty. Ltd.	
4481	(M) $\frac{3}{4}$ " " " x 18 "	"	1160 "	"	\$0 1 5 $\frac{3}{4}$		
4482	(M) 1" " " x 18 "	"	676 "	"	\$0 1 5 $\frac{1}{2}$		
4483	(M) $1\frac{1}{4}$ " " " x 16 "	"	368 "	"	\$0 1 6 $\frac{1}{4}$		
4484	(M) $1\frac{1}{2}$ " " " x 16 "	"	134 "	"	\$0 1 6		
4485	(M) 2" " " x 16 "	"	120 "	"	\$0 1 6		
Tubing, copper, suitable for screwed connections, in trade lengths of 16' to 19', to specification—							
4486	(M) $\frac{1}{8}$ " outside diam. x 13 s.w.g.	...	50 "	"	\$0 1 6		
4487	(M) $1\frac{1}{32}$ " " " x 13 "	...	210 "	"	\$0 1 5 $\frac{1}{2}$		
4488	(M) $1\frac{3}{32}$ " " " x 12 "	...	60 "	"	\$0 1 5		
4489	(M) $1\frac{1}{8}$ " " " x 12 "	...	76 "	"	\$0 1 4 $\frac{1}{2}$		
4490	(M) $1\frac{1}{4}$ " " " x 12 "	...	136 "	"	\$0 1 4 $\frac{1}{2}$		
4491	(M) $2\frac{1}{8}$ " " " x 11 "	...	120 "	"	\$0 1 4 $\frac{1}{2}$		

PLUMBERS' COPPER TUBING AND FITTINGS—continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor.
4492	Bends, copper alloy, male and female, to specification, "Evertite"— (M) ½"	Vict.	10	each	0 1 3	John Danks & Son Pty. Ltd.
4493	(M) ¾"	"	40	"	0 2 0	
4494	(M) 1"	"	20	"	0 2 5	
4495	Elbows, double union, compression, to specification— (M) ½" copper	"	40	"	0 2 9	Galliers & Klaerr Pty. Ltd.
4496	(M) ¾"	"	200	"	0 3 0	
4497	(M) 1"	"	60	"	0 4 8	
4498	(M) 1½"	"	20	"	0 6 0	
4499	(M) 1½"	"	20	"	0 9 6	
4500	(M) 2"	"	10	"	0 14 0	
4501	Elbows, single union, compression, male or female, as ordered, to specification— (M) ½" iron x ½" copper	"	10	"	0 2 4	Galliers & Klaerr Pty. Ltd.
4502	(M) ½" .. x ¾"	"	60	"	0 2 9	
4503	(M) ¾" .. x ¾"	"	20	"	0 2 9	
4504	(M) ¾" .. x 1"	"	10	"	0 4 0	
4505	(M) 1" .. x 1"	"	10	"	0 4 3	
4506	Roses, shower, 8" diameter, copper, nickel-plated, female connection, ¾" or 1", as ordered	...	200	Nil
4507	Tees, treble union, compression, plain, to specification— (M) ½" copper	Vict.	20	each	0 3 4	Galliers & Klaerr Pty. Ltd.
4508	(M) ¾"	"	40	"	0 4 0	
4509	(M) 1"	"	10	"	0 6 2	
4510	(M) 1½"	"	10	"	0 13 0	
4511	(M) 2"	"	4	"	0 18 6	
4512	Tees, treble union, compression, reducing branch, to specification— (M) ¾" copper x ½" copper	"	20	"	0 4 0	
4513	(M) 1" .. x ½"	"	10	"	0 6 2	
4514	(M) 1" .. x ¾"	"	40	"	0 6 2	
4515	(M) 2" .. x 1½"	"	10	"	0 17 6	
4516	Unions, double, compression, to specification— (M) ½" copper x ½" copper	"	30	"	0 1 11	
4517	(M) ¾" .. x ½"	"	20	"	0 2 5	
4518	(M) ¾" .. x ¾"	"	80	"	0 2 5	
4519	(M) 1" .. x ¾"	"	10	"	0 3 2	
4520	(M) 1" .. x 1"	"	30	"	0 3 3	
4521	(M) 1½" .. x 1½"	"	10	"	0 4 3	
4522	(M) 1½" .. x 1½"	"	4	"	0 5 6	
4523	(M) 2" .. x 2"	"	4	"	0 8 3	

PLUMBERS' COPPER TUBING AND FITTINGS—continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
4524	Unions, single, compression, male or female, as ordered, to specification— (M) ½" iron x ½" copper	Vict.	40	each	0 1 10	} Galliers & Klaerr Pty. Ltd.
4525	(M) ½" .. x ¾" ..	"	100	"	0 2 3	
4526	(M) ½" .. x 1" ..	"	10	"	0 2 9	
4527	(M) ¾" .. x ½" ..	"	10	"	0 2 3	
4528	(M) ¾" .. x ¾" ..	"	50	"	0 2 4	
4529	(M) ¾" .. x 1" ..	"	100	"	0 2 10	
4530	(M) 1" .. x ¾" ..	"	4	"	0 3 2	
4531-4532-4539	(M) 1" .. x 1" .. Nil	"	30	"	0 3 3	

COCKS, VALVES, ETC.

(Schedule No. 143.)

4540	(M) Cocks, ball, brass, automatic, ½", to specification, "Shanks"	Vict.	60	each	0 17 6	Shanks & Co. Pty. Ltd.
4541	Cocks, ball, brass, long or short lever, as ordered, to specification— (M) ½", "Prestel" patent	"	300	"	0 6 0	} Jinks & Morgan Pty. Ltd.
4542	(M) ¾", "Prestel" patent	"	40	"	0 8 0	
4543	(M) 1", Croydon pattern	"	20	"	0 9 6	
4544	Cocks, ball, brass, Lambert's pattern, to specification— (M) 2"	"	10	"	2 15 0	} John Danks & Son Pty. Ltd.
4545	(M) 3"	"	10	"	4 12 0	
†4546	Cocks, bib or stop as ordered, bonnetted, brass, chromium-plated; high pressure, labelled "Hot" or "Cold" as ordered, for iron, to specification— (M) ½"	Vict.	600	each	0 5 2	John Danks & Son Pty. Ltd.
†4547	(M) ¾"	"	60	"	0 6 9	John McIlwraith & Co. Pty. Ltd.
4548	Cocks, bib or stop as ordered, brass, high pressure, to specification— (M) ½"	"	800	"	0 2 7	} John Danks & Son Pty. Ltd.
4549	(M) ¾"	"	700	"	0 4 3	
4550	(M) 1"	"	50	"	0 7 6	

COCKS, VALVES, ETC.—continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
	Cocks, fullway gate valve, brass, high pressure, to specification—					
4551	(M) ½"	Vict.	20	each	0 4 10	} John Danks & Son Pty. Ltd.
4552	(M) ¾"	"	30	"	0 5 9	
4553	(M) 1"	"	100	"	0 6 10	
4554	(M) 1¼"	"	10	"	0 11 0	
4555	(M) 1½" "John Fig 59 M"	"	20	"	*0 14 3	} Hardware Co. of Aust. Pty. Ltd.
4556	(M) 2" " " "	"	60	"	*0 18 9½	
4557	(M) 3"	"	10	"	2 6 0	
	Cocks, gas main, brass, male and female—					
†4558	¾", tee head	"	48	"	0 2 9	} John Danks & Son Pty. Ltd.
†4559	½", " " " " " " " "	"	96	"	0 1 10	
†4560	½", " " " " " " " "	"	72	"	0 2 9	
†4561	2", diamond head, without keys ...	"	60	"	1 1 6	
	Cocks, mill, brass, to specification—					
4562	(M) "A" design, to blue print No. 260/33	"	20	"	3 14 6	} Davies Shephard Pty. Ltd.
4563	(M) "B" design, to blue print No. 1090/08	"	6	"	3 19 6	
4564	(M) "C" design, to blue print No. 1090/08	"	4	"	3 19 6	
†4565	(M) Cocks, pillar, bonnetted, brass, to specification, chromium-plated, ½", high pressure, complete with nuts and tails, labelled "Hot" or "Cold" as ordered	"	300	"	0 6 6	John McIlwraith & Co. Pty. Ltd.
†4566	Cocks, plug, steam, brass, diamond head, with handles, female, ¾"	"	100	"	0 7 6	} John Danks & Son Pty. Ltd.
†4567	Cocks, range, brass, with brass keys and nuts, ½"	"	20	"	0 2 2	
†4568	Cocks, range, brass, with brass keys, without nuts, ¾"	"	600	"	0 2 5	
	Cocks, stop, ferruled, bent, brass, with screwed tail pieces, for iron, to specification					
4569	(M) ½"	"	10	"	0 4 4	} John Danks & Son Pty. Ltd.
4570	(M) ¾"	"	100	"	0 6 0	
4571	(M) 1"	"	40	"	0 8 10	
4572	(M) Cocks, stop, brass, with unions, high pressure, ½", to specification	"	240	"	0 4 3	} John Danks & Son Pty. Ltd.
†4573	Cocks, tank, brass, non-leak type, ¾" ...	"	120	"	0 2 6	
	Gates, treacle, cast iron, japanned, gas thread, "McIvor"—					
†4574	1"	"	48	"	10 4 5	} Hardware Co. of Aust. Pty. Ltd.
†4575	1½"	"	6	"	10 6 0	
†4576	2"	"	24	"	10 7 7	

* Items Nos. 4555 and 4556, less 2½% discount for payment by end of month following month of delivery.

† Items Nos. 4574–4576, less 2½% discount for payment by end of month following month of delivery.

COCKS, VALVES, ETC.—continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
Valves, retention, cast iron, spigot and socket or spigot and flange ends, M.M.B.W. standard—								
4577	3"	Vict.	4	each	4	17	6	} John Danks & Son Pty. Ltd
4578	4"	"	4	"	5	15	0	
4579	6"	"	2	"	8	15	0	
Valves, sluice, cast iron, M.M.B.W. standard—								
4580	3"	"	10	"	3	5	0	} John Danks & Son Pty. Ltd
4581	4"	"	30	"	4	5	0	
4582	6"	"	10	"	6	15	0	G. P. Thick
Valves, steam, brass, "Jenkin's" renewal disc type—								
4583	½"	"	10	"	0	6	6	} John Danks & Son Pty. Ltd.
4584	¾"	"	10	"	0	8	3	
4585	1"	"	4	"	0	10	0	
Valves, steam, brass, with brass seats and valves, "Globe" type, "John Fig. 1M"								
4586	½"	"	100	"	10	4	6	} McPherson's Pty. Ltd.
4587	¾"	"	20	"	10	6	0	
4588	1"	"	60	"	10	8	8	
4589	1½"	"	10	"	10	15	11	
Valves, steam, brass, with nickel alloy seats and valves, "Rosbin" type, gas thread, tested to 200 lb. per square inch, "John Fig. 742"—								
4590	½"	"	300	"	*0	11	10	} Hardware Co. of Aust. Pty. Ltd.
4591	¾"	"	72	"	*0	16	5½	
4592	1"	"	12	"	*1	1	6½	
Washers, fink, for bib cocks, hot water—								
4593	½"	"	40 doz.	doz.	0	0	6	} John Danks & Son Pty. Ltd
4594	¾"	"	24	"	0	0	10	
4595-4599—Nil								

† Items Nos. 4586-4589, less 17½% trade discount, and 2½% settlement discount for payment by end of month following month of delivery.

* Items Nos 4590-4592, less 2½% discount for payment by end of month following month of delivery.

GALVANISED IRONWARE AND TINWARE

(Schedule No. 144)

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
†4600	Baths, galvanised iron, rolled top, 5' 6", to specification	Vict.	180	each	1	5	0	Kelso Trading Supply Pty. Ltd.
	Buckets, galvanised iron, to specification—							
*4601	12"	"	1200	"	0	4	0	} A. G. Way & Co. Pty. Ltd.
*4602	14"	"	40	"	0	7	0	
*4603	Cans, watering, galvanised iron, with rose, 4 gallons, to specification	"	50	"	0	16	6	
*†4604	Containers, (tins), 1 gallon, with handles and press-down lids	...	480	Nil
4605	Cowls, educt, galvanised iron, 22g, 4", to specification	Vict.	20	each	0	1	6	W. E. Cash
	Down-pipe, galvanised iron, 24g, in 6' lengths, to specification—							
4606	2"	800 lgths.	} Nil
4607	2½"	3000 "	
4608	3"	3000 "	
4609	4"	700 "	
*†4610	Lugs, bucket, small, mild steel, tinned, not less than 17 gauge finished thickness	Vict.	160 doz.	doz.	0	1	2	} A. G. Way & Co. Pty. Ltd.
	Pans, closet, galvanised iron, to specification—							
*4611	Oval	"	240	each	0	7	11	
*4612	Round	"	360	"	0	7	8	
4613	Pipes, flush, galvanised iron, 1½", any projections ordered, M.M.B.W. standard, to specification, "Enticott"	"	160	"	0	4	3	John Danks & Son Pty. Ltd.
	Strainers, vent, galvanised iron, to specification—							
4614	1½"	"	120	"	0	0	6	} W. E. Cash
4615	2"	"	40	"	0	0	6	
*4616	Tins, sealed, 1-lb.	120 doz.	} Nil
*4617	" " 2-lb.	100 "	
	Vent-pipe, galvanised iron, 20g, in 6' lengths, to specification—							
4618	(M) 3"	Vict.	100 lgths.	lgth.	0	5	6	} W. E. Cash
4619	(M) 4"	"	200 "	"	0	6	7	
4620-4620	—Nil							

IRONMONGERY—TOOLS, ETC.
(Schedule No. 145)

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
† { 4630 4631 4632 4633 4634 4635 4636 4637	Bits, auger— $\frac{3}{16}$ " , $\frac{1}{4}$ " , $\frac{5}{16}$ " , $\frac{3}{8}$ " , $\frac{7}{16}$ " or $\frac{1}{2}$ " , as ordered	...	1000	} Nil
	$\frac{9}{16}$ "	...	200	
	$\frac{5}{8}$ "	...	80	
	$\frac{11}{16}$ "	...	100	
	$\frac{3}{4}$ "	...	60	
	$\frac{13}{16}$ "	...	100	
	$\frac{7}{8}$ "	...	20	
	$\frac{15}{16}$ "	...	80	
†4638	Bits, nail, German type— $\frac{1}{2}$ " , $\frac{5}{8}$ " , $\frac{3}{4}$ " , $\frac{7}{8}$ " or $\frac{1}{2}$ " , as ordered, "Ridgway"	U.K.	800	each	0 0 6 $\frac{1}{2}$	Briscoe & Co. Ltd.
†4639	Bits, auger, solid centre, coarse thread, 2" x $\frac{1}{8}$ " shank— 6" long, excluding shank, any size ordered	...	80 8ths.	} Nil
†4640	12" long, " " "	...	300 "	
† { 4641 4642	Bits, waggon, double twist— $\frac{7}{16}$ "	...	48	
	$\frac{9}{16}$ "	...	24	
†4643	Blades, scythe, "Tyzacks"— Bramble, 24"	U.K.	40	each	0 10 7	McPherson's Pty. Ltd.
†4644	Unbreakable point, 30"	"	40	"	0 9 0	Hardware Co. of Aust. Pty. Ltd.
4645	Blocks, chain, worm geared type, with hand and lift chains for 20' lift, to specification, "Vulcan"— 10 cwt.	Vict.	4	"	9 11 0	} McPherson's Pty. Ltd.
4646	20 cwt.	"	2	"	12 16 6	
†4647	Braces, carpenters', ratchet, 12"	...	288	} Nil
†4648	Cans, oil, short spout, size No. 1 ($2\frac{1}{8}$ " dia.)	...	300	
† { 4649 4650 4651 4652 4653 4654	Chisels, socket, handled, "Marples No. 801"— $\frac{1}{2}$ "	U.K.	48	each	0 2 10	} Briscoe & Co. Ltd.
	$\frac{3}{4}$ "	"	24	"	0 3 2	
	$\frac{7}{8}$ "	"	12	"	0 3 4	
	1"	"	192	"	0 3 7	
	1 $\frac{1}{4}$ "	"	96	"	0 4 6	
	1 $\frac{3}{4}$ "	"	96	"	0 4 11	
†4655	Feeders, oil, non-drip valve spout, approx. $\frac{1}{4}$ pint. "Rega"	N.S.W.	120	"	0 2 5 $\frac{1}{2}$	Hardware Co. of Aust. Pty. Ltd.

IRONMONGERY—TOOLS, ETC.—continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
†4656	Feeders, oil, spring, solid steel, fixed spout, "Rega"— ½ pint	N.S.W.	500	each	0 2 4½	McPherson's Pty. Ltd.
†4657	1 " " " " " " " "	"	300	"	0 3 5	Hardware Co. of Aust. Pty. Ltd.
†4658	Frames, hack saw, adjustable, pistol grip, "Millers Falls"	U.S.A.	312	"	0 4 0	McPherson's Pty. Ltd.
†4659	Hammers, claw, cast steel, 1¼ lb., handled, "Whitehouse No. 374 A.E."	U.K.	800	"	0 5 9	Briscoe & Co. Ltd.
† {	Hammers, engineers, cast steel, heads only, "Whitehouse"— 1½-lb.	"	1000	"	0 1 8½	
	2-lb.	"	900	"	0 2 2	
†4662	Hammers, sledge, double faced, heads only, 10-lb. "Plumbs"	N.S.W.	100	"	0 6 5½	McPherson's Pty. Ltd.
† {	Irons, soldering, handled (copper bar, not cast), "Scott Trojan No. 137"— 2-lb.	Vict.	160	"	0 4 10½	Scott & Son Pty. Ltd.
		"	80	"	0 5 10¾	
†4665	Knives, shoemakers', "Barnsley"	U.K.	200	"	0 1 2	McPherson's Pty. Ltd.
†4666	Levels, spirit, "Rabone's"— 8"	"	160	"	0 2 1	Briscoe & Co. Ltd.
†4667	24", with plumb	"	100	"	0 8 0	Hardware Co. of Australia Pty. Ltd.
†4668	Mallets, plumbers', wooden, 2½" diam.	N.S.W.	160	"	0 2 2	Briscoe & Co. Ltd.
†4669	Planes, German jack, 2", "Marples"	U.K.	60	"	0 6 6	
†4670	Pliers, angle cutting, 5"	...	40 pairs	Nil
† {	Pliers, gas— 8"	12 pairs	Nil
		...	12 "	
† {	Pliers, side cutting, square nose— 6"	200 "	Nil
† {	7"	200 "	
† {	8"	200 "	
†4676	Rakes, steel, handled, 17" x 16 teeth, "Scott Trojan No. 65"	Vict.	120	each	0 2 8	Scott & Son Pty. Ltd.
†4677	Rules, box, 2', fourfold, "Rabone 1380"	U.K.	1000	"	0 2 7	Briscoe & Co. Ltd.
† {	Screwdrivers, electricians'— 8"	72	Nil
		...	72	
† {	12" Screwdrivers, "Marples 1950B"—	Briscoe & Co. Ltd.
† {	5", flat blade	U.K.	24	each	0 1 4	
† {	6" " " " " " " " "	"	24	"	0 1 8	
† {	8" " " " " " " " "	"	12	"	0 2 4	
† {	10" " " " " " " " "	"	24	"	0 2 11	
† {	12" " " " " " " " "	"	24	"	0 3 8	

IRONMONGERY—TOOLS, ETC.—continued

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
4685	Screwdrivers, "Marples 1967"— 4", round blade	U.K.	180	each	0 1 0	} Briscoe & Co. Ltd.
4686	5" " " " " " " " " "	"	24	"	0 1 2	
4687	6" " " " " " " " " "	"	200	"	0 1 5	
4688	7" " " " " " " " " "	"	48	"	0 1 9	
4689	8" " " " " " " " " "	"	80	"	0 2 0	
4690	10" " " " " " " " " "	"	48	"	0 2 5	
4691	12" " " " " " " " " "	"	48	"	0 2 10	
4692	Snips, steel, tinman's, straight, "Brades"— 10"	"	20 pairs	pair	0 3 9	
4693	12" " " " " " " " " "	"	40 "	"	0 5 9	
4694	14" " " " " " " " " "	"	40 "	"	0 6 11	
4695	Strainers, wire, spring grip type, "Donald"	N.S.W.	24	each	0 19 6	Hardware Co. of Aust. Pty. Ltd.
4696	Tapes, measuring, steel, in bakelite cases, with flush handles, "Rabone 515"— 33 feet, in feet and decimal yards	U.K.	4	"	1 1 0	} Briscoe & Co. Ltd.
4697	66 " " " " " " " " " "	"	4	"	1 11 0	
4698	66 feet, in feet and links	"	50	"	1 7 0	
4699	Tapes, measuring, steel, in leather cases, with flush handles, "Rabone 415"— 33 feet, in feet and decimal yards	"	24	"	1 2 0	} Briscoe & Co. Ltd.
4700	66 " " " " " " " " " "	"	24	"	1 17 0	
4701	66 feet, in feet and links	"	72	"	1 12 0	
4702	Tapes, measuring, metallic, in bakelite cases, with flush handles, "Rabone 481"— 66 feet, in feet and decimal yards	"	40	"	0 16 9	} Briscoe & Co. Ltd.
4703	66 feet, in feet and links	"	40	"	0 16 9	
4704	Tapes, measuring, metallic, in leather cases, with flush handles, "Rabone"— 66 feet, in feet and decimal yards	"	80	"	0 16 6	} Hardware Co. of Aust. Pty. Ltd.
4705	66 feet, in feet and links	"	10	"	0 16 6	
4706	Refills, for metallic measuring tapes, "Rabone"— 66 feet, in feet and decimal yards	"	12	"	0 9 9	} Hardware Co. of Aust. Pty. Ltd.
4707	66 feet, in feet and links	"	60	"	0 9 9	
4708	Trowels, bricklayers', right hand, 12", "Tyzack"	"	80	"	0 7 0	} Briscoe & Co. Ltd.
4709	Trowels, plasterers', 11" x 4", "Brades 2202"	"	50	"	0 7 3	
4710	Trowels, pointing, 6", "Brades 2058"	"	40	"	0 2 5	
4711	Tubes, spirit level, "Brades 1617"— 1½" x ½"	"	50 doz.	doz.	0 5 6	} Briscoe & Co. Ltd.
4712	2½" x ¾"	"	24 "	"	0 6 6	
4713-4729	—Nil					

SPANNERS AND WRENCHES
(Schedule No. 146)

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
Spanners, Clyburn, steel—						
4730	6" x $\frac{1}{16}$ " nut size	...	280	} Nil
4731	8" x $\frac{3}{8}$ " " "	...	200	
† 4732	10" x $\frac{1}{2}$ " " "	...	300	
4733	12" x $\frac{3}{8}$ " " "	...	240	
4734	14" x $\frac{1}{2}$ " " "	...	120	
Spanners, Footprint, steel—						
4735	16" x $\frac{7}{8}$ " nut size	...	40	} Nil
4736	18" x 1" " "	...	80	
† 4737	21" x $1\frac{1}{8}$ " " "	...	60	
4738	24" x $1\frac{1}{4}$ " " "	...	100	
Spanners, set, double ended, steel, drop forged—						
† 4744	$\frac{3}{8}$ " x $\frac{1}{2}$ " "Equip"	Vict.	1200	each	0 1 1 $\frac{1}{2}$	} McPherson's Pty. Ltd.
† 4745	$\frac{1}{2}$ " x $\frac{5}{8}$ " "Macson"	N.S.W.	500	"	0 3 0	
4746	$\frac{3}{8}$ " x $\frac{3}{4}$ " " "	"	800	"	0 4 4	
Spanners, set, single ended, steel, drop forged—						
4747	$\frac{1}{4}$ "	...	600	} Nil
4748	$\frac{5}{16}$ "	...	500	
4749	$\frac{3}{8}$ "	...	600	
4750	$\frac{7}{16}$ "	...	20	
4751	$\frac{1}{2}$ "	...	600	
4752	$\frac{5}{8}$ "	...	600	
† 4753	$\frac{3}{4}$ "	...	600	
4754	$\frac{7}{8}$ "	...	600	
4755	1"	...	400	
4756	$1\frac{1}{8}$ "	...	100	
4757	$1\frac{1}{4}$ "	...	60	
4758	$1\frac{3}{8}$ "	...	20	
4759	$1\frac{1}{2}$ "	...	20	
4760	$1\frac{3}{4}$ "	...	20	

SPANNERS AND WRENCHES—continued.

Item No.	Description	Country of Manufacture	Estimated Requirements	Rate per	Rate £ . s . d.	Name of Contractor						
† { 4761	Wrenches, Stillson's type, "G.T.D."— 14"	U.S.A.	40	each	0 7 0	} McPherson's Pty. Ltd.						
							4762	18"	"	40	"	0 9 8
							4763	24"	"	20	"	0 16 9
† { 4764	Wrenches, pipe, chain, "Vulcan"— To take ½" to 2½" pipe, "No. 32"	"	10	"	1 1 3							
							4765	" " ¾" to 4" " "No. 33"	"	4	"	2 1 3
4766-4769	Nil											

TWIST DRILLS.

(Schedule No. 147).

† { 4770	Drills, flat, ribbed, for drilling railway rails— ¾"	48	} Nil					
							4771	1½"	48	...
							4772	1¼"	192	...
† 4773	Drills, twist, carbon, straight shank, to specification— Long series, any size on price list, as ordered	...	£10						
4774	Wire gauge series— Any number up to 60, as ordered	} £300						
4775	Any number from 61 to 80, as ordered						
4776	Drills, twist, carbon, square taper shank, to specification—for ratchet braces (size of shank—¾" x ½" x 1¼"), any size on price list, as ordered	...	£80						
	Drills, twist, high speed, straight shank, to specification, any size, letter or number on price list, as ordered—										
4777	Long series— ½" to ½" diameter, "P. & N." ...	Vict.	} £30	...	38%	} Gilbert Lodge & Co. Pty. Ltd.					
4777A	¾" to 1" " " ...	"		...	33%						
4777B	Any size on price list, "Capital" ...	U.K.		30%	The Eagle & Globe Steel Co. Ltd.				
4778	Jobber's series, "P. & N." ...	Vict.	£1600	...	42½%	} Gilbert Lodge & Co. Pty. Ltd.					
4779	Letter gauge series, "P. & N." ...	"	£30	...	42½%						
4780	Wire gauge series, "P. & N." ...	"	} £40	...	42½%						
4780A	" " " Nos. 53 to 60 gauge, as ordered, "Capital" ...	U.K.		each	10 1 1	The Eagle & Globe Steel Co. Ltd.					

† Trade discount.—Item No. 4780A less 30% and items Nos. 4782 to 4785 less 37½%.

TWIST DRILLS—continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
†4781	Drills, twist, high speed, taper shank, to specification— $\frac{3}{8}$ " " Capital "	U.K.	48	each	0	3	10	The Eagle & Globe Steel Co. Ltd.
4782	$\frac{1}{8}$ " " P. & N."	Vict.	96	"	†0	5	6	
4783	$\frac{5}{8}$ " " " "	"	24	"	†0	5	6	McPherson's Pty. Ltd.
4784	$\frac{3}{8}$ " " " "	"	144	"	†0	5	6	
4785	$\frac{7}{64}$ " " " "	"	288	"	†0	5	6	
Any size on price list, as ordered, other than those provided under items Nos. 4781 to 4785—								
4786	$\frac{1}{8}$ " to $\frac{1}{2}$ " diameter, " P. & N."	"		...	Percentage off Price List 38%			Gilbert Lodge & Co. Pty. Ltd.
4786A	$\frac{33}{64}$ " to 1" " "	"	£4000	...	33%			
4786B	1 $\frac{1}{8}$ " to 1 $\frac{1}{2}$ " " "	"		...	30 $\frac{1}{2}$ %			
4786C	1 $\frac{3}{8}$ " to 2" " "	"		...	28%			
4786D	Up to 2 $\frac{1}{2}$ " " " Capital "	U.K.		...	26%			
4786E	2 $\frac{3}{8}$ " to 3" " "	"	22%			The Eagle & Globe Steel Co. Ltd.
4787-4789	Nil							

† Trade discount.—Item No. 4780A less 30% and items Nos. 4782 to 4785 less 37 $\frac{1}{2}$ %.

BUILDERS' IRONMONGERY

(Schedule No. 148)

*†4790	Bars, locking, iron, galvanised, 8", "Rossda"	N.S.W.	200	each	†0	1	5 $\frac{3}{4}$	Hardware Co. of Aust. Pty. Ltd.
	Bolts, barrel, brass, "Rossda"—							
4791	3"	"	500	"	†0	0	6 $\frac{3}{4}$	
4792	4"	"	48	"	†0	0	8 $\frac{1}{4}$	
†4793	Bolts, drop, iron, galvanised, 24"		36	Nil
†4794	Bolts, pad, iron, galvanised— 6" x $\frac{1}{2}$ " diameter, "J. J. W."	Vict.	200	doz.	0	7	0	E. L. Yencken & Co. Pty. Ltd.
4795	10" x $\frac{5}{8}$ " " " Watson "	"	240	"	0	15	3	John Sharp & Sons Pty. Ltd.
4796	12" x $\frac{5}{8}$ " " " Osborne"—	"	200	"	0	18	0	
4797	3"	N.S.W.	48	"	0	3	0	John Sharp & Sons Pty. Ltd.
4798	4"	"	300	"	0	3	3	
4799	6"	"	600	"	0	5	3	
4800	8"	"	48	"	0	7	3	
4801	10"	"	48	"	0	10	9	
4802	12"	"	48	"	0	11	9	

† Less 2 $\frac{1}{2}$ % discount for payment by end of month following month of delivery.

BUILDERS' IRONMONGERY—continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor	
Brackets, shelf, steel, japanned, "Osborne"—							
† 4803	8" x 6", stayless pattern	N.S.W.	240	doz.	†0 5 5	Hardware Co. of Aust. Pty. Ltd.	
4804	10" x 8" " "	"	96	"	†0 7 1		
4805	12" x 10", stayed "	"	48	"	†0 10 6		
Buttons, cupboard, iron, japanned, "McMillan"—							
†4806	1½"	Vict.	40	gross	0 6 6	E. L. Yencken & Co. Pty. Ltd.	
†4807	2"	"	60	doz.	0 0 7½	John Danks & Son Pty. Ltd.	
†4808	Catches, cupboard, "Tilt," or suitable alternative	...	300	Nil	
†4809	Catches, spring, for fly wire doors, "Peerless"	Vict.	60	doz.	0 7 9	John Danks & Son Pty. Ltd.	
Chain, chandelier, brass—							
†4810	Light, "Hipkiss" No. 983, or suitable alternative	...	6 doz. yds.	Nil	
†4811	Heavy, "Hipkiss" No. 219L, or suitable alternative	...	24 "		
†4812	Chain, iron, 12 g., "Clifton"	Vict.	36 "	doz. yds.	0 3 0	McPherson's Pty. Ltd	
Checks, door, liquid—							
†4813	Light, "Dux B"	"	30	each	1 8 9	John Danks & Son Pty. Ltd.	
†4814	Heavy, "Dux C"	"	24	"	1 18 6		
†4815	Fasteners, sash, steel, oxidised, 2½", with oxidised screws, "Peerless"	"	60 doz.	doz.	†0 4 4	Hardware Co. of Aust. Pty. Ltd.	
Hasps and Staples, steel, japanned, "Osborne"—							
†4816	3½"	N.S.W.	400 sets	doz. sets	†0 1 3		
†4817	4"	"	600 "	"	†0 1 4½		
†4818	5"	"	400 "	"	†0 2 0		
†4819	6"	"	600 "	"	†0 2 4		
†4820	7"	...	40 "	Nil	
†4821	6" x ¼"	...	600 "		
†4822	Hooks and Eyes, brass, 1"	...	40 doz. prs.		
†4823	Hooks, cup, brassed, round ¾"	...	20 doz.	John Danks & Son Pty. Ltd.	
Hooks, hat and coat, iron							
†4824	Japanned, "McMillan", No. 2	Vict.	100 "	doz.	0 2 1		
†4825	Oxidised, "U.E.M.," No. 110	"	20 "	gross	1 14 6	E. L. Yencken & Co. Pty. Ltd.	

† Less 2½% discount for payment by end of month following month of delivery.

BUILDERS' IRONMONGERY—continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
†4826	Knobs, brass, for rim locks, 2¼", milled edge, complete with spindles, "Legge"	U.K.	300 sets	set	0 3 0	} John Danks & Son Pty. Ltd.
†4827	Latches, gate, surface, "McMillan" ...	Vict.	160	each	0 0 8¼	
†4828	Latches, Norfolk, "U.E.M." ...	"	100	"	0 1 0	
	Lifts, sash—					
†4829	Flush, brass, oxidised, 3½"	8 doz.	Nil
†4830	Hook pattern, oxidised, "Dandy" ...	Vict.	24 "	gross	0 8 6	The British United Shoe Machinery Co. of Aust. Pty. Ltd.
†4831	Ring pattern, brass, "H.D.C." ...	"	20 "	"	2 11 6	E. L. Yencken & Co. Pty. Ltd.
†4832	Pulleys, secret axle, 1½", "Rossda" ...	N.S.W.	100 "	doz.	0 3 11	John Danks & Son Pty. Ltd.
†4833	Pulls, drawer, steel, oxidised, "Dandy" ...	Vict.	50 "	gross	0 17 9	The British United Shoe Machinery Co. of Aust. Pty. Ltd.
†4834	Pulls, drawer, brass	10 "	} Nil
	Rollers, blind, spring, wooden, complete—					
†4835	42" long x 1¼" diameter	1200	
†4836	48" " x 1¼" "	100	
†4837	72" " x 1½" "	100	
†4838	Sheaves, ball bearing, for cupboard doors, ½" thick	...	400	
	Springs, door, spiral—					
†4839	10"	200	
†4840	11"	24	
†4841	Springs, gate, tail, 24"	120	
†4842	Staples, box, for rim locks, 6", right or left hand, as ordered	...	20 doz.	
†4843	Tracks, steel, coppered, for ball bearing sheaves under item No. 4838, in 10' lengths	...	100 lengths	
†4844	Weights, sash, cast iron, "Phoenix," any weight ordered between 3 lb. and 27 lb., advancing by ½ lb., in diameters as under— 3 lb. to 5½ lb.—1½" diam. 6 lb. to 9 lb.—1½" or 1⅝" diam., as ordered 9½ lb. to 12 lb.—1⅝" diam. 12½ lb. to 19 lb.—1¾" diam. 20 lb. to 27 lb.—2" diam.	Vict.	4 tons	ton	15 10 0	E. L. Yencken & Co. Pty. Ltd.

(HINGES)
(Schedule No. 149)

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate	Name of Contractor
				£ s. d.		
4870	Hinges, back flap, steel, bright, "R.B.D. No. 253"— 2"	N.S.W.	100 pairs	dozen pair	0 3 3	E. L. Yencken & Co. Pty. Ltd.
4871	2½"	"	80 "	"	0 8 4	
4872	3"	"	700 "	"	0 15 8	
4873	Hinges, butt, brass, "H.F.H."— 1"	"	48 "	"	0 3 9	John Danks & Son Pty. Ltd.
4874	1½"	"	160 "	"	0 4 9	
4875	1½"	"	120 "	"	0 5 3	
4876	2"	"	200 "	"	0 6 3	
4877	2½"	"	300 "	"	0 9 6	
4878	3"	"	400 "	"	0 14 0	
4879	4"	"	20 "	"	Nil	
4880	Hinges, butt, steel, "R.B.D. No. 438"— 2"	N.S.W.	600 "	dozen pair	0 1 10	E. L. Yencken & Co. Pty. Ltd.
4881	2½"	"	400 "	"	0 2 3	
4882	3"	"	1400 "	"	0 3 6	
4883	4"	"	400 "	"	0 7 6	
4884	Hinges, butterfly, single, nickel-plated	"	200 "	"	"	
4885	Hinges, gothic, steel, extra strong— 10"	"	20 "	"	"	Nil
4886	12"	"	80 "	"	"	
4887	14"	"	40 "	"	"	
4888	16"	"	80 "	"	"	
4889	18"	"	80 "	"	"	
4890	20"	"	40 "	"	"	
4891	22"	"	60 "	"	"	
4892	24"	"	20 "	"	"	
4893	Hinges, spring, for fly wire doors, "Rossda"	N.S.W.	160	dozen pair	0 4 0	John Danks & Son Pty. Ltd.
4894	Hinges, strap, straight, steel, bright, "Davies"— 4"	"	400 "	"	0 4 10	E. L. Yencken & Co. Pty. Ltd.
4895	6"	"	40 "	"	0 6 11	
4896	8"	"	200 "	"	0 9 0	
4897	10"	"	500 "	"	0 13 3	
4898	12"	"	40 "	"	0 19 3	

HINGES—continued.

Item No.	Description	Country of Manuf re	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
4899	Hinges, tee. steel, bright, "Davies"— 4" ...	N.S.W.	80 pairs	dozen pair	0 3 4	E. L. Yencken & Co. Pty. Ltd.
4900	6" ...	"	400 "	"	0 4 10	
4901	8" ...	"	800 "	"	0 6 0	
4902	10" ...	"	240 "	"	0 8 4	
4903	12" ...	"	800 "	"	0 11 5	
4904	14" ...	"	80 "	"	0 18 0	
4905	16" ...	"	200 "	"	0 19 6	
4906	18" ...	"	150 "	"	1 1 3	
4907-4919	—Nil					

OFFICE SAFES
(Schedule No. 150).

4920	Safes, office, 18" x 12" x 12" inside measurements, to specification	Vict.	24	each	10 16 0	J. L. Kelly
4921	—Nil					

BEARING METAL
(Schedule No. 151)

4922	Metal, bearing, for use on turbines and pumps, "Hoyts No. 11"	Vict.	1000 lb.	lb.	0 5 6	Hoyt's Metals (Aust.) Agency Pty. Ltd.
4923	Metal, bearing, for use on coal conveyors and electric motors, "Thermit"	N.S.W.	800 "	"	0 2 2	R. Granowski
4924	—Nil					

PIG IRON
(Schedule No. 152).

4925	Iron, pig, standard softener, to specification	N.S.W. or S. Aust.	2000 tons	ton	5 6 1	The Broken Hill Pty. Co. Ltd.
4926	—Nil					

CHROMIUM CAST STEEL BAFFLE PLATES
(Schedule No. 153)

4927	Plates, baffle, pattern A-O.189, to drawing No. 5354A, chromium cast steel, to specification	Vict.	1000	each	1 13 0	Charles Ruwolt Pty. Ltd.
4928, 4929	—Nil					

TRACK JACK PARTS
(Schedule No. 154)

Parts for "Trehwella" pattern track jacks—						
*4930	Pinions, ratchet, chrome steel, to specification	Vict.	200	lb.	0 1 1	Mason & Cox (Melb.) Pty. Ltd.
4931	Plates, side, right and left hand, parts Nos. 2 and 2A	"	20 prs.	pair	0 10 0	Trehwella Bros. Pty. Ltd.
*4932	Racks, steel forging, heat treated, part No. 1	"	240	each	0 18 0	
4933-4939	—Nil					

PILE SHOES AND SPIKES.

(Schedule No. 155)

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor
					f	s.	d.	
4940	Shoes, pile, mild steel, with cast iron tips, to specification	Vict.	200	each	0	8	6	} McPherson's Pty. Ltd.
	Spikes, mild steel, round, cup head, to specification—							
	Chisel point—							
4941	4" x ½"	"	2 cwt.	cwt.	1	7	6	
4942	6" x ½"	"	6 "	"	1	7	6	
4943	8" x ½"	"	30 "	"	1	7	6	
4944	9" x ½"	"	10 "	"	1	7	6	
4945	10" x ½"	"	30 "	"	1	4	0	
4946	12" x ½"	"	10 "	"	1	4	0	
4947	10" x ¾"	"	10 "	"	1	1	9	
4948	16" x ¾"	"	2 "	"	1	1	9	
4949	19" x ¾"	"	20 "	"	1	1	6	
	Diamond point—							
4950	6" x ½"	"	20 "	"	1	13	0	
4951	8" x ½"	"	20 "	"	1	13	0	
4952	9" x ½"	"	50 "	"	1	13	0	
4953	10" x ½"	"	40 "	"	1	8	0	
4954	12" x ½"	"	20 "	"	1	8	0	
4955	10" x ¾"	"	30 "	"	1	4	6	
4956	16" x ¾"	"	10 "	"	1	4	6	
4957	19" x ¾"	"	120 "	"	1	4	0	
4958-4969	Nil							

STEEL RIVETS

(Schedule No. 156)

Rivets, mild steel, to specification—		Country	Requirements	Rate per	Rate			Name of Contractor
Cup or pan head as ordered—					f	s.	d.	
4970	¼" dia. x ⅜" long and over, as ordered	Vict.	20 cwt.	cwt.	1	13	6	} McPherson's Pty. Ltd.
4971	⅝" " ½" " " " "	"	4 tons	"	1	12	0	
4972	⅜" " ½" " " " "	"	6 "	"	1	9	6	
4973	½" " ¾" " " " "	"	} 32 "	"	1	8	9	
4973A	½" " ¾" " " " "	"		"	"	1	11	
4974	⅝" " 1" " " " "	"	} 20 "	"	1	4	0	
4974A	⅝" " 1" " " " "	"		"	"	1	4	
4975	¾" " 1" " " " "	"	} 60 "	"	1	1	0	
4975A	¾" " 1" " " " "	"		"	"	1	1	

STEEL RIVETS—continued

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
	Rivets, mild steel, to specification—continued—					
4976	Cup or pan head as ordered—continued— $\frac{13}{16}$ " dia. x 2" long and over, as ordered	Vict.	10 tons	cwt.	1 1 0	McPherson's Pty. Ltd.
4976A	$\frac{13}{16}$ " " 2" " " " " " " " " " "	"		"	"	0 19 6
4977	$\frac{7}{8}$ " " 2" " " " " " " " " " "	"	14 "	"	1 0 6	McPherson's Pty. Ltd.
4977A	$\frac{7}{8}$ " " 2" " " " " " " " " " "	"		"	"	0 19 1
4978	$\frac{15}{16}$ " " 2 $\frac{1}{2}$ " " " " " " " " " " "	"	2 "	"	1 0 6	} McPherson's Pty. Ltd.
4979	1" " 3" " " " " " " " " " "	"	2 "	"	1 0 6	
	Flat Countersunk head—					
4980	$\frac{3}{8}$ " diameter x 1" long and over, as ordered	"	10 cwt.	"	1 8 9	} McPherson's Pty. Ltd.
4981	$\frac{3}{4}$ " " 1" " " " " " " " " " "	"	20 "	"	1 5 0	
4982	$\frac{7}{8}$ " " 2" " " " " " " " " " "	"	4 "	"	1 3 0	
4983	1" " 3" " " " " " " " " " "	"	4 "	"	1 3 0	
	Rounded Countersunk head—					
4984	$\frac{13}{16}$ " diameter x 2" long and over, as ordered	"	60 "	"	1 7 3	} McPherson's Pty. Ltd.
4985	$\frac{7}{8}$ " " 2" " " " " " " " " " "	"	60 "	"	1 7 3	
4986-4999	—Nil					

CHAIN, VARIOUS

(Schedule No. 157).

	Chain, coil, wrought iron, short link, self-coloured, to specification—					
†5000	$\frac{3}{16}$ " diameter, 16 links per foot	10 cwt.	} Nil
†5001	$\frac{1}{4}$ " diameter, 12 links per foot	10 "	
	Chain, crane, wrought iron, short link, self-coloured, to specification—					
5002	$\frac{1}{4}$ " diameter, best best best quality	30 "	} Nil
5003	$\frac{3}{8}$ " " " " " " " " " " " " " " " " " "	...	30 "	
5004	$\frac{1}{2}$ " " " " " " " " " " " " " " " " " "	...	80 "	
5005	$\frac{5}{8}$ " " " " " " " " " " " " " " " " " "	...	80 "	
5006	$\frac{3}{4}$ " " " " " " " " " " " " " " " " " "	...	20 "	
	Chain, for signalling purposes, to specification, "P. & W."—					
*†5007	$\frac{3}{16}$ " diameter, 16 links per foot ...	Vict.	12 "	cwt.	†3 16 0	} Pitt, Waddell Pty. Ltd.
*†5008	$\frac{1}{4}$ " diameter, 11 links per foot ...	"	60 "	"	†2 17 0	
5009-5019	—Nil					

† Less 2½% discount for payment by end of month following month of delivery.

FOUNDRY MATERIAL.
(Schedule No. 158.)

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
†5020	Blacking, moulders', in bags, "James Cumming & Sons"	N.S.W.	8 tons	cwt.	0	10	6	Gilbert Lodge & Co. Pty. Ltd.
†5021	Cement, iron, in 7-lb. tins, "Agnews" ...	Vict.	56 lb.	lb.	0	0	9½	Hardware Co. of Aust. Pty. Ltd.
5022	Crucibles, "Morgan's No. FR 70 Super"	U.K.	60	each	£	7	6	} A. Noble & Son Ltd.
5023	Crucibles, "Morgan's No. FR 40 Super"	"	100	"	£	2	10 0	
5024	Crucibles, "Morgan's No. A 25" ...	"	30	"	£	1	1 3	
†5025	Dextrol, in drums of 2½ cwt. ...	Vict.	20 tons	cwt.	2	10	0	Abel, Lemon & Co. Pty. Ltd.
†5026	Facing, white, in bags, "James Cumming & Sons"	N.S.W.	12 "	"	0	10	6	Gilbert Lodge & Co. Pty. Ltd.
†5027	Ferro Manganese, 76 to 80 % manganese, crushed to size 1½" x ½", with not more than 10% under ½", in 1 cwt. bags, "U.K. Ferro Manganese Co."	U.K.	36 "	"	2	6	6	Abel, Lemon & Co. Pty. Ltd.
†5028	Graphite, compound, in 1-lb. tins (for Rolling Stock Branch), "James Cumming & Sons"	N.S.W.	1200 lb.	lb.	0	1	6	Gilbert Lodge & Co. Pty. Ltd.
†5029	Graphite, compound, in 5-lb. tins (for Electrical Branch), "Dixon's"	U.K.	500 "	"	0	2	3	W. D. & A. H. Grozier
†5030	Graphite, pure flake, in 5-lb. tins, "James Cumming & Sons"	N.S.W.	600 "	"	0	1	6	Gilbert Lodge & Co. Pty. Ltd.
†5031	Lining, furnace, in bags, "Silacene," "Thos. Gray & Sons"	U.K.	6 tons	cwt.	0	16	0	A. Noble & Son Ltd.
†5032	Plumbago, fine, in bags ...	Vict.	6 "	"	†	2	6 0	Foundry Supplies Co.
†5033	Wire, wax, No. 3 (¼"), 4 (⅜"), 6 (½"), or 8 (⅝"), as ordered	...	200 lb.	Nil
5034-5039	—Nil							

‡ Rate covers delivery to Newport Loco. Workshops Storehouse.
† Less 5% special discount.

PLATERS' MATERIAL
(Schedule No. 159)

5040	Anodes, cast nickel, 99 per cent. nickel, free from copper and zinc, "Canning," (see note)— 18" ...	U.K.	200 lb.	lb.	0	4	9	} A. G. Healing Ltd.
5041	24" ...	"	680 "	"	0	4	9	
*†5042	Brushes, scratch, 553P, "Canning"	"	24	each	0	5	0	
†5043	Felt Bobs, 1½" thick, "Canning"— 6" diameter ...	"	12 lb.	lb.	0	13	3	
†5044	9" " ...	"	20 "	"	0	11	9	
†5045	Lacquer, metal, clear, internal, in 1-gal. sealed tins, "Spartan 11244"	Vict.	48 gals.	gal.	0	11	3	Hardie Trading Pty. Ltd.
†5046	Mops, calico, with binding washers— 9" x 50B, grey ...	"	30	each	0	6	6	} A. G. Healing Ltd.
†5047	12" x 105H, white ...	"	240	"	0	15	0	
†5048	Polish, compo— Crocus, No. 2, "Canning" ...	U.K.	200 lb.	lb.	0	0	8	
†5049	Tripoli, lustre	...	14 cwt.	Nil
†5050	White, in 30 oz. tins, "Canning"	U.K.	200 tins	tin	0	2	3	A. G. Healing Ltd.

PLATERS' MATERIAL—continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
†5051	Potassium Cyanide, 100 per cent., in 1-cwt. cases, "Canning"	U.K.	10 cwt.	lb.	0	1	6	A. G. Healing Ltd.
†5052	Salts, nickel, best double, "Canning"	"	56 lb.	"	0	0	9	
†5053	" " best single, "Canning"	"	224 "	"	0	0	9	
†5054	Thinners, lacquer, for item No. 5045, in 1-gal. sealed tins, "Spartan No. 244"	Vict.	60 gals.	gal.	0	7	3	Hardie Trading Pty. Ltd.
†5055-5069	—Nil							

LAMPS AND LAMPWARE

(Schedule No. 160)

†5070	Lamps, burning-off, 1 pint	60	Nil
†5071	Lamps, hurricane, complete, clear globes, "Lanora"	South Aust.	300	each	†	0 6 9	Hardware Co. of Aust. Pty. Ltd.
*†5072	Burners— Adlake lamp, to drawing No. F.3283, alt. 482/10.9.41	Q'land	120 doz.	doz.	2	6 0	A. E. Appleton & Sons
†5073	Barton type, without collars, with two adjusting wheels— ¼"	"	600 "	"	0	9 6	
†5074	¾"	"	200 "	"	0	10 6	
†5075	Burning-off lamp	...	4 "	Nil
†5076	Cosmo, No. 14	...	Nil	
†5077	Duplex, 1" wick, without collars	...	4 doz.	Nil
†5078	Hurricane lamp, push socket, suitable for "Feuerhand" lamps	...	10 "	
†5079	"Sun B" type, 1", without collars	Q'land	50 "	doz.	0	8 6	A. E. Appleton & Sons
†5080	Collars, brass— For Barton type burners	"	400 "	"	0	0 8	
*†5081	For 1" "Sun B" type burners	"	40 "	"	0	3 0	
†5082	Wick— Ball, 7-ply, in ½-lb. balls, "Samson"	Vict.	16 cwt.	lb.	0	2 3	Downs & Son Pty. Ltd.
†5083	Castor, 1" wide, in 12-yard rolls	...	40 rolls	Nil
†5084	Wicks, kerosene, cotton, 8" long— ¼" wide	...	150 gross	
†5085	¾" "	...	20 "	
†5086	⅝" "	...	4 "	
†5087	⅞" "	...	4 "	
†5088	Cosmo, No. 14	...	48 doz.	
†5089	Wicks, long time burning, 7½" long, for Adlake lamps	Q'land	200 "	doz.	0	2 9	A. E. Appleton & Sons

† Less 2½% discount for payment by end of month following month of delivery.

LAMPS AND LAMPWARE—continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
*†5090	Parts for Coleman Quick-Lite "Scout" kerosene lanterns— Blocks, eccentric, tip cleaner, part No. 242-304	Canada	50	each	0 0 5½	Coleman Quick-Lite Co. of Australia
*†5091	Caps, burner, complete with screens, part No. 242-323	Vict.	100	"	0 1 9	
*†5092	Generators, part No. TK66	Canada	140	"	0 3 3	
*†5093	Globes, Pyrex, part No. 550	U.K.	400	"	0 3 7	
*†5094	Leathers, pump, new type, part No. 216-509	N.S.W.	20	"	0 0 2	
*†5095	Needles, part No. T33	Canada	40	"	0 1 1	
*†5096	Plugs, filler, part No. 242-140	N.S.W.	10	"	0 1 11	
*†5097	Retarders, fuel, part No. 242K-219	Vict.	80	"	0 0 4	
*†5098	Stems, tip cleaner, part No. 242K-353	N.S.W.	10	"	0 1 3	
*†5099	Tips, gas, part No. 242K-218	Canada	40	"	0 0 5½	
*†5100	Parts for "Gloria" lamps— Generators	Vict.	60	"	0 1 6	Gloria Light Co. Pty. Ltd.
*†5101	Heads, burner	"	40	"	0 1 8	
*†5102	Parts for "Gloria" lamps—continued— Nuts and jams	"	10 pairs	pair	0 0 4½	Gloria Light Co. Pty. Ltd.
*†5103	Torches	"	20	each	0 0 4½	
*†5104	Valves, air	"	10	"	0 5 0	
*†5105	Parts for "Lux" lamps— Burners, tube	"	30	"	1 1 0	William Black
*†5106	Caps, iron, flame spreader	"	40	"	0 2 0	
*†5107	Cocks, nose, brass, ½"	"	40	"	...	Nil
*†5108	Couplings, kerosene, female	Vict.	160	each	0 1 0	William Black
*†5109	" " male	"	100	"	0 0 6	
*†5110	Nipples, 700 C.P.	"	30	"	0 1 6	
*†5111	Sockets, nipple	"	10	"	0 0 6	Nil
*†5112	Spreaders, flame	"	20	"	0 10 0	
*†5113	Springs, steel, large	"	20	"	...	
*†5114	" " small	"	20	"	...	
*†5115	Parts for "Tilley" lamps— Globes, glass, clear, "Pyrex," part No. 192	U.K.	600	each	†0 6 0	T. S. Nettlefold & Sons Pty. Ltd.
*†5116	Leathers, for pump, part No. 120	"	20	"	†0 0 2	
*†5117	Reflectors, steel, enamelled, 12", part No. 207	"	10	"	†0 9 6	
*†5118	Vaporisers, complete, part No. 169	"	200	"	†0 6 0	
*†5119	Washers, clamp for pump, part No. 154	"	10	"	†0 0 3½	
*†5120	Washers, for release valve, part No. 168	"	10	"	†0 0 1½	
*†5121	Washers, for vaporiser base, part No. 153	"	10	"	†0 0 2	
*†5122	Washers, valve, part No. 155	"	10	"	†0 0 2	

5123-5139—Nil

† Less 15% trade discount

LAMP GLASSWARE.
(Schedule No. 161)

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
†5140	Bowls, glass, large biand ...	Vict.	30 doz.	doz.	0 6 10	} Dott & Co. Pty. Ltd
	Bowls, glass, Pintsch gas—					
†5141	6", clear ...	"	10 "	"	1 0 0	
†5142	6", frosted ...	"	60 "	"	1 2 5	
†5143	8", clear ...	"	120 "	"	1 14 5	
†5144	8", frosted ...	"	100 "	"	1 16 4	
†5145	8", frosted, wreath type ...	"	60 "	"	1 16 4	
†5146	8", frosted 3½" from the top, balance in clear glass	"	100 "	"	1 16 4	
†5147	10", clear ...	"	100 "	"	2 1 0	
†5148	10", frosted ...	"	24 "	"	2 3 6	
†5149	10", frosted 4" from the top, balance in clear glass	"	12 "	"	2 3 6	
	Chimneys, lamp, glass—					
†5150	Adlake Lamp "A", to dwg. No. F3305 (amended 10.9.41)	"	800 "	"	0 5 10	
†5151	Cosmo, No. 14 ...	"	24 "	"	0 6 1	
†5152	Cosmo, short ...	"	100 "	"	0 8 1	
†5153	For Duplex burner, 10" long, bottom diameter 2½", top diameter 1½" or 1¼", or suitable alternative	...	4 "	Nil
†5154	Large slip ...	Vict.	400 "	doz.	0 7 4	} Dott & Co. Pty. Ltd.
†5155	Roof lamp ...	"	80 "	"	0 4 10	
	Glasses, lamp—					
†5156	Bent, clear, "Lux" lamp. ...	N.S.W.	30 "	"	2 8 0	Australian Window Glass Pty. Ltd.
†5157	Bent, green, 21-oz., to specification— 2½" external radius x 4¾" long ...	Vict.	200 doz.	doz.	1 4 0	} Brooks Robinson Pty. Ltd.
†5158	2½" " " x 5¼" " ...	"	30 "	"	1 4 0	
†5159	Bent, ruby, 21-oz., to specification— 2½" external radius x 4¾" long ...	"	100 "	"	1 3 0	
†5160	2½" " " x 4" " ...	"	40 "	"	1 3 0	} Brooks Robinson Pty. Ltd.
†5161	2½" " " x 5¼" " ...	"	20 "	"	1 3 0	
†5162	Bottom, for roof lamps ...	"	30 "	"	2 6 10	Dott & Co. Pty. Ltd.
	Front, for hand signal lamps, clear circles, bevelled—					
†5163	5" diameter	320 "	} Nil
†5164	5½" "	30 "	
†5165	Hurricane, ruby, 6½" high ...	N.S.W.	10 "	doz.	1 6 6	Crown Crystal Glass Pty. Ltd.
†5166	Hurricane, white, 6½" high ...	Vict.	36 "	"	0 7 10	Dott & Co. Pty. Ltd.

LAMP GLASSWARE—continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
	Lenses, concentric, inside corrugations, 5" diameter x 3½" focal—					
†5167	Clear	40 doz.	} Nil
†5168	Ruby, to specification	40 „	
	Lenses, solid, polished, clear—					
{ 5169	2" diameter	60 „	
{ 5170	3" „	20 „	
{ 5171	4" „	60 „	
{ 5172	6" „	60 „	
†5173	Lenses, solid, polished, ruby, 4" diameter, to specification	...	12 „	
5174-5189	—Nil					

