

[2973]



VICTORIA
GOVERNMENT GAZETTE.

Published by Authority.

[Registered at the General Post Office, Melbourne, for transmission by post as a newspaper.]

No. 237]

MONDAY, DECEMBER 13.

[1943

No.	Number of Tenders.	Particulars of Contract.	Country of Manufacture or Production.	Amount.	Name of Contractor.
65	..	Railways Stores Suspense Account, Act 3759, Section 105— Supply and delivery of General Stores as ordered, during the period 1st July, 1943, to 30th June, 1945, and 1st July, 1943, to 30th June, 1944.	As per annex ..	Rates as per annex	As per annex

Melbourne, 17th November, 1943.

Schedule of Rates Contracts

FOR THE

SUPPLY OF STORES

TO THE

VICTORIAN RAILWAYS.

PERIODS—

Schedules	60 to 63	} 1.7.1943 to 30.6.1945.
„	66, 69 to 94	
„	96 to 100	
„	102 to 105	
„	107 to 114	

Schedule 95—1.7.1943 to 30.6.1944.

Schedules 64, 65, and 101—1.7.1942 extended to 30.6.1945.

E. C. EYERS,

By Order of the Victorian Railways Commissioners.

SUPPLY AND DELIVERY OF STORES.

As ordered, from 1.7.1943 to 30.6.1945, and
1.7.1943 to 30.6.1944.

* Indicates that the stores shall be supplied to sample exhibited by the Corporation.

† Indicates that the stores shall be supplied to sample furnished by the Contractor.

‡ Indicates that the rate is subject to discount as shown.

§ Indicates that the rate is subject to fluctuation.

⌘ Indicates that the rate is subject to the extras shown.

All rates are exclusive of Sales Tax.

MOTOR AND ENGINE OILS, ETC.
(Schedule No. 60)

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
	Oil, air compressor, medium, to specification, "Atlantic"—					
† { 2000	In 40/45 gallon drums ...	U.S.A.	} 3000 gals.	gal.	0 3 11 ³ / ₄	} Atlantic Union Oil Co. Ltd.
2000A	In 4 or 5 gallon tins or drums, branded "Atlantic oil for air compressors"	"		"	0 4 4 ³ / ₄	
	Oil, cylinder, for compression ignition engines, to specification, (suitable for Gardner and Junker engines, airless injection cold starting oil engines, McDonald super road rollers, two and four cycle compression ignition engines of 60 to 200 h.p.)— "Silvertown SS-LM"					
† { 2001	In 4 or 5 gallon drums ...	"	} 1500 "	"	0 5 7	} Elder, Smith & Co. Ltd.
2002	In 40/45 gallon drums ...	"		"	0 5 2	
	"Dervoil," light or medium, as ordered (for Gardner Diesel engines)—					
† { 2001A	In 4 or 5 gallon drums ...	"	} 1500 "	"	0 5 10 ³ / ₄	} The Shell Co. of Aust. Ltd.
2002A	In 40/45 gallon drums ...	"		"	0 5 5 ³ / ₄	
	"D.T.E., extra heavy," (for State Rivers and W.S. Commission)—					
† { 2001B	In 4 or 5 gallon drums ...	"	} 4500 "	"	0 6 5 ³ / ₄	
2002B	In 40/45 gallon drums ...	"		"	0 6 0 ³ / ₄	
† 2003	Oil, cylinder, for compression ignition engines, in 4 or 5 gallon drums (suitable for caterpillar engines) (for State Rivers and W.S. Commission) "Delvac 2X" or "3X," as ordered	"	2000 "	"	0 5 10 ³ / ₄	
† 2004	Oil, cylinder, "Gargoyle Almo Engine Oil" for pneumatic tools, to specification, in 4 or 5 gallon drums (suitable for hammers, chisels, etc.)	U.S.A. & Vict.	200 "	"	0 4 7	} Vacuum Oil Co. Pty. Ltd.
† 2005	Oil, cylinder, "Gargoyle Almo Engine Oil" for pneumatic tools, to specification, in 40/45 gallon drums (suitable for rack drills at State Coal Mine)	"	200 "	"	0 4 2	
† 2006	Oil, cylinder, for kerosene engines, to specification, in 4 or 5 gallon drums (suitable for Crossley, Coulson, V.R. standard engines, etc.), "Vacme Heavy X"	"	1000 "	"	0 5 2	
	Oil, cylinder, to specification— Light (S.A.E. 20), for water cooled petrol engines—					
† 2007	"Atreco MM451" in 4 or 5 gallon tins or drums	U.S.A.	100 "	"	0 4 6 ¹ / ₂	Atlantic Union Oil Co. Ltd.
† 2007A	"Mobiloil Arctic" (for State Rivers and W.S. Commission) in 4 or 5 gallon drums	"	500 "	"	0 6 6 ¹ / ₂	Vacuum Oil Co. Pty. Ltd.

MOTOR AND ENGINE OILS, ETC.—continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
Oil, cylinder, to specification—continued—								
Medium (S.A.E 30), for water cooled petrol engines—								
"Shell" (for V.R. & P.W. Dept.)—								
† { 2008	In 4 or 5 gallon drums ...	U.S.A.	4000 gals.	gal.	0	5	2 ³ / ₄	} The Shell Co. of Aust. Ltd.
	2009							
"Mobiloil A" (for State Rivers & W.S. Commission)—								
† { 2008A	In 4 or 5 gallon drums ...	"	4000 "	"	0	6	6 ¹ / ₄	} Vacuum Oil Co. Pty. Ltd.
	2009A							
"Castrol X" (for Police Department)—								
† { 2008B	In 4 or 5 gallon tins or drums ...	"	200 "	"	0	7	0 ¹ / ₄	} C. C. Wakefield & Co. Ltd.
	2009B							
† 2008C	"Valvoline Medium" (for Mt. Buffalo), in cases, 2 x 4 gallon tins	"	200 "	"	0	7	10	J. Carrigan
Heavy Medium (S.A.E. 40), for water cooled petrol engines—								
"Shell" (suitable for "K" and "K.S." gang cars), (for V.R. & P.W. Dept.)—								
† { 2010	In 4 or 5 gallon drums ...	"	6000 "	"	0	5	2 ³ / ₄	} The Shell Co. of Aust. Ltd.
	2011							
"Mobiloil A.F." (for State Rivers & W.S. Commission)—								
† { 2010A	In 4 or 5 gallon drums ...	"	8000 "	"	0	6	6 ¹ / ₄	} Vacuum Oil Co. Pty. Ltd.
	2011A							
"Castrol XL" (for Police Department)—								
† { 2010B	In 4 or 5 gallon tins or drums ...	"	1000 "	"	0	7	7 ¹ / ₂	} C. C. Wakefield & Co. Ltd.
	2011B							
Heavy (S.A.E. 50) for water cooled petrol engines—								
"Shell" (for V.R. & P.W. Dept.)—								
† { 2012	In 4 or 5 gallon drums ...	"	500 "	"	0	5	2 ³ / ₄	} The Shell Co. of Aust. Ltd.
	2013							

MOTOR AND ENGINE OILS, ETC.—continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
	Oil, cylinder, to specification—continued— Heavy (S.A.E. 50), for water cooled petrol engines—continued— "Mobiloil B.B." (for State Rivers & W.S. Commission)—					
† { 2012A	In 4 or 5 gallon drums ...	U.S.A.	} 2000 gals.	gal.	0 6 6 ³ / ₄	} Vacuum Oil Co. Pty. Ltd.
{ 2013A	In 40/45 gallon drums ...	"		"	0 6 1 ¹ / ₄	
† 2012B	"Valvoline Heavy" (for Mt. Buffalo), in cases, 2 x 4 gallon tins Extra Heavy (S.A.E. 60), for water and air cooled petrol engines— "Shell" (suitable for Sheffield and Inspection gang cars)—	"	100 "	"	0 7 10	J. Carrigan
† { 2014	In 4 or 5 gallon drums ...	"	} 7000 "	"	0 5 2 ³ / ₄	} The Shell Co. of Aust. Ltd.
{ 2015	In 40/45 gallon drums ...	"		"	0 4 9 ³ / ₄	
† { 2014A	"Mobiloil B" (for State Rivers and W.S. Commission)— In 4 or 5 gallon drums ...	"	} 1000 "	"	0 6 6 ³ / ₄	} Vacuum Oil Co. Pty. Ltd.
{ 2015A	In 40/45 gallon drums ...	"		"	0 6 1 ¹ / ₄	
† { 2014B	"Castrol XXL" (for Police Department)— In 4 or 5 gallon tins or drums ...	"	} 100 "	"	0 7 9 ³ / ₄	} C. C. Wakefield & Co. Ltd.
{ 2015B	In 40/45 gallon drums ...	"		"	0 7 4 ³ / ₄	
2016	Oil, refrigerating machine, extra light, to specification, in 4 or 5 gallon drums, "Arctic C, Heavy"	"	400 "	"	0 5 2	Vacuum Oil Co. Pty Ltd.
2017-2019	—Nil					

MACHINERY AND GEAR OILS, ETC.

(Schedule No. 61).

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
†2020	Oil, bearing, to specification— Light, in 40/45 gallon drums (suitable for signal apparatus, medium line shafting, light ball bearings and races, medium printing machines, small milling machines, and ring oil bearings)	U.S.A., & Vict.	1600 gals.	gal.	0	3	3	Vacuum Oil Co. Pty. Ltd.
†2021	Medium, "X.L. Machine," in 40/45 gallon drums (suitable for large electric motors and dynamos having ball bearings and races, tricycles, windmills, large pumps, gyratory stone crushers, saw milling machinery, lathes, drilling machines and large milling machines)	Vict. (partly)	10,000 "	"	0	2	9½	} Ramsay & Treganowan Ltd.
†2022	Heavy, "X.L. Machine," in 40/45 gallon drums (suitable for large machine tools, signal mechanism, heavy electric motors, road roller bearings, and heavy engine bearings)	"	4500 "	"	0	2	10	
†2023	Extra Heavy, "5010," in 40/45 gallon drums (suitable for stone crushers, tractors and similar machinery)	U.S.A.	1000 "	"	0	3	10½	Caltex Ltd.
†2024	Oil, gear, to specification, "Garg., DTE-BB," in 4 or 5 gallon drums (suitable for gear box of generator drive of air conditioned cars)	"	300 "	"	0	6	5½	Vacuum Oil Co. Pty. Ltd.
†2025	Oil, gear (S.A.E. 90), to specification, "Garg. Mobiloil G.X.," in 4 or 5 gallon drums (suitable for gear boxes of rail and road motor vehicles)	U.S.A.	200 gals.	gal.	0	7	8¼	} Vacuum Oil Co. Pty. Ltd.
	Oil, gear (S.A.E. 160) to specification, in 40/45 gallon drums (suitable for transmission gear of rail and road motor vehicles)—							
†2026	"Socony S.D."	"	600 "	"	0	4	0¾	
†2026A	"Gg. Mobiloil C." (for State Rivers and Water Supply Commission)	"	2500 "	"	0	5	8¼	
2027-2039—Nil								

TRANSFORMER AND TURBINE OILS

(Schedule No. 62)

† {	2040	Oil, transformer and switch gear, light, "Gargoyle Transformer A, (Paulsboro)," to specification— In 40/45 gallon drums	U.S.A.	} 3000 gals.	gal.	0	4	9¼	} Vacuum Oil Co. Pty. Ltd.
	2040A	In 4 or 5 gallon drums							
†	2041	Oil, turbine, medium, "Valvoline," to specification, in 40/45 gallon drums	"	5000 "	"	0	7	0	J. Carrigan
† {	2041A	Oil, turbine, "Gargoyle D.T.E. Heavy Medium," (for State Rivers and Water Supply Commission)— In 40/45 gallon drums	"	} 8000 "	"	0	5	11¼	} Vacuum Oil Co. Pty. Ltd.
	2041B	In 4 or 5 gallon drums							
2042-2049—Nil									

OILS, VARIOUS
(Schedule No. 63)

Item No.	Description	Country of Manufre	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
†2050	Compound, soluble cutting, to specification, in 40/45 gallon drums	...	5000 gals.	Nil
†2051	Oil, air filter, to specification, in 4 or 5 gallon drums (suitable for air filter of air-conditioned cars), "P-931"	U.S.A.	300 "	gal.	0 4 1½	Vacuum Oil Co. Pty. Ltd.
†2052	Oil, fish, to specification, for tempering springs, in 40/45 gallon barrels or drums	...	1000 "	Nil
†2053	Oil, straight cutting, sulphurised, to specification, in 4 or 5 gallon drums, "S1"	U.S.A. & Vic.	750 "	gal.	0 4 5	} Vacuum Oil Co. Pty. Ltd.
†2054	Oil, lardine, to specification, in 4 or 5 gallon drums	"	80 "	"	0 2 11½	
†2055	Oil, neatsfoot compound, to specification, in 40/45 gallon barrels or drums, "XL"	"	160 "	"	0 2 10	Ramsay & Treganowan Ltd.
†2056	Oil, neatsfoot, to specification, pure, in 4 or 5 gallon drums	Vict.	250 "	"	0 3 11	Vacuum Oil Co. Pty. Ltd.
2057-2059	—Nil					

FUEL OIL, ETC.
(Schedule No. 64)

2060	Distillate, for compression ignition engines, delivered in the metropolitan area, in 40/45 gallon drums, or ex road tanker into the Corporation's tanks, as ordered	U.S.A. Iran, or Bahrein	50,000 gals.	gal.	0 1 4	} Pool Petroleum Pty. Ltd.	
	Oil, furnace, delivered—						
2061	Into the Corporation's tank trucks at the Contractor's siding	"	} 2,600 tons	ton	12 7 6		
2062	Into the Corporation's tank at Newport Loco. Workshops	"		"	12 7 6		
2063	In the Corporation's 40/45 gallon drums at the Contractor's siding	"		"	12 19 6		
2064	Oil, furnace, for pre-mixing with bitumen, in 40/45 gallon drums, delivered in the metropolitan area	"	10 "	"	12 19 6		
	Oil, diesel fuel, for compression ignition engines, delivered in the Corporation's or Contractor's 40/45 gallon drums—						
2065	At Oil Storehouse, Newport	"	} 60 "	"	13 7 0		
2066	At Contractor's siding (for Mt. Buffalo, Mathoura, etc.)	"		"	13 7 0		
	Oil, diesel fuel, for "Oil-o-matic" burners, delivered into the Corporation's tanks—						
2067	At Pintsch Gas Depot, Spencer Street	"	} 1,000 "	"	12 15 0		
2068	At Railway Administrative Offices, Spencer Street, Flinders Street station, Spencer Street station, or Government Tourist Bureau, Collins Street, as ordered	"		"	12 15 0		
2069	—Nil						

MOTOR SPIRIT, ETC.

(Schedule No. 65)

Items Nos. 2072 and 2073.

Motor Spirit may be ordered under the following items for delivery at the country locations shown. The differential applicable to each location is also shown, and same must be added to the base rate for the item concerned:—

Item No. 2072 (into tanks).		Item No. 2073 (in drums).	
Location.	Differential per gallon	Location.	Differential per gallon
Benalla ...	1½d.	Ararat ...	1½d.
Echuca ...	1½d.	Ballarat ...	¾d.
Elmore ...	1½d.	Bendigo ...	1d.
Geelong ...	¾d.	Bright ...	2½d.
Mt. Buffalo ...	4d.	Charlton ...	1½d.
Numurkah ...	1½d.	Clarkefield (see note)	¾d.
State Coal Mine ...	1½d.	Dimboola ...	2d.
Swan Hill ...	2½d.	Donald ...	1½d.
		Forrest ...	1d.
		Geelong ...	¾d.
		Korong Vale ...	1½d.
		Maffra ...	1½d.
		Mansfield ...	1½d.
		Murtoa ...	1½d.
		Rushworth ...	1½d.
		Sea Lake ...	2d.
		Shepparton ...	1½d.
		Traralgon ...	1½d.
		Ultima ...	2½d.
		Wodonga ...	1½d.
		Wycheproof ...	2d.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor	
Motor Spirit—							
2070	Delivered by road tanker into underground tanks within the metropolitan area	U.S.A. Iran or South America	500,000 gals.	Imp. gal.	0 2 2½	Pool Petroleum Pty. Ltd.	
2071					Delivered by road tanker into 40/45 gallon drums, or delivered in 40/45 gallon drums, within the metropolitan area		0 2 3½
2072					Delivered by road tanker into underground tanks at country locations (see note)		{ 0 2 2½ plus differential
2073					Delivered in 40/45 gallon drums at country locations (see note)		{ 0 2 3½ plus differential
2074	Naphtha, solvent, to specification, in 40/45 gallon drums	N.S.W.	3,000 gals.	..	0 1 9	The Broken Hill Pty. Co. Ltd	
2075-2099	Nil						

KEROSENE & CASTOR OIL.

(Schedule No. 66)

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
	Kerosene, 300 deg., high test, to specification—					
	“ Oil M-1103 ”—					
† { 2100	In cases, 2 x 4 gallon tins ...	U.S.A.	}	Imp. gal.	0 2 10½	} Vacuum Oil Co. Pty. Ltd.
{ 2101	In 40/45 gallon drums ...	„				
	“ Shell ”—		4,000 gals.			
† { 2100A	In cases, 2 x 4 gallon tins ...	„	}	„	0 2 10½	} The Shell Co. of Aust. Ltd.
{ 2101A	In 40/45 gallon drums ...	„				
	Kerosene, illuminating—					
† { 2102	In 4 gallon drums ...	U.S.A., Iran or South America	} 150,000 „	„	0 2 0½	} Pool Petroleum Pty. Ltd.
{ 2103	In 24 or 40/45 gallon drums, as ordered					
† 2104	Kerosene, power, for kerosene engines and engine cleaning, in 40/45 gallon drums	„	50,000 „	„	0 1 5	
† 2105	Oil, castor, “ Alba,” to specification, in 5 gallon drums	Vict.	2,000 „	...	‡ Price ruling at date of delivery	Lycett Pty. Ltd.
2106-2119—Nil						

‡—Less 2½% trade discount

AMBULANCE MATERIAL
(Schedule No. 69)

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
	Bandages, roller, open weave, "Somerset"—							
† 2205	1" x 2 yards	N.S.W.	1000 doz.	gross	0	7	6	} Johnson & Johnson Pty. Ltd.
2206	2" x 2 "	"	3000 "	"	0	12	6	
2207	3" x 4 "	"	700 "	"	1	8	11	
† 2208	Bandages, triangular, calico, in pkts. of 12, cut out of 36" calico	...	240 pkts.	} Nil
2209	Dettol, or substitute, in 1-gallon tins	...	90 gals.	
2210	Elastoplast, plain, style "A," 3" wide x 5 to 6 yards long	...	900 rolls	
† 2211	Gauze, plain, 36 x 18 count, 36" wide, in 100-yard rolls, 90-oz. per roll, "Fastnet"	U.K.	100 "	roll	1	0	6	Johnson & Johnson Pty. Ltd.
2212	Ginger, tincture of, B.P., in 2-lb. bottles	...	6 bottles	Nil
2213	Horsehair, for sutures, 24" long, in hanks of 100 strands	...	Nil	Nil
	Lint—							
† 2214	Borated, 1-lb. pkts., 3½ to 3¾ yds. long, 17" to 18" wide, not more than 35% boracic acid	...	Nil	Nil
† 2215	Plain, 1-oz. packets	...	24 doz. pkts.	Nil
† 2216	Plain, 1-lb. pkts., 6 yds. long, 18" wide, "Stag"	U.K.	24 "	doz. pkts.	2	11	0	Joubert & Joubert Pty. Ltd.
† 2217	Lotion, calamine, in winchester quarts	...	6 win. qts.	Nil
2218	Lysol, or substitute, in 4-gallon tins	...	Nil	Nil
2219	Mixture, diarrhoea, in 1-lb. bottles	...	16 btls.	Nil
* 2220	Needles, surgeon's, assorted sizes, 6 in pkt., half curved	...	Nil	Nil
2221	Oil, castor, pure, in 1-gal. tins	...	4 gals.	} Nil
† 2222	Oil, olive, Australian, in 1-gal. tins	...	4 "	
2223	Peroxide of Hydrogen, 10 volumes, in 1-gallon jars	...	12 "	
† 2224	Pins, safety, rustless, 12 on card	...	48 doz. cards	Nil
	Plaster, zinc oxide "Z.O."—							
2225	¾" x 1 yard	N.S.W.	500 doz.	doz.	0	2	1	} Johnson & Johnson Pty. Ltd.
† 2226	1" x 2½ yards	"	160 "	"	0	5	9	
2227	3" x 5 "	"	12 "	"	1	0	6	
2228	Plastine, or substitute, in 5-lb. tins	...	200 tins	} Nil
2229	Sal Volatile, in winchester quarts	...	24 win. qts.	
2230	"Tannafax" (tannic acid jelly), in 20 gramme tubes (see note)	N.S.W.	200 doz.	doz.	0	8	10	} Burroughs Wellcome & Co. (Aust.) Ltd.
† 2231	Wool, surgeons', plain, 1-oz. cartons, "Cotton Dressings Pty. Ltd." (see note)	Vict.	40 doz. cartons	doz. cart.	0	2	4½	
† 2232	Wool, surgeons', plain, 1-lb. packets, "Cotton Dressings Pty. Ltd." (see note)	"	2000 pkts.	pkt.	0	1	6	Joubert & Joubert Pty. Ltd.
2233-2239	—Nil							

LEATHER AND LEATHER GOODS.

(Schedule No. 70)

Item No.	Description	Country of Manufacture	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
	Bags, leather—							
*2240	Cash, large, plain	60	} Nil	
*2241	Electrical Fitters'	24		
*2242	Guards' Kit, with shoulder straps, lettered "V.R."	24		
	Belting, leather, cemented with waterproof cement, up to 6" wide, as ordered, to specification—							
†2243	Double	Vict.	900 sq. ft.	sq. ft.	£	6 7½	} Geo. Pizzey & Son Ltd.	
†2244	Single	"	1300 "	"	£	3 4½		
†2245	Belting, leather, laminated, endless, or otherwise, to specification, any width ordered— ⅝" thick	"	200 lin. ft.	lin. ft. of 1 in. width	£	0 11½		
†2246	¾" "	"	60 "	"	£	1 2½		
†2247	½" "	"	250 "	"	£	1 4½		
	Cases, attache, leather—							
†2248	15" x 9" x 5½", inside measurements	"	24	each	£	1 3 0	} W. Pocknall	
†2249	16" x 10" x 6", " " " "	"	36	"	£	1 5 0		
†2250	Clogs, leather, split kip, blucher pattern, wooden soles, iron shod, sizes 5 to 10, as ordered, "Witson"	Tas.	600 pairs	pair	£	0 8 9	Cuthbertson Bros.	
	Leather, to specification—							
†2251	Bag, soft, natural colour, in sides	Vict.	450 lbs.	lb.	£	3 2	Zwar Bros. Pty. Ltd.	
†2252	Basils, not less than 7 sq. ft. each, "Thos. Elliot"	N.S.W.	3000	each	£	2 3	Geo. Pizzey & Son Ltd.	
†2253	Bellows, oil dressed, in backs not more than 27" wide	Vict.	36 cwt.	cwt.	£	12 6 0	Zwar Bros. Pty. Ltd.	
†2254	Belt, Lacing, ⅜" thick, in sides	1 "	Nil	
†2255	Chrome, in backs	Vict.	6 cwt.	cwt.	£	17 5 4	S. P. Reynolds & Co Pty. Ltd.	
†2256	Harness, black, extra heavy, in backs	"	24 "	"	£	14 0 0	} Geo. Pizzey & Son Ltd.	
†2257	Harness, black, heavy, in sides	"	12 "	"	£	10 19 0		
†2258	Harness, brown, in sides	"	10 "	"	£	10 11 0		
†2259	Harness, prepared in oil, thickened by machine to ¼" thick, black or brown, as ordered, in bends	"	3 "	"	£	18 4 0		
†2260	Rein, brown, stained, in sides	"	20 "	"	£	14 5 0	} Zwar Bros. Pty. Ltd.	
†2261	Satin Hide, in sides	"	500 sq. ft.	sq. ft.	£	1 2½		
†2262	Sole, in backs	"	200 cwt.	cwt.	£	12 12 0	W. Braithwaite Pty. Ltd.	

† Less 2½% discount for payment by end of month following month of delivery.

‡ Item No. 2262—Rate plus 16%.

LEATHER AND LEATHER GOODS—continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
†2263	Leather, to specification—continued— Trimming, in hides— Antique, "Prestonite" ...	Vict.	1600 sq. ft.	sq. ft.	1	0	2	Henry P. Zwar Pty. Ltd.
*†2264	Black	"	18,000 "	"	1	0	1½	
*†2265	Green	"	2500 "	"	1	0	1½	Zwar Bros. Pty. Ltd.
†2266	Wax filled, in bends not more than 25" wide	"	2 cwt.	cwt.	15	17	4	
†2267	For Westinghouse brake washers, black, in bends not more than 27" wide— Heavy	"	65 "	"	14	14	0	W. Braithwaite Pty. Ltd.
†2268	Light	"	6 "	"	18	18	0	
2269-2279	—Nil							

†‡ Items Nos. 2263 to 2265—Rates plus 19%, then less 2½% discount for payment by end of month following month of delivery.

‡ Items Nos. 2266 to 2268—Rates plus 19%.

FORKS, PICKS AND SHOVELS

(Schedule No. 71)

†2280	Forks, stone, 8-prong, "Brades," No. 770	U.K.	700	each	0	15	10	Briscoe & Co. Ltd.
*†2281	Handles, "D," tubular steel, for shovels, without stales, to specification, "Trojan" (see note)	Vict.	300	"	0	1	7	Scott & Son Pty. Ltd.
†2282	Picks, navy, double ended, diamond and chisel points, 7-lb., to specification, "Plumbs"	N.S.W.	1200	dozen	3	8	6	McMicking & Co.
2283	Shovel, steel— Coal, square mouth, wood "D" handle, to specification— No. 6	...	180	Not now manufactured
†2284	No. 7, blade 14¾" x 12¾", "Trojan" (see note)	Vict.	500	each	0	5	0	Scott & Son Pty. Ltd.
2285	No. 8	...	24	Not now manufactured
†2286	Fireman's, "T" handle, blade 17½" x 7¾", "Star"	N.S.W.	1300	each	0	5	11¼	Edwin Wood Pty. Ltd.

FORKS, PICKS AND SHOVELS—continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
Shovels, steel—continued—						
Fuelman's Coal Scoops—						
2287	No. 6, steel "D" handle, to specification	...	200	} Not now manufactured
2288	No. 6, steel "D" handle, 4' 8" long overall, to specification	...	100	
2289	No. 6, without handle	100	
Long handle—						
†2290	No. 3, round mouth, single bend handle, blade 11 $\frac{1}{8}$ " x 13 $\frac{1}{8}$ ", "Pucka"	Vict.	900	each	0 4 0	} A. W. Jackson Metals Pty. Ltd.
†2291	No. 3, square mouth, blade 10 $\frac{1}{2}$ " x 12 $\frac{3}{4}$ ", "Pucka"	"	500	"	0 4 0	
†2292	No. 2, utility, round mouth, with turned tread (for deep post hole digging), blade 13 $\frac{1}{4}$ " x 9 $\frac{1}{4}$ ", "Trojan" (see note)	"	70	"	0 5 3	Scott & Son Pty. Ltd.
2293	Moulders, No. 2, square mouth, "D" handle, smooth back, to specification	...	80	Not now manufactured
Navy, tubular steel, "D" handle, to specification, "Trojan" (see note)—						
†2294	No. 3, square mouth, blade 12 $\frac{3}{4}$ " x 10 $\frac{5}{8}$ "	Vict.	2800	each	0 4 8	} Scott & Son Pty. Ltd.
†2295	No. 4, round mouth, blade 13 $\frac{1}{8}$ " x 11 $\frac{1}{4}$ "	"	120	"	0 4 9	
2296-2299	—Nil					

WOODEN HANDLES
(Schedule No. 72)

Handles, to specification—						
†2300	Adze, "Bonser" ...	N.S.W.	} 60 doz.	dozen	0 19 0	Hely Bros. Pty. Ltd.
†2300A	" " "Gumleaf" ...	"		"	†1 0 3	John Perry Pty. Ltd.
†2301	Axe, 32" long, to drawing No. 190/38, "Bonser"	"	} 250 "	"	0 16 7	Hely Bros. Pty. Ltd.
†2301A	Axe, 32" long, to drawing No. 190/38, "Gumleaf"	"		"	†0 17 6	John Perry Pty. Ltd.
Broom, hardwood—						
†2302	3' 6" long	...	50 "	} Nil
†2303	6' 0" "	...	180 "	
*†2304	File, 3", to sample "C," "Bonser"	N.S.W.	} 50 doz.	dozen	0 0 10 $\frac{1}{2}$	Hely Bros. Pty. Ltd.
*†2304A	" " "Premier"	Vict.		gross	0 10 9	McPherson's Pty. Ltd.
*†2305	File, 4", to sample "D," "Bonser"	N.S.W.	} 55 "	dozen	0 0 11 $\frac{1}{2}$	Hely Bros. Pty. Ltd.
*†2305A	" " "Premier"	Vict.		gross	0 11 10	McPherson's Pty. Ltd.
†2306	Hammer, claw, "Bonser"	N.S.W.	} 60 "	dozen	0 4 6	Hely Bros. Pty. Ltd.
†2306A	" " "Gumleaf"	"		"	†0 4 9	John Perry Pty. Ltd.

† Less 5% trade discount.

WOODEN HANDLES—continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
Handles, to specification, continued—								
†2307	Hammer, hardwood, first quality— 14", "Bonser" ...	N.S.W.	} 100 doz.	dozen	0	5	0	Hely Bros. Pty. Ltd.
†2307A	" " "Gumleaf" ...	"		"	"	10	5	3
†2308	16" (small eye), "Bonser" ...	"	} 300 "	"	0	5	3	Hely Bros. Pty. Ltd.
†2308A	" " "Gumleaf" ...	"		"	"	10	5	6
†2309	16" (large eye), "Bonser" ...	"	} 260 "	"	0	5	3	Hely Bros. Pty. Ltd.
†2309A	" " "Gumleaf" ...	"		"	"	10	5	6
†2310	18", "Bonser" ...	"	} 100 "	"	0	6	2	Hely Bros. Pty. Ltd.
†2310A	" " "Gumleaf" ...	"		"	"	10	6	6
†2311	20" (small eye), "Bonser" ...	"	} 70 "	"	0	7	1	Hely Bros. Pty. Ltd.
†2311A	" " "Gumleaf" ...	"		"	"	10	7	6
†2312	20" (large eye), "Bonser" ...	"	} 140 "	"	0	7	1	Hely Bros. Pty. Ltd.
†2312A	" " "Gumleaf" ...	"		"	"	10	7	6
†2313	24", "Bonser" ...	"	} 120 "	"	0	7	1	Hely Bros. Pty. Ltd.
†2313A	" " "Gumleaf" ...	"		"	"	10	7	6
†2314	30", "Bonser" ...	"	} 160 "	"	0	10	5	Hely Bros. Pty. Ltd.
†2314A	" " "Gumleaf" ...	"		"	"	10	11	0
†2315	36" (small eye), "Bonser" ...	"	} 800 "	"	0	12	10	Hely Bros. Pty. Ltd.
†2315A	" " "Gumleaf" ...	"		"	"	10	13	6
†2316	36" (large eye), "Bonser" ...	"	} 110 "	"	0	14	3	Hely Bros. Pty. Ltd.
†2316A	" " "Gumleaf" ...	"		"	"	10	15	0
†2317	Hammer, hickory, first quality— 24" ...	"	60 "	"	"	"	"	} Nil
†2318	30" ...	"	8 "	"	"	"	"	
†2319	36" (small eye) ...	"	60 "	"	"	"	"	
†2320	Hatchet, for "Brades" No. 2 axe pattern hatchets, "Gumleaf" ...	N.S.W.	10 "	dozen	10	6	3	John Perry Pty. Ltd.
†2321	Metal Fork, bent, with sockets and steel "D" ...	"	18 "	"	"	"	"	} Nil
†2322	Mop, ferruled Pick—	"	80 "	"	"	"	"	
†2323	Coal Miners', No. 85A, "Bonser" ...	N.S.W.	} 250 "	dozen	0	9	6	Hely Bros. Pty. Ltd.
†2323A	" " "Gumleaf" ...	"		"	"	10	10	0
†2324	Navy, double ended, "Bonser" ...	"	} 500 "	"	0	18	6	Hely Bros. Pty. Ltd.
†2324A	" " "Gumleaf" ...	"		"	"	10	19	6
†2325	Scythe ...	"	Nil	"	"	"	"	
†2326	Shovel, long, bent, "Bonser" ...	N.S.W.	} 140 doz.	dozen	0	19	11	Hely Bros. Pty. Ltd.
†2326A	" " "Gumleaf" ...	Vict.		"	"	11	1	0
†2327	Shovel, short, bent, with steel "D" ...	"	70 "	"	"	"	"	Nil
2328-2339—Nil								

Less 5% trade discount.

FILES AND RASPS
(Schedule No. 73)

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate	Name of Contractor
	Files, any size shown in price list, as ordered—					
† { 2340	Half-round, "Wiltshire" ...	Vict.	} £7000	...	<u>List Price</u> Less 2%	} H. A. Barnard Pty. Ltd.
2340A	Any other type " ...	"		...	Less 25½%	
† { 2340B	Half-round, "Nicholson" ...	Canada		...	Net	} McPherson's Pty. Ltd.
2340c	Any other type " ...	"		...	Less 21¾%	
2341	Files, block, valve rubber, bastard cut, 7" x 1½"	...	150	Nil
2342	Rasps, any type and size shown in price list, as ordered, "Nicholson"	Canada	£200	...	<u>List Price</u> Net	McPherson's Pty. Ltd.
2343-2349	—Nil					

FILES AND RASPS—continued.

PRICE LIST.

Files—Items Nos. 2340 and 2340A. H. A. Barnard Pty. Ltd. "Wiltshire"
 " " 2340B and 2340C. McPherson's Pty. Ltd. "Nicholson"
 Rasps—Item No. 2342. McPherson's Pty. Ltd. "Nicholson"

NOTE.—Hand flat, half round, three square, round, square, warding, mill saw and taper saw files, in sizes from 6-in. to 16-in. inclusive, are manufactured by the Wiltshire File Co. Pty. Ltd., Victoria. (Contractor—H. A. Barnard Pty. Ltd.)
 —Items indicated by rates being shown in light type on price list.)

Other sizes of above types, all other types of files, and both types of rasps are manufactured by Nicholson File Co., Canada. (Contractor—McPherson's Pty. Ltd.—Items indicated by rates being shown in heavy type on price list.)

Rates per dozen.

Inch	HAND FLAT			HALF ROUND			THREE SQUARE			ROUND			SQUARE			Inch
	Bast.	2nd Cut	Smooth	Bast.	2nd Cut	Smooth	Bast.	2nd Cut	Smooth	Bast.	2nd Cut	Smooth	Bast.	2nd Cut	Smooth	
4	9/-	10/-	12/-	11/-	13/-	14/-	9/-	—	—	8/-	9/-	11/-	9/-	11/-	13/-	4
5	—	—	—	—	—	—	—	—	—	10/-	11/-	13/-	11/-	13/-	—	5
6	11/-	12/-	14/-	14/-	15/-	17/-	12/-	14/-	16/-	10/-	11/-	13/-	11/-	12/-	14/-	6
7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	7
8	15/-	16/-	19/-	17/-	19/-	22/-	16/-	17/-	20/-	13/-	15/-	17/-	13/-	15/-	18/-	8
10	20/-	22/-	26/-	21/-	24/-	29/-	21/-	25/-	29/-	16/-	19/-	22/-	17/-	20/-	23/-	10
12	27/-	30/-	35/-	28/-	32/-	38/-	—	—	—	22/-	26/-	29/-	24/-	27/-	33/-	12
14	36/-	39/-	46/-	38/-	43/-	50/-	—	—	—	30/-	35/-	39/-	32/-	35/-	41/-	14
16	46/-	52/-	60/-	—	52/-	66/-	—	—	—	45/-	—	—	45/-	51/-	59/-	16
18	—	—	—	—	—	—	—	—	—	—	—	—	60/-	—	—	18

Inch	WARDING			MILL SAW FILES						TAPER SAW FILES			BANDSAW		Pitsaw	Inch
	Bast.	2nd Cut	Smooth	Two Square Edges			One Round Edge			Regular	Slim	Extra Slim	Regular	Slim		
				Bast.	2nd Cut	Smooth	Bast.	2nd Cut	Smooth	Bast.	2nd Cut	Single Cut	Single Cut	Single Cut	Taper	
3	—	—	—	—	—	—	—	—	—	7/-	7/-	—	—	—	—	3
3½	—	—	—	—	—	—	—	—	—	7/-	7/-	—	—	—	—	3½
4	10/-	11/-	13/-	—	—	—	—	—	—	7/-	7/-	7/-	—	—	—	4
4½	—	—	—	—	—	—	—	—	—	8/-	8/-	—	—	—	—	4½
5	12/-	13/-	15/-	—	—	—	—	—	—	9/-	9/-	9/-	11/-	—	—	5
5½	—	—	—	—	—	—	—	—	—	10/-	—	—	—	—	—	5½
6	14/-	15/-	17/-	10/-	—	—	—	—	—	11/-	11/-	11/-	14/-	14/-	14/-	6
7	—	—	—	—	—	—	—	—	—	13/-	12/-	12/-	17/-	—	—	7
8	18/-	20/-	25/-	13/-	16/-	18/-	14/-	17/-	—	16/-	14/-	14/-	20/-	18/-	22/-	8
10	23/-	—	—	17/-	20/-	23/-	18/-	22/-	—	24/-	20/-	—	—	—	—	10
12	—	—	—	23/-	26/-	29/-	25/-	28/-	—	38/-	—	—	—	—	—	12
14	—	—	—	31/-	—	—	—	—	—	—	—	—	—	—	—	14

Inch	Cant Saw Files	Cabinet Files	WOOD RASPS			CABINET RASPS			Inch
			Half Round	Flat	Round	Half Round	Half Round	Round	
			Bast.	Bast.	—	Regular	Smooth	—	
6	16/-	19/-	16/-	—	—	19/-	23/-	—	8
7	18/-	—	—	—	—	—	—	—	7
8	20/-	25/-	20/-	—	—	25/-	29/-	—	8
9	—	—	—	—	—	—	—	—	9
10	30/-	30/-	27/-	21/-	28/-	30/-	38/-	30/-	10
12	—	38/-	33/-	28/-	36/-	38/-	46/-	38/-	12
14	—	—	43/-	—	—	52/-	—	—	14
15	—	—	—	—	—	—	—	—	15
16	—	—	55/-	—	—	—	—	—	16
18	—	—	—	—	—	—	—	—	18

NOTE.—TAPER SAW FILES REGULAR.—The term "single cut" is an alternative to "second cut single," and files ordered under the latter description will be supplied and invoiced under the former.

TUBES AND FITTINGS

(Schedule No. 74)

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor	
	TUBES, steel, screwed and socketed, to specification, in trade lengths—						
	Black—						
2350	¼" diameter	N.S.W.	} £1200	...	Percentage off Price List 40%	} Stewarts & Lloyds (Aust.) Pty. Ltd.	
2351	¾" to 3" diameter, as ordered	"		...	57½%		
2352	3½" to 6" " " "	"		...	30%		
2353	(M) ½" to 3" " " "	"		...	52½%		
2354	¼" diameter	"		...	30%		
2355	¾" to 3" diameter, as ordered	"		...	47½%		
2356	3½" to 6" " " "	"	...	25%			
	Galvanised—						
2357	¼" to 3" diameter, as ordered	"	} £6000	...	42½%		} Pipe Linings (A/asia) Pty. Ltd.
2358	3½" to 6" " " "	"		...	15%		
2359	¼" diameter	"		...	32½%		
2360	¾" to 3" diameter, as ordered	"		...	47½%		
2361	3½" to 6" " " "	"	...	25%			
2362	(M) ½" to 3" " " "	"	...	42½%			
2363	Tubes, steel, bitumen lined, screwed and socketed, to specification, black, in trade lengths, ¼" to 6" diameter, as ordered	"	£100	...	{ 10% c.i.f. Melb.		
	FITTINGS, steel, to specification—						
	Black—						
	Bends, long screws, springs, plain nipples or barrel nipples—						
2364	¼" to 3" diameter, as ordered.	N.S.W.	} £150	...	42½%	} Stewarts & Lloyds (Aust.) Pty. Ltd.	
2365	3½" to 6" " " "	"		...	23½%		
2366	¼" to 2" diameter, as ordered	"			
2367	2½" to 6" " " "	"	Nil		
	Flanges—						
2368	Elbows, 4" or 5" diameter, as ordered	N.S.W.	} £150	...	Percentage off Price List 27½%	} Stewarts & Lloyds (Aust.) Pty. Ltd.	
2368A	Elbows, 6" diameter	"		...	47½%		
2368B	Tees, 3" or 4" diameter, as ordered	"		...	27½%		
2368C	Tees, reducing, 2" to 3½", and 5" or 6" diameter, any size ordered	"		...	32½%		
2368D	Tees, reducing, 4" diameter	"		...	37½%		
2368E	Any other fittings, ½" to 6" dia., as ordered	"		...	20%		

TUBES AND FITTINGS—continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate	Name of Contractor	
	FITTINGS, steel, to specification— continued—						
	Galvanised—						
	Bends, long screws, springs, plain nipples or barrel nipples—				Percentage off Price List		
2369	¼" to 3" diameter, as ordered ...	N.S.W.	} £300	...	36¼%	} Stewarts & Lloyds (Aust.) Pty. Ltd.	
2370	3½" to 6" " " " ...	"		...	20%		
	Flanges—						
2371	¼" to 2" diameter, as ordered	} Nil
2372	2½" to 6" " " "	
2373	Elbows, 4" or 5" diameter, as ordered	N.S.W.		} £300	...	Percentage off Price List 20%	} Stewarts & Lloyds (Aust.) Pty. Ltd.
2373A	Elbows, 6" diameter ...	"			...	40%	
2373B	Tees, 3" or 4" diameter, as ordered ...	"			...	22½%	
2373C	Tees, reducing, 2" to 3½", and 5" or 6" diameter, any size ordered	"			...	30%	
2373D	Tees, reducing, 4" diameter ...	"			...	35%	
2373E	Any other fittings, ½" to 6" dia., as ordered	"	...		15%		
	Steam—						
	Bends, long screws, springs, plain nipples or barrel nipples—						
2374	¼" to 3" diameter, as ordered ..	"	} £800	...	36¼%	} Stewarts & Lloyds (Aust.) Pty. Ltd.	
2375	3½" to 6" " " " ...	"		...	20%		
	Flanges—						
2376	¼" to 2" diameter, as ordered	} Nil
2377	2½" to 6" " " "	
2378	Elbows, 4" or 5" diameter, as ordered	N.S.W.		} £800	...	Percentage off Price List 20%	} Stewarts & Lloyds (Aust.) Pty. Ltd.
2378A	Elbows, 6" diameter ...	"			...	40%	
2378B	Tees, 3" or 4" diameter, as ordered	"			...	22½%	
2378C	Tees, reducing, 2" to 3½", 5" or 6" diameter, any size ordered	"			...	30%	
2378D	Tees, reducing, 4" diameter ...	"			...	35%	
2378E	Any other fittings, ½" to 6" dia., as ordered	"	...		15%		
2379	FITTINGS, steel, bitumen lined, to speci- fication, galvanised, any type and size on price list, as ordered	"	£10	...	10% c.i.f. Melb.	Pipe Linings (A/asia) Pty. Ltd.	
	FITTINGS, solid machined steel, to specification, any type and size on price list, as ordered—						
2380	Black ...	"	} £10	...	20%	} Stewarts & Lloyds (Aust.) Pty. Ltd.	
2381	Galvanised ...	"		...	15%		
2382	Steam ...	"		...	5%		

TUBES AND FITTINGS—continued.

PRICE LISTS

STEEL TUBES (Items Nos. 2350 to 2362) and **STEEL FITTINGS** (Items Nos. 2364, 2365, 2368 to 2370, 2373 to 2375 and 2378 to 2378E)—Stewarts and Lloyds (Aust.) Pty. Ltd.

Nominal internal diameter in inches.		$\frac{1}{2}$ & $\frac{3}{4}$	$\frac{1}{2}$	$\frac{3}{4}$	1	1 $\frac{1}{4}$	1 $\frac{1}{2}$	2	2 $\frac{1}{2}$	3	3 $\frac{1}{2}$	4	5	6	
Tubes, 2 feet long and over ...	per ft.	-/4	-/4 $\frac{1}{2}$	-/5 $\frac{1}{2}$	-/6 $\frac{1}{2}$	-/9 $\frac{1}{2}$	1/1	1/4 $\frac{1}{2}$	1/10	2/10	3/3	4/-	4/5	6/-	7/6
Long Screws, 3 to 11 $\frac{1}{2}$ inches ...	each	-/8	-/9	-/10	1/1	1/5	1/11	2/6	3/6	6/6	8/6	11/6	13/-	20/-	28/-
Barrel Nipples	-/5	-/5	-/6	-/7	-/9	1/-	1/4	1/9	3/-	4/-	6/-	7/-	12/6	20/-
Bends	-/8	-/9	-/11	1/2	1/7 $\frac{1}{2}$	2/7 $\frac{1}{2}$	3/2	5/2	12/-	18/-	25/-	32/6	105/-	150/-
Springs, not socketed	-/5	-/6	-/7	-/9	1/11 $\frac{1}{2}$	1/11 $\frac{1}{2}$	2/3 $\frac{1}{2}$	3/11	9/6	14/6	20/-	26/6	93/-	132/-
Elbows, square	-/10	-/11	1/1	1/3	1/6	2/2	2/7	4/3	9/6	14/-	22/-	28/-	95/-	150/-
Elbows, round	-/11	1/-	1/2	1/5	1/8	2/4	2/10	4/8	10/6	16/-	24/-	30/-	95/-	150/-
Tees	1/-	1/1	1/3	1/7	1/10	2/6	3/1	5/1	11/6	18/-	26/-	32/-	98/-	155/-
Crosses	2/2	2/4	2/9	3/3	4/1	5/6	6/7	10/6	22/-	40/-	56/-	66/8	220/-	350/-
Sockets, plain	-/3	-/3	-/4	-/5	-/6	-/8	-/10 $\frac{1}{2}$	1/3	2/6	3/6	5/-	6/-	12/-	18/-
Sockets, diminished	-/4	-/5	-/6	-/7	-/9	1/-	1/4	2/-	5/-	7/-	9/-	11/-	35/-	55/-
Caps	-/3 $\frac{1}{2}$	-/3 $\frac{1}{2}$	-/5	-/6	-/8	1/-	1/3	2/-	4/4	6/-	9/9	10/6	30/-	45/-
Plugs	-/3	-/3	-/4	-/5	-/6	-/8	-/10	1/3	2/6	4/9	7/-	10/-	30/-	48/-
Backnuts	-/2	-/2	-/3	-/3 $\frac{1}{2}$	-/5	-/6	-/8	1/1	2/3	3/6	4/6	5/6	18/-	26/-
Nipples	-/2	-/2	-/3	-/3 $\frac{1}{2}$	-/4	-/6	-/8	1/-	2/3	3/6	4/6	5/6	18/-	26/-
Main Cocks	1/6	1/9	2/3	2/10	4/2	5/4	7/-	11/6	17/6	26/-	40/-	47/9	125/-	165/-
Main Cocks, with iron plugs	—	3/4	4/-	5/4	7/6	10/-	13/-	21/-	40/-	50/-	75/-	100/-	225/-	325/-

SOLID MACHINED STEEL FITTINGS, (Items Nos. 2380 to 2382)—Stewarts and Lloyds (Aust.) Pty. Ltd.

Nominal internal diameter in inches		$\frac{3}{4}$	1	1 $\frac{1}{4}$	1 $\frac{1}{2}$	2		
Reducing Hexagon Bushes ...	each	-/3 $\frac{1}{2}$	-/4 $\frac{1}{2}$	-/7 $\frac{1}{2}$	-/9 $\frac{1}{2}$	1/1 $\frac{1}{2}$	1/5	2/7
Hexagon Nipples	-/4 $\frac{1}{2}$	-/6 $\frac{1}{2}$	-/8 $\frac{1}{2}$	-/11 $\frac{1}{2}$	1/7	2/-	3/-
Reducing Sockets	-/5	-/6 $\frac{1}{2}$	-/9	1/-	1/5	1/9 $\frac{1}{2}$	2/8 $\frac{1}{2}$
Reducing Hexagon Nipples	-/7 $\frac{1}{2}$	-/9 $\frac{1}{2}$	1/1	1/4	2/1 $\frac{1}{2}$	2/10 $\frac{1}{2}$	4/2 $\frac{1}{2}$

TUBES AND FITTINGS—continued.

PRICE LISTS. (continued)

“BITULYND,” STEEL TUBES (Item No. 2363) and STEEL FITTINGS (Item No. 2379)—
Pipe Linings (A/asia) Pty. Ltd.

Internal diameter in inches.		$\frac{1}{8}$ & $\frac{1}{4}$	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{5}{8}$	1	1 $\frac{1}{4}$	1 $\frac{1}{2}$	2	2 $\frac{1}{2}$	3	3 $\frac{1}{2}$	4	5	6
2 feet long and over ...	per foot	—	—	-/6	-/7 $\frac{1}{2}$	-/10 $\frac{1}{4}$	1/2 $\frac{1}{4}$	1/6 $\frac{1}{4}$	2/-	3/1 $\frac{1}{2}$	3/7	4/5	4/10	6/6	8/1 $\frac{1}{2}$
Screws, 3 to 11 $\frac{1}{2}$ inches ...	each	—	—	-/11	1/2 $\frac{1}{2}$	1/8 $\frac{1}{2}$	2/1 $\frac{1}{4}$	2/9	3/10	7/2	9/3	12/6	14/3	22/-	30/9
Nipples	-/5	-/5	-/6	-/7	-/9	1/-	1/4	1/9	3/-	4/-	7/6	8/9	15/8	25/-
...	-/8	-/9	-/11	1/2	1/7 $\frac{1}{2}$	2/7 $\frac{1}{2}$	3/2	5/2	12/-	18/-	31/3	40/8	131/3	187/6
...	-/5	-/6	-/7	-/9	1/1 $\frac{1}{2}$	1/11 $\frac{1}{2}$	2/3 $\frac{1}{2}$	3/11	9/6	14/6	25/-	33/3	116/-	165/-
...	-/2	-/2	-/3	-/3 $\frac{1}{2}$	-/4	-/6	-/8	1/-	2/3	3/6	5/8	6/11	22/6	32/6
Bends	1/8	1/10 $\frac{1}{2}$	2/3 $\frac{1}{2}$	2/11	4/1	6/4	7/11	12/11	30/-	45/-	62/6	78/9	262/6	375/-
Pieces	2/8 $\frac{1}{2}$	2/11	3/5 $\frac{1}{2}$	3/11	5/1	6/11	8/3	13/2	27/6	50/-	70/-	83/4	275/-	437/6
Unions	2/6	3/1 $\frac{1}{2}$	3/9	5/-	6/10 $\frac{1}{2}$	8/5	10/-	12/6	21/11	27/2	34/4	43/9	82/6	131/3
Nipples	-/5 $\frac{1}{2}$	-/5 $\frac{1}{2}$	-/8 $\frac{1}{2}$	-/11 $\frac{1}{2}$	1/1 $\frac{1}{2}$	1/11 $\frac{1}{2}$	2/6	3/9	7/11	12/6	15/10	22/6	45/-	72/-
round	1/1 $\frac{1}{2}$	1/3	1/5 $\frac{1}{2}$	1/9 $\frac{1}{2}$	2/1	2/11	3/6 $\frac{1}{2}$	5/10	13/2	20/-	30/-	37/6	118/9	187/6
M. & F.	1/3	1/5 $\frac{1}{2}$	1/9 $\frac{1}{2}$	2/1	2/11	3/6 $\frac{1}{2}$	4/8 $\frac{1}{2}$	9/1	20/-	30/-	37/6	93/9	187/6	275/-
...	1/3	1/4 $\frac{1}{2}$	1/6 $\frac{1}{2}$	1/11 $\frac{1}{2}$	2/3 $\frac{1}{2}$	3/1 $\frac{1}{2}$	3/10 $\frac{1}{2}$	7/4 $\frac{1}{2}$	14/5	22/6	32/6	40/-	122/6	193/9
...	2/8 $\frac{1}{2}$	2/11	3/5 $\frac{1}{2}$	4/1	5/1	6/10 $\frac{1}{2}$	8/1	13/2	27/6	50/-	70/-	83/4	275/-	437/6
...	-/3 $\frac{1}{2}$	-/3 $\frac{1}{2}$	-/5	-/6 $\frac{1}{2}$	-/7 $\frac{1}{2}$	-/10	1/1	1/6 $\frac{1}{2}$	3/1 $\frac{1}{2}$	4/4 $\frac{1}{2}$	6/3	7/6	15/-	22/6
diminished	-/5	-/6 $\frac{1}{2}$	-/7 $\frac{1}{2}$	-/8 $\frac{1}{2}$	-/11 $\frac{1}{2}$	1/3	1/8	2/6	6/3	8/9	11/3	13/9	43/9	68/9
...	-/9	-/10	1/-	1/2	1/4	1/9	2/-	2/9	5/-	8/6	10/-	11/6	18/-	27/-
...	-/4 $\frac{1}{2}$	-/4 $\frac{1}{2}$	-/6 $\frac{1}{2}$	-/7 $\frac{1}{2}$	-/10	1/3	1/6 $\frac{1}{2}$	2/6	5/5	7/6	12/2	13/2	37/6	58/3
...	-/3 $\frac{1}{2}$	-/3 $\frac{1}{2}$	-/5	-/6 $\frac{1}{2}$	-/7 $\frac{1}{2}$	-/10	1/0 $\frac{1}{2}$	1/6 $\frac{1}{2}$	3/1 $\frac{1}{2}$	6/-	8/9	12/6	37/6	60/-
Nuts	-/2 $\frac{1}{2}$	-/2 $\frac{1}{2}$	-/3 $\frac{1}{2}$	-/4 $\frac{1}{2}$	-/6 $\frac{1}{2}$	-/7 $\frac{1}{2}$	-/10	1/4 $\frac{1}{2}$	2/9 $\frac{1}{2}$	4/5	5/8	6/11	22/6	32/6
...	-/4 $\frac{1}{2}$	-/4 $\frac{1}{2}$	-/6	-/8 $\frac{1}{2}$	-/11 $\frac{1}{2}$	1/5 $\frac{1}{2}$	1/10 $\frac{1}{2}$	3/1 $\frac{1}{2}$	6/-	10/-	13/9	17/6	32/6	50/-

CAST IRON FITTINGS (Items Nos. 2383, 2384, 2392 and 2393)—Stewarts & Lloyds (Aust.) Pty. Ltd.

Internal diameter in inches.		$\frac{1}{8}$ to $\frac{3}{8}$	$\frac{1}{2}$	$\frac{3}{4}$	1	1 $\frac{1}{4}$	1 $\frac{1}{2}$	2	2 $\frac{1}{2}$	3	4	5	6
Bends, M. & F. ...	each	-/10 $\frac{1}{2}$	1/1 $\frac{1}{2}$	1/6	2/3 $\frac{1}{2}$	3/6	5/-	7/6	14/-	21/-	42/-	87/-	130/-
Bends, F. & F.	1/-	1/2 $\frac{1}{2}$	1/8 $\frac{1}{2}$	2/6	3/10 $\frac{1}{2}$	5/6	8/3 $\frac{1}{2}$	15/5	23/-	46/-	92/-	140/-
Elbows, even and reducing	-/8 $\frac{1}{2}$	-/9 $\frac{1}{2}$	1/2 $\frac{1}{2}$	1/8 $\frac{1}{2}$	2/7 $\frac{1}{2}$	3/6	5/-	9/-	14/-	24/-	63/-	94/-
Elbows, M. & F., even and reducing	-/9 $\frac{1}{2}$	-/10 $\frac{1}{2}$	1/3 $\frac{1}{2}$	1/10 $\frac{1}{2}$	2/9 $\frac{1}{2}$	3/9 $\frac{1}{2}$	5/6	10/-	16/-	27/6	72/-	108/-
Tees, even and reducing	-/9 $\frac{1}{2}$	1/-	1/4 $\frac{1}{2}$	2/-	2/9 $\frac{1}{2}$	4/-	5/6	10/-	16/-	27/6	72/-	108/-
Crosses, even and reducing	1/2 $\frac{1}{2}$	1/4 $\frac{1}{2}$	2/-	2/9 $\frac{1}{2}$	3/7 $\frac{1}{2}$	5/2 $\frac{1}{2}$	7/2 $\frac{1}{2}$	12/-	19/2 $\frac{1}{2}$	33/-	86/-	130/-
Nuts	-/3	-/3 $\frac{1}{2}$	-/4 $\frac{1}{2}$	-/5 $\frac{1}{2}$	-/7 $\frac{1}{2}$	-/10 $\frac{1}{2}$	1/5 $\frac{1}{2}$	2/1 $\frac{1}{2}$	3/5	6/-	12/-	18/-
Plugs	-/3	-/3 $\frac{1}{2}$	-/6	-/8	1/-	1/4 $\frac{1}{2}$	1/10 $\frac{1}{2}$	3/3 $\frac{1}{2}$	5/-	9/-	—	—
Caps	-/3 $\frac{1}{2}$	-/4 $\frac{1}{2}$	-/7 $\frac{1}{2}$	-/9 $\frac{1}{2}$	1/2 $\frac{1}{2}$	1/9 $\frac{1}{2}$	2/3 $\frac{1}{2}$	4/-	6/-	11/-	27/-	38/-
Sockets, straight	-/4 $\frac{1}{2}$	-/5 $\frac{1}{2}$	-/7 $\frac{1}{2}$	-/10 $\frac{1}{2}$	1/3 $\frac{1}{2}$	1/9 $\frac{1}{2}$	2/7 $\frac{1}{2}$	4/5	7/-	12/-	21/-	30/-
Sockets, reducing	-/5 $\frac{1}{2}$	-/6 $\frac{1}{2}$	-/9	1/-	1/6	2/-	3/-	4/9 $\frac{1}{2}$	7/8 $\frac{1}{2}$	13/-	24/-	37/-
Flanges	1/2 $\frac{1}{2}$	1/4 $\frac{1}{2}$	2/-	2/2 $\frac{1}{2}$	2/9 $\frac{1}{2}$	3/6	4/6	7/-	9/-	12/6	17/-	26/-
Bends, M. & M.	—	1/-	1/4 $\frac{1}{2}$	2/2 $\frac{1}{2}$	3/3 $\frac{1}{2}$	4/9 $\frac{1}{2}$	7/-	—	—	—	—	—
Bends, return	—	1/7 $\frac{1}{2}$	2/4 $\frac{1}{2}$	3/4 $\frac{1}{2}$	4/9 $\frac{1}{2}$	6/-	10/6	—	—	—	—	—
Bushes	-/4 $\frac{1}{2}$	-/6	-/8	-/10 $\frac{1}{2}$	1/4 $\frac{1}{2}$	1/9 $\frac{1}{2}$	2/8 $\frac{1}{2}$	4/6	7/-	12/-	22/-	34/-
Hexagon Nipples	-/6	-/7 $\frac{1}{2}$	-/9 $\frac{1}{2}$	1/-	1/7 $\frac{1}{2}$	2/2 $\frac{1}{2}$	3/2 $\frac{1}{2}$	5/4 $\frac{1}{2}$	8/7 $\frac{1}{2}$	15/-	30/-	47/-
Hexagon Nipples, reducing	-/6 $\frac{1}{2}$	-/7 $\frac{1}{2}$	-/10 $\frac{1}{2}$	1/1 $\frac{1}{2}$	1/9 $\frac{1}{2}$	2/4 $\frac{1}{2}$	3/6	5/9 $\frac{1}{2}$	9/6	16/6	—	—
Unions	2/-	2/4 $\frac{1}{2}$	3/-	3/7 $\frac{1}{2}$	4/9 $\frac{1}{2}$	6/4 $\frac{1}{2}$	9/-	16/-	26/-	50/-	77/-	108/-
Elbows, side outlet	—	1/4 $\frac{1}{2}$	2/2 $\frac{1}{2}$	2/10 $\frac{1}{2}$	4/4 $\frac{1}{2}$	6/-	8/-	—	—	—	—	—
Tees, side outlet	—	1/9 $\frac{1}{2}$	2/7 $\frac{1}{2}$	3/7 $\frac{1}{2}$	5/-	7/-	9/6	—	—	—	—	—

TUBES AND FITTINGS—continued.

PRICE LISTS—continued.

“BITULYND” GALVANISED MALLEABLE IRON FITTINGS, (Item No. 2394)—Pipe Linings (A/asia) Pty. Ltd.

Nominal internal diameter in inches		$\frac{1}{2}$	$\frac{3}{4}$	1	1 $\frac{1}{4}$	1 $\frac{1}{2}$	2	2 $\frac{1}{2}$	3	3 $\frac{1}{2}$	4	5	6
Unions	each	2/3 $\frac{1}{2}$	2/9	3/4	4/5	5/10	8/2	17/7	29/6	41/9	55/-	84/6	118/-
Elbows	..	-/9	1/-	1/5 $\frac{1}{2}$	2/-	2/5 $\frac{1}{2}$	3/10 $\frac{1}{2}$	9/10 $\frac{1}{2}$	15/5	19/9	26/4	69/3	103/-
Elbows, M. & F.	..	-/9 $\frac{1}{2}$	1/2 $\frac{1}{2}$	1/7 $\frac{1}{2}$	2/3 $\frac{1}{2}$	2/10	4/7	11/-	17/7	23/1	30/9	79/-	118/-
Elbows, 3-way	..	1/6 $\frac{1}{2}$	2/5	3/2	4/10	6/7	8/8 $\frac{1}{2}$	16/6	26/5	33/-	44/-	—	—
Tees	..	-/10	1/2 $\frac{1}{2}$	1/7 $\frac{1}{2}$	2/3 $\frac{1}{2}$	2/10	4/7	11/-	17/7	23/1	30/9	79/-	118/-
Crosses	..	1/-	1/5 $\frac{1}{2}$	2/-	2/9	3/4 $\frac{1}{2}$	5/6	13/2	21/-	27/6	36/3	94/-	143/-
Sockets, plain and beaded	..	-/5 $\frac{1}{2}$	-/7 $\frac{1}{2}$	-/9 $\frac{1}{2}$	1/0 $\frac{1}{2}$	1/5	2/1 $\frac{1}{2}$	3/10	4/5	6/7	7/8	15/6	23/-
Sockets, reduced	..	-/6	-/8 $\frac{1}{2}$	-/11	1/4 $\frac{1}{2}$	1/7 $\frac{1}{2}$	2/5 $\frac{1}{2}$	5/3	8/4 $\frac{1}{2}$	11/5	14/4	26/-	40/6
Caps	..	-/4 $\frac{1}{2}$	-/6 $\frac{1}{2}$	-/8 $\frac{1}{2}$	1/-	1/4 $\frac{1}{2}$	2/1 $\frac{1}{2}$	4/4 $\frac{1}{2}$	6/7	9/11	12/1	—	—
Hexagon Nipples	..	-/6	-/8	-/10 $\frac{1}{2}$	1/5 $\frac{1}{2}$	1/10	2/9	5/11 $\frac{1}{2}$	9/4 $\frac{1}{2}$	11/8	16/6	33/-	52/-
Hexagon Nipples, reduced	..	-/8 $\frac{1}{2}$	-/11 $\frac{1}{2}$	1/2 $\frac{1}{2}$	1/11 $\frac{1}{2}$	2/7 $\frac{1}{2}$	3/10	6/4	10/6	13/2 $\frac{1}{2}$	17/8	—	—
Bushes	..	-/4 $\frac{1}{2}$	-/6 $\frac{1}{2}$	-/8 $\frac{1}{2}$	1/-	1/3 $\frac{1}{2}$	2/4 $\frac{1}{2}$	4/11 $\frac{1}{2}$	7/8 $\frac{1}{2}$	10/6	13/2	24/-	37/6
Bends, M. & F.	..	-/11	1/2 $\frac{1}{2}$	1/10	3/11 $\frac{1}{2}$	4/4 $\frac{1}{2}$	6/5	15/5	23/1	33/-	46/3	95/-	143/-
Bends, F. & F.	..	-/11	1/4 $\frac{1}{2}$	2/-	3/9	4/11	7/4	16/6 $\frac{1}{2}$	25/4	36/6	50/6	101/-	154/-
Bends, M. & F., 45 deg.	..	-/11 $\frac{1}{2}$	1/4 $\frac{1}{2}$	1/11 $\frac{1}{2}$	3/1	5/2	6/7	12/4	18/5 $\frac{1}{2}$	26/4	37/-	72/6	116/-
Bends, F. & F., 45 deg.	..	1/1	1/6 $\frac{1}{2}$	2/2 $\frac{1}{2}$	3/6	5/11 $\frac{1}{2}$	7/8 $\frac{1}{2}$	14/4	20/3	29/9	40/9	—	—
Flanges	..	-/8 $\frac{1}{2}$	-/11 $\frac{1}{2}$	1/2 $\frac{1}{2}$	1/5 $\frac{1}{2}$	1/8 $\frac{1}{2}$	2/3	3/8	6/2	—	8/4	13/-	19/7
Plugs	..	-/2	-/3	-/4	-/5 $\frac{1}{2}$	-/7 $\frac{1}{2}$	-/10 $\frac{1}{2}$	2/2	3/3	—	5/10	—	—
Back Nuts	..	-/2	-/2 $\frac{1}{2}$	-/3	-/4	-/5 $\frac{1}{2}$	-/11 $\frac{1}{2}$	1/4 $\frac{1}{2}$	2/3	—	3/11	—	—

MALLEABLE IRON FITTINGS (Items Nos. 2383A, 2384A, 2392A and 2393A)—McPherson's Pty. Ltd.

Internal Diam. in Inches	Each	$\frac{1}{2}$ & $\frac{3}{4}$	$\frac{1}{2}$	$\frac{3}{4}$	1	1 $\frac{1}{4}$	1 $\frac{1}{2}$	2	2 $\frac{1}{2}$	3	4	5	6
Bends (male and female)	..	10 $\frac{1}{2}$ d.	1/1 $\frac{1}{2}$	1/6	2/3 $\frac{1}{2}$	3/6	5/-	7/6	14/-	21/-	42/-	87/-	130/-
Bends, female	..	1/-	1/2 $\frac{1}{2}$	1/8 $\frac{1}{2}$	2/6	3/10 $\frac{1}{2}$	5/6	8/3 $\frac{1}{2}$	15/5	23/-	46/-	92/-	140/-
Elbows, round (even and reducing)	..	8 $\frac{1}{2}$ d.	9 $\frac{1}{2}$ d.	1/2 $\frac{1}{2}$	1/8 $\frac{1}{2}$	2/7 $\frac{1}{2}$	3/6	5/-	9/-	14/-	24/-	63/-	94/-
Elbows, M. & F.	..	9 $\frac{1}{2}$ d.	10 $\frac{1}{2}$ d.	1/3 $\frac{1}{2}$	1/10 $\frac{1}{2}$	2/9 $\frac{1}{2}$	3/9 $\frac{1}{2}$	5/6	10/-	16/-	27/6	72/-	108/-
Tees (even and reducing)	..	9 $\frac{1}{2}$ d.	1/-	1/4 $\frac{1}{2}$	2/-	2/9 $\frac{1}{2}$	4/-	5/6	10/-	16/-	27/6	72/-	108/-
Crosses (even and reducing)	..	1/2 $\frac{1}{2}$	1/4 $\frac{1}{2}$	2/-	2/9 $\frac{1}{2}$	3/7 $\frac{1}{2}$	5/2 $\frac{1}{2}$	7/2 $\frac{1}{2}$	12/-	19/2 $\frac{1}{2}$	33/-	86/-	130/-
Locknuts	..	3d.	3 $\frac{1}{2}$ d.	4 $\frac{1}{2}$ d.	5 $\frac{1}{2}$ d.	7 $\frac{1}{2}$ d.	10 $\frac{1}{2}$ d.	1/5 $\frac{1}{2}$	2/1 $\frac{1}{2}$	3/5	6/-	12/-	18/-
Plugs	..	3d.	3 $\frac{1}{2}$ d.	6d.	8d.	1/-	1/4 $\frac{1}{2}$	1/10 $\frac{1}{2}$	3/3 $\frac{1}{2}$	5/-	9/-	—	—
Caps	..	3 $\frac{1}{2}$ d.	4 $\frac{1}{2}$ d.	7 $\frac{1}{2}$ d.	9 $\frac{1}{2}$ d.	1/2 $\frac{1}{2}$	1/9 $\frac{1}{2}$	2/3 $\frac{1}{2}$	4/-	6/-	11/-	27/-	38/-
Sockets, plain	..	4 $\frac{1}{2}$ d.	5 $\frac{1}{2}$ d.	7 $\frac{1}{2}$ d.	10 $\frac{1}{2}$ d.	1/3 $\frac{1}{2}$	1/9 $\frac{1}{2}$	2/7 $\frac{1}{2}$	4/5	7/-	12/-	21/-	30/-
Sockets, reducing	..	5 $\frac{1}{2}$ d.	6 $\frac{1}{2}$ d.	9d.	1/-	1/6	2/-	3/-	4/9 $\frac{1}{2}$	7/8 $\frac{1}{2}$	13/-	24/-	37/-
Flanges	..	1/2 $\frac{1}{2}$	1/4 $\frac{1}{2}$	2/-	2/2 $\frac{1}{2}$	2/9 $\frac{1}{2}$	3/6	4/6	7/-	9/-	12/6	17/-	26/-
Bushes	..	4 $\frac{1}{2}$ d.	6d.	8d.	10 $\frac{1}{2}$ d.	1/4 $\frac{1}{2}$	1/9 $\frac{1}{2}$	2/8 $\frac{1}{2}$	4/6	7/-	12/-	22/-	34/-
Hexagon Nipples	..	6d.	7 $\frac{1}{2}$ d.	9 $\frac{1}{2}$ d.	1/-	1/7 $\frac{1}{2}$	2/2 $\frac{1}{2}$	3/2 $\frac{1}{2}$	5/4 $\frac{1}{2}$	8/7 $\frac{1}{2}$	15/-	30/-	47/-
Hexagon Reducing Nipples	..	6 $\frac{1}{2}$ d.	7 $\frac{1}{2}$ d.	10 $\frac{1}{2}$ d.	1/1 $\frac{1}{2}$	1/9 $\frac{1}{2}$	2/4 $\frac{1}{2}$	3/6	5/9 $\frac{1}{2}$	9/6	16/6	—	—
Hexagon Unions	..	2/-	2/4 $\frac{1}{2}$	3/-	3/7 $\frac{1}{2}$	4/9 $\frac{1}{2}$	6/4 $\frac{1}{2}$	9/-	16/-	26/-	50/-	77/-	108/-

SPRINGS
(Schedule No. 75)

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
*2410	Springs, catch box, G.B.557, $4\frac{1}{2}$ " long, $\frac{5}{8}$ " inside diameter, 16 coils, hardened and tempered spring steel wire, 0.116" diameter. Compression load—35 to 40 lbs. per inch, to reduce length by 1"	Vict.	60 doz.	dozen	0	4	6	Brown's Springs Pty. Ltd.
*2411	Springs, check valve, $\frac{15}{16}$ " long, $\frac{1}{4}$ " outside diameter, 13 coils, hard phosphor bronze wire, 0.0124" diameter	"	240 "	"	0	1	0	Henderson's Federal Spring Works Pty. Ltd.
*2412	Springs, point lever, W.S., to specification	"	40 "	"	1	10	0	} Brown's Springs Pty. Ltd.
*2413	Springs, slide, $\frac{7}{8}$ " long, $\frac{13}{16}$ " inside diameter, 4 coils, hardened and tempered spring steel wire, 0.116" diameter	"	10 "	"	0	2	6	
*2414	Springs, train stop, to blue print No. F. 3044, hardened and tempered square spring steel, to specification	"	20 "	"	0	12	0	} Henderson's Federal Spring Works Pty. Ltd.
*2415	Springs, valve, type "B" motor, $2\frac{3}{16}$ " long, 1" outside diameter, 8 coils, spring steel wire, 12 s.w. gauge, 0.104" diameter, hardened and tempered after coiling	"	50 "	"	0	5	0	
2416-2419	Nil							

GLUE, GUM AND INK
(Schedule No. 76)

Item No.	Description	Country of Manuf're.	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
†2420	Glue, cold water, in 28 lb. paper bags	...	6 cwt.	Nil	
†2421	Glue, ground	Vict.	35 „	cwt.	2	17	6	Zwar Bros. Pty. Ltd.
	Glue, liquid—							
{ 2422	In 1-oz collapsible tubes (in parcels of 1-gross)	N.S.W.	432 tubes	doz. tubes	†0	3	9	} Davis Gelatine Pty. Ltd.
{ 2423	In 1-lb. jars (in cases of 24 jars) ...	„	96 jars	doz. jars	†1	4	0	
{ 2424	In 56-lb. drums (in parcels of 1-cwt.)	„	7 cwt.	cwt.	†4	0	0	
†2425	Gum, liquid, in 10-gallon kegs with 1½" bunghole in head, to take a treacle gate	...	200 gals.	} Nil	
	Gum, liquid—							
{ 2426	In 7-oz. bottles	...	} 200 „		
{ 2427	In 1-pt. „		
{ 2428	In 1-qt. „		
{ 2429	In 1-gal. tins		
†2430	Ink, for blank tickets, black, in 1-gallon containers (see note)	Vict.	15 „	gal.	0	8	0	American Blacking Co. Pty. Ltd.
†2431	Ink, Indian, in ½-oz. bottles with quill fillers, any colour ordered, "Wiltshire's"	„	1000 bots.	bottle	0	0	10½	Wiltshire's Pty. Ltd.
†2432	Ink, metal stamp, in 1-oz. bottles, black or blue, as ordered	„	200 „	„	0	1	0	C. G. Roeszler & Son
†2433	Ink, rubber stamp, in 2-oz. bottles, black or purple, as ordered	...	1200 „	} Nil	
	Ink, writing—							
†2434	Blue black, in sound casks with bunghole in head to take a wooden tap	...	800 gals.		
†2435	Green, in 8-oz. bottles	100 bots.	} American Blacking Co. Pty. Ltd.	
†2436	Red, in 8-oz. bottles, "Inkwell" ...	Vict.	1800 „	bottles	0	0		4½
†2437	Violet, in 12-oz. bottles, „	„	80 „	„	0	0		6½
†2438	Paste, office, in 10-oz. bottles, with cap and brush, "Glax" (see note)	„	1800 „	gross bottles	2	15	0	A. J. Nettlefold & Sons
2439	Nil							

† { Items No. 2422 and 2423—Less 20% trade discount, and less a further 3¼% settlement discount for payment within 7 days of date of receipt of invoice or 2½% for payment by end of month following month of delivery (see note).
Item No. 2424 —Less settlement discount only (as above).

CANDLES, SOAP, ETC.
(Schedule No. 77)

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
	Candles, stearine, short chamber, "Electrine"—							
† 2440	In 1 lb. packets, 12's ...	Vict	2400 lbs.	lb.	0	0	7½	J. Kitchen & Sons Pty. Ltd.
† 2441	In 50 lb. containers, 12's ...	"	2900 "	"	0	0	6¾	
† 2442	Glycerine, pure, in 2 gal. tins, (see note) ...	"	200 "	"	0	0	11	
† 2443	Soap, abrasive paste, in 27 oz. tins	"	20 doz.	doz. tins	10	4	6	B. S. Clark
	Soap, liquid, "Valcol S.S." disinfectant No. 2—							
† 2444	In 45 gallon drums ...	"	3400 gals.	gal.	20	1	5	Arthur Vale & Co. Pty. Ltd.
† 2445	" 4 " " ...	"		"	"	20	1	
† 2446	Soap, powdered, in ½ lb. packets ...	"	40,000 lbs.	lb.	10	0	6¾	B. S. Clark
† 2447	Soap, sand, in boxes of 60 cakes, wrapped	"	480 boxes	doz. cakes	0	2	0	Eclipse Soap & Candle Co.
† 2448	Soap, abrasive, in 6 oz. cakes, "Companion"	"	1000 doz.	doz. cakes	10	1	6	B. S. Clark
† 2449	Soap, soft, to specification, in casks 3 to 4 cwt. "Valcol V.R."	"	10 tons	cwt.	21	7	6	Arthur Vale & Co. Pty. Ltd.
† 2450	Soap, toilet, in 3 oz. cakes, unwrapped, "Buttermilk"	"	3500 lbs.	lb.	0	0	4	Arthur Tilley
† 2451	Soap, toilet, in ½ oz. tablets, unwrapped, "Palmolive"	N.S.W.	1200 gross	gross	10	3	0	Colgate-Palmolive Pty. Ltd.
† 2452	Soap, yellow, to specification, in 1 cwt. boxes of 36 bars, unwrapped, "Prize Medal"	Vict.	45 tons	cwt.	1	7	1	J. Kitchen & Sons Pty. Ltd.
2453	Soda, washing, crystals, in bags ...	Sth. Aust.	50 "	"	0	9	0	Sodex Manufacturing Co.
2454	Tapers, wax, thick, 22" long ...	"	200 lbs.	"	"	"	"	Nil.
2455-2459	—Nil							

† Less 2½% discount for payment by end of month following month of delivery.

‡ Containers additional.

GAS MANTLES.
(Schedule No. 78)

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor	
					£	s.	d.		
	Mantles, incandescent, to specification—								
†2460	Coleman Lantern, Jnr. Art. silk, 200-300. C.P., "Clockbrand" (see note)	Canada	100 doz.	dozen	0	3	6	Coleman Quick-Lite Co. of Australia.	
†2461	Lux, 700 C.P.	...	120 "	} Nil	
	Pintsch Gas, inverted, complete with bases—								
†2462	25 C.P.	...	150 "			
†2463	50 C.P.	...	6000 "			
	Tilley Lamp, silk, flexible—								
†2464	300 C.P., part 164, for Tilley lamps E.X. 100, E.X. 93, P.L. 53 and A.L. 8	U.K.	140 "	dozen	†	0	15	0	} Tilley Lamp Co.
†2465	300 C.P., type F.L., part 191, for Tilley lamp F.L. 6	"	80 "	...	†	0	16	6	
†2466	500 C.P., part 312, for Tilley lamp O.L. 51	"	20 "	...	†	1	10	0	
2467	2469—Nil								

† Less 15% discount.

OFFICE REQUISITES
(Schedule No. 79)

	Bands, elastic, in boxes of 1 lb.—							
†2470	1½" x 1/8" x 3/32"	...	25 boxes	} Nil
†2471	2½" x 1/8" x 3/32"	...	90 "	
†2472	3½" x 1/8" x 3/32"	...	130 "	
†2473	3½" x 1/4" x 3/32"	...	65 "	
	Binders, paper, in boxes of 1 gross—							
†2474	No. 642	...	380 "	} Nil
†2475	No. 644	...	180 "	
†2476	Bodkins, with eye	...	100	
†2477	Bowls, glass, 3½" at top, with sea sponge	N.S.W.	120	each	0	0	8 1/12	} Robertson & Mullens Ltd.
†2478	Clips, "G.U.D." 2", bulldog type	Vict.	250 doz.	doz.	0	4	10 1/2	
	Clips, paper, glider type—							
†2479	Large, in boxes of 100	N.S.W.	1000 boxes	box	0	0	3 1/2	} Robertson & Mullens Ltd.
†2480	Small, in boxes of 1000	Vict.	144 "	"	0	2	11	

OFFICE REQUISITES—continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
†2481	Crayons, pencil, solid, blue, crimson, green or yellow, as ordered	...	1250 doz.	Nil	
†2482	Crayons, school, white, in boxes of 1 gross, "Garnet"	Vict.	500 boxes	box	0	1	3½	Sands & McDougall Pty. Ltd.
2483	Cylinders, dictaphone, without cartons, in case lots of 100	...	100	Nil	
†2484	Erasers, pencil, I.R., double bevel, "Dupered"	Vict.	120 doz.	doz.	†0	1	7	} Dunlop Rubber Aust. Ltd.
†2485	Erasers, pencil, I.R., small, "A.24" ...	"	1000 "	"	†0	1	2	
†2486	Erasers, typewriter, I.R., octagonal, triple edge	"	250 "	"	†0	1	11½	
	Fasteners, paper, in boxes of 1 gross—							
†2487	R. 1	...	300 boxes	} Nil	
†2488	R. 3	...	1300 "		
†2489	R. 6	...	650 "		
*2490	Figures, I.R., in sets, in wooden holders ...	Vict.	120 sets	set	0	3	6	C. G. Roeszler & Son
†2491	Files, clip, foolscap	"	60	each	0	1	11	Sands & McDougall Pty. Ltd.
†2492	Gum, art, approx. 2¼" x 1½" x 1½"	...	20 doz.	Nil	
†2493	Holders, pen, small, "Best Yet"	N.S.W.	60 gross	gross	0	7	6	Robertson & Mullens Ltd.
*†2494	Holders, pencil, paper, in bundles of 100 ...	Vict.	1200 doz.	100	0	3	6	E. J. Mylrea
†2495	Inkstands, glass, round, 3½", with fixed metal top	...	500	} Nil	
	Nibs, pen, stainless steel, in boxes of 1 gross—							
†2496	"Hinks Wells No. 2778F" or equal	40 boxes		
†2497	"Hinks Wells No. 2789EF" or equal	...	40 "		
†2498	"Hinks Wells No. 2761F" or equal	500 "		
†2499	"Hinks Wells No. 2725" or equal	280 "		
†2500	"W. Mitchell No. G0945" or equal	Nil		
†2501	"W. Mitchell No. M0216" or equal	100 boxes	Nil	
†2502	Pads, blotting, 23" x 18", with corners	Vict.	60	each	†0	3	10	Geo. Pizzey & Son Ltd.
†2503	Pins, drawing, ½", in boxes of 1 gross	U.K.	150 boxes	box	0	1	7	Robertson & Mullens Ltd.
†2504	Pins, office, approx. 1", in packets of 1oz.	...	1100 lbs.	} Nil	
†2505	Refills wire, for "Bates Model B.10" stapling machine, in coils of 1000	...	800 coils		
†2506	Rulers, flat, 15", plain edge ...	Vict.	720	each	0	0	5	Robertson & Mullens Ltd.
†2507	Sponges, synthetic, for 3½" bowls	...	500	Nil	
†2508	Staples, wire, for "Acme" No. 2 machines, "Victory"	Vict.	500,000	1000	0	1	10	} Robertson & Mullens Ltd.
†2509	Staples, wire, No. 1A, for "Hotchkiss" machines, "Acorn"	"	800,000	"	0	1	1	
†2510	Staples, wire, size 2½ shanks, for No. 4A machines, "Victory"	"	100,000	"	0	2	0½	
2511	Wax, bottling, black	...	300 lbs.	} Nil	
2512	Wax, sealing, red, 7¼" long	...	50 "		
2513-2519	—Nil							

† Less 2½% discount for payment by end of month following month of delivery.

TYPEWRITING AND DUPLICATING MATERIALS, ETC.

(Schedule No. 80)

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
†2520	Frames, for "Addressograph" machines, style "B" or "Q," as ordered	...	10,000	} Nil	
†2521	Plates, for "Addressograph" machines, style "B"	...	70,000		
†2522	Plates, for "Addressograph" machines, style "Q"	...	90,000		
†2523	Ink, duplicating, black, first quality	N.S.W.	1500 lbs.	lb.	10	3	2	F. T. Wimble & Co Ltd.
†2524	Pads, ink, for E.D. Mimeograph	...	400	} Nil	
†2525	Ribbons, "Addressograph" machine, black	...	400		
†	Ribbons, "Burrough's" adding machine; black, 12½' to 14½' long, "Reflex"—							
	2526 No. 11, 2 1/8" wide	Vict.	5	each	0	3	3	} Ramsay & Hall Pty Ltd.
	2527 No. 13, 2½" "	"	5	"	0	3	6	
	2528 No. 15, 2¾" "	"	24	"	0	3	9	
	2529 No. 17, 3½" "	"	12	"	0	4	0	
†2530	Ribbons, "Burrough's" adding machine, No. 300 class, 1/8" wide, black or black and red, as ordered, "Reflex"	"	50	"	0	1	0	
†2531	Ribbons, "Ditto" machine, purple	...	60	Nil	
†2532	Ribbons, "Elliott-Fisher" accounting machine, black and red, "Reflex"	Vict.	30 doz.	dozen	0	12	0	} Ramsay & Hall Pty. Ltd.
†2533	Ribbons, "Mercedes" accounting machine, "M" quality, superfine, record, black or black and red, as ordered, "Reflex"	"	24	each	0	1	3	
†2534	Ribbons, "Power's" machine, black, "Reflex"	"	50 doz.	dozen	1	4	0	
†2535	Ribbons, "Remington" accounting and book-keeping machine, 1/8" wide, black or red and blue, as ordered, "Reflex"	"	12 "	"	0	13	0	
†2536	Ribbons, typewriter, copying or non-copying, as ordered, one or two colours, as ordered, on spools to fit any standard machine, as ordered, "Reflex" (see note)	"	500 "	"	0	11	0	
†2537	Stencils, foolscap, folio, indestructible, "Hallmark"	"	2000 qrs.	quire	0	6	0	} Ramsay & Hall Pty. Ltd.
†2538	Tapes, ticket dating, black, record, 1½" wide, 21 ft. long, "Reflex"	"	480 doz.	dozen	0	11	6	
†2539	Varnish, obliterating, for dry stencils, in 1-oz. bottles	N.S.W.	250 bots.	doz. bots.	1	7	0	
2540-2549	—Nil							

† Less 3¼% discount for payment within 7 days of date of receipt of invoice or 2½% for payment by end of month following month of delivery. (see note).

CARDS FOR POWERS MACHINES

(Schedule No. 81)

Item No.	Description	Country of Manufre	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
2550	Cards, for " Powers " machines— Code No. 4	N.S.W.	700,000	1000	0	9	3	Kalamazoo (Aust.) Ltd.
2551	" 9	...	Nil	
2552	" 34	N.S.W.	7,000,000	1000	0	9	3	Kalamazoo (Aust.) Ltd.
2552A	" 34	Vict.		"	0	9	6	
2553	" 50	...	Nil	
2554	" 52	N.S.W.	2,200,000	1000	0	9	3	Kalamazoo (Aust.) Ltd.
2555	" 54	"	600,000	"	0	9	3	
2556	" 55	"	900,000	"	0	9	3	
2557	" 59	"	250,000	"	0	9	3	
2558	" 60	"	200,000	"	0	9	3	
2559	Nil	

TELEGRAPH AND TELEPHONE MATERIAL

(Schedule No. 82)

†2560	Buzzers, electric, 2½" x 2½" x 10 ohms	...	72	Nil	
†2561	Cells, dry, to specification, branded "Victorian Railways", "Diamond"	Vict.	15,000	each	0	2	8½	Widdis Diamond Dry Cells Pty. Ltd.
†2562	Cells, dry, 3-volts, type DR800, "Diamond"	"	400	"	0	1	0½	
2563	Nil	
†2564	Cord, transmitter, braided, 4-conductor	...	250 yds.	Nil	
*2565	Cords, telephone, flexible, 3-conductor, complete for hand sets	...	400		
†2566	Hand sets, receiver and transmitter, black, complete with 3-conductor cords, similar to "Siemens H.M.T. 33"	...	400		
2567	Insulators, terminal, two part pothead, to P.M.G's. Dept., Commonwealth of Australia Specification No. 631 and drawing C. 808	Vict.	1200	each	0	1	8	Sunshine Porcelain Potteries Pty. Ltd.
†2568	Pins, channel, tinned, to take 8 s.w.g. wire, to A.A.R. Signal Section Specification No. 23-39, Part 32 of A.A.R. Manual	...	25,000	Nil	
†2569	Pots, porous, Leclanche, to specification, branded "Victorian Railways." "Atlas" (see note).	U.K.	10,000	each	s. d. 2 4-522	c.i.f. & c Melbourne	Lawrence & Hanson Electrical Pty. Ltd.	
*2570	Refills, for "Neon" arresters	...	300	Nil	
2571	Refills, for "Siemens" tube arresters, spark-over voltage to be not less than 300 R.M.S.	...	400		
*2572	Rods, stay, galvanised, to drawing, I.—F. 3251 (amended), 6' long, unfinned	...	1500		

TELEGRAPH AND TELEPHONE MATERIAL—continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
*2573	Spindles (pins), insulator, galvanised, with pattern "B" lead head— Swan neck, to drawing 5.—F. 1465 ...	Vict.	500	each	£	s.	d.	} McPherson's Pty. Ltd.
*2574	To drawing 10.—F. 1465 ...	"	300	"	0	0	4½	
†2575	Spindles (pins), insulator, galvanised, with pattern "A" lead head, to drawing No. 3.—F. 1465	"	1000	"	0	0	8¼	
†2576	Spindles (pins), insulator, spotted gum, to drawing No. 1.—F. 2459 (amended) (see note)	N.S.W.	30,000	100	0	15	0	John Perry Pty. Ltd
2577	Spindles (pins), terminal, trunk line, "J" type, ¾", to P.M.G's. Dept., Commonwealth of Australia Specification No. 398 and drawing C. 798	...	Nil	
†2578	Transmitters, similar to Western Electric magneto wall type telephone, with bracket but without arm	...	200	Nil
2579	Nil							

⚡ Rates plus 7.6%

FUSES AND SWITCHES

(Schedule No. 83)

†2580	Fuses, cartridge, "Zed" type— 4 amps, 230 volts	20 doz.	} Nil	
†2581	6 " 250 "	40 "		
†2582	10 " 250 "	10 "		
†2583	10 " 500 "	40 "		
†2584	15 " 250 "	20 "		
†2585	15 " 500 "	30 "		
†2587	35 " 500 "	40 "		
†2588	Fuses, factory type, with bases, back connected, "Dee & See"— 5 amps, 250 volts ...	Vict.	200 "	doz.	1	5	0	Stewart J. Mathews
†2589	15 " 500 " ...	"	50 "	"	1	19	1	British General Electric Co. Pty Ltd.
†2590	30 " 500 " ...	"	36 "	"	2	15	1	Stewart J. Mathews
†2591	60 " 500 " without studs	"	40 "	"	5	6	7	Lawrence & Hanson Electrical Pty. Ltd.
†2592	Fuses, ironclad, "Federal-MF"— 15 amps, 500 volts	30 "	each	0	3	5	} Warburton, Franki (Melb.) Ltd.
†2593	60 " 500 " ...	"	4 "	"	0	11	4	
†2594	100 " 500 " ...	"	2 "	"	1	0	0	

FUSES AND SWITCHES—continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
	Fuses, replacement, complete with contacts and terminals, back connected, "Federal-HG"—					
†2595	100 amps, 500 volts	Vict.	10 doz.	each	0 12 6	} Stewart J. Mathews
†2596	200 ,, 500 ,,	"	4 ,,	"	0 19 3	
	Switchboards, single circuit, 10 amps, mounted and framed, to specification—					
†2597	M.E.N. type	"	96	"	0 5 6	} British General Electric Co. Pty. Ltd.
†2598	Non-M.E.N. type	"	72	"	0 6 9	
†2599	Switches, 2-way, "Crabtree" type, single pole, 5 amps, brass, florentine bronze oxidised	...	8 doz.	Nil
†2600	Switches, 2-way, 5 amps, 250 volts, "Ring Grip 22"	Vict.	12 ,,	doz.	0 16 9	Hartleys Ltd.
†2601	Switches, ceiling, 5 amps, 250 volts, "Standard A"	N.S.W.	72 ,,	"	1 4 0	British General Electric Co. Pty. Ltd.
†2602	Switches, fuse, "Crabtree" type, single pole, 5 amps, brass, florentine bronze oxidised	...	20 ,,	Nil
	Switches, ironclad, single pole, 5 amps, "Rowco"—					
†2603	Tapped for $\frac{1}{2}$ " conduit	Vict.	2 ,,	doz.	2 17 0	} H. Rowe & Co. Pty. Ltd.
†2604	Tapped for $\frac{3}{4}$ " conduit	"	2 ,,	"	2 17 0	
†2605	Tapped both ends for $\frac{3}{4}$ " conduit	"	1 ,,	"	3 0 0	
	Switches, ironclad, double pole—					
†2606	15 amps, 500 volts, "Standard" ...	N.S.W.	20 ,,	each	0 6 0	} Stewart J. Mathews
†2607	30 ,, 500 ,, " "	"	15 ,,	"	0 8 8	
†2608	60 ,, 500 ,, "Federal-260A1" Vict.	Vict.	2 ,,	"	1 0 0	
	Switches, ironclad, 3 pole—					
†2609	15 amps, 500 volts, "Standard" ...	N.S.W.	4 ,,	"	0 8 0	} Stewart J. Mathews
†2610	30 ,, 500 ,, " "	"	6 ,,	"	0 12 0	
†2611	60 ,, 500 ,, "Federal-360A1" Vict.	Vict.	6 ,,	"	1 7 8	
	Switches, tumbler, single pole, bakelite—					
†2612	5 amps, 250 volts, standard cover,	Nil	
†2613	5 amps, 250 volts, industrial cover, "Ring Grip 130"	Vict.	600 doz.	doz.	0 12 3	Arthur J. Veall Pty. Ltd.
†2614	10 amps, 250 volts, standard cover, "Clipsal 380"	S. Aust.	96 ,,	"	0 9 9	British General Electric Co. Pty. Ltd.
†2615	Switches, tumbler, double pole, 10 amps, 250 volts, bakelite, "Ring Grip 133"	Vict.	96 ,,	"	1 12 6	Sun Electric Co. Pty. Ltd.
2616-2619	—Nil					

ELECTRICAL ACCESSORIES

(Schedule No. 85)

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
†2650	Adaptors, bayonet, " Ring Grip 25 "	Vict.	150 doz.	doz.	0	4	9	} Siemens (Aust.) Pty Ltd.
†2651	Bases and Shields, radiator, cruciform type, for " Hecla " standard radiators	"	250 sets	set	0	3	5	
†2652	Bases, radiator, cruciform type, for "Hecla" standard radiators	"	8 doz.	doz.	0	16	0	Lawrence & Hanson Electrical Pty. Ltd.
2653	Bells, loud ringing, to work off 110 or 220 volt A.C., " 6" I/C "	N.S.W.	30	each	4	9	6	British General Electric Co. Pty. Ltd.
	Blocks, base, wooden—							
†2654	3" diam.	Vict.	250 doz.	doz.	0	1	0½	Johnson & Phillips Ltd.
†2655	4" "	"	50 "	"	0	2	6	A. H. Gibson (Elect.) Co. Pty. Ltd.
†2656	6" x 3"	"	150 "	"	0	2	10	Lawrence & Hanson Electrical Pty. Ltd.
†2657	9" x 3"	"	25 "	"	0	3	10	British General Electric Co. Pty. Ltd.
2658	Briquettes, for " Mox " soldering irons ...	U.K.	72 "	"	0	5	8	Lawrence & Hanson Electrical Pty. Ltd.
*†2659	Clamps, cable, block type, for 7/18 cable, " F.S.C. "	Vict.	60 "	"	0	5	3	Siemens (Aust.) Pty. Ltd.
†2660	Clips, battery, test, universal, 25 amp., without covers, " F.G.S. "	N.S.W.	45 "	"	0	3	3	} British General Electric Co. Pty. Ltd.
†2661	Clips, battery, " T " jaws, ½" spread, 50 amps., " F.G.S. "	"	20 "	"	0	4	4	
	Clips, link, for wiring systems, "Henley" type, " F.G.S. "—							
†2662	Size No. 1	"	8000	1000	0	13	0	} Lawrence & Hanson Electrical Pty. Ltd.
†2663	" " 2	"	8000	"	0	15	6	
†2664	" " 4	"	5000	gross	0	2	10	
2665	Coils, armature, T.4, in sets of 18	Nil	
†2666	Compound, bituminous, class 3, medium hard grade, to B.S.S. No. 688/1936	...	1 cwt.	Nil
	Connectors, for wiring systems, "Henley" type—							
†2667	1-way, bakelite	N.S.W.	120 doz.	doz.	0	1	1	A. H. Gibson (Elect.) Co. Pty. Ltd.
†2668	2-way, porcelain	Vict.	100 "	"	0	5	9	Stewart J. Mathews
†2669	3-way	20 "	Nil

ELECTRICAL ACCESSORIES—continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor	
					£	s.	d.		
*2670	Elements, radiator, 375 volts, for operation 2 in series on 750 volts, to specification, "Hecla"	Vict.	200	each	0	7	0	Lawrence & Hanson Electrical Pty. Ltd.	
	Elements, radiator, for "Hecla" standard radiator cones, wired complete—								
2671	700 watt. rating at 110 volts ...	"	48	"	0	3	11		
2672	700 " " 230 " ...	"	144	"	0	3	11		
† 2673	700 " " 250 " ...	"	24	"	0	3	11		
2674	1000 " " 230 " ...	"	168	"	0	3	11		
2675	1000 " " 250 " ...	"	72	"	0	3	11		
	Elements, radiator, "Ray-rod" type, "Hecla"—								
2676	1000 watt, 230 volt ...	"	100	"	0	4	7		
† 2677	1000 " 250 " ...	"	140	"	0	4	7		
2678	1000 " 110 " ...	"	60	"	0	4	7		
† 2679	Holders, lamp, batten, E.S., bakelite, "Ring Grip 56A"	"	48 doz.	doz.	0	14	6		Warburton, Franki (Melb.) Ltd.
	Holders, lamp, batten, with shade carrier rings, B.C.—								
† 2680	Bakelite, "Ring Grip 30A" ...	"	72 "	"	0	10	0		Siemens (Aust.) Pty. Ltd.
† 2681	Brass ...	"	100 "	"		Nil
† 2682	Holders, lamp, cord grip, with shade carrier rings, B.C., bakelite, "Ring Grip 20A"	Vict.	400 "	doz.	0	7	0	Noyes Bros. (Melb.) Ltd.	
	Holders, lamp, tapped, with shade carrier rings, B.C., bakelite, "Ring Grip"—								
† 2683	$\frac{1}{2}$ " brass thread, No. 31A ...	"	75 "	"	0	11	3	H. Rowe & Co. Pty. Ltd.	
† 2684	$\frac{5}{8}$ " " " No. 32A ...	"	100 "	"	0	11	3		
	Holders, lamp, for "Benjamin" reflectors, porcelain, tapped $\frac{1}{2}$ " gas thread; complete with hexagon cork washers, special lead washers and cast iron weatherproof screwed protective flanges known as the "6626 series," "Elex"—								
† 2685	G.E.S. ...	"	18 "	"	4	9	0	A. H. Gibson (Elect.) Co. Pty. Ltd.	
† 2686	E.S. ...	"	50 "	"	3	0	0		
	Holders, lamp, for No. 17 series "Crown Crystal" opal shades, porcelain, tapped $\frac{1}{2}$ " brass thread—								
† 2687	G.E.S. ...	Vict.	48 doz.	each	0	6	0	Stewart J. Mathews	
† 2688	E.S. ...	"	72 "	"	0	4	0		
*2689	Holders, lamp (signal drawing I.A.58 and G.E. catalogue No. 9402)	"	200	"	Nil	

ELECTRICAL ACCESSORIES—continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
†2690	Lamps, hand, portable, with skirted lamp holder, complete with reflectors and carrying straps, "Greenmore"— B.C. holder	Vict.	250	each	†0	3	9	Greenmore Products Pty. Ltd.
†2691	E.S. „	„	100	„	0	4	6	William Adams & Co. Ltd.
†2692	Links, neutral, bar type, 5 hole, 5 amp., "Federal"	„	200	doz.	0	9	2	Johnson & Phillips Ltd.
†2693	Links, neutral, bar type, 7 hole, 10 amp., "S. & B."	„	200	each	0	1	5	Stewart J. Mathews
2694	Matches, for "Mox" soldering irons	„	40 boxes	box	0	0	4 ³ / ₄	Lawrence & Hanson Electrical Pty. Ltd.
2695	Meters, watt hour, house service type, single phase, 50 cycle, 10 amps., 240 volts, "Emmco"	N.S.W.	10	each	2	2	3	Electricity Meter Manufacturing Co. Pty. Ltd., c/o. William Begg & Sons
2696	Meters, watt hour, "Emmco"— 5 amp., 230 volt, 50 cycle	„	20	„	2	2	3	
2697	10 „ 230 „ 50 „	„	20	„	2	2	3	
2698	25 „ 230 „ 50 „	„	10	„	2	2	3	
2699	10 „ 250 „ 25 „	„	10	„	2	7	6	
†2700	Plugalls, for kettles, bakelite, metal sheathed, "H.P.M."	„	10 doz.	doz.	0	4	6	A. H. Gibson (Elect.) Co. Pty. Ltd.
†2701	Plugs and Sockets, wall, flat pin, 3 pin, earthing, 10 amp., "Ring Grip"	Vict.	100	„	0	11	9	Johnson & Phillips Ltd.
†2702	Roses, ceiling, bakelite— 2 plate, "Ring Grip 89"	„	50	„	0	3	8	Hartleys Ltd.
†2703	3 „ "Clipsal 357"	Sth. Aust.	5	„	0	5	6	British General Electric Co. Pty. Ltd.
†2704	Sockets, electric cable, pressed copper, tinned, to A.S.S. No. C56-1936— 100 amps, Type 5T	N.S.W.	10	„	0	2	5	Australian General Electric Pty. Ltd.
†2705	200 „ „ 8T	„	5	„	0	8	9	
*2706	Sockets, lamp, No. 135 (P.M.G. Serial No. 10, Item No. 29)	„	100	„	„	„	„	Nil
†2707	Staples, coppered, insulated— No. 1, ½"	N.S.W.	3000	1000	0	5	0	British General Electric Co. Pty. Ltd.
†2708	No. 2, ⅝"	„	2000	„	0	5	0	
†2709	No. 3, ¾"	„	2000	„	0	5	0	
†2710	Taps, line, nut type, "Bandage"	Q'land	20 doz.	doz.	0	6	6	Sun Electric Co. Pty. Ltd.
†2711	Tops only, bakelite, for 3 pin, 10 amp. wall plugs, "Ring Grip 53"	Vict.	10	„	0	5	9	
2712-2719	Nil							

† Less 3¼% discount for payment within 7 days of date of receipt of invoice.

CONDUIT PIPE AND FITTINGS
(Schedule No. 86)

Item No.	Description	Country of Manuf're.	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
Pipe, conduit, to specification—						
Plain, close jointed, enamelled, "Automatic Tube Co."—						
† { 2720	5/8"	Vict.	80,000 feet	100 ft.	0 12 9	} Australian General Electric Pty. Ltd.
2721	3/4"	"	10,000 "	"	0 18 9	
2722	1"	"	3000 "	"	1 12 6	
2723	1 1/4"	"	1500 "	"	2 11 9	
Welded, screwed, enamelled—						
† { 2724	5/8", "Automatic Tube Co."	"	80,000 "	"	1 6 3	} William Adams & Co. Ltd.
2725	3/4", " " "	"	96,000 "	"	1 13 6	
2726	1", " " "	"	25,000 "	"	2 9 3	
† { 2727	1 1/4", "F.G.S."	N.S.W.	8000 "	"	3 9 8	
2728	1 1/2", " " "	"	1500 "	"	5 7 4	
2729	2", " " "	"	2000 "	"	8 6 8	
† 2730	Welded, unenamelled, 5/8", "Automatic Tube Co."	Vict.	2500 "	"	1 5 0	H. Rowe & Co. Pty. Ltd.
Fittings, conduit, plain, to specification—						
Boxes, oblong, through, "F.G.S."—						
† { 2731	3/8"	N.S.W.	60 doz.	doz.	0 8 9	} Stewart J. Mathews
2732	1/2"	"	6 "	"	0 9 6	
Couplers—						
† 2733	5/8", "Clipsal"	S. Aust.	220 "	"	0 1 8	Lawrence & Hanson Electrical Pty. Ltd.
† { 2734	3/4", "Ring Grip"	Vict.	72 "	"	0 2 6	} Sun Electric Co. Pty. Ltd.
2735	1", " " "	"	24 "	"	0 4 10	
† 2736	1 1/4", "Clipsal"	S. Aust.	12 "	"	0 5 6	
Elbows—						
† 2737	5/8", "Clipsal"	"	720 "	"	0 1 11	William Adams & Co. Ltd.
† { 2738	3/4", "Ring Grip"	Vict.	96 "	"	0 3 3	} Sun Electric Co. Pty. Ltd.
2739	1", " " "	"	24 "	"	0 8 8	
† 2740	1 1/4", "Clipsal"	S. Aust.	24 "	"	0 10 2	

CONDUIT PIPE AND FITTINGS—continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
Fittings, conduit, plain, to specification— continued						
Saddles, "Ring Grip"—						
† 2741	5/8"	Vict.	220 grs.	gross	0 1 3	A. H. Gibson (Electrical) Co. Pty. Ltd.
2742	3/4"	"	140 "	"	0 1 7	
† 2743	1"	"	24 "	"	0 2 10	William Adams & Co. Ltd.
† 2744	1 1/4"	"	10 "	"	0 4 6	British General Electric Co. Pty. Ltd.
† 2745	1 1/2"	"	1 "	"	0 5 7	Siemens (Aust.) Pty. Ltd.
Tees—						
† 2746	5/8", "Clipsal"	S. Aust.	400 doz.	doz.	0 2 8	A. J. Ferguson & Co.
† 2747	3/4", " "	"	24 "	"	0 4 1	Sun Electric Co. Pty. Ltd.
† 2748	1", "Ring Grip"	Vict.	6 "	"	0 12 6	
† 2749	1 1/4", "Clipsal"	S. Aust.	12 "	"	1 7 0	
Fittings, conduit, screwed, to specification—						
Bends, normal, internal threads, "T. & S."—						
† 2750	3/4"	N.S.W.	300 "	"	†0 8 6	Replacement Parts Pty. Ltd.
2751	1"	"	24 "	"	†0 13 4	
2752	1 1/4"	"	24 "	"	†0 19 9	
2753	1 1/2"	"	12 "	"	†1 15 9	
Boxes, circular, black, "Federal"—						
† 2754	2-way, through, 5/8"	Vict.	2 "	"	0 7 4	A. J. Ferguson & Co.
† 2755	3-way, tee, 5/8"	"	2 "	"	0 7 8	
2756	3-way, tee, 3/4"	"	200 "	"	0 7 8	
† 2757	Bushes, reducing, 3/4" to 5/8", "F.G.S."	N.S.W.	80 "	"	0 1 10	Lawrence & Hanson Electrical Pty. Ltd.
Elbows, "T. & S."—						
† 2758	5/8"	N.S.W.	75 doz.	doz.	†0 3 9	Replacement Parts Pty. Ltd.
2759	3/4"	"	1200 "	"	†0 4 7	
2760	1"	"	500 "	"	†0 7 10	
2761	1 1/4"	"	25 "	"	†0 13 4	
Elbows, inspection, "T. & S."—						
† 2762	3/4"	"	25 "	"	†0 8 6	Replacement Parts Pty. Ltd.
2763	1"	"	50 "	"	†0 10 9	
Nuts, lock, "R. & Wigzell"—						
† 2764	5/8"	S. Aust.	100 "	gross	0 11 2	Stewart J. Mathews
2765	3/4"	"	600 "	"	0 11 11	
2766	1"	"	30 "	"	0 17 5	
2767	1 1/4"	"	40 "	"	1 4 6	

† Less 5% special discount

CONDUIT PIPE AND FITTINGS—continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
Fittings, conduit, screwed, to specification—continued—						
Sockets, "F.G.S."—						
2768	$\frac{3}{8}$ "	N.S.W.	48 "	doz	10 2 9	Replacement Parts Pty. Ltd.
2769	$\frac{1}{2}$ "	"	600 "	"	10 3 6	
† 2770	1"	"	18 "	"	10 4 8	
2771	$1\frac{1}{4}$ "	"	24 "	"	10 6 5	
2772	$1\frac{1}{2}$ "	"	15 "	"	10 9 3	
Tees, "T. & S."—						
2773	$\frac{3}{8}$ "	"	50 "	"	10 4 7	Replacement Parts Pty. Ltd.
2774	$\frac{1}{2}$ "	"	600 "	"	10 6 3	
† 2775	1"	"	250 "	"	10 11 0	
2776	$1\frac{1}{4}$ "	"	24 "	"	10 19 9	
Bellmouths, bakelite, screwed, to specification, "B. & B."—						
† 2777	For $\frac{3}{8}$ " screwed conduit	"	48 "	"	0 1 9	Siemens (Aust.) Pty. Ltd.
2778	" $\frac{1}{2}$ " " " "	"	36 "	"	0 1 10	
† 2779	Boxes, connection, mains, bakelite, to specification, 3 point, wall mounting design, for $\frac{3}{4}$ " and 1" screwed conduit, "Federal-120F"	Vict.	24 "	"	1 7 6	Stewart J. Mathews
† 2780	Boxes, connection, mains, bakelite, to specification, 3 point, half sphere design, for wall mounting, "Federal"— For $\frac{3}{8}$ " screwed conduit	"	24 "	"	1 9 0	Noyes Bros. (Melb.) Ltd.
† 2781	" $\frac{3}{4}$ " " " "	"	2 "	"	1 8 3	Johnson & Phillips Ltd.
Bushes, metal, to specification, "Clipsal"—						
† 2782	For $\frac{3}{8}$ " plain conduit	S. Aust.	50 grs.	gross	0 1 5½	Siemens (Aust.) Pty. Ltd.
2783	" $\frac{1}{2}$ " " " "	"	18 "	"	0 1 5½	
Connections, brass, for flexible conduit, to specification, "Wilco"—						
† 2784	Tapped for $\frac{3}{8}$ " screwed conduit	Vict.	12 doz.	dozen	0 8 11	Lawrence & Hanson Electrical Pty. Ltd.
2785	" " $\frac{1}{2}$ " " " "	"	12 "	"	0 8 11	
2786	Strip, protective, for "Henley" wiring	"	600 feet	"	"	Nil
2787-2789	Nil					

† Less 5% special discount

ELECTRODES AND WELDING WIRE

(Schedule No. 87)

Electrodes, mild steel, light coated, suitable for use on 25 cycle A.C. supply, to specification, "Quasi-Arc C.X.X."—						
† 2790	No. 6 s.w.g.	Vict.	50,000 feet	100 ft.	0 5 1	Robert Bryce & Co. Pty Ltd.
2791	No. 8 "	"	40,000 "	"	0 4 3	
2792	No. 10 "	"	10,000 "	"	0 3 11	

ELECTRODES AND WELDING WIRE—continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor		
Electrodes, for metallic arc welding of mild steel, to specification—								
† 2793	$\frac{3}{8}$ " dia., "Lincoln Fleetweld 7" (see note)	N.S.W.	4000 feet	100 ft.	1 6 1	Stewarts & Lloyds (Aust.) Pty. Ltd.		
2794	$\frac{5}{16}$ " " " (see note)	"	6000 "	"	0 17 11			
2795	No. 4 s.w.g., "E.M.F.", New Era extra fluxed	Vict.	34,000 "	"	0 11 0	Australian Oxygen & Industrial Gases Pty. Ltd.		
2795A	No. 4 s.w.g., "E.M.F.", V.27, New Era S.R. or New Era G.P., as ordered	"		"	"		0 9 6	
2796	No. 6 s.w.g., "E.M.F.", New Era extra fluxed or New Era vertical, as ordered	"	120,000 "	"	0 8 1			
2796A	No. 6 s.w.g., "E.M.F.", V.27, New Era S.R. or New Era G.P., as ordered	"		"	"		0 7 11	
† 2797	No. 8 s.w.g., "E.M.F.", New Era extra fluxed or New Era vertical, as ordered	"	2,600,000 "	"	0 5 11			
2797A	No. 8 s.w.g., "E.M.F.", V.27, New Era S.R. or New Era G.P., as ordered	"		"	"		0 5 7	
2798	No. 10 s.w.g., "E.M.F.", New Era extra fluxed or New Era vertical, as ordered	"	2,100,000 "	"	0 4 9			
2798A	No. 10 s.w.g., "E.M.F.", V.27, New Era S.R. or New Era G.P., as ordered	"		"	"		0 4 7	
2799	No. 12 s.w.g., "E.M.F.", New Era extra fluxed or New Era vertical, as ordered	"	60,000 "	"	0 4 3			
2799A	No. 12 s.w.g., "E.M.F.", V.27, New Era S.R. or New Era G.P., as ordered	"		"	"		0 4 0	
2796B	$\frac{3}{16}$ " dia., "Lincoln Fleetweld 7" (see note)	N.S.W.	60,000 feet	See above	0 6 11	Stewarts & Lloyds (Aust.) Pty. Ltd.		
† 2797B	$\frac{3}{32}$ " dia. " " (see note)	"			"		"	0 5 1
2800	$\frac{3}{32}$ " dia. " " (see note)	"			"		"	0 3 11
Wire, high tensile steel, oxy-acetylene welding, in coils, to specification, "Rylands"—								
2801	$\frac{1}{8}$ " diameter	"	20 cwt.	cwt.	1 15 6	Australian Oxygen & Industrial Gases Pty. Ltd.		
† 2802	$\frac{3}{16}$ " " "	"	30 "	"	1 14 0			
2803	$\frac{1}{4}$ " " "	"	30 "	"	1 14 0			
Wire, iron, oxy-acetylene welding, in coils, to specification, "Rylands"—								
2804	10 s.w.g.	"	10 "	"	1 6 0	Australian Oxygen & Industrial Gases Pty. Ltd.		
† 2805	$\frac{1}{16}$ " diameter	"	10 "	"	1 15 0			
2806	$\frac{3}{16}$ " " "	"	60 "	"	1 5 0			
2807	$\frac{1}{4}$ " " "	"	70 "	"	1 5 0			
Wire, manganese bronze, oxy-acetylene welding, in 2' 6" or 3' lengths, to specification, "Austral Bronze"—								
2808	$\frac{1}{8}$ " diameter	"	25 "	"	11 15 0	Australian Oxygen & Industrial Gases Pty. Ltd.		
† 2809	$\frac{3}{16}$ " " "	"	100 "	"	10 14 0			
2810	$\frac{1}{4}$ " " "	"	160 "	"	10 13 6			
Wire, mild steel, electric welding, in 15" and 18" lengths, to specification, "Rylands"—								
† 2811	$\frac{1}{8}$ " diameter	"	30 "	"	1 8 6	Australian Oxygen & Industrial Gases Pty. Ltd.		
2812	$\frac{3}{16}$ " " "	"	20 "	"	1 9 6			
2813-2819—Nil								

WELDING ACCESSORIES, Etc.
(Schedule No. 88)

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
	Gauges, pressure, acetylene—					
2820	50 lbs.	20	} Nil
2821	500 lbs.	15	
	Gauges, pressure, oxygen—					
2822	200 lbs.	20	
2823	3000 lbs.	60	} Australian Oxygen & Industrial Gases Pty. Ltd.
2824	Regulators, acetylene, "Comweld"	Vict.	20	each	£3 10 0	
2825	Regulators, oxygen, "Comweld"	"	40	"	£3 10 0	
2826	Tips, cutting, Nos. 1 to 6 inclusive, as ordered, "Arnold" type, "Comweld"	"	400	"	£0 10 0	
2827-2829	—Nil					

† Less 12½% discount for payment by end of month following month of delivery.

WESTINGHOUSE BRAKE PARTS
(Schedule No. 90)

	Westinghouse Brake Parts, to specification—					
2850	Bushes, discharge valve, steel, for 10" x 10½" air compressors (class K.L.), piece No. C. 780.	N.S.W.	50	each	£0 10 0	} Westinghouse Brake (Australasia) Pty. Ltd.
2851	Bushes, large piston, .010" larger than standard for 8½"—150 cross compound compressors, piece No. C. 896	"	50	"	£0 13 4	
2852	Bushes, large main valve, only, for 10" x 10½" air compressors, piece No. 1369	"	25	"	£2 0 0	
2853	Bushes, main valve, D compressor, seat recess not less than ⅜" deep, piece No. 12083	"	150	"	£2 0 0	
2854	Bushes, small cylinder cover, .010" larger than standard, for 8½"—150 cross compound compressors, piece No. C. 919	"	50	"	£0 13 8	

‡ Items Nos. 2850 to 2854—Rates plus 17%.

WESTINGHOUSE BRAKE PARTS—continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor	
					£	s.	d.		
Westinghouse Brake Parts, to specification—continued—									
2855	Bushes, suction valve, steel, for 10" x 10 $\frac{3}{8}$ " air compressors (class K.L.), piece No. C. 1454	N.S.W.	50	each	£0	8	11	Westinghouse Brake (Australasia) Pty. Ltd.	
2856	Caps, discharge valve, steel, 1/16" larger screwing, for 10" x 10 $\frac{3}{8}$ " air compressors (class K.L.), piece No. C. 2553	"	40	"	£0	6	4		
2857	Caps, discharge valve, steel, for 10" x 10 $\frac{3}{8}$ " air compressors (class K.L.), piece No. C. 1993.	"	50	"	£0	6	4		
2858	Collectors, dust, centrifugal, $\frac{1}{2}$ ", piece No. C. 466.	"	400	"	£0	15	9		
2859	Collectors, dust, centrifugal, 1", with $\frac{1}{2}$ " drain cock, piece No. C. 606.	"	20	"	£1	8	11		
2860	Diaphragms, for C. 6 regulating feed valves, piece No. 2218	"	120 doz.	doz.	£0	3	0		
2861	Diaphragms, for M.3 regulating feed valves, piece No. C. 430	"	20 "	"	£0	4	2		
2862	Diaphragms, for No. 7 air compressor governors, piece No. 1811	"	20 "	"	£0	3	1		
2863	Diaphragms, for $\frac{1}{2}$ " diaphragm cocks, piece No. C. 1919	U.S.A.	100	...	} Landed cost plus 5% (see note)				
2864	Diaphragms, for $\frac{3}{4}$ " diaphragm cocks, piece No. 86,582	"	50	...					
2865	Gaskets, pipe bracket, for M. 3 feed valves, piece No. 78,000	"	600	...					
2866	Governors, for air compressors, 8D, piece No. C. 1081	N.S.W.	24	each	£21	0	0		
2867	Governors, No. 7, for air compressors, piece No. C. 1178	"	150	"	£6	15	9		
Leathers, piston packing—									
†2868	6", piece No. 2806 ...	"	240	"	£0	3	6		
†2869	8", " " 2826 ...	"	1000	"	£0	4	10		
†2870	10", " " 2841 ...	"	150	"	£0	6	10		
†2871	13", " " 3143 ...	"	120	"	£0	10	6		
†2872	15", " " 3153 ...	"	75	"	£0	12	4		
2873	Packing, piston rod, "Acme," 1 $\frac{3}{4}$ " diameter, for 8 $\frac{1}{2}$ "—150 cross compound compressors, piece No. C. 1437	"	36 boxes	box	£0	6	1		
2874	Pistons, main valve, complete, for 8 $\frac{1}{2}$ "—150 cross compound compressors No. 3, piece No. C. 3114	"	10	each	£5	5	0		
2875	Pistons, without rings, for M.3 feed valves, piece No. C. 337	"	24	"	£0	12	4		
Rings, for M. 3 feed valves—									
2876	No. 1, piece No. C. 1073	"	48	"	£0	2	1		
2877	No. 2, " " C. 1074	"	72	"	£0	2	1		
2878	No. 3, " " C. 1075	"	72	"	£0	2	1		
2879	No. 4, " " C. 1076	"	48	"	£0	2	1		

{ Items Nos. 2855 to 2862, 2866, 2867, 2873 to 2879—Rates plus 17%
 { Items Nos. 2868 to 2872—Rates plus 19%.

WESTINGHOUSE BRAKE PARTS—continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
	Westinghouse Brake Parts, to specification— continued—							
	Rings, piston packing, lap joint, for 3½" improved triple valves—							
2880	No. 1, piece No. C. 1036	N.S.W.	1000	each	£0	2	5	Westinghouse Brake (Australasia) Pty Ltd.
2881	No. 2, " " C. 1037	"	1000	"	£0	2	5	
2882	No. 3, " " C. 1038	"	1000	"	£0	2	5	
2883	No. 4, " " C. 1039	"	1200	"	£0	2	5	
2884	No. 5, " " C. 1040	"	1000	"	£0	2	5	
2885	No. 6, " " C. 1155	"	1000	"	£0	2	5	
	Rings, piston, for No. 7 air compressor governors—							
2886	No. 1, piece No. 6160	"	200	"	£0	1	5	
2887	No. 2, " " C. 1210	"	150	"	£0	1	5	
2888	Rings, piston, small valve, for 8½"—150 cross compound compressors, piece No. C. 1429	"	40	"	£0	0	9½	
2889	Seals, cage bush, for regulating valves of M. 3 feed valves, piece No. 81,012	U.S.A.	1000	...	} Landed cost plus 5% (see note)			
2890	Seals, regulating valve bush, for M. 3 feed valves, piece No. 81,013	"	1000	...				
2891	Springs, for 1" bent cocks, piece No. 2425	N.S.W.	360 doz.	doz.	£0	4	0	
2892	Springs, piston, for C. 6 feed valves, piece No. 5553	"	4	"	£0	2	6	
2893	Springs, piston, for No. 7 governors, zinc sprayed, piece No. 6161	"	6	"	£0	2	6	
2894	Springs, regulating valve, for M.3 feed valves, piece No. C. 451	"	2	"	£0	8	11	
2895	Springs, slide valve, for C.6 regulating feed valves, piece No. 2252	"	72	"	£0	2	1	
2896	Springs, slide valve, for improved triple valves, piece No. 2358	"	120	"	£0	2	6	
2897	Springs, slide valve, for M.3 feed valves, piece No. C. 428	"	18	"	£0	5	6	
2898	Valves, air reducing, piece No. C. 567	"	40	each	£2	17	9	
2899	Valves, discharge, steel, for 10" x 10½" air compressors (class K.L.), piece C. 2012	"	200	"	£0	5	11	
2900	Valves, feed, M.3, complete, piece No. C. 434	"	72	"	£9	1	9	
2901	Valves, regulating, for M.3 feed valves, piece No. C. 427	"	24	"	£0	2	3	
2902	Valves, reversing, ½" thicker than standard, for 8½"—150 cross compound compressors, piece No. C.3166	"	24	"	£0	16	6	
2903	Valves, slide, for C.6 feed valves, piece No. 5990	"	200	"	£0	8	11	
2904	Valves, triple, improved, with 6F. "A" bulbs, piece No. C. 2251	"	150	"	£7	14	6	
2905	Valves, triple, improved, with 8F. "A" bulbs, piece No. C. 2260	"	150	"	£7	14	6	
2906	Valves, suction, steel, for 10" x 10½" air compressors (class K.L.), piece No. C. 2009	"	200	"	£0	6	10	
2907-2919	Nil							

‡ Items Nos. 2880 to 2888 and 2891 to 2906—Rates plus 17%.

GAS COKE, COAL TAR AND CREOSOTE
(Schedule No. 91)

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor	
					£	s.	d.		
2920	Coke, gas, to specification— Loose, f.o.r. Pigott Street siding, West Melbourne	Vict.	} 7000 tons	ton	2	0	1	The Metropolitan Gas Co. Colonial Gas Association Ltd. Geelong Gas Co.	
2920A	Loose, f.o.r. Loop "B" siding, Footscray			"	"	2	4		8
2920B	Loose, f.o.r. Contractor's siding, North Geelong (see note)			"	"	2	0		0
2921	Bagged, f.o.r. Pigott Street siding, West Melbourne	"	} 2000 "	"	2	2	10	} The Metropolitan Gas Co.	
2922	Bagged, delivered within a radius of one mile from Spencer Street railway station (including Electrical Depot and Laurens Street Depot Storehouses), as ordered			"	"	2	3		4
2923	Loose, delivered into bins at Ballarat North Workshops, or bagged, delivered to Ballarat Refreshment Rooms, as ordered	...	400 "	Nil (see note)		
2924	Loose, delivered into bins at Bendigo North Workshops, or bagged, delivered direct to Bendigo Refreshment Rooms, as ordered	Vict.	600 "	ton	2	10	0	The Bendigo Gas Co.	
2925	Bagged, delivered to Ararat Refreshment Rooms, or loose, delivered into trucks at Ararat railway station for Loco. Depot, Ararat, as ordered	"	100 "	"	3	2	6	The Gas Supply Co. Ltd.	
2926	Creosote, for wood preservation purposes, to specification, in 40/44 gallon drums, f.o.r. Spencer Street or North Geelong, as ordered	"	10,000 gals.	gal.	0	0	11½	} Albion Quarrying Co. Pty. Ltd.	
	Mixture, tar and pitch, to specification, f.o.r., Spencer Street or North Geelong, as ordered—								
2927	In 4 gallon tins	"	} 450 "	"	0	2	4		
2928	In the Corporation's 1 gallon tins	Nil	
2929	Tar, coal, to specification, in 5 or 40/44 gallon drums, as ordered, f.o.r.— Pigott Street siding, West Melbourne	Vict.	} 1500 "	gal.	0	0	5	The Metropolitan Gas Co. Albion Quarrying Co. Pty. Ltd. The Gas Supply Co. Ltd.	
2929A	Spencer Street or North Geelong, as ordered	"		"	"	0	0		5½
2929B	Albury, Ararat, Bacchus Marsh, Ballarat, Sale, Stawell or Warracknabeal, as ordered	"		"	"	0	0		7½
2930-2939	—Nil								

UNIFORM BUTTONS, LININGS, ETC.
(Schedule No. 92)

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
†2940	Buckles, strap, black japanned, for trousers and vests	Vict.	100 gross	gross	0	3	6	R. J. Harvey
†2941	Buttons— Black bone— Trousers, large	"	200 "	"	0	2	9	
†2942	Trousers, small	"	200 "	"	0	2	6	
†2943	Vest Gilt, to specification—	"	24 "	"	0	1	9	
*†2944	Large	"	6 "	"	1	16	0	Stokes & Sons Pty. Ltd.
*†2945	Small	"	6 "	"	1	4	0	
*†2946	White metal, to specification— Large	"	100 "	"	0	10	0	
*†2947	Small Cloth—	"	100 "	"	0	8	6	
†2948	Flexhair (Hymo), 31" wide	...	2000 l. yds.	Nil
†2949	Italian, black, 54" wide	...	4000 "	
†2950	Pocketing, khaki drill, 28" wide	...	2500 "	
†2951	Silesia, black, 39" to 40" wide	...	6000 "	
†2952 2953-2959	Silesia, printed 39" to 40" wide —Nil	...	6000 "	

SERGE AND TWILL, ETC.

(Schedule No. 93)

*†2960	Cloth, Tasmanian Bluey, 56" wide, to specification	Vict.	600 l. yds.	l. yd.	0	9	7	Federal Woollen Mills Ltd.
*†2961	Cloth, for overcoats, 24 oz. per lin. yd., 58" wide, to specification	"	2000 "	"	0	9	5	
*†2962	Serge, steel grey, 14 oz. per lin. yd., 58" wide, to specification	...	1000 "	Nil
*†2963	Serge, 18 oz. per lin. yd., 58" wide, to specification	...	600 "	
*†2964	Serge, 20 oz. per lin. yd., 58" wide, to specification	Vict.	20,000 "	l. yd.	0	9	9	Federal Woollen Mills Ltd.
*†2965	Twill, dark or light blue, as ordered, 18 oz. per lin. yd., 58" wide, to specification,	"	7500 "	"	0	11	8	Valley Worsted Mills Ltd.
2966-2969	—Nil							

UNIFORM CLOTHING—continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
	Extras for alterations to completed garments, under Items Nos. 2970 to 2991A—							
2993	Shortening plain coat	each	0	4	0	} Alfred Bowley & Co.
2994	Lengthening plain coat	"	0	4	0	
2995	Shortening sleeves	"	0	2	3	
2996	Lengthening sleeves	"	0	2	6	
2997	Lowering collar of coat	"	0	2	3	
2998	Taking in chest and waist of coat	"	0	3	3	
2999	Inserting gusset in arm holes	"	0	2	3	
3000	Alterations to any particular vest	"	0	2	6	
3001	Taking in waist of trousers	"	0	1	9	
3002	Letting out waist of trousers	"	0	2	3	
3003	Taking in seat of trousers	"	0	1	9	
3004	Letting out seat of trousers	"	0	2	0	
3005	Shortening legs of trousers	"	0	1	0	
3006	Lengthening legs of trousers	"	0	1	6	
3007	Taking in legs of trousers	"	0	1	9	
3008	Inserting hip pocket in trousers	"	0	2	0	
2993A	Shortening plain coat	"	0	4	0	} John Cohen & Co Pty. Ltd.
2994A	Lengthening plain coat	"	0	4	0	
2995A	Shortening sleeves	"	0	1	9	
2996A	Lengthening sleeves	"	0	2	0	
2997A	Lowering collar of coat	"	0	1	9	
2998A	Taking in chest and waist of coat	"	0	3	6	
2999A	Inserting gusset in arm holes	"	0	2	0	
3000A	Alterations to any particular vest	"	0	2	3	
3001A	Taking in waist of trousers	"	0	2	0	
3002A	Letting out waist of trousers	"	0	2	3	
3003A	Taking in seat of trousers	"	0	1	9	
3004A	Letting out seat of trousers	"	0	2	0	
3005A	Shortening legs of trousers	"	0	1	6	
3006A	Lengthening legs of trousers	"	0	1	6	
3007A	Taking in legs of trousers	"	0	1	6	
3008A	Inserting hip pocket in trousers	"	0	1	9	

UNIFORM CLOTHING—continued

Item No.	Description	Country of Manufacture	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
	Garments, made to measure from steel grey serge, 14 oz. per lineal yard, to specification (worn by Female Porters)—							
*3009	Coats, to sample No. 11 ...	Vict.	400	each	2	9	6	} John. Cohen & Co. Pty. Ltd.
*3010	Skirts, „ „ „ 26A ...	„	400	„	1	0	0	
	Extras for alterations to completed garments under Items Nos. 3009 and 3010—							
3011	Shortening coat ...	„	„	„	0	4	0	
3012	Lengthening coat ...	„	„	„	0	4	0	
3013	Shortening sleeves ...	„	„	„	0	1	9	
3014	Lengthening sleeves ...	„	„	„	0	2	0	
3015	Lowering collar of coat ...	„	„	„	0	1	9	
3016	Taking in chest and waist of coat ...	„	„	„	0	3	6	
3017	Inserting dart in arm hole ...	„	„	„	0	2	0	
3018	Taking in waist of skirt ...	„	„	„	0	2	0	
3019	Letting out waist of skirt ...	„	„	„	0	2	6	
3020	Taking in hips of skirt ...	„	„	„	0	2	0	
3021	Letting out hips of skirt ...	„	„	„	0	2	6	
3022	Shortening skirt ...	„	„	„	0	2	6	
3023	Lengthening skirt ...	„	„	„	0	2	6	
3024-3029	—Nil							

UNIFORM CLOTHING, STOCK SIZES

(Schedule No. 95)

Item No.	Description	Country of Manufacture	Estimated Requirements	Rate per	Rate £. s. d.	Name of Contractor
	Garments, STOCK SIZES, made from serge, 20 oz. per lineal yard, to specification—					
	Coats—					
* { 3030	To sample No. 26 (worn by Porters, Rail Motor Drivers, Electric Suburban Guards, Electric Train Drivers, Vanmen and Tram Motormen)	Vict.	4000	each	1 16 2	David Lack Pty. Ltd.
3030A	" " " " " " " " " " " "	"		"	1 18 3	John Cohen & Co. Pty. Ltd.
* { 3031	To sample No. 27 (worn by Goods Guards, Shunters, Watchmen, Licensed Luggage Porters and Number Takers)	"	2000	"	1 16 6	David Lack Pty. Ltd.
3031A	" " " " " " " " " " " "	"		"	1 18 6	John Cohen & Co. Pty. Ltd.
* { 3032	To sample No. 28 (worn by Operating Porters and Porters-in-Charge)	"	900	"	1 18 4	David Lack Pty. Ltd.
3032A	" " " " " " " " " " " "	"		"	2 0 6	John Cohen & Co. Pty. Ltd.
* { 3033	To sample No. 29 (double breasted) (worn by 2nd class Ticket Checkers and Tram Conductors)	"	140	"	2 6 11	David Lack Pty. Ltd.
3033A	" " " " " " " " " " " "	"		"	2 9 0	John Cohen & Co. Pty. Ltd.
	Vests—					
* { 3034	To sample No. 32 (worn by Porters, Rail Motor Drivers, Electric Suburban Guards, Electric Train Drivers, Vanmen, Watchmen, Licensed Luggage Porters, Operating Porters, Porters-in-Charge, 2nd class Ticket Checkers, Tram Conductors and Tram Motormen)	"	5000	"	0 11 3½	David Lack Pty. Ltd.
3034A	" " " " " " " " " " " "	"		"	0 11 11	John Cohen & Co. Pty. Ltd.
* { 3035	To sample No. 33 (worn by Goods Guards and Shunters)	"	1700	"	0 11 9½	David Lack Pty. Ltd.
3035A	" " " " " " " " " " " "	"		"	0 12 11	John Cohen & Co. Pty. Ltd.
	Trousers—					
* { 3036	To sample No. 35 (worn by Porters, Rail Motor Drivers, Electric Suburban Guards, Electric Train Drivers, Vanmen, Watchmen, Licensed Luggage Porters, Operating Porters, Porters-in-Charge, 2nd class Ticket Checkers, Tram Conductors, Tram Motormen, Goods Guards and Shunters)	"	8000	"	0 18 11½	David Lack Pty. Ltd.
3036A	" " " " " " " " " " " "	"		"	1 0 0	John Cohen & Co. Pty. Ltd.
	Extras on rates for items Nos. 3030 to 3036A for MADE TO MEASURE serge garments not provided for in stock sizes, as ordered—					
* { 3037	Coat	Vict.	...	each	0 4 0	David Lack Pty. Ltd.
3037A	"	"	...	"	0 4 0	John Cohen & Co. Pty. Ltd.
* { 3038	Vest	"	...	"	0 2 0	David Lack Pty. Ltd.
3038A	"	"	...	"	0 2 0	John Cohen & Co. Pty. Ltd.
* { 3039	Trousers	"	...	"	0 2 6	David Lack Pty. Ltd.
3039A	"	"	...	"	0 2 6	John Cohen & Co. Pty. Ltd.

UNIFORM CLOTHING—continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
	Garments, STOCK SIZES, 4, 5, 6 or 7 as ordered, made from Tasmanian Bluey cloth, to Specification—					
*3040	Aprons, to sample No. 37	200	} Nil
*3041	Coats, to sample No. 38	150	
*3042	Trousers, with bibs, to sample No. 39	200	
	Allowance for ALTERATIONS or ADJUSTMENTS to completed garments, as ordered—					
3043	Shortening braided coat ...	Vict.	...	each	0 5 6	John Cohen & Co. Pty. Ltd.
3044	Shortening plain coat ...	"	...	"	0 3 3	David Lack Pty. Ltd.
3044A	" " ...	"	...	"	0 3 6	} John Cohen & Co. Pty. Ltd.
3045	Lengthening braided coat ...	"	...	"	0 5 6	
3046	Lengthening plain coat ...	"	...	"	0 4 6	David Lack Pty. Ltd.
3046A	" " ...	"	...	"	0 3 6	John Cohen & Co. Pty. Ltd.
3047	Shortening sleeves ...	"	...	"	0 2 3	David Lack Pty. Ltd.
3047A	" " ...	"	...	"	0 1 6	John Cohen & Co. Pty. Ltd.
3048	Lengthening sleeves ...	"	...	"	0 2 3	David Lack Pty. Ltd.
3048A	" " ...	"	...	"	0 1 6	John Cohen & Co. Pty. Ltd.
3049	Lowering collar of coat ...	"	...	"	0 3 0	David Lack Pty. Ltd.
3049A	" " ...	"	...	"	0 1 6	John Cohen & Co. Pty. Ltd.
3050	Taking in chest and waist of coat ...	"	...	"	0 4 0	David Lack Pty. Ltd.
3050A	" " ...	"	...	"	0 3 0	John Cohen & Co. Pty. Ltd.
3051	Inserting dart in arm hole ...	"	...	"	0 2 3	David Lack Pty. Ltd.
3051A	" " ...	"	...	"	0 1 6	John Cohen & Co. Pty. Ltd.
3052	Alterations or adjustment to any particular vest ...	"	...	"	0 2 6	David Lack Pty. Ltd.
3052A	" " ...	"	...	"	0 2 0	John Cohen & Co. Pty. Ltd.
3053	Taking in waist of trousers ...	"	...	"	0 2 6	David Lack Pty. Ltd.
3053A	" " ...	"	...	"	0 1 6	John Cohen & Co. Pty. Ltd.
3054	Letting out waist of trousers ...	"	...	"	0 2 6	David Lack Pty. Ltd.
3054A	" " ...	"	...	"	0 1 6	John Cohen & Co. Pty. Ltd.
3055	Taking in seat of trousers ...	"	...	"	0 2 6	David Lack Pty. Ltd.
3055A	" " ...	"	...	"	0 1 6	John Cohen & Co. Pty. Ltd.
3056	Letting out seat of trousers ...	"	...	"	0 2 6	David Lack Pty. Ltd.
3056A	" " ...	"	...	"	0 1 0	John Cohen & Co. Pty. Ltd.
3057	Shortening legs of trousers ...	"	...	"	0 1 6	David Lack Pty. Ltd.
3057A	" " ...	"	...	"	0 1 0	John Cohen & Co. Pty. Ltd.

UNIFORM CLOTHING—continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
	Allowance for ALTERATIONS or ADJUSTMENTS to completed garments, as ordered—continued—							
3058	Lengthening legs of trousers ...	Vict.	...	each	0	2	0	David Lack Pty. Ltd.
3058A	" " ...	"	...	"	0	1	0	John Cohen & Co. Pty. Ltd.
3059	Taking in legs of trousers ...	"	...	"	0	2	6	David Lack Pty. Ltd.
3059A	" " ...	"	...	"	0	1	0	John Cohen & Co. Pty. Ltd.
3060	Inserting hip pocket in trousers ...	"	...	"	0	2	0	David Lack Pty. Ltd.
3060A	" " ...	"	...	"	0	1	6	} John Cohen & Co. Pty. Ltd.
3061	Supplying and attaching gold crowns ...	"	...	pair	0	11	0	
3062	Supplying and attaching $\frac{1}{2}$ " "V.R." silver bullion badges ...	"	...	"	0	6	6	David Lack Pty. Ltd.
3062A	" " ...	"	...	"	0	8	0	John Cohen & Co. Pty. Ltd.
3063-3069	Nil							

ALUMINIUM, LEAD, ETC.

(Schedule No. 96)

3070	Aluminium, ingot, to specification	30 cwt.	} Nil
3071	Lead, antimonial, ingot, to specification	30 tons	
3072	Lead, antimonial, strip, 2" wide x .06" thick, to specification	Vict.	10 cwt.	cwt.	2 5 0	Walter Coop Pty. L
3073	Lead, pig, soft (remelted), to specification (see note)	"	30 tons	ton	{ 24 10 0 plus cartage	} O. T. Lempriere & Co. Pty. Ltd.
3074	Lead, pig, soft, produced from new material, to specification	S. Aust.	14 "	"	26 12 6	
3075	Lead, sheet, any thickness, 2-lbs. and over as ordered, and cut to any size ordered, to specification	Vict.	25 "	"	34 10 0	} John McIlwraith Co. Pty. Ltd.
3076	Phosphor Copper, 15%, in slabs, to specification, "Alco"	"	3 "	lb.	0 2 4	Abel, Lemon & Co. Pty. Ltd.
3077	Zinc, electrolytic, ingot, to specification, (see note)	Tas.	10 "	ton	{ 24 5 0 plus cartage	Briscoe & Co. Ltd.
†3078	Zinc, sheet, perforated, to specification, 84 holes to the square inch, each hole 0.085" diameter, No. 6 zinc gauge (0.011"), in sheets 7' x 3' or 8' x 3', as ordered	...	200 sq. ft.	Nil
3079-3089	Nil					

BRASS PRODUCTS
(Schedule No. 97)

Item No.	Description	Country of Manufre	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor			
3090	Brass Rod, high speed machining quality, forging quality, or machining and bending quality, as ordered, to specification, in 6' to 8' lengths—	Vict. or N.S.W.	20 tons	ton	§84 7 0	Austral Bronze Co Pty. Ltd.			
	Hexagon, any of the following sizes ordered—								
	Width across flats						For nuts as under :		
	Min.							Max.	
	0-334"							0-338"	$\frac{1}{8}$ "
	0-373"							0-375"	—
	0-440"							0-445"	$\frac{3}{16}$ "
	0-498"							0-502"	$\frac{1}{4}$ " R.S.A. Special
	0-520"							0-525"	$\frac{1}{4}$ " Whitworth
	0-595"							0-600"	$\frac{5}{16}$ " "
	0-705"							0-710"	$\frac{3}{8}$ " "
	0-750"							0-755"	—
	0-815"							0-820"	$\frac{7}{16}$ " Whitworth
	0-915"							0-920"	$\frac{1}{2}$ " "
	1-002"							1-010"	$\frac{9}{16}$ " "
	1-092"							1-100"	$\frac{5}{8}$ " "
	1-192"							1-200"	$\frac{11}{16}$ " "
	1-292"							1-300"	$\frac{3}{4}$ " "
	1-382"							1-390"	$\frac{13}{16}$ " "
	1-468"							1-480"	$\frac{7}{8}$ " "
	1-658"							1-670"	1" "
	1-845"							1-860"	$1\frac{1}{8}$ " "
	2-035"							2-050"	$1\frac{1}{4}$ " "
	2-200"							2-220"	$1\frac{3}{8}$ " "
2-390"	2-410"	$1\frac{1}{2}$ " "							
2-555"	2-580"	$1\frac{5}{8}$ " "							
2-735"	2-760"	$1\frac{3}{4}$ " "							
3091	Round, $\frac{3}{16}$ " to $1\frac{1}{2}$ " diameter, advancing by $\frac{1}{16}$ " and $1\frac{5}{8}$ " to 3" diameter, advancing by $\frac{1}{8}$ ", as ordered	"	25 tons	ton	§84 7 0				
3092	Square, $\frac{3}{8}$ " to $1\frac{1}{2}$ ", advancing by $\frac{1}{8}$ ", as ordered	"	10 cwt.	"	§84 7 0				

BRASS PRODUCTS—continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
	Brass Sheet, cold rolled, hard or soft (annealed), as ordered, to specification, "Austral"— In sheets 6' x 2', 4' x 2', or 4' x 1', as ordered—							
3093	16 s.w.g. or heavier, in even gauges, as ordered	N.S.W.	200 cwt.	lb.	\$0	1	3½	Austral Bronze Co. Pty. Ltd.
3094	18 or 20 s.w.g., as ordered	"		"	\$0	1	3¼	
3095	22 s.w.g.	"		"	\$0	1	4	
3096	24 ,,	"		"	\$0	1	4½	
3097	26 ,,	"		"	\$0	1	5½	
3098	30 ,,	"		"	\$0	1	8½	
3099	Extra on rates for items Nos. 3093 to 3096 for sheets 6' x 3'	"		"	\$0	0	1½	
	Brass Tubing (except boiler tubes), solid drawn, to specification, any lengths ordered—							
3100	¼" or ⅝" outside diameter x 24, 22, 20, 18 or 16 s.w.g., as ordered	"	30 "	"	\$0	2	9.5	George White & Co. Pty. Ltd.
3101	⅜" or ⅞" outside diameter x 20, 18, 16 or 14 s.w.g., as ordered	"		"	\$0	2	3.5	
3102	½", ⅝" or ⅞" outside diameter x 20, 18, 16, or 14 s.w.g., as ordered	"		"	\$0	2	1.5	
3103	¾", ⅞", 1", 1⅛", 1¼", or 1½" outside diameter x 20, 18, 16, 14, 12 or 10 s.w.g., as ordered (excluding 1¼" x 16 s.w.g.)	"		"	\$0	1	11.5	
3104	Brass Tubing, solid drawn, to specification, 1¼" outside diameter x 16 s.w.g., in random lengths from 12' to 18' (see note)	"	10 "	"	\$0	1	8.7	
3105-3109	—Nil							

MALLEABLE IRON CASTINGS.
(Schedule No. 99)

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor	
					£	s.	d.		
	Castings, malleable iron, white heart, "UEM," to specification—								
3150	Up to 1 lb. in weight	Vict.	} 10 tons	lb.	0	0	11	} United Engineering & Malleable Co Pty. Ltd.	
3151	Over 1 lb. up to 5 lbs. in weight	"		"	"	0	0		10½
3152	" 5 lbs. ,, 15 lbs. ,,	"		"	"	0	0		10
3153	" 15 lbs. in weight	"		"	"	0	0		10
	Castings, malleable iron, white heart, dressed ready for galvanising, "UEM," to specification—								
3154	Up to 1 lb. in weight	"	} 2 "	"	0	1	0½		
3155	Over 1 lb. up to 5 lbs. in weight	"		"	"	0	1		0
3156	" 5 lbs. ,, 15 lbs. ,,	"		"	"	0	0		11½
	Castings, malleable iron, white heart, galvanised, "UEM," to specification—								
3157	Up to 1 lb. in weight	"	} 2 "	"	0	1	2		
3158	Over 1 lb. up to 5 lbs. in weight	"		"	"	0	1	1½	
3159	" 5 lbs. ,, 15 lbs. ,,	"		"	"	0	1	1	
3160-3169	—Nil								

CARBON STEEL CASTINGS.
(Schedule No. 100)

	Castings, carbon steel (grade "A," or "B"), as ordered, and as specified—								
3170	Weights under 2 lbs.	Vict.	} 4 tons	cwt.	6	3	0	Thompsons Eng. & Pipe Co. Ltd.	
3170A	" " " "	"		"	"	6	3	0	Charles Ruwolt Pty. Ltd.
3170B	" " " "	"		"	"	6	3	0	Davies & Baird Pty. Ltd.
3170C	" " " "	"		"	"	6	3	0	The Steel Co. of Aust. Pty. Ltd.
3171	Weights, 2 lbs. and up to 7 lbs.	"	} 100 "	"	4	9	11	Thompsons Eng. & Pipe Co. Ltd.	
3171A	" " " " " "	"		"	"	4	9	11	Charles Ruwolt Pty Ltd.
3171B	" " " " " "	"		"	"	4	9	11	Davies & Baird Pty. Ltd.
3171C	" " " " " "	"		"	"	4	9	11	The Steel Co. of Aust. Pty. Ltd.
3172	Weights over 7 lbs. and up to 14 lbs.	"		"	"	3	16	0	Thompsons Eng. & Pipe Co. Ltd.
3172A	" " " " " "	"		"	"	3	16	0	Charles Ruwolt Pty. Ltd.
3172B	" " " " " "	"		"	"	3	16	0	Davies & Baird Pty. Ltd.
3172C	" " " " " "	"	"	"	3	16	0	The Steel Co of Aust. Pty. Ltd.	

CARBON STEEL CASTINGS—continued.

Item No.	Description	Country of Manufre	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor	
Castings, carbon steel (grade "A," or "B"), as ordered and as specified—(continued)—							
3173	Weights over 14 lbs. and up to 28 lbs.	Vict.	} 240 tons	cwt.	3 9 9	Thompsons Eng. & Pipe Co. Ltd.	
3173A	" " " " ...	"		"	3 9 9	Charles Ruwolt Pty. Ltd.	
3173B	" " " " ...	"		"	3 9 9	Davies & Baird Pty. Ltd.	
3173C	" " " " ...	"		"	3 9 9	The Steel Co. of Aust. Pty. Ltd.	
3174	Weights over 28 lbs. and up to 1 cwt.	"		"	2 18 11	Thompsons Eng. & Pipe Co. Ltd.	
3174A	" " " " ...	"		"	2 18 11	Charles Ruwolt Pty. Ltd.	
3174B	" " " " ...	"		"	2 18 11	Davies & Baird Pty. Ltd.	
3174C	" " " " ...	"		"	2 18 11	The Steel Co. of Aust. Pty. Ltd.	
3175	Weights over 1 cwt. ...	"		} 100 "	"	2 17 11	Thompsons Eng. & Pipe Co. Ltd.
3175A	" " " " ...	"			"	2 17 11	Charles Ruwolt Pty. Ltd.
3175B	" " " " ...	"	"		2 17 11	Davies & Baird Pty. Ltd.	
3175C	" " " " ...	"	"		2 17 11	The Steel Co. of Aust. Pty. Ltd.	
Castings, carbon steel (grade "A" or "B" as ordered, moulded within the limits of gauges), as specified—							
3176	Axle Boxes, Car, Van, Wagon, and Engine Tender	"	} 80 "	"	3 5 4	Thompsons Eng. & Pipe Co. Ltd.	
3176A	" " " " ...	"		"	3 5 4	Charles Ruwolt Pty. Ltd.	
3176B	" " " " ...	"		"	3 5 4	Davies & Baird Pty. Ltd.	
3176C	" " " " ...	"		"	3 5 4	The Steel Co. of Aust. Pty. Ltd.	
3177	Axle Boxes, Engine, Engine Trailing Truck or Engine Bogie	"	} 40 "	"	2 18 11	Thompsons Eng. & Pipe Co. Ltd.	
3177A	" " " " ...	"		"	2 18 11	Charles Ruwolt Pty. Ltd.	
3177B	" " " " ...	"		"	2 18 11	Davies & Baird Pty. Ltd.	
3177C	" " " " ...	"		"	2 18 11	The Steel Co. of Aust. Pty. Ltd.	
Castings, carbon steel (grade "B," moulded within the limits of gauges), as specified—							
(a) Weights over 14 lbs. up to 1 cwt.—							
3178	Back Stops to drawings Nos. I.Z. 45·7 and ·8, 7611·8 (amended 3.1.35), 7636·13, 7643 (amended 10.11.39) or Q.N. 3·21 (amended 29.11.39)	"	} 6 "	"	2 16 10	Thompsons Eng. & Pipe Co. Ltd.	
3178A	" " " " ...	"		"	2 16 10	Charles Ruwolt Pty. Ltd.	
3178B	" " " " ...	"		"	2 16 10	Davies & Baird Pty. Ltd.	
3178C	" " " " ...	"		"	2 16 10	The Steel Co. of Aust. Pty. Ltd.	

CARBON STEEL CASTINGS—continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor	
					f	s.	d.		
	Castings, carbon steel (grade "B," moulded within the limits of gauges), as specified—continued—								
	(a) Weights over 14 lbs. up to 1 cwt.—continued—								
3179	Carry Irons to drawings Nos. I.Z. 45·3 (amended 11.8.39), 7611·2 (amended 17.11.39) or 7636·15 (amended 15.2.20)	Vict.	} 4 tons	cwt.	3	5	4	Thompsons Eng. & Pipe Co. Ltd.	
3179A	" " " " " " " "	"		"	"	3	5	4	Charles Ruwolt Pty. Ltd.
3179B	" " " " " " " "	"		"	"	3	5	4	Davies & Baird Pty. Ltd.
3179c	" " " " " " " "	"		"	"	3	5	4	The Steel Co. of Aust. Pty. Ltd.
	(b) Weights over 1 cwt.—								
3180	Striking Plates, to drawings Nos. 7636·14, (amended 17.8.39), 7611·1, (amended 17.11.39), V. 45·11 (amended 10.11.39) or Q.R. 45·1 (amended 20.11.39)	"	} 4 "	"	3	6	2	Thompsons Eng. & Pipe Co. Ltd.	
3180A	" " " " " " " "	"		"	"	3	6	2	Charles Ruwolt Pty. Ltd.
3180B	" " " " " " " "	"		"	"	3	6	2	Davies & Baird Pty. Ltd.
3180c	" " " " " " " "	"		"	"	3	6	2	The Steel Co. of Aust. Pty. Ltd.
3181	Centre Plates to drawings No. "□" sided M. car 31·66 or M. car 31·67 (amended 17.6.42)	"	} 4 "	"	2	14	9	Thompsons Eng. & Pipe Co. Ltd.	
3181A	" " " " " " " "	"		"	"	2	14	9	Charles Ruwolt Pty. Ltd.
3181B	" " " " " " " "	"		"	"	2	14	9	Davies & Baird Pty. Ltd.
3181c	" " " " " " " "	"		"	"	2	14	9	The Steel Co. of Aust. Pty. Ltd.
3182	Transition Coupler Shanks to drawings Nos. 7711 (amended 14.1.41) or 5191·13 (amended 14.1.41)	"	} 4 "	"	3	7	8	Thompsons Eng. & Pipe Co. Ltd.	
3182A	" " " " " " " "	"		"	"	3	7	8	Charles Ruwolt Pty. Ltd.
3182B	" " " " " " " "	"		"	"	3	7	8	Davies & Baird Pty. Ltd.
3182c	" " " " " " " "	"		"	"	3	7	8	The Steel Co. of Aust. Pty. Ltd.
3183	Engine Coupler Pockets to drawing No. 5193·5 (amended 22.2.40)	"	} 2 "	"	3	5	4	Thompsons Eng. & Pipe Co. Ltd.	
3183A	" " " " " " " "	"		"	"	3	5	4	Charles Ruwolt Pty. Ltd.
3183B	" " " " " " " "	"		"	"	3	5	4	Davies & Baird Pty. Ltd.
3183c	" " " " " " " "	"		"	"	3	5	4	The Steel Co. of Aust. Pty. Ltd.
	Castings, carbon steel (grade "B," without machining), as specified—								
3184	Crossheads "A," "C," "D," "K," "N," "S," "X," "G," or "NA," as ordered	"	} 10 "	"	3	18	0	Thompsons Eng. & Pipe Co. Ltd.	
3184A	" " " " " " " "	"		"	"	3	18	0	Charles Ruwolt Pty. Ltd.
3184B	" " " " " " " "	"		"	"	3	18	0	Davies & Baird Pty. Ltd.
3184c	" " " " " " " "	"		"	"	3	18	0	The Steel Co. of Aust. Pty. Ltd.

CARBON STEEL CASTINGS—continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor	
					£	s.	d.		
	Castings, carbon steel (grade "B"), as specified—								
3185	Frame Stays	Vict.	} 30 tons	cwt.	3	18	0	Thompsons Eng. & Pipe Co. Ltd.	
3185A	" " " " " " " "	"		"	"	3	18	0	Charles Ruwolt Pty. Ltd.
3185B	" " " " " " " "	"		"	"	3	18	0	Davies & Baird Pty. Ltd.
3185C	" " " " " " " "	"		"	"	3	18	0	The Steel Co. of Aust. Pty. Ltd.
3186	Rail Fishplates, with wearing surfaces	"	60 "	"	2	14	9	Charles Ruwolt Pty. Ltd.	
	Wheel Centres (grade "B," machined), as specified—								
3187	To drawing No. 2419B (amended 1.9.38) (E. M. Coach)	"	} 80	each	10	18	1	Thompsons Eng. & Pipe Co. Ltd.	
3187A	" " " " " " " "	"		"	"	10	18	1	The Steel Co. of Aust. Pty. Ltd.
3188	To drawing, No. 7600 (amended 15.10.40) (I.Y. Wagons)	"	} 10	"	8	2	9	Thompsons Eng. & Pipe Co. Ltd.	
3188A	" " " " " " " "	"		"	"	8	2	9	The Steel Co. of Aust. Pty. Ltd.
3189	To drawing No. 56E (amended 26.7.33) (Std. Car and Wagon)	"	} 500	"	8	2	9	Thompsons Eng. & Pipe Co. Ltd.	
3189A	" " " " " " " "	"		"	"	8	2	9	The Steel Co. of Aust. Pty. Ltd.
3190	To drawing No. 7634 (amended 31.8.38) (V. LL., MM. and FF. Wagons)	"	} 40	"	8	2	9	Thompsons Eng. & Pipe Co. Ltd.	
3190A	" " " " " " " "	"		"	"	8	2	9	The Steel Co. of Aust. Pty. Ltd.
3191	To drawing No. 7617 (amended 31.8.38) (T.U. and E. Wagons)	"	} 2500	"	8	2	9	Thompsons Eng. & Pipe Co. Ltd.	
3191A	" " " " " " " "	"		"	"	8	2	9	The Steel Co. of Aust. Pty. Ltd.
3192—	3199—Nil								

STEEL TYRES

(Schedule No. 101)

3200	TYRES, steel, machined, to specification— Tyre Item 1. ("A" and "S" leading and trailing wheels)	N.S.W.	} 400	each	}	22	17	6	} Commonwealth Steel Co. Ltd.			
3201	Tyre Item 1B. (Ditto, small bore) ...	"				"	"	f.o.r. Works		22	19	0
3202	Tyre Item 2. ("A" and "S" driving wheels)	"				"	"	f.o.r. Works		23	0	0
3203	Tyre Item 3. ("A" and "D" bogie, "D4" and "E" radial, "Y" tender, "S" and "X" trailing truck, all wheels of 5 ton shunting and 5, 7, 10 and 30 ton wrecking cranes)	Vict.	300	"	f.o.r. Works	12	1	6	Thompsons Eng. & Pipe Co. Ltd.			
3204	Tyre Item 4. ("C," "D" and "X" leading and trailing, and "E" leading wheels)	N.S.W.	} 300	"	}	20	15	0	} Commonwealth Steel Co. Ltd.			
3205	Tyre Item 4B. (Ditto, small bore) ...	"				"	"	f.o.r. Works		20	15	0
3206	Tyre Item 5. ("D" driving, "C" and "X" intermediate and driving, and "E" driving and trailing wheels)	"				"	"	f.o.r. Works		20	15	0
3207	Tyre Item 14. ("N" trailing truck, "S" bogie, "C," "K," "N" and "X" pony wheels)	Vict.	200	"	"	10	4	6.	} Thompsons Eng. & Pipe Co. Ltd.			
3208	Tyre Item 18. ("K," "N" and "Y" leading and trailing wheels)	"	} 300	"	"	17	1	0				
3209	Tyre Item 18A (Ditto, small bore) ...	"		"	"	16	19	6				
3210	Tyre Item 19. ("K" and "N" intermediate and driving and "Y" driving wheels)	"		"	"	17	1	0				

STEEL TYRES—continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
	TYRES, steel, machined, to specification—continued—							
3211	Tyre Item 20. ("H" 1st driving and trailing wheels)	...	Nil		
3212	Tyre Item 21. ("H" 2nd driving and intermediate wheels)	...	Nil		
3213	Tyre Item 22. ("H" trailing truck wheels)	...	Nil		
3214	Tyre Item 23. ("H" bogie wheels)	Nil		
3215	Tyre Item 32. (Electric street cars 2' 2" diameter wheels)	Vict.	50	each	6	7	0	Thompsons Eng & Pipe Co. Ltd.
3216	Tyre Item 33. (Electric street cars 2' 8 ⁷ / ₁₆ " diameter wheels)	"	10	"	6	15	0	
3217	Tyre Item 34. (Electric Motor and Electric Loco. Coach, all wheels and P.E.R.M. Nos. 56—64 driving bogie wheels)	"	1200	"	9	11	0	
3218	Tyre Item 34A. (Ditto, small bore special)	"		"	9	8	0	
3219	Tyre Item 34B. (Ditto, small bore) ...	"		"	9	9	6	
3220	Tyre Item 41. ("G" intermediate wheels)	"	10	"	11	9	0	
3221	Tyre Item 42. ("G" leading and driving and "NA" leading and trailing wheels)	"	20	"	11	6	0	
3222	Tyre Item 43. ("NA" driving wheels)	"	10	"	13	12	6	
3223	Tyre Item 44. ("G" and "NA" pony, and "NA" trailing truck wheels)	"	30	"	11	16	0	
3224	Tyre Item 46. (3' 2 ¹ / ₄ " car, van and wagon wheels, Gibson type)	"	10	"	9	4	0	
3225	Tyre Item 48. (3' 2 ¹ / ₄ " car, van, wagon and "A," "C," "D," "K," "N" and "X" engine tender wheels, P.E.R.M. Nos. 56—64 non-driving bogie and P.E.R.M. trailer No. 25, all wheels)	"	3000	"	8	6	0	
3226	Tyre Item 49. (Narrow gauge car, van and wagon wheels)	"	4	"	11	8	6	
3227	Tyre Item 50. (3' 0 ¹ / ₄ " car, van, wagon and "H" and "S" engine tender wheels, P.E.R.M. No. 55 (driving bogie), Brill R.M. No. 44 and trailer, all wheels)	"	3000	"	7	19	0	
3228	Tyre Item 54. (Leading and trailing wheels, 7-ton shunting crane)	...	Nil		
3229	Tyre Item 55. (Driving wheels 7-ton shunting crane)	...	Nil		
3230	Tyre Item 56A. (S.E.R.M. driving wheels and trailer, all wheels, small bore)	Vict.	20	each	8	14	6	Thompsons Eng. & Pipe Co. Ltd.
3231	Tyre Item 57A. (S.E.R.M. front wheels, small bore)	...	Nil		
3232	Tyre Item 58A. (D.E.R.M. driving bogie all wheels, small bore)	Vict.	12	each	9	7	0	Thompsons Eng. & Pipe Co. Ltd.
3233	Tyre Item 59. (P.E.R.M. trailer Nos. 26—30 all wheels)	...	Nil		
3234	Tyre Item 60. (Dodge Inspection Car cushioned wheels)	...	Nil		
3235	Tyre Item 61. (P.E.R.M. No. 55 non-driving bogie wheels)	...	Nil		
3236	Tyre Item 62A. (D.E.R.M. non-driving bogie wheels)	...	Nil		
3237	Tyre Item 63A. (Buick and Dodge mail cars, all wheels)	...	Nil		
3238—3249	—Nil							

AUTOMATIC COUPLERS AND PARTS

(Schedule No. 102)

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
	COUPLERS, AUTOMATIC, "Alliance," to specification—				Ex Works			
3250	Top operated, 21¼" x 7" x 5" shank, fitted with clevis transition lugs, to drawing No. 44.2 (amended 20.6.36)	N.S.W.	2000	each	8	2	6	} Bradford, Kendall Ltd.
3251	Top operated, to drawing No. 5192 (amended 9.8.33)	"	100	"	8	11	8	
	PARTS FOR "Alliance" AUTOMATIC COUPLERS, to specification—							
3252	Knuckles	"	600	"	1	14	2	
3253	Lifters, bottom	"	75	"	0	3	11	
3254	Lifters, top	"	75	"	0	3	5	
3255	Locks, to Bradford, Kendall Ltd., drawing No. M. 04770-L.	"	50	"	0	6	11	
3256	Pins, pivot, knuckle, to drawings Nos. 5192(amended 9.8.33), 44.11,(amended 6.9.35), 44.12, (amended 12.7.35)	"	} 800	"	0	3	5	
3257	Pins, pivot, knuckle, to drawings Nos. 44.1 (amended 15.3.40), 44.2 (amended 20.6.36)	"		"	0	4	7	
3258	Throwers, knuckle	"	100	"	0	4	5	
3259	Nil							

FRICION DRAFT GEARS

(Schedule No. 103)

3260	GEARS, friction draft, "Gould 175 type," complete with one standard follower, to specification	N.S.W.	1500	each	{14 14 6 ex Works	Knox Schlapp Pty. Ltd.
3261-3269	Nil					

ROLLED STEEL.

(Schedule No. 104)

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
MILD STEEL ANGLES, to specification No. 2—						
3270	2 united inches up to 3 united inches x $\frac{1}{8}$ " thick and over, in lengths 10' to 60', as ordered	Vict.	700 tons	ton	16 12 0	Melbourne Iron & Steel Mills Pty. Ltd.
3271	Over 3 united inches up to 4 united inches x $\frac{3}{16}$ " thick and over, in lengths 10' to 60', as ordered	"		"	16 12 0	
3272	Over 4 united inches up to 6 united inches x $\frac{1}{4}$ " thick and over, in lengths 10' to 60', as ordered	"		"	16 12 0	
3273	Over 6 united inches up to 8 united inches x $\frac{3}{8}$ " thick and over, in lengths 10' to 60', as ordered	"		"	16 12 0	
3274	5" x 3" x $\frac{1}{4}$ " thick and over, in lengths 10' to 40', as ordered, cold straightened	N.S.W.		"	†10 10 0 2 10 0	
3275	Over 8 united inches up to 12 united inches x $\frac{3}{8}$ " thick and over, in lengths 10' to 40', as ordered, cold straightened	"	"	†10 10 0 2 10 0		
Extra on rates for items Nos. 3270 to 3273—						
3276	For cold straightening ...	Vict.	...	"	0 5 0	Melbourne Iron & Steel Mills Pty. Ltd.
MILD STEEL CHANNELS, to specification No. 2, in lengths 10' to 40', as ordered—						
3277	3" x 1 $\frac{1}{2}$ "	N.S.W.	750 tons	"	†12 10 0 2 10 0	
3278	4" depth up to; but not including, 6" depth	"		"	†11 2 6 2 10 0	
3279	6" depth up to 15" depth	"		"	†10 10 0 2 10 0	
MILD STEEL JOISTS, to specification No. 2, in lengths 10' to 40', as ordered—						
3280	4" depth up to, but not including, 6" depth (excluding 4" x 1 $\frac{3}{4}$ ")	"	100 "	"	†11 0 0 2 10 0	The Broken Hill Pty. Co. Ltd.
3281	6" depth up to 16" depth	"		"	†10 10 0 2 10 0	
3282	Over 16" depth up to 20" depth	"		"	†11 0 0 2 10 0	
3283	22" x 7" section	"		"	†11 5 0 2 10 0	
3283A	24" x 7 $\frac{1}{2}$ " section	"		"	†11 10 0 2 10 0	
MILD STEEL ROUND BARS, to specification No. 2—						
3284	$\frac{1}{4}$ " diam., in lengths 10' to 35', as ordered	"	1500 "	"	†12 10 0 2 10 0	
3285	$\frac{5}{16}$ " diam., in lengths 10' to 35', as ordered	"		"	†12 0 0 2 10 0	
3286	$\frac{3}{8}$ " diam., in lengths 10' to 35', as ordered	"		"	†10 10 0 2 10 0	
3287	$\frac{1}{2}$ " diam. up to 4" diameter, as ordered	Vict.		"	15 17 0	

† Rates are subject to 3 $\frac{1}{2}$ % discount.

ROLLED STEEL—continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
3288	MILD STEEL SQUARE BARS, to specification No. 2, $\frac{1}{2}$ " square up to 3" square, as ordered (excluding dogspike steel under item No. 3295), any length ordered up to 50'	Vict.	1000 tons	ton	15	17	0	Melbourne Iron & Steel Mills Pty. Ltd.
	Extras on rates for items Nos. 3287 and 3288—							
3289	For LOW CARBON (INGOT IRON) QUALITY, to specification No. 7	"	500 "	"	3	8	0	
3290	For BOILER RIVET QUALITY, to specification No. 6, in sizes $\frac{1}{16}$ " less in diameter than nominal sizes of rivets	"	300 "	"	0	15	0	
3291	For BOILER QUALITY, to specification No. 6	"	40 "	"	0	15	0	
3292	For BESCOM QUALITY, GRADE "A" OR "B," as ordered, to specification No. 8	"	150 "	"	8	0	0	
	SPECIAL ALLOY STEEL FOR GANG CAR AXLES, to specification No. 15—							
3293	$1\frac{1}{4}$ " diameter x 6' long	"	8 "	"	57	5	0	
3294	$1\frac{7}{8}$ " diameter x 6' 2" long	"	10 "	"	57	5	0	
3295	MILD STEEL SQUARE BARS FOR THE MANUFACTURE OF DOG-SPIKES, to specification No. 2, $\frac{3}{4}$ " square section, in lengths 18' to 20'	N.S.W.	1600 "	"	10	10	0	
3295A	" " " " "	Vict.		"	15	17	0	Melbourne Iron & Steel Mills Pty. Ltd.
3296	FISHBOLT STEEL ROUND BARS, to specification No. 12, $\frac{7}{8}$ " or 1" diameter, as ordered, in lengths 18' to 20'	N.S.W.	175 "	"	11	10	0	The Broken Hill Pty. Co. Ltd.
	CARBON SPRING STEEL ROUND BARS, to specification No. 5—				2	10	0	
3297	$\frac{3}{8}$ " diameter up to and including 3" diameter, as ordered, any length ordered	"	250 "	"	15	17	6	Melbourne Iron & Steel Mills Pty. Ltd.
3297A	$\frac{1}{2}$ " diameter up to and including 3" diameter, as ordered, any length ordered	Vict.		"	19	0	0	
3298	SILICON CHROME STEEL ROUND BARS, to specification No. 14, $\frac{1}{2}$ " diameter and over, as ordered, any length ordered	"	15 "	"	25	18	0	The Broken Hill Pty. Co. Ltd.
	BESCOM QUALITY (GRADE "B") ROUND STEEL BARS, to specification No. 8, in lengths 16' to 18'—							
3299	$4\frac{1}{4}$ " diameter	N.S.W.	40 "	"	16	7	6	
3300	$4\frac{1}{2}$ " diameter	"		"	16	7	6	

† Rates are subject to 3½% discount.

ROLLED STEEL—continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate		Name of Contractor
					£	s. d.	
	MILD STEEL TYRE RETAINING RING BARS , to specification No. 10, any length ordered—						
3317	To drawing No. 40.5 and gauge drawing No. 48.2	Vict.	60 tons	ton	27	15	0
3318	Channel, to drawing No. 40.6 and gauge drawing No. 48.1						
3319	To drawing No. 6748, amended 21.8.37						
3320	To drawing No. 7761, for 47B, 48B and 50B tyres						
3321	To drawing No. 7762, for 45B and 46B tyres						
*3322	MILD STEEL INTERLOCKING CHANNEL BARS , to specification No. 2, in 12' to 23' lengths, as ordered		450 "		21	0	0
*3323	MILD STEEL FISHPLATE BARS FOR INTERLOCKING CHANNELS , to specification No. 2, any length ordered		25 "		21	0	0
3324	MILD STEEL COPING , to specification No. 2, 1' or 1½" x ½", as ordered, any length ordered		5 "		20	15	0
3325	REGULAR TRAPEZOIDAL SECTION CARBON STEEL BARS , 1½" wide at base, tapering to 1⅞" wide at top x 1½" high, for helical springs, to specification No. 5, any length ordered	N.S.W.	80 "		15	17	6
					2	10	0
	FORGING QUALITY (CLASS J, K, L, M OR P), or AXLE QUALITY (CLASS T OR U), as ordered, all to specification No. 11—						
	STEEL BILLETS AND BLOOMS—						
3326	1½" to 12" square section ...				10	19	6
					2	10	0
3327	Over 12" up to 13" square section				11	9	6
					2	10	0
	STEEL SLABS—						
3328	2.25 to 144 sq. in. sectional area ...		500 "		10	19	6
					2	10	0
3329	Over 144 to 169 sq. in. sectional area				11	9	6
					2	10	0
3330	" 169 to 196 " " "				11	19	6
					2	10	0
3331	" 196 to 225 " " "				12	19	6
					2	10	0
	Extras on rates for items Nos. 3326 to 3331—						
3332	For BESCOM QUALITY, GRADE "A" OR "B," as ordered, to specification No. 8		200 "		1	0	0
3333	For CARBON SPRING STEEL QUALITY , to specification No. 4		75 "		10	10	0

Melbourne Iron & Steel Mills Pty. Ltd.

The Broken Hill Pty. Co. Ltd.

† Rates are subject to 3½% discount.

ROLLED STEEL—continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
MILD STEEL RECTANGULAR PLATES, to specification No. 2, in lengths up to 30' (subject to maximum sizes shown in specification No. 1), with minimum area of 12 sq. ft., and maximum weight of 3000 lbs. each for plates up to 78" wide—						
3334	10 B.G. ($\frac{1}{8}$ ") x 36" to 60" wide	N.S.W.	3000 tons	ton	†14 10 0 2 10 0	The Broken Hill Pty. Co. Ltd.
3335	$\frac{3}{16}$ " thick x 36" to 60" wide	"		†11 15 0 2 10 0		
3336	$\frac{1}{4}$ " " x 36" " 60" "	"		†11 10 0 2 10 0		
3337	$\frac{5}{16}$ " " x 36" " 66" "	"		†11 5 0 2 10 0		
3338	$\frac{3}{8}$ " " x 36" " 78" "	"		†11 0 0 2 10 0		
3339	$\frac{7}{16}$ " to 2" thick x 36" to 78" wide	"		†11 0 0 2 10 0		
3340	Extras on rate for item No. 3335— For widths over 60" up to 66"	"		"	†0 15 0	
3341	" " 66" " 72"	"		"	†1 0 0	
3342	" " 72" " 78"	"		"	†1 10 0	
3343	" " 78" " 84"	"		"	†3 10 0	
3344	Extras on rate for item No. 3336— For widths over 60" up to 66"	"	"	†0 5 0		
3345	" " 66" " 72"	"	"	†0 10 0		
3346	" " 72" " 78"	"	"	†0 15 0		
3347	" " 78" " 84"	"	"	†2 0 0		
3348	Extras on rate for item No. 3337— For widths over 66" up to 72"	"	"	†0 5 0		
3349	" " 72" " 78"	"	"	†0 10 0		
3350	" " 78" " 84"	"	"	†1 15 0		
3351	Extra on rate for item No. 3338— For widths over 78" up to 84"	"	"	†1 7 6		
3352	Extra on rate for item No. 3339— For widths over 78" up to 84"	"	"	†1 0 0		
3353	Extras on rates for items Nos. 3334 to 3339 (subject to maximum sizes shown in specification No. 1)— For widths under 36" down to 24"	"	"	...	} Nil	
3354	" " 24" " 18"	"	"	...		
3355	" " 18" down to, but not including 12"	"	"	...		
3356	For lengths over 30' up to 40'	"	"	...		

† Rates are subject to 3½% discount.

ROLLED STEEL—continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor	
Extras on rates for items Nos. 3334 to 3337—							
3357	For areas under 12 sq. ft. down to 8 sq. ft.	} Nil	
3358	For areas under 8 sq. ft. down to 4 sq. ft.		
3359	For areas under 4 sq. ft. down to 2 sq. ft.		
3360	For areas under 2 sq. ft. down to 1 sq. ft.		
Extras on rates for items Nos. 3338 and 3339—							
3361	For areas under 12 sq. ft. down to 8 sq. ft.		
3362	For areas under 8 sq. ft. down to 4 sq. ft.		
3363	For areas under 4 sq. ft. down to 2 sq. ft.		
3364	For areas under 2 sq. ft. down to 1 sq. ft.		
Extra on rates for all plates up to 78" wide (in addition to extras for width, etc., under items Nos. 3340 to 3352, if ordered)—							
3365	If weight of finished plate exceeds 3000 lbs.	N.S.W.	...	ton	† 1 0 0	} The Broken Hill Pty. Co. Ltd.	
Extras on rates for items Nos. 3334 to 3339 (in addition to any other extras ordered)—							
3366	For BOILER QUALITY , to specification No. 6	"	100 tons	"	† 1 10 0		
3367	For FIREBOX QUALITY , to specification No. 16	"	60 "	"	† 3 10 0		
3368-3379—Nil							

† Rates are subject to 3½% discount.

EXPLOSIVES, ETC.
(Schedule No. 105)

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
3380	Cartridges, smokeless, auto. pistol, .32 calibre, in boxes of 25 or 50, as ordered	...	Nil	
3381	Detonators, No. 6, in boxes of 100, delivered f.o.r. Laverton, "Nobel's" (see note)	Vict.	2000 boxes	1000	3	5	0	} Dalgety & Co. Ltd.
3382	Detonators, electric, No. 6, to specification, delivered f.o.r. Laverton, "Nobel's"	"	200,000	"	14	13	6	
3383	Fuse, single thread, in coils of 8 yards, in case lots of 300 coils, "Nobel's" (see note)	"	20,000 coils	coil	0	0	8	McMicking & Co.
3384	Nil	
3385	Gelignite, A.N. 50 per cent., in 50 lb. cases, delivered f.o.r. Laverton, "Nobel's" (see note)	Vict.	200 cases	case	2	17	0	} Dalgety & Co. Ltd.
3386	Ajax, in 50 lb. cases, delivered f.o.r. Laverton, "Nobel's"	"	4000 "	"	2	15	6	
3387	Powder, blasting, nitrate of soda, in 50 lb. cases, delivered f.o.r. Laverton, "Nobel's"	"	30 "	"	2	11	0	McMicking & Co.
	Extras on contract rates for delivery in Melbourne and suburbs—							
	Detonators (item No. 3381)—							
3388	In lots under 500	lot	0	2	9	} Dalgety & Co. Ltd.
3389	In lots 500 and over	"	0	3	9	
3390	Gelignite (item No. 3385)	case	0	2	9	
3391	Blasting Powder (item No. 3387)	"	0	2	3	McMicking & Co.
3392-3399	Nil	

BROWN PAPER, TICKET BOARDS, ETC.

(Schedule No. 107)

†3410	Checks, manilla, luggage— Brown, to specification	...	Vict.	50,000	1000	0	7	9	Sands & McDougall Pty. Ltd.
†3411	Cerise, " " "Shell"	...	"	300,000	"	0	6	0	} Alex. Cowan & Sons Ltd.
†3412	Yellow, " " "	...	"	800,000	"	0	6	0	
†3413	White, " " "	...	"	400,000	"	0	4	5	
*3414	6½" x 2½", printed one side (four stereos supplied), two perforations, 2 ⁷ / ₁₆ " and 4 ³ / ₁₆ " from foot of check, washed, in gangs of four, boxed in 1000's, "Union" (see note)	...	"	2,000,000	"	0	6	9½	Spicers & Detmold Ltd.
*3415	Labels, linen, small, 2½" x 2"	...	"	10,000	"	0	9	3	} Sands & McDougall Pty. Ltd.
	Labels, manilla, in gangs of four and boxed—								
†3416	No. 5	...	"	1,300,000	"	0	4	4	
†3417	No. 6, "Durable"	...	"	1,100,000	"	0	5	0	} C. Fahle
†3418	7" x 3½", " "	...	"	300,000	"	0	8	6	

BROWN PAPER, TICKET BOARDS, ETC.—continued.

Item No.	Description	Country of Manufacture	Estimated Requirements	Rate per	Rate			Name of Contractor
					£	s.	d.	
	Paper, brown, M.F. finish—							
†3419	Kraft, Double Imperial, 54 lbs., 480's, flat	Vict.	14 tons	ton	†56	2	6	} Australian Paper Manufacturers Ltd.
†3420	Kraft, Quad Imperial, 45" x 58", 140 lbs. 480's, flat or folded	"	30 reams	ream	†3	10	17 ¹ / ₈	
†3421	Kraft, in rolls, 18" wide, 28 lbs., Double Crown substance	"	130 rolls	ton	†56	2	6	
†3422	Kraft, in rolls, 30" wide, 37 lbs., Double Crown substance	"	600 "	"	†56	2	6	
†3423	M.F. Kraft, 17" x 27", 80 lbs., 480's	"	60 reams	ream	†2	0	11 ¹ / ₈	
†3424	Cloth-lined Boards, 20" x 25", any standard colour ordered. Weight to be specified	...	10 gross	Nil
*3425	Document Manilla, 23 ¹ / ₂ " x 39 ¹ / ₂ ", .025 substance	Vict.	10 tons	ton	†72	5	0	Australian Paper Manufacturers Ltd.
†3426	Postcard Boards, coated two sides, 22 ¹ / ₂ " x 28 ¹ / ₂ ", 49 lb. per gross or nearest weight	...	80 gross	Nil
	Royal Pasteboards (double white laid chip-board) 20" x 25", packed in bundles of 1 gross, with label indicating thickness—							
†3427	3 sheet, 21 lbs.	Vict.	1600 "	gross	†0	11	9	} Australian Paper Manufacturers Ltd
†3428	6 sheet, 48 lbs.	"	300 "	"	†1	0	0	
†3429	Royal Pulp Boards, 20" x 25", 4 sheet, assorted light tints, 26/28 lbs.	"	2000 "	"	†0	14	6	
	Royal Surface Boards, 20" x 31 ¹ / ₂ ", packed in bundles of 1 gross, with label indicating colour—							
†3430	Blue, coated one side only	...	30 gross	gross	1	10	2	} Sands & McDougall Pty. Ltd.
†3431	Green, coated two sides	...	90 "	"	2	1	4	
†3431A	Red, " "	...		"	2	3	1	
†3432	Yellow, " "	...	100 "	"	1	15	1	
	Strawboard, plain—							
†3433	25" x 30", 12 oz.	...	160 cwt.	cwt.	†1	3	0	} Australian Paper Manufacturers Ltd.
†3433A	25" x 30", 16 oz.	...		"	"	†1	7	
†3434	25" x 30", 24 oz. or 32 oz., as ordered	"	70 "	"	†1	7	3	
†3435	30" x 40" x ³ / ₈ "	...	300 sheets	sheet	†0	5	11	
†3436	30" x 40" x ¹ / ₂ "	...	1000 "	"	†0	7	3	
†3437	30" x 40" x ² / ₁₆ "	...	150 "	"	†0	8	1	
†3438	Strawboard, double white lined, 16 oz. substance, 34" x 44", to caliper between .070" and .075"	...	120 cwt.	Nil

† Less 2% special discount.

BROWN PAPER, TICKET BOARDS, ETC.—continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
†3439	System Boards, 25½" x 30½"— 110 lb., white	200 reams	Nil
†3440	„ tinted, any standard colour ordered	...				
†3441	138 lb. to 140 lb., white	80 „	
†3442	„ „ „ tinted, any standard colour ordered	...				
†3443	170 lb., white	70 „	
†3444	„ tinted, any standard colour ordered	...				
†3445	220 lb., white	16 „	
†3446	„ tinted, any standard colour ordered	...				
*†3447	Ticket Boards, 23" x 25", '029/32, to specification— Blue or Buff, as ordered ...	Vict.	18 tons	ton	£41 10 0	Australian Paper Manufacturers Ltd.
*†3448	„ Cerise or Green, as ordered	„	40 „	„	£41 10 0	
*†3449	„ White	„	160 „	„	£41 10 0	
*†3450	„ Yellow	„	2 „	„	£41 10 0	
†3451	Wood Pulp Boards, 34" x 44", 50's, to caliper between .070" and .075"	...	8 „	Nil
3452	Diaries, "Australian" ...	Vict.	£200	...	Percentage off Price List 50 %	Sands & McDougall Pty. Ltd.
3453-3459—Nil						

† Less 2% special discount.

PRINTING AND WRITING PAPERS, ETC.

(Schedule No. 108)

†3460	Paper, blotting, white, demy, to speci- fication— 38 lbs., folded in quires, 500's ...	Tas.	150 reams	ream	1 3 11.14	Edwards Dunlop & Co. Ltd.
†3461	46 lbs., 1st quality, flat, 500's ...	Vict.	100 „	„	£1 15 7.3/8	Australian Paper Manufacturers Ltd
†3462	Paper, duplicating, hard sized, quad. foolscap, to specification— White, 44 lbs., 500's ...	Tas.	2500 „	„	1 5 10.31	Spicers & Detmold Ltd.
†3463	Assorted light tints, 48 lbs. (samples to be submitted of all colors offered)	...	50 „	Nil
†3464	Paper, printing, to specification— Glazed Cap, 36" x 24", 45 lbs.	...	50 „	
†3465	M.F. Kraft Brown, double royal, 37 lbs., 480's, flat	Vict.	1000 „	ream	£0 18 6½	Australian Paper Manufacturers Ltd.
†3466	Manilla, carte, double crown, 100 lbs., 500's	„	350 „	„	£3 4 6½	
†3467	Smooth Cartridge, royal, 37½ lbs., 500's	Tas.	300 „	„	1 1 3.02	L. A. Wade Pty. Ltd.
†3468	Paper, writing, azure laid, 17½" x 40", guillotine trimmed all sides, 45½ lbs., 500 sheets per ream, to specification	„	1000 „	„	1 10 2.98	Bowaters & Lloyds Sales Ltd.

† Less 2% special discount

PRINTING AND WRITING PAPERS, ETC.—continued.

Item No.	Description	Country of Manufacture	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
†3469	Paper, writing, bank, to specification— Cerise, quad. foolscap, 28 lbs.	200 reams	} Nil
†3470	Old Gold, double medium or double demy, 25 lbs.—27 lbs.	50 "	
†3471	Salmon, quad. foolscap, 28 lbs.	150 "	
†3472	White, double demy or double medium, 25 lbs.—27 lbs.	750 "	
†3473	White, double large post, 22 lbs.	750 "	
†3474	White, double royal, 30 lbs.	800 "	
†3475	White, quad. foolscap, 28 lbs.	3000 "	
3476-3479	—Nil					

BRAKE HOSE PIPES.

(Schedule No. 109)

†3480	Hosepipes, W.H.B., to specification— 1½" inside dia. x 24" long	...	Vict.	} 16,000	each	0 6 6	Dunlop Rubber Aust. Ltd.
†3480A	" " " "	...	"		"	0 6 6	Barnet Glass Rubber Co. Pty. Ltd.
†3480B	" " " "	...	N.S.W.		"	0 6 6	The Goodyear Tyre & Rubber Co. (Aust.) Ltd.
†3480C	" " " "	...	"		"	0 6 6	Hardie Rubber Co. Ltd.
3481-3489	—Nil						

INDIA-RUBBER HOSE
(Schedule No. 110)

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
	Hose, I.R., vulcanised— For compressed air, in 60' lengths, "Dunlop"—					
†3490	3/8" diameter x 5 ply ...	Vict.	6000 feet	foot	£0 1 6	Dunlop Rubber Aust. Ltd.
†3491	1/2" " x 5 " ...	"	5400 "	"	£0 2 3 1/2	
†3492	3/4" " x 4 " ...	"	2100 "	"	£0 2 3 1/2	
†3493	For oxygen and acetylene, 3/8" diameter x 3 ply, in 60' lengths, "Dunlop"	"	2100 "	"	£0 1 3 1/2	
†3494	For pantographs, 1/2" diameter x 6 ply, in 60' lengths, "Dunlop"	"	600 "	"	£0 2 8 1/2	
†3495	For Pintsch gas, 5/8" diameter x 5 ply, armoured outside, in 40' lengths, "Dunlop"	"	1320 "	"	£0 3 3	
	For radiators, 3 ply, in 3' lengths, "Dunlop"—					
3496	1 1/4" diameter ...	"	600 "	"	£0 1 10	
3497	1 1/2" " ...	"		"	£0 2 0 1/2	
3498	1 3/4" " ...	"		"	£0 2 5	
†3499	2" " ...	"		"	£0 2 8 1/2	
3500	2 1/4" " ...	"		"	£0 2 10 1/2	
3501	2 1/2" " ...	"		"	£0 3 1	
3502	3" " ...	"		"	£0 3 5 1/2	
	For steam, "Dunlop"—					
†3503	3/4" diameter x 6 ply, armoured outside, in 60' lengths	"	120 "	"	£0 4 0 1/2	
†3504	1 1/8" diameter x 5 ply, any length ordered	"	100 "	"	£0 4 10	
	For water—					
†3505	1/2" diameter x 3 ply, in 60' lengths, "Atlantic"	"	8400 "	"	£0 0 6 1/4	
†3506	3/4" diameter x 3 ply, in 60' lengths, "Atlantic"	"	9000 "	"	£0 0 8	
†3507	3/4" diameter x 3 ply, armoured outside, in 60' lengths, "Atlantic"	"	600 "	"	£0 0 11	
†3508	3/4" diameter x 4 ply, in 60' lengths, "Prospect"	"	1200 "	"	£0 0 9 1/2	
†3509	1" diameter x 3 ply, in 60' lengths, "Atlantic"	"	4200 "	"	£0 0 11	
†3510	1" diameter x 3 ply, armoured outside, in 60' lengths, "Atlantic"	"	300 "	"	£0 1 2	
†3511	2" diameter x 4 ply, in 40' lengths, "Dunlop"	"	1200 "	"	£0 5 1	
†3512	2" diameter x 4 ply, with 3/8" thick walls, in 30', 40' or 60' lengths, as ordered, "Dunlop"	"	2000 "	"	£0 5 10	
†3513	2 1/2" diameter x 4 ply, in 60' lengths, "Dunlop"	"	2100 "	"	£0 5 10	
	Suction, smooth bore, armoured inside, "Dunlop"—					
†3514	2" diameter x 4 ply, in 20' lengths, with plain ends 6" long	"	40 lgths.	length	£7 9 6	
3515	2 3/4" diameter x 4 ply, in 3' 2" lengths, with plain ends 3" long	"	30 "	"	£1 12 1	
3516	2 1/2" diameter x 4 ply, in 3' 7" lengths, with plain ends 3" long	"	15 "	"	£1 15 7	

† Items Nos. 3490 to 3504 and 3511 to 3514 ... Less 33 1/3% trade discount.
 † Items Nos. 3505 to 3510 ... Less 5% trade discount.
 † Items Nos. 3515 and 3516 ... Less 25% trade discount.
 † ALL ITEMS.—Less a further 2 1/2% discount for payment by end of month following month of delivery.

INDIA-RUBBER HOSE—continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor	
	Hose, I.R., vulcanised—continued— For compressed air, in 60' lengths, "Barnet Glass"—						
†3490A	3/8" diameter x 5 ply ...	Vict.	See page No. 151	foot	10 1 6	Barnet Glass Rubber Co. Pty. Ltd.	
†3491A	1/2" " x 5 " ...	"	"	"	10 2 3 1/2		
†3492A	3/4" " x 4 " ...	"	"	"	10 2 3 1/2		
†3493A	For oxygen and acetylene, 3/8" diameter x 3 ply in 60' lengths, "Barnet Glass"	"	"	"	10 1 3 1/2		
†3494A	For pantographs, 1/2" diameter x 6 ply, in 60' lengths, "Barnet Glass"	"	"	"	10 2 8 1/2		
†3495A	For Pintsch gas, 5/8" diameter x 5 ply, armoured outside, in 40' lengths, "Barnet Glass"	"	"	"	10 3 3		
	For radiators, 3' ply, in 3' lengths, "Barnet Glass"—						
3496A	1 1/4" diameter ...	"	"	"	10 1 10		
3497A	1 1/2" " ...	"	"	"	10 2 0 1/2		
3498A	1 3/4" " ...	"	"	"	10 2 5		
†3499A	2" " ...	"	"	"	10 2 8 1/2		
3500A	2 1/4" " ...	"	"	"	10 2 10 1/2		
3501A	2 1/2" " ...	"	"	"	10 3 1		
3502A	3" " ...	"	"	"	10 3 5 1/2		
	For steam, "Barnet Glass"—						
†3503A	3/4" diameter x 6 ply, armoured outside, in 60' lengths	"	"	"	10 4 0 1/2		
†3504A	1 1/8" diameter x 5 ply, any length ordered	"	"	"	10 4 10		
	For water—						
†3505A	1/2" diameter x 3 ply, in 60' lengths, "Atlantic"	"	"	"	10 0 6 1/4		
†3506A	3/4" diameter x 3 ply, in 60' lengths, "Atlantic"	"	"	"	10 0 8		
†3507A	3/4" diameter x 3 ply, armoured outside, in 60' lengths, "Atlantic"	"	"	"	10 0 11		
†3508A	3/4" diameter x 4' ply, in 60' lengths, "Prospect"	"	"	"	10 0 9 1/2		
†3509A	1" diameter x 3 ply, in 60' lengths, "Atlantic"	"	"	"	10 0 11		
†3510A	1" diameter x 3 ply, armoured outside, in 60' lengths, "Atlantic"	"	"	"	10 1 2		
†3511A	2" diameter x 4 ply, in 40' lengths, "Barnet Glass"	"	"	"	10 5 1		
†3512A	2" diameter x 4 ply, with 3/8" thick walls, in 30', 40' or 60' lengths, as ordered, "Barnet Glass"	"	"	"	10 5 10		
†3513A	2 1/2" diameter x 4 ply, in 60' lengths, "Barnet Glass"	"	"	"	10 5 10		
	Suction, smooth bore, armoured inside, "Barnet Glass"—						
†3514A	2" diameter x 4 ply, in 20' lengths, with plain ends 6" long	"	"	length	17 9 6		
3515A	2 1/4" diameter x 4 ply, in 3' 2" lengths, with plain ends 3" long	"	"	"	11 12 1		
3516A	2 3/4" diameter x 4 ply, in 3' 7" lengths, with plain ends 3" long	"	"	"	11 15 7		

† Items Nos. 3490A to 3504A and 3511A to 3514A ... Less 33 1/3% trade discount.
 † Items Nos. 3505A to 3510A ... Less 5% trade discount.
 † Items Nos. 3515A and 3516A ... Less 25% trade discount.
 † ALL ITEMS.—Less a further 2 1/2% discount for payment by end of month following month of delivery.

INDIA-RUBBER HOSE—continued:

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor	
Hose, I.R., vulcanised—continued— For compressed air, in 60' lengths, " Kangaroo "—							
†3490B	3/8" diameter x 5 ply ...	N.S.W.	See page No. 151	foot	10 1 6	Hardie Rubber Co. Ltd.	
†3491B	1/2" " x 5 " ...	"	"	"	10 2 3 1/2		
†3492B	3/4" " x 4 " ...	"	"	"	10 2 3 1/2		
†3493B	For oxygen and acetylene, 3/8" diameter x 3 ply, in 60' lengths, " Kangaroo "	"	"	"	10 1 3 1/2		
†3494B	For pantographs, 1/2" diameter x 6 ply, in 60' lengths, " Kangaroo "	"	"	"	10 2 8 1/2		
†3495B	For Pintsch gas, 5/8" diameter x 5 ply, armoured outside, in 40' lengths, " Kangaroo "	"	"	"	10 3 3		
For radiators, 3 ply, in 3' lengths, " Utility "—							
3496B	1 1/4" diameter ...	"	"	"	10 1 10		
3497B	1 1/2" " ...	"	"	"	10 2 0 1/2		
3498B	1 3/4" " ...	"	"	"	10 2 5		
†3499B	2" " ...	"	"	"	10 2 8 1/2		
3500B	2 1/4" " ...	"	"	"	10 2 10 1/2		
3501B	2 1/2" " ...	"	"	"	10 3 1		
3502B	3" " ...	"	"	"	10 3 5 1/2		
For steam, " Kookaburra "—							
†3503B	3/4" diameter x 6 ply, armoured outside, in 60' lengths	"	"	"	10 4 0 1/2		
†3504B	1 1/8" diameter x 5 ply, any length ordered	"	"	"	10 4 10		
For water—							
†3505B	1/2" diameter x 3 ply, in 60' lengths, " Utility "	"	"	"	10 0 6 1/2		
†3506B	3/4" diameter x 3 ply, in 60' lengths, " Utility "	"	"	"	10 0 8		
†3507B	3/4" diameter x 3 ply, armoured outside, in 60' lengths, " Utility "	"	"	"	10 0 11		
†3508B	3/4" diameter x 4 ply, in 60' lengths, " Utility "	"	"	"	10 0 9 1/2		
†3509B	1" diameter x 3 ply, in 60' lengths, " Utility "	"	"	"	10 0 11		
†3510B	1" diameter x 3 ply, armoured outside, in 60' lengths, " Utility "	"	"	"	10 1 2		
†3511B	2" diameter x 4 ply, in 40' lengths, " Kookaburra "	"	"	"	10 5 1		
†3512B	2" diameter x 4 ply, with 3/8" thick walls, in 30', 40' or 60' lengths, as ordered, " Kookaburra "	"	"	"	10 5 10		
†3513B	2 1/2" diameter x 4 ply, in 60' lengths, " Kookaburra "	"	"	"	10 5 10		
Suction, smooth bore, armoured inside, " Kookaburra "—							
†3514B	2" diameter x 4 ply, in 20' lengths, with plain ends 6" long	"	"	length	17 9 6		
3515B	2 3/4" diameter x 4 ply, in 3' 2" lengths, with plain ends 3" long	"	"	"	11 12 1		
†3516B	2 3/4" diameter x 4 ply, in 3' 7" lengths, with plain ends 3" long	"	"	"	11 15 7		

{ Items Nos. 3490B to 3504B and 3511B to 3514B ... Less 33 1/3% trade discount.
 { Items Nos. 3505B to 3510B ... Less 5% trade discount.
 { Items Nos. 3515B and 3516B ... Less 25% trade discount.
 { ALL ITEMS.—Less a further 2 1/2% discount for payment by end of month following month of delivery.

INDIA-RUBBER HOSE—continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
†3490c	Hose, I.R., vulcanised—continued— For compressed air, in 60' lengths, "Goodyear"— 3/8" diameter x 5 ply ...	N.S.W.	See page No. 151	foot	†0 1 6	The Goodyear Tyre & Rubber Co. (Aust.) Ltd.
†3491c	1/2" " x 5 " ...	"	"	"	†0 2 3 1/2	
†3492c	3/4" " x 4 " ...	"	"	"	†0 2 3 1/2	
†3494c	For pantographs, 1/2" diameter x 6 ply, in 60' lengths, "Goodyear" For radiators, 3 ply, in 3' lengths, "Goodyear"—	"	"	"	†0 2 8 1/2	
3496c	1 1/4" diameter ...	"	"	"	†0 1 10	
3497c	1 1/2" " ...	"	"	"	†0 2 0 1/2	
3498c	1 3/4" " ...	"	"	"	†0 2 5	
†3499c	2" " ...	"	"	"	†0 2 8 1/2	
3500c	2 1/4" " ...	"	"	"	†0 2 10 1/2	
3501c	2 1/2" " ...	"	"	"	†0 3 1	
3502c	3" " ...	"	"	"	†0 3 5 1/2	
†3505c	For water— 1/2" diameter x 3 ply, in 60' lengths, "Elm"	"	"	"	†0 0 6 1/4	
†3506c	3/4" diameter x 3 ply, in 60' lengths, "Elm"	"	"	"	†0 0 8	
†3508c	3/4" diameter x 4 ply, in 60' lengths, "Elm"	"	"	"	†0 0 9 1/2	
†3509c	1" diameter x 3 ply, in 60' lengths, "Elm"	"	"	"	†0 0 11	
†3511c	2" diameter x 4 ply, in 40' lengths, "Goodyear"	"	"	"	†0 5 1	
†3513c	2 1/2" diameter x 4 ply, in 60' lengths, "Goodyear"	"	"	"	†0 5 10	
3517-3519	—Nil					

† { Items Nos. 3490c to 3502c, 3511c and 3513c ... Less 33 1/3% trade discount.
 { Items Nos. 3505c to 3509c ... Less 5% trade discount.
 { ALL ITEMS.—Less a further 2 1/2% discount for payment by end of month following month of delivery.

RUBBER BELTING.

(Schedule No. 111.)

†3520	Belting, canvas duck, 32 oz., 4-ply, treated with rubber composition, unstitched, for train lighting dynamos, to specification, "Red Transmission" or "Titan"— 3" wide ...	Vict.	£2000	lin. ft.	†0 1 10	Dunlop Rubber Aust. Ltd.
†3521	4" " ...	"		"	†0 2 5	
†3522	Belting, rubberised canvas, 32 oz., high speed transmission, flat, to specification, any size on price list, as ordered, any length ordered, "Super Pliant," square edge	"	£1500	... {	†List Price less 33 1/3% and 10%	Barnet Glass Rubber Co. Pty. Ltd.
†3523	Belting, rubberised canvas, 32 oz., high speed transmission, flat, 2 1/4" x 3-ply, to specification, any length ordered, "Super Pliant," square edge	"	900 lin. ft.	lin. ft.	†0 1 3	
†3524	Belting, V, motorcycle, rubber covered, 7/8" wide at top x 1/8" thick, 10-12 ply, in lengths to cut 6' 3" without waste	"	8000 "	"	†0 1 7 1/2	
†3525	Belts, V, endless, 40° angle, for multiple drives, to specification, any size on price list, as ordered	"	7000 "	... {	†List Price less 33 1/3%	Dunlop Rubber Aust. Ltd.
3526-3529	—Nil					

† { Items Nos. 3520, 3521 and 3523.—Less 33 1/3% and 10% trade discount.
 { All items.—Less 2 1/2% discount (in addition to any shown above) for payment by end of month following month of delivery.

RUBBER BELTING—continued.
Item No. 3525—Belts, V, endless, 40° angle, for multiple drives. Dunlop Rubber Aust. Ltd.
Price List No. 257.

Code "A"—Section $\frac{1}{4}$ " x $\frac{1}{8}$ "				Code "B"—Section $\frac{3}{16}$ " x $\frac{2}{8}$ "				Code "C"—Section $\frac{7}{8}$ " x $\frac{3}{8}$ "			
Code No.	Internal circumference.	Pitch length.	Rate each.	Code No.	Internal circumference.	Pitch length.	Rate each.	Code No.	Internal circumference.	Pitch length.	Rate each.
A 27	27.25"	28.33"	6/7	B 35	35.125"	36.35"	8/1	C 48	48"	49.96"	16/2
A 30	30"	31.08"	7/2	B 42	42"	43.37"	9/11	C 60	60"	61.96"	17/8
A 31	31"	32.08"	7/2	B 44	44"	45.37"	9/11	C 68	68"	69.96"	18/11
A 32	32.375"	33.35"	7/7	B 45	45"	46.23"	10/2	C 75	75"	76.96"	20/1
A 33	33.25"	34.33"	7/7	B 46	46"	47.37"	10/2	C 78	78"	79.96"	20/5
A 35	35"	35.98"	7/10	B 52	52.25"	53.62"	11/1	C 81	81"	82.96"	21/-
A 36	36"	37.08"	7/10	B 56	56.25"	57.62"	11/5	C 85	85"	86.96"	21/7
A 38	38"	38.98"	7/10	B 60	60"	61.37"	11/8	C 92	92.5"	94.46"	22/10
A 42	42"	43.08"	8/5	B 65	65.5"	66.87"	12/4	C 96	96"	97.77"	24/-
A 46	46"	47.08"	8/8	B 68	67.75"	69.12"	12/7	C 97	97.37"	99.33"	24/-
A 50	50"	50.98"	9/3	B 74	74"	75.23"	13/6	C 99	99.62"	101.58"	24/11
A 51	51"	52.08"	9/4	B 75	75"	76.37"	13/6	C 105	105"	106.96"	25/10
A 53	52.75"	53.73"	9/7	B 76	76"	77.37"	13/6	C 112	112"	113.96"	29/1
A 54	54"	55.08"	9/7	B 81	81"	82.37"	14/1	C 120	120"	121.96"	32/8
A 56	56"	57.08"	9/11	B 85	85"	86.37"	15/-	C 128	128"	129.96"	37/2
A 60	60"	61.08"	10/2	B 88	88"	89.37"	15/-	C 132	132"	133.96"	39/7
A 65	65.5"	66.58"	10/10	B 90	90"	91.37"	15/7	C 144	144"	145.96"	45/11
A 68	67.75"	68.83"	11/1	B 96	96"	97.37"	16/10	C 152	152"	153.96"	49/5
A 69	69"	70.08"	11/5	B 99	99"	100.37"	17/1	C 158	158"	159.96"	51/11
A 75	75"	76.08"	11/8	B 101	101"	102.37"	17/1	C 162	162"	163.96"	54/-
A 78	78"	79.08"	12/-	B 105	105"	106.37"	17/8	C 173	173"	174.96"	59/5
A 80	80"	81.08"	12/4	B 112	112"	113.37"	18/7	C 180	180"	181.96"	61/10
A 82	82"	83.08"	12/4	B 120	120"	121.37"	21/-	C 195	195"	196.96"	66/-
A 85	85"	86.08"	12/11	B 128	128"	129.37"	24/7	C 210	210"	211.96"	70/2
A 90	90"	91.08"	13/6	B 144	144"	145.37"	31/10	C 240	240"	241.96"	78/-
A 96	96"	97.08"	14/1	B 158	158"	159.37"	38/5	C 270	270"	271.96"	87/7
A 100	100"	101.08"	14/5	B 166	166"	167.37"	41/7	C 300	300"	301.96"	97/2
A 105	105"	106.08"	15/-	B 168	168"	169.37"	42/4	C 330	330"	331.96"	107/1
A 112	112"	113.08"	15/7	B 173	173"	174.37"	44/1	C 360	360"	361.96"	116/8
A 120	120"	121.08"	16/6	B 180	180"	181.37"	45/11				
A 128	128"	128.98"	17/5	B 193	193"	194.37"	50/8				
A 140	140"	141.08"	19/1	B 195	195"	196.37"	50/8				
				B 210	210"	211.37"	55/2				
				B 240	240"	241.37"	61/2				
				B 270	270"	271.37"	71/1				
				B 300	300"	301.37"	80/8				

RUBBER BELTING.—continued.

PRICE LIST.

Item No. 3522—Belting, Rubberised Canvas, 32-oz., "Super Pliant."
 Rates per foot. Barnet Glass Rubber Co. Pty. Ltd. Price List No. 259.

Width.	3-ply.	4-ply.	5-ply.	6-ply.	7-ply.	8-ply.	9-ply.	10-ply.
1"	6½d.	11d.	—	—	—	—	—	—
1½"	10d.	1/1	—	—	—	—	—	—
2"	1/0½	1/3	—	—	—	—	—	—
2½"	1/3	1/7	1/11½	—	—	—	—	—
3"	1/5½	1/10	2/5	—	—	—	—	—
3½"	1/6	2/2	2/10	—	—	—	—	—
4"	1/8	2/5	3/1	4/-	—	—	—	—
4½"	2/4	2/10	3/5	4/2	—	—	—	—
5"	2/7	3/2	3/8	4/5	—	—	—	—
5½"	—	3/7	4/2	4/10	—	—	—	—
6"	—	4/-	4/7	5/4	5/11	—	—	—
6½"	—	4/4	5/-	5/7	6/4	—	—	—
7"	—	4/7	5/4	5/11	6/7	—	—	—
8"	—	5/6	6/2	6/10	7/8	8/8	—	—
9"	—	—	7/4	8/1	9/-	9/11	—	—
10"	—	—	8/4	9/2	10/2	11/2	—	—
11"	—	—	8/10	9/11	11/-	12/2	—	—
12"	—	—	9/2	10/6	11/8	13/1	14/6	—
14"	—	—	10/2	13/2	15/5	17/2	18/11	—
16"	—	—	—	15/10	17/10	19/10	21/10	23/10
18"	—	—	—	18/6	20/10	23/1	25/5	27/8
20"	—	—	—	21/1	23/10	26/5	29/-	31/8
22"	—	—	—	23/10	26/5	29/-	31/8	34/4
24"	—	—	—	26/5	29/-	31/8	34/4	37/-
26"	—	—	—	29/-	31/8	34/4	37/-	39/7
28"	—	—	—	31/8	34/4	37/-	39/7	42/2
30"	—	—	—	34/4	37/-	39/7	42/2	44/11

INDIA-RUBBER GOODS, VARIOUS.
(Schedule No. 112)

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor	
					£	s.	d.		
†3530	Bands, I.R., acid resisting, 5" x ½" x 1/16" ...	Vict.	30 grs.	gross	10	8	3	Barnet Glass Rubber Co. Pty. Ltd.	
†3531	Boots, ankle, farmyard, I.R., any size ordered (see note)	N.S.W.	50 pairs	pair	10	12	0 3/4	Dunlop Rubber Aust. Ltd.	
†3532	Boots, knee, I.R., any size ordered (see note)	"	200 "	"	0	14	9	Progress Rubber Co. Pty. Ltd.	
†3533	Boots, knee, I.R., with leather soles and heels, any size ordered	"	15 "	"	"	"	"	Nil	
†3534	Boots, thigh, I.R., plain sole, any size ordered (see note)	N.S.W.	480 "	pair	1	4	9	Progress Rubber Co. Pty. Ltd.	
*3535	Bumpers, door, I.R. ...	Vict.	20 doz.	doz.	10	1	9 1/2	Dunlop Rubber Aust. Ltd.	
3536	Bumpers, sanitary seat, I.R., countersunk, M.M.B.W. standard	"	300 "	"	10	0	4 3/4	Ormiston Rubber Co. Pty. Ltd.	
*3537	Bumpers, sash, I.R., 3/8" ...	"	100 "	"	10	2	9	} Barnet Glass Rubber Co. Pty. Ltd.	
*3538	Covers, for Universal test clips, I.R.; red or black, as ordered (see note)	"	50 "	"	10	2	6 3/4		
3539	Fingerettes, I.R., red, medium ...	"	Nil	"	"	"	"		
†3540	Gloves, elbow length, I.R., acid resisting, for handling weed poisoning liquid, any size ordered	Vict.	100 pairs	pair	10	15	6	} Dunlop Rubber Aust. Ltd.	
†3541	Gloves, half gauntlet, I.R., dipped, reinforced thumb, for acid and accumulator work, any size ordered	"	350 "	"	10	9	3		
†3542	Goloshes, I.R., men's, any size ordered ...	"	100 "	"	"	"	"	Nil	
† {	3543	India-rubber Sheet, vulcanised, with canvas insertion— 3/32" thick ...	N.S.W.	40 lbs.	lb.	10	2	9	} The Goodyear Tyre & Rubber Co. (Aust.) Ltd.
	3544	1/16", 3/16", 1/8" or 1/4" thick, as ordered ...	"	10,000 "	"	10	1	10	
† {	3545	India-rubber Sheet, brown— 1/8" thick ...	Vict.	100 "	"	10	2	0 1/4	} Dunlop Rubber Aust. Ltd.
	3546	1/4", 3/8", 1/2" or 1" thick, as ordered ...	"	2400 "	"	10	1	9 1/2	
†3547	India-rubber Sheet (matting), brown, backed, 1/8" thick, 72" wide, to specification	"	250 l. yds.	"	"	"	"	Nil	
† {	India-rubber Stock, camel back, for full circle retreading—								
	3548	7 3/8" x 4 1/4" x 3/32" ...	Vict.	100 lbs.	lb.	10	1	10	} The Olympic Tyre & Rubber Co. Ltd.
	3549	8 1/4" x 5 1/4" x 1/2", with 1/10" cushion rubber	"	150 "	"	10	1	11	
	3550	10" x 6 1/4" x 1/2" " " " "	"	1000 "	"	10	1	11	
3551	11 3/4" x 7 1/4" x 1/16" " " " "	"	4000 "	"	10	1	11		
†3552	India-rubber Strip, for windscreens, No. 1	"	3500 ft.	"	"	"	"	Nil	

† { Item No. 3531.—Less 2½% trade discount.
 Items Nos. 3540, 3543 and 3544.—Less 33½% trade discount.
 All items. Less 2½% discount (in addition to any shown above) for payment by end of month following month of delivery.

INDIA-RUBBER GOODS VARIOUS—continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate	Name of Contractor
†3553	Plugs, I.R., red— 1 3/8" (for lavatory basins, etc.) ...	Vict.	6 doz.	gross	£1 3 0	Barnet Glass Rubber Co. Pty. Ltd.
†3554	2 1/2" (for baths, wash troughs, etc.)	"	30 "	"	£2 4 0	
*3555	Rings, I.R., grey, 5" outside diameter x 4 1/2" inside diameter x 1/8" thick	"	100 "	doz.	£0 1 1 1/2	
†3556	Rings, packing, hose coupling, I.R., to blue print dated 31.8.34, for 3/4" or 1" head, as ordered	"	3000 "	"	£0 2 0 1/2	
†3557	Rollers, feed, I.R., for Edison Mimeograph	"	650	each	£0 1 11 1/2	
†3558	Solution, I.R., in 4-gal. tins ...	"	1500 lbs.	lb.	£0 1 3	Leggett Products Pty. Ltd.
†3559	Solution, vulcanising, in 5-gal. tins ...	"	6 tins	tin	£2 5 0	The Olympic Tyre & Rubber Co. Ltd.
†3560	Stoppers, I.R., soft, grey— No. 1 ...	"	2 gross	"	"	Nil
†3561	No. 2 ...	"	6 "	"	"	
†3562	No. 4 ...	"	8 "	"	"	
†3563	No. 5 ...	"	6 "	"	"	
3564	Tips, finger, I.R., pinnacle type ...	"	Nil	"	"	
†3565	Tubing, I.R., 3/8" diameter x 1/16" wall, for gas	Vict.	250 ft.	foot	£0 0 3 1/2	Barnet Glass Rubber Co. Pty. Ltd.
†3566	Tubing, I.R., 1/4" diameter x 1/16" wall, for acid	"	400 "	"	£0 0 3 1/2	
*3567	Washers, cushion, I.R., 4" x 1 1/8" x 1 1/8" hole	"	25 doz.	doz	£2 1 0	
*†3568	Washers, gauge glass, I.R.— Hexagonal, for "B. & W." boilers, 250 lb. pressure	"	60 "	"	£0 2 3	
†3569	With canvas insertion, 1 1/8" x 1 1/8" x 7/8" thick	"	200 "	"	£0 2 10 1/2	
†3570	Washers, Royle's union, 1/2", 3/4" or 1", as ordered	"	24 "	"	"	Nil
3571-3579	—Nil					

† Items Nos. 3553, 3554 and 3565.—Less 33 1/3% trade discount.
 † All items.—Less 2 1/2% discount (in addition to any shown above) for payment by end of month following month of delivery.

PACKING, ETC.
(Schedule No. 113)

†3580	Gaskets, oval, for 3" "B. & W." header joints, "Cape Asbestos"	U.K.	60,000	...	} Cost plus 11%	} Gilbert Lodge & Co. Pty. Ltd.
†3581	Gaskets, oval, for 4" "B. & W." header joints, "Cape Asbestos"	"	600	...		
†3582	Gaskets, square, for super-heaters, "B. & W." boilers, "Cape Asbestos"	"	2000	...		
	Gaskets, manhole, woven asbestos, high pressure, Admiralty pattern—					
*3583	Large (for Newport Power Station)	30	...	} Nil	
*3584	Small " " "	100	...		
*3585	Large (for State Coal Mine)	200	...		

PACKING, ETC.—continued.

	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate £ s. d.	Name of Contractor
3596	Packing, asbestos cord, $\frac{1}{8}$ " to 1" diameter, as ordered, "Cape Asbestos"	U.K.	2000 lbs.	...	} Cost plus 11%	} Gilbert Lodge & Co. Pty. Ltd.
	Packing, asbestos graphite, compounded, suitable for superheat temperature, piston and valve spindle stuffing boxes, "Cape Asbestos"—					
3597	$\frac{3}{8}$ " diameter	"	672 "	...		
3598	$\frac{1}{2}$ " "	"	1792 "	...		
	Packing, asbestos millboard, 40" x 40", "Jas. Hardie"—					
3599	$\frac{1}{16}$ " thick	N.S.W.	} 15,000 "	sheet	0 2 3	} Bell's Asbestos & Eng. (Aust.) Ltd.
3600	$\frac{1}{8}$ " "	"		"	0 4 6	
3601	$\frac{3}{16}$ " "	"		"	0 6 8 $\frac{1}{2}$	
3602	$\frac{1}{4}$ " "	"		"	0 8 11	
3603	$\frac{3}{8}$ " "	"		"	0 13 5	
3604	$\frac{1}{2}$ " "	"		"	0 17 11	
3605	Packing, asbestos rope, 1" diameter, in coils of 100 feet, "Cape Asbestos"	U.K.	5000 ft.	...	} Cost plus 11%	} Gilbert Lodge & Co. Pty. Ltd.
3606	Packing, asbestos tape, 1" wide x 15 mils. thick	...	2000 "	Nil
3607	Packing, asbestos, for valve glands, "Cape Asbestos"	U.K.	200 lbs.	...	} Cost plus 11%	} Gilbert Lodge & Co. Pty. Ltd.
3608	Packing, cotton, white, braided covering— $\frac{1}{2}$ " diameter	...	200 ft.	} Nil
3609	$\frac{5}{8}$ " "	...	600 "	
3610	Packing, greasy hemp, square, $\frac{3}{8}$ " to $1\frac{1}{2}$ ", as ordered	...	1000 lbs.	} Nil
3611	Packing, I.R., $\frac{1}{8}$ " thick, "Sunlight"	Vict.	400 "	lb.	† 0 2 9	
3612	Packing, impregnated, square, "Glengarry" type, $\frac{3}{4}$ " or 1", as ordered	...	100 "	} Nil
3613	Packing, lead impregnated, square— $\frac{3}{8}$ "	...	800 "	
3614	$\frac{3}{4}$ "	...	500 "	
	Packing, patent, for use in joints of water, steam or air installations, "Cape Asbestos"—					
3615	$\frac{1}{4}$ " thick	U.K.	112 "	...	} Cost plus 11%	} Gilbert Lodge & Co. Pty. Ltd.
3616	$\frac{1}{32}$ ", $\frac{1}{16}$ " or $\frac{1}{8}$ " thick, as ordered	"	3000 "	...		
3617	Packing, patent, for use in joints of air, oil, motor spirit or benzol installations, $\frac{1}{4}$ ", $\frac{1}{32}$ ", $\frac{1}{16}$ " or $\frac{1}{8}$ " thick, as ordered	...	400 "	Nil

† Item No. 3596—Less 33 $\frac{1}{3}$ % trade discount and less a further 2 $\frac{1}{2}$ % for payment by end of month following month of delivery.

PACKING, ETC.—continued.

Item No.	Description	Country of Manuf're	Estimated Requirements	Rate per	Rate			Name of Contractor					
					£	s.	d.						
† 3603	Packing, "Paragon" type, square—	Vict.	200 lbs.	lb.	†0	5	0½	Barnet Glass Rubbl. Co. Pty. Ltd.					
	¼"								100 "	"	†0	4	10
	⅜"								100 "	"	†0	4	7½
	½"								320 "	"	†0	4	2
	⅝"								70 "	"	†0	4	1½
†3608	¾" and over	"	1750 "	"	†0	3	5½	Dunlop Rubber Aust. Ltd					
†3609	Packing, self-lubricating, square, ¼", ⅜", ½", ⅝" or ¾", as ordered, "Aust. Asbestos Co."	N.S.W.	100 "	"	0	5	5	McPherson's Pty. Ltd.					
*†3610	Washers, asbestos, for safety lamps	...	40 gross	Nil						

† Items Nos. 3603 to 3608—Less 2½% discount for payment by end of month following month of delivery.

STEEL RAILS AND FISHPLATES.

(Schedule No. 114)

3611	Rails, steel, A.S., to specification— 94 lbs. per yard, 45 ft. long	N.S.W.	7350 tons	ton	12	7	6	The Broken Hill Pty. Co. Ltd.
3612	Shorts, 94 lb.—(additional but not exceeding 5% of the quantity ordered under item No. 3611, in lengths of 30', 35' and 40', or as mutually agreed)	"	360 "	"	12	7	6	
3613	Seconds, 94 lb.—(additional but not exceeding 5% of the quantity ordered under item No. 3611)	"	360 "	"	12	7	6	
3614	107 lbs. per yard, 45 ft. long	"	8400 "	"	12	7	6	
3615	Shorts, 107 lb.—(additional but not exceeding 5% of the quantity ordered under item No. 3614, in lengths of 30', 35' and 40', or as mutually agreed)	"	420 "	"	12	7	6	
3616	Seconds, 107 lb.—(additional but not exceeding 5% of the quantity ordered under item No. 3614)	"	420 "	"	12	7	6	
3617	Fishplates, steel, bar type, 4 holes, 107 lb., 20" long, to specification	"	2000 pairs	"	16	7	6	
3618	Fishplates, steel, bar type, 4 holes, to specification— For points for 94 lb. A.S. rails	"	3500	"	16	17	6	
3619	For crossings for 94 lb. A.S. rails	"	8000 pairs	"	16	7	6	
3620	For points for 107 lb. A.S. rails	"	2000	"	16	17	6	
3621	For crossings for 107 lb. A.S. rails	"	4000 pairs	"	16	7	6	
3622-3629	Nil							