



VICTORIA
GOVERNMENT GAZETTE.

Published by Authority.

[Registered at the General Post Office, Melbourne, for transmission by post as a newspaper.]

No. 22]

FRIDAY, FEBRUARY 9.

[1945

| No. | Number of Tenders. | Particulars of Contract. | Country of Manufacture or Production. | Amount. | Name of Contractor. |
|-----|--------------------|---|---------------------------------------|--------------------|---------------------|
| 49 | .. | Railways Stores Suspense Account, Act 3759, Section 105— Supply and delivery of General Stores as ordered, during the period 1st July, 1944, to 30th June, 1946. | As per annex .. | Rates as per annex | As per annex |

Melbourne, 1st November, 1944.

Schedule of Rates Contracts

FOR THE

SUPPLY OF STORES

TO THE

VICTORIAN RAILWAYS.

PERIOD—

1.7.1944 to 30.6.1946.

E. C. EYERS,

By Order of the Victorian Railways Commissioners.

SUPPLY AND DELIVERY OF STORES.

As ordered, from 1.7.1944 to 30.6.1946.

* Indicates that the stores shall be supplied to sample exhibited by the Corporation.

† Indicates that the stores shall be supplied to sample furnished by the Contractor.

‡ Indicates that the rate is subject to discount as shown.

§ Indicates that the rate is subject to fluctuation.

⌘ Indicates that the rate is subject to the extras shown.

All rates are exclusive of Sales Tax.

UNIFORM CLOTHING, STOCK SIZES

(Schedule No. 95)

(1st July, 1944, to 30th June, 1945)

| Item No. | Description | Country of Manuf're | Estimated Requirements | Rate per | Rate £. s. d. | Name of Contractor |
|----------|---|---------------------|------------------------|----------|------------------|----------------------------|
| | Garments, STOCK SIZES, made from serge, 20 oz. per lineal yard, to specification— | | | | | |
| | Coats— | | | | | |
| * { 3030 | To sample No. 26 (worn by Porters, Rail Motor Drivers, Electric Suburban Guards, Electric Train Drivers, Vanmen, Tram Motormen, Goods Guards, Shunters, Watchmen, Licensed Luggage Porters, Number Takers, Operating Porters, Porters-in-Charge, 2nd class Ticket Checkers and Tram Conductors) | Vict. | 3520 | each | 2 2 0 | David Lack Pty. Ltd. |
| 3030A | " " " " " " " " | " | | " | 2 5 0 | |
| * 3031 | To sample No. 27 | ... | Nil | ... | ... | John Cohen & Co. Pty. Ltd. |
| * 3032 | To sample No. 28 | ... | | ... | ... | |
| * 3033 | To sample No. 29 | ... | | ... | ... | |
| | Vests— | | | | | |
| * { 3034 | To sample No. 32 (worn by Porters, Rail Motor Drivers, Electric Suburban Guards, Electric Train Drivers, Vanmen, Watchmen, Licensed Luggage Porters, Operating Porters, Porters-in-Charge, 2nd class Ticket Checkers, Tram Conductors and Tram Motormen) | Vict. | 2500 | each | 0 14 6 | David Lack Pty. Ltd. |
| 3034A | " " " " " " " " | " | | " | 0 14 0 | |
| * { 3035 | To sample No. 33 (worn by Goods Guards and Shunters) | " | 850 | " | 0 15 0 | David Lack Pty. Ltd. |
| 3035A | " " " " " " " " | " | | " | 0 15 0 | |
| | Trousers— | | | | | |
| * { 3036 | To sample No. 35 (worn by Porters, Rail Motor Drivers, Electric Suburban Guards, Electric Train Drivers, Vanmen, Watchmen, Licensed Luggage Porters, Operating Porters, Porters-in-Charge, 2nd class Ticket Checkers, Tram Conductors, Tram Motormen, Goods Guards and Shunters) | " | 4000 | " | 1 3 6 | David Lack Pty. Ltd. |
| 3036A | " " " " " " " " | " | | " | 1 4 0 | |
| | Extras on rates for MADE TO MEASURE serge garments not provided for in stock sizes, as ordered— | | | | | |
| | For items Nos. 3030, 3034, 3035 and 3036— | | | | | |
| 3037 | Coat | " | ... | " | 0 5 0 | David Lack Pty. Ltd. |
| 3038 | Vest | " | ... | " | 0 2 6 | |
| 3039 | Trousers | " | ... | " | 0 3 0 | |
| | For Items Nos. 3030A, 3034A, 3035A and 3036A— | | | | | |
| 3037A | Coat | " | ... | " | 0 4 6 | John Cohen & Co. Pty. Ltd. |
| 3038A | Vest | " | ... | " | 0 2 6 | |
| 3039A | Trousers | " | ... | " | 0 3 0 | |

UNIFORM CLOTHING—STOCK SIZES—continued.

| Item No. | Description | Country of Manuf're | Estimated Requirements | Rate per | Rate | | | Name of Contractor |
|-----------|--|---------------------|------------------------|----------|------|-----|------------------------|-------------------------------|
| | | | | | £ | s. | d. | |
| | Garments, STOCK SIZES, 4, 5, 6 or 7 as ordered, made from Tasmanian Bluey cloth, to specification— | | | | | | | |
| *3040 | Aprons, to sample No. 37 ... | ... | 100 | ... | ... | ... | } Nil | |
| *3041 | Coats, to sample No. 38 ... | ... | 75 | ... | ... | ... | | |
| *3042 | Trousers, with bibs, to sample No. 39 ... | ... | 100 | ... | ... | ... | | |
| | Extras for ALTERATIONS to completed garments, as ordered— | | | | | | | |
| 3043 | Shortening coat ... | Vict. | ... | each | 0 | 4 | } David Lack Pty. Ltd. | |
| 3044 | Lengthening coat ... | " | ... | " | 0 | 5 | | |
| 3045 | Shortening sleeves ... | " | ... | " | 0 | 2 | | |
| 3046 | Lengthening sleeves ... | " | ... | " | 0 | 2 | | |
| 3047 | Lowering collar of coat ... | " | ... | " | 0 | 2 | | |
| 3048 | Taking in chest and waist of coat ... | " | ... | " | 0 | 5 | | |
| 3049 | Inserting dart in arm hole ... | " | ... | " | 0 | 2 | | |
| 3050 | Alterations to any particular vest ... | " | ... | " | 0 | 2 | | |
| 3051 | Taking in waist of trousers ... | " | ... | " | 0 | 2 | | |
| 3052 | Letting out waist of trousers ... | " | ... | " | 0 | 2 | | |
| 3053 | Taking in seat of trousers ... | " | ... | " | 0 | 2 | | |
| 3054 | Letting out seat of trousers ... | " | ... | " | 0 | 2 | | |
| 3055 | Shortening legs of trousers ... | " | ... | " | 0 | 2 | | |
| 3056 | Lengthening legs of trousers ... | " | ... | " | 0 | 2 | | |
| 3057 | Taking in legs of trousers ... | " | ... | " | 0 | 2 | | |
| 3043A | Shortening coat ... | " | ... | " | 0 | 4 | | } John' Cohen & Co. Pty. Ltd. |
| 3044A | Lengthening coat ... | " | ... | " | 0 | 4 | | |
| 3045A | Shortening sleeves ... | " | ... | " | 0 | 2 | | |
| 3046A | Lengthening sleeves ... | " | ... | " | 0 | 2 | | |
| 3047A | Lowering collar of coat ... | " | ... | " | 0 | 2 | | |
| 3048A | Taking in chest and waist of coat ... | " | ... | " | 0 | 4 | | |
| 3049A | Inserting dart in arm hole ... | " | ... | " | 0 | 2 | | |
| 3050A | Alterations to any particular vest ... | " | ... | " | 0 | 2 | | |
| 3051A | Taking in waist of trousers ... | " | ... | " | 0 | 2 | | |
| 3052A | Letting out waist of trousers ... | " | ... | " | 0 | 3 | | |
| 3053A | Taking in seat of trousers ... | " | ... | " | 0 | 2 | | |
| 3054A | Letting out seat of trousers ... | " | ... | " | 0 | 2 | | |
| 3055A | Shortening legs of trousers ... | " | ... | " | 0 | 2 | | |
| 3056A | Lengthening legs of trousers ... | " | ... | " | 0 | 2 | | |
| 3057A | Taking in legs of trousers ... | " | ... | " | 0 | 2 | | |
| 3058-3069 | —Nil | | | | | | | |

PRINTING AND WRITING PAPERS, ETC.

(Schedule No. 108)

(1st July, 1944, to 30th June, 1945)

| Item No. | Description | Country of Manuf're | Estimated Requirements | Rate per | Rate | | | Name of Contractor |
|----------|---|---------------------|------------------------|----------|------|-----|--------------------------------|--------------------------------------|
| | | | | | £ | s. | d. | |
| †3460 | Paper, blotting, white, demy, to specification— 38 lbs., folded, 500's ... | Tas. | 350 reams | ream | 1 | 3 | 11·14 | Spicers & Detmold Ltd. |
| †3461 | 46 lbs., 1st quality, flat, 500's ... | Vict. | 100 " | " | †1 | 15 | 7 ³ / ₁₆ | Australian Paper Manufacturers Ltd. |
| †3462 | Paper, duplicating, hard sized, quad. foolscap, 44 lbs. to specification— White, 500's ... | Tas. | 1000 " | " | 1 | 5 | 10·31 | Gordon & Gotch (A/asia.) Ltd. |
| †3463 | Buff, Blue, Green or Pink, as ordered, 500's | Vict. | 50 " | " | 1 | 17 | 8·6 | Andrew Jack, Dyson & Co. Pty. Ltd. |
| †3464 | Paper, printing, to specification— Glazed Cap, 24" x 36", 45 lbs., 500's (see note) | " | 50 " | " | †1 | 4 | 7 ¹ / ₁₆ | } Australian Paper Manufacturers Ltd |
| †3465 | M.F. Kraft Brown, double royal, 37 lbs., 480's, flat | " | 1000 " | " | †0 | 18 | 6 ¹ / ₂ | |
| †3466 | Document Manilla, carte, double crown, 100 lbs., 500's | " | 200 " | " | †3 | 4 | 6 ¹ / ₂ | |
| †3467 | Offset, royal, 37 ¹ / ₂ lbs., 500's (see note) | Tas. | 350 " | " | 1 | 1 | 3·02 | Edwards Dunlop & Co. Ltd. |
| †3468 | Paper, writing, azure laid, 17 ¹ / ₂ " x 40", guillotine trimmed all sides, (quad. foolcap azure, 56 lb. substance) 42 lb., 500 sheets per ream, to specification | ... | Nil | ... | ... | ... | ... | |

† Less 2% special discount

BEARING AND CYLINDER OILS FOR ROLLING STOCK, ETC.

(Schedule No. 180)

(1st July, 1941, to 30th June, 1942)

(Extended to 30th June, 1946.)

| Item No. | Description | Country | Estimated Requirements | Unit | Rate | | | Name of Contractor |
|-----------|---|---------|------------------------|------|------|----|------|-----------------------------|
| | | | | | £ | s. | d. | |
| †6000 | Oil, bearing, axle, black, to specification, in 40/45 gallon drums, "B.817" (see note) | U.S.A. | 20,000 gals. | gal. | 2 | 10 | ·34 | Vacuum Oil Co. Pty. Ltd. |
| †6001 | Oil, bearing, axle, red, heavy, to specification, in 40/45 gallon drums, "X.L." | U.S.A. | 35,000 " | " | 3 | 7 | ·5 | } Ramsay & Treganowan Ltd. |
| †6002 | Oil, bearing, axle, red, light, to specification, in 40/45 gallon drums, "X.L." | " | 200,000 " | " | 3 | 3 | ·5 | |
| †6003 | Oil, cylinder, locomotive, saturated steam, to specification, in 40/45 gallon drums, "Shell" | " | 30,000 " | " | 3 | 11 | ·132 | The Shell Co. of Aust. Ltd. |
| †6004 | Oil, cylinder, locomotive, superheater steam, to specification, in 40/45 gallon drums— "C-796" or "C-796A" ... | " | 70,000 " | " | 4 | 1 | ·609 | } Vacuum Oil Co. Pty. Ltd. |
| †6004A | "600-W" (for S.R. & W.S. Comm.) | " | 2,000 " | " | 5 | 11 | ·72 | |
| †6005 | Oil, cylinder, for Westinghouse brake cylinders and triple valves, to specification, "Socony T.N." | U.S.A. | 1250 " | " | 4 | 8 | ·425 | |
| 6006-6008 | Nil | | | | | | | |

BEARING OIL FOR LOCOMOTIVES

(Schedule No. 181)

(1st July, 1941, to 30th June, 1942)

(Extended to 30th June, 1946.)

| Item No. | Description | Country | Estimated Requirements | Unit | Rate | Name of Contractor |
|----------|---|---------|------------------------|------|---------|-----------------------------|
| | | | | | £ s. d. | |
| †6009 | Oil, bearing, locomotive, in 44 gallon drums, to specification, "Shell O" | U.S.A. | 80,000 gallons | gal. | 4 8.325 | The Shell Co. of Aust. Ltd. |

GREASE, VARIOUS
(Schedule No. 182)
(1st July, 1941, to 30th June, 1942)
(Extended to 30th June, 1946).

| Item No. | Description | Country of Manuf're | Estimated Requirements | Rate per | Rate | Name of Contractor |
|-----------|--|---------------------|------------------------|----------|------------------|-------------------------------|
| †6010 | Compound, lubricating, for use in the open gears of wheel lathes and other heavy machines, in 45 lb. pails, "Crater No. 2" | U.S.A. | 20 cwt. | lb. | s. d. 0 4.288 | Caltex Ltd. |
| †6011 | Grease, antifriction, to specification, in 45 lb. pails | ... | 25 " | ... | ... | Nil |
| †6012 | Grease, compound, for locomotive crank and coupling rod pins, to specification, in barrels or drums | ... | Nil | ... | ... | |
| | Grease, cup, to specification, "Atlantic L.M."— | | | | | |
| { 6013 | No. 2, in 5 lb. tins | Vict. (partly) | 5 cwt. | lb. | 0 6 | } Atlantic Union Oil Co. Ltd. |
| † 6014 | No. 2, in 45 lb. pails | " | 5 " | " | 0 4.5 | |
| 6015 | No. 2, in barrels or drums | " | 100 " | " | 0 3.625 | |
| { 6016 | No. 3, in 5 lb. tins | " | 75 " | " | 0 6.125 | |
| † 6017 | No. 3, in 45 lb. pails | " | 75 " | " | 0 4.625 | |
| { 6018 | No. 3, in barrels or drums | " | 10 " | " | 0 3.75 | |
| †6019 | Grease, cup, No. 5, to specification, in 5 lb. tins, "Shell Compound" | N.S.W. (partly) | 6 " | " | 0 6.75 | The Shell Co. of Aust. Ltd. |
| †6020 | Grease, gear, to specification, in barrels or drums, "Gargoyle C.N." | Vict. (partly) | 400 " | " | 0 2.875 | Vacuum Oil Co. Pty. Ltd. |
| †6021 | Grease, for track lubricators, to specification, in barrels or drums, "904" | U.S.A. | 300 " | " | 0 5.52 | Caltex Ltd. |
| | Lubricant, motor chassis, to specification— | | | | | |
| †6022 | Light, in 45 lb. pails, "Shell Hi-pressure" | " | 2500 lbs. | " | 0 5.25 | The Shell Co. of Aust. Ltd. |
| { 6023 | Medium, in 5 lb. tins, "Gg. Mobil-grease, No. 5" | Vict. (partly) | 250 " | " | 0 8.125 | } Vacuum Oil Co. Pty. Ltd. |
| † 6024 | Medium, in 45 lb. pails, "Gg. Mobil-grease, No. 5" | " | 300 " | " | 0 6.125 | |
| 6025-6029 | —Nil | | | | | |

PETROLEUM JELLY
(Schedule No. 183.)
(1st July, 1941, to 30th June, 1942)
(Extended to 30th June, 1946).

| | | | | | | |
|-----------|---|--------|---------|-----|------------------|-----------------------------|
| †6030 | Petroleum Jelly (Amber), for use on accumulators and dynamo bearings, in 5 lb. tins, "Petrolatum 00" | U.S.A. | 8 cwt. | lb. | s. d. 0 6.742 | Vacuum Oil Co. Pty. Ltd. |
| †6031 | Petroleum Jelly, for ambulance use, in 5 lb. tins, | ... | 40 lbs. | ... | ... | Nil |
| †6032 | Petroleum Jelly, for use in signal boxes, in 45 lb. pails, "Atlantic amber Petrolatum" | U.S.A. | 1 cwt. | lb. | 0 5.617 | Atlantic Union Oil Co. Ltd. |
| †6033 | Petroleum Jelly, for tarpaulin dressing, and end coating of timber, to specification, in drums of approx. 375 lb., "Shell dark crude" | " | 100 " | " | 0 5.625 | The Shell Co. of Aust. Ltd. |
| 6034-6039 | —Nil | | | | | |

PARAFFIN WAX, ETC.
(Schedule No. 184)
(1st July, 1944, to 30th June, 1946)

| Item No. | Description | Country of Manuf're | Estimated Requirements | Rate per | Rate | | | Name of Contractor |
|-----------|---|---------------------|------------------------|----------|------|-----|-----|-----------------------------|
| | | | | | £ | s. | d. | |
| †6040 | Compound, wax graphite, to specification, in 5-lb. ingots, "Pantograph Lubricant AS." | Vict. | 1200 lbs. | lb. | 0 | 1 | 1½ | Vacuum Oil Co. Pty. Ltd. |
| †6041 | Copper Oleo—Stearate | ... | 40 tons | ... | ... | ... | ... | Nil |
| †6042 | Grease, graphite, to specification, in drums of approx. 400-lbs., "Gargoyle" No. 330 | Vict. | 15 " | lb. | 0 | 0 | 5½ | Vacuum Oil Co. Pty. Ltd. |
| †6043 | Wax, (paraffin), for tarpaulin dressing, to specification, 135/40. | India | 60 " | cwt. | 4 | 0 | 6 | The Shell Co. of Aust. Ltd. |
| †6043A | " " " " " " | " | | " | " | 4 | 0 | 6 |
| 6044-6049 | —Nil | | | | | | | |

PAINTS, VARIOUS
(Schedule No. 185).
(1st July, 1944, to 30th June, 1946).

| | | | | | | | | |
|--------|--|--------|------------|------|-----|-----|-----|--|
| †6050 | Paint, acid-resisting, for urinals, to specification, in 1-gallon tins (see note)— Black, " Goodlass " | Vict. | 15 gals. | gal. | 0 | 4 | 3 | Goodlass Wall & Co. Pty. Ltd. |
| †6051 | Red, " Taubmans " | " | 30 " | " | 0 | 16 | 0 | Taubmans Pty. Ltd. |
| †6052 | Paint, anti-corrosive, bituminous, black, for overhead equipment, to specification, in 4-gallon drums, "Texacoat" (see note) | " | 200 " | " | 0 | 3 | 5 | Caltex Ltd. |
| †6052A | Paint, anti-corrosive, bituminous, black, for overhead equipment, to specification, in 4-gallon tins or drums (see note) ... | " | | " | " | 0 | 5 | 10 |
| †6053 | Paint, anti-corrosive compound, for structural steelwork, " Ruskillia," to specification, in the Corporation's 4 or 5 gallon drums (see note) | " | 1250 " | " | 0 | 4 | 8 | Hobson's Bay Dock & Eng. Co. Pty. Ltd. |
| †6054 | Paint, anti-corrosive, grey, for structural steel work and overhead equipment, to specification, in 4-gallon tins or drums, " Goodlass " (see note) | " | 1000 " | " | 0 | 12 | 8 | Goodlass Wall & Co. Pty. Ltd. |
| †6055 | Thinners, summer, for use with anti-corrosive grey paint, to specification, in 4-gallon tins or drums, for use with item No. 6054, " Goodlass " (see note) | " | 150 " | " | 0 | 6 | 5 | |
| †6056 | Thinners, winter, for use with anti-corrosive grey paint, to specification, in 4-gallon tins or drums, for use with item No. 6054, " Goodlass " (see note) | " | 300 " | " | 0 | 6 | 4 | |
| †6057 | Paint, anti-corrosive, grey, for steelwork in contact with sea water, " Ferrodor," or suitable alternative, to specification, in 4-gallon tins or drums | ... | 36 " | ... | ... | ... | ... | Nil |
| †6058 | Paint, anti-fouling, " International," to specification, in ½-cwt. drums (see note) | N.S.W. | 10 cwt. | cwt. | 11 | 9 | 0 | Hobson's Bay Dock & Eng. Co. Pty. Ltd. |
| †6059 | Paint, bituminous, black, to specification, for dressing bituminous roofing felt, in 4-gallon tins or drums (see note) | Vict. | 2500 gals. | gal. | 0 | 2 | 5 | Edinburgh Varnish Works Pty. Ltd. |
| †6060 | Paint, boiler compound, anti-corrosive, to specification, in 1-gallon tins, " Apexior " (see note) | N.S.W. | 50 " | " | 1 | 12 | 0 | A. E. Supplies Pty. Ltd. |
| †6061 | Paint, car cement, black, " Taubmans E. 1456," to specification, in 4-gallon tins or drums (see notes) | " | 100 " | " | 0 | 8 | 3 | Taubmans Pty. Ltd. |
| †6062 | Paint, cold water, any colour ordered, to specification— In paste form, in 14-lb. kegs, for exterior use, " Goodlass " | Vict. | 12 tons | cwt. | 1 | 12 | 3 | Goodlass Wall & Co. Pty. Ltd. |
| †6063 | In powder form, in 5-lb. packets, for interior use, " Goodlass " | " | 2000 pkts. | pkt. | 0 | 1 | 5 | |

PAINTS, VARIOUS—continued

| Item No. | Description | Country of Manuf're | Estimated Requirements | Rate per | Rate £ s. d. | Name of Contractor | |
|----------|--|---------------------|------------------------|----------|-----------------|---------------------------------|--|
| | Paint, oil, finishing coat, high gloss, to specification, suitable for exterior wood-work— | | | | | | |
| | Brown, middle, Colour No. 11— | | | | | | |
| † { 6064 | In 4 or 5-gallon drums | Vict. | } 1100 gals. | gal. | 0 14 10 | } Glazebrooks (Aust.) Pty. Ltd. | |
| 6065 | In 1-gallon tins | " | | " | 0 15 9 | | |
| | Buff, deep, Colour No. 60— | | | | | | |
| † { 6066 | In 4 or 5-gallon drums | " | } 900 " | " | 0 14 3 | | |
| 6067 | In 1-gallon tins | " | | " | 0 15 2 | | |
| | Buff, light, Colour No. 58— | | | | | | |
| † { 6068 | In 4 or 5-gallon drums | " | } 3600 " | " | 0 14 3 | | |
| 6069 | In 1-gallon tins | " | | " | 0 15 5 | | |
| | Paint, oil, finishing coat, high gloss, to specification, suitable for exterior wood-work—continued— | | | | | | |
| | Cream, pale, Colour No. 52, "Taubmans"— | | | | | | |
| † { 6070 | In 4 or 5-gallon drums | Vict. | } 350 gals. | gal. | 0 18 0 | } Taubmans Pty. Ltd. | |
| 6071 | In 1-gallon tins | " | | " | 0 19 0 | | |
| † 6072 | Green, Eau De Nil, for workmen's sleepers, in 1-gallon tins, Colour No. 16 (for use on Rolling Stock) | " | 100 " | " | 0 19 1 | Glazebrooks (Aust.) Pty. Ltd. | |
| | Grey, light battleship, Colour No. 31, "Spartan"— | | | | | | |
| † { 6073 | In 4 or 5-gallon drums | " | } 1100 " | " | 0 15 0 | } Hardie Trading Pty. Ltd. | |
| 6074 | In 1-gallon tins | " | | " | 0 15 9 | | |
| † 6075 | Signal-Red, in 1-gallon tins, Colour No. 37. | " | 160 " | " | 0 19 2 | | |
| | White— | | | | | | |
| † { 6076 | In 4 or 5-gallon drums | " | } 4000 " | " | 0 17 1 | } Glazebrooks (Aust.) Pty. Ltd. | |
| 6077 | In 1-gallon tins | " | | " | 0 17 11 | | |
| | Paint, oil, undercoating, to specification— | | | | | | |
| | For middle brown paint under items Nos. 6064 and 6065— | | | | | | |
| † { 6078 | In 4 or 5-gallon drums | " | } 700 " | " | 0 12 3 | } Glazebrooks (Aust.) Pty. Ltd. | |
| 6079 | In 1-gallon tins | " | | " | 0 13 2 | | |
| | For deep buff paint, under items Nos. 6066 and 6067— | | | | | | |
| † { 6080 | In 4 or 5-gallon drums | " | } 600 " | " | 0 11 9 | } Glazebrooks (Aust.) Pty. Ltd. | |
| 6081 | In 1-gallon tins | " | | " | 0 12 8 | | |
| | For light buff paint under items Nos. 6068 and 6069— | | | | | | |
| † { 6082 | In 4 or 5-gallon drums | " | } 3000 " | " | 0 13 8 | } Glazebrooks (Aust.) Pty. Ltd. | |
| 6083 | In 1-gallon tins | " | | " | 0 14 7 | | |
| | For pale cream paint under items Nos. 6070 and 6071, "Taubmans"— | | | | | | |
| † { 6084 | In 4 or 5-gallon drums | " | } 150 " | " | 0 15 6 | } Taubmans Pty. Ltd. | |
| 6085 | In 1-gallon tins | " | | " | 0 16 6 | | |

PAINTS, VARIOUS—continued.

| Item No. | Description | Country of Manuf're | Estimated Requirements | Rate per | Rate | | | Name of Contractor |
|-----------|---|---------------------|------------------------|----------|------|----|----|---------------------------------------|
| | | | | | £ | s. | d. | |
| †6086 | For green, eau de nil, under item No. 6072, in 1-gallon tins ... | Vict. | 60 gals. | gal. | 0 | 17 | 0 | Glazebrooks (Aust.) Pty. Ltd. |
| †6087 | For light battleship grey paint under items Nos. 6073 and 6074, "Spartan"— In 4 or 5-gallon drums ... | " | 800 " | " | 0 | 10 | 6 | Hardie Trading Pty. Ltd. |
| †6088 | In 1-gallon tins ... | " | | " | " | 0 | 11 | |
| †6089 | For white paint under items Nos. 6076 and 6077— In 4 or 5-gallon drums ... | " | 4000 " | " | 0 | 11 | 10 | Glazebrooks (Aust.) Pty. Ltd. |
| †6090 | In 1-gallon tins ... | " | | " | " | 0 | 12 | |
| †6091 | Paint, oil, flat, any colour ordered, to specification, suitable for interior work, in 1 gallon tins, "Spartan" ... | " | 1300 " | " | 0 | 11 | 3 | Hardie Trading Pty. Ltd. |
| †6092 | Paint, oil, undercoating, to specification, for any colour ordered under item No. 6091, in 1-gallon tins "Spartan" | " | 1300 " | " | 0 | 11 | 9 | |
| | Paint, oil, marking, to specification, in 1 gallon tins— | | | | | | | |
| †6093 | Blue, "Spartan" ... | " | 15 " | " | 0 | 11 | 9 | Hardie Trading Pty. Ltd. |
| †6094 | Red, "B.P." 142 ... | " | 15 " | " | †1 | 5 | 6 | Lewis Berger & Sons (Aust.) Pty. Ltd. |
| †6095 | White, "Goodlass" ... | " | 20 " | " | 0 | 18 | 9½ | Goodlass Wall & Co. Pty. Ltd. |
| †6096 | Yellow, "Spartan" ... | " | 20 " | " | 0 | 9 | 1 | Hardie Trading Pty. Ltd. |
| †6097 | Paint, oil, priming coat, to formula, in 1-gallon tins, "Spartan" (see page No. 116) | " | 350 " | " | 0 | 12 | 6 | |
| †6097A | Paint, oil, priming coat, to specification, in 1-gallon tins, "Goodlass" | " | | " | " | 0 | 15 | 0 |
| †6098 | Paint, primer, for sealing cement sheets, to specification, in 1-gallon tins, "Taubmans" (see note) | " | 100 " | " | 0 | 12 | 0 | Taubmans Pty. Ltd. |
| 6099-6109 | —Nil | | | | | | | |

† Less 2½% discount for payment by end of month following month of delivery.

PAINTERS' SUNDRIES, ETC.

(Schedule No. 186)

(1st July, 1944, to 30th June, 1946)

| | | | | | | | |
|-------|---|--|-----------|--|--|--|-------|
| †6110 | Beeswax ... | | 16 cwt. | | | | } Nil |
| | Celluloid, clear, in sheets 54" x 24"— | | | | | | |
| †6111 | 20 mils thick ... | | 12 sheets | | | | |
| †6112 | 40 " " ... | | 24 " | | | | |
| †6113 | Cutters, glass, turret head, No. 1 ... | | 300 | | | | |
| | Dabs, gilders', bear hair, quill bound handles— | | | | | | |
| †6114 | No. 6 ... | | 25 | | | | } Nil |
| †6115 | No. 8 ... | | 100 | | | | |
| †6116 | No. 12 ... | | 10 | | | | |

PAINTERS' SUNDRIES, ETC.—continued.

| Item No. | Description | Country of Manuf're | Estimated Requirements | Rate per | Rate £ s. d. | Name of Contractor |
|----------|---|---------------------|------------------------|----------|-----------------|--|
| | Fitches, hog hair, lining— | | | | | |
| † 6117 | ¼" | | 15 | ... | ... | } Nil |
| 6118 | ½" | | 5 | ... | ... | |
| 6119 | ¾" | | 5 | ... | ... | |
| 6120 | 1" | | 15 | ... | ... | |
| 6121 | Gold Leaf, non-transfer, in books of 25 leaves | | Nil | ... | ... | |
| † 6122 | Gold Leaf, transfer, in books of 25 leaves ... | | 400 books | ... | ... | |
| † 6123 | Knives, stopping, 6" blade, with riveted handles | | 100 | ... | ... | |
| | Knives, stripping, 5" blade— | | | | | |
| † 6124 | 1½" wide | | 150 | ... | ... | |
| † 6125 | 2" " | | 250 | ... | ... | |
| † 6126 | 3" " | | 350 | ... | ... | |
| | Pencils, sable, best red, liners', quill handles, "Rigby Battock"— | | | | | } Nil |
| † 6127 | Lark | U.K. | 5 | each | 0 0 11 | |
| 6128 | Crow | " | 5 | " | 0 1 6 | |
| 6129 | Duck | " | 5 | " | 0 2 3 | |
| | Pencils, sable, best red, writers', quill handles, "Rigby Battock"— | | | | | } W. & G. Dean Pty. Ltd. |
| 6130 | Lark | " | 25 | " | 0 0 8 | |
| 6131 | Crow | " | 50 | " | 0 0 11 | |
| † 6132 | Duck | " | 25 | " | 0 1 4 | |
| 6133 | Goose | " | 50 | " | 0 2 10 | |
| | Pencils, sable, best red, writers', wooden handles, with copper ferrules— | | | | | } Nil |
| 6134 | No. 1 (hair 1/16" out of ferrule) | | 12 | ... | ... | |
| 6135 | No. 2 " 1/8" " " | | 20 | ... | ... | |
| 6136 | No. 3 " 1" " " | | 5 | ... | ... | |
| 6137 | No. 4 " 1 1/8" " " | | 30 | ... | ... | |
| † 6138 | No. 6 " 1 3/8" " " | | 30 | ... | ... | |
| 6139 | No. 8 " 1 5/8" " " | | 25 | ... | ... | |
| 6140 | No. 10 " 1 7/8" " " | | 10 | ... | ... | |
| 6141 | No. 11 " 1 9/8" " " | | 6 | ... | ... | |
| 6142 | No. 12 " 1 11/8" " " | | 6 | ... | ... | |
| † 6143 | Plaster of Paris, in bags of 160-lbs. net, "Gyprock" (see note) | Vict. | 20 cwt. | ton | 7 15 0 | } The Colonial Sugar Refining Co. Ltd. |
| † 6144 | Wood, plastic, in 1-lb. tins, "Spartan" | " | 300 lbs. | lb. | 0 2 2 | |
| † 6145 | Fluid, softening, for plastic wood, in 1-pint tins, "Spartan" | " | 10 pts. | pint | 0 1 11 | } Hardie Trading Pty. Ltd. |

PAINTERS' SUNDRIES, ETC.—continued.

| Item No. | Description | Country of Manuf're | Estimated Requirements | Rate per | Rate | | | Name of Contractor |
|--------------------------|---|---------------------|------------------------|----------|------|----|----|-----------------------------------|
| | | | | | £ | s. | d. | |
| † { 6146 6147 6148 | Wool, steel, "Austral"— No. 0 | N.S.W. | 1200 lbs. | lb. | 10 | 1 | 2 | } R. H. Armstrong & Co. Pty. Ltd. |
| | No. 1 | " | 750 " | " | 10 | 1 | 1½ | |
| | No. 3 | " | 600 " | " | 10 | 1 | 0½ | |
| 6149-6159 | —Nil | | | | | | | |

† Less 3¼% discount for payment within 14 days of date of receipt of material at Newport, or 2½% for payment by end of month following month of delivery.

BROOMS, BRUSHES, ETC.

(Schedule No. 187.)

(1st July, 1944, to 30th June, 1946.)

| BROOMS— | | | | | | | | |
|--|---|-------------|------|------|----|---|----|-------------------------------|
| †6160 | Bass, 13", bored for No. 3 "Gyton's" holder | Vict. | 2500 | each | 0 | 5 | 0 | } Excelsior Broom & Brush Co. |
| †6161 | Bass, 15", bored for No. 2 "Gyton's" holder | " | 200 | " | 0 | 6 | 4 | |
| †6162 | Bassine, 12", copper wire drawn ... | " | 250 | " | 0 | 2 | 2 | } Penal & Gaols Dept. |
| †6163 | Bassine, 24", bored for No. 2 "Gyton's" holder | " | 350 | " | 0 | 4 | 0 | |
| †6164 | Hair, 13", bored for No. 3 "Gyton's" holder | " | 3000 | " | 0 | 4 | 3 | } Excelsior Broom & Brush Co. |
| †6165 | Hair and coco fibre, 24", bored for No. 2 "Gyton's" holder | " | 600 | " | 0 | 8 | 11 | |
| †6166 | Coco Fibre, 24", bored for No. 2 "Gyton's" holder | " | 700 | " | 0 | 7 | 2 | } Penal & Gaols Dept. |
| †6167 | Millet and Cane | " | 1400 | " | 0 | 3 | 1½ | |
| BRUSHES— | | | | | | | | |
| †6168 | Banister, bassine, 15" overall | | 50 | | | | | } Nil |
| †6169 | Banister, hair and coco fibre, 17" overall | | 4800 | | | | | |
| †6170 | Banister, coco fibre, 12" overall | | 100 | | | | | |
| †6171 | Banister, wing, horsehair, 14" overall ... | | 200 | | | | | |
| †6172 | Bottle, twisted wire handle | Vict. | 50 | each | 0 | 0 | 4 | Penal & Gaols Dept. |
| †6173 | Distemper, bristle, flat, 6" wide | | Nil | | | | | |
| †6174 | Distemper, 2 knot coco fibre | South Aust. | 150 | each | 10 | 1 | 8½ | S.A. Brush Co. Ltd. |
| †6175 | Driven Fibre | | 1100 | | | | | } Nil |
| †6176 | Dusters, painters', bristle | | 100 | | | | | |
| †6176A | Dusters, painters', 50/50 (bristle and horsehair) | | 100 | | | | | |
| †6176B | Dusters, painters', horsehair | | 50 | | | | | |
| †6177 | Fitches, white bristle, tin-bound, flat— ⅝" wide x ⅝" thick | | 72 | | | | | |
| †6178 | ⅞" " x ⅞" " | | 36 | | | | | |
| †6179 | 1" " x ½" " | | 300 | | | | | |
| Fitches, 50/50 (bristle and horsehair), tin-bound, flat— | | | | | | | | |
| †6177A | ⅝" wide x ⅝" thick | Vict. | 100 | each | 0 | 1 | 3 | } Gibaud & Son Pty. Ltd. |
| †6178A | ⅞" " x ⅞" " | " | 36 | " | 0 | 1 | 9 | |
| †6179A | 1" " x ½" " | " | 1000 | " | 0 | 2 | 3 | |

† Less 3¼% discount for payment within 7 days of date of receipt of invoice, or 2½% for payment by end of month following month of delivery.

BROOMS, BRUSHES, ETC.—continued.

| Item No. | Description | Country of Manuf're | Estimated Requirements | Rate per | Rate £ s. d. | Name of Contractor |
|---|--|---------------------|------------------------|----------|-----------------|-----------------------------|
| BRUSHES—continued— | | | | | | |
| †6177B | Fitches, horsehair, tin-bound, flat— 5/8" wide x 5/8" thick ... | ... | 120 | ... | ... | } Nil |
| †6178B | 7/8" ,, x 3/8" ,, ... | ... | 36 | ... | ... | |
| †6179B | 1" ,, x 1/2" ,, ... | ... | 170 | ... | ... | |
| †6180 | Flue, twisted wire handle ... | Vict. | 100 | each | 0 0 6 | Penal & Gaols Dept. |
| †6181 | Gum, 5/8" diameter ... | " | 300 | " | 0 1 0 | Gibaud & Son Pty. Ltd. |
| †6182 | Louvre, washing ... | " | 300 | " | 0 1 0 1/2 | Excelsior Broom & Brush Co. |
| †6183 | Painters' 8/0, bristle ... | ... | Nil | ... | ... | |
| †6184 | Pan ... | ... | 175 | ... | ... | } Nil |
| †6185 | Pick ... | ... | 25 | ... | ... | |
| †6186 | Point Cleaning, special, horsehair ... | ... | 600 | ... | ... | |
| †6187 | Point Cleaning, standard, horsehair ... | ... | 900 | ... | ... | |
| Sash Tools, bristle— | | | | | | |
| †6188 | No. 1 ... | ... | } Nil | ... | ... | |
| †6189 | No. 4 ... | ... | | ... | ... | |
| †6190 | No. 5 ... | ... | | ... | ... | |
| †6191 | No. 6 ... | ... | | ... | ... | |
| †6192 | No. 8 ... | ... | | ... | ... | |
| †6193 | No. 12 ... | ... | | ... | ... | |
| Sash Tools, 50/50 (bristle and horse-hair)— | | | | | | |
| †6188A | No. 1 ... | Vict. | 100 | each | 0 1 6 | } Gibaud & Son Pty Ltd. |
| †6189A | No. 4 ... | " | 75 | " | 0 2 9 | |
| †6190A | No. 5 ... | " | 75 | " | 0 3 3 | |
| †6191A | No. 6 ... | " | 275 | " | 0 4 0 | |
| †6192A | No. 8 ... | " | 350 | " | 0 6 0 | |
| †6193A | No. 12 ... | " | 25 | " | 0 9 0 | |
| Sash Tools, horsehair, (string bound)— | | | | | | |
| †6188B | No. 1 ... | South Aust. | 200 | " | £0 0 6 1/2 | } S.A. Brush Co. Ltd. |
| †6189B | No. 4 ... | " | 50 | " | £0 0 11 1/4 | |
| 6189C | | ... | ... | ... | ... | |
| †6190B | No. 5 ... | " | 100 | " | £0 1 1 1/4 | } S.A. Brush Co. Ltd. |
| †6191B | No. 6 ... | " | 120 | " | £0 1 5 1/2 | |
| †6192B | No. 8 ... | " | 150 | " | £0 2 0 1/4 | |
| †6193B | No. 12 ... | " | 100 | " | £0 3 1 1/4 | |

† Less 3 1/4% discount for payment within 7 days of date of receipt of invoice, or 2 1/2% for payment by end of month following month of delivery.

BROOMS, BRUSHES ETC.—continued.

| Item No. | Description | Country of Manuf're | Estimated Requirements | Rate per | Rate £ s. d. | Name of Contractor | |
|----------------------|--|---------------------|------------------------|----------|-----------------|-----------------------------|--|
| BRUSHES—continued— | | | | | | | |
| †6194 | Scouring, horsehair | Vict. | 250 | each | 0 2 3 | Gibaud & Son Pty. Ltd. | |
| †6195 | Scrubbing, boat, winged | South Aust. | 1500 | " | 10 1 9½ | | |
| †6196 | Scrubbing, hand, single wing, service | " | 2500 | " | 10 0 10½ | } S.A. Brush Co. Ltd. | |
| †6197 | Sewer, No. 2 sanitary | " | 500 | " | 10 2 4 | | |
| †6198 | Stencil, 1", bristle | ... | Nil | ... | ... | | |
| †6199 | Stencil, 1½", ,, | ... | Nil | ... | ... | | |
| †6199A | Stencil, 1½", round, horsehair ... | South Aust. | 25 | each | 10 1 10½ | S.A. Brush Co. Ltd. | |
| †6200 | Tar, handled | Vict. | 275 | " | 0 2 6 | Penal & Gaols Dept. | |
| †6201 | Typewriter | ... | 50 | ... | ... | Nil | |
| †6202 | Varnish, black bristle, bevelled edge— 1" wide x 1/8" thick | ... | } Nil | ... | ... | | |
| †6203 | 2" ,, x 3/4" ,, | ... | | ... | ... | ... | |
| †6204 | 3" ,, x 7/8" ,, | ... | | ... | ... | ... | |
| †6202A | Varnish, 50/50 (bristle and horsehair), bevelled edge— 1" wide x 1/8" thick | Vict. | 300 | each | 0 2 0 | } Gibaud & Son Pty. Ltd. | |
| †6203A | 2" ,, x 3/4" ,, | " | 650 | " | 0 4 3 | | |
| †6204A | 3" ,, x 7/8" ,, | " | 350 | " | 0 10 6 | | |
| †6202B | Varnish, horsehair— 1" wide x 1/8" thick | ... | 175 | ... | ... | } Nil | |
| †6203B | 2" ,, x 3/4" ,, | ... | 450 | ... | ... | | |
| †6204B | 3" ,, x 7/8" ,, | ... | 200 | ... | ... | | |
| †6205 | Wall, 3", bristle | ... | 200 | ... | ... | | |
| †6205A | Wall, 3", 50/50 (bristle and horsehair) | Vict. | 1050 | each | 0 13 0 | Gibaud & Son Pty. Ltd. | |
| †6206 | Weatherboard, 3½" | ... | Nil | ... | ... | | |
| †6207 | Weatherboard, 4", bristle | ... | Nil | ... | ... | | |
| †6207A | Weatherboard, 4", 50/50 (bristle and horsehair) | ... | 1200 | ... | ... | Nil | |
| †6207B | Weatherboard, 4", horsehair | Vict. | 250 | each | 0 5 6 | Gibaud & Son Pty. Ltd. | |
| †6208 | Whisks, hand, standard | " | 2200 | " | 10 1 0 | } Aust. Broom Co. Pty. Ltd. | |
| †6209 | Whisks, hand, with 15" handles ... | " | 36 | " | 10 1 1 | | |
| BRUSHES, STEEL WIRE— | | | | | | | |
| †6210 | Blacksmiths', large | ... | 220 | ... | ... | } Nil | |
| †6211 | Blacksmiths', round, handled | ... | 150 | ... | ... | | |
| †6212 | Boiler Tube, 1½" diameter | ... | 500 | ... | ... | | |
| †6213 | Boiler Tube, 2" ,, | ... | 36 | ... | ... | | |

† { Items Nos. 6195–6197 and 6199A—Less 3½% discount for payment within 7 days of date of receipt of invoice, or 2½% for payment by end of month following month of delivery.
 { Items Nos. 6208 and 6209—Less 2½% discount for payment by end of month following month of delivery.

BROOMS, BRUSHES ETC.—continued.

| Item No. | Description | Country of Manuf're | Estimated Requirements | Rate per | Rate £ s. d. | Name of Contractor |
|--------------------------------|---|---------------------|------------------------|----------|-----------------|-------------------------------|
| BRUSHES, STEEL WIRE—continued— | | | | | | |
| †6214 | Moulders' | ... | 120 | ... | ... | } Nil |
| †6215 | Oxy-Welders', flat | ... | 550 | ... | ... | |
| †6216 | Spark Arrester, flat, with 48" handles | ... | 1200 | ... | ... | |
| DUSTERS, FEATHER— | | | | | | |
| †6217 | No. 5 | Vict. | 250 | each | 0 3 0 | } Excelsior Broom & Brush Co. |
| †6218 | No. 46 | " | 1400 | " | 0 5 0 | |
| †6219 | No. 46, without wire binding | " | 450 | " | 0 5 0 | |
| †6220 | Dusters, wool hide, with 2" soft end | ... | 200 | ... | ... | Nil |
| †6221 | Mops, cotton, spiked, (heads only), 16-oz. "Samson" | Vict. | 500 doz. | dozen | 1 5 0 | Downs & Son Pty. Ltd. |
| 6222-6229 | —Nil | | | | | |

GLASS.

(Schedule No. 188.)

(1st July, 1944, to 30th June, 1946).

NOTES.

Items Nos. 6250, 6250A, 6250B, 6250C, 6250D, 6251, 6251A, 6251B, 6251C and 6251D.

The following EXTRAS per lineal ft., are applicable under abovementioned items, for bevels:—

| Size. | <u>¾" Bevel</u> | <u>1" Bevel</u> |
|----------------------------------|-----------------|-----------------|
| | s. d. | s. d. |
| Up to 10 lineal feet | - 8½ | 1 0 |
| Over 10 and up to 12 lineal feet | - 9½ | 1 1 |
| „ 12 „ „ „ 15 „ „ | 1 1 | 1 6½ |
| „ 15 „ „ „ 20 „ „ | 1 6½ | 2 0 |

GLASS—continued.

| Item No. | Description | Country of Manuf're | Estimated Requirements | Rate per | Rate £ s. d. | Name of Contractor |
|----------|---|---------------------|------------------------|----------|-----------------|---|
| | Glass to specification— | | | | | |
| 6230 | Amber, plain, 16 oz., any shade ordered | U.K. | 50 sq. ft. | sq. ft. | †0 4 0 | Brooks, Robinson Pty. Ltd. |
| 6231 | Arctic, white | N.S.W. | 100 " | " | †0 1 0½ | W. & G. Dean Pty. Ltd. |
| 6232 | Arctic, coloured | " | 100 " | " | †0 1 5½ | Melbourne Glass Beveiling & Silvering Co. Pty. Ltd. |
| 6233 | Euston, white | " | 100 " | " | †0 1 0½ | |
| 6234 | Flemish, white, large or small figure, as ordered | " | 1000 " | " | †0 1 0½ | E. L. Yencken & Co. Pty. Ltd. |
| 6235 | Flemish, colours other than white, as ordered, small figure | " | 80 " | " | †0 1 5½ | |
| 6236 | Trimidical | U.K. | 3000 " | " | †0 1 0½ | T. S. Gill & Son Ltd. |
| | Plate, clear, polished, level, free from blemishes— | | | | | |
| | ¼" thick— | | | | | |
| 6237 | Up to 7 square feet | " | 200 " | " | †0 5 0½ | E. L. Yencken & Co. Pty. Ltd. |
| 6238 | Over 7 up to 15 square feet | " | 50 " | " | †0 5 7 | |
| | ⅜" thick— | | | | | |
| 6239 | Up to 10 square feet | " | 3000 " | " | †0 4 9½ | Brooks, Robinson Pty. Ltd. |
| 6240 | Over 10 up to 20 square feet | " | 100 " | " | †0 5 4 | Silverwood & Beck Pty. Ltd. |
| 6241 | " 20 " 30 " " | " | 50 " | " | †0 5 9 | E. L. Yencken & Co. Pty. Ltd. |
| | ½" thick— | | | | | |
| 6242 | Up to 10 square feet | " | 4000 " | " | †0 4 6½ | F. Cotterell & Co. |
| 6243 | Over 10 up to 20 square feet | " | 200 " | " | †0 5 1 | Silverwood & Beck Pty. Ltd. |
| 6244 | " 20 " 40 " " | " | 50 " | " | †0 5 6 | |
| | ⅝" thick— | | | | | |
| 6245 | Up to 10 square feet | " | 60 " | " | †0 5 6½ | E. L. Yencken & Co. Pty. Ltd. |
| 6246 | Over 10 up to 20 square feet | " | 20 " | " | †0 6 1 | |
| | Extra on rates for cutting, grinding and polishing a 3" diameter hole in an indicated position— | | | | | |
| 6247 | Item No. 6239 | Vict. | ... | each | †0 8 9½ | Brooks, Robinson Pty. Ltd. |
| 6247A | Items Nos. 6240, 6243 and 6244 | " | ... | " | †0 8 9½ | Silverwood & Beck Pty. Ltd. |
| 6247B | Item No. 6241 | " | ... | " | †0 8 9½ | E. L. Yencken & Co. Pty. Ltd. |
| 6247C | " " 6242 | " | ... | " | †0 8 9½ | F. Cotterell & Co. |
| | Plate, silvered, plain edge, ¼" thick— | | | | | |
| 6248 | Up to 7 square feet | U.K. & Vict. | 300 sq. ft. | sq. ft. | †0 5 6½ | T. S. Gill & Son Ltd. |
| 6249 | Over 7 up to 15 square feet | " | 20 " | " | †0 6 3 | Silverwood & Beck Pty. Ltd. |
| | Extras on rate for item No. 6239 for— | | | | | |
| 6250 | ¼" bevel | Vict. | ... | lin. ft. | † | } See note Brooks, Robinson Pty. Ltd. |
| 6251 | 1" bevel | " | ... | " | † | |
| 6252 | Polished arriss | " | ... | " | †0 0 4½ | |
| 6253 | Ground edges | " | ... | " | †0 0 6½ | |

† Less 2½% discount for payment by end of month following month of delivery.

GLASS—continued.

| Item No. | Description | Country of Manuf're | Estimated Requirements | Rate per | Rate | | Name of Contractor |
|---|---|---------------------|------------------------|----------|---------|--|---------------------------------|
| | | | | | £ | s. d. | |
| Glass, to specification—continued— | | | | | | | |
| Extras on rates for items Nos. 6240, 6243, 6244 and 6249 for— | | | | | | | |
| 6250A | ¾" bevel | Vict. | ... | lin. ft. | † | } See note | } Silverwood & Beck Pty. Ltd. |
| 6251A | 1" bevel | " | ... | " | † | | |
| 6252A | Polished arriss | " | ... | " | †0 0 4½ | | |
| 6253A | Ground edges | " | ... | " | †0 0 6½ | | |
| Extras on rate for item No. 6241 for— | | | | | | | |
| 6250B | ¾" bevel | " | ... | " | † | } See note | } E. L. Yencken & Co. Pty. Ltd. |
| 6251B | 1" bevel | " | ... | " | † | | |
| 6252B | Polished arriss | " | ... | " | †0 0 4½ | | |
| 6253B | Ground edges | " | ... | " | †0 0 6½ | | |
| Extras on rate for item No. 6242 for— | | | | | | | |
| 6250C | ¾" bevel | " | ... | " | † | } See note | } F. Cotterell & Co. |
| 6251C | 1" bevel | " | ... | " | † | | |
| 6252C | Polished arriss | " | ... | " | †0 0 4½ | | |
| 6253C | Ground edges | " | ... | " | †0 0 6½ | | |
| Extras on rate for item No. 6248 for— | | | | | | | |
| 6250D | ¾" bevel | " | ... | " | † | } See note | } T. S. Gill & Son Ltd. |
| 6251D | 1" bevel | " | ... | " | † | | |
| 6252D | Polished arriss | " | ... | " | †0 0 4½ | | |
| 6253D | Ground edges | " | ... | " | †0 0 6½ | | |
| 6254 | Plate, silvered, plain cut edges, ¼" thick, 6½" x 5½", for tricycle mirrors | U.K. & Vict. | 450 | each | †0 1 3 | } Silverwood & Beck Pty. Ltd. | |
| 6255 | Plate, rolled, ribbed, ⅜" thick | N.S.W. | 50 sq. ft. | sq. ft. | †0 1 0½ | | |
| 6256 | Plate, wire cast, ¼" thick | " | 5000 | " | †0 1 4 | } Melbourne Glass Beveling & Silvering Co. Pty. Ltd. | |
| 6257 | Plate, wire rolled, ¼" thick | " | 200 | " | †0 1 4 | | |
| Sheet, clear— | | | | | | | |
| 16 oz.— | | | | | | | |
| 6258 | Up to 40 united inches | " | 1000 | " | †0 0 6½ | } T. S. Gill & Son Ltd. | |
| 6259 | Over 40 up to 50 united inches | " | 1600 | " | †0 0 6½ | | |
| 21 oz.— | | | | | | | |
| 6260 | 12" x 10" | " | 150 sheets | sheet | †0 0 7½ | } W. & G. Dean Pty. Ltd. | |
| 6261 | 16" x 12" | " | 300 | " | †0 1 0 | | |
| 6262 | 16" x 14" | " | 200 | " | †0 1 2 | | |
| 6263 | 18" x 12" | " | 750 | " | †0 1 2 | | |
| 6264 | Up to 40 united inches, excluding items Nos. 6260. to 6263 | " | 15,000 sq. ft. | sq. ft. | †0 0 9½ | | |

† Less 2½% discount for payment by end of month following month of delivery.

GLASS—continued.

| Item No. | Description | Country of Manuf're | Estimated Requirements | Rate per | Rate £ s. d. | Name of Contractor |
|------------------------------------|--|---------------------|------------------------|----------|-----------------|---|
| Glass, to specification—continued— | | | | | | |
| Sheet, clear—continued— | | | | | | |
| 21 oz.—continued— | | | | | | |
| 6265 | Over 40 up to 50 united inches ... | N.S.W. | 8000 sq. ft. | sq. ft. | £0 0 9½ | } Brooks, Robinson Pty. Ltd. |
| 6266 | „ 50 „ 70 „ „ ... | „ | 5500 „ | „ | £0 0 10 | |
| 6267 | „ 70 „ 80 „ „ ... | „ | 5000 „ | „ | £0 0 10½ | F. Cotterell & Co. |
| 6268 | „ 80 „ 90 „ „ ... | „ | 1000 „ | „ | £0 0 11¼ | T. S. Gill & Son Ltd. |
| 6269 | „ 90 „ 100 „ „ ... | „ | 100 „ | „ | £0 1 1 | F. Cotterell & Co. |
| 26 oz.— | | | | | | |
| 6270 | Up to 40 united inches ... | } | 50,000 „ | „ | £0 0 11 | E. L. Yencken & Co. Pty. Ltd. |
| 6270A | „ „ „ „ ... | | | „ | „ | £0 0 11 |
| 6271 | Over 40 up to 50 united inches ... | } | 40,000 „ | „ | £0 0 11¼ | T. S. Gill & Son Ltd. |
| 6271A | „ „ „ „ „ „ ... | | | „ | „ | £0 0 11¼ |
| 6272 | „ 50 „ 60 „ „ ... | } | 3000 „ | „ | £0 0 11½ | } F. Cotterell & Co. |
| 6272A | „ 60 „ 70 „ „ ... | | | „ | „ | |
| 6273 | „ 70 „ 80 „ „ ... | „ | 250 „ | „ | £0 1 0½ | Brooks, Robinson Pty. Ltd. |
| 6274 | „ 80 „ 90 „ „ ... | „ | 50 „ | „ | £0 1 1½ | } Melbourne Glass Bevelling & Silvering Co. Pty. Ltd. |
| 6275 | „ 90 „ 95 „ „ ... | } | 200 „ | „ | £0 1 2½ | |
| 6275A | „ 95 „ 100 „ „ ... | | | „ | „ | |
| Sheet, ground— | | | | | | |
| 6276 | 21 oz. ... | „ | 100 „ | „ | £0 1 1½ | F. Cotterell & Co. |
| 6277 | 26 oz. ... | „ | 10,000 „ | „ | £0 1 3 | W. & G. Dean Pty. Ltd. |
| Sheet, signal green— | | | | | | |
| †6278 | 16 oz. ... | U.K. | 100 „ | „ | £0 5 7 | } |
| †6279 | 21 oz. ... | „ | 800 „ | „ | £0 7 3 | |
| Sheet, signal red— | | | | | | |
| †6280 | 16 oz. ... | „ | 400 „ | „ | £0 4 1 | Brooks, Robinson Pty. Ltd. |
| †6281 | 21 oz. ... | „ | 250 „ | „ | £0 5 7 | } |
| 6282 | Sheet, silvered, 21 oz., 4½" x 2½", plain edges | N.S.W. & Vict. | 300 | each | £0 0 3¼ | |
| 6283 | Sheet, silvered, 21 oz., to template, plain edges, for platform wall lamps | „ | 80 pairs | pair | £0 1 4½ | |
| 6284 | Windscreen for booking office windows, 21oz., 24 x 18", with 3" diameter cut and ground hole in centre | „ | 48 | each | £0 5 1½ | F. Cotterell & Co. |
| 6285-6289—Nil | | | | | | |

† Less 2½% discount for payment by end of month following month of delivery

PLUMBERS' GOODS.

(Schedule No. 189)

(1st July, 1944, to 30th June, 1946)

| Item No. | Description | Country of Manuf're | Estimated Requirements | Rate per | Rate | | | Name of Contractor |
|----------|--|---------------------|------------------------|----------|------|-----|-----|----------------------------|
| | | | | | £ | s. | d. | |
| 6290 | Balls, fire plug, rubber, 3" diameter, "Dunlop" | Vict. | 12 | each | 0 | 3 | 9 | John Danks & Son Pty. Ltd. |
| 6291 | Bolts and Nuts, galvanised, rolled threads, mushroom slotted heads, square nuts, "Cooke's"— ¾" long x ¼" diameter ... | " | 24 gross | gross | 0 | 4 | 3 | |
| 6292 | 1" " x ¼" " ... | " | 100 | " | 0 | 4 | 7 | |
| 6293 | 1¼" " x ¼" " ... | " | 12 | " | 0 | 4 | 11 | |
| 6294 | 1½" " x ¼" " ... | " | 40 | " | 0 | 5 | 4 | |
| 6295 | 2" " x ¼" " ... | " | 100 | " | 0 | 6 | 0 | |
| 6296 | Clips, bracket, nickel plated, with 1½" shanks, "Ezy" or suitable alternative— For ½", ¾" or 1" copper pipe, as ordered | ... | 36 doz. | ... | ... | ... | ... | Nil |
| 6297 | For 1¼" copper pipe ... | ... | 1 | " | ... | ... | ... | |
| 6298 | For ½" galvanised steel pipe ... | ... | 40 | " | ... | ... | ... | |
| 6299 | Clips, hose, galvanised, "Pope"— ½" ... | S. Aust. | 30 | doz. | 0 | 1 | 4 | John Danks & Son Pty. Ltd. |
| 6300 | ¾" ... | " | 60 | " | 0 | 1 | 6 | |
| 6301 | Clips, hose, galvanised, double lap, "Ideal" pattern— 1¼" ... | ... | ... | ... | ... | ... | ... | Nil |
| 6302 | 1½" ... | ... | ... | ... | ... | ... | ... | |
| 6303 | 1¾" ... | ... | ... | ... | ... | ... | ... | |
| 6304 | Clips, hose, galvanised, double lap, "Ideal" pattern—continued— 2" ... | ... | 96 doz. | ... | ... | ... | ... | Nil |
| 6305 | 2¼" ... | ... | ... | ... | ... | ... | ... | |
| 6306 | 2½" ... | ... | ... | ... | ... | ... | ... | |
| 6307 | 3" ... | ... | ... | ... | ... | ... | ... | |
| 6308 | Clips, pipe, beaded, galvanised, "Diadem"— ½" ... | Vict. | 200 | doz. | 0 | 0 | 3½ | H. A. Barnard Pty. Ltd. |
| 6309 | ¾" ... | " | 300 | " | 0 | 0 | 4½ | |
| 6310 | 1" ... | " | 80 | " | 0 | 0 | 6 | |
| 6311 | Clips, vent, galvanised, for 1½" galvanised sheet iron pipe | " | 30 | " | 0 | 1 | 11 | John Danks & Son Pty. Ltd. |
| 6312 | Hooks, pipe, galvanised, for galvanised steel pipe, "Kirby"— ½" ... | N.S.W. | 80 | " | 0 | 1 | 2 | |
| 6313 | ¾" ... | " | 80 | " | 0 | 1 | 4 | |
| 6314 | 1" ... | " | 30 | " | 0 | 1 | 5 | |
| 6315 | 1½" ... | " | 8 | " | 0 | 2 | 9 | |
| 6316 | 2" ... | " | 2 | " | 0 | 3 | 1 | |
| 6317 | Jointing, bitumen, "Albion" ... | Vict. | 20 cwt. | cwt. | 0 | 12 | 0 | |

PLUMBERS' GOODS—continued.

| Item No. | Description | Country of Manuf're | Estimated Requirements | Rate per | Rate £ s. d. | Name of Contractor |
|-----------|---|---------------------|------------------------|----------|-----------------|---------------------------------------|
| 6318 | Menders, hose, perfect clinching, "Pope"— ½" or ¾", as ordered ... | S. Aust. | 36 doz. | doz. | 0 2 9 | } H. A. Barnard Pty. Ltd. |
| 6319 | 1" ... | " | 8 " | " | 0 10 3 | |
| 6320 | Rivets, galvanised, cone head, ⅜" or ½" long as ordered x ⅜" diameter Screws, galvanised, cone head complete with washers— | ... | 112 lbs. | ... | ... | } Nil |
| 6321 | 2" x 12 G ... | ... | 2500 sets | ... | ... | |
| 6322 | 2¼" x 12 G ... | ... | 1000 " | ... | ... | |
| 6323 | 2½" x 12 G ... | ... | 4000 " | ... | ... | |
| 6324 | 3" x 12 G ... | ... | 2000 " | ... | ... | |
| 6325 | 3½" x 14 G ... | ... | 1250 " | ... | ... | |
| 6326 | 4" x 14 G ... | ... | 1000 " | ... | ... | |
| †6327 | Solder, resin cored, .08" dia., in 1-lb. reels, "Metal Manufactures" | N.S.W. | 100 lbs. | lb. | 0 2 10½ | Australian General Electric Pty. Ltd. |
| 6328 | Spelter, for brazing brass boiler tubes, No. 1, 2, 3 or 4, as ordered (see note) | Vict. | 20 cwt. | " | 0 3 0 | } John Danks & Son Pty. Ltd. |
| 6329 | Spikes, galvanised, for spouting; 6" or 7" long, as ordered, "Cooke's" | " | 600 doz. | doz. | 0 0 6 | |
| 6330 | Tubes, galvanised, for spouting, 4½" or 5" long, as ordered | " | 360 " | " | 0 0 4 | |
| 6331 | Washers, galvanised, cut, round, ⅜" thick, "Cooke's"— ⅜" outside diameter x ⅜" hole | " | 4 cwt. | cwt. | 4 16 0 | |
| 6332 | ¾" " x ¼" " | " | 3 " | " | 4 12 6 | |
| 6333 | ¾" " x ⅝" " | " | 2 " | " | ... | Nil |
| 6334-6339 | Nil | | | | | |

‡ Rate plus 17%

ENAMELLED BATHS, ETC.

(Schedule No. 190)

(1st July, 1944, to 30th June, 1946)

| | | | | | | |
|-------|---|-------|-----|------|----------|----------------------------|
| 6340 | Basins, lavatory, cast iron, white stainless acid resisting enamelled, 1st quality, to specification— 22" x 16", flat back with 1¼" outlet ... | Vict. | 75 | each | †1 19 5 | } Metters K.F.B. Pty. Ltd. |
| 6341 | 22" x 16", " " " 1½" " ... | " | 25 | " | †2 0 11 | |
| 6342 | 25" x 20", corner, " 1¼" " ... | " | 150 | " | †1 18 11 | |
| 6343 | 25" x 20" " " 1½" " ... | " | 30 | " | †2 0 5 | |
| 6343A | Baths, cast iron, white stainless acid re- sisting enamelled, No. 5 pattern, 1st quality, reversible, to specification | " | 250 | " | †8 5 0 | } Nil |
| 6344 | Baths, flanged, cast iron, white stainless acid resisting enamelled, 5' 6", type 1 to 4 (as per blue print 692/37), as ordered, right or left hand outlet, as ordered, to specification— 1st quality ... | ... | ... | ... | ... | |
| 6345 | 2nd " ... | ... | ... | ... | ... | |
| 6346 | Baths, rolled edge, cast iron, white stainless acid resisting enamelled, 1st quality, 5' 6", to specification | ... | 50 | ... | ... | |

} See note

ENAMELLED BATHS, ETC.—continued.

| Item No. | Description | Country of Manuf're | Estimated Requirements | Rate per | Rate | | | Name of Contractor |
|-----------|--|---------------------|------------------------|----------|------|-----|-----|--|
| | | | | | £ | s. | d. | |
| 6347 | Cisterns, cast iron, No. 1, glass enamelled, 3 gal., with cover, and ½" M.M.B.W. pattern standard ball cock, high or low pressure, as ordered, (M), to specification | Vict. | 220 | each | 2 | 19 | 6 | E. L. Yencken & Co. Pty. Ltd. |
| 6348 | Screens, shower, plain galvanised sheet iron, white stove-enamelled, with arch stay at top and saddle piece at bottom, shaped to fit any standard make of cast iron stainless enamelled bath, as ordered | ... | 50 | ... | ... | ... | ... | Nil |
| †6349 | Screens, shower, wired cast glass, 4' 6" x 2' 3", round section frames, right or left hand, as ordered, to specification, uncrated | Vict. | 150 | each | 2 | 6 | 7 | Southern Plating & Manufacturing Co. Pty. Ltd. |
| 6350 | Sinks, cast iron, white stainless acid resisting enamelled, 1st quality, to specification— 18" x 12", inside measurements | ... | 175 | ... | †1 | 14 | 9 | } Metters K.F.B. Pty Ltd. |
| 6351 | 24" x 13" " " | ... | 10 | ... | †2 | 0 | 0 | |
| 6352-6359 | —Nil | | | | | | | |

† Less 2½% discount for payment by end of month following month of delivery.

EARTHENWARE LAVATORY PANS

(Schedule No. 191)

(1st July, 1944, to 30th June, 1946)

| | | | | | | | | |
|-----------|--|-------|-----|------|---|----|---|------------------|
| 6360 | (M) Pans, lavatory, earthenware, pedestal, class 6, white, P. or S. trap, as ordered, unvented, or right or left hand vent, as ordered, to specification | Vict. | 250 | each | 1 | 19 | 8 | } R. Fowler Ltd. |
| 6361 | Pans, lavatory, earthenware, for cars, to drawing No. 6761, (amended 2.9.41), or to drawing No. 4072B, as ordered | " | 120 | " | 3 | 9 | 4 | |
| 6362-6369 | —Nil | | | | | | | |

GENERAL HARDWARE, No. 1

(Schedule No. 192.)

(1st July, 1944, to 30th June, 1946).

| | | | | | | | | |
|-------|---|--------|--------------|-----------|-----|-----|----------------------|-------------------------|
| 6370 | Basins, enamelled, washstand, 15", with- out waste outlet | ... | 100 | ... | ... | ... | } Nil | |
| †6371 | Bottoms, chair, 3-ply, perforated, round, 16" diameter | ... | 100 | ... | ... | ... | | |
| | Chain, jack, iron— | | | | | | | |
| †6372 | 8 gauge | ... | 24 doz. yds. | ... | ... | ... | } Briscoe & Co. Ltd. | |
| 6373 | 10 " " " " " " " " " " | N.S.W. | 24 " " | doz. yds. | 0 | 3 | | 0 |
| 6374 | 12 " " " " " " " " " " | " | 40 " " | " " | 0 | 2 | | 4 |
| 6375 | 14 " " " " " " " " " " | " | 35 " " | " " | 0 | 1 | | 10 |
| 6376 | 16 " " " " " " " " " " | " | 50 " " | " " | 0 | 1 | | 8 |
| †6377 | Extinguishers, fire, No. 0 size, complete, 1 quart, "Auto. Simplex" | " | 100 | each | 1 | 15 | 0 | Wormald Bros. Pty. Ltd. |

GENERAL HARDWARE, No. 1—continued.

| Item No. | Description | Country of Manuf're | Estimated Requirements | Rate per | Rate | | | Name of Contractor |
|----------|---|---------------------|------------------------|----------|------|----|-------|---------------------------------------|
| | | | | | £ | s. | d. | |
| | Ladles, for metal, wrought iron, 10 gauge, "Plumb's"— | | | | | | | |
| 6378 | 4" | N.S.W. | 30 | each | 0 | 3 | 9 | Briscoe & Co. Ltd. |
| 6379 | 6" | " | 50 | " | 0 | 4 | 6 | |
| 6380 | Metal, sheet, expanded, 3/4" mesh, 18 g. | " | 1200 sq. ft. | " | Nil | | | Nil |
| | Parts for "Salter" spring balances— | | | | | | | |
| *6381 | Racks, for 56 lb. balances | U.K. | 50 | each | 0 | 3 | 6 | George Salter & Co. A/asia. Pty. Ltd. |
| *6382 | " 112 " " | " | 25 | " | 0 | 4 | 0 | |
| *6383 | Shafts, pinion, hardened, with hole for cotter pin, for 56 lb. balances | " | 50 | " | 0 | 4 | 6 | |
| *6384 | " " " 112 lb. " | " | 25 | " | 0 | 5 | 6 | |
| *6385 | Springs, for 56 lb. balances | " | 50 | " | 0 | 3 | 0 | |
| *6386 | " " 112 " " | " | 25 | " | 0 | 3 | 6 | |
| | Plates, brass, etched with acid, to specification— | | | | | | | |
| *6387 | Engine No., Cylinder Size, Crankshaft Size | Vict. | 250 | " | 0 | 0 | 3 1/2 | C. G. Roeszler & Son |
| *6388 | Fire Extinguisher | " | 175 | " | 0 | 1 | 5 | |
| *6389 | For Inspection car oil pump | " | 75 | " | 0 | 0 | 3 1/2 | |
| *6390 | Motor Spirit—Highly Inflammable, 4 1/2" x 2 1/2" | " | 150 | " | 0 | 1 | 0 | |
| *6391 | Victorian Railways, Ser. No., Volts, Amps. | " | 650 | " | 0 | 0 | 3 1/2 | |
| | Pulleys, galvanised, 2", universal type, for signal wires, (see note)— | | | | | | | |
| *6392 | Single | N.S.W. | 300 doz. | doz. | 1 | 7 | 0 | R. B. Davies Pty. Ltd. |
| *6393 | Double | " | 50 " | " | 1 | 10 | 0 | |
| *6394 | Triple | " | 120 " | " | 2 | 8 | 0 | |
| 6395 | Pumps, kerosene, closed top, with cutter | | 60 | | | | | |
| †6396 | Safes, meat, round, hanging, 18" diameter | | 100 | | | | | Nil |
| †6397 | Shovels, cinder, size 2, with tubular steel handle | | 120 | | | | | |
| †6398 | Spiders, for Douglas type chairs | | 50 | | | | | |
| 6399 | Wheels, navy barrow, with wrought iron rims of flat section, 16" diameter x 1 1/2" wide x 1/8" thick, 6 No. 1/2" spokes, 3/4" spindles | Vict. | 120 | each | 0 | 8 | 9 | A. G. Way & Co. Pty. Ltd. |
| *6400 | Wheels, platform barrow, wrought iron, 18 1/2" dia., with 7/8" turned spindle, 2 1/2" rims x 1/8" thick | " | 50 | " | 0 | 15 | 6 | |
| 6401 | Nil | | | | | | | |

GENERAL HARDWARE, No. 2

(Schedule No. 193).

(1st July, 1944, to 30th June, 1946).

| | | | | | | | | |
|------|--|-------|----|------|---|---|---|---------------------------|
| | Barrows, wheel, tubular steel, 16 gauge mild steel body, with 1" pipe handles— | | | | | | | |
| 6402 | 3 cubic feet capacity | Vict. | 15 | each | 3 | 0 | 0 | A. G. Way & Co. Pty. Ltd. |
| 6403 | 5 " " " " | " | 6 | " | 4 | 5 | 0 | |

GENERAL HARDWARE, No. 2—continued.

| Item No. | Description | Country of Manuf're | Estimated Requirements | Rate per | Rate £ s. d. | Name of Contractor |
|----------|---|---------------------|------------------------|------------|------------------------|---------------------------------------|
| 6404 | Bellows, moulders', 9", "Federal" | Vict. | 50 | each | 0 6 5 | Briscoe & Co. Ltd. |
| 6405 | Candles, filter, "Berkefeld H" ... | ... | 72 | ... | ... | Nil |
| †6406 | Cups, grease, pressed steel— No. 3, ¼" gas, 1½" outside dia., "Koala" | N.S.W. | 20 doz. | doz. | 0 12 1 | Bell's Asbestos & Eng. (Aust.) Ltd. |
| †6407 | No. 4, ¼" ,, ... | ... | 15 ,, | ... | ... | Nil |
| 6408 | Exterminator, rabbit, "Smokogas," in packets of approx. 4 oz. | Vict. | 1000 doz. pkts. | doz. pkts. | 0 3 3 | Hart & Co. Pty. Ltd. |
| †6409 | Glasses— Bullseye, with rubber gaskets, for Detroit lubricators | ... | 600 doz. sets | ... | ... | Nil |
| *6410 | Gauge, ¾" x 16½" long, suitable for Babcock and Wilcox boilers at 210 lb. pressure, Bishop's "Adamant" | U.K. | 36 doz. | ... | } Landed cost plus 15% | } Bell's Asbestos & Eng. (Aust.) Ltd. |
| †6411 | Lubricator, 1½" x 3¾", Bishop's "Adamant" | .. | 120 ,, | ... | | |
| 6412 | Holders, broom, complete with wing nut, flat and spring washer and 2 screws— "Gyton's" No. 2, with ⅜" bolt | Vict. | 750 | each | 0 2 1½ | } T. H. Gyton |
| 6413 | "Gyton's" No. 3, with ⅜" bolt | .. | 1000 | .. | 0 2 1 | |
| *†6414 | Pots, paste (basins), enamelled | ... | 100 | ... | ... | } Nil |
| †6415 | Scissors, lamp | ... | 18 pairs | ... | ... | |
| †6416 | Scissors, office, 6" | ... | 100 ,, | ... | ... | |
| *6417 | Type, dating, lead | ... | 300 lbs. | ... | ... | |
| †6418 | Whistles, guards', "Acme Thunderer" | U.K. | 300 | each | 0 2 3½ | Briscoe & Co. Ltd. |
| 6419 | Nil | | | | | |

POLISHES, CASE HARDENING COMPOSITION, ETC.

(Schedule No. 194)

(1st July, 1944, to 30th June, 1946)

| | | | | | | |
|-------|--|----------|---------------|-----------|--------|-------------------------------|
| †6420 | Composition, case hardening, fine | Vict. | 15 tons | ton | 22 9 3 | Hart & Co. Pty. Ltd. |
| †6421 | Dressing, belt, liquid, in tins of 1-lb., "Octopus." (see note) | S. Aust. | } 450 lbs. | lb. | 0 2 2 | } H. Perks & Co. Pty. Ltd. |
| †6422 | Dressing, belt, liquid, in tins of 2, 7 or 14 lbs., as ordered, "Octopus." (see note) | .. | | .. | 0 2 0 | |
| †6423 | Polish, boot, "Nugget," in tins of 1½-ozs. net, (in cartons of 24 tins)— Black | Vict. | 100 doz. tins | doz. tins | 10 4 7 | } Nugget Polish Pty. Ltd. |
| †6424 | Tan or Dark Tan, as ordered | .. | 40 ,, | .. | 10 4 7 | |
| †6425 | Polish, cleanser, "Wyandotte," or suitable alternative, in casks of 80-lbs. | ... | 6 casks | ... | ... | } Nil |
| †6426 | Polish, furniture, wax, brown, in tins of approx. 12-ozs. net. | ... | 40 doz. tins | ... | ... | |
| †6427 | Polish, lavatory cleaner, "Speddo" or suitable alternative, in tins of approx. 20-ozs. | ... | 5 ,, | ... | ... | |
| †6428 | Polish, metal cleaner— Liquid, for hot metal, in tins of 6½ fluid ozs., "Pynerzone" | Vict. | 1500 tins | tin | 0 0 5½ | A. B. Gibson & Sons Pty. Ltd. |
| †6429 | Paste; for cold metal, in approx. 8 oz. collapsible tubes, to specification | ... | 2800 tubes | ... | ... | Nil |

POLISHES, CASE HARDENING COMPOSITION, ETC.—continued.

| Item No. | Description | Country of Manuf're | Estimated Requirements | Rate per | Rate | | | Name of Contractor |
|-----------|--|---------------------|------------------------|----------|------|------|----------------------------------|--------------------|
| | | | | | £ | s. | d. | |
| †6430 | Renovator, oil, for exterior woodwork, in 4 gallon tins | .. | 60 gals. | ... | ... | ... | Nil | |
| †6431 | Salts, carburising, liquid, "Impregno" ... | N.S.W. & Vict. | 10 cwt. | cwt. | 10 | 19 4 | } Thermo Eng. Services Pty. Ltd. | |
| †6432 | Carbon Economiser, "Impregno," for use with item No. 6431 | " | 1 " | " | 10 | 5 4 | | |
| †6433 | Solvent, rust, "Castles"— In 15-oz. tins, with reversible spouts ... | Vict. | 500 tins | tin | †0 | 1 4 | } Greasgo Products | |
| | | | | | | | | †6434 |
| †6435 | Stain, black, "Ezywurk," or suitable alternative, in approximately ½-pint containers | ... | 20 doz. | ... | ... | ... | Nil | |
| 6436-6439 | —Nil | ... | ... | ... | ... | ... | Nil | |

† Items Nos. 6423 and 6424.—Less 3½% discount for payment within 7 days of date of receipt of invoice, or 2½%—30 days.
 † Items Nos. 6433 and 6434.—Less 5% discount for payment within 14 days of date of receipt of invoice, or 2½%—30 days.

NOTE—2½%—30 days means 2½% discount for payment by end of month following month of delivery.

COPPER BOILERS, STOVES, ETC.

(Schedule No. 195.)

(1st July, 1944, to 30th June, 1946).

| | | | | | | | | | | | | |
|-------|---|-------|-----|------|-----|------|-------------------------------|-------------------------------|---------------------|-----|----|------|
| 6440 | Boilers, copper, blocked, 22 s.w. gauge, 14-gallon capacity | ... | 75 | ... | ... | ... | Nil | | | | | |
| 6441 | Doors, furnace, with frames, for coppers, 10" x 8" | Vict. | 48 | each | †0 | 2 7 | } Metters K.F.B. Pty. Ltd. | | | | | |
| †6442 | Grates, company, (coke), 16" | " | 175 | " | 0 | 10 0 | | A. H. Ryan & Irving Pty. Ltd. | | | | |
| 6443 | Ovens, camp, complete with lids— 12" ... | " | 5 | " | †0 | 9 6 | } Metters K.F.B. Pty. Ltd. | | | | | |
| | | | | | | | | 6444 | 14" ... | 10 | †0 | 13 0 |
| | | | | | | | | 6445 | 16" ... | 10 | †0 | 15 6 |
| 6446 | Ovens, Colonial, 24" x 12" x 16" | ... | 5 | ... | ... | ... | Nil | | | | | |
| 6447 | Stands and Frames, for 14-gallon copper boilers, cast iron, complete with 5 feet of flue piping and ash pan for internal use (uncrated), "Family" | Vict. | 100 | each | 2 | 19 0 | Anderson & Ritchie Pty. Ltd. | | | | | |
| 6448 | Stoves, "Dumpy," without pipe— No. 2 ... | " | 3 | " | †1 | 2 6 | } Metters K.F.B. Pty. Ltd. | | | | | |
| | | | | | | | | 6449 | No. 3 ... | 10 | †1 | 7 6 |
| †6450 | Stoves, one-fire, "Clarion," 30" x 27" x 18", complete with 7½ feet of flue piping, rake, poker, etc. | " | 120 | " | 4 | 17 0 | Galliers & Klaerr Pty. Ltd. | | | | | |
| 6451 | Trays, ash, for "Federal" stoves, 11" x 7½" x 1½" deep | ... | 72 | ... | ... | ... | Nil | | | | | |
| 6452 | Parts for "Clarion" stoves— Ashpan ... | Vict. | ... | each | 0 | 5 3 | } Galliers & Klaerr Pty. Ltd. | | | | | |
| | | | | | | | | 6452A | Box, flue ... | ... | 0 | 7 3 |
| | | | | | | | | 6452B | Clip, fire door ... | ... | 0 | 1 1 |
| | | | | | | | | 6452C | Cover, fire ... | ... | 0 | 7 3 |
| | | | | | | | | 6452D | Cup, side ... | ... | 0 | 1 1 |
| | | | | | | | | 6452E | Cup, centre ... | ... | 0 | 1 3 |

† Less 2½% discount for payment by end of month following month of delivery.

COPPER BOILERS, STOVES, ETC.—continued.

| Item No. | Description | Country of Manuf're | Estimated Requirements | Rate per | Rate | | | Name of Contractor |
|-----------|---|---------------------|------------------------|----------|------|----|----|--------------------------------|
| | | | | | £ | s. | d. | |
| | Parts for "Clarion" stoves— <i>continued.</i> | | | | | | | |
| 6452F | Damper, back | Vict. | ... | each | 0 | 1 | 3 | Galliers & Klaerr Pty. Ltd. |
| 6452G | Damper, back frame | " | ... | " | 0 | 2 | 0 | |
| 6452H | Damper, fire door | " | ... | " | 0 | 1 | 9 | |
| 6452J | Door, fire, complete | " | ... | " | 0 | 7 | 6 | |
| 6452K | Door, flue box | " | ... | " | 0 | 1 | 3 | |
| 6452L | Door, oven | " | ... | " | 0 | 8 | 9 | |
| 6452M | Door, soot | " | ... | " | 0 | 1 | 0 | |
| 6452N | Front | " | ... | " | 0 | 16 | 6 | |
| 6452P | Grating, bottom | " | ... | " | 0 | 6 | 0 | |
| 6452R | Grating, side | " | ... | " | 0 | 3 | 3 | |
| 6452S | Knob | " | ... | " | 0 | 1 | 3 | |
| 6452T | Pipe, flue | " | ... | foot | 0 | 1 | 3 | |
| 6452U | Saddle, fire | " | ... | each | 0 | 12 | 6 | |
| 6452V | Shelf | " | ... | " | 0 | 2 | 9 | |
| 6452W | Side, outer | " | ... | " | 0 | 8 | 6 | |
| 6452X | Top | " | ... | " | 0 | 16 | 6 | |
| 6453-6459 | — Nil | | | | | | | |

GRINDSTONES, ABRASIVE WHEELS, ETC.

(Schedule No. 196)

(1st July, 1944, to 30th June, 1946.)

† TRADE AND SETTLEMENT DISCOUNT.

| Group No. | The contract rates for the undermentioned items are subject to trade and settlement discount. In column (1) is shown trade discount allowable on orders under net value of £50; column (2) shows trade discount allowable on orders of a net value of £50 or more; and settlement discount, which applies regardless of value of order, is shown in column (3). Items Nos. | Trade Discount. | | Settlement discount, for payment by end of month following month of delivery. Applicable to (1) and (2). |
|-----------|---|--|--------------------------------------|--|
| | | (1) Orders under £50 net value. | (2) Orders net value £50 or over. | |
| A | 6472 to 6492, 6494 to 6499, 6501 to 6532, 6535 to 6560, 6575 to 6588, 6590 to 6593, 6595 to 6598, 6600 to 6602, 6604 to 6617, 6622 to 6626, 6631 to 6633, 6635 and 6636. | less 32½%, less 5% | less 40%, less 5% | 2½% |
| B | 6463 to 6465, 6493, 6500, 6533, 6534, 6564 to 6574, 6589, 6594, 6599, 6603, 6620, 6621, 6627 to 6630 and 6634. | less 12½%, less 5% | less 20%, less 5% | 2½% |
| C | 6561 to 6563, 6618 and 6619 | less 5%, less 5% | less 15%, less 5% | 2½% |
| D | 6468 to 6471. | plus 10%, plus 6½%, war risk, less 5% | plus 6½%, war risk, less 5% | 2½% |

GRINDSTONES, ABRASIVE WHEELS, ETC.—continued.

| Item No. | Description | Country of Manuf're | Estimated Requirements | Discount Group | Rate per | Rate £ s. d. | Name of Contractor |
|----------|--|---------------------|------------------------|----------------|----------|-----------------|---------------------------|
| 6460 | Grindstones, of approved grit, soft, medium or hard, to specification, as ordered, "Pyrstone"— 4" thick x 24" diameter | N.S.W. | 5 | ... | each | 1 2 4 | } McPherson's Pty. Ltd. |
| 6461 | 5" " x 30" " | " | 3 | ... | " | 2 6 0 | |
| 6462 | 7" " x 48" " | ... | 3 | ... | ... | ... | |
| | Blocks, segmental, abrasive, aluminous oxide, vitrified bond, 6" x 3 5/16" / 4 1/8" x 1 1/2", to specification, for surface grinding, suitable for use in a chuck 22" diameter rotating at 720 r.p.m.— | | | | | | |
| 6463 | 3830 IBE | N.S.W. | 500 | B | each | 10 12 9 | } Eliza Tinsley Pty. Ltd. |
| 6464 | 3820 IBE | " | 500 | B | " | 10 12 9 | |
| 6465 | 3724 I | " | 150 | B | " | 10 12 9 | |
| 6466 | Discs, abrasive, to specification— 7" diameter x 24 grit, "A.C.E." | Vict. | } 300/7" | ... | " | 0 1 0 1/4 | } Frank Wells Pty. Ltd. |
| 6467 | 9" " x 24 " " " | " | | ... | " | 0 1 7 1/2 | |
| 6466A | 7" " x 24 " " "Canada Sandpapers" | Canada | | } 150/9" | ... | " | |
| 6467A | 9" " x 24 " " "Canada Sandpapers" | " | ... | | " | 0 1 6 | |
| 6468 | 22" x 1 1/2" x 8", cloth backed, for mild steel, Baux. 24/5D, "Universal" | U.K. | 30 | D | " | 13 14 6 | } Frank Wells Pty. Ltd. |
| 6469 | 22" x 1 1/2" x 8", cloth backed, for tool steel, Baux. 30/4D, "Universal" | " | 12 | D | " | 13 14 6 | |
| 6470 | 22" x 1 1/2" x 8", cloth backed, for brass and gun metal, 30/5D, "Universal" | " | 24 | D | " | 13 14 6 | |
| 6471 | 26" x 1 1/2" x 8", cloth backed, for cast iron and brass, 24/5D, "Universal" | " | 15 | D | " | 14 12 0 | |
| | WHEELS, ABRASIVE, to specification— Plain— Aluminous oxide, vitrified bond— | | | | | | |
| 6472 | 7/8" x 1 1/4" x 1 1/4", 60 LBE | N.S.W. | 2 | A | " | 10 1 9 | } McPherson's Pty. Ltd. |
| 6473 | 1" x 1 1/4" x 1 1/4", 60 LBE | " | 26 | A | " | 10 1 9 | |
| 6474 | 1 1/4" x 1 1/2" x 3/16", 46 PBE | " | 12 | A | " | 10 4 6 | |
| 6475 | 1 1/4" x 1 1/2" x 3/16", 46 LBE | " | 60 | A | " | 10 4 6 | |
| 6476 | 1 1/2" x 1 1/2" x 3/16", 46 PBE | " | 24 | A | " | 10 4 6 | |
| 6477 | 1 1/2" x 1 1/2" x 3/16", 46 LBE | " | 100 | A | " | 10 4 6 | |
| 6478 | 2" x 3/4" x 1/2", 46 LBE | " | 32 | A | " | 10 3 9 | |
| 6479 | 2" x 1 1/2" x 3/16", 46 PBE | " | 20 | A | " | 10 5 9 | |
| 6480 | 2" x 1 1/2" x 3/16", 46 LBE | " | 12 | A | " | 10 5 9 | |
| 6481 | 3" x 1 1/4" x 1 1/4", 60 L (L.B.) | " | 12 | A | " | 10 3 3 | |
| 6482 | 3" x 1 1/2" x 3/16", 46 LBE (L.B.) | " | 12 | A | " | 10 7 3 | |
| 6483 | 4" x 1 1/4" x 1/2", 80 N | " | 4 | A | " | 10 4 3 | |
| 6484 | 4" x 3/8" x 1/2", 60 N (L.B.) | " | 12 | A | " | 10 4 9 | |
| 6485 | 4" x 3/8" x 5/8", 80 O (L.B.) | " | 8 | A | " | 10 4 9 | |
| 6486 | 4" x 3/4" x 1/2", 46 L (L.B.) | " | 8 | A | " | 10 6 3 | |
| 6487 | 4" x 1" x 3/4", 46 LBE (L.B.) | " | 4 | A | " | 10 7 6 | |

GRINDSTONES, ABRASIVE WHEELS, ETC.—continued.

| Item No. | Description | Country of Manufacture | Estimated Requirements | Discount Group | Rate per | Rate | | | Name of Contractor |
|---|--|------------------------|------------------------|----------------|----------|------|----|----|-------------------------|
| | | | | | | £ | s. | d. | |
| WHEELS, ABRASIVE, to specification— continued— Plain—continued— Aluminous oxide, vitrified bond—continued— | | | | | | | | | |
| 6488 | 5" x 3/4" x 1/2", 36 R (L.B.) | N.S.W. | 12 | A | each | 10 | 8 | 6 | Eliza Tinsley Pty. Ltd. |
| 6489 | 6" x 1/4" x 1/2", 60 L (L.B.) | " | 6 | A | " | 10 | 7 | 3 | |
| 6490 | 6" x 1/4" x 3/4", 80 L (L.B.) | " | 2 | A | " | 10 | 7 | 3 | McPherson's Pty. Ltd. |
| 6491 | 6" x 1/2" x 1/2", 46 N (L.B.) | " | 12 | A | " | 10 | 9 | 0 | |
| 6492 | 6" x 1/2" x 1/2", 50 I (L.B.) | " | 24 | A | " | 10 | 9 | 0 | McPherson's Pty. Ltd. |
| 6493 | 6" x 1/2" x 1/2", 38100 IBE (L.B.) | " | 6 | B | " | 10 | 9 | 0 | |
| 6494 | 6" x 1/2" x 3/8", 60 O (L.B.) | " | 4 | A | " | 10 | 9 | 0 | Eliza Tinsley Pty. Ltd. |
| 6495 | 6" x 1/2" x 1 1/4", 60 LBE (L.B.) | " | 6 | A | " | 10 | 9 | 0 | |
| 6496 | 6" x 3/4" x 3/4", 60 JBE (L.B.) | " | 16 | A | " | 10 | 11 | 0 | Eliza Tinsley Pty. Ltd. |
| 6497 | 6" x 3/4" x 1 1/4", 50 O (L.B.) | " | 12 | A | " | 10 | 11 | 0 | |
| 6498 | 6" x 1" x 1/2", 24 R (L.B.) | " | 400 | A | " | 10 | 12 | 9 | Eliza Tinsley Pty. Ltd. |
| 6499 | 6" x 1" x 3/4", 46 L (L.B.) | " | 2 | A | " | 10 | 12 | 9 | |
| 6500 | 8" x 3/8" x 1/4", 3846 J (L.B.) | " | 4 | B | " | 10 | 11 | 9 | Eliza Tinsley Pty. Ltd. |
| 6501 | 8" x 3/8" x 1 1/2", 50 M (L.B.) | " | 2 | A | " | 10 | 11 | 9 | |
| 6502 | 8" x 3/8" x 1 1/2", 60 O (L.B.) | " | 2 | A | " | 10 | 11 | 9 | Eliza Tinsley Pty. Ltd. |
| 6503 | 8" x 1/2" x 3/4", 50 L (L.B.) | " | 6 | A | " | 10 | 13 | 3 | |
| 6504 | 8" x 3/4" x 3/4", 36 P (L.B.) | " | 4 | A | " | 10 | 16 | 6 | Eliza Tinsley Pty. Ltd. |
| 6505 | 8" x 3/4" x 3/4", 50 L (L.B.) | " | 12 | A | " | 10 | 16 | 6 | |
| 6506 | 8" x 3/4" x 7/8", 50 O (L.B.) | " | 2 | A | " | 10 | 16 | 6 | Eliza Tinsley Pty. Ltd. |
| 6507 | 8" x 1" x 3/4", 30 QBE (L.B.) | " | 6 | A | " | 10 | 19 | 6 | |
| 6508 | 8" x 1" x 2", 46 K (L.B.) | " | 4 | A | " | 10 | 19 | 6 | Eliza Tinsley Pty. Ltd. |
| 6509 | 8" x 1 1/4" x 3/4", 24 R (L.B.) | " | 60 | A | " | 11 | 3 | 0 | |
| 6510 | 8" x 1 1/4" x 3/4", 36 QBE (L.B.) | " | 4 | A | " | 11 | 3 | 0 | Eliza Tinsley Pty. Ltd. |
| 6511 | 8 1/2" x 1 3/4" x 6", Special Shape No. 1021, 50 L | " | 2 | A | " | 11 | 16 | 0 | |
| 6512 | 10" x 1/4" x 3/4", 50 NBE (L.B.) | " | 2 | A | " | 10 | 13 | 6 | McPherson's Pty. Ltd. |
| 6513 | 10" x 1/4" x 7/8", 80 PBE (L.B.) | " | 6 | A | " | 10 | 13 | 6 | |
| 6514 | 10" x 3/8" x 7/8", 46 K (L.B.) | " | 4 | A | " | 10 | 16 | 3 | McPherson's Pty. Ltd. |
| 6515 | 10" x 3/8" x 7/8", 80 N (L.B.) | " | 20 | A | " | 10 | 16 | 3 | |
| 6516 | 10" x 1/2" x 7/8", 50 NBE (L.B.) | " | 2 | A | " | 10 | 18 | 6 | McPherson's Pty. Ltd. |
| 6517 | 10" x 1/2" x 7/8", 50 K (L.B.) | " | 2 | A | " | 10 | 18 | 6 | |
| 6518 | 10" x 1/2" x 1 1/4", 46 L (L.B.) | " | 2 | A | " | 10 | 18 | 6 | McPherson's Pty. Ltd. |
| 6519 | 10" x 3/4" x 7/8", 46 N (L.B.) | " | 20 | A | " | 11 | 3 | 0 | |
| 6520 | 10" x 3/4" x 1 1/4", 46 L (L.B.) | " | 2 | A | " | 11 | 3 | 0 | McPherson's Pty. Ltd. |

GRINDSTONES, ABRASIVE WHEELS, ETC.—continued.

| Item No. | Description | Country of Manuf're. | Estimated Requirements | Discount Group | Rate per | Rate | | | Name of Contractor |
|----------|--|----------------------|------------------------|----------------|----------|------|----|----|-----------------------|
| | | | | | | £ | s. | d. | |
| | WHEELS, ABRASIVE, to specification, continued— Plain—continued— Aluminous oxide, vitrified bond—continued— | | | | | | | | |
| 6521 | 10" x 3/4" x 3", 46 L (L.B.) | N.S.W. | 6 | A | each | 11 | 3 | 0 | McPherson's Pty. Ltd. |
| 6522 | 10" x 1" x 7/8", 46 K (L.B.) | " | 8 | A | " | 11 | 8 | 0 | |
| 6523 | 10" x 1" x 7/8", 50 N (L.B.) | " | 12 | A | " | 11 | 8 | 0 | |
| 6524 | 10" x 1" x 1", 36 PBE (L.B.) | " | 2 | A | " | 11 | 8 | 0 | |
| 6525 | 10" x 1" x 1", 50 NBE (L.B.) | " | 2 | A | " | 11 | 8 | 0 | |
| 6526 | 10" x 1" x 1 1/8", 50 LBE (L.B.) | " | 2 | A | " | 11 | 8 | 0 | |
| 6527 | 10" x 1" x 1 1/4", 46 LBE (L.B.) | " | 2 | A | " | 11 | 8 | 0 | |
| 6528 | 10" x 1 1/2" x 1 1/4", 50 L (L.B.) | " | 2 | A | " | 11 | 18 | 0 | |
| 6529 | 10" x 2" x 1 1/4", 50 L | " | 2 | A | " | 12 | 9 | 0 | |
| 6530 | 12" x 1/2" x 2", 46 L (L.B.) | " | 24 | A | " | 10 | 17 | 3 | |
| 6531 | 12" x 1/2" x 2", 46 L (L.B.) | " | 2 | A | " | 11 | 3 | 0 | |
| 6532 | 12" x 1" x 2", 46 KBE (L.B.) | " | 2 | A | " | 11 | 16 | 0 | |
| 6533 | 12" x 1 1/4" x 5", 3846 J | " | 8 | B | " | 12 | 3 | 0 | |
| 6534 | 12" x 1 1/4" x 5", 3860 HBE | " | 8 | B | " | 12 | 3 | 0 | |
| 6535 | 12" x 1 1/2" x 1 1/2", 24 QBE (L.B.) | " | 12 | A | " | 12 | 9 | 0 | |
| 6536 | 12" x 1 1/2" x 1 1/2", 60 O (L.B.) | " | 12 | A | " | 12 | 9 | 0 | |
| 6537 | 12" x 2" x 1", 36 QBE (L.B.) | " | 10 | A | " | 13 | 2 | 0 | |
| 6538 | 12" x 2" x 2", 30 QBE (L.B.) | " | 24 | A | " | 13 | 2 | 0 | |
| 6539 | 12" x 2" x 2", 36 QBE (L.B.) | " | 6 | A | " | 13 | 2 | 0 | |
| 6540 | 12" x 2" x 2", 46 KBE (L.B.) | " | 16 | A | " | 13 | 2 | 0 | |
| 6541 | 14" x 2" x 1 1/2", 20 Q (L.B.) | " | 60 | A | " | 14 | 5 | 0 | |
| 6542 | 14" x 2" x 1 1/2", 50 O (L.B.) | " | 6 | A | " | 14 | 5 | 0 | |
| 6543 | 14" x 2" x 2", 24 QBE (L.B.) | " | 12 | A | " | 14 | 5 | 0 | |
| 6544 | 14" x 2" x 7", 36 J | " | 2 | A | " | 14 | 0 | 0 | |
| 6545 | 16" x 2" x 2", 20 R (L.B.) | " | 4 | A | " | 15 | 11 | 0 | |
| 6546 | 18" x 1 1/2" x 10", 36 JBE | " | 2 | A | " | 13 | 19 | 0 | |
| 6547 | 18" x 1 1/2" x 5", 50 L | " | 4 | A | " | 15 | 8 | 0 | |
| 6548 | 18" x 1 1/2" x 5", 46 K | " | 2 | A | " | 15 | 8 | 0 | |
| 6549 | 18" x 1 3/4" x 2 1/4", 24 QBE | " | 6 | A | " | 16 | 3 | 0 | |
| 6550 | 18" x 2" x 1 1/2", 20 R (L.B.) | " | 4 | A | " | 16 | 19 | 0 | |
| 6551 | 18" x 2" x 1 1/2", 24 QBE (L.B.) | " | 24 | A | " | 16 | 19 | 0 | |
| 6552 | 18" x 3" x 5", 50 LBE | " | 6 | A | " | 19 | 18 | 0 | |
| 6553 | 20" x 2 1/2" x 1 1/4", 16 R (L.B.) | " | 70 | A | " | 10 | 3 | 0 | |

GRINDSTONES, ABRASIVE WHEELS, ETC.—continued.

| Item No. | Description | Country of Manuf're | Estimated Requirements | Discount Group | Rate per | Rate £ s. d. | Name of Contractor |
|--|--------------------------------|---------------------|------------------------|----------------|----------|-----------------|-------------------------|
| WHEELS, ABRASIVE, to specification, continued— | | | | | | | |
| Plain—continued— | | | | | | | |
| Aluminous oxide, vitrified bond—continued— | | | | | | | |
| 6554 | 20" x 2½" x 1¼", 24 QBE (L.B.) | N.S.W. | 70 | A | each | 110 3 0 | Eliza Tinsley Pty. Ltd. |
| 6555 | 20" x 2½" x 9", 24 QBE | " | 8 | A | " | 19 13 6 | |
| 6556 | 20" x 2½" x 10", 24 QBE | " | 2 | A | " | 18 19 6 | |
| 6557 | 24" x 1¼" x 2¼", 24 QBE | " | 4 | A | " | 110 19 0 | |
| 6558 | 24" x 3" x 2", 16 R (L.B.) | " | 8 | A | " | 117 10 0 | |
| 6559 | 24" x 3" x 2", 30 QBE (L.B.) | " | 8 | A | " | 117 10 0 | |
| 6560 | 26" x 1½" x 6", 36 JBE | " | 2 | A | " | 110 15 6 | |
| Aluminous oxide, resinoid bond— | | | | | | | |
| 6561 | 2½" x ¾" x ¾", 20 NT | " | 400 | C | " | 10 4 3 | McPherson's Pty. Ltd. |
| 6562 | 6" x 1" x ¾", 14 QT (L.B.) | " | 600 | C | " | 10 12 9 | |
| 6563 | 6" x 1¼" x ¾", 20 QT (L.B.) | " | 350 | C | " | 10 14 9 | |
| Silicon carbide, vitrified bond— | | | | | | | |
| 6564 | 4" x 1" x ¾", 3730 I (L.B.) | " | 2 | B | " | 10 7 6 | Eliza Tinsley Pty. Ltd. |
| 6565 | 4" x 1" x ¾", 3760 L (L.B.) | " | 2 | B | " | 10 7 6 | |
| 6566 | 6" x ½" x 1¼", 37120 I (L.B.) | " | 8 | B | " | 10 9 0 | |
| 6567 | 6" x 1" x ¾", 3730 I (L.B.) | " | 2 | B | " | 10 12 9 | |
| 6568 | 10" x 1" x 1½", 3746 L (L.B.) | " | 2 | B | " | 11 8 0 | |
| 6569 | 12" x 2" x 1½", 3724 R (L.B.) | " | 8 | B | " | 13 2 0 | |
| 6570 | 14" x 2" x 1½", 3724 S (L.B.) | " | 8 | B | " | 14 5 0 | |
| 6571 | 18" x 1½" x 5", 3746 K | " | 2 | B | " | 15 8 0 | |
| 6572 | 20" x 2½" x 1¼", 3716 P (L.B.) | " | 30 | B | " | 110 3 0 | |
| 6573 | 24" x 3" x 2", 3720 R (L.B.) | " | 4 | B | " | 117 10 0 | |
| 6574 | 30" x 3" x 21", 3720 R | " | 2 | B | " | 121 17 0 | |
| Plain, with face "D" bevel edge— | | | | | | | |
| Aluminous oxide, vitrified bond— | | | | | | | |
| 6575 | 10" x ½" x ¾", 1946 MBE (L.B.) | " | 2 | A | " | 10 13 6 | McPherson's Pty. Ltd. |
| 6576 | 10" x ¾" x ¾", 1946 MBE (L.B.) | " | 2 | A | " | 10 16 3 | |
| 6577 | 10" x ¾" x ¾", 1946 MBE (L.B.) | " | 2 | A | " | 10 16 3 | |
| 6578 | 10" x ¾" x ¾", 80 P (L.B.) | " | 4 | A | " | 10 16 3 | |
| 6579 | 10" x ¾" x 1", 50 L (L.B.) | " | 4 | A | " | 10 16 3 | |

GRINDSTONES, ABRASIVE WHEELS, ETC.—continued.

| Item No. | Description | Country of Manuf're | Estimated Requirements | Discount Group | Rate per | Rate | | | Name of Contractor | |
|----------|--|---------------------|------------------------|----------------|----------|------|----|----|-------------------------|-------------------------|
| | | | | | | £ | s. | d. | | |
| | WHEELS, ABRASIVE, to specification, continued— | | | | | | | | | |
| | Plain, with face "D" bevel edge—continued— | | | | | | | | | |
| | Aluminous oxide, vitrified bond—continued— | | | | | | | | | |
| 6580 | 10" x 1/2" x 3/4", 1946 MBE (L.B.) ... | N.S.W. | 12 | A | each | 10 | 18 | 6 | McPherson's Pty. Ltd. | |
| 6581 | 10" x 1/2" x 7/8", 1946 MBE (L.B.) ... | " | 4 | A | " | 10 | 18 | 6 | | |
| 6582 | 10" x 5/8" x 7/8", 1946 MBE (L.B.) ... | " | 2 | A | " | 11 | 1 | 0 | | |
| 6583 | 10" x 3/4" x 1", 46 L (L.B.) ... | " | 4 | A | " | 11 | 3 | 0 | | |
| 6584 | 10" x 3/4" x 1", 50 L (L.B.) ... | " | 8 | A | " | 11 | 3 | 0 | | |
| 6585 | 10" x 1" x 7/8", 46 K (L.B.) ... | " | 2 | A | " | 11 | 8 | 0 | | |
| 6586 | Plain, with face "C" bevel edge, aluminous oxide, vitrified bond, 10" x 1/2" x 3/8", 80 P (L.B.) | " | 2 | A | " | 10 | 18 | 6 | | |
| 6587 | Cone, shape No. 1784, aluminous oxide, vitrified bond, 3" x 5" x 3/4", 60 N (L.B.) | " | 2 | A | " | 10 | 18 | 6 | | |
| | Straight Cup, aluminous oxide, vitrified bond— | | | | | | | | | |
| 6588 | 4" x 2" x 3/4", 1/2" side and back walls, 46 KBE (L.B.) | " | 24 | A | " | 10 | 11 | 9 | | Eliza Tinsley Pty. Ltd. |
| 6589 | 5" x 1 1/2" x 1 1/4", 3/8" walls, ME 19243, 3860 IBE (L.B.) | " | 6 | B | " | 10 | 12 | 9 | | |
| 6590 | 6" x 2" x 3/4", 1/2" side and back walls, 46 KBE (L.B.) | " | 24 | A | " | 11 | 0 | 0 | | |
| 6591 | 14" x 4" x 10 3/8", 1 3/8" side wall, 1/2" back wall, 24 NBE | " | 10 | A | " | 17 | 4 | 3 | | |
| | Taper Cup, aluminous oxide, vitrified bond— | | | | | | | | | |
| 6592 | 3" x 2 1/4" x 1 1/4" x 1/2", 3/8" side wall, 7/16" back wall, ME 19239, 60 LBE (L.B.) | " | 2 | A | " | 10 | 6 | 3 | McPherson's Pty. Ltd. | |
| 6593 | 3 1/4" x 2 1/8" x 1 1/4" x 1/2", ME 19235, 60 LBE (L.B.) | " | 24 | A | " | 10 | 7 | 3 | | |
| 6594 | 3 1/2" x 2 3/8" x 1 1/2" x 1 1/4", AME 2000, 3860 IBE (L.B.) | " | 8 | B | " | 10 | 8 | 0 | | |
| 6595 | 6" x 4 3/8" x 2" x 3/4", 1/2" side walls, ME 410, 60 LBE (L.B.) | " | 6 | A | " | 11 | 0 | 0 | Eliza Tinsley Pty. Ltd. | |
| 6596 | 12" x 10 1/2" x 6" x 5 1/2", 1 3/8" side wall, 1 1/4" back wall, ME 14195, 30 N | " | 6 | A | " | 18 | 4 | 6 | | |
| 6597 | Dish, aluminous oxide, vitrified bond, 4" x 1/2" x 3/4", ME 19226, 60 LBE (L.B.) | " | 2 | A | " | 10 | 5 | 3 | | |

GRINDSTONES, ABRASIVE WHEELS, ETC.—continued.

| Item No. | Description | Country of Manuf're | Estimated Requirements | Discount Group | Rate per | Rate £ s. d. | Name of Contractor |
|--|---|---------------------|------------------------|----------------|----------|-----------------|-------------------------|
| WHEELS, ABRASIVE, to specification, continued— | | | | | | | |
| Recessed one side— | | | | | | | |
| Aluminous oxide, vitrified bond— | | | | | | | |
| 6598 | 1" x 1/2" x 1/4", recessed 1/2" x 1/8", 46 LBE | N.S.W. | 8 | A | each | 10 2 3 | Eliza Tinsley Pty. Ltd. |
| 6599 | 1" x 1/2" x 1/4", recessed 1/2" x 1/8", 3846 I | " | 2 | B | " | 10 2 3 | McPherson's Pty. Ltd. |
| 6600 | 1" x 3/4" x 1/4", recessed 1/2" x 1/4", 46 LBE | " | 12 | A | " | 10 2 9 | Eliza Tinsley Pty. Ltd. |
| 6601 | 1" x 3/4" x 1/4", recessed 1/2" x 1/4", 46 O... | " | 12 | A | " | 10 2 9 | |
| 6602 | 1" x 1" x 1/4", recessed 1/2" x 1/4", 46 LBE | " | 24 | A | " | 10 3 3 | McPherson's Pty Ltd. |
| 6603 | 1" x 1" x 1/4", recessed 1/2" x 1/4", 3846 J | " | 12 | B | " | 10 3 3 | |
| 6604 | 1 1/8" x 1" x 1/4", recessed 3/4" x 3/8", 36 O ... | " | 60 | A | " | 10 3 6 | Eliza Tinsley Pty. Ltd. |
| 6605 | 1 1/4" x 1 1/2" x 1/2", recessed 1" x 1/4", 46 LBE | " | 12 | A | " | 10 3 0 | |
| 6606 | 1 1/4" x 1 1/2" x 1/2", recessed 1" x 1/4", 60 LBE | " | 12 | A | " | 10 3 0 | Eliza Tinsley Pty. Ltd. |
| 6607 | 2 1/2" x 3/4" x 1/8", recessed 1 1/4" x 3/8", 50 LBE | " | 2 | A | " | 10 4 3 | |
| 6608 | 6" x 1 1/4" x 1 1/2", recessed 3" x 1/2", 46 L (L.B.) | " | 24 | A | " | 10 14 9 | Eliza Tinsley Pty. Ltd. |
| 6609 | 6" x 1 1/2" x 1/2", recessed 5" x 1", 60 LBE (L.B.) | " | 2 | A | " | 10 16 6 | |
| 6610 | 6" x 2" x 1/2", recessed 3 1/2" x 1 1/4", 30 PBE (L.B.) | " | 2 | A | " | 11 0 0 | Eliza Tinsley Pty. Ltd. |
| 6611 | 8" x 2" x 3/4", recessed 5 1/2" x 1 1/4", 100 LBE (L.B.) | " | 2 | A | " | 11 12 0 | |
| 6612 | 8" x 2" x 3/4", recessed 5 1/2" x 1 1/4", 60 L (L.B.) | " | 2 | A | " | 11 12 0 | Eliza Tinsley Pty. Ltd. |
| 6613 | 9 1/2" x 1 1/2" x 1 1/2", recessed 6 1/2" x 7/8", ME 203, 50 L (L.B.) | " | 2 | A | " | 11 18 0 | |
| 6614 | 10" x 1" x 4 3/4", recessed 5 3/4" x 5/8", 60 K | " | 2 | A | " | 11 8 0 | Eliza Tinsley Pty. Ltd. |
| 6615 | 10" x 1" x 4 3/4", recessed 5 3/4" x 5/8", 46 L | " | 2 | A | " | 11 8 0 | |
| 6616 | 12" x 1 1/2" x 1 1/2", recessed 8" x 7/8", 50 N (L.B.) | " | 2 | A | " | 12 9 0 | Eliza Tinsley Pty. Ltd. |
| 6617 | 18" x 3 3/4" x 7 1/2", recessed 12" x 2 1/2", 24 QBE | " | 2 | A | " | 12 1 0 | |
| Aluminous oxide, resinoid bond— | | | | | | | |
| 6618 | 2" x 1 1/2" x 3/8", recessed 1 1/4" x 1", 60 NT | " | 12 | C | " | 10 5 9 | Eliza Tinsley Pty. Ltd. |
| 6619 | 6" x 2" x 1/2", recessed 3 1/2" x 1 1/4", 16 QT (L.B.) | " | 2 | C | " | 11 0 0 | |
| Silicon carbide, vitrified bond— | | | | | | | |
| 6620 | 2 1/2" x 3/4" x 1/8", recessed 1 1/4" x 3/8", 3746 J | " | 4 | B | " | 10 4 3 | Eliza Tinsley Pty. Ltd. |
| 6621 | 3 1/2" x 1" x 1 3/8", recessed 2 3/4" x 5/8", 3746 J | " | 8 | B | " | 10 6 6 | |

GRINDSTONES, ABRASIVE WHEELS, ETC.—continued.

| Item No. | Description | Country of Manufacture | Estimated Requirements | Discount Group | Rate per | Rate £ s. d. | Name of Contractor |
|--|--|------------------------|------------------------|----------------|----------|-----------------|---------------------------|
| WHEELS, ABRASIVE, to specification, continued— | | | | | | | |
| Recessed both sides, aluminous oxide, vitrified bond— | | | | | | | |
| 6622 | 10" x 1" x 7/8", recessed 9 1/4" x 1/4", 80 J (L.B.) | N.S.W. | 4 | A | each | £1 8 0 | } McPherson's Pty. Ltd. |
| 6623 | 10" x 1" x 4 1/2", recessed one side 5 3/4" x 3/2", and other side 5 3/4" x 3/2", 46 L | " | 12 | A | " | £1 8 0 | |
| 6624 | 14" x 2" x 1 1/4", recessed 9" x 1/2". 50 LBE | " | 8 | A | " | £4 5 0 | |
| 6625 | 20" x 3" x 10", countersunk dovetail recessed 12 1/4" x 1/8", 30 N | " | 2 | A | " | £10 11 0 | |
| 6626 | 24" x 4" x 10", recessed 12" x 1/2", 20 T | " | 4 | A | " | £22 13 0 | |
| Recessed both sides, silicon carbide, vitrified bond— | | | | | | | |
| 6627 | 14" x 2" x 1 1/4", recessed 9" x 1/2", 3780/1K | " | 6 | B | " | £4 5 0 | } Eliza Tinsley Pty Ltd. |
| 6628 | 14" x 2" x 1 1/4", recessed 9" x 1/2", 37120 J | " | 6 | B | " | £4 5 0 | |
| 6629 | 14" x 3 1/2" x 5", recessed 10" x 1 1/4", 3780/1K | " | 4 | B | " | £7 5 0 | |
| 6630 | 14" x 3 1/2" x 5", recessed 10" x 1 1/4", 37120 J | " | 6 | B | " | £7 5 0 | |
| 6631 | Recessed both sides, with face "E" bevel, 45°, type No. 972; aluminous oxide, vitrified bond, 24" x 2 1/4" x 10 1/2", recessed 13 1/2" x 3/8", 30 N | " | 2 | A | " | £16 5 0 | } McPherson's Pty. Ltd. |
| 6632 | Saucer, aluminous oxide, vitrified bond— 4" x 1/2" x 1/2", ME 19226, 60 L (L.B.) | " | 2 | A | " | £0 5 3 | |
| 6633 | 6" x 1/2" x 1/2", ME 19229, 60 LBE (L.B.) | " | 2 | A | " | £0 9 0 | } Eliza Tinsley Pty. Ltd. |
| 6634 | 6" x 1/2" x 1 1/4", ME 19229, 3860 IBE | " | 6 | B | " | £0 9 0 | |
| 6635 | 6" x 1 1/8" x 1/2", 5° bevel, ME 232, 60 LBE (L.B.) | " | 2 | A | " | £0 11 0 | } McPherson's Pty. Ltd. |
| 6636 | 6" x 3/4" x 1/2", ME 19230, 60 LBE (L.B.) | " | 4 | A | " | £0 11 0 | |
| 6637-6649 | —Nil | | | | | | |

ABRASIVE MATERIALS.
(Schedule No. 197).
(1st July, 1944, to 30th June, 1946).

| Item No. | Description | Country of Manuf're | Estimated Requirements | Rate per | Rate | | | Name of Contractor | |
|---------------|--|---------------------|------------------------|----------|------|-----|-----|--------------------------|-------|
| | | | | | £ | s. | d. | | |
| †6650 | Bands, finisher, jointless, 36" x 4", grade 3/0-120, "Oakeys" | U.K. | 5 doz. | doz. | ‡2 | 2 | 0 | McPherson's Pty. Ltd. | |
| 6651 | Bricks, bath, 12 oz. | ... | 5 " | ... | ... | ... | ... | Nil | |
| †6652 | Cloth, aluminous oxide, in sheets— No. 36, 9" x 11", "Durex" | U.K. | 50 sheets | quire | ‡1 | 2 | 6 | Perrot & Adams Pty. Ltd. | |
| †6653 | No. 40, 11½" x 8½", "Oakeys" | " | 50 " | " | ‡0 | 15 | 0 | McPherson's Pty. Ltd. | |
| † | Cloth, emery, in sheets— Nos. F.F., 0, 1 or 1½, as ordered | ... | 120 reams | ... | ... | ... | ... | } Nil | |
| | | | | | | | | | †6654 |
| †6655 | Nos. 2, 2½ or 3, " " | ... | 50 " | ... | ... | ... | ... | } | |
| † | Paper, garnet, open or close coating, as ordered, in rolls of 50 yards— No. 0, 24" wide, "Canada Sandpapers" | Canada | 2 rolls | roll | ‡4 | 7 | 0 | } McPherson's Pty. Ltd. | |
| | | | | | | | | | †6656 |
| | | | | | | | | | †6657 |
| †6658 | No. 1, 24" " " | " | 2 " | " | ‡5 | 2 | 0 | } | |
| †6659 | No. 1½, 24" " " | " | 5 " | " | ‡6 | 5 | 0 | } | |
| †6659 | No. 1½, 30" " "Durex" | U.K. | 2 " | " | ‡10 | 12 | 6 | Perrot & Adams Pty. Ltd. | |
| †6660 | No. 2, 36" " "Canada Sandpapers" | Canada | 5 " | " | ‡11 | 0 | 0 | McPherson's Pty. Ltd. | |
| †6661 | No. 2½, 24" " "Durex" | U.K. | 2 " | " | ‡10 | 11 | 6 | Perrot & Adams Pty. Ltd. | |
| †6662 | No. 2½, 36" " "Canada Sandpapers" | Canada | 7 " | " | ‡12 | 5 | 0 | McPherson's Pty. Ltd. | |
| † | Paper, glass, in sheets, 10" x 12", "Mitchell's"— Nos. 0, 1, 1½ or F.2, as ordered | Vict. | 100 reams | ream | ‡1 | 7 | 9 | } Boyes Bros. | |
| | | | | | | | | | †6663 |
| | | | | | | | | | †6664 |
| †6665 | Nos. M. 2 or S. 2, " " | " | 120 " | " | ‡1 | 16 | 6 | } | |
| †6666 | No. 2½ ... | " | " | " | ‡2 | 5 | 3 | } | |
| † | Paper, silicon carbide, waterproof— 180 grit | ... | 250 quires | ... | ... | ... | ... | } | |
| †6667 | 280 " " | ... | 60 " | ... | ... | ... | ... | } | |
| †6668 | Powder, emery— No. 60 hole | ... | 100 lbs. | ... | ... | ... | ... | } Nil | |
| †6669 | No. 120 " " | ... | 60 " | ... | ... | ... | ... | } | |
| †6670 | Pumice, dust, superfine | ... | 10 cwt. | ... | ... | ... | ... | } | |
| †6671 | Pumice, dust, No. 3 | ... | 2 " | ... | ... | ... | ... | } | |
| †6672 | Pumice, stone | N.Z. | 3 " | cwt. | 1 | 2 | 6 | W. & G. Dean Pty. Ltd. | |
| †6673 | Stones, carborundum, combination, coarse and fine, No. 108, 8" x 2" x 1", "Union D.C.M." | Vict. | 50 | each | ‡0 | 5 | 10½ | Jolly Bros. | |
| *†6674 | Stones, rubbing ... | ... | 700 | ... | ... | ... | ... | } | |
| † | Tape, emery, bias cut, in rolls of 25 yards— ½" wide, No. 1 | ... | 2 rolls | ... | ... | ... | ... | } Nil | |
| | | | | | | | | | †6675 |
| †6676 | 1" wide, No. 1 | ... | 20 " | ... | ... | ... | ... | } | |
| 6677-6689—Nil | | | | | | | | | |

† { Item No. 6652.—Less 5%, less 5% and less 2½%—30 days.
 Items Nos. 6659 and 6661.—Plus 5%, less 5% and less 2½%—30 days.
 Items Nos. 6650, 6653, 6656 to 6658, 6660 and 6662.—Less 2½%—30 days.
 Items Nos. 6663 to 6665.—Less 20% trade discount.
 Item No. 6673.—Less 2½% discount for payment within 14 days of date of receipt of invoice.
 NOTE. 2½%—30 days means 2½% discount for payment by end of month following month of delivery.

BALL BEARINGS, ETC.
(Schedule No. 198.)
(1st July, 1944, to 30th June, 1946).

| Item No. | Description | Country of Manufacture | Estimated Requirements | Rate per | Rate £ s. d. | Name of Contractor |
|---|--|------------------------|------------------------|----------|-----------------|--|
| Bearings, ball, to specification— | | | | | | |
| 6690 | "Hoffman" MS 8, ($\frac{3}{4}$ " x 2" x $\frac{11}{16}$ ") | U.K. | 40 | each | 0 5 5 | } Bearing Service Co. of Aust. Pty. Ltd. |
| 6691 | "Hoffman" LS 12, ($1\frac{1}{4}$ " x $2\frac{3}{4}$ " x $\frac{11}{16}$ ") | " | 24 | " | 0 7 7 | |
| 6692 | "Hoffman" MS 12, ($1\frac{1}{4}$ " x $3\frac{1}{8}$ " x $\frac{7}{8}$ ") | " | 24 | " | 0 9 10 | |
| 6693 | "Fafnir" 404 K, (20 mm x 72 mm x 19 mm), steel cage | U.S.A. | 100 | " | 0 12 11 | } The SKF Ball Bearing Co. (Aust.) Pty. Ltd. |
| 6694 | "SKF" No. 6305 (C. 003, Z, or 000 fit), (25 mm x 62 mm x 17 mm), steel cage, or suitable alternative | U.S.A. or Sweden | 25 | " | 0 8 1 | |
| 6695 | "Fafnir" E 15, (15 mm x 35 mm x 8 mm) | U.S.A. | 12 | " | 0 4 3 | } Bearing Service Co. of Aust. Pty. Ltd. |
| 6696 | "SKF," or suitable alternative, self-aligning type— No. 1204 (20 mm x 47 mm x 14 mm) | U.S.A. or Sweden | 120 | " | 0 6 11 | |
| 6697 | No. 1304 (20 mm x 52 mm x 15 mm) | " | 350 | " | 0 7 10 | } The SKF Ball Bearing Co. (Aust.) Pty. Ltd. |
| 6698 | No. 1307 (35 mm x 80 mm x 21 mm) | " | 400 | " | 0 15 7 | |
| 6699 | No. 1308 (40 mm x 90 mm x 23 mm) | " | 120 | " | 1 0 0 | |
| 6700 | No. 2206 (30 mm x 62 mm x 20 mm) | " | 50 | " | 0 11 3 | |
| 6701 | "SKF," or suitable alternative, rigid, deep groove type— No. 6204 (20 mm x 47 mm x 14 mm) | " | 200 | " | 0 5 11 | |
| 6702 | No. 6205 (25 mm x 52 mm x 15 mm) | " | 250 | " | 0 6 8 | } The SKF Ball Bearing Co. (Aust.) Pty. Ltd. |
| 6703 | No. 6206 (30 mm x 62 mm x 16 mm) | " | 50 | " | 0 7 10 | |
| 6704 | No. 6209 (45 mm x 85 mm x 19 mm) | " | 200 | " | 0 14 0 | |
| 6705 | No. 6304 (20 mm x 52 mm x 15 mm) (Z or 000 fit) | " | 120 | " | 0 6 7 | |
| 6706 | No. 6306 (30 mm x 72 mm x 19 mm) | " | 70 | " | 0 12 1 | |
| 6707 | No. 6309 (45 mm x 100 mm x 25 mm) | " | 4 | " | 1 0 10 | |
| Bearings, roller, flexible, "R.B.C."— | | | | | | |
| 6708 | No. 18195 ($1\frac{1}{4}$ " bore x $2\frac{7}{16}$ " outside diameter) | U.S.A. | 400 | each | 0 6 8 | } Bearing Service Co. of Aust. Pty. Ltd. |
| 6709 | No. 19250 ($1\frac{7}{16}$ " bore x $3\frac{1}{8}$ " outside diameter) | " | 120 | " | 0 10 6 | |
| Bearings, roller, single row, to specification— | | | | | | |
| 6710 | "Hoffman," R 525 R (25 mm x 80 mm x 21 mm) | U.K. | 25 | " | 0 14 0 | } Gardner, Waern & Co. Pty. Ltd. |
| 6711 | "R. & M.," No. M.R.J. 30 (30 mm x 72 mm x 19 mm) (Z or 000 fit) | " | 50 | " | ‡ 2 5 0 | |
| 6712-6719 | Nil | | | | | |

‡ Less 50% trade discount.

MOTOR ACCESSORIES
(Schedule No. 199)
(1st July, 1944, to 30th June, 1946).

| Item No. | Description | Country of Manuf're | Estimated Requirements | Rate per | Rate £ s. d. | Name of Contractor | |
|---|---|---------------------|------------------------|----------|-----------------|--------------------------------|--|
| † { 6720 | Belting, link, "Whittle" type, $\frac{5}{8}$ " | ... | 100 feet | ... | ... | } Nil | |
| | " " " " $\frac{3}{4}$ " | ... | 12 " | ... | ... | | |
| *6722 | Bushes, bakelite, insulating, $1\frac{7}{16}$ " tapered to $1\frac{1}{4}$ " x $3\frac{1}{8}$ " long, to specification | Vict. | 250 | each | 0 1 10 | Moulded Products (A/asia) Ltd. | |
| †6723 | Cement, gasket, in 1-lb. tins | ... | 120 tins | ... | ... | Nil | |
| †6724 | Chains, roller, $\frac{1}{2}$ " pitch x $\frac{1}{2}$ " wide x 4' 6" long, "Renold" | U.K. | 250 | each | 0 3 4½ | McPherson's Pty. Ltd. | |
| †6725 | Chains, roller, transmission, single, 1" pitch x .670" inside x .625" diameter roller, in lengths 6' 2", complete with connecting link and spring clip fastener, "Renold" | " | 24 | " | 3 8 6 | Welch, Perrin & Co. Pty. Ltd. | |
| Cocks, priming, motor, brass— | | | | | | | |
| †6726 | $\frac{1}{4}$ " gas thread | ... | 25 | ... | ... | } Nil | |
| †6727 | $\frac{5}{8}$ " metric thread | ... | 100 | ... | ... | | |
| †6728 | Fasteners, belt, for $\frac{3}{4}$ " "V" section rubber motor belting, "King Hook," or suitable alternative | ... | 100 doz. | ... | ... | | |
| Fasteners, belt, in boxes of 6 complete lengths, "Lillbro"— | | | | | | | |
| † { 6729 | No. 4 | Vict. | 120 boxes | box | † 0 6 7 | } McPherson's Pty. Ltd. | |
| | No. 5 | " | 75 " | " | † 0 7 9 | | |
| †6731 | Keys, for size D slotted button plate belt fasteners | ... | 8 doz. | ... | ... | } Nil | |
| *6732 | Gaskets, copper asbestos, cylinder, for "S" motors | ... | 25 | ... | ... | | |
| Gaskets, copper asbestos, induction— | | | | | | | |
| *6733 | For "S" motors | ... | 60 | ... | ... | | |
| *6734 | For "K.S." motors | ... | 150 | ... | ... | | |
| †6735 | Gaskets, copper asbestos, for spark plugs, $\frac{5}{8}$ " metric | Vict. | 12 doz. | gross | 0 5 0 | Leggett Products Pty. Ltd. | |
| †6736 | Gaskets, copper asbestos, valve cap, $1\frac{3}{4}$ " internal diameter x 2" external diameter | ... | 60 " | ... | ... | Nil | |
| Greasers, Alemite type— | | | | | | | |
| † { 6737 | Angle, 45°, $\frac{1}{8}$ " gas thread | Vict. | 20 " | doz. | 0 4 11½ | } Slade, Allan & Co. Pty. Ltd. | |
| | " " $\frac{1}{4}$ " " " | " | 8 " | " | 0 8 0½ | | |
| †6739 | " 90°, $\frac{1}{8}$ " " " | " | 10 " | " | 0 4 7 | | |
| † { 6740 | Straight, $\frac{1}{8}$ " gas thread | ... | 150 " | " | 0 2 5½ | | |
| | " $\frac{1}{4}$ " " " | " | 72 " | " | 0 3 8½ | | |

† Less 2½% discount for payment by end of month following month of delivery.

MOTOR ACCESSORIES—continued.

| Item No. | Description | Country of Manuf're | Estimated Requirements | Rate per | Rate £ s. d. | Name of Contractor | |
|---|---|---------------------|------------------------|----------|-----------------|-------------------------------------|------------------------------|
| Paste, valve grinding— | | | | | | | |
| †6742 | Coarse, oil mixed, in 1½-oz. tubes, 150 grain | Vict. | 450 tubes | tube | 0 1 0½ | Leggett Products Pty. Ltd. | |
| †6743 | Coarse, water mixed, in 4-oz. tins, 150 grain | „ | 75 lbs. | tin | 0 1 10½ | | |
| †6744 | Fine, oil mixed, in 1½-oz. tubes, 220 grain | „ | 600 tubes | tube | 0 1 0½ | | |
| †6745 | Fine, water mixed, in 4-oz. tins, 220 grain | „ | 80 lbs. | tin | 0 1 10½ | | |
| †6746 | Punches, belt, hollow cutter type, for ⅜" hole | „ | 120 | „ | „ | Nil | |
| †6747 | Punches, belt, screw type, for ⅞" "V" section rubber motor belting | „ | 150 | „ | „ | | |
| Rings, piston, cast, for gang car engines, to specification, standard, No. 1, No. 2, No. 3, No. 4, No. 5 or No. 6 oversize, as ordered— | | | | | | | |
| 6748 | For inspection motors | „ | 500 | „ | „ | | |
| 6749 | For "K" motors | „ | 400 | „ | „ | | |
| 6750 | For "K.S." motors | „ | 450 | „ | „ | | |
| 6751 | Rings, piston, cast, for "Sheffield" engines, to specification, standard, No. 1, No. 2, No. 3 or No. 4 oversize, as ordered | „ | 120 | „ | „ | | |
| 6752 | Rings, piston, 7¼" external diameter x 6⅝" internal diameter x 1.855" wide, to specification | „ | 100 | „ | „ | | |
| †6753 | Taps, petrol, push-pull type, ¼" gas thread outlet, ⅜" gas thread inlet, with nut and tail, for ¼" or ⅝" pipe, as ordered | Vict. | 75 doz. | doz. | 1 4 0 | | Slade, Allan & Co. Pty. Ltd. |
| †6754 | Tubing, steel, flexible, ½" ... | N.S.W. | 1000 ft. | 100 feet | 2 8 6 | | J. J. Masur |
| †6755 | Tubing, steel, weldless, 30% to 40% carbon, in trade lengths, ⅝" external diameter x 12 i.s.w.g., H.T. quality | Sth. Aust. | 50 | foot | †0 1 3 | McPherson's Pty. Ltd. | |
| Tubing, steel, weldless, G.P. quality, in trade lengths— | | | | | | | |
| 6756 | ⅞" external diameter x 18 i.s.w.g. ... | „ | 150 | „ | †0 1 0 | Stewarts & Lloyds (Aust.) Pty. Ltd. | |
| 6757 | ⅞" „ „ x ⅝" internal dia. | „ | 75 | „ | †0 1 10½ | | |
| 6758 | 1" „ „ x 10 i.s.w.g. ... | „ | 25 | „ | †0 2 0½ | | |
| 6759 | 1½" „ „ x ⅞" internal dia. | „ | 1200 | „ | †0 2 4 | | |
| 6760 | 1½" „ „ x 10 i.s.w.g. ... | „ | 200 | „ | †0 2 7½ | | |
| 6761 | 1½" „ „ x 16 „ ... | „ | 1500 | „ | †0 1 5½ | | |
| 6762 | 1½" „ „ x 10 „ ... | „ | 1000 | „ | †0 3 4 | | |
| 6763 | 2" „ „ x 10 „ ... | „ | 25 | „ | †0 4 5 | | |
| 6764-6769 | —Nil | | | | | | |

† Item No.—6755—Less 27% trade discount.
 † Items Nos.—6756 to 6763—Less 39½% trade discount.
 † All items.—Less a further 2½% discount for payment by end of month following month of delivery.

MAGNETOS, SPARK PLUGS, ETC

(Schedule No. 200)

(1st July, 1944, to 30th June, 1946)

| Item No. | Description | Country of Manufacture | Estimated Requirements | Rate per | Rate | | | Name of Contractor | |
|----------|--|------------------------|------------------------|----------|------|-----|-----|---|-----------------|
| | | | | | £ | s. | d. | | |
| *6770 | Bowls, "Holley" carburetter, 18 g. | Vict. | 25 | each | 0 | 1 | 3 | H. Crossland | |
| †6771 | Carburetters, single cylinder engines, "Amal" type | ... | 75 | ... | ... | ... | ... | } Nil | |
| †6772 | Carburetters, with strangler, "Solex type 26 F.V.," or suitable alternative | ... | 25 | ... | ... | ... | ... | | |
| †6773 | Contacts, platinum, for "Bosch" magnetos, 75% platinum, 25% iridium, .145" diameter x .025" thick, thread 3.5 mm. x 6 mm., branded V A R, "Lorimier" | Vict. | 48 pairs | pair | 0 | 13 | 6 | A. G. Healing Ltd. | |
| †6774 | Contacts, platinum, for "M.L." magnetos, 90% platinum, 10% iridium, .145" diameter x .021" thick, thread 3.5 mm. x 6 mm., branded V A R, "Lorimier" | " | 24 " | " | 0 | 10 | 2 | Brooklands Accessories Ltd. | |
| †6775 | Contacts, tungsten, for "B.T.H." magnetos, type K. 1, U.Z., .187" diameter x .050" thick, thread 4 B.A., branded V A R, "Lorimier" | " | 24 " | " | 0 | 3 | 0 | A. G. Healing Ltd. | |
| †6776 | Contacts, tungsten, for "E.I.C." magnetos, type A. 1, .140" diameter x .050" thick, thread 7 B.A., branded V A R, "Lorimier" | Vict. | 24 pairs | pair | 0 | 3 | 0 | Brooklands Accessories Ltd. | |
| †6777 | Contacts, tungsten, for "Lucas" magnetos, type K.A. 1, .187" diameter x .050" thick, thread 3 B.A., branded V A R, "Lorimier" | " | 24 " | " | 0 | 3 | 0 | A. G. Healing Ltd. | |
| †6778 | Controls, Bowden, single lever, for magnetos | ... | 50 | ... | ... | ... | ... | } Nil | |
| 6779 | Float and Lever Assembly, "Ford" part No. 6201 | ... | 250 | ... | ... | ... | ... | | |
| 6780 | Magnetos, high tension, anti-clockwise, for 4 h.p. single cylinder engines, fitted with standard tapered shaft, Woodruffe key and safety gap screw, suitable for Bowden control, "Type KD-1, B.T.H." (see note) | U.K. | } 250 | each | 5 | 14 | 0 | } Australian General Electric Pty. Ltd. | |
| 6781 | Magnetos, high tension, anti-clockwise, for 4 and 6 h.p. single cylinder engines, fitted with standard tapered shaft, Woodruffe key, safety gap screw and continuous metal slip ring, suitable for lever control, "Type KD-1, B.T.H." (see note) | " | | " | 5 | 14 | 0 | | |
| | Plugs, sparking, detachable or non-detachable, as ordered, branded V A R on hexagon portion of body— | | | | | | | | |
| †6782 | 14 mm., "Olympic" | Vict. | } 1000 | " | 0 | 2 | 2 | Olympic Spark Plugs Pty. Ltd. | |
| †6782A | "Pyrox," PA 14B | " | | " | 0 | 2 | 2 | Pyrox Pty. Ltd. | |
| †6782B | "Leggetts" | " | | " | 0 | 2 | 2 | Leggett Products Pty Ltd. | |
| †6783 | 18 mm., standard, "Olympic" | " | | " | 0 | 2 | 2 | Olympic Spark Plugs Pty. Ltd. | |
| †6783A | "Pyrox," PA 9 | " | | 1600 | " | 0 | 2 | 2 | Pyrox Pty. Ltd. |
| †6783B | "Leggetts" | " | | " | 0 | 2 | 2 | Leggett Products Pty Ltd. | |
| †6784 | 1/2" taper (Ford), "Olympic" | " | | " | 0 | 2 | 2 | Olympic Spark Plug Pty. Ltd. | |
| †6784A | "Pyrox," PA 21 | " | | 1200 | " | 0 | 2 | 2 | Pyrox Pty. Ltd. |
| †6784B | "Leggetts" | " | | " | 0 | 2 | 2 | Leggett Products Pty Ltd. | |

MAGNETOS, SPARK PLUGS, ETC.—continued.

| Item No. | Description | Country of Manuf're | Estimated Requirements | Rate per | Rate | | | Name of Contractor |
|---------------|--|---------------------|------------------------|----------|------|-----|-----|-------------------------------|
| | | | | | £ | s. | d. | |
| †6785 | ½", "S.A.E.," "Olympic" | Vict. | 750 | each | 0 | 2 | 2 | Olympic Spark Plugs Pty. Ltd. |
| †6785A | " " "Pyrox," PA 26K | " | | " | 0 | 2 | 2 | Pyrox Pty. Ltd. |
| †6785B | " " "Leggetts" | " | | " | 0 | 2 | 2 | Leggett Products Pty. Ltd. |
| †6786 | ½", "S.A.E.," long reach, small hexagon, "Olympic" | " | 800 | " | 0 | 2 | 2 | Olympic Spark Plugs Pty. Ltd. |
| †6786A | ½", "S.A.E.," long reach, small hexagon, "Pyrox," PA 23K | " | | " | 0 | 2 | 2 | Pyrox Pty. Ltd. |
| †6786B | ½", "S.A.E.," long reach, small hexagon, "Leggetts" | " | | " | 0 | 2 | 2 | Leggett Products Pty. Ltd. |
| †6787 | Spanners, magneto, in sets of 8 | ... | 24 sets | ... | ... | ... | ... | ... |
| †6788 | Valves, needle, for "Amal" float chambers, universal length (for both new and old types) | ... | 100 | ... | ... | ... | Nil | ... |
| †6789 | Wire, Bowden, carburetter, stranded, No 1, unfrayable | ... | 500 yds. | ... | ... | ... | ... | ... |
| †6790 | Casing, for Bowden wire under item No. 6789 | ... | 400 " | ... | ... | ... | ... | ... |
| 6791-6799—Nil | | | | | | | | |

BRAKE LINING.

(Schedule No. 201.)

(1st July, 1944, to 30th June, 1946).

NOTE.

The estimated requirements are based on the full list prices.

PRICE LIST.

| Item No. 6800—"Duron" Brake Lining. | | | | | |
|-------------------------------------|------------|-------|------|-------|------|
| Rates per Foot.—less 50% and 5%. | | | | | |
| Width. | THICKNESS. | | | | |
| | 5/32" | 1/16" | 1/8" | 5/16" | 3/8" |
| 1" | 1/8 | 1/9 | 2/5 | 2/11 | 3/8 |
| 1 1/8" | 1/9 | 2/- | 2/8 | 3/5 | 4/1 |
| 1 1/4" | 2/- | 2/3 | 2/11 | 3/8 | 4/7 |
| 1 3/8" | 2/5 | 2/9 | 3/8 | 4/5 | 5/7 |
| 1 3/4" | 2/9 | 3/2 | 4/2 | 5/5 | 6/3 |
| 2" | 3/2 | 3/8 | 4/9 | 5/11 | 7/3 |
| 2 1/4" | 3/- | 3/11 | 5/4 | 6/8 | 8/- |
| 2 1/2" | 3/5 | 4/6 | 5/11 | 7/5 | 9/- |
| 3" | — | 5/4 | 6/11 | 8/11 | 10/8 |
| 3 1/4" | — | 5/8 | 7/5 | 9/7 | 11/5 |
| 3 1/2" | — | 6/2 | 8/- | 10/4 | 12/3 |
| 4" | — | 6/10 | 9/- | 11/10 | 13/9 |
| 5" | — | — | 11/3 | 14/10 | 17/2 |
| 6" | — | — | — | 17/9 | 20/8 |

| | | | | | | |
|---------------|---|------|------|-----|--------------------------|--------------------------------------|
| †6800 | Lining, brake, woven, "Duron," any size on price list, as ordered, any length ordered | U.K. | £200 | ... | List Price less 50% & 5% | Paton's Brake Replacements Pty. Ltd. |
| 6801-6809—Nil | | | | | | |

WIREWORLD, ETC:

(Schedule No. 202.)

(1st July, 1944, to 30th June, 1946)

| Item No. | Description | Country of Manuf're | Estimated Requirements | Rate per' | Rate | | | Name of Contractor |
|----------|--|---------------------|------------------------|-----------|--------------------------|-----|-----|--------------------------------------|
| | | | | | £ | s. | d. | |
| 6810 | Fabric, steel wire, in rolls or sheets, 90" wide, No. 10 i.s.w. gauge wire, 6" centre to centre transversely, and 6" centre to centre longitudinally | Vict. | 2000 lin. yds. | l. yd. | 0 | 1 | 10 | A-R-C Engineering Co. Pty. Ltd. |
| | | | | | (See Special Conditions) | | | |
| *6811 | Fasteners, dropper, fencing, galvanised steel wire, 2½" x 2¼" x 10g. | " | 15 tons | cwt. | † | 10 | 3 | The Titan Nail & Wire Pty. Ltd. |
| 6812 | Fencing, ring lock, 6" x 6" mesh, 10 g. wire, 36" wide, in rolls of 5 chains | ... | 12 rolls | ... | ... | ... | ... | Nil |
| | Gates, galvanised iron, tubular frame, 1" internal diameter, with galvanised chain wire filling, 3' 5" or 3' 10" high, as ordered, to specification— | | | | | | | |
| 6813 | Double, 8' wide hung, in two leaves, 5' and 3' | Vict. | 50 sets | set | 3 | 4 | 2 | } Cyclone Fence & Gate Co. Pty. Ltd. |
| 6814 | Single, 3' wide hung | " | 50 | each | 1 | 6 | 0 | |
| 6815 | Gauze, brass, any gauges and meshes ordered of standard stock light and medium weight qualities, not exceeding 100 meshes per lineal inch | " | 4000 sq. ft. | sq. ft. | 0 | 1 | 6 | Melbourne Wire Works |
| | Grips, spring— | | | | | | | |
| *6816 | A | N.S.W. | 60 gross | gross | 0 | 12 | 0 | } F.R.S. Ideal Spring Co. Ltd. |
| *6817 | W | " | 20 " | " | 0 | 7 | 0 | |
| *6818 | Guards, galvanised wire, for booking windows | Vict. | 200 sq. ft. | sq. ft. | 0 | 4 | 11 | P. Lummis & Sons |
| *6819 | Guards, wire, complete with reflectors, for hand lamps | " | 250 | each | 0 | 2 | 9 | Melbourne Wire Works |
| 6820 | Mattresses, wire, 6' 6" x 2' 6" x 3 ply, ... | ... | 50 | ... | ... | ... | ... | Nil |
| 6821 | Net, fly wire, bronze, 16" mesh x 26 i.s.w. gauge, 24", 30" or 36" wide, as ordered | Vict. | 1000 sq. ft. | sq. ft. | 0 | 1 | 0½ | } Melbourne Wire Works |
| 6822 | Net, fly wire, galvanised, 12" mesh x 26 g., 24", 30" or 36" wide, as ordered | " | 6000 " | " | 0 | 0 | 4½ | |
| | Netting, chain wire, galvanised, double knuckled— | | | | | | | |
| 6823 | 1½" mesh, 10 i.s.w. gauge, 3' to 6' wide, as ordered | " | 2500 sq. yds. | sq. yd. | 0 | 2 | 0 | |
| 6824 | 1½" mesh, 12 i.s.w. gauge, 3' to 6' wide, as ordered | " | 4000 " | " | 0 | 1 | 6 | |
| 6825 | 2" mesh, 8 i.s.w. gauge, any width ordered up to 6' | " | 50 " | " | 0 | 2 | 6 | |
| 6826 | 2" mesh, 12 i.s.w. gauge, any width ordered up to 6' | " | 300 " | " | 0 | 1 | 3 | |

† Less 2½% discount for payment by end of month following month of delivery.

WIREWORK, ETC.—continued.

| Item No. | Description | Country of Manuf're | Estimated Requirements | Rate per | Rate | | | Name of Contractor |
|-----------|---|---------------------|------------------------|------------|------|----|-----------------|------------------------------------|
| | | | | | £ | s. | d. | |
| | Netting, wire, galvanised, $\frac{1}{2}$ " mesh, 22 i.s.w. gauge, in rolls of 50 lin. yds.— | | | | | | | |
| 6827 | 30" wide | ... | 7 rolls | ... | ... | | | Nil |
| 6828 | 36" " | Vict. | 40 " | roll | 1 | 15 | 5 | Cyclone Fence & Gate Co. Pty. Ltd. |
| | Netting, wire, galvanised, $1\frac{1}{2}$ " mesh, 17 i.s.w. gauge, in rolls of 100 lin. yds.— | | | | | | | |
| 6829 | 36" wide | " | 100 " | " | 1 | 18 | 5 | Cyclone Fence & Gate Co. Pty. Ltd. |
| 6830 | 42" " | " | 20 " | " | 2 | 4 | 11 | |
| 6831 | Sieves, brass, $\frac{1}{4}$ " mesh to 50 mesh, as ordered, any diameter ordered | " | 1000 ins. | 1" of dia. | 0 | 0 | 5 $\frac{1}{2}$ | Melbourne Wire Works |
| 6832 | Sieves, iron, $\frac{1}{2}$ " to $\frac{1}{16}$ " mesh, as ordered, any diameter ordered | " | 3000 " | " | 0 | 0 | 3 | |
| 6833 | Sieves, iron, 24" diameter x 1" mesh, 12 i.s.w. gauge | " | 10 | each | 0 | 10 | 0 | P. Lummis & Sons |
| | Springs, steel, black— | | | | | | | |
| *6834 | 4" x 11 i.s.w. gauge (half) | ... | 15 gross | gross | £0 | 13 | 6 | F.R.S. Ideal Spring Co. Ltd. |
| *6835 | 5" x 8 " " " | ... | 10 " | " | £1 | 5 | 0 | |
| *6836 | 5" x 9 " " " | ... | 20 " | " | £1 | 1 | 6 | |
| *6837 | 5" x 11 " " " | ... | 20 " | " | £0 | 14 | 9 | |
| *6838 | 5" x 14 " " (full) | ... | 5 " | " | £0 | 14 | 6 | |
| *6839 | 6" x 11 " " (half) | ... | 25 " | " | £0 | 16 | 3 | |
| *6840 | 6" x 12 " " (full) | ... | 20 " | " | £0 | 15 | 0 | |
| *6841 | 7" x 11 " " (half) | ... | 100 " | " | £0 | 17 | 3 | |
| *6842 | 8" x 9 " " " | ... | 20 " | " | £1 | 6 | 6 | |
| *6843 | 9" x 9 " " " | ... | 10 " | " | £1 | 11 | 3 | |
| 6844 | Wire, woven, mild steel, for spark arresters, 10 i.s.w. gauge, 3' 4" wide, to specification | " | 2500 lin. ft. | lin. ft. | 0 | 7 | 6 | Melbourne Wire Works |
| 6845 | Wire, woven, galvanised, $\frac{3}{8}$ " mesh, 16 i.s.w. gauge, 12" wide | " | 1500 " | " | 0 | 0 | 6 | |
| 6846-6849 | — Nil | | | | | | | |

‡ Plus 10% surcharge

BLACK STEEL BOLTS AND NUTS.

(Schedule No. 203A)

(1st July, 1944, to 30th September, 1944)

PRICE LIST.

Bolts, black mild steel, without Nuts.

Item No. 6857—Countersunk head, Square neck. (Less 17½%, plus 7·6%).

Item No. 6863—Cup head, Square neck. (Less 36½%, plus 7·6%).

RATES per 100—

| Length in. | DIAMETER | | | | | | |
|---------------|--------------|-------|-------|-------|-------|------|-----------|
| | 3/16" & 1/4" | 5/16" | 3/8" | 7/16" | 1/2" | 5/8" | 3/4" |
| 1/2 | 2/10 | 3/9 | 5/5 | — | — | — | — |
| 1 | 2/11 | 3/10 | 5/6 | 7/8 | 8/1 | — | — |
| 1 1/2 | 3/- | 3/11 | 5/7 | 7/8 | 8/4 | 13/7 | — |
| 1 1/2 | 3/1 | 4/- | 5/8 | 7/11 | 8/7 | 14/1 | 21/8 1/2 |
| 1 3/4 | 3/3 | 4/3 | 5/11 | 8/5 | 9/1 | 14/7 | 22/2 1/2 |
| 2 | 3/5 | 4/6 | 6/2 | 8/11 | 9/4 | 15/1 | 22/8 1/2 |
| 2 1/4 | 3/7 | 4/9 | 6/5 | 9/4 | 9/7 | 15/7 | 23/2 1/2 |
| 2 1/2 | 3/9 | 5/- | 6/9 | 9/9 | 9/10 | 16/1 | 23/8 1/2 |
| 2 3/4 | 3/11 | 5/2 | 7/1 | 10/3 | 10/1 | 16/7 | 24/2 1/2 |
| 3 | 4/1 | 5/4 | 7/5 | 10/9 | 10/7 | 17/1 | 24/8 1/2 |
| 3 1/4 | 4/2 | 5/9 | 7/8 | — | 11/- | 17/7 | 25/2 1/2 |
| 3 1/2 | 4/3 | 6/- | 7/11 | 11/5 | 11/4 | 18/1 | 25/8 1/2 |
| 3 3/4 | 4/6 | 6/3 | 8/2 | — | 11/8 | 18/7 | 26/2 1/2 |
| 4 | 4/8 | 6/6 | 8/8 | 11/8 | 12/- | 19/1 | 26/8 1/2 |
| 4 1/2 | 4/11 | 7/1 | 9/2 | 11/11 | 12/7 | 19/7 | 27/8 1/2 |
| 5 | 5/7 | 7/6 | 9/8 | 12/2 | 13/4 | 20/7 | 28/8 1/2 |
| 5 1/2 | 6/3 | 8/- | 10/2 | 12/8 | 13/10 | 21/7 | 29/8 1/2 |
| 6 | 6/11 | 8/9 | 11/2 | 13/2 | 14/4 | 22/7 | 30/8 1/2 |
| 6 1/2 | 8/2 | 9/9 | 11/5 | 13/5 | 14/10 | 24/1 | 31/8 1/2 |
| 7 | 9/2 | 11/- | 11/8 | 13/8 | 15/4 | 25/1 | 32/8 1/2 |
| 7 1/2 | 10/5 | 11/9 | 11/11 | 13/11 | 15/10 | 26/1 | 33/8 1/2 |
| 8 | 11/11 | 12/3 | 12/2 | 14/2 | 16/10 | 27/1 | 35/2 1/2 |
| 8 1/2 | — | — | 12/5 | 14/5 | 17/10 | 28/1 | 36/8 1/2 |
| 9 | — | — | 12/8 | 14/11 | 18/10 | 29/1 | 38/2 1/2 |
| 9 1/2 | — | — | 12/11 | 15/5 | 19/4 | 30/7 | 39/2 1/2 |
| 10 | — | — | 13/2 | 15/11 | 20/4 | 32/1 | 40/2 1/2 |
| 10 1/2 | — | — | 13/5 | 16/11 | 21/4 | 33/7 | 41/5 1/2 |
| 11 | — | — | 13/8 | 17/11 | 22/4 | 35/1 | 42/11 1/2 |
| 11 1/2 | — | — | 14/2 | 18/11 | 23/4 | 36/7 | 44/5 1/2 |
| 12 | — | — | 14/5 | 19/11 | 24/4 | 38/1 | 46/2 1/2 |
| 13 | — | — | 15/11 | — | 25/4 | 41/1 | 50/2 1/2 |
| 14 | — | — | 16/11 | — | 26/4 | 44/1 | 52/8 1/2 |
| 15 | — | — | 18/5 | — | 27/4 | 47/1 | 56/8 1/2 |
| 16 | — | — | 19/5 | — | 28/10 | 50/1 | 60/8 1/2 |
| 17 | — | — | 20/5 | — | 30/4 | 53/1 | 64/8 1/2 |
| 18 | — | — | 21/5 | — | 32/1 | 56/1 | 68/8 1/2 |
| 19 | — | — | 22/5 | — | 33/10 | 59/1 | 72/8 1/2 |
| 20 | — | — | 23/5 | — | 35/7 | 62/1 | 76/8 1/2 |
| 21 | — | — | 25/5 | — | 36/10 | 64/1 | 80/8 1/2 |
| 22 | — | — | 27/5 | — | 38/4 | 66/1 | 84/8 1/2 |
| 23 | — | — | 29/5 | — | 39/4 | 68/9 | 88/8 1/2 |
| 24 | — | — | 31/5 | — | 40/4 | 70/1 | 92/8 1/2 |

Intermediate lengths by 1/2 inch only, over 12 inches long, take next longer side listed.

BLACK STEEL BOLTS AND NUTS—continued.

| Item No. | Description | Country of Manuf're | Estimated Requirements | Rate per | Rate | | | Name of Contractor |
|----------|---|---------------------|------------------------|----------|---------------------------------------|-----|-----|-------------------------|
| | | | | | £ | s. | d. | |
| *6850 | Bolts and Nuts, black mild steel, fishplate, $\frac{1}{2}$ " diameter x 2" long | Vict. | 5000 | 100 | 0 | 7 | 2 | } McPherson's Pty. Ltd. |
| *6851 | Bolts, black mild steel, gauge glass, cup head, without nuts, to Drg. No. 5167A.6, $\frac{5}{8}$ " diameter x $1\frac{13}{16}$ " long | " | 20,000 | " | 0 | 6 | 0 | |
| 6852 | Bolts and Nuts, black mild steel (B.S.W.), to specification— Countersunk head, Nib neck, Hexagon nut, any size on price list, as ordered Bolts, without nuts, black mild steel, to specification— Countersunk head, Nib neck— | ... | £100 | ... | ... | ... | ... | Nil |
| 6853 | $\frac{5}{8}$ " diameter x $3\frac{1}{2}$ " " ... | Vict. | 600 | 100 | 0 | 12 | 8 | } McPherson's Pty. Ltd. |
| 6854 | $\frac{3}{4}$ " " x 3" " ... | " | 1000 | " | 0 | 13 | 11 | |
| 6855 | $\frac{3}{4}$ " " x $3\frac{1}{2}$ " " ... | " | 500 | " | 0 | 14 | 2 | |
| 6856 | $\frac{3}{4}$ " " x 4" " ... | " | 700 | " | 0 | 15 | 2 | |
| 6857 | Countersunk head, Square neck— $\frac{1}{4}$ " to $\frac{3}{4}$ " diameter x any length ordered, as per price list | " | £600 | ... | List price less 17 $\frac{1}{2}$ % | ... | ... | |
| 6858 | $\frac{5}{8}$ " diameter x $10\frac{1}{2}$ " long | " | 400 | 100 | 0 | 10 | 6 | |
| 6859 | $\frac{1}{2}$ " " x $39\frac{1}{2}$ " " threaded 3" | " | 5000 | " | 2 | 6 | 4 | |
| 6860 | $\frac{7}{8}$ " " x $3\frac{1}{2}$ " " ... | " | 100 | " | 1 | 7 | 11 | |
| 6861 | 1" " x 9" " ... | " | 150 | " | 2 | 17 | 3 | |
| 6862 | Bolts and Nuts, black mild steel (B.S.W.), to specification— Cup head, Nib neck, Hexagon nut, any size on price list, as ordered Bolts, without nuts, black mild steel, to specification— | ... | £150 | ... | ... | ... | ... | Nil |
| 6863 | Cup head, Square neck, $\frac{13}{16}$ " to $\frac{3}{4}$ " diameter x any length ordered, as per price list | Vict. | £6000 | ... | List price less 36 $\frac{1}{2}$ % | ... | ... | McPherson's Pty. Ltd. |
| 6864 | Bolts and Nuts, black mild steel (B.S.W.), to specification— Hexagon head, Round neck, Hexagon nut— $\frac{1}{4}$ " to 1" diameter x any length ordered, as per price list | ... | £9000 | ... | ... | ... | ... | } Nil |
| 6865 | $\frac{3}{8}$ " diameter x $12\frac{1}{2}$ " long | ... | 300 | ... | ... | ... | ... | |
| 6866 | $\frac{7}{8}$ " " x 16" ... | ... | 200 | ... | ... | ... | ... | |
| 6867 | $\frac{1}{4}$ " " x 14" " ... | ... | 100 | ... | ... | ... | ... | |
| 6868 | $1\frac{1}{8}$ " " x $3\frac{1}{2}$ " " ... | ... | 100 | ... | ... | ... | ... | |
| 6869 | $1\frac{1}{8}$ " " x $3\frac{3}{4}$ " " ... | ... | 150 | ... | ... | ... | ... | |
| 6870 | $1\frac{1}{8}$ " " x 7" " ... | ... | 75 | ... | ... | ... | ... | |
| 6871 | $1\frac{1}{8}$ " " x 9" " ... | ... | 100 | ... | ... | ... | ... | |
| 6872 | Hexagon head, Round neck, 2 Hexagon nuts, $\frac{1}{2}$ " to 1" diameter x any length ordered, as per price list | ... | £500 | ... | ... | ... | ... | |
| 6873 | Hexagon head, Round neck, 2 Hexagon nuts (1 thick and 1 thin), $\frac{3}{4}$ " diameter x $2\frac{3}{4}$ " long | ... | 6000 | ... | ... | ... | ... | |

⚡ Rates plus 7.6%

BLACK STEEL BOLTS AND NUTS—continued.

| Item No. | Description | Country of Manufacture | Estimated Requirements | Rate per | Rate | | | Name of Contractor |
|----------|--|------------------------|------------------------|----------|------|--------|-------|-------------------------|
| | | | | | £ | s. | d. | |
| 6874 | Bolts and Nuts, black mild steel (B.S.W.), to specification—continued— Square head, Round neck, Hexagon nut, $\frac{1}{2}$ " to $\frac{3}{4}$ " diameter x any length ordered, as per price list | ... | £60 | ... | ... | ... | } Nil | |
| 6875 | Square head, Round neck, 2 Hexagon nuts— $\frac{5}{8}$ " diameter x $2\frac{1}{4}$ " long | ... | 250 | ... | ... | ... | | |
| 6876 | $\frac{5}{8}$ " " x $9\frac{3}{8}$ " " " | ... | 300 | ... | ... | ... | | |
| 6877 | Square head, Round neck, Square nut— $\frac{1}{2}$ " to $\frac{3}{4}$ " diameter x any length ordered, as per price list | ... | £2000 | ... | ... | ... | | |
| 6878 | $\frac{7}{8}$ " diameter x 12" long | ... | 100 | ... | ... | ... | | |
| 6879 | $\frac{7}{8}$ " " x 13" " " | ... | 200 | ... | ... | ... | | |
| 6880 | $\frac{7}{8}$ " " x 14" " " | ... | 1800 | ... | ... | ... | | |
| 6881 | $\frac{7}{8}$ " " x 15" " " | ... | 400 | ... | ... | ... | | |
| 6882 | $\frac{7}{8}$ " " x 16" " " | ... | 1000 | ... | ... | ... | | |
| 6883 | $\frac{7}{8}$ " " x 17" " " | ... | 1000 | ... | ... | ... | | |
| 6884 | $\frac{7}{8}$ " " x 18" " " | ... | 1600 | ... | ... | ... | | |
| 6885 | $\frac{7}{8}$ " " x 19" " " | ... | 1000 | ... | ... | ... | | |
| 6886 | $\frac{7}{8}$ " " x 20" " " | ... | 10,000 | ... | ... | ... | | |
| 6887 | $\frac{7}{8}$ " " x 21" " " | ... | 1400 | ... | ... | ... | | |
| 6888 | $\frac{7}{8}$ " " x 22" " " | ... | 5000 | ... | ... | ... | | |
| 6889 | $\frac{7}{8}$ " " x 23" " " | ... | 3000 | ... | ... | ... | | |
| 6890 | $\frac{7}{8}$ " " x 24" " " | ... | 1400 | ... | ... | ... | | |
| 6891 | $\frac{7}{8}$ " " x 25" " " | ... | 700 | ... | ... | ... | | |
| 6892 | $\frac{7}{8}$ " " x 26" " " | ... | 700 | ... | ... | ... | | |
| 6893 | $\frac{7}{8}$ " " x 27" " " | ... | 550 | ... | ... | ... | | |
| 6894 | $\frac{7}{8}$ " " x 28" " " | ... | 1000 | ... | ... | ... | | |
| 6895 | $\frac{7}{8}$ " " x 29" " " | ... | 100 | ... | ... | ... | | |
| 6896 | $\frac{7}{8}$ " " x 30" " " | ... | 700 | ... | ... | ... | | |
| 6897 | $\frac{7}{8}$ " " x 31" " " | ... | 100 | ... | ... | ... | | |
| 6898 | $\frac{7}{8}$ " " x 33" " " | ... | 100 | ... | ... | ... | | |
| 6899 | $\frac{7}{8}$ " " x 34" " " | ... | 200 | ... | ... | ... | | |
| 6900 | Bolts, without nuts, black mild steel, to specification— Tee head, Round neck—(see note)— $\frac{3}{8}$ " diameter x 1" long, screwed to head | Vict. | 10,000 | 100 | £ | 1 11 | | } McPherson's Pty. Ltd. |
| 6901 | $\frac{1}{2}$ " " x $1\frac{1}{4}$ " " " | " | 50,000 | " | £ | 0 7 1 | | |
| 6902 | $\frac{1}{2}$ " " x $1\frac{1}{2}$ " " " | " | 1000 | " | £ | 0 11 4 | | |
| 6903 | $\frac{1}{2}$ " " x 2" " " | " | 2500 | " | £ | 0 7 5 | | |

♦ Rates plus 7.6%

BLACK STEEL BOLTS AND NUTS—continued.

| Item No. | Description | Country of Manuf're | Estimated Requirements | Rate per | Rate £ s. d. | Name of Contractor |
|-----------|---|---------------------|------------------------|----------|-----------------|----------------------------|
| | Bolts, without nuts, black mild steel, to specification—continued— | | | | | |
| | Tee head, Round neck—(see note) continued— | | | | | |
| 6904 | ½" diameter x 2½" long ... | Vict. | 1000 | 100 | £0 8 4 | } McPherson's Ltd. Ltd. |
| 6905 | ½" " x 3" " ... | " | 100 | " | £0 9 11 | |
| 6906 | ½" " x 2" " ... | " | 200 | " | £1 0 4 | |
| 6907 | ½" " x 2¾" " ... | " | 250 | " | £1 1 4 | |
| 6908 | ½" " x 3¼" " ... | " | 50 | " | £1 2 7 | |
| 6909 | ½" " x 6" " ... | " | 250 | " | £1 1 8 | |
| 6910 | ¾" " x 3" " ... | " | 1200 | " | £1 5 8 | |
| | Nuts, hexagon, black mild steel, tapped, (B.S.W.), to specification (except item No. 6911)— | | | | | |
| †6911 | ⅜" | ... | Nil | ... | ... | } Nil |
| 6912 | ½" | ... | 10,000 | ... | ... | |
| 6913 | ⅝" | ... | 1200 | ... | ... | |
| 6914 | ¾" | ... | 15,000 | ... | ... | |
| 6915 | ⅞" | ... | 120,000 | ... | ... | |
| 6916 | 1" | ... | 200,000 | ... | ... | |
| 6917 | 1¼" | ... | 120,000 | ... | ... | |
| 6918 | 1½" | ... | 10,000 | ... | ... | |
| 6919 | 1" | ... | 10,000 | ... | ... | |
| 6920 | 1½" | ... | 25,000 | ... | ... | |
| 6921 | 1¼" | ... | 5000 | ... | ... | |
| 6922 | 1½" | ... | 800 | ... | ... | |
| 6923 | 1½" | ... | 300 | ... | ... | |
| 6924 | 1½" | ... | 200 | ... | ... | |
| 6925 | 2" | ... | 100 | ... | ... | |
| | Nuts, hexagon, lock, black mild steel, tapped (B.S.W.), to specification— | | | | | |
| 6926 | ½" | ... | 3500 | ... | ... | |
| 6927 | ⅝" | ... | 25,000 | ... | ... | |
| 6928 | ¾" | ... | 14,000 | ... | ... | |
| 6929 | ⅞" | ... | 3500 | ... | ... | |
| 6930 | 1½" | ... | 250 | ... | ... | |
| 6931 | 1¼" | ... | 2500 | ... | ... | |
| 6932-6939 | Nil | | | | | |

‡ Rates plus 7.6%.

BLACK STEEL BOLTS AND NUTS

(Schedule No. 203B)

(1st October, 1944, to 30th June, 1946)

PRICE LIST

Bolts and Nuts, black mild steel—

Item No. 6874—Square head, Round neck, Hexagon nut. (Less 35%, plus 7.6%)

Item No. 6877—Square head, Round neck, Square nut. (Less 37½%, plus 7.6%)

Rates per 100—

| Length in. | DIAMETER | | | Length in. | DIAMETER | | |
|---------------|----------|------|------|---------------|----------|------|-------|
| | ½" | ¾" | 1" | | ½" | ¾" | 1" |
| 1 | 11/6 | 19/- | — | 10 | 27/- | 41/- | 56/- |
| 1¼ | 11/9 | 19/6 | — | 10½ | 28/- | 42/6 | 57/6 |
| 1½ | 12/3 | 21/3 | 32/- | 11 | 29/- | 44/- | 59/- |
| 1¾ | 13/- | 22/- | 32/6 | 11½ | 30/- | 45/- | 61/- |
| 2 | 13/9 | 22/9 | 33/- | 12 | 31/- | 46/- | 63/- |
| 2¼ | 14/3 | 23/6 | 33/9 | 13 | 34/- | 49/- | 65/- |
| 2½ | 14/6 | 24/- | 34/6 | 14 | 36/- | 52/6 | 69/- |
| 2¾ | 15/- | 24/6 | 35/6 | 15 | 38/- | 56/- | 72/- |
| 3 | 15/6 | 25/- | 36/- | 16 | 40/- | 59/- | 75/- |
| 3¼ | 16/- | 25/6 | 37/- | 17 | 42/- | 62/- | 78/- |
| 3½ | 16/6 | 26/- | 38/- | 18 | 44/- | 65/- | 82/- |
| 3¾ | 17/- | 27/- | 39/- | 19 | 46/- | 68/- | 86/- |
| 4 | 17/6 | 27/6 | 40/- | 20 | 48/- | 71/- | 90/- |
| 4¼ | 18/6 | 28/- | 41/- | 21 | 49/6 | 72/6 | 94/- |
| 5 | 19/6 | 29/- | 42/- | 22 | 51/- | 74/- | 97/- |
| 5½ | 20/6 | 30/- | 43/- | 23 | 52/6 | 75/6 | 100/- |
| 6 | 21/9 | 31/- | 44/- | 24 | 54/- | 77/- | 103/- |
| 6¼ | 23/- | 32/- | 45/- | 25 | — | — | 106/- |
| 7 | 23/6 | 33/- | 46/- | 26 | — | — | 109/- |
| 7½ | 24/- | 34/- | 47/- | 27 | — | — | 112/- |
| 8 | 24/6 | 35/6 | 48/- | 28 | — | — | 115/- |
| 8¼ | 25/- | 37/- | 49/- | 29 | — | — | 118/- |
| 9 | 25/6 | 38/6 | 51/- | 30 | — | — | 121/- |
| 9¼ | 26/- | 40/- | 53/6 | — | — | — | — |

Intermediate lengths by ¼ inch only, over 12 inches long, take next longer size listed.

BLACK STEEL BOLTS AND NUTS—continued.

PRICE LIST.

Bolts and Nuts, black mild steel—

Item No. 6857—Countersunk head, Square neck, Hexagon nut (Less 17½%, plus 7·6%)

Item No. 6863—Cup head, Square neck, Hexagon nut (Less 36½%, plus 7·6%)

RATES per 100—

| Length in. | DIAMETER | | | | | | |
|---------------|--------------|-------|------|-------|------|------|-------|
| | 3/16" & 1/4" | 5/16" | 3/8" | 7/16" | 1/2" | 5/8" | 3/4" |
| 1/2 | 3/11 | 5/- | 7/- | — | — | — | — |
| 1 | 4/- | 5/1 | 7/1 | 9/9 | 10/9 | — | — |
| 1 1/4 | 4/1 | 5/2 | 7/2 | 9/9 | 11/- | 18/6 | — |
| 1 1/2 | 4/2 | 5/3 | 7/3 | 10/- | 11/3 | 19/- | 29/- |
| 1 3/4 | 4/4 | 5/6 | 7/6 | 10/6 | 11/9 | 19/6 | 29/6 |
| 2 | 4/6 | 5/9 | 7/9 | 11/- | 12/- | 20/- | 30/- |
| 2 1/4 | 4/8 | 6/- | 8/- | 11/5 | 12/3 | 20/6 | 30/6 |
| 2 1/2 | 4/10 | 6/3 | 8/4 | 11/10 | 12/6 | 21/- | 31/- |
| 2 3/4 | 5/- | 6/5 | 8/8 | 12/4 | 12/9 | 21/6 | 31/6 |
| 3 | 5/2 | 6/7 | 9/- | 12/10 | 13/3 | 22/- | 32/- |
| 3 1/4 | 5/3 | 7/- | 9/3 | — | 13/8 | 22/6 | 32/6 |
| 3 1/2 | 5/4 | 7/3 | 9/6 | 13/6 | 14/- | 23/- | 33/- |
| 3 3/4 | 5/7 | 7/6 | 9/9 | — | 14/4 | 23/6 | 33/6 |
| 4 | 5/9 | 7/9 | 10/3 | 13/9 | 14/8 | 24/- | 34/- |
| 4 1/2 | 6/- | 8/4 | 10/9 | 14/- | 15/3 | 24/6 | 35/- |
| 5 | 6/8 | 8/9 | 11/3 | 14/3 | 16/- | 25/6 | 36/- |
| 5 1/2 | 7/4 | 9/3 | 11/9 | 14/9 | 16/6 | 26/6 | 37/- |
| 6 | 8/- | 10/- | 12/9 | 15/3 | 17/- | 27/6 | 38/- |
| 6 1/2 | 9/3 | 11/- | 13/- | 15/6 | 17/6 | 29/- | 39/- |
| 7 | 10/3 | 12/3 | 13/3 | 15/9 | 18/- | 30/- | 40/- |
| 7 1/2 | 11/6 | 13/- | 13/6 | 16/- | 18/6 | 31/- | 41/- |
| 8 | 13/- | 13/6 | 13/9 | 16/3 | 19/6 | 32/- | 42/6 |
| 8 1/2 | — | — | 14/- | 16/6 | 20/6 | 33/- | 44/- |
| 9 | — | — | 14/3 | 17/- | 21/6 | 34/- | 45/6 |
| 9 1/2 | — | — | 14/6 | 17/6 | 22/- | 35/6 | 46/6 |
| 10 | — | — | 14/9 | 18/- | 23/- | 37/- | 47/6 |
| 10 1/2 | — | — | 15/- | 19/- | 24/- | 38/6 | 48/9 |
| 11 | — | — | 15/3 | 20/- | 25/- | 40/- | 50/3 |
| 11 1/2 | — | — | 15/9 | 21/- | 26/- | 41/6 | 51/9 |
| 12 | — | — | 16/- | 22/- | 27/- | 43/- | 53/6 |
| 13 | — | — | 17/6 | — | 28/- | 46/- | 57/6 |
| 14 | — | — | 18/6 | — | 29/- | 49/- | 60/- |
| 15 | — | — | 20/- | — | 30/- | 52/- | 64/- |
| 16 | — | — | 21/- | — | 31/6 | 55/- | 68/- |
| 17 | — | — | 22/- | — | 33/- | 58/- | 72/- |
| 18 | — | — | 23/- | — | 34/9 | 61/- | 76/- |
| 19 | — | — | 24/- | — | 36/6 | 64/- | 80/- |
| 20 | — | — | 25/- | — | 38/3 | 67/- | 84/- |
| 21 | — | — | 27/- | — | 39/6 | 69/- | 88/- |
| 22 | — | — | 29/- | — | 41/- | 71/- | 92/- |
| 23 | — | — | 31/- | — | 42/- | 73/- | 96/- |
| 24 | — | — | 33/- | — | 43/- | 75/- | 100/- |

Intermediate lengths by 1/2 inch only, over 12 inches long, take next longer size listed.

BLACK STEEL BOLTS AND NUTS—continued.

PRICE LIST

Bolts and Nuts, black mild steel—

Item No. 6864—Hexagon head, Round neck, Hexagon nut. (Less 37½%, plus 7·6%)

Item No. 6872—Hexagon head, Round neck, 2 Hexagon nuts. (Less 30%, plus 7·6%)

Rates per 100—

| Length in. | DIAMETER | | | | | | | | |
|---------------|----------|-------|------|-------|------|------|-------|-------|-------|
| | ½" | 5/16" | ¾" | 7/16" | ½" | ¾" | ¾" | 1" | 1" |
| ½ | 5/4 | 6/6 | 9/- | — | — | — | — | — | — |
| 1 | 5/5 | 6/7 | 9/1 | 11/8 | 11/6 | 19/- | — | — | — |
| 1½ | 5/6 | 6/8 | 9/2 | 11/10 | 11/9 | 19/6 | 28/6 | — | — |
| 1½ | 5/7 | 6/9 | 9/3 | 12/- | 12/3 | 20/- | 29/- | 42/- | — |
| 1½ | 5/8 | 7/2 | 9/6 | 12/6 | 13/- | 20/6 | 29/6 | 43/- | 56/6 |
| 2 | 5/10 | 7/6 | 9/9 | 13/- | 13/9 | 21/- | 30/- | 44/- | 58/- |
| 2½ | 6/- | 7/9 | 10/3 | 13/6 | 14/3 | 22/- | 30/6 | 45/- | 60/- |
| 2½ | 6/4 | 8/- | 10/9 | 14/- | 14/6 | 22/6 | 31/- | 46/- | 62/- |
| 2½ | 6/8 | 8/4 | 11/3 | 14/6 | 15/- | 23/- | 31/9 | 47/- | 64/- |
| 3 | 7/- | 8/8 | 11/9 | 15/- | 15/6 | 23/6 | 32/6 | 48/- | 66/- |
| 3½ | — | — | — | — | 16/- | 24/- | 33/6 | 49/- | 68/- |
| 3½ | 7/6 | 9/2 | 13/- | 15/6 | 16/6 | 24/6 | 34/6 | 50/- | 70/- |
| 3½ | — | — | — | — | 17/- | 25/- | 35/6 | 51/- | 72/- |
| 4 | 8/- | 9/9 | 14/- | 16/6 | 17/9 | 26/- | 36/6 | 52/- | 74/- |
| 4½ | 9/6 | 11/3 | 14/3 | 17/6 | 19/- | 26/6 | 38/- | 53/6 | 76/- |
| 5 | 10/- | 12/3 | 14/6 | 18/6 | 20/- | 27/- | 39/6 | 55/- | 78/- |
| 5½ | 10/9 | 13/9 | 14/9 | 20/- | 21/6 | 28/6 | 41/- | 56/6 | 80/- |
| 6 | 11/6 | 14/6 | 15/- | 21/6 | 22/6 | 29/6 | 42/- | 58/- | 82/- |
| 6½ | — | — | 15/6 | — | 23/6 | 31/- | 44/- | 61/- | 84/- |
| 7 | — | — | 16/- | — | 24/- | 32/6 | 46/- | 63/6 | 86/- |
| 7½ | — | — | 16/9 | — | 24/6 | 33/9 | 48/- | 66/- | 88/- |
| 8 | — | — | 17/6 | — | 25/- | 35/3 | 50/- | 69/- | 91/- |
| 8½ | — | — | 18/6 | — | 25/6 | 36/9 | 52/- | 71/- | 95/- |
| 9 | — | — | 19/6 | — | 26/- | 38/6 | 54/- | 74/- | 99/- |
| 9½ | — | — | 21/- | — | 26/6 | 40/- | 56/- | 77/- | 103/- |
| 10 | — | — | 22/- | — | 27/- | 41/6 | 58/- | 80/- | 107/- |
| 10½ | — | — | — | — | 28/- | 42/9 | 60/- | 83/- | 112/- |
| 11 | — | — | 23/6 | — | 29/6 | 44/- | 62/- | 86/- | 116/- |
| 11½ | — | — | — | — | 31/- | 45/6 | 64/- | 89/- | 120/- |
| 12 | — | — | 25/- | — | 33/- | 47/- | 66/- | 92/- | 124/- |
| 13 | — | — | — | — | 35/- | 50/- | 68/- | 95/- | 128/- |
| 14 | — | — | — | — | 37/- | 53/6 | 72/- | 101/- | 136/- |
| 15 | — | — | — | — | 39/- | 56/6 | 76/- | 107/- | 144/- |
| 16 | — | — | — | — | 41/- | 60/- | 80/- | 113/- | 152/- |
| 17 | — | — | — | — | 43/- | 63/- | 84/- | 119/- | 160/- |
| 18 | — | — | — | — | 45/- | 66/- | 88/- | 125/- | 168/- |
| 19 | — | — | — | — | 47/- | 69/- | 92/- | 131/- | 176/- |
| 20 | — | — | — | — | 49/- | 72/- | 96/- | 137/- | 184/- |
| 21 | — | — | — | — | — | 74/- | 99/- | 143/- | — |
| 22 | — | — | — | — | — | 76/6 | 102/- | 149/- | — |
| 23 | — | — | — | — | — | 79/- | 105/- | 155/- | — |
| 24 | — | — | — | — | — | 82/- | 108/- | 161/- | — |

Intermediate lengths by ½ inch only, over 12 inches long, take next longer size listed.

BLACK STEEL BOLTS AND NUTS—continued.

| Item No. | Description | Country of Manuf're | Estimated Requirements | Rate per | Rate | | | Name of Contractor |
|----------|---|---------------------|------------------------|----------|----------------------|-----|-------|-------------------------|
| | | | | | £ | s. | d. | |
| *6850 | Bolts and Nuts, black mild steel, fishplate, $\frac{1}{2}$ " diameter x 2" long | Vict. | 5000 | 100 | 0 | 7 | 2 | } McPherson's Pty. Ltd. |
| *6851 | Bolts, black mild steel, gauge glass, cup head, without nuts, to Drg. No. 5167A.6, $\frac{5}{16}$ " diameter x $1\frac{13}{16}$ " long | " | 20,000 | " | 0 | 6 | 0 | |
| 6852 | Bolts and Nuts, black mild steel, to specification— Countersunk head, Nib neck, Hexagon nut, any size on price list, as ordered | ... | £100 | ... | ... | ... | ... | Nil |
| | Countersunk head, Nib neck, 2 Hexagon nuts— | | | | | | | |
| 6853 | $\frac{5}{8}$ " diameter x $3\frac{1}{2}$ " long ... | Vict. | 600 | 100 | 1 | 2 | 6 | } McPherson's Pty. Ltd. |
| 6854 | $\frac{3}{4}$ " " x 3" " ... | " | 1000 | " | 1 | 8 | 6 | |
| 6855 | $\frac{3}{4}$ " " x $3\frac{1}{2}$ " " ... | " | 500 | " | 1 | 8 | 9 | |
| 6856 | $\frac{3}{4}$ " " x 4" " ... | " | 700 | " | 1 | 9 | 9 | |
| | Countersunk head, Square neck, Hexagon nut— | | | | | | | |
| 6857 | $\frac{1}{4}$ " to $\frac{3}{4}$ " diameter x any length ordered, as per price list | " | £600 | ... | List price less 17½% | £ | s. d. | } McPherson's Pty. Ltd. |
| 6858 | $\frac{5}{16}$ " diameter x $10\frac{1}{2}$ " long ... | " | 400 | 100 | 0 | 11 | 9 | |
| 6859 | $\frac{1}{2}$ " " x $39\frac{1}{2}$ " " , threaded 3" | " | 5000 | " | 2 | 9 | 0 | |
| 6860 | $\frac{7}{8}$ " " x $3\frac{1}{2}$ " " ... | " | 100 | " | 1 | 18 | 9 | |
| 6861 | 1" " x 9" " ... | " | 150 | " | 3 | 13 | 0 | |
| 6862 | Cup head, Nib neck, Hexagon nut, any size on price list, as ordered | ... | £150 | ... | ... | ... | ... | Nil |
| 6863 | Cup head, Square neck, Hexagon nut, $\frac{3}{16}$" to $\frac{3}{4}$" diameter x any length ordered, as per price list | Vict. | £6000 | ... | List price less 36½% | £ | s. d. | McPherson's Pty. Ltd. |
| | Hexagon head, Round neck, Hexagon nut— | | | | | | | |
| 6864 | $\frac{1}{4}$ " to 1" diameter x any length ordered, as per price list | " | £9000 | ... | List price less 37½% | £ | s. d. | } McPherson's Pty. Ltd. |
| 6865 | $\frac{3}{8}$ " diameter x $12\frac{1}{2}$ " long ... | " | 300 | 100 | 0 | 16 | 6 | |
| 6866 | $\frac{7}{8}$ " " x 16" " ... | " | 200 | " | 3 | 7 | 0 | |
| 6867 | 1" " x 14" " ... | " | 100 | " | 3 | 19 | 0 | |
| 6868 | $1\frac{1}{8}$ " " x $3\frac{1}{2}$ " " ... | " | 100 | " | 2 | 13 | 9 | |
| 6869 | $1\frac{1}{8}$ " " x $3\frac{3}{4}$ " " ... | " | 150 | " | 2 | 17 | 10 | } McPherson's Pty. Ltd. |
| 6870 | $1\frac{1}{8}$ " " x 7" " ... | " | 75 | " | 3 | 7 | 6 | |
| 6871 | $1\frac{1}{8}$ " " x 9" " ... | " | 100 | " | 3 | 17 | 6 | |
| 6872 | Hexagon head, Round neck, 2 Hexagon nuts, $\frac{1}{4}$" to 1" diameter x any length ordered, as per price list | " | £500 | ... | List Price less 30% | £ | s. d. | |
| 6873 | Hexagon head, Round neck, 2 Hexagon nuts (1 thick and 1 thin), $\frac{3}{4}$" diameter x $2\frac{3}{4}$" long | " | 6000 | 100 | 1 | 5 | 9 | |

♦ Rates plus 7.6%

BLACK STEEL BOLTS AND NUTS—continued.

| Item No. | Description | Country of Manufacture | Estimated Requirements | Rate per | Rate £ s. d. | Name of Contractor |
|----------|--|------------------------|------------------------|----------|---------------------------|--------------------------|
| 6874 | Bolts and Nuts, black mild steel, to specification—continued— Square head, Round neck, Hexagon nut, ½" to ¾" diameter x any length ordered, as per price list | Vict. | £60 | ... | List Price ♦ less 35% | McPherson's Pty. Ltd. |
| 6875 | Square head, Round neck, 2 Hexagon nuts— ½" diameter x 2¼" long | .. | 250 | 100 | £ s. d. ♦1 0 3 | |
| 6876 | ½" " x 9½" " | .. | 300 | .. | ♦1 7 6 | |
| 6877 | Square head, Round neck, Square nut— ½" to ¾" diameter x any length ordered, as per price list | .. | £2000 | ... | List Price ♦ less 37½% | |
| 6878 | ¾" diameter x 12" long ... | .. | 100 | 100 | £ s. d. ♦2 3 6 | |
| 6879 | ¾" " x 13" " ... | .. | 200 | .. | ♦2 5 9 | |
| 6880 | ¾" " x 14" " ... | .. | 1800 | .. | ♦2 7 9 | |
| 6881 | ¾" " x 15" " ... | .. | 400 | .. | ♦2 9 9 | |
| 6882 | ¾" " x 16" " ... | .. | 1000 | .. | ♦2 11 3 | |
| 6883 | ¾" " x 17" " ... | .. | 1000 | .. | ♦2 13 6 | |
| 6884 | ¾" " x 18" " ... | .. | 1600 | .. | ♦2 15 6 | |
| 6885 | ¾" " x 19" " ... | .. | 1000 | .. | ♦2 17 6 | |
| 6886 | ¾" " x 20" " ... | .. | 10,000 | .. | ♦2 18 6 | |
| 6887 | ¾" " x 21" " ... | .. | 1400 | .. | ♦3 1 0 | |
| 6888 | ¾" " x 22" " ... | .. | 5000 | .. | ♦3 2 6 | |
| 6889 | ¾" " x 23" " ... | .. | 3000 | .. | ♦3 4 9 | |
| 6890 | ¾" " x 24" " ... | .. | 1400 | .. | ♦3 7 0 | |
| 6891 | ¾" " x 25" " ... | .. | 700 | .. | ♦3 8 0 | |
| 6892 | ¾" " x 26" " ... | .. | 700 | .. | ♦3 10 0 | |
| 6893 | ¾" " x 27" " ... | .. | 550 | .. | ♦3 12 3 | |
| 6894 | ¾" " x 28" " ... | .. | 1000 | .. | ♦3 14 0 | |
| 6895 | ¾" " x 29" " ... | .. | 100 | .. | ♦3 16 0 | |
| 6896 | ¾" " x 30" " ... | .. | 700 | .. | ♦3 18 3 | |
| 6897 | ¾" " x 31" " ... | .. | 100 | .. | ♦4 0 0 | |
| 6898 | ¾" " x 33" " ... | .. | 100 | .. | ♦4 4 3 | |
| 6899 | ¾" " x 34" " ... | .. | 200 | .. | ♦4 6 0 | |
| 6900 | Tee head, Round neck, Hexagon nut— ¾" diameter x 1" long, screwed to head | .. | 10,000 | .. | ♦1 3 6 | |
| 6901 | ½" " x 1¼" " ... | .. | 50,000 | .. | ♦0 9 9 | |
| 6902 | ½" " x 1½" " ... | .. | 1000 | .. | ♦0 14 0 | |
| 6903 | ½" " x 2" " ... | .. | 2500 | .. | ♦0 10 1 | |

♦ Rates plus 7.6%

BLACK STEEL BOLTS AND NUTS—continued.

| Item No. | Description | Country of Manuf're | Estimated Requirements | Rate per | Rate | | | Name of Contractor |
|-----------|--|---------------------|------------------------|----------|------|---------|-------------------------|--------------------|
| | | | | | £ | s. | d. | |
| | Bolts and Nuts, black mild steel, to specification—continued— | | | | | | | |
| | Tee head, Round neck, Hexagon nut—continued— | | | | | | | |
| 6904 | ½" diameter x 2½" long | Vict. | 1000 | 100 | £ | 0 11 0 | } McPherson's Pty. Ltd. | |
| 6905 | ½" " x 3" " " | " | 100 | " | £ | 0 12 7 | | |
| 6906 | ⅝" " x 2" " " | " | 200 | " | £ | 1 5 3 | | |
| 6907 | ⅝" " x 2¾" " " | " | 250 | " | £ | 1 6 3 | | |
| 6908 | ⅝" " x 3¼" " " | " | 50 | " | £ | 1 7 6 | | |
| 6909 | ⅝" " x 6" " 2 hexagon nuts | " | 250 | " | £ | 1 11 6 | | |
| 6910 | ¾" " x 3" " " | " | 1200 | " | £ | 1 13 0 | | |
| | Nuts, hexagon, black mild steel, tapped, to specification— | | | | | | | |
| 6911 | ... | ... | ... | ... | ... | ... | | |
| 6912 | ¼" ... | Vic. | 10,000 | 100 | £ | 0 1 3 | } McPherson's Pty. Ltd. | |
| 6913 | ⅙" ... | " | 1200 | " | £ | 0 1 7 | | |
| 6914 | ⅜" ... | " | 15,000 | " | £ | 0 1 11½ | | |
| 6915 | ½" ... | " | 120,000 | " | £ | 0 2 7½ | | |
| 6916 | ⅝" ... | " | 200,000 | " | £ | 0 4 6½ | | |
| 6917 | ¾" ... | " | 120,000 | " | £ | 0 6 11 | | |
| 6918 | ⅞" ... | " | 10,000 | " | £ | 0 10 5 | | |
| 6919 | 1" ... | " | 10,000 | " | £ | 0 15 3 | | |
| 6920 | 1⅛" ... | " | 25,000 | " | £ | 1 1 0 | | |
| 6921 | 1¼" ... | " | 5000 | " | £ | 1 8 6 | | |
| 6922 | 1⅜" ... | " | 800 | " | £ | 1 15 6 | | |
| 6923 | 1½" ... | " | 300 | " | £ | 2 7 0 | | |
| 6924 | 1¾" ... | " | 200 | " | £ | 5 12 0 | | |
| 6925 | 2" ... | " | 100 | " | £ | 6 10 0 | | |
| | Nuts, hexagon, lock, black mild steel, tapped, to specification— | | | | | | | |
| 6926 | ½" ... | ... | 3500 | ... | ... | ... | } Nil | |
| 6927 | ⅝" ... | ... | 25,000 | ... | ... | ... | | |
| 6928 | ¾" ... | ... | 14,000 | ... | ... | ... | | |
| 6929 | ⅞" ... | ... | 3500 | ... | ... | ... | | |
| 6930 | 1⅛" ... | ... | 250 | ... | ... | ... | | |
| 6931 | 1¼" ... | ... | 2500 | ... | ... | ... | | |
| 6932-6939 | —Nil | | | | | | | |

⌘ Rates plus 7.6%

BRIGHT STEEL BOLTS AND NUTS
(Schedule No. 204)
1st October, 1944, to 30th June, 1946).

| Item No. | Description | Country of Manuf're | Estimated Requirements | Rate per | Rate £ s. d. | Name of Contractor |
|----------|---|---------------------|------------------------|----------|-----------------|-------------------------|
| 6940 | Bolts and Nuts, hexagon, bright mild steel, finished, to specification, $\frac{3}{8}$ " to 1" diameter x $\frac{3}{4}$ " to 6" long, as per price list, as ordered. "Bruntons" or "D & H" | Vict. or N.S.W. | £100 | ... | List price Net | H. A. Barnard Pty. Ltd. |
| 6941 | Bolts and Nuts, hexagon, bright mild steel (S.A.E.), finished, to specification, $\frac{3}{8}$ " to $\frac{3}{4}$ " diameter x $\frac{3}{4}$ " to 6" long, as ordered. Nuts, hexagon, bright mild steel, finished, to specification, "Bruntons" or "D & H"— | ... | £20 | ... | ... | } Nil |
| 6942 | $\frac{1}{8}$ " | ... | 30 gross | ... | ... | |
| 6943 | ... | ... | ... | ... | ... | |
| 6944 | $\frac{3}{16}$ " or $\frac{1}{4}$ ", as ordered | Vict. or N.S.W. | 75 gross | gross | 0 5 6 | |
| 6945 | $\frac{5}{16}$ " | " | 100 " | " | 0 6 0 | |
| 6946 | $\frac{3}{8}$ " | " | 50 " | " | 0 8 0 | |
| 6947 | $\frac{7}{16}$ " | " | 70 " | " | 0 10 0 | |
| 6948 | $\frac{1}{2}$ " | " | 60 " | " | 0 12 0 | |
| 6949 | $\frac{5}{8}$ " | " | 100 " | " | 0 19 0 | |
| 6950 | $\frac{3}{4}$ " | " | 100 " | " | 1 9 0 | |
| 6951 | $\frac{7}{8}$ " | " | 100 " | " | 2 1 0 | |
| 6952 | 1" | " | 80 " | " | 2 14 0 | |
| 6953 | $1\frac{1}{8}$ " | " | 10 " | " | 4 0 0 | |
| 6954 | $1\frac{1}{4}$ " | " | 10 " | " | 6 8 0 | |
| | Nuts, hexagon, lock, bright mild steel, finished, to specification, "Bruntons" or "D & H"— | | | | | |
| 6955 | $\frac{5}{16}$ " | " | 12 " | " | 0 6 0 | |
| 6956 | $\frac{1}{2}$ " | " | 10 " | " | 0 11 0 | |
| 6957 | $\frac{5}{8}$ " | " | 40 " | " | 0 17 0 | |
| 6958 | $\frac{3}{4}$ " | " | 40 " | " | 1 6 0 | |
| 6959 | $\frac{7}{8}$ " | " | 40 " | " | 1 16 0 | |
| 6960 | 1" | " | 25 " | " | 2 11 0 | |
| 6961 | $1\frac{1}{8}$ " | " | 5 " | " | 3 9 0 | |
| 6962 | $1\frac{1}{4}$ " | " | 5 " | " | 5 19 0 | |
| | Nuts, hexagon, bright mild steel, pressed, for rolled thread screws, to specification, "K & W"— | | | | | |
| †6963 | $\frac{1}{8}$ " | Vict. | 300 " | " | 0 0 8 | |
| †6964 | $\frac{3}{16}$ " | " | 150 " | " | 0 0 10 | |
| 6965 | $\frac{1}{4}$ " | " | 100 " | " | 0 1 3 | |
| 6966 | $\frac{5}{16}$ " | " | 5 " | " | 0 2 4 | |
| *6967 | Nuts, hexagon, bright mild steel, slotted, finished, 1", to specification | ... | 15 " | ... | ... | Nil |

BRIGHT STEEL BOLTS AND NUTS—continued.

| Item No. | Description | Country of Manuf're | Estimated Requirements | Rate per | Rate £ s. d. | Name of Contractor |
|-----------|---|---------------------|------------------------|----------|-----------------|---------------------------|
| †6968 | Nuts, square, bright mild steel, pressed, for rolled thread screws, to specification, "K & W"— 1/8" | Vict. | 120 gross | gross | 0 0 7 | } H. A. Barnard Pty. Ltd. |
| †6969 | 3/16" | " | 75 " | " | 0 0 9 1/4 | |
| 6970 | 1/4" | " | 150 " | " | 0 1 2 | |
| 6971 | 5/16" | " | 25 " | " | 0 1 8 | |
| 6972-6979 | —Nil | | | | | |

PRICE LIST.

Item No. 6940—Bolts and Nuts, hexagon, bright mild steel, finished.

Per gross—Net.

| Length. | DIAMETER. | | | | | | | | | |
|---------|-----------|------|-------|------|-------|-------|-------|-------|-------|-------|
| | 3/16" | 1/4" | 5/16" | 3/8" | 7/16" | 1/2" | 5/8" | 3/4" | 7/8" | 1" |
| 3/4" | 16/- | 17/- | 20/- | 25/- | — | — | — | — | — | — |
| 1" | 17/- | 17/- | 21/- | 27/- | 34/- | 41/- | — | — | — | — |
| 1 1/4" | 18/- | 18/- | 23/- | 28/- | 37/- | 44/- | 73/- | 86/- | — | — |
| 1 1/2" | 20/- | 20/- | 24/- | 30/- | 38/- | 48/- | 73/- | 108/- | — | — |
| 1 3/4" | 23/- | 21/- | 26/- | 31/- | 41/- | 52/- | 77/- | 114/- | 128/- | — |
| 2" | 21/- | 22/- | 27/- | 34/- | 44/- | 55/- | 80/- | 114/- | 140/- | 217/- |
| 2 1/4" | 22/- | 24/- | 29/- | 37/- | 48/- | 58/- | 83/- | 120/- | 151/- | 217/- |
| 2 1/2" | 25/- | 26/- | 32/- | 40/- | 51/- | 61/- | 87/- | 125/- | 162/- | 223/- |
| 2 3/4" | 27/- | 28/- | 35/- | 44/- | 54/- | 64/- | 92/- | 131/- | 170/- | 223/- |
| 3" | 30/- | 30/- | 37/- | 46/- | 56/- | 66/- | 97/- | 136/- | 181/- | 233/- |
| 3 1/4" | — | 33/- | 40/- | 50/- | 58/- | 69/- | 103/- | 142/- | 190/- | — |
| 3 1/2" | 35/- | 37/- | 43/- | 52/- | 63/- | 75/- | 107/- | 148/- | 198/- | 252/- |
| 3 3/4" | — | 39/- | 45/- | 54/- | 66/- | 79/- | 111/- | 153/- | 207/- | — |
| 4" | 40/- | 42/- | 49/- | 57/- | 73/- | 83/- | 117/- | 159/- | 215/- | 280/- |
| 4 1/2" | — | 45/- | 50/- | 63/- | 79/- | 88/- | 127/- | 165/- | 224/- | 307/- |
| 5" | — | — | 60/- | 72/- | 88/- | 97/- | 139/- | 182/- | 240/- | 335/- |
| 5 1/2" | — | — | 72/- | 80/- | 95/- | 104/- | 149/- | 196/- | 253/- | 363/- |
| 6" | — | — | 84/- | 89/- | 103/- | 113/- | 160/- | 210/- | 260/- | 390/- |

GALVANISED STEEL BOLTS AND NUTS, AND BRASS NUTS

(Schedule No. 205)

(1st July, 1944, to 30th June, 1946)

| | | | | | |
|------|---|-----|-----|-----|-----|
| 6980 | Bolts and Nuts, galvanised mild steel, hexagon head, round neck, hexagon nut, to specification— 3/8" diameter x 6" long | ... | Nil | ... | ... |
| 6981 | 3/8" " x 9" " | ... | Nil | ... | ... |

GALVANISED STEEL BOLTS AND NUTS, AND BRASS NUTS—continued.

| Item No. | Description | Country of Manuf're | Estimated Requirements | Rate per | Rate £ s. d. | Name of Contractor |
|-----------|--|---------------------|------------------------|----------|-----------------|---------------------------|
| | Bolts and Nuts, galvanised mild steel, hexagon head, round neck, hexagon nut, to specification— <i>continued</i> — | | | | | |
| 6982 | $\frac{1}{2}$ " " x $4\frac{1}{2}$ " " ... | Vict. | 2000 | 100 | 0 15 6 | } McPherson's Pty. Ltd. |
| 6983 | $\frac{1}{2}$ " " x 5" " ... | " | 250 | " | 0 15 9 | |
| 6984 | $\frac{1}{2}$ " " x 14" " ... | " | 300 | " | 1 7 9 | |
| 6985 | $\frac{1}{2}$ " " x 15" " ... | " | 50 | " | 1 9 3 | |
| 6986 | $\frac{1}{2}$ " " x 16" " ... | " | 50 | " | 1 10 9 | |
| 6987 | $\frac{5}{8}$ " " x $4\frac{1}{2}$ " " ... | " | 18,000 | " | 1 1 4 | |
| 6988 | $\frac{5}{8}$ " " x 8" " ... | " | 400 | " | 1 7 0 | |
| 6989 | $\frac{3}{4}$ " " x $2\frac{1}{2}$ " " ... | " | 15,000 | " | 1 3 10 | |
| 6990 | $\frac{3}{4}$ " " x $3\frac{1}{2}$ " " ... | " | 900 | " | 1 6 6 | |
| | Bolts and Nuts, galvanised mild steel, hexagon head, round neck, hexagon nut, to specification, each bolt complete with 2 square galvanised washers, $1\frac{1}{2}$ " x $\frac{1}{8}$ " thick x $\frac{1}{16}$ " round hole— | | | | | |
| 6991 | $\frac{5}{8}$ " diameter x 9" long ... | Vict. | 100 | 100 | 1 13 0 | } McPherson's Pty. Ltd. |
| 6992 | $\frac{5}{8}$ " " x 10" " ... | " | 50 | " | 1 14 6 | |
| 6993 | $\frac{5}{8}$ " " x 11" " ... | " | 750 | " | 1 17 0 | |
| 6994 | $\frac{5}{8}$ " " x 12" " ... | " | 300 | " | 1 19 3 | |
| 6995 | $\frac{5}{8}$ " " x 13" " ... | " | 350 | " | 2 1 3 | |
| 6996 | $\frac{5}{8}$ " " x 14" " ... | " | 100 | " | 2 3 9 | |
| 6997 | $\frac{5}{8}$ " " x 16" " ... | " | 50 | " | 2 7 9 | |
| | Nuts, hexagon, brass, finished (B.S.W.), "K.W.", to specification (except items Nos. 6998 and 6999)— | | | | | |
| +6998 | $\frac{1}{8}$ " ... | " | 15 gross | gross | 0 2 3 | McPherson's Pty. Ltd. |
| +6999 | $\frac{3}{16}$ " ... | " | 50 | " | 0 3 9 | H. A. Barnard Pty. Ltd. |
| 7000 | $\frac{1}{4}$ " ... | " | 100 | " | 0 5 8 | McPherson's Pty. Ltd. |
| 7001 | $\frac{5}{16}$ " ... | " | 5 | " | 0 7 9 | } H. A. Barnard Pty. Ltd. |
| 7002 | $\frac{3}{8}$ " ... | " | 60 | " | 0 12 6 | |
| 7003 | $\frac{1}{2}$ " ... | " | 10 | " | 1 5 0 | |
| 7004 | $\frac{3}{4}$ " ... | " | 10 | " | 3 7 6 | |
| 7005 | $\frac{7}{8}$ " ... | " | 10 | " | 5 9 0 | |
| | Nuts, hexagon, brass, pressed (B.S.W.), "K.W.", to specification— | | | | | |
| 7006 | $\frac{1}{8}$ " ... | " | 250 | " | 0 0 10½ | } H. A. Barnard Pty. Ltd. |
| 7007 | $\frac{3}{16}$ " ... | " | 200 | " | 0 1 8 | |
| 7008 | $\frac{1}{4}$ " ... | " | 10 | " | 0 3 0 | |
| 7009 | Nuts, wing (butterfly), brass (B.S.W.)— $\frac{1}{4}$ " ... | " | 20 | " | ... | |
| 7010 | $\frac{3}{8}$ " ... | " | 30 | " | ... | |
| 7011-7019 | —Nil | | | | | |

♦ Rates plus 7.6%

STEEL AND BRASS WASHERS

(Schedule No. 206)

(1st July, 1944, to 30th June, 1946)

| Item No. | Description | Country of Manuf're | Estimated Requirements | Rate per | Rate £ s. d. | Name of Contractor |
|----------|--|---------------------|------------------------|----------|-----------------|--------------------------------|
| 7020 | Washers, black mild steel, round plate, with round hole, to specification— 1" x $\frac{1}{16}$ " x $\frac{5}{16}$ " hole | Vict. | 4 cwt. | cwt. | 3 2 6 | C. H. Stevens |
| 7021 | 1" x $\frac{1}{8}$ " x $\frac{5}{16}$ " " | " | 12 " | " | 1 16 0 | C. Ebeling & Sons Pty. Ltd. |
| 7022 | 1 $\frac{1}{4}$ " x $\frac{1}{8}$ " x $\frac{5}{16}$ " " | " | 2 " | " | 1 16 0 | |
| 7023 | 1 $\frac{1}{4}$ " x $\frac{1}{8}$ " x $\frac{3}{8}$ " " | " | 3 " | " | 1 16 0 | |
| 7024 | 1 $\frac{1}{8}$ " x $\frac{1}{16}$ " x $\frac{7}{16}$ " " | " | 4 " | " | 2 10 6 | C. H. Stevens |
| 7025 | 1 $\frac{1}{8}$ " x $\frac{1}{8}$ " x $\frac{7}{16}$ " " | " | 100 " | " | 1 13 6 | C. Ebeling & Sons Pty. Ltd. |
| 7026 | 1 $\frac{1}{2}$ " x $\frac{1}{8}$ " x $\frac{7}{16}$ " " | " | 10 " | " | 1 13 6 | |
| 7027 | 1 $\frac{1}{4}$ " x $\frac{1}{16}$ " x $\frac{3}{16}$ " " | " | 10 " | " | 2 16 0 | |
| 7028 | 1 $\frac{1}{4}$ " x $\frac{1}{8}$ " x $\frac{3}{16}$ " " | " | 60 " | " | 1 12 0 | C. H. Stevens |
| 7029 | 1 $\frac{1}{2}$ " x $\frac{1}{8}$ " x $\frac{3}{16}$ " " | " | 10 " | " | 1 16 6 | |
| 7030 | 2" x $\frac{1}{4}$ " x $\frac{3}{16}$ " " | " | 4 " | " | 1 13 0 | |
| 7031 | 1 $\frac{1}{2}$ " x $\frac{1}{8}$ " x $\frac{11}{16}$ " " | " | 25 " | " | 1 12 6 | C. Ebeling & Sons Pty. Ltd. |
| 7032 | 2 $\frac{1}{2}$ " x $\frac{3}{16}$ " x $\frac{11}{16}$ " " | " | 40 " | " | 1 13 6 | |
| 7033 | 2" x $\frac{1}{4}$ " x $\frac{11}{16}$ " " | " | 100 " | " | 1 12 0 | |
| 7034 | 1 $\frac{1}{2}$ " x $\frac{1}{8}$ " x $\frac{11}{16}$ " " | " | 6 " | " | 1 18 0 | C. H. Stevens |
| 7035 | 1 $\frac{3}{4}$ " x $\frac{1}{8}$ " x $\frac{11}{16}$ " " | " | 140 " | " | 1 12 6 | C. Ebeling & Sons Pty. Ltd. |
| 7036 | 2 $\frac{1}{2}$ " x $\frac{1}{4}$ " x $\frac{11}{16}$ " " | " | 150 " | " | 1 12 0 | |
| 7037 | 1 $\frac{3}{4}$ " x $\frac{1}{8}$ " x $\frac{11}{16}$ " " | " | 50 " | " | 1 18 0 | |
| 7038 | 2" x $\frac{1}{8}$ " x $\frac{11}{16}$ " " | " | 80 " | " | 1 13 0 | C. H. Stevens |
| 7039 | 3" x $\frac{1}{4}$ " x $\frac{11}{16}$ " " | " | 30 " | " | 1 12 0 | |
| 7040 | 3" x $\frac{3}{16}$ " x $\frac{11}{16}$ " " | " | 40 " | " | 1 16 0 | |
| 7041 | 2 $\frac{1}{8}$ " x $\frac{1}{8}$ " x 1 $\frac{1}{16}$ " " | " | 40 " | " | 1 16 6 | C. Ebeling & Sons Pty. Ltd. |
| 7042 | 2 $\frac{1}{8}$ " x $\frac{3}{16}$ " x 1 $\frac{1}{16}$ " " | " | 4 " | " | 1 16 0 | |
| 7043 | 2 $\frac{1}{4}$ " x $\frac{1}{8}$ " x 1 $\frac{3}{16}$ " " | " | 4 " | " | 1 16 6 | |
| 7044 | 2 $\frac{1}{4}$ " x $\frac{1}{8}$ " x 1 $\frac{5}{16}$ " " | " | 40 " | " | 1 16 6 | C. H. Stevens |
| 7045 | 2 $\frac{1}{2}$ " x $\frac{1}{8}$ " x 1 $\frac{5}{16}$ " " | " | 15 " | " | 1 17 6 | |
| 7046 | 2 $\frac{1}{2}$ " x $\frac{1}{8}$ " x 1 $\frac{11}{16}$ " " | " | 5 " | " | 1 17 6 | |
| 7047 | 2 $\frac{3}{4}$ " x $\frac{1}{8}$ " x 1 $\frac{11}{16}$ " " | " | 10 " | " | 1 17 6 | C. Ebeling & Sons Pty. Ltd. |
| 7048 | 4" x $\frac{1}{8}$ " x 2 $\frac{1}{16}$ " " | " | 10 " | " | 2 0 0 | |
| 7049 | 4" x $\frac{1}{4}$ " x 2 $\frac{3}{8}$ " " | " | 15 " | " | 3 0 0 | |
| 7050 | Washers, black mild steel, round plate, with square hole, to specification— 1 $\frac{1}{4}$ " x $\frac{1}{8}$ " x $\frac{7}{16}$ " hole | " | 10 " | " | 2 2 6 | C. H. Stevens |
| 7051 | 2" x $\frac{1}{16}$ " x $\frac{3}{16}$ " " | " | 15 " | " | 2 0 0 | |

STEEL AND BRASS WASHERS—continued.

| Item No. | Description | Country of Manufacture | Estimated Requirements | Rate per | Rate £ s. d. | Name of Contractor |
|-----------|---|------------------------|------------------------|----------|-----------------|--------------------------|
| 7052 | Washers, black mild steel, square plate, with round hole, to specification— 1½" x ¾" x ⅜" hole | Vict. | 5 cwt. | cwt. | £1 0 0 | McPherson's Pty. Ltd. |
| 7053 | 2" x ¼" x ⅞" " | " | 20 " | " | 0 18 0 | C. H. Stevens |
| 7054 | 2" x ¼" x ⅞" " | " | 8 " | " | £0 19 3 | McPherson's Pty. Ltd. |
| 7055 | 2½" x ⅝" x 1 ⅒" " | " | 15 " | " | 0 17 0 | C. H. Stevens |
| 7056 | Washers, black mild steel, square plate, with square hole, to specification, 1½" x ¼" x ⅜" hole | " | 2 " | " | £1 2 0 | McPherson's Pty. Ltd. |
| | Washers, bright mild steel, round (B.S.W.), with round hole, to specification (see note)— | | | | | |
| 7057 | ⅜" x ⅜" x 18 gauge | " | 100 gross | gross | £0 0 4 | } Sidney Cooke Pty. Ltd. |
| 7058 | ½" x ⅜" x 18 " | " | 50 " | " | £0 0 7½ | |
| 7059 | ⅝" x ¼" x 18 " | " | 150 " | " | £0 0 8 | |
| 7060 | ¾" x ⅝" x 18 " | " | 75 " | " | £0 0 9 | |
| 7061 | ⅞" x ⅜" x 16 " | " | 100 " | " | £0 0 11 | |
| 7062 | 1" x ⅞" x 16 " | " | 20 " | " | £0 1 9 | |
| 7063 | 1½" x ½" x 16 " | " | 50 " | " | £0 2 0 | |
| 7064 | ⅝" | " | 15 " | " | ... | } Nil |
| 7065 | ¾" | " | 10 " | " | ... | |
| | Washers, brass, round, with round hole, to specification (see note)— | | | | | |
| †7066 | ⅝" x ⅜" x 21 gauge | Vict. | 60 " | gross | £0 0 8 | } Sidney Cooke Pty. Ltd. |
| †7067 | ⅞" x ⅜" x 21 " | " | 150 " | " | £0 1 1½ | |
| †7068 | ½" x ¼" x 18 " | " | 150 " | " | £0 1 9½ | |
| †7069 | ¾" x ⅝" x 18 " | " | 50 " | " | £0 2 3 | |
| 7070 | Washers, galvanised mild steel, square plate, to specification, 1½" x ⅜" x ⅞" round hole | " | 15 cwt. | cwt. | £1 11 9 | McPherson's Pty. Ltd. |
| 7071-7079 | —Nil | | | | | |

◆ { Items Nos. 7052, 7054, 7056 and 7070—Plus 2/9 per cwt. surcharge.
 ◆ { Items Nos. 7057 to 7063—Plus 25%.

† Items Nos. 7057 to 7063 and 7066 to 7069—Less 2½% discount for payment by end of month following month of delivery.

SPRING STEEL WASHERS

(Schedule No. 207)

(1st July, 1944, to 30th June, 1946)

| Item No. | Description | Country of Manufacture | Estimated Requirements | Rate per | Rate £ s. d. | Name of Contractor |
|----------|---|------------------------|------------------------|----------|-----------------|----------------------------------|
| 7080 | Washers, spring steel, round, flat section, to specification— ¼" x ⅜" x ⅜" | N.S.W. | 50 gross | gross | £0 1 6 | } F. R. S. Ideal Spring Co. Ltd. |
| 7081 | ⅝" x ⅜" x ⅜" | " | 10 " | " | £0 1 9 | |
| 7082 | ¾" x ⅜" x ⅜" | " | 4 " | " | £0 2 3 | |
| 7083 | ⅝" x ¼" x ⅜" | " | 20 " | " | £0 8 9 | |
| 7084 | ⅞" x ¼" x ⅜" | " | 80 " | " | £0 9 6 | |
| 7085 | 1 ⅒" x ⅜" x ⅜" | " | 4 " | " | ... | Nil |

SPRING STEEL WASHERS—continued.

| Item No. | Description | Country of Manuf're | Estimated Requirements | Rate per | Rate | | | Name of Contractor |
|-----------|---|---------------------|------------------------|----------|------|----|----|--------------------------------|
| | | | | | £ | s. | d. | |
| 7086 | Washers, spring steel, round, square section, to specification— $\frac{3}{16}$ " x $\frac{1}{8}$ " | N.S.W. | 300 | gross | 10 | 0 | 10 | F. R. S. Ideal Spring Co. Ltd. |
| 7087 | $\frac{1}{4}$ " x $\frac{1}{8}$ " | " | 500 | " | 10 | 0 | 10 | |
| 7088 | $\frac{1}{4}$ " x $\frac{3}{32}$ " | " | 100 | " | 10 | 1 | 0 | |
| 7089 | $\frac{1}{4}$ " x $\frac{1}{8}$ " | " | 40 | " | 10 | 1 | 4 | |
| 7090 | $\frac{5}{16}$ " x $\frac{1}{8}$ " | " | 50 | " | 10 | 1 | 0 | |
| 7091 | $\frac{5}{16}$ " x $\frac{3}{32}$ " | " | 200 | " | 10 | 1 | 3 | |
| 7092 | $\frac{5}{16}$ " x $\frac{1}{8}$ " | " | 150 | " | 10 | 1 | 6 | |
| 7093 | $\frac{3}{8}$ " x $\frac{3}{32}$ " | " | 25 | " | 10 | 1 | 9 | |
| 7094 | $\frac{3}{8}$ " x $\frac{1}{8}$ " | " | 400 | " | 10 | 2 | 0 | |
| 7095 | $\frac{7}{16}$ " x $\frac{1}{8}$ " | " | 160 | " | 10 | 2 | 2 | |
| 7096 | $\frac{1}{2}$ " x $\frac{1}{8}$ " | " | 250 | " | 10 | 2 | 9 | |
| 7097 | $\frac{1}{2}$ " x $\frac{3}{16}$ " | " | 50 | " | 10 | 5 | 0 | |
| 7098 | $\frac{5}{8}$ " x $\frac{1}{8}$ " | " | 550 | " | 10 | 3 | 6 | |
| 7099 | $\frac{3}{4}$ " x $\frac{3}{16}$ " | " | 720 | " | 10 | 7 | 0 | |
| 7100 | $\frac{7}{8}$ " x $\frac{1}{8}$ " | " | 200 | " | 10 | 9 | 0 | |
| 7101 | $1\frac{1}{4}$ " x $\frac{1}{4}$ " | " | 10 | " | 11 | 4 | 0 | |
| 7102 | $1\frac{1}{4}$ " x $\frac{7}{16}$ " | " | 12 | " | 11 | 16 | 0 | |
| 7103 | $1\frac{1}{2}$ " x $\frac{3}{8}$ " | " | 10 | " | 13 | 0 | 0 | |
| 7104 | $1\frac{3}{4}$ " x $\frac{3}{8}$ " | " | 20 | " | 13 | 12 | 0 | |
| 7105-7109 | Nil | | | | | | | |

† Less 50% trade discount.

TOOL STEEL, ETC.

(Schedule No. 209)

(1st July, 1944, to 30th June, 1946)

Quantity Extras—per lb.

Commonwealth Steel Co. Ltd.

| List | Item Nos. | Under 56-lbs. | 56-lbs. and over but under 112-lbs. | |
|-------|---|---------------|-------------------------------------|------------------------------------|
| " A " | 7127, 7127A, 7127B, 7128, 7128A, 7129, 7137, 7137A, 7138, 7139, 7139A | 2d. | 1d. | |
| List | Item Nos. | Under 14-lbs. | 14-lbs. and over but under 28-lbs. | 28-lbs. and over but under 56-lbs. |
| " B " | 7154, 7158 | 3d. | 2d. | 1d. |

TOOL STEEL, ETC.—continued.

| Item No. | Description | Country of Manuf're | Estimated Requirements | Rate per | Rate | | | Name of Contractor |
|----------|---|---------------------|------------------------|----------|------|----|------|----------------------------------|
| | | | | | £ | s. | d. | |
| 7120 | Steel, carbon, flat, for welded boiler tube ferrules, .40% to .50% carbon, 1½" wide x 8 gauge, in trade lengths, to specification, "Duraflex" | N.S.W. | 300 cwt. | cwt. | 0 | 17 | 6 | The Eagle & Globe Steel Co. Ltd. |
| | Steel, nickel, round, for case hardening, 3% nickel, in trade lengths, to specification, "Description C.H. 61," "Nycase"— | | | | | | | |
| 7121 | ⅞" to 1" diameter, advancing by ⅛", as ordered | " | 5 " | " | 2 | 5 | 6 | |
| 7122 | 1⅜" to 2¼" diameter, advancing by ⅛", as ordered | " | 20 " | " | 2 | 5 | 6 | |
| 7123 | Steel, nickel, round, not for case hardening, 3% nickel, to B.S.S. 970, E.N. 21.B., 1⅜" to 2¼" diameter, advancing by ⅛", as ordered, in trade lengths, "Nyval" | " | 20 " | " | 2 | 5 | 6 | |
| 7124 | Steel, tool, alloy, round, for sates and punches, ½" to 1½" diameter, advancing by ⅛", as ordered, in trade lengths, to specification, "Description A. 71," "High Carbon Nyval" | " | 100 " | " | 2 | 5 | 6 | |
| | Steel, tool, alloy, round, for hand, pneumatic and bar chisels, oil hardening, non-tempering, in trade lengths, to specification, "Description A. 71," "High Carbon Nyval"— | | | | | | | |
| 7125 | ¾" diameter | " | 10 " | " | 2 | 5 | 6 | |
| 7126 | ⅞" diameter | " | 30 " | " | 2 | 5 | 6 | |
| | Steel, tool, carbon (cast steel), round, in trade lengths, to specification, "Description C. 19," "Comsteel DSCO. 9"— | | | | | | | |
| 7127 | ⅜" diameter | " | 20 " | " | 1 | 5 | 18 4 | Commonwealth Steel Co. Ltd. |
| 7127A | ½" " | " | | " | 1 | 5 | 13 8 | |
| 7127B | ⅝" to 2⅝" diameter, advancing by ⅛", as ordered | " | | " | 1 | 5 | 4 4 | |
| 7128 | 2¾" or 3" diameter, as ordered ... | " | | " | 1 | 5 | 13 8 | |
| 7128A | 3¼", 3½", 3¾" or 4" diameter, as ordered | " | | " | 1 | 5 | 18 4 | |
| | Steel, tool, chrome, round, for tube expander mandrels and rollers, in trade lengths, to specification, "Description M. 55," "Comsteel C.D."— | | | | | | | |
| 7129 | ⅝" to 1½" diameter, advancing by ⅛", as ordered | " | 10 " | lb. | 1 | 0 | 2 8 | Nil |
| 7130 | Any other trade size | " | | " | " | " | " | |
| | Steel, tool, .57% to .63% carbon, .60% max. manganese, in trade lengths, to specification, "Description F. 41," "Monitor"— | | | | | | | |
| | Round— | | | | | | | |
| 7131 | ½" to 3" diameter, advancing by ⅛", as ordered | N.S.W. | 200 " | cwt. | 1 | 1 | 8 | The Eagle & Globe Steel Co. Ltd. |
| 7132 | 3½" or 3¾" diameter, as ordered ... | " | | " | " | 1 | 2 2 | |
| 7133 | Octagon— 1⅜" or 1½", as ordered ... | " | | 80 " | " | 1 | 1 8 | |

‡ Items Nos. 7127 to 7129. Plus quantity extras, as per list "A," if applicable, then less 12½% trade discount.

TOOL STEEL, ETC.—continued.

| Item No. | Description | Country of Manuf're | Estimated Requirements | Rate per | Rate | | | Name of Contractor |
|----------|---|---------------------|------------------------|----------|------|----|-----------------|----------------------------------|
| | | | | | f | s. | d. | |
| | Steel, tool, .57% to .63% carbon, .60% max. manganese, for drop hammer dies, square billets, in trade lengths, to specification, "Description F.41," "Monitor"— | | | | | | | |
| 7134 | Square, 5" | N.S.W. | 10 tons | cwt. | 0 | 17 | 2 | The Eagle & Globe Steel Co. Ltd. |
| 7135 | " 7" | " | 10 " | " | 0 | 17 | 2 | |
| 7136 | " 10" | " | 20 " | " | 0 | 17 | 2 | |
| | Steel, tool, round, for pneumatic snaps, in trade lengths, to specification, "Description M.56A," "Comsteel Dux 6"— | | | | | | | |
| 7137 | $\frac{1}{2}$ " diameter | " | 10 cwt. | lb. | 1 | 0 | 2 7 | Commonwealth Steel Co. Ltd. |
| 7137A | $\frac{3}{8}$ " to $2\frac{1}{2}$ " diameter, advancing by $\frac{1}{8}$ ", as ordered | " | | " | 1 | 0 | 2 6 | |
| | Steel, tool, flat, for shear blades, in trade lengths, to specification, "Description M.52," "Comsteel BCT."— | | | | | | | |
| 7138 | 2" x $\frac{1}{2}$ " | " | 25 " | " | 1 | 0 | 0 11 | Commonwealth Steel Co. Ltd. |
| 7139 | 4" x 1" or $4\frac{1}{2}$ " x 1", as ordered | " | | " | 1 | 0 | 1 0 | |
| 7139A | 5" x $1\frac{3}{8}$ " | " | | " | 1 | 0 | 0 11 | |
| 7140 | Any other trade size | " | | | | | Nil | |
| | Steel, tool, round, for taps, 1.0—1.2% Carbon, 1.0—2.0% Tungsten, Manganese .30% max., in trade lengths, to specification, "Description M.57A," "Intra"— | | | | | | | |
| 7141 | $\frac{3}{8}$ " to $1\frac{1}{2}$ " diameter, advancing by $\frac{1}{8}$ ", as ordered | U.K. | 8 " | cwt. | 8 | 19 | 8 | Gilbert Lodge & Co. Pty. Ltd. |
| 7142 | Any other trade size | " | | " | | | | |
| | Steel, tool, tungsten, high speed, 18% tungsten, in trade lengths, to specification, "Description H.S.21B"— | | | | | | | |
| | Flat— | | | | | | | |
| 7143 | 1" x $\frac{5}{8}$ ", "Special Echo" | U.K. | 5 cwt. | lb. | 0 | 5 | 2 | Coates & Co. Pty. Ltd. |
| 7144 | 1" x $\frac{3}{4}$ " " " | " | 10 " | " | 0 | 5 | 2 | |
| 7145 | $1\frac{1}{8}$ " x $\frac{3}{8}$ " " " | " | 10 " | " | 0 | 5 | 6 $\frac{1}{2}$ | |
| 7146 | $1\frac{1}{4}$ " x $\frac{3}{4}$ " " " | " | 5 " | " | 0 | 5 | 2 | |
| 7147 | $1\frac{1}{4}$ " x $\frac{7}{8}$ " " " | " | 5 " | " | 0 | 5 | 2 | |
| 7148 | $1\frac{1}{4}$ " x 1" " " | " | 10 " | " | 0 | 5 | 2 | |
| 7149 | $1\frac{1}{2}$ " x $1\frac{1}{4}$ " " " | " | 10 " | " | 0 | 5 | 2 | |
| 7150 | 2" x $1\frac{1}{2}$ " " " | " | 5 " | " | 0 | 5 | 2 | |
| 7151 | $2\frac{3}{8}$ " x $1\frac{1}{2}$ " " " | " | 3 " | " | 0 | 5 | 2 | |
| 7152 | 3" x $1\frac{1}{4}$ " " " | " | 5 " | " | 0 | 5 | 2 | |
| 7153 | 3" x $1\frac{1}{2}$ " " " | " | 5 " | " | 0 | 5 | 2 | |

† Items Nos. 7137 to 7139A—Plus quantity extras as per list "A," if applicable, then less 12½% trade discount.

TOOL STEEL, ETC.—continued.

| Item No. | Description | Country of Manuf're | Estimated Requirements | Rate per | Rate £ s. d. | Name of Contractor |
|-----------|---|---------------------|------------------------|----------|-----------------|---|
| | Steel, tool, tungsten, high speed, 18% tungsten, in trade lengths, to specification, "Description H.S.21B"—continued— | | | | | |
| | Flat—continued— | | | | | |
| 7154 | 1½" x ¼", "Comsteel W.18" ... | N.S.W. | 20 cwt. | lb. | 10 7 1½ | Commonwealth Steel Co. Ltd. Coates & Co. Pty. Ltd. |
| 7155 | 1½" x ½" or 2½" x 1¼", as ordered, "Special Echo" ... | U.K. | | " | 0 5 2 | |
| | Round— | | | | | |
| 7156 | ¼" diameter ... | ... | ... | ... | ... | Nil |
| 7157 | ⅜" diameter, "Special Echo" ... | U.K. | 30 cwt. | lb. | 0 6 6½ | Coates & Co. Pty. Ltd. Commonwealth Steel Co. Ltd. |
| 7158 | ⅜" or 7⁄8" diameter, as ordered, "Comsteel W.18" ... | N.S.W. | | " | 10 7 1½ | |
| 7159 | ½" to 2⅜" diameter, advancing by ⅛", as ordered, "Special Echo" ... | U.K. | | " | 0 5 2 | |
| 7160 | 3" to 4⅞" diameter, advancing by ⅛", as ordered, "Special Echo" ... | " | | " | 0 5 6 | |
| | Square— | | | | | |
| 7161 | ⅝" to 1¼", advancing by ⅛", as ordered, "Special Echo" ... | " | 10 " | " | 0 5 2 | Coates & Co. Pty. Ltd. |
| 7162 | 1½" to 2½", advancing by ¼", as ordered, "Special Echo" ... | " | 5 " | " | 0 5 2 | |
| 7163-7166 | Nil | | | | | |

‡ Items Nos. 7154 and 7158—Plus quantity extras as per list "B," if applicable, then less 10% trade discount.

STEEL FOR HOT FORGING DIES

(Schedule No. 210)

(1st July, 1944, to 30th June, 1946)

| Item No. | Description | Country of Manuf're | Estimated Requirements | Rate per | Rate £ s. d. | Name of Contractor |
|----------|---|---------------------|------------------------|----------|-----------------|---|
| | Steel, for hot forging dies, to specification, Description D32— | | | | | |
| 7167 | Round, 4" dia., in trade lengths of 10' to 12', "W9. B" ... | N.S.W. | 15 cwt. | lb. | 10 5 7½ | Commonwealth Steel Co. Ltd. The Eagle & Globe Steel Co. Ltd. |
| 7167A | Round, 4" dia., in trade lengths of approx. 9', "Balfour's" ... | U.K. | | " | 0 5 1½ | |
| 7168 | Square, 5½", in trade lengths of 10' to 12', "W9. B" ... | N.S.W. | 10 " | " | 10 5 9 | Commonwealth Steel Co. Ltd. The Eagle & Globe Steel Co. Ltd. |
| 7168A | Square, 5½", in trade lengths of approx. 7'6", "Balfour's" ... | U.K. | | " | 0 5 4½ | |
| 7169 | Nil | | | | | |

‡ Less 10% trade discount.

CLOTH OVERCOATS

(Schedule No. 212)

(1st July, 1944, to 30th June, 1946)

| Item No. | Description | Country of Manuf're | Estimated Requirements | Rate per | Rate | | | Name of Contractor |
|-----------|--|---------------------|------------------------|----------|------|----|----|-------------------------------|
| | | | | | £ | s. | d. | |
| | Overcoats, cloth, to specification, any size ordered— | | | | | | | |
| *7180 | Single Breasted, to sample No. 1 (worn by Goods Guards, Electric Suburban Guards, Electric Train Drivers, Rail Motor Drivers, Tram Conductors and Tram Motormen) | Vict. | 500 | each | 3 | 6 | 0 | John Cohen & Co. Pty. Ltd. |
| *7181 | Single Breasted, to sample No. 2 (worn by Passenger Guards) | " | 20 | " | 3 | 7 | 0 | |
| *7182 | Double Breasted, British warm type, with two faced slits, to sample No. 3 (worn by Ticket Checkers) | " | 10 | " | 3 | 12 | 6 | |
| *7183 | Single Breasted, to sample No. 4 (worn by Female Porters) | " | 200 | " | 2 | 17 | 6 | |
| | Allowances for alterations to completed overcoats— | | | | | | | |
| 7184 | For shortening or lengthening coat | " | ... | " | 0 | 4 | 0 | |
| 7185 | For shortening or lengthening sleeves | " | ... | pair | 0 | 2 | 0 | |
| 7186-7189 | —Nil | | | | | | | |

UNIFORM CAPS.

(Schedule No. 213.)

(1st July, 1944, to 30th June, 1946).

| | | | | | | | | |
|-------|--|-------|------|------|-----|-----|-----|----------------------------|
| | Caps, uniform, to specification, any size ordered— | | | | | | | |
| *7190 | To sample No. 1 (worn by Stationmasters) | Vict. | 100 | each | 1 | 7 | 6 | Max Borchardt Pty. Ltd. |
| *7191 | To sample No. 2 (worn by Assistant Stationmasters, Clerks and Parcels Foremen) | " | 250 | " | 0 | 10 | 6 | |
| *7192 | To sample No. 3 (worn by Passenger Guards) | " | 45 | " | 0 | 10 | 6 | |
| *7193 | To sample No. 4 (worn by Train Conductors, Head Porters, Senior Porters, Indicator Porters, Supervising Tram Motormen, 1st Class Ticket Checkers and Luggage Checkers) | " | 80 | " | 0 | 10 | 6 | |
| *7194 | To sample No. 5 (worn by Porters, Operating Porters, Leading Porters, Porters-in-charge, Goods Guards, Electric Suburban Guards, 2nd class Ticket Checkers, Electric Train Drivers, Rail Motor Drivers, Tram Conductors and Tram Motormen) | " | 2000 | " | 0 | 9 | 4 | |
| *7195 | To sample No. 6 (worn by Licensed Luggage Porters) | " | 60 | " | 0 | 9 | 10 | |
| *7196 | To sample No. 7 (worn by Motor Omnibus Drivers) | " | 20 | " | 0 | 10 | 3 | |
| 7197 | To sample No. 8 | ... | Nil | ... | ... | ... | ... | |
| *7198 | To sample No. 9 (worn by Female Porters) | Vict. | 450 | each | 0 | 10 | 9 | Max Borchardt Pty. Ltd. |
| 7199 | —Nil | | | | | | | |

FELT HATS

(Schedule No. 214)

(1st July, 1944, to 30th June, 1946).

| | | | | | | | | |
|-----------|--|-------|------|------|---|----|---|----------------------------|
| *7200 | Hats, felt, to specification, any size ordered | Vict. | 1400 | each | 0 | 14 | 4 | Coronet Felts Pty. Ltd. |
| 7201-7209 | —Nil | | | | | | | |

CHAMOIS SKINS AND CELLULOSE SPONGES.

(Schedule No. 216).

(1st July, 1944 to 30th June, 1946).

| Item No. | Description | Country of Manuf're | Estimated Requirements | Rate per | Rate £ s. d. | Name of Contractor |
|-----------|--|---------------------|------------------------|----------|-----------------|--------------------|
| †7220 | Skins, chamois, "Evasoft," approx. 3½ sq. ft. each | Vict. | 350 | each | 10 2 1 | C. J. Langford |
| †7221 | Sponges, cellulose, approx. 4" x 6" x 2" | ... | Nil | ... | ... | |
| 7222-7229 | —Nil | | | | | |

† Less 2½% discount for payment by end of month following month of delivery.

DRAPERY, ETC.

(Schedule No. 217)

(1st July, 1944, to 30th June, 1946)

| | | | | | | |
|--------|---|--------|---------------|--------|--------|--------------------------------|
| †7230 | Baize, green, 72" wide | Vict. | 200 lin. yds. | l. yd. | 0 6 0 | Federal Felters Pty. Ltd. |
| †7231 | Blanketing, dark grey, 63" wide | " | 2000 lbs. | lb. | 0 4 0 | Penal & Gaols Dept. |
| †7232 | Blocks, felt, 8" x 3" x ½" | ... | 1000 | ... | ... | Nil |
| *†7233 | Buttons, clinch, steel, black, 1¼", without washers | Vict. | 500 gross | gross | 0 7 9 | } Stokes & Sons Pty. Ltd. |
| *†7234 | Buttons, metal, black, large | " | 1000 " | " | 0 6 6 | |
| †7235 | Calico, signwriters', 36" wide | ... | 800 lin. yds. | ... | ... | } Nil |
| †7236 | Calico, unbleached, 36" wide, for French polishing | ... | 500 " | ... | ... | |
| †7237 | Calico, unbleached, 72" wide | ... | 5000 " | ... | ... | |
| †7238 | Calico, white, 36" wide | ... | Nil | ... | ... | |
| †7239 | Cloth, cheese, brown, 36" wide | ... | Nil | ... | ... | |
| †7240 | Cloths, floor, 30" x 20" | Vict. | 300 doz. | dozen | 1 0 0 | Gilbert Lodge & Co. Pty. Ltd. |
| †7241 | Drill, drab, 30" wide | ... | 600 lin. yds. | ... | ... | Nil |
| †7242 | Duck, japanned, 1st quality, 50" wide, in pieces of 12 lin. yds.— Claret | ... | Nil | ... | ... | |
| †7243 | Green | ... | Nil | ... | ... | |
| †7244 | Dusters, check, 28" x 23" | ... | 36 doz. | ... | ... | } Nil |
| †7245 | Elastic, white, ¾" wide | ... | 48 doz. yds. | ... | ... | |
| †7246 | Felt, air, "S.K. No. 3," or suitable alternative, 5' wide, in rolls 75' long | ... | 4 rolls | ... | ... | |
| †7247 | Felt, vermin proof, mounted on hessian, ¾" thick, 72" wide | ... | 300 lin. yds. | ... | ... | |
| †7248 | Felt, white, approx. 52" wide, any length ordered, ¼", ½", ¾", 1", 1½", 2", 3" or 1" thick, as ordered | N.S.W. | 3000 lbs. | lb. | 10 6 6 | Felt & Textiles of Aust. Ltd. |
| †7249 | Hessian, for paperhanging, 72" wide, 18-oz. | India | 600 lin. yds. | l. yd. | 0 1 4 | } A. Abrahams & Sons Pty. Ltd. |
| †7250 | Hessian, for upholstering, 72" wide, 18-oz. | " | 4000 " | " | 0 1 4 | |
| †7251 | Hessian, flock lined, in pieces 60" x 40" Holland, 1st quality, beige, green or nigger brown, as ordered— | ... | Nil | ... | ... | |
| †7252 | 36" wide | ... | 600 sq. yds. | ... | ... | } Nil |
| †7253 | Widths other than 36" | ... | 1000 " | ... | ... | |
| †7254 | Kapok, in bales | ... | Nil | ... | ... | |
| †7255 | Muslin, 'butter', 36" wide | ... | Nil | ... | ... | |

† Less 2½% discount for payment by end of month following month of delivery.

DRAPERY, ETC.—continued.

| Item No. | Description | Country of Manufacture | Estimated Requirements | Rate per | Rate £ s. d. | Name of Contractor |
|-----------|---|------------------------|------------------------|----------|-----------------|---|
| †7256 | Paper, felt, 72" wide, for use under linoleum, in rolls 50 yds. long | ... | 35 rolls | ... | ... | Nil |
| †7257 | Textile, black, for blinds, 50" wide, "Fabrex" Leathercloth, "D" quality, shade 70, grain R 33 (see note) | Vict. | 500 lin. yds. | l. yd. | 0 7 6 | Imperial Chemical Industries of A. & N.Z. Ltd. (Fabrex Division). |
| †7258 | Towels, sanitary, in cartons, 1½" diameter x 3" long, with pasted turn-in edges | Vict. | 1750 doz. | doz. | 0 2 3½ | Joubert & Joubert Pty. Ltd. |
| †7259 | Velvet, Utrecht, green, 50" wide | ... | 250 lin. yds. | ... | ... | } Nil |
| †7260 | Wadding, cotton, in 5¼-lb. rolls approx. 36" wide x 12 yards long— Bleached, suitable for French polishing | ... | 15 rolls | ... | ... | |
| †7261 | Unbleached | Vict. | 600 " | roll | †0 6 9 | R. S. Johnston & Co. |
| †7262 | Wool, fingering, white | ... | 56 lbs. | ... | ... | Nil |
| 7263-7269 | —Nil | | | | | |

† Less 2½% discount for payment by end of month following month of delivery.

OFFICE CHAIRS.

(Schedule No. 218.)

(1st July, 1944, to 30th June, 1946).

| | | | | | | |
|-----------|--|-------|-----|------|-------|------------------------|
| †7270 | Chairs, office, revolving, "Bendix Model C.404." (see notes) | Vict. | 200 | each | 2 2 5 | Bendix Steel Chair Co. |
| 7271-7279 | —Nil | | | | | |

PENCILS

(Schedule No. 219)

(1st July, 1944, to 30th June, 1946)

| | | | | | | |
|-----------|---|--------|----------|-------|----------|-----------------------------|
| †7280 | Pencils, colored, thick core— Black | N.S.W. | 24 gross | gross | 0 17 11½ | Edwards Dunlop & Co. Ltd. |
| †7281 | Blue | ... | 120 " | ... | ... | Nil |
| †7282 | Pencils, copying, hexagon or round— Hard, to take 2 or more carbons, "Iron Duke" | N.S.W. | 100 " | gross | 1 2 10½ | } Edwards Dunlop & Co. Ltd. |
| †7283 | Blue, "Tintorex" | " | 20 " | " | 1 4 6¼ | |
| †7284 | Green | " | 15 " | " | 1 4 6¼ | |
| †7285 | Red | " | 72 " | " | 1 4 6¼ | |
| †7286 | Pencils, drawing, "Leo Rex"— B | " | 3 " | " | 1 0 0 | } W. & G. Dean Pty. Ltd. |
| †7287 | BB | " | 3 " | " | 1 0 0 | |
| †7288 | HB | " | 10 " | " | 1 0 0 | |
| †7289 | F | " | 20 " | " | 1 0 0 | |
| †7290 | H | " | 10 " | " | 1 0 0 | |
| †7291 | HH | " | 6 " | " | 1 0 0 | |
| †7292 | HHH | " | 20 " | " | 1 0 0 | |
| †7293 | Pencils, office— H, moderately hard, "Leo Rex" or "Craftsman" | " | 200 " | " | 0 16 10½ | } Edwards Dunlop & Co. Ltd. |
| †7294 | HB, hexagon, "Popular" (see note) | " | 500 " | " | 0 6 6¼ | |
| †7295 | 2H, to take 5 carbons, hexagon or round, "Leo Rex," (see note) | " | 180 " | " | 0 16 10½ | |
| 7296-7299 | —Nil | | | | | |

ARSENITE OF SODA, LIQUID

(Schedule No. 220)

(1st July, 1944, to 30th June, 1946)

| Item No. | Description | Country of Manuf're | Estimated Requirements | Rate per | Rate | | | Name of Contractor |
|-----------|---|---------------------|------------------------|----------|------|----|----|-----------------------------|
| | | | | | £ | s. | d. | |
| 7300 | Weedkiller, Arsenite of Soda, liquid, in 5 gal. drums, to specification | Vict. | 600 tons | ton | 22 | 0 | 0 | Victor Leggo & Farmers Ltd. |
| 7300A | " " " " " " " " | " | 600 " | " | 21 | 17 | 1 | Hart & Co. Pty. Ltd. |
| 7301-7309 | —Nil | | | | | | | |

CHLORATE LIQUID WEEDKILLER

(Schedule No. 221)

(1st July, 1941, to 30th June, 1942)

(Extended to 30th June, 1946.)

| | | | | | | | | |
|-----------|---|-------|--------------|------|---|----|---|--|
| 7310 | Weedkiller, chlorate liquid, to specification, "Weedex" | Vict. | 30,000 units | unit | 0 | 13 | 3 | Imperial Chemical Industries of A. & N.Z. Ltd. (Chemical Division) |
| 7311-7319 | —Nil | | | | | | | |

PARTS FOR ELECTRIC SAFETY CAP LAMPS.

(Schedule No. 223)

(1st July, 1944, to 30th June, 1946)

| Parts for "NIFE" electric safety cap lamps— | | | | | | | | | | |
|---|--|---------|-----------|------|------|------|----|----|--|--|
| Item No. | Description | Country | Quantity | Unit | Rate | Rate | | | Contractor | |
| | | | | | | £ | s. | d. | | |
| 7330 | Bodies, magnetic lock, part No. 3303 | ... | Nil | ... | ... | | | | | |
| *7331 | Bulbs, clear, part No. 1004, "Osram" (see notes) | U.K. | 1000 | each | 0 | 1 | 5½ | | British General Electric Co. Pty. Ltd. | |
| 7332 | Caustic Potash, chemically pure, in 28 lb. tins | U.S.A. | 1008 lbs. | tin | 4 | 11 | 0 | | Masse Batteries (Vic.) Pty. Ltd. | |
| 7333 | Clips, bezel, part No. 1035 | ... | Nil | ... | ... | | | | | |
| 7334 | Clips, cable, nickel-plated, part No. 2009 | ... | | ... | ... | ... | | | | |
| 7335 | Clips, cap, part No. 1022 | ... | | ... | ... | ... | | | | |
| 7336 | Connectors, steel, part No. 2103 | ... | | ... | ... | ... | | | | |
| 7337 | Contacts, assemblies bulb, part No. 1011 | ... | | ... | ... | ... | | | | |
| 7338 | Contacts, assembly, complete, part No. 3308 | ... | ... | ... | ... | | | | | |
| *7339 | Fuses, part No. 2026 | U.K. | 2000 | each | 0 | 0 | 4 | | Masse Batteries (Vic.) Pty. Ltd. | |
| *7340 | Glasses, armour plate, part No. 1009 | " | 250 | " | 0 | 1 | 2½ | | | |
| 7341 | Grips, cable, part No. 2035 | ... | Nil | ... | ... | | | | | |
| 7342 | Indicators, electrolyte level, part No. 2105 | U.K. | 50 | each | 0 | 0 | 9½ | | Masse Batteries (Vic.) Pty. Ltd. | |

PARTS FOR ELECTRIC SAFETY CAP LAMPS—continued.

| Item No. | Description | Country of Manuf're | Estimated Requirements | Rate per | Rate | | | Name of Contractor |
|--|---|---------------------|------------------------|----------|------|-----|-----------------|----------------------------------|
| | | | | | £ | s. | d. | |
| Parts for "NIFE" electric safety cap lamps—continued— | | | | | | | | |
| 7343 | Intakes, cable, bakelite, part No. 1036 | ... | Nil | ... | ... | ... | ... | ... |
| 7344 | Mouldings, bakelite, part No. 1003 | ... | | ... | ... | ... | ... | ... |
| 7345 | Nuts, connector, part No. 2104 | ... | | ... | ... | ... | ... | ... |
| *7346 | Nuts, steel, 6 B.A., part No. 2027 | ... | | ... | ... | ... | ... | ... |
| 7347 | Pins, hinge, magnetic lock, part No. 3302 | ... | | ... | ... | ... | ... | ... |
| *7348 | Plates, contact, cable socket, part No. 2002 | N.S.W. | 50 doz. | dozen | 0 | 1 | 4 | Masse Batteries (Vic.) Pty. Ltd. |
| 7349 | Plungers, magnetic lock, part No. 3306 | ... | Nil | ... | ... | ... | ... | ... |
| 7350 | Reflectors, part No. 1006 | ... | | ... | ... | ... | ... | ... |
| 7351 | Rings, terminal, ebonite, black, part No. 2101 | ... | | ... | ... | ... | ... | ... |
| 7352 | Rings, terminal, ebonite, red, part No. 2100 | ... | | ... | ... | ... | ... | ... |
| 7353 | Rivets, clip, bezel, part No. 1034 | ... | | ... | ... | ... | ... | ... |
| *7354 | Screws, round head, Whitworth, $\frac{1}{32}$ " part No. 1021 | ... | | ... | ... | ... | ... | ... |
| *7355 | Screws, round head, 6 B.A., long, part No. 1013 | ... | | ... | ... | ... | ... | ... |
| 7356 | Screws, sealing, magnetic body, part No. 3304 | ... | | ... | ... | ... | ... | ... |
| 7357 | Screws, terminal, part No. 2005 | ... | | ... | ... | ... | ... | ... |
| 7358 | Sheets, insulating, ebonite, red, part No. 3307 | U.K. | | 100 | each | 0 | 0 | 5 |
| 7359 | Sleeves, terminal, part No. 2004 | N.S.W. | 100 doz. | dozen | 0 | 2 | 8 | |
| *7360 | Sockets, cable, part No. 2003 | U.K. | 200 | " | 0 | 1 | 7 | |
| 7361 | Springs, bulb glass, part No. 1020 | ... | Nil | ... | ... | ... | ... | ... |
| 7362 | Springs, magnetic lock, part No. 3305 | U.K. | 50 doz. | dozen | 0 | 1 | 1 | Masse Batteries (Vic.) Pty. Ltd. |
| 7363 | Switches, complete, part No. 1026 | " | 100 | each | 0 | 2 | 7 | |
| 7364 | Terminals, positive or negative, as ordered, part No. 2018 | ... | Nil | ... | ... | ... | ... | ... |
| 7365 | Tubes, reinforcing, short, new type, part No. 2008 | ... | ... | ... | ... | ... | ... | ... |
| 7366 | Vents, steel, with rubber sleeve, part No. 2023 | U.K. | 100 | each | 0 | 0 | 6 $\frac{1}{2}$ | Masse Batteries (Vic.) Pty. Ltd. |
| *7367 | Washers, cable, gland, rubber, part No. 1038 | ... | Nil | ... | ... | ... | ... | ... |
| 7368 | Washers, cable, gland, steel, part No. 1037 | ... | | ... | ... | ... | ... | ... |
| *7369 | Washers, rubber, seating, for steel vent, part No. 2025 | ... | | ... | ... | ... | ... | ... |
| 7370 | Washers, seating, electrolyte level indicator, part No. 2106 | U.K. | 1000 | dozen | 0 | 1 | 0 | Masse Batteries (Vic.) Pty. Ltd. |
| 7371 | Washers, rubber, reflector, part No. 1007 | Vict. | 500 | 100 | † | 5 | 2 | Dunlop Rubber Aust. Ltd. |
| 7372 | Washers, steel, for terminals, part No. 2102 | ... | Nil | ... | ... | ... | ... | ... |
| 7373-7379 | Nil | ... | ... | ... | ... | ... | ... | ... |

† Less 2½% discount for payment by end of month following month of delivery.

SAWN TIMBER.
(Schedule No. 224)
(1st July, 1944, to 30th June, 1946)

| Item No. | Description | Country of Manuf're | Estimated Requirements | Rate per | Rate £ s. d. | Name of Contractor | |
|----------|---|---------------------|-----------------------------|--------------------------|-----------------|-----------------------------|--|
| | (See also concurrent items Nos. 7380A to 7386A) Hoop Pine , sawn, to specification, as ordered, in random lengths 10' and over (see notes)— | | | | | | |
| 7380 | 12" wide x 1" or 1½" thick | Q'land | 30,000 | 100 sup. ft. of 1" thick | £3 15 6 | Wm. Cook Pty. Ltd | |
| 7381 | 12" " x 1½" or 2" " | " | | " | £3 17 6 | | |
| 7382 | 14" " x 1" or 1½" " | " | | " | £3 16 6 | | |
| 7383 | 16" " x 1" or 1½" " | " | | " | £3 19 6 | | |
| 7384 | 16" " x 1½" or 2" " | " | | " | £4 1 6 | | |
| 7385 | 18" " x 1" or 1½" " | " | | " | £4 1 6 | | |
| 7386 | 18" " x 1½" or 2" " | " | | " | £4 3 6 | | |
| | (See also concurrent items Nos. 7387B to 7393C) Kauri, Queensland , sawn, to specification, as ordered, in random lengths 10' and over (see notes)— | | | | | | |
| 7387 | 12" wide x 1" thick | " | 12,000 | " | £3 19 6 | | |
| 7387A | 12" " x 1½" " | " | | " | £4 0 0 | | |
| 7388 | 12" " x 1½" " | " | | " | £4 0 6 | | |
| 7388A | 12" " x 2" " | " | | " | £4 1 6 | | |
| 7389 | 14" " x 1" " | " | | " | £4 1 0 | | |
| 7389A | 14" " x 1½" " | " | | " | £4 1 6 | | |
| 7390 | 16" " x 1" " | " | | " | £4 2 0 | | |
| 7390A | 16" " x 1½" " | " | | " | £4 2 6 | | |
| 7391 | 18" " x 1" " | " | | " | £4 4 6 | | |
| 7391A | 18" " x 1½" " | " | | " | £4 5 0 | | |
| 7392 | 24" " x 1" " | " | " | £4 12 3 | | | |
| 7392A | 24" " x 1½" " | " | " | £4 12 9 | | | |
| 7393 | 24" " x 1½" " | " | " | £4 13 3 | | | |
| 7393A | 24" " x 2" " | " | " | £4 14 3 | | | |
| | (See also concurrent items Nos. 7380 to 7386) Hoop Pine , sawn, to specification, as ordered, in random lengths 10' and over (see notes)— | | | | | | |
| 7380A | 12" wide x 1" or 1½" thick | Q'land | See items Nos. 7380 to 7386 | 100 sup. ft. of 1" thick | £3 15 6 | John Sharp & Sons Pty. Ltd. | |
| 7381A | 12" " x 1½" or 2" " | " | | " | £3 17 6 | | |
| 7382A | 14" " x 1" or 1½" " | " | | " | £3 16 6 | | |
| 7383A | 16" " x 1" or 1½" " | " | | " | £3 19 6 | | |
| 7384A | 16" " x 1½" or 2" " | " | | " | £4 1 6 | | |
| 7385A | 18" " x 1" or 1½" " | " | | " | £4 1 6 | | |
| 7386A | 18" " x 1½" or 2" " | " | | " | £4 3 6 | | |

⌘ Rates plus 2½%

SAWN TIMBER—continued.

| Item No. | Description | Country of Manuf're | Estimated Requirements | Rate per | Rate | | | Name of Contractor |
|-----------|--|---------------------|--------------------------------|----------|------|----|----|-------------------------------|
| | | | | | £ | s. | d. | |
| | (See also concurrent items Nos. 7387 to 7393A) Kauri, Queensland, sawn, to specification, as ordered, in random lengths 10' and over (see notes)— | | | | | | | |
| 7387B | 12" wide x 1" thick ... | " | } See items Nos. 7387 to 7393A | " | 3 | 19 | 6 | } John Sharp & Sons Pty. Ltd. |
| 7387C | 12" " x 1 1/4" " ... | " | | " | 4 | 0 | 0 | |
| 7388B | 12" " x 1 1/2" " ... | " | | " | 4 | 0 | 6 | |
| 7388C | 12" " x 2" " ... | " | | " | 4 | 1 | 6 | |
| 7389B | 14" " x 1" " ... | " | | " | 4 | 1 | 0 | |
| 7389C | 14" " x 1 1/4" " ... | " | | " | 4 | 1 | 6 | |
| 7390B | 16" " x 1" " ... | " | | " | 4 | 2 | 0 | |
| 7390C | 16" " x 1 1/4" " ... | " | | " | 4 | 2 | 6 | |
| 7391B | 18" " x 1" " ... | " | | " | 4 | 4 | 6 | |
| 7391C | 18" " x 1 1/4" " ... | " | | " | 4 | 5 | 0 | |
| 7392B | 24" " x 1" " ... | " | | " | 4 | 12 | 3 | |
| 7392C | 24" " x 1 1/4" " ... | " | | " | 4 | 12 | 9 | |
| 7393B | 24" " x 1 1/2" " ... | " | | " | 4 | 13 | 3 | |
| 7393C | 24" " x 2" " ... | " | | " | 4 | 14 | 3 | |
| | Radiata Pine, sawn, to specification, 1", 1 1/4", 1 1/2", 2", 2 1/2" or 3" thick, as ordered, in random lengths 10' and over— | | } Nil | | | | | |
| 7394 | 9" wide ... | | | | | | | |
| 7395 | 10" " ... | | | | | | | |
| 7396 | 12" " ... | | | | | | | |
| 7397 | 14" " ... | | | | | | | |
| 7398 | Radiata Pine, sawn, to specification, 2" to 8" wide, 1" to 5" thick, as ordered, in random lengths | | | | | | | |
| 7399-7409 | Nil | | | | | | | |

‡ Rates plus 2 1/2%.

MILLED TIMBER

(Schedule No. 225)

(1st July, 1944, to 30th June, 1946)

| SHELVING. | | | | | | | | |
|-----------|---|---------|-------------------|-----------------------|------|----|----|--------------------|
| Item No. | Shelving, Hoop Pine, to specification, dressed four sides, in random lengths, 10' and up— | Country | Super ft. on face | 100 super ft. on face | Rate | | | Name of Contractor |
| | | | | | £ | s. | d. | |
| 7410 | 12" x 1/2" (finished sizes) ... | Q'land | } 2000 | " | 3 | 6 | 6 | Wm. Cook Pty. Ltd. |
| 7410A | " " " " (see note) | " | | | " | 3 | 5 | 3 |
| 7411 | 12" x 3/4" or 7/8" " " as ordered | " | } 6000 | " | 3 | 19 | 6 | Wm. Cook Pty. Ltd. |
| 7411A | " " " " (see note) | " | | | " | 3 | 19 | 6 |

‡ Items Nos. 7410 to 7411A—Plus 2 1/2%. † Items Nos. 7412 to 7414A—Less 5% trade discount.

MILLED TIMBER—continued.

| Item No. | Description | Country of Manuf're | Estimated Requirements | Rate per | Rate | | | Name of Contractor |
|---|---|---------------------|------------------------|---------------------|------|-----|-----|-------------------------------|
| | | | | | £ | s. | d. | |
| FLOORING, LINING AND WEATHERBOARD. | | | | | | | | |
| Milled Hoop Pine, select quality, to specification— | | | | | | | | |
| †7412 | Flooring, T. & G., 6" x 7/8", in random lengths, 10' and up | " | Lineal feet 18,000 | 100 lin. ft. | †1 | 13 | 0 | Wm. Cook Pty. Ltd. |
| †7412A | " " " " | " | | | | | | John Sharp & Sons Pty. Ltd. |
| †7413 | Flooring, T. & G., 6" x 3/4", in random lengths, 10' and up | " | 2500 | " | †1 | 13 | 0 | Wm. Cook Pty. Ltd. |
| †7413A | " " " " | " | | | | | | John Sharp & Sons Pty. Ltd. |
| †7414 | Lining, T. & G. and V jointed, 6" x 1/2", in bundles of even lengths, 10' and up | " | 3000 | " | †1 | 1 | 6 | Wm. Cook Pty. Ltd. |
| †7414A | " " " " | " | | | | | | John Sharp & Sons Pty. Ltd. |
| Milled Jarrah, select quality, to specification, kiln dried— | | | | | | | | |
| †7415 | Flooring, T. & G., 3 3/8" x 1 1/8", any length ordered | W.A. | 50,000 | 100 lin. feet | †1 | 6 | 6 | John Sharp & Sons Pty. Ltd. |
| Milled Mountain Ash, select quality, to specification— | | | | | | | | |
| †7416 | Flooring, T. & G., 4 1/4" x 3/4", in random lengths, 10' and up | Vict. | 300,000 | " | †1 | 6 | 9 | } Wm. Cook Pty. Ltd. |
| †7417 | Lining, T. & G. or rebated as ordered, V jointed, 3 1/4" x 7/8", in bundles of even lengths, 10' and up | " | 300,000 | " | †0 | 16 | 3 | |
| †7418 | Weatherboards, bullnosed, 6 1/2" x 5/8", in bundles of even lengths, 10' and up | " | 200,000 | " | †1 | 5 | 3 | |
| †7418A | " " " " | " | | | | | | |
| Milled Murray Pine, first quality, to specification— | | | | | | | | |
| †7419 | Flooring, T. & G., 5 1/2" x 7/8", in random lengths, 10' and up | N.S.W. | 40,000 | " | †1 | 2 | 3 | } John Sharp & Sons Pty. Ltd. |
| †7419A | " " " " | Vict. | | | | | | |
| †7420 | Flooring, T. & G., 4" x 3/8", in random lengths, 10' and up | " | 20,000 | " | †0 | 13 | 4 | } Evans Bros. |
| †7421 | Lining, T. & G. and V jointed, 3 1/2" x 5/8", in bundles of even lengths, 10' and up | " | 2000 | " | | | | |
| | | | | | †0 | 10 | 0 | |
| Milled Radiata Pine, to specification— | | | | | | | | |
| †7422 | Flooring, T. & G., 6" x 7/8", in random lengths, 10' and up | South Aust. | 200,000 | " | †1 | 7 | 6 | Wm. Cook Pty. Ltd. |
| †7422A | " " " " | Vict. or S. Aust. | | | | | | John Sharp & Sons Pty. Ltd. |
| †7423 | Lining, T. & G. and beaded, 6" x 1/2", in bundles of even lengths, 10' and up | South Aust. | 100,000 | " | †0 | 18 | 6 | Wm. Cook Pty. Ltd. |
| †7423A | " " " " | Vict. or S. Aust. | | | | | | John Sharp & Sons Pty. Ltd. |
| †7424 | Lining, T. & G. and V jointed, 6" x 1/2", in bundles of even lengths, 10' and up | South Aust. | 30,000 | " | †0 | 18 | 6 | Wm. Cook Pty. Ltd. |
| †7424A | " " " " | Vict. or S. Aust. | | | | | | John Sharp & Sons Pty. Ltd. |
| †7425 | Weatherboards, square edge, 2 out of 7" x 1 1/4", in bundles of even lengths, 10' and up | South Aust. | 50,000 | " | †1 | 2 | 0 | Wm. Cook Pty. Ltd. |
| Milled Red Deal, Baltic, first quality, to specification— | | | | | | | | |
| †7426 | Flooring, T. & G., 6" x 7/8", in random lengths, 10' and up | ... | Nil | ... | ... | ... | ... | |
| †7427 | Lining, T. & G. and V jointed, 4" x 5/8", in bundles of even lengths, 10' and up | ... | Nil | ... | ... | ... | ... | |
| 7428-7429—Nil | | | | | | | | |

† { Item No. 7415—Less 7 1/2% trade discount.
 " " 7419—Less 2 1/2% trade discount.
 Items Nos. 7416 to 7418A and 7422 to 7425—Less 5% trade discount.

MOULDINGS (TIMBER)
(Schedule No. 226)
(1st July, 1944, to 30th June, 1946)

| Item No. | Description | Country of Manuf're | Estimated Requirements | Rate per | Rate £ s. d. | Name of Contractor | |
|---------------|--|---------------------|------------------------|-----------------|-----------------|--------------------------------------|--------------------------------------|
| | Mouldings, Mountain Ash, Select Quality, to specification— | | | | | | |
| | Architrave, sanitary or bullnosed, as ordered— | | | | | | |
| † { 7430 | 3" x 7/8" | Vict. | Lineal feet 15,000 | 100 lin. ft. | †0 18 0 | } Wm. Cook Pty. Ltd. | |
| 7431 | 4" x 7/8" | " | } 20,000 | " | †1 2 6 | | |
| †7431A | 4" x 7/8" | " | | " | " | †1 2 6 | } Millars' Timber & Trading Co. Ltd. |
| †7432 | Bead, parting, 7/8" x 3/8" (finished sizes) | " | 15,000 | " | †0 7 0 | | |
| | Cover Strip, dressed all round— | | | | | | |
| † { 7433 | 1 1/2" x 5/8" (finished sizes) | " | 50,000 | " | †0 6 6 | | |
| 7434 | 2" x 5/8" " " | " | 75,000 | " | †0 7 9 | | |
| †7435 | Picture Rail, 2 1/2" x 7/8" | " | 6000 | " | †0 15 9 | | |
| | Scotia, plain— | | | | | | |
| † { 7436 | 3/4" x 3/4" (finished sizes) | " | 1000 | " | †0 7 9 | } Wm. Cook Pty. Ltd. | |
| 7437 | 1" x 1" " " | " | 2000 | " | †0 13 3 | | |
| 7438 | 1 1/2" x 1 1/2" " " | " | 20,000 | " | †1 1 6 | | |
| †7439 | 1 3/4" x 1 1/2" " " | " | 10,000 | " | †1 3 6 | | |
| | Skirting, sanitary or bullnosed, as ordered— | | | | | | |
| † { 7440 | 7" x 7/8" | " | 7500 | " | †2 0 0 | | |
| 7441 | 9" x 7/8" | " | 1000 | " | †3 0 0 | | |
| | Staff Bead— | | | | | | |
| †7442 | 7/8" x 3/8" (finished sizes) | " | } 5000 | " | †0 7 6 | } Millars' Timber & Trading Co. Ltd. | |
| †7442A | 7/8" x 3/8" " " | " | | " | " | | †0 7 6 |
| †7443 | 1 1/2" x 3/8" " " | " | | 5000 | " | | †0 8 9 |
| | Quad. Moulding— | | | | | | |
| †7444 | 3/4" (finished size) | " | } 15,000 | " | †0 7 9 | } Wm. Cook Pty. Ltd. | |
| †7444A | 3/4" " " | " | | " | " | | †0 7 9 |
| †7445 | 1" " " | " | } 75,000 | " | †0 12 3 | } Wm. Cook Pty. Ltd. | |
| †7445A | 1" " " | " | | " | " | | †0 12 3 |
| †7446 | 1 1/2" " " | " | | 15,000 | " | | †0 13 9 |
| 7447-7449—Nil | | | | | | | |

† Less 5% trade discount.

CARBON BRUSHES.

(Schedule No. 228).

(1st July, 1944, to 30th June, 1946).

| Item No. | Description | Country of Manufacture | Estimated Requirements | Rate per | Rate £ s. d. | Name of Contractor |
|-----------|---|------------------------|------------------------|----------|-----------------|-----------------------------|
| * { 7470 | Brushes, Carbon, to specification— Sample No. 1—Drawing No. F1763A (for AC slip rings of Siemens rotary converters, 3000, 1500 and 750 k.w.) "ACC/AC.5A" | Vict. | 100 | each | 0 10 1 | H. R. Hill & Sons Pty. Ltd. |
| 7470A | | | | | | |
| *7471 | Samples No. 2A or 2B—Drawings Nos. F256c or F1765B (for commutators of Siemens rotary converters, 3000, 1500 and 750 k.w.) "EG14/2" | " | 500 | " | 0 4 6 | H. Rowe & Co. Pty. Ltd. |
| *7472 | Sample No. 3A—Drawing No. F1766A (for AC slip rings of Metropolitan-Vickers rotary converters, 2250 k.w.) | ... | 200 | ... | ... | Nil |
| *7473 | Sample No. 4—Drawing No. F1642b (for commutators of Metropolitan-Vickers rotary converters, 2250 k.w.) "HM3" | N.S.W. | 1000 | each | 0 3 8 | H. Rowe & Co. Pty. Ltd. |
| *7474 | Sample No. 5B—Drawing No. F1772A (for AC slip rings of Metropolitan-Vickers rotary converters, 525 k.w.) | ... | 100 | ... | ... | Nil |
| *7475 | Sample No. 6—Drawing No. F1640A (for commutators of Metropolitan-Vickers rotary converters, 525 k.w.) "EG14K" | N.S.W. | 50 | each | 0 8 7 | H. Rowe & Co. Pty. Ltd. |
| * { 7476 | Sample No. 7—Drawing No. F1778B (for AC slip rings of General Electric rotary converters, 2250 k.w.) "ACC/AC.59" | Vict. | 50 | " | 0 15 9 | H. R. Hill & Sons Pty. Ltd. |
| 7476A | | | | | | |
| *7477 | Sample No. 8A—Drawing No. F2392 (for commutators of General Electric rotary converters, 2250 k.w.) "EG 14K" | " | 100 | " | 0 5 8 | H. Rowe & Co. Pty. Ltd. |
| *7478 | Sample No. 9—Drawing No. F1780A (pilot brushes of General Electric rotary converters, 2250 k.w.) "NCC/SA.45" | Vict. | 12 | " | 0 2 3 | H. R. Hill & Sons Pty. Ltd. |
| * { 7479 | Sample No. 10—Drawing No. F1663B (for AC slip rings of British Thompson Houston rotary converters, 1000 and 4500 k.w.) "ACC/AC.5A." | Vict. | 400 | each | 0 9 4 | H. R. Hill & Sons Pty. Ltd. |
| 7479A | | | | | | |
| *7480 | Sample No. 11A—Drawing No. F1666A (for commutators of British Thompson Houston rotary converters, 1000 and 4500 k.w.) "EG14/2" | " | 200 | " | 0 8 10 | " |
| *7481 | Sample No. 16—Drawing No. F1791B (for commutators of motor generator sets, 5 k.w.) "EG12" | " | 12 | " | 0 3 2 | " |
| *7482 | Samples Nos. 23A or 23B—Drawing No. F1554B (for commutators of British Thompson Houston rotary converters, 3000 k.w.) "EG14/2" | " | 200 | " | 0 4 9 | H. Rowe & Co. Pty. Ltd. |
| *7483 | Sample No. 101A—Drawing No. F2371 (for AC slip rings of turbo alternator sets at Newport Power Station) "HM6" | " | 150 | " | 0 7 4 | " |
| *7484 | Sample No. 104A—Drawing No. F1937 (for exciters of turbo alternator sets at Newport Power Station) "Link 1" | " | 10 | " | 0 4 5 | " |
| 7485-7489 | Nil | | | | | |

DIXIE CUPS AND FIBRE CARTONS.

(Schedule No. 231)

(1st July, 1944, to 30th June, 1946)

| Item No. | Description | Country of Manuf're | Estimated Requirements | Rate per | Rate | | | Name of Contractor |
|-----------|--|---------------------|------------------------|----------|------|-------|--|--------------------|
| | | | | | £ | s. | d. | |
| *†7510 | Cups, drinking, "Dixie" type, 5-oz., unglazed | ... | 300,000 | ... | ... | ... | Nil | |
| *7511 | Cartons, solid fibre, printed in red— ·80 —1 jute, 9½" square x 13¾" deep | Vict. | 3300 | each | †0 | 0 11½ | } Corrugated Fibre Container Pty. Ltd. | |
| *7512 | ·100—1 jute, 14" long x 10" wide x 13¾" deep | " | 800 | " | †0 | 1 5½ | | |
| *7513 | ·100—1 jute, 19" long x 9½" wide x 13¾" deep | " | 1400 | " | †0 | 1 7¼ | | |
| *7514 | ·100—2 jute, 19" long x 9½" wide x 13¾" deep | " | 700 | " | †0 | 1 8½ | | |
| 7515-7519 | —Nil | | | | | | | |

† Less 3½% discount for payment within 10 days of date of receipt of invoice, or 2½% for payment by end of month following month of delivery. (See note).

GOGGLES, RESPIRATORS, ETC.

(Schedule No. 232)

(1st July, 1944, to 30th June, 1946)

| | | | | | | | |
|-----------|---|--------|------------|------|-----|-------|--|
| *7520 | Discs, glass, clear, for "Duralux" Welding goggles, 44 mm. dia. x 12-oz. glass, not exceeding ⅛" thick, to gauge supplied by the Corporation | ... | Nil | ... | ... | | |
| *7521 | Discs, glass, clear, for "Duraweld" welding goggles, 50 mm. dia. x 12-oz. glass, not exceeding ⅛" thick, to gauge supplied by the Corporation | ... | Nil | ... | ... | | |
| *7522 | Glasses, screen, 4½" x 2", to specification, for electric welders, "Protex" | U.K. | 200 | each | 0 | 2 11 | C. R. Kennedy |
| †7523 | Goggles, motor, dust, dark brown fabric "Shield" No. 35c—(see note) | N.S.W. | 3000 pairs | pair | { | 0 2 1 | } L. G. Robinson & Co. |
| | Lenses, to suit "Shield" No. 35c, motor dust goggles—(see note)— | | | | | | |
| †7524 | Clear | " | 1200 | each | { | 0 0 2 | |
| †7525 | Green | " | 350 | " | { | 0 0 9 | |
| | Lenses, protective, colored, to specification, for oxy-acetylene welders— | | | | | | |
| *7526 | 45 mm. dia. x not exceeding 2 mm. thick, to fit "Duralux" goggles | ... | 200 | ... | ... | ... | Nil |
| *7527 | 50 mm. dia. x not exceeding 2 mm. thick, to fit "Duraweld" goggles | ... | Nil | ... | ... | ... | |
| †7528 | Respirators, dustproof, "Arnold" type D. 28 | Vict. | 250 | each | †0 | 13 6 | } Australian Oxygen & Industrial Gases Pty. Ltd. |
| †7529 | Pads, filter, for "Arnold" type D. 28 respirators, in boxes of 100 | " | 500 | 100 | †0 | 7 6 | |
| †7530 | Valves, exhaust, for "Arnold" type D. 28 respirators | " | 1 gross | each | †0 | 1 6 | |
| 7531-7539 | —Nil | | | | | | |

† Less 12½% trade discount.

ENGRAVING PERIODICAL TICKETS.

(Schedule No. 233).

(1st July, 1944, to 30th June, 1946).

| | | | | | | | |
|------|--|-------|-----|-----------|---|-----|-----------|
| 7540 | Engraving Periodical Tickets, to specification | Vict. | 800 | engraving | 0 | 3 6 | Ina Jones |
|------|--|-------|-----|-----------|---|-----|-----------|

