

GOVERNMENT GAZETTE.

Bublished by Authority.

[Registered at the General Post Office, Melbourne, for transmission by post as a newspaper.]

No. 653]

TUESDAY, JULY 13.

[1954

Factories and Shops Acts.

DETERMINATION OF A WAGES BOARD ADJUSTED PURSUANT TO SECTION 21 OF THE FACTORIES AND SHOPS ACT 1934 (No. 4275).

I, Henry Norman Jones, Acting Secretary for Labour, in pursuance of the powers conferred by the Factories and Shops Acts, hereby make and issue the following adjusted Determination of the Wages Board referred to hereunder showing adjusted rates and prices to operate from the beginning of the first pay period to commence in May, 1954.

Dated at Melbourne, this 12th day of July, 1954.

H. N. JONES, Acting Secretary for Labour.

TEA PACKING BOARD.

Clause 2 of the Determination made on the 26th March, 1954, and in force on the 1st April, 1954, shall be replaced by the following clause:---

2.

. Wager

APPRENTICES OR IMPROVERS.						
-] 1	Males.	Females.			
	Percentage of Basic Wage.	Per Week.	Percentage of Female Basic Wage.	Per Week.		
14 усагв	23	54 6	l • i			
15 years	30	71 0	42	74 6		
l6 years	35	83 0	47	83 6		
l7 years	45	106 6	. 56	99 6		
l8 years	56	132 6	67	119 0		
9 years	63	149 6	74	131 6		
20 years	81	192 0	85	151 0		

Proportion (within any factory or place).

Apprentices.

One male apprentice to every three or fraction of three male workers receiving at wages rates or piece-work prices not less than 261s. 6d. per week.

One female apprentice to every three or fraction of three female workers receiving at wages rates or piece-work prices not less than 189s. per week.

Improvers.

One male improver to every three or fraction of three male workers receiving at wages rates or piece-work prices not less than 261s. 6d. per week.

One female improver to every three or fraction of three female workers receiving not less than 189s. per week.

Clauses, other than Clause 2 of the said Determination, shall remain in force.

-

•

•



VICTORIA

GOVERNMENT GAZETTE.

Bublished by Authority.

[Registered at the General Post Office, Melbourne, for transmission by post as a newspaper.]

No. 6541

TUESDAY, JULY 13.

[1954

Factories and Shops Acts.

DETERMINATION OF A WAGES BOARD ADJUSTED PURSUANT TO SECTION 21 OF THE FACTORIES AND SHOPS ACT 1934 (No. 4275).

I, Henry Norman Jones, Acting Secretary for Labour, in pursuance of the powers conferred by the Factories and Shops Acts, hereby make and issue the following adjusted Determination of the Wages Board referred to hereunder showing adjusted rates and prices to operate from the beginning of the first pay period to commence in May, 1954.

Dated at Melbourne, this

12th day of July, 1954.

H. N. JONES,

Acting Secretary for Labour.

BRICKLAYERS BOARD.

Clauses 2(a) and 2(b) of the Determination made on the 16th December, 1953, and in force as from the same date, shall be replaced by the following clauses:—

* WAGES.

2 (a)

Apprentices and Improvers.

Apprentices.—Per Week.			Improvers.—PER WEEK.							
		Percentage of Basic Wage.	Adjustable Wage.	Loading.	Weekly Rate.	<u> </u>	Percentage of Basic Wage.	Weekly Rate.	War Time Loading.	Total Weekly Rate
lst year and year and year th year ath year		29 38 53 76 98	s. d. 68 6 90 0 125 6 180 0 232 6	s. d. 2 8 5 4 8 0 10 8 13 4	s. d. 71 2 95 4 133 6 190 8 245 10	lst six months 2nd six months 2nd year 3rd year 4th year 5th year	23 33 48 77 98 100 plus 14s.	54 6 78 0 114 0 182 6 232 6 251 0	s. d. 1 0 1 6 2 0 3 0 4 0 4 6	s. d. 55 6 79 6 116 0 185 6 236 6 255 8

- Proportion (in any place).

Proportion (IN ANY PLACE).

One apprentice to every three bricklayers or fraction thereof receiving not less than the minimum wage of 323s. 4d. per week.

One improver to every four bricklayers or fraction thereof receiving not less than the minimum wage of 323s. 4d. per week.

An amended indenture of apprenticeship was approved on 7th September, 1940.

^{*} NOTE.—Section 151, Act 3677, reads as follows:—"When in any Determination a Wages Board has fixed a wages rate only for wholly or partly preparing or manufacturing either inside or outside a factory, any articles or for doing any work, then it shall not be lawful for any person to pay or authorize or permit to be paid therefor any piecework prices, and the receipt or acceptance of any piecework prices shall not be deemed to be payment or part payment of any such wages."

Other Employees.

SECTION " A ".

This Section applies only in respect of the employment of persons on the construction renovation repair alteration or demolition of buildings performed on the site thereof, and in particular it shall have no application—

(i) to employment by an employer in any industry where the work performed by the employee is subsidiary or auxiliary to the chief and principal purpose and business of such industry; or

(ii) to employment in workshops.

	Per Week.		Per	Per Hour.	
		d.		d.	
1) Foreman bricklayer in charge of three or more employees (see clause 21 hereof)					
Bricklayers employed on sewerage work, drainage work, or underground work such					
as tunnelling	334	2	8	4	
8) Bricklayers employed in the construction of, and/or repairs to gas retorts for the manufacture of gas, or retorts used in the manufacture and/or refining of oil from shale or coal—					
(a) Where the temperature does not exceed 120° Fahrenheit	353	4	8	10	
(b) Where the temperature exceeds 120° Fahrenheit	373	4	9	4	
4) Bricklayers employed on old firework and/or repairs to boilers, bakers' ovens, furnaces,			1		
and all work pertaining thereto-	353		ن	10	
(a) Where the temperature does not exceed 120° Fahrenheit) 8		
(b) Where the temperature exceeds 120° Fahrenheit	373	4	8	4	
5) Bricklayers employed on all new firework, construction of stills, towers, and acid-	204	٥	١ .	41	
resisting brickwork, and all work pertaining thereto other than repairs to same	• 334	2	8	41	
Bricklayers employed on repair work to acid furnaces, acid stills, acid towers, and all					
other acid-resisting brickwork	373		9	4	
/) Bricklayers laying glass bricks	323	4	8	1	
Bricklayers engaged below ground level (in underpinning the foundation of an ad-			_		
joining building)	330		8	31	
) All other bricklayers	323	4	8	1	
0) Persons employed laying or fixing faience or majolica on floors, walls, or ceilings.	323	4	- 8]-	
Bricklayers employed building chimney stacks shall be paid-			1		
Over 50 feet to 100 feet, at the rate of 7s. 6d. per week extra.			1		
And for every additional 50 feet or fraction thereof, as the rate of 7s. 6d.			1		
per week extra.		_	1		
Bricklayers employed laying blocks (other than cinderete blocks for plugging purposes)			ļ		
shall be paid the rate prescribed for the classification of the work on which they are			1		
employed plus—					
Where the blocks weigh over 12 lb. and under 20 lb., 6d. per hour;					
Where the blocks weigh 20 lb. or over and up to 40 lb., 1s. per hour;	•				
Where the blocks weigh over 40 lb., 1s. 6d. per hour.			-		

SECTION "B".

This Section applies in respect of the employment of all persons coming within the ambit of the Determination, other than those provided for in Section "A" hereof.

Foreman bricklayer in charge of three or more employees (see clause 21 hereof) Bricklayers employed on sewerage work, drainage work, or underground work such as tunnelling not connected with building construction		Per Week.	Per Hour.
Bricklayers employed on sewerage work, drainage work, or underground work such as tunnelling not connected with building construction Bricklayers employed in the construction of, and/or repairs to gas retorts for the manufacture of gas, or reterts used in the manufacture and/or refining of oil from shale or coal— (a) Where the temperature exceeds 120° Fahrenheit (b) Where the temperature does not exceed 120° Fahrenheit (a) Where the temperature does not exceed 120° Fahrenheit (b) Where the temperature does not exceed 120° Fahrenheit (c) Where the temperature exceeds 120° Fahrenheit (d) Where the temperature exceeds 120° Fahrenheit (e) Where the temperature exceeds 120° Fahrenheit (f) Where the temperature exceeds 120° Fahrenheit (h) Where the temperature exceeds 120° Fahrenheit (h) Bricklayers employed on all new firework, construction of stills, towers, and soid-resisting brick- work, and all work pertaining thereto other than repairs to same (h) Bricklayers employed on repair work to acid furnaces, acid stills, acid towers, and all other acid- resisting brickwork (h) Bricklayers laying glass bricks (h) Bricklayers laying glass bricks (h) Bricklayers employed below ground level (in underpinning the foundation of an adjoining building) (h) Bricklayers employed building chimney stacks shall be paid— Over 50 feet to 100 feet, at the rate of 7/6 per week extra. And for every additional 50 feet or fraction thereof, at the rate of 7/6 per week extra. Bricklayers employed laying blocks (other than cinderete blocks for plugging purposes) shall be paid the rate prescribed for the classification of the work on which they are employed plus— Where the blocks weigh over 12 lb. and under 20 lb., 6d. per hour; Where the blocks weigh 20 lb. or over and up to 40 lb., ls. per hour;		s. d.	s. d.
Bricklayers employed in the construction of, and/or repairs to gas retorts for the manufacture of gas, or retorts used in the manufacture and/or refining of oil from shale or coal— (a) Where the temperature does not exceed 120° Fahrenheit	Foreman bricklayer in charge of three or more employees (see clause 21 hereof)		,
Bricklayers employed in the construction of, and/or repairs to gas retorts for the manufacture of gas, or retorts used in the manufacture and/or refning of oil from shale or coal— (a) Where the temperature does not exceed 120° Fahrenheit	Bricklayers employed on sewerage work, drainage work, or underground work such as tunnelling	0.27 . 0	0.01
gas, or reterts used in the manufacture and/or refining of oil from shale or coal— (a) Where the temperature does not exceed 120° Fahrenheit	not connected with building construction	327 6	8 22
(a) Where the temperature does not exceed 120° Fahrenheit			
(b) Where the temperature exceeds 120° Fahrenheit Bricklayers employed on old firework and/or repairs to boilers, bakers' ovens, furnaces, and all work pertaining thereto— (a) Where the temperature does not exceed 120° Fahrenheit (b) Where the temperature exceeds 120° Fahrenheit (c) Where the temperature exceeds 120° Fahrenheit (d) Where the temperature exceeds 120° Fahrenheit (e) Where the temperature exceeds 120° Fahrenheit (f) Where the temperature exceeds 120° Fahrenheit (h) Where the blocks weigh 20 lb. or over and up to 40 lb., 1s. per hour; (h) Where the blocks weigh 20 lb. or over and up to 40 lb., 1s. per hour; (h) Where the blocks weigh 20 lb. or over and up to 40 lb., 1s. per hour;		346 10	88
Bricklayers employed on old firework and/or repairs to boilers, bakers' ovens, furnaces, and all work pertaining thereto— (a) Where the temperature does not exceed 120° Fahrenheit			
work pertaining thereto— (a) Where the temperature does not exceed 120° Fahrenheit	Bricklavers employed on old firework and/or repairs to boilers, bakers' ovens, furnaces, and all]
(b) Where the temperature exceeds 120° Fahrenheit Bricklayers employed on all new firework, construction of stills, towers, and acid-resisting brickwork, and all work pertaining thereto other than repairs to same	work pertaining thereto—		
Bricklayers employed on all new firework, construction of stills, towers, and acid-resisting brickwork, and all work pertaining thereto other than repairs to same	(a) Where the temperature does not exceed 120° Fahrenheit		
work, and all work pertaining thereto other than repairs to same Siricklayers employed on repair work to acid furnaces, acid stills, acid towers, and all other acid-resisting brickwork	(b) Where the temperature exceeds 120° Fahrenheit	366 10	92
Bricklayers employed on repair work to acid furnaces, acid stills, acid towers, and all other acid- resisting brickwork	Bricklayers employed on all new firework, construction of stills, towers, and acid-resisting brick-	0.000 0	0.01
resisting brickwork	work, and all work pertaining thereto other than repairs to same	327 6	8 21
) Bricklayers laying glass bricks	Bricklayers employed on repair work to acid furnaces, acid stills, acid towers, and all other acid-	266 10	9
Bricklayers engaged below ground level (in underpinning the foundation of an adjoining building) All other bricklayers	Resisting Drivawork		
All other bricklayers	Bricklayers engaged below ground level (in underpinning the foundation of an adjoining building)		
0) Persons employed laying or fixing faience or majolica on floors, walls, or ceilings	All other bricklayers		
Bricklayers employed building chimney stacks shall be paid— Over 50 feet to 100 feet, at the rate of 7/6 per week extra. And for every additional 50 feet or fraction thereof, at the rate of 7/6 per week extra. Bricklayers employed laying blocks (other than cinderete blocks for plugging purposes) shall be paid the rate prescribed for the classification of the work on which they are employed plus— Where the blocks weigh over 12 lb. and under 20 lb., 6d. per hour; Where the blocks weigh 20 lb. or over and up to 40 lb., 1s. per hour;	(1) Persons employed laying or fixing faience or majolica on floors, walls, or ceilings	316 8	7 11
And for every additional 50 feet or fraction thereof, at the rate of 7/6 per week extra. Bricklayers employed laying blocks (other than cinderete blocks for plugging purposes) shall be paid the rate prescribed for the classification of the work on which they are employed plus— Where the blocks weigh over 12 lb. and under 20 lb., 6d. per hour; Where the blocks weigh 20 lb. or over and up to 40 lb., 1s. per hour;	Bricklayers employed building chimney stacks shall be paid—		İ
Bricklayers employed laying blocks (other than cinderete blocks for plugging purposes) shall be paid the rate prescribed for the classification of the work on which they are employed plus— Where the blocks weigh over 12 lb. and under 20 lb., 6d. per hour; Where the blocks weigh 20 lb. or over and up to 40 lb., 1s. per hour;			İ
paid the rate prescribed for the classification of the work on which they are employed plus— Where the blocks weigh over 12 lb. and under 20 lb., 6d. per hour; Where the blocks weigh 20 lb. or over and up to 40 lb., 1s. per hour;			i I
Where the blocks weigh over 12 lb. and under 20 lb., 6d. per hour; Where the blocks weigh 20 lb. or over and up to 40 lb., ls. per hour;	Bricklayers employed laying blocks (other than cinderete blocks for plugging purposes) shall be		1
Where the blocks weigh 20 lb. or over and up to 40 lb., Is. per hour;	When the blocks which over 12 lb and under 20 lb 6d, are hour.		
	Where the blocks weigh over 40lb., 1s. 6d. per hour.		

Notwithstanding anything contained in this Section any employee, within six months of his first employment in any place whose employment is terminated by the employer for any cause, shall on such termination be entitled to be paid for such work performed by him the appropriate rate or rates prescribed in Section "A" hereof.

NOTE.—The amounts of the differences between the rates prescribed in Section "A" and Section "B" hereof are consequent on the differences in the methods of adjustment as prescribed in clause 28 hereof, due to the rates in the first mentioned Section including a loading for "following the job."

Clauses, other than clauses 2 (a) and 2 (b) of the said Determination shall remain in force.